CC372A HP® LaserJet Printer M1522n

This file was downloaded from here



Product Description

HP Printer LaserJet M1522n - A4 upto 23 ppm, copy up to 23cpm, 64MB RAM, 600x600 Dpi, USB-2, integrated network, 250 sheet input tray, 8000 page/month duty cycle

Specifications on this product range

All-in-one functions	Black-and-white printing, black-and-white copying, black-and-white and color scanning
Multitasking capability	Yes
Speed/monthly volun	ne
Print speed, black (best quality mode)	Up to 24 ppm
Print speed, black (normal quality mode)	Up to 24 ppm
Monthly duty cycle	Up to 8,000 pages
*Footnote for duty cycle	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
Recommended monthly print volume	250 to 2,000 pages

*Footnote for recommended monthly print volume	HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
First page out (black)	As fast as 9.5 sec
Processor speed	450 MHz
Printer page yield	View additional yield information
Print quality/technolo	bgy
Print technology	Laser
Print quality, black	Up to 600 x 600 x 2 dpi
Resolution	REt, HP FastRes, HP TrueRes
technology	
Cartridges	1 (black)
Paper handling/med	ia
Paper tray(s),	1 plus 10-sheet priority slot
standard	
Paper tray(s),	1 plus 10-sheet priority slot
maximum	
Input capacity, standard	Up to 250 sheets
Envelope feeder	No
Envelope input, standard	Up to 10 envelopes
Output capacity, standard	Up to 125 sheets
Output capacity,	Up to 125 sheets
maximum	
Duplex printing	Manual (driver support provided)
(printing on both	
sides of paper)	
Document finishing	Sheetfed
Media sizes,	Priority input tray and Tray 1: letter, legal, envelopes (No. 5
standard	(1/2 Baronial) through No. 11), index cards, postcards; automatic document feeder (ADF): letter, legal
Media sizes,	Priority input tray and Tray 1: 3 x 5 to 8.5 x 14 in; automatic
custom	document feeder (ADF): 5 x 5 to 8.5 x 15 in
Media types	Paper (bond, color, heavy, letterhead, light, plain,
	preprinted, prepunched, recycled, rough), envelopes,
	transparencies, labels, cardstock
Memory/print langua	ges/typefaces

Memory, standard 64 MB Memory, maximum 64 MB

Hard disk	None
Print languages,	HP PCL 6, HP PCL 5, HP postscript level 3 emulation
standard	
Typefaces	45 scalable TrueType, 35 PostScript

Scanner specifications	
Scanner type	Flatbed, ADF
Scan resolution, enhanced	Up to 19,200 dpi
Scan resolution, hardware	Up to 1,200 x 1,200 dpi
Bit depth	24-bit
Levels of grayscale	256
Task speed	Multi-page letter document with colored text was scan to file (200 dpi, 24-bit, jpeg) via WIA, total scan time was 58 seconds for 3 pages (not including the first page)
Automatic document feeder capacity	Standard, 50 sheets
Maximum scan size - flatbed	8.5 x 11.7 in

Copier specifications

Copy resolution, Up to 600 x 600 dpi black Copy Copy 25 to 400% reduce/enlarge Copy	P P	
reduce/enlarge	• •	Up to 600 x 600 dpi
settings	• •	25 to 400%
Maximum number Up to 99 copies of copies		Up to 99 copies

Connectivity, standard	10/100Base-T Ethernet network port, Hi-Speed USB 2.0 compatible port.
Connectivity, optional	None
Macintosh compatible	Yes
Print drivers, standard	HP PCL 6, HP postscript Level 3 emulation

Minimum systemPC: Windows 2000, Windows Server 2003: any Pentium IIrequirementsprocessor or higher, 64 MB RAM, 250 MB hard disk space, SVGA 800 x 600 with 16-bit color display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port (print driver, scan driver only); Windows XP-32 Home, Windows XP-32 Professional: any Pentium II processor (Pentium III or higher recommended), 128 MB RAM, 250 MB hard disk space, SVGA 800 x 600 with 16-bit color display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port; Windows XP-x64: any Pentium II processor (Pentium III or higher recommended), 128 MB RAM, 250 MB hard disk space, SVGA 800 x 600 with 16-bit color display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port; Windows Vista-32 Home, Windows Vista-32 Professional: 1 GHz processor, 512 MB RAM, check user guide for minimum hard drive space, SVGA 800 x 600 with 16-bit color display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port; Windows Vista-64: 1 GHz processor, 512 MB RAM, check user guide for minimum hard drive space, SVGA 800 x 600 with 16-bit color display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port Macintosh: Mac OS X v 10.3 or higher; G3 (500 MHz), G4, G5, or Intel processors, 512 MB RAM, 100 MB disk space, USB or network port, CD-ROM drive		
	•	processor or higher, 64 MB RAM, 250 MB hard disk space, SVGA 800 x 600 with 16-bit color display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port (print driver, scan driver only); Windows XP-32 Home, Windows XP-32 Professional: any Pentium II processor (Pentium III or higher recommended), 128 MB RAM, 250 MB hard disk space, SVGA 800 x 600 with 16-bit color display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port; Windows XP-x64: any Pentium II processor (Pentium III or higher recommended), 128 MB RAM, 250 MB hard disk space, SVGA 800 x 600 with 16-bit color display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port; Windows XP-x64: any Pentium II processor (Pentium III or higher recommended), 128 MB RAM, 250 MB hard disk space, SVGA 800 x 600 with 16-bit color display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port; Windows Vista-32 Home, Windows Vista-32 Professional: 1 GHz processor, 512 MB RAM, check user guide for minimum hard drive space, SVGA 800 x 600 with 16-bit color display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port; Windows Vista-64: 1 GHz processor, 512 MB RAM, check user guide for minimum hard drive space, SVGA 800 x 600 with 16-bit color display, Internet Explorer 5.5 or higher (full install), CD-ROM drive, USB port Macintosh: Mac OS X v 10.3 or higher; G3 (500 MHz), G4, G5, or Intel processors, 512 MB RAM, 100 MB disk space,

Dimensions, std.19.5 x 16.0 x 15.8 in(W x D x H)24.2 lbWeight, U.S.24.2 lbWarranty, standardOne-year limited warranty

© 2002 - 2011 ComXpert International CC

Accuracy of information is not guaranteed. Images are a reference and may differ from actual product. E&OE. <u>Terms and conditions apply</u>.

Full site: <u>http://www.comx.co.za/</u> Mobile site: <u>http://m.comx.co.za/</u> Enhanced mobile site: <u>http://touch.comx.co.za/</u> Facebook: <u>http://www.facebook.com/pages/ComX-Computers/130126582879</u> Twitter: <u>http://twitter.com/comxcomputers</u>

