HP Officejet 9100 series all-in-one 9110 • 9120 • 9130

hp



Do more for less.

Share the capabilities of five different devices with your business workgroup. The HP Officejet 9100 series all-in-one delivers costeffective, high-performance document management.

Workgroup performance

- Enjoy fast printing and copying. Improve business productivity with speeds of up to 25 pages per minute (ppm) black and 22 ppm color. Reduce time waiting for your documents with a first copy out speed of 12 seconds.
- Create professional color documents and images. Print vibrant color documents and true-to-life photo-quality images with up to 4800-optimized dots per inch (dpi) color printing on HP Premium Photo Papers.
- Take advantage of productive multitasking. Scan a job, send or receive a fax, and print simultaneously. Multitasking is easy with enhanced memory and HP technology.
- Share the value, increase workgroup performance. With network throughput speeds of up to 6 MB/second and advanced security features, you get industryleading internal networking via the HP Jetdirect 620n Fast Ethernet print server (optional for the HP Officejet 9110 aio).

Five-in-one color convenience, with digital sending

- Get a better return on your business investment. This dependable all-in-one lets your entire workgroup share the capabilities of five different devices: print, copy, scan, fax, and digital send.
- **Reinvent the way you share information.** Use digital sending to route hardcopy documents to e-mail or network folders for archiving.

- **Easily handle photo images.** Print, e-mail, or send digital images to network folders from photo memory cards directly from the product.
- Enable efficient digital sending. The retractable keyboard simplifies digital sending and is customized for 16 languages (standard with the HP Officejet 9130 aio).

Low cost for business


- **Minimize product intervention.** The four color and black ink cartridges each print up to 1,750 pages at five percent coverage. Individual print supplies mean you only replace the empty cartridge, and long-lasting printheads provide cost-saving operation.
- View supply status at-a-glance. Each HP cartridge features HP Smart printing technology, which works with the printer to deliver real-time status information.¹
- Print two-sided documents with ease. Routinely printing and copying on both sides with the standard automatic two-sided printing unit saves resources, virtually doubles your input capacity, and makes paperwork more manageable.
- Manage and configure device functions remotely. The HP embedded Web server provides powerful tools for tracking print jobs and supplies usage by user and department, and for controlling color usage in the costconscious office.

HP printing and imaging systems help you create powerful, professional communications easily. The product's supplies, accessories, and services are designed together to work together and are invented to meet your business needs.

¹ Using genuine HP supplies ensures availability of all HP printing features.

HP Officejet 9100 series all-in-one

- Easy-to-use control panel provides a familiar copier interface and instant access to each of the product's five different modes
- 2 Retractable keyboard enables efficient digital sending
- 3 Separate ink cartridges and printheads for costeffective operation
- 4 100-sheet output tray
- 5 150-sheet multipurpose Tray 1 and 250-sheet Tray 2 for a 400-sheet total input capacity
- 6 Photo memory card support for printing and sending digital images
- 7 50-sheet reversing automatic document feeder for duplex copying
- 8 128 MB of standard printing memory and powerful 256 and 133 MHz processors perform complex tasks quickly
- 9 HP Jetdirect 620n Fast Ethernet internal print server enables high-performance networking for up to 15 users
- 10 Built-in USB and parallel ports
- 11 Automatic two-sided printing unit



Expandable design

- Upgrade HP Officejet 9110 aio and 9120 aio models to allow digital sending, made easy with a retractable keyboard.
- Fit the product seamlessly into your wireless network environment with the optional HP Jetdirect 680n internal wireless print server.
- Increase your media input capacity with the 500-sheet input Tray 2.
- Expand printing memory up to 384 MB with two open SDRAM DIMM slots to handle the most complex printing jobs.
- Reengineer complex document workflows with HP AutoStore, a feature-rich content management solution.

HP Officejet 9130 aio shown

Support productive workgroups with this reliable all-in-one. The product features intelligent and cost-saving document management solutions, like digital sending to enhance e-mail and network archiving workflows.

Powerful device management

Manage your networked all-in-one remotely with the HP embedded Web server. Configure the speed-dial buttons for easy, three-step digital sending, set up authorized user passwords to protect device usage, enable job accounting and tracking, and even back up device settings. These tasks and others can be conveniently performed directly from any networked computer with a standard Web browser, saving time and effort.

Easy digital sending

Digital sending is a fast, simple, and reliable way to capture paper-based documents in digital format so you can better manage valuable information. The convenient retractable keyboard helps you effortlessly navigate to network folders or enter e-mail addresses and subject lines. Route incoming faxes to a network folder, e-mail images directly from a photo memory card, and submit reports and other business materials by simply scanning them to a network folder or computer. Your workgroup can share or archive information at the touch of a button.

Use the optional HP AutoStore solution to send documents directly to enterprise content management applications, where the document information can be processed, routed, and stored. The HP Officejet 9100 series is LDAPcompliant for efficient corporate directory services (requires connection to an SMTP LDAP server).

Effortless multitasking

Designed to be used by more than one person at a time, the all-in-one can perform many functions simultaneously. For example, you can scan a document into memory while the device is printing, or scan a fax into memory and then digitally send a document without interrupting the fax transmission. The scan-once-print-many feature lets you scan your job into memory, walk away with your originals, and return for your copies when it's convenient.

Modular ink-delivery system

HP's modular ink-delivery system features four individual ink cartridges, as well as specially designed printheads for each of the black, cyan, magenta, and yellow inks. The separate print supplies, combined with HP Smart printing technology, deliver cost-effective, high-quality, fast color printing. For optimal results for your business needs, use specialty media such as HP Premium Plus Photo Paper, HP Premium Photo Paper, and HP Brochure and Flyer Paper, Glossy and Matte.

Business imaging

With support for CompactFlash, Secure Digital, Memory Stick, SmartMedia, and Multimedia Card photo memory cards, the HP Officejet 9100 series aio simplifies image printing and sharing. (The HP embedded Web server lets you disable photo memory card use to prevent unauthorized photo printing and save costs.)

Series at a glance



HP Officejet 9110 aio (C8140A)

- 150-sheet multipurpose tray
- One open EIO slot for optional network connectivity



HP Officejet 9120 aio (C8143A)

All the features of the 9110 model, plus:

- Standard 250-sheet input Tray 2 for a 400-sheet input capacity
- HP Jetdirect 620n Fast Ethernet internal EIO print server



HP Officejet 9130 aio (C8144A)

All the features of the 9120 model, plus:

 Keyboard (enables efficient digital sending)

HP Officejet 9100 series all-in-one

Technical specifications

lechnical specifications		Ordering inf
Print Speed ¹ (letter/A4)	Up to 25 ppm black and 22 ppm color in Fast mode (up to 9 ppm black and 8.5 ppm color in Normal mode)	HP product
Resolution		HP Officejet 91
	papers, 1200 by 1200-input dpi	HP Officejet 91 HP Officejet 91
	Up to 25 ppm black and 22 ppm color in Fast mode (up to 8.5 ppm black and 7.3 ppm color in Normal mode)	Media handling
First copy out ¹		250-sheet input
Resolution		500-sheet input Print supplies
Features		10 Black ink ca
S = = = = = = = = = = = = = = = = = = =	customizable copy presets, fit to Page, poster, clone, mirror copy, two pages to one page, and margin shift	11 Cyan ink ca
can Speed ²	Via ADF: Up to 11 ppm, preview mode: 25 seconds, OCR letter/A4 page (black) into Microsoft Word: 22 seconds, 4 by 6 inch photo into Microsoft Word: 17 seconds	11 Magenta in 11 Velleur intra
Resolution		11 Yellow ink c 11 Black printh
	Front-panel scan (215.9 by 355.6 mm max. scan size), HP Photo and Imaging software (Windows), HP Image Zone software	11 Cyan printh
input modes	(Mac) and user's software application via TWAIN	11 Magenta pr
ax Speed	33.6 kbps, 3 seconds per page (based on ITU-test image #1 at standard resolution)	11 Yellow print Memory
Resolution		128 MB SDRA
Features		64 MB SDRAM
	network folder (with digital sending), automatic redial, 99 fax speed dial, up to 250 pages fax memory with 4 MB of flash	Cables IEEE 1284 cab
	memory (Based on ITU-test image #1 at standard resolution. More complicated pages or higher resolution may reduce number of	IEEE 1284 cab
	pages stored in memory.)	USB cable (a-b
i gital send Speed		HP Jetdirect inter 620n (Fast Ethe
Features		TX, 802.3)
	(supports HP AutoStore), forward incoming faxes to network folder, e-mail from photo memory card, send from photo memory	615n (Fast Ethe
hata mamany card	card to network folder, programmable speed dials for e-mail addresses and network folder paths Supports direct printing and dividel conding from the following formats: CompactElach Land II. Secure Dividel Mamon Stick	TX) ⁵
hoto memory card	Supports direct printing and digital sending from the following formats: CompactFlash I and II, Secure Digital, Memory Stick, SmartMedia, Multimedia Card	680n (802.11 Digital sending
CD	Text-based, 4-line by 20-character, white backlit	Localized keyb
ocessor	256 MHz Motorola 32-bit ColdFire 4e RISC, 133 MHz ARM9 RISC	HP AutoStore
lemory	128 MB built-in; expandable to 384 MB with two open industry-standard 100-pin SDRAM DIMM slots (128 MB per slot), with	Base software License pack, J
leniory	Memory Enhancement Technology (MEt)	License pack, E
uty cycle	Up to 10,000 pages per month	Pacific
ost-per-page ³	8.4 U.S. cents color, 2.2 U.S. cents black (Total cost per US letter-sized page with 15% color coverage or 5% monochrome	Media (letter size HP Bright Whit
1 1 5	coverage including ink, replaceable parts, power, paper, and average service costs.)	HP Office Pape
Supplies yields	Ink cartridges C, M, Y (28 ml): up to 1,750 pages at 5 percent coverage per color; Ink cartridge K (69 ml): up to 1,750 pages	HP Office Recy
	at 5 percent coverage; Printheads C, M, Y: up to 24,000 pages at 5 percent coverage per color; Printhead K: up to 16,000	HP Multipurpos
	pages at 5 percent coverage	HP Printing Pa HP Premium Pl
edia Media handling		HP Premium Pl
	feeder, automatic two-sided printing unit, 100-sheet output tray	HP Photo Pape
Sizes	Tray 1: 3 by 5 in to 8.5 by 14 in (76.2 by 127 mm to 216 by 356 mm); Tray 2: 7 by 10 in to 8.5 by 14 in (182 by 257 mm	HP Everyday P HP Brochure a
	to 216 by 356 mm); U.S. sizes: letter, legal, statement, executive, No. 10 envelopes, Monarch envelopes; Metric sizes: A4, A5,	HP Brochure a
) \ /-:	A6, B5 Tray 1: 16 to 110 lb (60 to 200 g/m²); Tray 2: 16 to 28 lb (60 to 105 g/m²); Automatic two-sided printing unit: 16 to 90 lb	HP Premium Po
Weights	(60 to 160 q/m ²)	HP Premium In HP Premium Pl
Types	Paper (plain, inkjet, photo), envelopes, transparencies, labels, cards (index, greeting)	Film
onnectivity Interfaces		
interfaces	server (optional for HP Officejet 9110 aio)	What's in th
Languages and fonts	HP PCL 6, HP PCL 5c, and HP PostScript® level 3 emulation, with automatic language switching; 45 TrueType and 35 PostScript	
5 5	fonts built in (all PostScript emulation, PCL 5c, and PCL 6 accessible); Intellifont and TrueType rasterizer built into PCL 5c and PCL	HP Officejet 9
	6; Built-in support for Arabic, Cyrillic, Greek, and Hebrew symbol sets	Automatic two-si
Client operating systems	Standard: Microsoft Windows 98, Me, XP 32-bit edition, 2000; Mac OS 9.2, OS X (10.1.x and 10.2.x); Optional Print	phone cord, HP (26.5 ml), HP 1
	functionality only for Windows NT 4.0, XP 64-bit edition; Optional scan functionality only for Windows NT 4.0; OS/2; Linux;	HP 11 magenta
	UNIX®; MS-DOS third-party printer driver support	yellow ink cartri
Network operating systems		printhead, HP 1
	Apple Mac OS 9.1 and later; Red Hat Linux 6.x and later; SuSE Linux 6.x and later; HP-UX 10.20, 11.x; Solaris 2.5x, 2.6, 7, 8	magenta printhe Getting Started (
	(SPARC systems only); IBM AIX 3.2.5 and later; MPE-iX; Microsoft Windows Terminal Server Edition 4.0; Windows 2000 Server	HP Officejet 9
· ·	Terminal Services with Citrix MetaFrame 1.8; Windows XP Server Terminal Services with Citrix MetaFrame 1.8	Automatic two-si
imensions	HP Officejet 9110 aio: 22.6 by 18.1 by 15.6 in (574 by 460 by 397 mm)	phone cord, HP
/eight	HP Officejet 9120 aio and 9130 aio: 22.6 by 18.1 by 18.2 in (574 by 460 by 462 mm) HP Officejet 9110 aio: 44.1 lb (20 kg); HP Officejet 9120 aio and 9130 aio (includes Tray 2): 53.1 lb (24.1 kg)	(26.5 ml), HP 1 HP 11 magenta
perating environment	Operating temperature: 59 to 95 degrees F (15 to 35 degrees C); Storage temperature: -4 to 122 degrees F (-20 to 50	yellow ink cartri
perdining environment	degrees C); Relative humidity: 15 to 80 percent, non-condensing	printhead, HP 1
coustics	Sound power: active, 6.6 B(A); powersave, 4.04 B(A); standby, 4.06 B(A)	magenta printhe Getting Started
	Sound pressure: active, 53 dB(A); powersave and standby, 27.7 dB(A)	Fast Ethernet inte
ower specifications ⁴	Built-in Universal Power Supply: 110 to 240 VAC (±10 percent), 50 to 60 Hz input voltage	input Tray 2
·I	Power consumption: < 1 watt power off, 31 watts Standby, 77 watts max. copying; Energy Star compliant	HP Officejet 9
ertifications Safety	EN 950/IEC 950 compliant, UL Listed (USA), LVD (Europe), GS (Germany), CSA (Canada), NOM NYCE (Mexico), PSB	Automatic two-si
501019	(Singapore), GOST (Russia), CCC S and E (China), KTL (Korea), B Mark (Poland), S Mark (Argentina)	phone cord, HP (26.5 ml), HP 1
EMC	EU (EMC Directive), USA (FCC Rules), Australia (A-Tick), Canada (ICES), China (CCC S&E), Korea (MIC), Taiwan (BSMI)	HP 11 magenta
/arranty	One-year limited hardware warranty	yellow ink cartrid
Approximate figures. Exact speed depend	s on system configuration, software programs, media, and document complexity.	printhead, HP 1
can time only; data transfer to CPU not in		magenta printhe Getting Started (
	mation available and is not guaranteed accurate by Hewlett-Packard Company. Actual prices may vary. ntry/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.	Fast Ethernet inte

⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. ⁵ Supports printing and digital sending only.



ENERGY STAR is a U.S. registered service mark of the United States Environmental Protection Agency. As an ENERGY STAR partner, HP has determined that this product meets the guidelines for energy efficiency. HP-UX Release 10.20 and later and HP-UX Release 11.00 and later (in both 32 and 64-bit configurations) on all HP 9000 computers are Open Group UNIX 95 branded products. Microsoft, Windows, and Windows NI are registered trademarks of Microsoft Corporation. PostScript is a trademark of Adobe Systems Incorporated. UNIX is a registered trademark of The Open Group. All other brand and product names are trademarks or registered trademarks of their respective companies.

© Copyright 2003 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

For more information visit our website at www.hp.com 0000-0000ENUC, 01/2004

Ordering information

P product	Number
HP Officejet 9110 aio	C8140A
HP Officejet 9120 aio	C8143A
HP Officejet 9130 aio	C8144A
edia handling	
250-sheet input tray (Tray 2)	C8237A
500-sheet input tray (Tray 2)	C8238A
int supplies	
10 Black ink cartridge (69 ml)	C4844A
11 Cyan ink cartridge (28 ml)	C4836A
11 Magenta ink cartridge (28 ml)	C4837A
11 Yellow ink cartridge (28 ml)	C4838A
11 Black printhead	C4810A
11 Cyan printhead	C4811A
11 Magenta printhead	C4812A
11 Yellow printhead	C4813A
emory	
128 MB SDRAM DIMM	Q9121A
64 MB SDRAM DIMM	Q1887A
ables	
EEE 1284 cable (a-b) 2 meter	C2950A
EEE 1284 cable (a-b) 3 meter	C2951A
USB cable (a-b) 2 meter	C6518A
P Jetdirect internal print servers	
620n (Fast Ethernet 10/100 Base	J7934A
TX, 802.3)	
615n (Fast Ethernet 10/100 Base	J6057A
TX) ⁵	16058A
680n (802.11b wireless Ethernet) ⁵ gital sending	JOUD6A
Localized keyboard	C8240A
P AutoStore	C0240A
Base software plus one license	NOB8535
License pack, Americas	NOB1296
License pack, Europe and Asia	NOB1297
Pacific	INODIZ77
edia (letter size)	
HP Bright White Inkjet Paper	HPB1124
HP Office Paper	HPC8511
HP Office Recycled Paper	HPE1120
HP Multipurpose Paper	HPM1120
HP Printing Paper	HPP1122
HP Premium Plus Photo Paper, glossy	
HP Premium Photo Paper, glossy	C6979A
HP Photo Paper, glossy	C7896A
HP Everyday Photo Paper, semi-gloss	
HP Brochure and Flyer Paper, glossy	
HP Brochure and Flyer Paper, matte	
HP Premium Paper, coated	51634Y
HP Premium Inkjet Transparency Film	
HP Premium Plus Inkjet Transparency	
Film	2. 020/1

C8140A io nting unit, power cord, ck ink cartridge ink cartridge (28 ml), ridge (28 ml), HP 11 ml), HP 11 black printhead, HP 11 11 yellow printhead, CDs C8143A io nting unit, power cord,

ck ink cartridge ink cartridge (28 ml), ridge (28 ml), HP 11 ml), HP 11 black printhead, HP 11 11 yellow printhead, CDs, HP Jetdirect 620n O print server, 250-sheet

C8144A io

nting unit, power cord, k ink cartridge ink cartridge (28 ml), tridge (28 ml), HP 11 ml), HP 11 black printhead, HP 11 11 yellow printhead, CDs, HP Jetdirect 620n Fast Ethernet internal EIO print server, 250-sheet input Trav 2, keyboard

