


HP ScanJet 3300C/4200C/5300C/6300C/6350C/6390C Color Scanners



HP ScanJet 3300C



HP ScanJet 4200C



HP ScanJet 5300C



HP ScanJet 6300C



HP ScanJet 6350C



HP ScanJet 6390C

### Exceptional Quality with HP's Intelligent Scanning Technology

You will get great results with the innovative advancements that are built into each member of the HP ScanJet family. Our Intelligent Scanning Technology automatically optimizes scanned photos, logos, line art and text for quality results. Editable text from scanned documents is created automatically with integrated Optical Character Recognition software. With HP's Intelligent Scanning Technology, advanced doesn't mean more complicated. It makes professional-quality scanning, e-mailing, copying, faxing, or Web page creation, depending on the model you select, as simple as touching a button.

### The Power to be Productive

Productivity means completing your task quickly—with the quality that you need.

- Adding great color photos in your brochures
- Creating color copies at your desk
- Editing documents without retyping
- Adding photos or drawings to your documents
- Storing and managing scanned photos and images to use whenever you need them
- Direct scanning to and from your favorite applications

### Improve Your Image and Optimize Your Efficiency

Scanning is the latest addition to today's PC systems, from small businesses to corporate workgroups. Maximize your performance with the HP ScanJet color scanner that fits your needs.


### Easy Scanning and Copying for Small and Medium Businesses

HP ScanJet 3300C makes it easy for you to look good without the premium price.



### Advanced Performance for Small and Medium Businesses

HP ScanJet 4200C provides fast, photo-quality results and optimized e-mail.



### Exceptional Productivity plus the Power of the Internet

HP ScanJet 5300C is a high-resolution scanner that's as easy to use as a printer.



### HP ScanJet 3300C

- Affordable, quality color scanning
- 2 front-panel buttons to scan or copy at the touch of a button
- Less than 3 minutes--OCR a full page of text into Microsoft® Word®
- Quick easy set-up with Universal Serial Bus (USB) interface for Windows® 98
- Great results in a few easy steps-HP software guides the way
- User-friendly help to keep your projects moving
- Adobe® PhotoDeluxe™ Home Edition photo editing and creative projects software and Creative Ideas Guide help you imagine possibilities-and make them a reality
- Letter-sized flatbed scans full-page, bound, and textured materials, even everyday objects
- 600 dpi optical; 9600 dpi enhanced

### HP ScanJet 4200C

- 3 front-panel buttons to scan, copy or e-mail at the touch of a button
- Less than 2 minutes--OCR a full page of text into Microsoft Word
- Quick easy set-up with Universal Serial Bus (USB) interface for Windows 98
- Adobe PhotoDeluxe 3.0 image editor and creative software
- PhotoRecall™ by G&A Imaging Inc.
- Letter-sized flatbed scans full-page, bound, and textured materials, even everyday objects
- 600 dpi optical; 9600 dpi enhanced

### HP ScanJet 5300C

- 4 front-panel buttons to scan, copy, e-mail or fax at the touch of a button
- Less than 50 seconds--OCR a full page of text into Microsoft Word
- On-line e-mail and Web task guide
- Adobe PhotoDeluxe, Boomerang Internet DesignShop™ Gold 4.2
- Hemera™ NetGraphics™ Optimizer2 (5300Cxi)
- USB for Macintosh OS 8.1 and above, Microsoft Windows 98 and 2000 Professional
- Parallel for Windows 95, 98, NT 4.0 and 2000 Professional
- 35 mm slide or transparency adapter and Automatic Document Feeder are optional accessories
- 1200 dpi optical; 9600 dpi enhanced

### Great Results, Increased Productivity

HP ScanJet 6300C/6350C/6390C HP's fastest, most complete scanning solution.



### HP ScanJet 6300C/6350C/6390C Professional Series

- 5 front-panel buttons for scan, copy, e-mail, fax and document management
- Less than 60 seconds--OCR a full page of text into Microsoft Word
- Universal Serial Bus for Windows 98 and SCSI for Windows 95, 98, and NT 4.0
- HP PrecisionScan LAN scanning software for network sharing
- Automatic Document Feeder (optional on the 6300C, standard on the 6350C and 6390C)
- HP ScanJet Transparency Adapter (optional on the 6300C and 6350C, standard on the 6390C)
- HP ScanJet Slide Adapter for 35 mm slides (standard on the 6300C and 6350C only)
- 600 dpi optical; 9600 dpi enhanced
- Adobe PhotoDeluxe Business Edition, Webshop Designer 5.0 e-commerce, Web site creation software and Hemera NetGraphics Optimizer2 image optimizing software for Web and e-mail
- HP ScanJet 6390C also includes: Adobe Photoshop® 5.0 professional image editing software, Readiris professional OCR software and SCSI interface kit (kit includes SCSI card, cable and software)

# Technical Specifications

## HP ScanJet 3300C Color Scanner

<b>Scanner Type</b>	Flatbed, one-pass color and monochrome
<b>Input Modes</b>	Front-panel copy and scan buttons from: HP PrecisionScan LT; HP ScanJet Copy software; user application via OLE or TWAIN
<b>Task Speeds</b>	Less than 90 seconds - 4 x 6 in color photo into Microsoft® Word® Less than 3 minutes - OCR a full page of text into Microsoft Word Less than 2.5 minutes - black & white drawing into Microsoft Word  Speeds achieved using a 233 MHz PC with 32 MB RAM and Windows® 98 by launching PrecisionScan LT from the desktop and scanning directly to end-user applications
<b>Resolution</b>	600 dpi optical; 600 x 1200 dpi hardware; 9600 dpi enhanced
<b>Bit Depth</b>	36-bit color (internal hardware)
<b>Scaling</b>	12 dpi to 9600 dpi at 100% scaling
<b>Maximum Document Size</b>	8.5 x 11.7 in (216 mm x 297 mm)
<b>Interface</b>	Universal Serial Bus (USB) connector
<b>Operating System</b>	Microsoft Windows 98
<b>Dimensions (WxDxH)</b>	10.2 x 17.9 x 3.7 in (260 x 454 x 93 mm)
<b>Weight</b>	7.7 lbs (3.5 kg)
<b>Minimum System Requirements</b>	PC with Pentium® processor; CD-ROM drive; Windows 98; 32 MB RAM or more; 200 MB available disk space; VGA monitor (256 color); Universal Serial Bus (USB) port
<b>Contents</b>	<ul style="list-style-type: none"> <li>• HP ScanJet 3300C color scanner with push-button scan and copy</li> <li>• Setup poster</li> <li>• CD-ROMs including: HP PrecisionScan LT scanning software with fully automated Optical Character Recognition (OCR) capability; HP ScanJet Copy Utility; Adobe® PhotoDeluxe™ Home Edition photo editing and creative projects software; electronic information and troubleshooting guide; Creative Ideas Guide (US only)</li> <li>• <b>3300Cxi only:</b> Streetwise™ by Design™ Office easy to use business templates software</li> <li>• <b>3300Cse only:</b> Streetwise Professor Franklin's Instant Photo Effects easy to use image effects software</li> <li>• USB cable</li> <li>• Power cord</li> </ul>
<b>Multiple File Formats</b>	For images: BMP; TIFF; TIFF Compressed; PCX; JPEG; FlashPix; GIF; PNG; Windows Meta File (WMF); RTF For text: TXT; RTF Via Adobe PhotoDeluxe: PDD; PBD; PSD; PDF; BMP; FPX; JPG; JPE; PCT; PIC; PNG; TIF; EPS; GIF
<b>Environmental Ranges</b>	Operating Temperature: 5° to 40° C Operating Humidity: 15% to 80% relative humidity Storage Temperature: -40° to 70° C Storage Humidity: <80% relative humidity non-condensing
<b>Power</b>	Line Voltage: 100 to 120 VAC 60 Hz / 100 to 240 VAC 50 to 60 Hz Power Consumption: 21 W maximum; 8 W idle mode; ENERGY STAR compliant
<b>HP Customer Care</b>	90-day HP limited hardware warranty (US, Canada); online troubleshooting guide; 24-hour electronic support via the World Wide Web with hot links from HP PrecisionScan LT; telephone support available for a fee (US); 90-day free telephone support (installation and setup only) (Canada)

## HP ScanJet 4200C Color Scanner

<b>Scanner Type</b>	Flatbed, one-pass color and monochrome
<b>Input Modes</b>	Front-panel copy, scan, and e-mail buttons; HP PrecisionScan LT; HP ScanJet Copy software; user application via OLE or TWAIN
<b>Task Speeds</b>	Less than 60 seconds - 4 x 6 color photo into Microsoft Word Less than 2 minutes - OCR a full page of text into Microsoft Word Less than 90 seconds - black and white drawing into Microsoft Word  Speeds achieved using a 233 MHz PC with 32 MB RAM, Windows 98 and a USB interface by pushing the HP ScanJet 4200C front-panel button and scanning directly to end-user applications through HP PrecisionScan LT
<b>Resolution</b>	600 dpi optical; 600 x 1200 dpi hardware; 9600 dpi enhanced
<b>Bit Depth</b>	36-bit (internal hardware)
<b>Scaling</b>	12 to 1200% in 1% increments at 300 dpi resolution (scaling range dependent upon resolution)
<b>Maximum Document Size</b>	8.5 x 11.7 in (216 x 297 mm)
<b>Interface</b>	Universal Serial Bus (USB) connector
<b>Operating System</b>	Microsoft Windows 98
<b>Dimensions (WxDxH)</b>	10.2 x 17.9 x 3.7 in (260 x 454 x 93 mm)
<b>Weight</b>	6.2 lbs (2.8 kg)
<b>Minimum System Requirements</b>	PC with Pentium (586 and above) or equivalent processor; USB port; Microsoft Windows 98; 32 MB RAM or more; VGA monitor; CD-ROM drive
<b>Contents</b>	<ul style="list-style-type: none"> <li>• HP ScanJet 4200C color scanner</li> <li>• Set-up poster</li> <li>• CD-ROM with HP PrecisionScan LT scanning software with fully automated Optical Character Recognition (OCR) capability; HP ScanJet Copy Utility; Adobe PhotoDeluxe 3.0 image editor and creative projects software; G&amp;A Imaging PhotoRecall™ Deluxe photo management software; Creative Ideas Guide (US only); on-line information and troubleshooting guide</li> <li>• <b>4200Cxi only:</b> StreetWise by Design Business Templates</li> <li>• <b>4200Cse only:</b> Caere® PageKeeper® Lite</li> <li>• USB cable</li> <li>• Power cord</li> </ul>
<b>Multiple File Formats</b>	For images: Bitmap (BMP); TIFF and TIFF Compressed (TIF); PCX; JPEG (JPG); FlashPix (FPX); GIF; PNG; Windows Meta File (WMF); RTF For text: Text (TXT); Rich Text Format (RTF) Via Adobe PhotoDeluxe: PDD; PBD; PDF; PSD; BMP; FPX; JPG; JPE; PCT; PIC; PNG; TIF; EPS; GIF
<b>Environmental Ranges</b>	Operating Temperature: 10° to 40° C (50° to 104° F) Storage Temperature: -40° to 65° C (-40° to 149° F) Operating Humidity: 20% to 80% relative humidity non-condensing (10° to 40° C) Storage Humidity: <90% relative humidity non-condensing (-40° to 65° C)
<b>Power</b>	Line Voltage: 100 to 120 VAC 60 Hz; 100 to 240 VAC 50 to 60 Hz; 200 to 240 VAC 50 to 60 Hz; Power Consumption: 15 W maximum; 10 W idle mode; ENERGY STAR compliant
<b>HP Customer Care</b>	90-day HP limited hardware warranty with HP Exchange Service (US and Canada); 90-day technical support at no charge with extended hours and Saturday support (installation and hardware issues only); optional HP SupportPack for 3 years of Express Pickup and Delivery; on-line trouble-shooting guide; toll-free faxback service in the US (1-800-333-1917); 24 hour on-line support available free at <a href="http://www.hp.com/go/support">www.hp.com/go/support</a>

# Technical Specifications

## HP ScanJet 5300C Color Scanner

<b>Scanner Type</b>	Flatbed, one-pass color and monochrome
<b>Input Modes</b>	Front-panel scan, copy, e-mail and fax buttons; HP PrecisionScan; HP ScanJet Copy software; user application via TWAIN
<b>Task Speeds</b>	Less than 50 seconds - 4 x 6 in color photo into Microsoft® Word® Less than 50 seconds - OCR a full page of text into Microsoft Word Less than 40 seconds - black and white drawing into Microsoft Word  Speeds achieved using a 466 MHz PC with 32 MB RAM, Windows® 98 and a USB interface by pushing the HP ScanJet 5300C front-panel button and scanning directly to end-user applications through HP PrecisionScan 3.0.
<b>Resolution</b>	1200 dpi optical; 1200 x 2400 hardware; 9600 dpi enhanced
<b>Bit Depth</b>	36-bit color
<b>Scaling</b>	12 to 1200% in 1% increments at 1200 dpi resolution (scaling range dependent upon resolution)
<b>Maximum Document Size</b>	8.5 x 11.7 in (216 x 297 mm) base unit; 8.5 x 14 in (216 x 356 mm) with optional Automatic Document Feeder
<b>Interface</b>	Dual: Parallel and USB
<b>Operating System</b>	USB: Mac OS 8.1 or above; Microsoft Windows 98, 2000 Professional; Parallel: Windows 95, 98, NT 4.0, 2000 Professional
<b>Dimensions (WxDxH)</b>	11.9 x 19.9 x 4.1 in (302 x 505 x 105 mm)
<b>Weight</b>	8.1 lb (3.7 kg)
<b>Minimum System Requirements</b>	PC with Pentium® processor (90 MHz or more); 2x CD-ROM drive; For USB: Windows 98, 2000 Professional; For parallel: Windows 95, 98, NT 4.0, 2000 Professional; 32 MB RAM or more; 100 MB available disk space for scanning software; VGA monitor (256 colors); USB or parallel port.
<b>Contents</b>	<ul style="list-style-type: none"> <li>• HP ScanJet 5300C color scanner</li> <li>• Set-up poster</li> <li>• CD-ROM with HP PrecisionScan scanning software with fully automated Optical Character Recognition (OCR) capability; HP ScanJet Copy Utility; Suite of Electronic Help Tools including: HP ScanJet Scanner Setup Program, New User Demo (English only), Support Supplement, E-Mail and Web Task Guide; Boomerang Internet Design Shop™ Gold 4.2; Adobe® PhotoDeluxe™ image editing and creative project software.</li> <li>• <b>5300Cxi only:</b> Hemera™ NetGraphics™ Optimizer2</li> <li>• <b>5300Cse only:</b> Hemera Photo-Objects Gallery</li> <li>• Parallel cable</li> <li>• USB cable</li> <li>• Power cord</li> </ul>
<b>Optional Accessories</b>	HP ScanJet Automatic Document Feeder (25 page capacity); HP ScanJet Transparency Adapter (maximum transparency size: 5 x 5 in; 12.7 x 12.7 cm) HP ScanJet 35 mm Slide Adapter
<b>Multiple File Formats</b>	For images: PDF, TIFF, TIFF Compressed, Bitmap (BMP), PCX, JPEG, FlashPix (FPX), GIF, PNG, Windows Meta File (WMF) For text: HTML, TXT, Rich Text Format (RTF) For text and image pages: PDF, RTF, HTML Via Adobe PhotoDeluxe: PDD, PBD, PDF, PSD, BMP, FPX, JPG, JPE, PCT, PIC, PNG, TIF, EPS, GIF
<b>Environmental Ranges</b>	Operating Temperature: 10° to 35° C (50° to 95° F) Storage Temperature: -40° to 65° C (-40° to 140° F) Operating Humidity: 10% to 85% non-condensing (10° to 35° C) Storage Humidity: 10% to 90% non-condensing (0° to 60° C)
<b>Power</b>	Three external power supplies with different line voltages are available: 100 to 120 VAC, 50 to 60 Hz; 200 to 240 VAC, 50 to 60 Hz; 100 to 240 VAC, 50 to 60 Hz Power Consumption: (Same for all three power supplies available): 19 W maximum; 12 W low-power mode (lamp on), 8 W low-power mode (lamp off); ENERGY STAR compliant
<b>HP Customer Care</b>	24-hour Web support

## HP ScanJet 6300C, 6350C, 6390C Professional Series Color Scanner

<b>Scanner Type</b>	Flatbed, one-pass color and monochrome
<b>Input Modes</b>	Front-panel scan, copy, e-mail, fax and file buttons; HP PrecisionScan Pro; HP ScanJet Copy software; user application via TWAIN
<b>Scan Speed</b>	less than 9 seconds - 4 x 6 in color photo
<b>Task Speeds</b>	Less than 45 seconds - 4 x 6 in color photo into Microsoft Word Less than 60 seconds - OCR a full page of text into Microsoft Word Less than 45 seconds - black and white drawing into Microsoft Word  Speeds achieved using a 466 MHz PC with 64 MB RAM, Windows 98, and a USB or SCSI interface by pushing the HP ScanJet 6300C front-panel button and scanning directly to end-user applications through HP PrecisionScan Pro 2.0.
<b>Resolution</b>	1200 dpi optical; 1200 x 2400 hardware; unlimited enhanced
<b>Bit Depth</b>	36-bit color
<b>Scaling</b>	Unlimited
<b>Maximum Document Size</b>	<b>6350C/6390C</b> 8.5 x 11.7 in (216 x 297 mm) base unit 8.5 x 14 in (216 x 356 mm) with Automatic Document Feeder <b>6300C</b> 8.5 x 11.7 in (216 x 297 mm) base unit 8.5 x 14 in (216 x 356 mm) with optional Automatic Document Feeder
<b>Interface</b>	SCSI: Windows 95, 98, and NT 4.0 Universal Serial Bus (USB): Windows 98
<b>Operating Systems</b>	Windows 95, 98, and NT 4.0
<b>Dimensions (WxDxH)</b>	<b>6350C/6390C</b> 12.4 x 19.9 x 7.7 in (313 x 504 x 195 mm) <b>6300C</b> 12.4 x 19.6 x 4.8 in (313 x 498 x 122 mm) 12.4 x 19.9 x 7.7 in (313 x 504 x 195 mm) with optional Automatic Document Feeder
<b>Weight</b>	<b>6350C/6390C</b> 15.9 lbs (7.2 kg) <b>6300C</b> 12.7 lbs (5.8 kg)
<b>Minimum System Requirements</b>	PC with Pentium processor; 2x CD-ROM drive; for USB: Windows 98; for SCSI: Windows 95, 98, or NT 4.0; 32 MB RAM or more; 100 MB available disk space for scanning software; VGA monitor; USB port or SCSI-compatible PC
<b>Contents</b>	<ul style="list-style-type: none"> <li>• HP ScanJet 6300C Professional Series color scanner</li> <li>• Setup poster</li> <li>• CD-ROMs including: HP PrecisionScan Pro scanning software for business with fully automated Optical Character Recognition (OCR) capability; HP PrecisionScan LAN scanning software for network sharing; HP ScanJet Copy Utility; Suite of Electronic Help Tools including: "Show Me" video clips, HP ScanJet Coaches, HP Intelligent Assistance for e-mail and Web pages; Caere® PageKeeper® Standard 3.0 document management software; Adobe PhotoDeluxe Business Edition 1.1 image editing and creative projects software; WebShop™ Designer 5.0 e-commerce and Web site creation software</li> <li>• USB cable</li> <li>• Power cord</li> <li>• <b>6300Cxi/6350Cxi/6390C only:</b> also includes Hemera NetGraphics Optimizer2 image optimizing software for Web and e-mail</li> <li>• <b>6300Cse/6350Cse only:</b> also includes Hemera Photo-Objects Gallery image management software</li> <li>• <b>6350C only:</b> 35 mm slide adapter</li> <li>• <b>6350C/6390C only:</b> HP ScanJet Automatic Document Feeder (25 page capacity)</li> <li>• <b>6390C only:</b> also includes Adobe® Photoshop® 5.0 professional image editing software; Readiris professional OCR software; SCSI Interface Kit (including SCSI card, cable, and software); HP ScanJet Transparency Adapter (maximum transparency size 5 x 5 in (12.7 x 12.7 cm) (replaces the 35 mm slide adapter included in 6350C)</li> </ul>
<b>Optional Accessories</b>	25 page Automatic Document Feeder (included with 6350C/6390C) Transparency Adapter (included with 6390C) SCSI Interface Kit (included with 6390C)

# Technical Specifications

## HP ScanJet 6300C, 6350C, 6390C *cont.*

<b>Multiple File Formats</b>	For images: TIFF, TIFF Compressed, Bitmap (BMP), PCX, JPEG, FlashPix (FPX), GIF, PNG, Windows® Meta File (WMF) For text & image pages: Rich Text Format (RTF), HTML, PDF For text: TXT
<b>Environmental Ranges</b>	Operating Temperature: 10° to 35° C (50° to 95° F) with Automatic Document Feeder Operating Humidity: 10% to 80% non-condensing (10° to 35° C) Storage Temperature: -40° to 60° C (-40° to 140° F) Storage Humidity: 10% to 90% non-condensing (0° to 60° C)
<b>Power</b>	Line Voltage: 100 to 240 VAC, 50 to 60 Hz Power Consumption: 19 W maximum, 12 W low-power mode (lamp on), 8 W low-power mode (lamp off); ENERGY STAR compliant
<b>HP Customer Care</b>	One-year hardware warranty; 90-day free telephone support backed by HP Customer Care; 24-hour electronic support available free at <a href="http://www.hp.com/go/support">www.hp.com/go/support</a>

Ordering Information	Number	Description
<b>3300C</b>	C7683A	HP ScanJet 3300Cxi Color Scanner ( <b>US Commercial</b> )
	C7682A	HP ScanJet 3300Cse Color Scanner ( <b>US Retail</b> )
	C7687A	HP ScanJet 3300C Color Scanner ( <b>Canada</b> )
	H3668E	HP Support Pack (1 year)
	H3667E	HP Support Pack (2 year)
	H3666A/E	HP Support Pack (3 year)
<b>4200C</b>	C7173A	HP ScanJet 4200Cxi Color Scanner ( <b>US Commercial</b> )
	C7172A	HP ScanJet 4200Cse Color Scanner ( <b>US Retail</b> )
	C7177A	HP ScanJet 4200C Color Scanner ( <b>Canada</b> )
	H3666A/E	HP Support Pack (3 year)
<b>5300C</b>	C7693A	HP ScanJet 5300Cxi Color Scanner ( <b>US Commercial</b> )
	C7692A	HP ScanJet 5300Cse Color Scanner ( <b>US Retail</b> )
	C7697A	HP ScanJet 5300C Color Scanner ( <b>Canada</b> )
	C5195B	Optional 25 page Automatic Document Feeder
	C7671A	Optional Transparency Adapter (Maximum transparency size 5 x 5 in; 12.7 x 12.7 cm)
	C7691A	Optional HP ScanJet 35 mm slide adapter
	H3668E	HP Support Pack (1 year)
	H3667E	HP Support Pack (2 year)
	H3666A/E	HP Support Pack (3 year)
	<b>6300C Series</b>	C7679A
C7675A		HP ScanJet 6350Cxi Color Scanner ( <b>US Commercial</b> )
C7674A		HP ScanJet 6350Cse Color Scanner ( <b>US Retail</b> )
C7678A		HP ScanJet 6350C Color Scanner ( <b>Canada</b> )
C7673A		HP ScanJet 6300Cxi Color Scanner ( <b>US Commercial</b> )
C7672A		HP ScanJet 6300Cse Color Scanner ( <b>US Retail</b> )
C7677A		HP ScanJet 6300C Color Scanner ( <b>Canada</b> )
C5195B		Optional 25 page Automatic Document Feeder
C7671A		Optional Transparency Adapter
C6271A		Optional SCSI Interface Kit (SCSI card, cable and software)
H3668E		HP Support Pack (1 year)
H3667E		HP Support Pack (2 year)
H3666A/E		HP Support Pack (3 year)

<b>Regulatory Compliance Information</b>	Safety IEC950:1991+A1:1992+A2:1993+A3:1995+A4:1996 EN 60950:1992 +A1:1993 +A2:1993 +A3:1995+A4:1997+A11:1997 EN 60825-1:1994 UL 1950 Third Edition CAN/CSA-C22.2 No. 950-95 NOM-019-SCFI-1993 Electromagnetic Compatibility FCC: 47 CFR parts 2, 15 class B AS/NZ 3548:1995 CISPR 22: 1993+A1+A2, Class B / EN 55022: 1994+A1+A2, Class B IEC 1000-3-2: 1995 / EN61000-3-2: 1995 IEC 1000-3-3: 1994 / EN61000-3-3: 1995 EN 50082-1: 1992 IEC 801-2: 1991 / prEN 55024-2: 1992, 4kV CD, 8kV AD IEC 801-3: 1984 / prEN 55024-3: 1991, 3 V/m IEC 801-4: 1988 / prEN 55024-4: 1992, 1kV Power Lines
--	---

**For More Information** Visit us on the World Wide Web at [www.scanjet.hp.com](http://www.scanjet.hp.com). Hewlett-Packard peripherals, personal computers, supplies and accessories are available at authorized HP resellers worldwide. In North America, call for the authorized HP reseller nearest you:

United States: 1-800-SCANJET (1-800-722-6538)  
Canada: 1-800-387-3867

Caere is a registered trademark and PageKeeper is a trademark of Caere Corporation. ENERGY STAR is a U.S. registered service mark of the United States Environmental Protection Agency. Hamera and NetGraphics are trademarks of Hamera Technologies, Inc. Pentium is a U.S. registered trademark of Intel Corporation. PhotoDeluxe is a trademark of Adobe Systems Incorporated. Windows is a U.S. registered trademark of Microsoft Corp. All other brand and product names are trademarks or registered trademarks of their respective companies.

Year 2000 compliant.\*\*

\*\* HP has made every effort to ensure the accuracy of our product testing. However, because each customer's environment is different from HP's laboratory test environment, it is the customer's responsibility to validate the Year 2000 readiness of these products in their own environment. Therefore, information about the Year 2000 status of HP products is provided "as is" without warranties of any kind and is subject to change without notice. HP makes no representation or warranty respecting the accuracy of reliability of information about non-HP products. Such information, if any, was provided by the manufacturers of these products and customers are urged to contact the manufacturer directly to verify Year 2000 readiness. The information provided here constitutes a Year 2000 Readiness Disclosure for purposes of the Year 2000 Information and Readiness Disclosure Act.



See warranty for details



5968-8606EUC

© Hewlett-Packard Company, 1999

Printed in the USA

The information contained in this document is subject to change without notice.