



Tripp Lite
1111 West 35th Street
Chicago, IL 60609 USA
Telephone: +(773) 869 1234
E-mail: saleshelp@tripplite.com

Model #: S502-20N

Internal SAS Cable, SFF-8484 to 4 x 7 Pin SATA, 0.5 Meter



Highlights

- 32-pin SFF-8484 to 4 x 7-pin internal SAS cable
- Supports data rates of up to 3.0Gbs
- Straight backshell configuration
- 0.5 meter in length (20 inch)

Description

Tripp Lite's 32-pin SFF-8484 to 4 x 7-pin internal SAS cable (Serial Attached SCSI) cable is ideal for connecting SAS controllers to individual SAS/SATA disk drives. High-performance cable provides differential pair signaling with less than 5ps/m in pair skew, improved EMI protection, and 3.0Gbs data rate with rates up to 6.0Gbs. Thinner, flexible cable enables more efficient routing, with improved airflow and thermal mechanics. Configuration of storage devices is simplified. Tripp Lite SAS assemblies are RoHS compliant and feature a lifetime warranty.

Applications

- SAS Host Bus Adapters (HBA) such as LSI Logic SAS3442X-R and SAS3442E-R, utilizing internal SFF-8484 mating connectors

System Requirements

- SAS Host Bus Adapter and Backplane with SFF-8484 mating connector

Package Includes


- 0.5-Meter (20 inch) Internal SAS 4-in-1 SFF-8484 to 4 x 7pin Cable

Features

- SFF-8484 to 4 x 7pin SAS Cable - 0.5 meter (20inch)
- Supports data rates up to 3.0Gbs
- Thin, flexible cable for easy routing and increased airflow
- RoHS Compliant
- Lifetime warranty

Specifications

OVERVIEW	
Intended Application	Connecting Drives

PHYSICAL	
Color	Red
Style	SCSI
Length	0.5 Meter
CONNECTIONS	
Connector A	 SFF-8484
Connector B	 7 PIN STRAIGHT
Number of Connectors	5

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=4276.