# Mobile Access 2000 (MA2000) Intelligent Multi-function PC Card

User guide

INSTALLATION

Installing the Device Driver
1. Insert the device driver compact disc onto your computer.
2. Double-click the drive whichever contains the device driver.
3. Double-click **Setup.exe**. The installation program will proceed automatically. Follow the on-screen instruction to continue.

Setup

ISDN 4in1 Configuration Utility Setup is preparing the InstallShield(R) Wizard which will guide you through the rest of the setup process. Please wait.

100 %

4. When finished, you will be asked to restart your computer. Before your computer is reset, insert the PCMCIA card into your PCMCIA socket and select **YES** to continue.

Setup Complete

Setup has finished copying files to your computer.

Before you can use the program, you must restart Windows or your computer.

- Yes, I want to restart my computer now.
- No, I will restart my computer later.

Remove any disks from their drives, and then click Finish to complete setup.

< Back   Finish

Hardware Installation
1. Locate the PCMCIA slot of your system.
2. Align the MA2000 PC Card toward the PCMCIA slot. Push evenly and steadily until it is seated.
3. You are now ready to continue the software installation.

Connects to a GSM

Connects to a Fax/Modem

Connects to LAN

SOFTWARE INSTALLATION FOR WINDOWS 95/98

1. Once your computer is restarted, Windows will automatically detect the new device and prompt the following message. Click **Next** to continue.

2. The installation will proceed automatically.
3. When finished, you may go to **My Compu**ter, right-click mouse, select **Properties→Device Manager** to check if all the drivers have been installed successfully.