



Lanier Worldwide, Inc. 2300 Parklake Dr., N. E. Atlanta, GA 30345-2979 Emergency Telephone: (800)526-4371

MATERIAL SAFETY DATA SHEET

Section 1: Chemical Product and Company Information

Identity: Product ID:	Toner for 6113, 6213, 6413, 6514 117- 0225	MSDS No. Issued: Supersedes:	CP-300 9/17/98 3/11/96
Synonyms	Toner, Black Toner for Lanier	Date:	9/17/98
& Common Names:	M6113, 6213, 6413, 6514	Prepared by:	Lanier QA/EH&S Department
Uses:	M6113, 6213, 6413, 6514 Copier	European Contact:	Lanier Worldwide, WSM Europe, Walter Fricke,
Chemical Formula:	Mixture, Inert resinated black powder	Contact	Im Taubental D-41468 Neuss, Germany +49-2131-387-177

Section 2: Composition / Information on Ingredients					
	PERCENT	CAS No.	EXPOSURE LIMITS	SOURCE	
Styrene-acrylic resin	85 ~ 90	25767-47-9	not listed	n/a	
Carbon black	5 ~ 10	1333-86-4	3.5mg/m ³ 3.5mg/m ³	OSHA PEL ACGIH TLV	
Wax	1 ~ 5	9003-07-7	not listed	n/a	
Organic pigment	1 ~ 5	102561-46-6	not listed	n/a	
Silica	< 1	7631-86-9	not listed	n/a	
*PEL of the product: 15mg/m ³ (to *TLV of the product: 10mg/m ³ (to	tal dust), 5mg/m ³ (respirable dust) tal dust), 5mg/m ³ (respirable dust)				

Section 3: Hazards Identification				
HMIS Rating:				
FLAMMABILITY = 0	HEALTH = 0			
REACTIVITY = 0	SPECIAL = none			

. .

.....

...

. .

Health Hazards (Acute, Chronic, Immediate and Potential): Minimum irritation to respiratory tract may occur as with exposure to any non-toxic dust. May cause gasping if inhaled. Inhalation should be avoided. May cause temporary eye discomfort. Health Hazards of Long Term exposure (Chronic): A manufacturer sponsored chronic inhalation study in rats using a special test toner revealed there

Health Hazards of Long Term exposure (Chronic): A manufacturer sponsored chronic inhalation study in rats using a special test toner revealed there were no lung changes at all in the lowest exposure level (1mg/m³), the most relevant level to potential human exposures. A very slight degree of fibrosis was noted in 25% of the animals at the middle exposure level (4mg/m³), while a slight degree of fibrosis was observed at the highest exposure level (16mg/m³) in all animals. These findings are attributed to "Lung Overloading", a generic response to excessive amount of any dust retained in the lungs for a prolonged interval. The special test toner was ten times more respirable than commercially available toner to comply with EPA testing protocol and would not function properly in xerographic equipment.

Section 4: First Aid Measures

Inhalation: Remove to fresh air if effects occur. Consult local medical personnel

Eye Contact: In case of contact, immediately flush eyes with water for 5 minutes.

Skin Contact: Wash with soap and water.

Ingestion: Dilute stomach contents with water. Call a physician.

Section 5: Fire Fighting Measures

Suitable extinguishing media: CO₂, dry chemical, foam or water. Extinguishing media which may not be used for safety reasons: none

This material will burn in case of fire. The decomposition products are CO, CO₂, and No_x. Avoid inhalation of smoke. Special protective equipment for fire fighters: none UEL: n/a LEL: n/a

MATERIAL SAFETY DATA SHEET

Page 2 of	CP-300					
	Section 6:	Accidental Release Measure	25			
Sweep up or clean u	up with an approved toner vacu	uum.				
	Sectio	n 7: Handling and Storage				
Special Handling: Special Storage:	Special Handling: Cleanse skin after contact before breaks or meals, and end of work day. Avoid inhalation.					
	Section 8: Exposure Co	ontrol and Personal Protection	on Information:			
Respiratory Protection: no	one required under normal use.	Hand Protection: none r	equired under normal use.			
Eye Protection: none required under normal use.		Skin Protection: None re	Skin Protection: none required under normal use.			
	Section 9: P	hysical and Chemical Prope	rties			
CHARACTERISTIC		· ·				
Appearance:	Black	Melting point:	150°C with flow tester			
Form:	Fine powder	Vapor pressure:	n/a			
Odor:	Odorless	Vapor density:	n/a			
Solubility in Water:	Insoluble	Evaporation rate:	n/a			
Specific gravity:	1.1	Boiling point:	n/a			
	Section	10: Stability and Reactivity				
Conditions to avoid: n Hazardous decompos		rials to avoid: none S other decomposition products whe	stability: Stable en burned.			
	Section 1	1: Toxicological Information	:			
black for which there is ina chronic inhalation exposur association between carbo	the IARC reevaluated carbon black as a adequate human evidence, but sufficient es to free carbon black at a level that in on black and lung tumors. Moreover, a t on between toner and tumor development	t animal evidence. The latter is based u duce particle overload of the lungs. Stu wo-year cancer bioassay using a typical	an carcinogen). This evaluation is given to carbon pon the development of lung tumors in rats receiving dies performed in mice have not demonstrated an toner preparation containing carbon black rmation			
None						
		13: Disposal Consideration				
			nvironmental regulations. Disposal PA to determine the proper method for			
	Section 14	4: Transportation Informatio	n			
None. This is not a ha	azardous product.					
	Section	15: Regulatory Information				
None		-				
	Section 1	6: Miscellaneous Information	n			
			esponsibility of the purchaser. Therefore,			

although reasonable care has been taken in the preparation of this information, Lanier Worldwide, Inc. extends no warranties, makes no representations, and assumes no responsibility as to the accuracy or suitability of such information for application to user's intended purposes or for consequences of its use. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we do not guarantee that these are the only hazards which exist.

Information on this data sheet represents our current data and best opinion as to the proper use in handling of this product under normal conditions. On the basis of the data available to us, this toner is not a dangerous substance. One should, however, observe the usual precautionary measures for dealing with chemicals.