

REPAIR PARTS MANUAL

MODEL:

PXT12538
LAWN TRACTOR

A WARNING:

Read this Manual and follow all Warnings and Safety Instructions. Failure to do so can result in serious injury.

ALWAYS WEAR EYE PROTECTION DURING OPERATION

Visit our website: www.poulan-pro.com

431150 Rev. 3 06.16.10 JA

Printed in the U.S.A.

HOW TO USE THIS MANUAL

This manual is designed to provide the customer with a means to identify the parts on his/her tractor when ordering repair parts. The illustrations may or may not represent the actual assemblies; therefore, it is not recommended to use this manual as a guide to assemble or disassemble the tractor. Some hardware and parts are drawn larger in order to more readily identify them.

Each tractor has its own model number.

The model number for your tractor can be found on the fender under the seat.

When ordering parts, always give the following information:


- Product "TRACTOR"
- MODEL NUMBER "PXT12538 (96016002200)"
- Part Number
- · Part Description

TABLE OF CONTENTS


SCHEMATIC	3
ELECTRICAL	4-5
CHASSIS	6-7
DRIVE	8-9
ENGINE	10-11
STEERING	12-13
DECALS	14
SEAT	15
MOWER DECK	16-17
MOWER LIFT	18
WARRANTY	20

TRACTOR - - MODEL NO. PXT12538 (96016002200), PRODUCT NO. 960 16 00-22 SCHEMATIC 38

SCH03



TRACTOR - - MODEL NO. PXT12538 (96016002200), PRODUCT NO. 960 16 00-22 ELECTRICAL 32




TRACTOR - - MODEL NO. PXT12538 (96016002200), PRODUCT NO. 960 16 00-22 ELECTRICAL 32

KEY NO.	PART NO.	DESCRIPTION
28 29 30 33 34 40 41 42 43 79 90 92 93	175688 4152J 421299 421297 175158 73510400 421298 192749 193350 411935 110712X 197428 71110408 131563 192507 175242 180449 196615 192540	Battery Bolt Hex Hd 1/4-20 unc x 3/4 Box Battery Switch Interlock Harness Asm Light w/4152j Bulb Light #1156 Cable Battery 6 Ga. 11" Red Cable Battery Fuse 20 AMP Nut Keps Hex 1/4-20 unc Cable Ground 6 Ga. 12" Black Switch Seat Switch Ign Key/Chain Switch Light/Reset Harness Ign Bolt Blk Fin Hex 1/4-20 Cover Terminal Red Solenoid Socket Asm. Bulb Twistlock Cover Terminal Battery Harness Pigtail Screw Plastite 10-14 x 2.0 Module Reverse ROS
94	191834	Module Heveloe Hee

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm.

TRACTOR - - MODEL NO. PXT12538 (96016002200), PRODUCT NO. 960 16 00-22 CHASSIS AND ENCLOSURES 39




TRACTOR - - MODEL NO. PXT12538 (96016002200), PRODUCT NO. 960 16 00-22 CHASSIS AND ENCLOSURES 39

KEY NO.	PART NO.	DESCRIPTION
1	174619	Chassis
2	176554	Drawbar, Stretch
5	155272	Bumper, Hood/Dash
9	428394X010	Dash
10	72140608	Bolt, Carriage 3/8-16 x 1
11	174996	Panel Dash LH
13	172105X010	Panel Slkscr Dash RH
17 18	187559X505	Hood
24	184921 74780616	Bumper Hood Bolt Fin Hex 3/8-16 unc x 1 Gr. 5
25	19131312	Washer 13/32 x 13/16 x 12 Ga.
26	73800600	Nut Lock Hex w/lns 3/8-16 unc
28	187565X428	Grille
29	187567X599	Lens Grille Bar
30	192528X505	Fender
31	136619	Bracket Fender Repl 109873X
33	179716X505	Footrest Pnt LH
34	179717X505	Footrest Pnt RH
35	72110606	Bolt Rdhd Sht Sqnk 3/8-16 x 3/4
37 38	17490508 175710	Screw Thdrol 5/16-18 x 1/2 TYT Bracket Asm. Pivot Mower
39	187568	Bracket Pivot
64	154798	Dash Lower
142	175702	Plate Reinforcement
145	409167	Rod Pivot Chassis/Hood
159	169473X428	Cupholder
205	17490608	Screw Thdrol 3/8-16 x 1/2
207	17670508	Screw 5/16-18 x 1/2
208	17670608	Screw Thdrol 3/8-16 x 1/2
209	17000612	Screw Hex Wsh Thdrol 3/8-16
212 278	187569 416358	Insert Lens Reflect Screw #10 x 0.750 BOS Thread
2/0	5479J	Plug Button Blk 359 Dia Choke
	187801	Plug Dome Plastic
	. 57 55 1	1 149 2 31110 1 140110

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm.


TRACTOR - - MODEL NO. PXT12538 (96016002200), PRODUCT NO. 960 16 00-22 DRIVE 40



TRACTOR - - MODEL NO. PXT12538 (96016002200), PRODUCT NO. 960 16 00-22 DRIVE 40

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1 2 3 4 5 6 8 10 11 3 4 15 6 18 19 12 24 25 6 27 28 29 32 34 35 36 37 38 39 41 47 48 49 55 55 56 57 63 63	146682 123666X 12000028 121520X 17060512 192706 76020416 105701X 74550412 10040400 74490560 73800500 74780616 73800600 106933X 130804 73350600 106888X 19131316 76020412 175765 71673 174973 74760512 175578 120183X 19211616 1572H 179114 72110622 175556 127783 154407 123205X 72110612 73680600 73680500 199652 105709X 17060620 138255 8883R 175410	Transaxle Peerless 206-545C Spring Return Brake T/a Zinc Pulley Transaxle 18" Tires Ring Retainer # 5100-62 Strap Torque 30 Degrees Screw 5/16-18 x 3/4 Rod Shift Fender Adjust Lt Pin Cotter 1/8 x 1 Cad Washer Plate Shf 388 Sq Hole Bolt 1/4-28 unf Gr. 8 w/Patch Washer Lock Hvy Helical Bolt Hex FLGHD 5/16-18 x 3.75 Nut Lock Hex w/ins 5/16-18 Bolt, Fin Hex 3/8-16 unc x 1 Gr. 5 Nut Lock 3/8-16 unc Knob Rod Brake Nut Hex Jam 3/8-16 unc Spring Rod Brake 2 00 Zinc Washer 13/32 x 13/16 x 16 Ga. Pin Cotter 1/8 x 3/4 Cad Rod Brake Parking LT/YT Cap Brake Parking LT/YT Cap Brake Parking LT/YT Cap Brake Parking Bracket Mtg Transaxle Bolt Hex Hd 5/16-18 unc x 3/4 Shaft Asm Pedal Foot Bearing Nylon Blk 629 Id Washer 21/32 x 1 x 16 Ga. Pin Roll 3/16 x 1" Pulley Composite Flat Bolt RDHD 3/8-16 unc x 2-3/4 Gr. 5 Keeper Belt Flat Idler Pulley Idler V Groove Plastic Bellcrank Asm Retainer Belt Style Spring Bolt Carr. Sh. 3/8-16 x 1-1/2 Gr. 5 Nut Crownlock 3/8-16 unc Nut Crownlock 5/16-18 unc Link Clutch Spring Return Clutch 6 75 Screw 3/8-16 x 1-1/4 V-Belt Ground Drive Cover Pedal Blk Round Engine Pulley	65 66 69 70 74 75 76 77 78 79 80 81 82 83 84 85 89 96 112 150 151 156 158 159 161 162 163 165 166 168 169 170 197 198 208 808 808 808 808 808 808 808 808 80	4497H 19091210 127285X 72140608 73900600 175456 19133210 166002 165589 183900 72140406 73680400 74780416 165623 17490510 165492 165580 187414 169613 169613 169593 72110614 195785	Washer Lock Hvy Hlcl Spr 7/16 Keeper Belt Engine Foolproof Screw Hex wsh HiLo 1/4 x 1/2 unc Guide Belt Mower Drive RH Spacer Axle Washer 25/32 x 1 1/4 x 16 Ga. E-ring #5133-75 Key Square 2 0 x 1845/ 1865 Washer 25/32 x 1-5/8 x 16 Ga. Key Woodruff #9 3/16 x 3/4 Arm Shift Shaft Asm Cross Tapered PMST/20 Spring Torsion T/a Washer 17/32 x 3/4 x 16 Ga. Link Transaxle Nut Lock Center 1/4 - 28 FNTHD Console Shift STLT Retainer Spring 1" Washer 9/32 x 3/4 x 10 Ga. Strap Torque LT Bolt Rdhd Sq Neck 3/8-16 x 1 Nut Lock Flg. 3/8-16 unc Spacer Retainer Washer 13/32 x 2 x 10 Washer Srrted 5/16ID x 1.125 Bracket Shift Mount Hub Tapered Flange Shift Lt Bolt Rdhd Sqnk 1/4-20 x 3/4 Nut Crownlock 1/4-20 unc Bolt Hex Fin 1/4-20 unc x 1 Gr. 5 Bracket Pivot Lever Screw 5/16-18 x 5/8 Bolt Shoulder 5/16-18 x .561 Plate Fastening Keeper Belt Transaxle Gear Nyliner Snap-In Washer Nyliner Bolt RdHd 3/8-16 unc x 1-3/4 Gr. 5 Spacer Transaxle
64	173937	Bolt Hex		1 inch = 25	.4 mm

TRACTOR - - MODEL NO. PXT12538 (96016002200), PRODUCT NO. 960 16 00-22 ENGINE 24



TRACTOR - - MODEL NO. PXT12538 (96016002200), PRODUCT NO. 960 16 00-22 ENGINE 24

PART	
NO.	DESCRIPTION
170551	Control Th/ch Flag
17720408	Screw Hex Thd Cut 1/4-20 x 1/2
	Engine, B&S 219807-0389-B1
179758	Muffler Exhaust B&S
165291	Gasket Eng 1 313 ld Tin Plated
169837	Shield BRN/DBR Guard
137180	Kit Spark Arrester (Flat Scrn)
407545	Tank Fuel Front
425162	Cap Asm Fuel
123487X	Clamp Hose
401137	Line Fuel
124028X	Bushing Snap Nyl Blk Fuel Line
17670412	Screw Thdrol 1/4-20 x 3/4
17000612	Screw Hex Wsh Thdrol 3/8-16
19091416	Washer 9/32 x 7/8 x 16 Ga.
192334	Screw Socket Head 5/16-18 x 3/4
17060620	Screw 3/8-16 x 1-1/4
73510400	Nut Keps Hex 1/4-20 unc
421922	Extension Drain Oil
	NO. 170551 17720408 179758 165291 169837 137180 407545 425162 123487X 401137 124028X 17670412 17000612 19091416 192334 17060620 73510400

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm


For engine service and replacement parts, call the toll free number for your engine manufacturer listed below:

Briggs & Stratton 1-800-233-3723

Engine Power Rating Information

The gross power rating for individual gas engine models is labeled in accordance with SAE (Society of Automotive Engineers) code J1940 (Small Engine Power & Torque Rating Procedure), and rating performance has been obtained and corrected in accordance with SAE J1995 (Revision 2002-05). Torque values are derived at 3060 RPM; horsepower values are derived at 3600 RPM. Actual gross engine power will be lower and is affected by, among other things, ambient operating conditions and engine-to-engine variability. Given both the wide array of products on which engines are placed and the variety of environmental issues applicable to operating the equipment, the gas engine will not develop the rated gross power when used in a given piece of power equipment (actual "on-site" or net power). This difference is due to a variety of factors including, but not limited to, accessories (air cleaner, exhaust, charging, cooling, carburetor, fuel pump, etc.), application limitations, ambient operating conditions (temperature, humidity, altitude), and engine-to-engine variability. Due to manufacturing and capacity limitations, Briggs & Stratton may substitute an engine of higher rated power for this Series engine.

TRACTOR - - MODEL NO. PXT12538 (96016002200), PRODUCT NO. 960 16 00-22 STEERING ASSEMBLY 41




TRACTOR - - MODEL NO. PXT12538 (96016002200), PRODUCT NO. 960 16 00-22 STEERING ASSEMBLY 41

KEY NO.	PART NO.	DESCRIPTION
1	186780	Wheel Steering
2	418168	Axle Asm
3	169840	Spindle Asm LH
4	169839	Spindle Asm RH
5	6266H	Washer Thrust .75 x 1.230
6	121748X	Washer 25/32 x 1-5/8 x 16 Ga.
7	19272016	Washer 27/32 x 1-1/4 x 16 Ga.
8	12000029	Ring Klip #t5304-75
9	3366R	Bearing Col Strg Blk
10	175121	Link Drag
11	10040600	Washer Lock Hvy Hlcl Spr 3/8
13	136518	Spacer Brace Axle
15	73900600	Lock Nut Flg. 3/8-16 unc
17	411386	Shaft Asm Strg
26	126847X	Bushing Link Drag Blk LR
28	19131416	Washer 13/32 x 7/8 x 16 Ga.
29	17000612	Screw 3/8-16 x 3/4
30	76020412	Pin Cotter 11/32 ID x 2 3/8 OD x 12 Ga.
32	192757	Rod Tie Wire Form 19 75 Mech
34	10040500	Washer Lock 5/16
36	155099	Bushing Strg 5/8 ld Dash
37	152927	Screw
38	192916	Cap Wheel Steer
39	19113812	Washer 11/32 x 2 3/8 OD x 12 Ga.
40	73540600	Nut Crownlock 3/8-24
41	186737	Adaptor Wheel Strg
42	145054X428	
43	121749X	Washer 25/32 x 1 1/4 x 16 Ga.
44	190752	Extension Steering
46 65	121232X	Cap Spindle Fr Top Blk
65 67	414736	Spacer Brace Axle
67	72110618	Bolt RDHD SQNK 3/8-16 x 2-1/4
68 71	169827	Brace Axle
82	175146	Steering Asm.
88	199978	Bracket Susp Chassis Front
91	175118	Bolt Shoulder 7/16-20
91 95	175553 188967	Clip Steering Washer Harden .793 x 1.637 x 060
95 97	428982	Bolt Fin Hx 5/16-18 x 4 w/Patch
91	720302	DOILT IIITIX 3/10-10 X 4 W/Falcii


NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm.

TRACTOR - - MODEL NO. PXT12538 (96016002200), PRODUCT NO. 960 16 00-22 DECALS 27



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
2	405121	Decal, Replacement	12	429170	Decal, Hood
3	408808	Decal, Engine HP	15	145005	Decal, Caution, Battery
4	170563	Decal, Warning		179769X428	Pad Foot Rest RH
5	431375	Decal, Fender Service		179768X428	Pad Foot Rest LH
6	411658	Decal, Fender Warning		138311	Decal, Handle Lft Height Adj.
7	437373	Decal, Ins Str Wh		431147	Manual, Operator's, English/French
8	431237	Decal, Side Panel		431148	Manual, Operator's, Spanish
9	429169	Decal, Fender		431150	Manual, Parts, English/French
10	194302	Decal, V-Belt Sch.			_


WHEELS & TIRES



KEY NO.	PART NO.	DESCRIPTION
1	59192	Cap, Tire Valve
2	65139	Stem, Valve
3	123410X	Tire, Front
4	421652	Tube, Front (Service item only)
5	421554X643	Rim Assembly, 6" Front
6	278H	Fitting, Grease (Front wheel only)
7	9040H	Bearing, Flange (Front wheel only)
8	421533X643	Rim Assembly, 8" Rear
9	106230X	Tire, Rear
10	7154J	Tube, Rear (Service item only)
11	104757X643	Cap, Hub Axle
	144334	Sealant, Tire (10 oz. Tube)


NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm

TRACTOR - - MODEL NO. PXT12538 (96016002200), PRODUCT NO. 960 16 00-22 SEAT ASSEMBLY 42




KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	424035	Seat	15	134300	Spacer Split .28 x .96
2	140551	Bracket Seat Pivot	16	121250X	Spring Cprsn
3	71110616	Bolt Hex 3/8 - 16 x 1	17	123976X	Nut Lock 1/4 Lge Flg
4	19131610	Washer 13/32 x 1 x10 Ga.	21	171852	Bolt Shoulder 5/16-18 unc-2A
5	145006	Clip Push-In Hinged	22	73800500	Nut Lock Hex w/Ins 5/16 - 18
6	73800600	Nut Lock Hex w/lns 3/8 - 16	23	71110814	Bolt Hex
7	124181X	Spring Seat Cprsn 2 250 Blk Zi	24	19171912	Washer 17/32 x 1-3/16 x 12 Ga.
8	17000616	Screw 3/8-16 x 1.5	25	127018X	Bolt Shoulder 5/16-18 x .62
9	19131614	Washer 13/32 x 1 x 14 Ga.	26	10040800	Washer Lock Hvy Hlcl Spr 1/2
10	195530	Pan Pnt Seat			,
12	174648	Bracket Pnt Mounting Switch			
13	121248X	Bushing Snap Blk Nyl	NOTE	E: All compo	nent dimensions given in U.S. inch
14	72050412	Bolt Rďhd Sht Nk 1/4 - 20 x 1 -1/2		1 inch = 2	

TRACTOR - - MODEL NO. PXT12538 (96016002200), PRODUCT NO. 960 16 00-22 MOWER DECK 44



TRACTOR - - MODEL NO. PXT12538 (96016002200), PRODUCT NO. 960 16 00-22 MOWER DECK 44

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	192556	Mower Housing Assembly	72	193216	Spring Brake Return
2	72140506	Bolt Carriage 5/16-18 x 3/4	89	19131311	Washer 13/32 x 13/16 x 11 Ga.
3	138017	Bracket Asm Fr. Sway Bar	107	133502	Spacer Retainer
4	192568	Bracket Deck Sway Bar 38"/42"	108	133503	Stiffener, Idler Arm
5	4939M	Retainer Spring	122	410189	Rod, Brake LH
6	178024	Bar Sway Deck	123	410190	Rod, Brake RH
7	73800500	Nut Lock Hex w/Ins. 5/16-18 unc	144	193414	Keeper Belt Idler Tension
8	193003	Bolt 3/8-24 x 1.25 Gr. 8	148	169022	Spring Return Idler
11	193957	Blade Mower	149	165898	Retainer Spring Yellow
	138497	Blade 38" Hi-Lift	150	19091210	Washer 9/32 x 3/4 x 10 Ga.
13	192872	Shaft Assembly, Mandrel, Vented	152	193235	Clutch Cable 38"/46"
14	187281	Housing, Mandrel, Vented	158	17720408	Screw Hex Thd. Cut. 1/4-20 x 1/2
15	110485X	Bearing, Ball, Mandrel	185	188234	Head Asm. Cable Clutch
18	72140505	Bolt Rdhd. Sqnk. 5/16-18 x 5/8	186	17490644	Screw Hex Wsh. Thdrol. 3/8-16 x 2-3/4
19	132827	Bolt, Shoulder	187	193412	Keeper Belt
20	400095	Baffle Vortex Front	188	165891	Bolt Carriage Idler
21	73680500	Nut	189	192559	Stand, Brake
23	192557	Bracket, Mower Deflector	190	192560	Arm, Brake
24	105304X	Cap, Sleeve	191	192561	Spacer, Brake
25	197026	Spring, Torsion, Deflector	193	193413	Keeper Belt RH Mandrel
26	110452X	Nut, Push	194	194105	Guard Brake
27	192572X428	Shield, Deflector	195	19133210	Washer
29	131491	Rod, Hinge	208	17670608	Screw Thdrol 3/8-16 x 1/2
30	173984	Screw Thdrol.	214	193782	Bolt/Washer Asm. 5/16-18
31	187690	Washer, Spacer		192558	Brake Assembly (Includes Stand,
32	153532	Pulley, Mandrel			Arm and Guard Components)
33	400234	Nut, Toplock		192870	Mandrel Assembly (Includes hous-
36	131494	Pulley, Idler, Flat			ing, shaft assembly, and bearing
37	193198	Pulley Idler Flat			only - pulley/nut/washer and blade
40	73680600	Nut, Crownlock 3/8-16 unc			bolt/washers not included)
45	4497H	Retainer Spring		193646	Replacement Mower, Complete
55	133840	Idler Arm Assembly			
56	165723	Spacer, Retainer			
67	106932X	Knob	NOTE	E: All compone	nt dimensions given in U.S. inches
68	193214	V-Belt		1 inch = 25.4	



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1 2 3 4 5 6 7 8 11 12 13 15	404981 159471 105767X 12000002 19211621 120183X 125631X 124526X 139865 139866 4939M 173288	Plunger Asm Lift Lever Shaft Asm Lift RH Pin Groove 1 500 Zinc E Ring #5133-62 Washer 21/32 x 1 x 21 Ga. Bearing Nylon Blk 629 Id Grip Handle Button Plunger Black Link Lift LH Fixed Length Link Lift RH Fixed Length Retainer Spring Link Front	16 17 18 19 20 31 32 55	73350800 175689 73800800 139868 194209 169865 73540600 194208 E: All compo 1 inch = 25	Nut Jam Hex 1/2-13 unc Trunnion Nut Lockw/Wsh 1/2-13 unc Arm Suspension Rear Pin Cotter 7/16 Bow Tie Lock Bearing Pvt Lift Nut Crownlock 3/8-24 Pin Cotter 5/16 Bow Tie Lock nent dimensions given in U.S. inches 5.4 mm.

SERVICE NOTES

LIMITED WARRANTY

The Manufacturer warrants to the original consumer purchaser that this product as manufactured is free from defects in materials and workmanship. For a period of two (2) years from date of purchase by the original consumer purchaser, we will repair or replace, at our option, without charge for parts or labor incurred in replacing parts, any part which we find to be defective due to materials or workmanship. This Warranty is subject to the following limitations and exclusions.

- This warranty does not apply to the engine, transaxle/transmission components, battery (except as noted below) or components parts thereof. Please refer to the applicable manufacturer's warranty on these items.
- Transportation charges for the movement of any power equipment unit or attachment are the responsibility of the purchaser. Transportation charges for any parts submitted for replacement under this warranty must be paid by the purchaser unless such return is requested by the manufacturer.
- 3. Battery Warranty: On products equipped with a Battery, we will replace, without charge to you, any battery which we find to be defective in manufacture, during the first ninety (90) days of ownership. After ninety (90) days, we will exchange the Battery, charging you 1/12 of the price of a new Battery for each full month from the date of the original sale. Battery must be maintained in accordance with the instructions furnished.
- 4. The Warranty period for any products used for rental or commercial purposes is limited to 90 days from the date of original purchase.
- 5. This Warranty applies only to products which have been properly assembled, adjusted, operated, and maintained in accordance with the instructions furnished. This Warranty does not apply to any product which has been subjected to alteration, misuse, abuse, improper assembly or installation, delivery damage, or to normal wear of the product.
- 6. Exclusions: Excluded from this Warranty are belts, blades, blade adapters, normal wear, normal adjustments, standard hardware and normal maintenance.
- 7. In the event you have a claim under this Warranty, you must return the product to an authorized service dealer.

Should you have any unanswered questions concerning this Warranty, please contact:

HOP Outdoor Products Customer Service Dept. 1030 Stevens Creek Road Augusta, GA 30907 USA In Canada contact: HOP 5855 Terry Fox Way Mississauga, Ontario L5V 3E4

giving the model number, serial number and date of purchase of your product and the name and address of the authorized dealer from whom it was purchased.

THIS WARRANTY DOES NOT APPLY TO INCIDENTAL OR CONSEQUENTIAL DAMAGES AND ANY IMPLIED WARRANTIES ARE LIMITED TO THE SAME TIME PERIODS STATED HEREIN FOR OUR EXPRESSED WARRANTIES. Some areas do not allow the limitation of consequential damages or limitations of how long an implied Warranty may last, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may have other rights which vary from locale to locale.

This is a limited Warranty within the meaning of that term as defined in the Magnuson-Moss Act of 1975.