

143

5.

Inspired by the realities of life.

Qua



STERLING® TOILETS WITH DUAL FORCE TECHNOLOGY

Dual Force technology by Sterling provides an outstanding combination of water conservation and exceptional performance. Operated by a user-friendly, two-button actuator integrated into the tank lid, STERLING toilets with Dual Force technology flush either 1.6 gallons or .8 gallon. The .8 gallon flush option, for liquid and light waste, can save a household of four up to 25,000* gallons of water per year. Equally impressive, the 1.6-gallon setting, assisted by the toilet's flapperless valve and large trapway, consistently removes bulk waste with just one flush, eliminating the need for wasteful, repetitive flushing. In addition, 100% of the water passes through the rim, keeping the bowl clean with its siphonic washdown system.

*25,000 gallons versus a 3.5 gallon toilet, or 6,000 gallons versus a 1.6 gallon toilet.

Two-Button Actuator 1.6 gallon, left and .8 gallon, right



Sanitary Guard



Dual Force Tank Interior



Karsten_™ Toilet

The Karsten toilet excels at saving water without compromising tremendous bulk flushing capabilities. The contemporary style of Karsten makes this toilet a perfect choice for baths inspired by sleek, streamlined decorating schemes. Available in both roundfront and elongated bowls, the Karsten with Dual Force technology captures flushing innovation, water conservation and design inspiration in a single toilet.



Rockton[™] Toilet

The Rockton toilet with Dual Force technology delivers an unprecedented combination of water conservation and reliable performance. It also offers a great design solution for the bathroom. With a clean and understated aesthetic, the Rockton toilet by Sterling complements any bathroom décor. It is available in a choice of bowl shapes. The round-front option is perfect for a smaller bath or powder room, while the elongated bowl offers additional user comfort.

Model Name	Rockton _™ PB	Karsten _™ PB	Rockton EB	Karsten EB
Model Number	402024	402025	402027	402028
Tank	402022	402023	402022	402023
Bowl	402021	402021	402026	402026
Rough-In	12 ⁿ			
Water Usage	.8 / 1.6 gpf			
Trapway*	2"			
Flapperless Flush Valve	2"			
Flush Action	Dual Force Siphonic Washdown			
Trip Lever	Chrome, Two-Button Actuator			
L x W H x Bowl Height	29¾" x 135%" 29%" x 14%"	29¾" x 14¼" 29¼" x 14‰"	31" x 135%" 297%" x 14%₀"	31" x 14¼" 29¼" x 14%
Limited Warranty	5-Year			
WaterSense _™ Labeled ^{★★}	ER CONTRACTOR	LENGER EN LENGER	ER OF	LING RET

*Trapway changes from 2" at the outlet to 21/2" at its largest point to provide exceptional one-flush performance.

**WaterSense labeled toilets use at least 20% less water than standard 1.6-gallon toilets while still meeting strict flushing performance guidelines.



Inspired by the realities of life.



To learn more about the line of STERLING bath and kitchen products inspired by the realities of life, obtain warranty information or to order a catalog, call **1.800.STERLING** or visit us online at **SterlingPlumbing.com**.

04006 10/07/15M/U © 2007 by Kohler Co. Kohler Co., Kohler, Wisconsin 53044 Printed in U.S.A.