

Philips
Stereo Y adapter

RCA (M)-2 RCA (F)

SWA2553



Ensure a reliable audio connection

with this stereo "Y" cable

Depend on this connector to convert stereo audio to mono audio.

Enjoy good audio quality

- Nickel-plated connectors for reliable contact

Protects against signal loss

- Bare copper shielding

Easy installation

- Color coded connectors for instant recognition
- Non-slip ergonomic grip for easy use

Enjoy extended durability

- Molded plug for secure connections
- Flexible PVC jacket
- Rubber strain relief

PHILIPS
sense and simplicity

Stereo Y adapter
RCA (M)-2 RCA (F)

Specifications

Dimensions

- **Gross weight:** .036 kg
- **Tare weight:** .008 kg
- **Net weight:** .028 kg
- **Product length:** 14.6 cm
- **Product dimensions (W x H):** 70 x 27 mm

Inner Carton

- **EAN/UPC/GTIN:** 87 10895 96063 2
- **Quantity:** 6
- **Gross weight:** .257 kg
- **Tare weight:** .089 kg
- **Net weight:** .0168 kg

- **Length:** 206.4 mm
- **Width:** 92.1 mm
- **Height:** 76.2 mm

Outer Carton

- **EAN/UPC/GTIN:** 87 10895 96111 0
- **Quantity:** 12
- **Gross weight:** .58 kg
- **Tare weight:** .25 kg
- **Net weight:** .33 kg
- **Length:** 197 mm
- **Width:** 98.4 mm
- **Height:** 171.5 mm

SWA2553/10

Product highlights

Nickel-plated connectors

Nickel-plated connectors establish a clean contact between the cable and connector for a reliable connection.

Bare copper shielding

Bare copper shielding protects against signal loss.

Color-coded connectors

Color coded connections make it easy to install your cable into the correct inputs and outputs

Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

Molded plug

Molded plugs ensure secure connections between components and offer extended durability.

Flexible PVC Jacket

Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

Rubber strain relief

Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.



Issue date 2008-01-19

Version: 2.0.7

12 NC: 9082 100 06121
EAN: 87 10895 93283 7

© 2008 Koninklijke Philips Electronics N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips
Electronics N.V. or their respective owners.

www.philips.com