

**STIGA®**

[www.stiga.com](http://www.stiga.com)

# Winter range 2008-2009



# We love snow!

So will you, no doubt, if you let our snow throwers do the back-bending job. Our mission is to help nature along and rearrange the drifts to where you want them. The idea is for you to spend less time on the drive and more on the slopes – or in front of the fire. Pop into your nearest Stiga dealer and lay your hands on a snow thrower to find out why we think that a covering of snow is the best type of covering!

## YOUR BEST BET!

Expected amount of snow, total surface area and type of ground; these three factors determine what type of snow thrower to choose.

The single stage thrower (Compact Line) is suitable for easier tasks on hard and flat surfaces, whilst the two stage throwers (Duo Line, Duo Line+ and Royal Line) are designed for drifts of hard packed snow in larger areas and on most types of surfaces. Cylinder volume, working width, gear system etc. are features that differ between the models.



**DIFFERENTIAL**  
*For better steering. The wheels turn at differing speeds through a turn. You easily can turn 180° without skidding with the wheels.*

## Contents

Snow Throwers.....	2
Front mowers.....	8
Lawn tractors.....	10
Implements.....	12
Handhelds.....	16
Specifications.....	18

**1381 HST**

Very powerful with continuously variable hydrostatic transmission for ease of use.

- Engine: 342 cc Briggs & Stratton 1650 Snow Series Max
- Hydrostatic (continuously variable transmission)
- Working width: 81 cm
- Extra wide tyres

# Peak performance.

ROYAL LINE. Aimed for long working days, with large amounts of heavy and icy snow. Features include maximum engine performance for breaking up snowdrifts, differential and MaxiGrip tyres for maximum grip, hydrostatic transmission for ease of use and electrically heated handles to keep you warm. In addition, you can work safely and efficiently in the dark thanks to powerful halogen lighting.

**1171 HST**

A good choice for those of you who manage several properties and who regularly work after dark.

- Engine: 342 cc Briggs & Stratton 1550 Snow Series Max
- Hydrostatic (continuously variable transmission)
- Working width: 71 cm
- Extra wide tyres

**966 D**

A power pack developed for those of you who handle large quantities of hard packed snow.

- Engine: 305 cc Briggs & Stratton 1350 Snow Series Max
- 6 forward gears 2 reverse
- Differential for easier steering
- Working width: 66 cm

# The more snow the more fun!

DUO LINE. Adjustable in working height, two stage throwers can be used on most types of surface.

Note the adjustable discharge chute, which enables you to control where you relocate the snow. One hand grip and adjustable skid shoes (no bending required) are also included as standard on all Duo Line throwers.



## SNOW SPARK

- Engine: 205 cc Briggs & Stratton 800 Snow Series, 4-stroke OHV
- Working width: 61 cm
- 6 forward gears and 2 reverse
- 13" SnowHog tyres
- Asymmetric halogen lighting



## SNOW BLIZZARD

- Engine: 249 cc Briggs & Stratton 1150 Snow Series, 4-stroke OHV
- 230 V electric start
- Working width: 69 cm
- 6 forward gears and 2 reverse
- 16" MaxiGrip tyres



## SNOW CUBE

- Engine: 173 cc GGP SM 55, 4-stroke OHV
- Working width: 56 cm
- 5 forward gears and 2 reverse
- 13" SnowHog tyres



## SNOW CRYSTAL

- Engine: 173 cc GGP SM 55, 4-stroke OHV
- Working width: 62 cm
- 5 forward gears and 2 reverse
- 15" SnowHog tyres



## More muscles, anyone?

DUO LINE+. These durable two stage throwers are designed for those with high demands. Deep snow and high snowdrifts are no obstacles. The toothed auger collects the snow and blows it out via a fan housing to where you want to relocate it – up to 12 m away from the machine. With Duo Line+ you also get differential to retain traction while doing a sharp turn.

**DIRECT  
THE HEAPS  
TO WHERE YOU  
WANT THEM!**



### SNOW POWER

A hard worker, designed for heavier work.

- Engine: 305 cc Briggs & Stratton 1450 Snow Series, 4-stroke OHV
- Working width: 74 cm

**BEST IN TEST!**



### SNOW FLAKE

Designed for long paths, wide drives and large amounts of snow.

- Engine: 249 cc Briggs & Stratton 1150 Snow Series, 4-stroke OHV
- Working width: 69 cm

Standard on the Duo Line + range: 6 forward gears • Electric start and halogen lighting • One hand grip (dual)  
• Vertically and laterally adjustable discharge chute • Toothed auger • Differential • 16" MaxiGrip tyres

**DUOLINE+**

# Wet snow is no problem.

COMPACT LINE. These easy-to-handle, single stage snow throwers are driven forward by the auger, which collects and blows out the snow in one go. They are best for use on asphalt and other hard surfaces and are also a good environmentally-friendly choice. They are easy to transport and store thanks to their compact shape and folding handle.



## SNOW FROST RS

Well arranged controls, simple to operate, even when wearing gloves. The direction of the snow discharge chute is adjusted from the operator's position.

- Engine: 148 cc Briggs & Stratton 525 Snow Series, 4-stroke
- Working width: 55 cm
- HDPE plastic in the cover provides an extremely durable snow thrower
- 40 kg

## SNOW FROST ES

Specifications as Snow Frost RS but with electric start 230 V for easy handling.



## SNOW REX

Quiet, with low emissions and low vibrations.

- Engine: 190 cc Briggs & Stratton 650 Snow Series, 4-stroke
- Working width: 53 cm
- 28 kg



## SNOW ELECTRIC 2000

Small and flexible. Easy to move and store. Fold the handle to fit it in the car.

- Engine output: 230 V, 2000 W
- Working width: 42 cm
- 21 kg

## SNOW ELECTRIC

- Engine output: 230 V, 1300 W
- Working width: 35 cm
- 17 kg



**Tough on the snow,  
easy on the body.**

The power is in your hands, snowdrifts and banks give way and before you know it the snow is off your back! The idea is for you to spend less time on the driveway and more time on the slopes.

**STIGA®**

# The real transformer.

PARK is probably the most versatile vehicle you can put on a driveway. This time of year it transforms from professional lawnmower to sand spreader, snow thrower and plough. As the snow melts it doubles as a street sweeper, and then goes back to mowing lawns, blowing leaves and carrying tools. Strong, energetic and utterly reliable!



## PARK

The Park range is suitable for professional use and has a full range of implements - see the table! Takes you over slippery slopes without leaving skid marks thanks to 4WD. Articulated steering in combination with front-mounted implements makes it easy to navigate around bushes, trees and fences. Adjustable seat and steering wheel provides excellent comfort.



*Four wheel drive allows you to drive up hills unhindered, and stop and start again without slipping.*



*Park has implements for every season!  
See page 12!*





## As close to a handyman as you get.

The Villa range is the year round companion for home owners. If you want to get the most out of it: Get equipped for year round use and spread the cost over the year. For the full range of implements – see page 12!



*Villa with sweeper*

*Villa with snow chains and snow blade*

*Villa with Combi cutting deck*

# The winter attraction.

Top of the line among garden tractors, the Estate range comes with engines from 13.5 to 25 hp and implements for year-round use. Our best tip: Equip it for winter and spread the cost over the year!



*Estate Royal equipped for winter with snow chains and snow blade.*

## ESTATE RANGE

Comes with electromagnetic clutch for blade engagement, new visual dashboard and new adjustable comfort seat. Note twin headlights and reinforced foot panel with non-skid rubber cover.



**SWEEPER, PTO-kit required**



**SNOW THROWER, PTO-kit required**



**SNOW CHAINS**

## Implements for Lawn tractors.

### PTO-KIT

An exclusive tool, which permits you to attach the sweeper or the snow thrower. Transfers power from the engine to the front-mounted implements. Placed on the frame of the tractor, it can be left there the whole year even when cutting grass.



May the force  
be with you!



Stiga helps nature along and makes it possible for more people to enjoy the falling flakes. Pop into your nearest Stiga dealer and lay your hands on a snow thrower to find out why we are so fond of snow!





# Prepare for all weathers!

Mows grass, collects leaves, ploughs snow and sweeps streets. Stiga riders come in handy year round, with implements for every season. So think ahead! Choose a reliable companion that keeps working no matter the weather. Consider what implements you might want to add as seasons change. Then stick to the safe side by selecting a 4WD model. Note that some of the implements fit our Estate tractors as well.



## SNOW BLADE

Controlled from the driver seat. The blade has skid shoes as well as an automatic control to prevent overloading. Scraper bars – rubber for brick, metal for asphalt – are available as optional extras. Working width 107 or 120 cm.



## SNOW THROWER (1-STAGE)

Now with improved torque. An auger collects and blows out the snow in one go. Equipped with adjustable skid shoes, perfect for pavements, hard paths and driveways. Working width 90 cm. The model for Estate has a working width of 100 cm



## SNOW THROWER (2-STAGE)

For use on most types of surface. Breaks through snow banks. The auger collects the snow and blows it out via a fan housing to where you want to relocate it – up to 12 m away from the discharge chute. Electrically adjustable discharge chute to carry out safe and controlled work. Working width 90 cm.



## PRO SNOW CHAINS

Provides traction even on ice thanks to transverse links fitted with spikes. Available in several sizes for Estate, Villa and Park.



## SNOW CHAINS

D-shaped galvanized manganese steel, these snow-chains provide traction on snow-covered paths. Fit 18" wheels.



## SAND SPREADER

Perfect for gravel, sand or salt. Now with more outlets for a more even result. Rear mounted it is controlled electrically from the control panel. Working width 100 cm.



## LEAF BLOWER

Gathers leaves towards one side of the garden. The air stream lifts wet leaves and relocates them to your liking. The outlets, placed on the left and right sides, are controlled electrically from the control panel.

## IMPLEMENTS



### PRO CART

Galvanized steel. Removable rear tailgate and good dump angle, 200 kg load capacity.



### COMBI CART

Multi-purpose cart which hitches to the tow bar and can also be used as a wheelbarrow, 180 litres capacity. Body is manufactured from polymer giving a low overall weight.



### GRASS AND LEAF COLLECTOR 42"


Towed, self-propelled with 1:8.5 ratio of the wheel to brush, 107 cm working width. Easy to empty from driver's position. Aluminum wheel transmission and heavy-duty bag stretcher.



### SWEEPER

Front mounted with sideways adjustment to three positions. The three-wheel system allows the operator to find just the right amount of ground pressure for every task. Sweeps leaves, snow, gravel and last year's grass with a neat and clean result.

*Rear rake tool 130*



*Rear rake tool 100*

### REAR RAKE TOOL 100/130

For gravel paths. Can be raised or lowered electrically from the driver's position. Choose between 130 cm rake for gravel (10-20 cm size stones) and the 100 cm rake also suitable for weed removal (2-10 cm size stones).



### REAR TOOL LIFT 3000

The equipment to make use of the rear of the Park Pro, press down and lift up the aerator, grader blade and rakes. Controlled by an electric actuator from the driver's position.



**TOW RAKE ESTATE**

Clears paths and garden from thatch and moss, dead leaves and grass clippings. Twenty tines, heat-treated and spring-loaded, with 102 cm working width.



**PROTECTIVE COVER**

Cares for your mower in adverse weather conditions such as rain and snow.



**FRONT WEIGHT/ REAR WEIGHT ESTATE**

Easily fitted on the front or rear of your tractor, the weight kit increases stability of the machine when using it with towed or front-mounted implements.

Front weight: 11.5 kg


Rear weight: 23 kg (ballasted with sand)



**FRAME WEIGHTS**

Improve balance and provide ultimate traction to the mower, 2x17 kg for Park and 2x13.5 kg for Villa.

**Swap implements in a minute. Max!**



**RAC QUICK CONNECTION**

Enables you to change implements in one easy movement, without the use of any tools! Just click on and off. Our unique RAC quick connection is standard on most Park models.

## BLOWER



### SP 680

Large and powerful farm saw for regular use in forests and land. Suitable for tree felling, logging, trimming and cutting. Effectively vibration damped with 62 cc petrol engine (3.0 kW), adjustable oil pump and an air filter that is easy to clean without tools. 50 cm blade, 3/8" chain.



### SP 352

A multi-purpose chainsaw with a good power-to-weight ratio, ideal for light to medium dimension wood-cutting and brushclearing. Equipped with a 35.0 cc engine, replaceable air filter and "Easy Starter". 14"/ 35 cm bar.

# Tidying up the easy way.

### BLOWER SBL 250 H

This handy, versatile blower is among the lightest in its category. Handheld with a 22.5 cc, 0.98 kW low-noise engine, it offers exceptional performance in terms of air speed and volume of blown air. Maximum air speed is 55 m/sec. Collector available as an option.



## CHAIN SAWS, BRUSHCUTTERS AND HEDGE CUTTERS



### SP 482

Well-balanced saw body with an excellent power-to-weight ratio intended for DIY work. 48.7 cc engine with adjustable oil pump. Replaceable air filter and side chain tensioning. Effective vibration damping with steel springs. Narrow cutting microlite chain. Bar lengths from 13"/33 cm to 18"/45 cm.



### SP 420

The new generation petrol saw with extremely high power to weight and fuel consumption ratio. 40.1 cc petrol engine (1.8 kW) with low fuel consumption and low emissions. The best environmentally-friendly choice with Strato-Clean-technology.



### SE 202Q

A well balanced hobby saw with features such as tool-free chain tensioning. Simply turn the knob to tension the chain correctly in just a few seconds. The saw has a modern, ergonomic design. The 2000 W motor has a mechanical chain brake.



### 435 HD

Powerful brushcutter with environmentally friendly 4-stroke, 35 cc engine. Low in emissions, the engine consumes approximately 30 % less fuel than a conventional 2-stroke and is significantly quieter. Vibration-damped loop handle. Supplied with trimmer head, 4-tooth blade and double harness.



### ST 425 HJ

Environmentally friendly petrol trimmer with modern four-stroke engine producing 0.8 kW. Extremely quiet and easy to start. Lower emissions and approximately 30 % less fuel consumption than conventional engines. Trimmer head with double lines of 2.4 mm.



### SB 40

37 cc power unit. Adjustable double handle with excellent vibration damping. 4-tooth grass blade and 24-tooth saw blade as well as trimmer head with rapid feed. Cutting width 43 cm. Ergonomic double harness supplied.



### SB 32

A highly versatile and good-value brushcutter with a straight shaft. The trimmer head and the 4-toothed grass blade come as standard. The engine is 30 cc, 1 kW. A single strap harness is included.



### SB 27 J

A highly versatile and good-value brushcutter with a split shaft. The trimmer head and the 4-toothed grass blade come as standard. The engine is 26 cc, 0.8 kW. A single strap harness is included.



### SH 60 PRO

600 W motor with a gearbox that produces powerful cutting torque. Asymmetrical bar ensures reduced vibrations. Extra safety contact breaker so that you can hold the underneath of the hedgecutter and reach higher. Copes with 27 mm branches. The blade measures 60 cm.



### SH 160

Petrol driven hedgecutter with 55 cm blade. 26 cc engine. Rear handle that can be adjusted to five different positions for maximum comfort. Hardened precision blade for reduced vibration and cuts branches up to 27 mm.

# Implements for Riders.

		Park Pro 25 4WD	Park Pro 20 4WD	Park Pro Swan 4WD	Park Pro 16 4WD	Park Diesel 4WD	Park Diesel	Park Prestige 4WD	Park Royal	Park Comfort	Park Compact 16 4WD	Park Compact 16	Park Compact 14	Park Compact 13	Villa 16 HST	Villa 14 HST	Villa 12	Estate Pro 25 E	Estate Pro 20	Estate Royal E	Estate Royal	Estate President	Estate Senator	Estate Tornado HST	Estate Tornado	Estate Basic
X = Suitable combination																										
13-0922-11	Snow thrower 2-stage Park Pro*	X	X	X	X																					
13-0974-12	Snow thrower 1-stage	X	X	X	X	X	X	X	X																	
299900500/0	Snow thrower Estate 1-stage**																	X	X	X	X					
299900600/0	PTO-kit																	X	X	X	X					
13-0993-61	RAC Quick connection 4WD	X	X	X	X	X		X			X															
13-0992-61	RAC Quick connection 2WD						X		X	X	X	X	X													
13-0981-61	Wheel axle attachment Villa														X	X	X									
13-0982-61	Wheel axle attachment Park 2WD						X		X	X	X	X	X													
13-0983-61	Wheel axle attachment Park 4WD	X	X	X	X	X		X			X															
13-0977-11	Sweeper Park	X	X	X	X	X	X	X	X	X	X	X														
13-0980-11	Sweeper Villa														X	X										
299900520/0	Sweeper Estate**																	X	X	X	X					
13-0973-11	Blower	X	X	X	X	X	X	X	X	X	X	X														
13-0964-11	Rear tool lift	X	X	X	X	X																				
13-0961-11	Rake tool 100 cm	X	X	X	X	X																				
13-0962-11	Rake tool 130 cm	X	X	X	X	X																				
299900240/0	Tow rake 102 cm Estate																	X	X	X	X	X	X	X	X	X
13-0953-11	Grass and leave collector 30"	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X									
13-1950-13	Grass and leave collector 42"	X	X	X	X	X	X	X	X	X	X	X	X													
13-0956-11	Main power switch	X	X	X	X																					
13-3904-61	Snow blade rubber scraper bar 107 cm											X	X		X	X	X									
13-1958-62	Snow blade rubber scraper bar 120 cm	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X									
13-0967-61	Snow blade metal scraper bar	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X									
13-0990-11	Snow blade 107 cm											X	X		X	X	X									
13-0979-13	Snow blade 120 cm	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X									
299900400/0	Pro snow blade 120 cm Estate																	X	X	X	X	X	X			
299900405/0	Snow blade 120 cm Estate																					X	X	X	X	
13-0921-62	Frame weight 2 x 13,5 kg Villa														X	X	X									
13-0939-61	Frame weight 2 x 17 kg Park					X	X	X	X	X	X	X	X													
13-0936-61	Snow chains 16" Wide					X	X	X	X	X	X	X														
13-0937-61	Snow chains 17" Park Pro	X	X	X	X																					
13-0940-61	Snow chains 16" Park											X	X		X	X	X									
299900460/0	Pro snow chains 18" Estate																	X	X	X	X	X	X	X	X	X
299900470/0	Snow chains 18" Estate																	X	X	X	X	X	X	X	X	X
13-1936-62	Dust protection sweeper Park	X	X	X	X	X	X	X	X	X	X															
13-1937-62	Dust protection sweeper Villa														X	X										
13-1975-14	Sand spreader Park	X	X	X	X	X																				
8290-9013-02	Protective cover Park/Villa	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X									
13-0995-11	Protective cover Tractors																	X	X	X	X	X	X	X	X	X
13-0952-11	Combi Cart	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X
13-3903-11	Pro Cart galvanized	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X


\*. 2-stage Snow thrower will always be fitted on year Park model 2007/08 and later.

\*\*PTO-kit needed.

# Technical data Snow Throwers

	<b>compact line</b>		<b>DUOLINE</b>		<b>DUOLINE+</b>		<b>ROYAL LINES</b>							
	Snow Electric	Snow Electric 2000	Snow Rex	Snow Frost RS	Snow Frost ES	Snow Cube	Snow Crystal	Snow Spark	Snow Blizzard	Snow Flake	Snow Power	966 D	1171 HST	1381 HST
Article No.	18-2807-29	18-2806-29	18-2818-29	18-2811-29	18-2812-29	18-2803-29	18-2814-29	18-2857-29	18-2830-29	18-2829-29	18-2847-29	18-2850-29	18-2851-29	18-2852-29
EAN code	7313321800741	7313321800956	7313321800659	7313321800918	7313321800925	7313321800963	7313321800970	7313321800987	7313321800666	7313321800673	7313321800680	7313321800765	7313321800772	7313321800789
Working width (cm)	35	42	53	55	55	56	62	61	69	69	74	66	71	81
Working height (cm)	23	25	18	32	32	50	50	45	45	45	45	53	53	53
Two stage thrower						X	X	X	X	X	X	X	X	X
Electric starter	X	X			X				X	X	X	X	X	X
Number of gears						5F+2R	5F+2R	6F+2R	6F+2R	6F+2R	6F+2R	6F+2R	Continuous	Continuous
Engine	Electric	Electric	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton	GGP	GGP	Briggs & Stratton	Briggs & Stratton	Briggs & Stratton				
Engine name			650 Snow Series	525 Snow Series	525 Snow Series	SM 55	SM 55	800 Snow Series	1150 Snow Series	1150 Snow Series	1450 Snow Series	1350 Snow Series Max	1550 Snow Series Max	1650 Snow Series Max
Capacity (cc)	1300 W	2000 W	190	148	148	173	173	205	249	249	305	305	342	342
Horizontal engine shaft	X	X		X	X	X	X	X	X	X	X	X	X	X
Engine type			4-stroke	4-stroke	4-stroke	4-stroke OHV	4-stroke OHV	4-stroke OHV	4-stroke OHV	4-stroke OHV	4-stroke OHV	4-stroke OHV	4-stroke OHV	4-stroke OHV
Tank volume (litres)			1.9	1.9	1.9	2.8	2.8	2.8	2.8	2.8	2.8	3.8	3.8	3.8
Fuel gauge												X	X	X
Screw diameter (cm)	17	17	18	23	23	30	30	30.5	30.5	30.5	30.5	36	36	36
Screw profile	Rubber	Rubber	Rubber	Rubber	Rubber	Toothed	Toothed	Toothed	Toothed	Toothed	Toothed	Saw toothed	Saw toothed	Saw toothed
Fan diameter (cm)						23	23	30.5	30.5	30.5	30.5	36	36	36
Number of fan blades						3	3	3	3	3	3	4	4	4
Throwing distance	1-6 m*	1-6 m*	1-8 m*	1-8 m*	1-8 m*	1-9 m*	1-9 m*	1-10 m*	1-10 m*	1-12 m*	1-12 m*	1-15 m*	1-15 m*	15 m*
Skid shoes			X	X	X	Width	Width	X	X	X	X	Width	Width	Width
Differential						Manual	Manual			X	X	X	Lift-lock	Lift-lock
Hydrostatic														
Friction clutch						X	X	X	X	X	X	X	X	X
Tyre size						13"	15"	13"	16"	16"	16"	16"	16"	16"
Tyre pattern						SnowHog	SnowHog	SnowHog	MaxiGrip	MaxiGrip	MaxiGrip	MaxiGrip	MaxiGrip	MaxiGrip
Headlight						Handle	Handle	Handle	Handle	Handle	Panel	Panel	Panel	Panel
Control ejection rotation			X	X	X							X	X	X
Control ejection length						X	X	X	X	X	X	Panel	Panel	Panel
One hand grip						X	X	X	X	Dual	Dual	Dual	Dual	Dual
Electrically heated handles												X	X	X
Snow chains														
Weight (kg)	17	21	28	40	40	75	80	75	95	95	100	110	123	126

\* The ejection length depends on the snow density, wind direction as well as the angle of the discharge chute.



xx-xxxx-09

75 years of garden excellence! We want you and your surroundings to get the most out of the outdoors with the least possible effort. Therefore we combine innovative technology with good momentum and minimal strain on man and environment. The aim is to hand down an earth in good condition.

