

Philips
Stereo audio cable

6 ft
Piggyback

SWA2113

Ensure a reliable connection

with this stereo audio cable

Depend on this cable to provide you with a reliable audio connection between components.

Enjoy good audio quality

• Nickel-plated connectors for reliable contact

Protects against signal loss

· Bare copper shielding

Easy installation

- Color coded connectors for instant recognition
- Non-slip ergonomic grip for easy use
- Plug and play for easy use

Enjoy extended durability

- Molded plug for secure connections
- Flexible PVC jacket
- · Rubber strain relief

Environmentally friendly

• Environmentally friendly lead-free construction



Stereo audio cable 6 ft Piggyback

Specifications

Packaging

- EAN/UPC/GTIN: 6 09585 12376 2
- Quantity: I
- Gross Weight: 0.070 kg
- Tare Weight: 0.010 kg
- Net Weight: 0.060 kg
- Length: 19.70 cm
- Width: 9.50 cm • Height: 2.90 cm

Inner Carton

- EAN/UPC/GTIN: I 06 09585 12376 9
- Quantity: 6
- Gross Weight: 0.410 kg • Tare Weight: 0.060 kg

- Net Weight: 0.350 kg
- Length (cm): 27.80 cm
- Width (cm): 9.20 cm
- Height (cm): 12.70 cm

Outer Carton

- EAN/UPC/GTIN: 2 06 09585 12376 6
- Quantity: 72
- Gross Weight: 4.860 kg
- Tare Weight: 0.650 kg
 Net Weight: 4.210 kg
- Length (cm): 46.50 cm • Width (cm): 37.90 cm
- Height (cm): 26.30 cm



Product highlights

Color-coded connectors

Color coded connections make it easy to install your cable into the correct inputs and outputs

Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

Plug and play

Plug and play offers easy installation of components without time-consuming installations.

Bare copper shielding

Bare copper shielding protects against signal loss.

Molded plug

Molded plugs ensure secure connections between components and offer extended durability.

Nickel-plated connectors

Nickel-plated connectors establish a clean contact between the cable and connector for a reliable connection.

Flexible PVC Jacket

Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

Rubber strain relief

Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.



Issue date 2007-12-08

© 2007 Koninklijke Philips Electronics N.V. All Rights reserved.

Version: 2.0.6

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

12 NC: 8670 000 26169 UPC: 6 09585 12376 2

www.philips.com