#### 5.8 GHz Multi-Handset Expandable **Cordless Telephone** with Call Waiting / Caller ID

43-5560

Hearing-Aid Compatible — Enables use of the phone with hearing aids that have a T (telephone) switch.

Ample Talk and Standby Time — The supplied battery (when fully charged) provides about five hours of talk time or seven days of standby time.

Distinctive Ring — Allows you to assign a distinctive ringer to certain memory locations. When an incoming call is received and the Caller ID information matches the information in one of the memory locations, the distinctive ring that has been stored for that particular caller sounds. (See "Distinctive Ringer Setup" on page 18)

**Speakerphone** — lets you conduct a hands-free conversation using the handset speaker. (See "Making and Receiving Calls" on page 25)

Convenient Extension Placement — lets you place accessory handsets (up to ten total) anywhere you have an AC outlet, regardless of phone jack location.


**Call Waiting/Caller ID** — lets you answer a call even when you're on the phone and see who's calling before vou answer.

DirectLink Mode — lets you use two handsets like walkie-talkies, even if you are away from base unit. (See "Using the DirectLink Mode" on page 44)



#### IMPORTANT !

If an icon appears at the end of a paragraph, go to the box on that page with the corresponding icon for pertinent information.





OWNER'S MANUAL



Please read before using this equipment.

© 2006 RadioShack Corporation. All Rights Reserved. RadioShack and RadioShack.com are trademarks used by RadioShack Corporation. ENERGYSTAR and the ENERGYSTAR certification mark are registered US marks.

#### **CONTENTS**

Introduction	
WHAT'S INCLUDED	. 3
Important Information	. 4
FCC Statement	4
Surge Protection	5
Important Safety Instructions	
Important Caller ID Information	
Read This Before Installation	
Selecting a Location	
Connecting/Charging the Battery	0
Pack	10
Installing a Beltclip	12
Using a Headset	
Display and Icons	
Animation DisplaysSoft Key Function	14
Main Menu Options	15
Default Settings	
Setting Menu Options	16
Using the Interface	16
DirectLink Mode	16
Room/Baby MonitorHandset Setup	17
nanusei seiup	
	17
Voice Mail Access Number, Ringer Tone, Distinctive Ringer	
Voice Mail Access Number, Ringer Tone, Distinctive Ringer Auto Talk, Anykey Answer,	r,
Voice Mail Access Number, Ringer Tone, Distinctive Ringer Auto Talk, Anykey Answer,	r,
Voice Mail Access Number, Ringer Tone, Distinctive Ringer Auto Talk, Anykey Answer, True Banner, Language, LCD Contrast, Key Touch Tone	r,
Voice Mail Access Number, Ringer Tone, Distinctive Ringer Auto Talk, Anykey Answer, True Banner, Language, LCD Contrast, Key Touch Tone Animation Screen	r, e,
Voice Mail Access Number, Ringer Tone, Distinctive Ringer Auto Talk, Anykey Answer, True Banner, Language, LCD Contrast, Key Touch Tone Animation Screen Global Setup Day and Time, CIDCW,	r, e,
Voice Mail Access Number, Ringer Tone, Distinctive Ringer Auto Talk, Anykey Answer, True Banner, Language, LCD Contrast, Key Touch Tone Animation Screen Global Setup	r, e,
Voice Mail Access Number, Ringer Tone, Distinctive Ringer Auto Talk, Anykey Answer, True Banner, Language, LCD Contrast, Key Touch Tone Animation Screen Global Setup Day and Time, CIDCW, Area Code, Dial Mode, Voice Mail Tone	r, e, 21
Voice Mail Access Number, Ringer Tone, Distinctive Ringer Auto Talk, Anykey Answer, True Banner, Language, LCD Contrast, Key Touch Tone Animation Screen Global Setup Day and Time, CIDCW, Area Code, Dial Mode, Voice Mail Tone Deregister the Handset	r, ∋, 21
Voice Mail Access Number, Ringer Tone, Distinctive Ringer Auto Talk, Anykey Answer, True Banner, Language, LCD Contrast, Key Touch Tone Animation Screen Global Setup Day and Time, CIDCW, Area Code, Dial Mode, Voice Mail Tone Deregister the Handset	r, 21 24 25
Voice Mail Access Number, Ringer Tone, Distinctive Ringer Auto Talk, Anykey Answer, True Banner, Language, LCD Contrast, Key Touch Tone Animation Screen Global Setup Day and Time, CIDCW, Area Code, Dial Mode, Voice Mail Tone Deregister the Handset Making and Receiving Calls Placing a Call on Hold	r, 21 24 25 26
Voice Mail Access Number, Ringer Tone, Distinctive Ringer Auto Talk, Anykey Answer, True Banner, Language, LCD Contrast, Key Touch Tone Animation Screen Global Setup	24 25 26 26
Voice Mail Access Number, Ringer Tone, Distinctive Ringer Auto Talk, Anykey Answer, True Banner, Language, LCD Contrast, Key Touch Tone Animation Screen Global Setup Day and Time, CIDCW, Area Code, Dial Mode, Voice Mail Tone Deregister the Handset Making and Receiving Calls Placing a Call on Hold Redialing a Call Adjusting the Handset Ringer, Earpiece and Speaker Volume	24 25 26 27
Voice Mail Access Number, Ringer Tone, Distinctive Ringer Auto Talk, Anykey Answer, True Banner, Language, LCD Contrast, Key Touch Tone Animation Screen Global Setup Day and Time, CIDCW, Area Code, Dial Mode, Voice Mail Tone Deregister the Handset Making and Receiving Calls Placing a Call on Hold Redialing a Call Adjusting the Handset Volume Temporarily Muting the Ringer.	24 25 26 27 28
Voice Mail Access Number, Ringer Tone, Distinctive Ringer Auto Talk, Anykey Answer, True Banner, Language, LCD Contrast, Key Touch Tone Animation Screen Global Setup	24 25 26 27 28 28
Voice Mail Access Number, Ringer Tone, Distinctive Ringer Auto Talk, Anykey Answer, True Banner, Language, LCD Contrast, Key Touch Tone Animation Screen Global Setup Day and Time, CIDCW, Area Code, Dial Mode, Voice Mail Tone Deregister the Handset Making and Receiving Calls Placing a Call on Hold Redialing a Call Adjusting the Handset Ringer, Earpiece and Speaker Volume Temporarily Muting the Ringer Mute Microphone Tone Dialing Switch over Travelling Out-of-Range	24 25 26 27 28 28 28 28 28
Voice Mail Access Number, Ringer Tone, Distinctive Ringer Auto Talk, Anykey Answer, True Banner, Language, LCD Contrast, Key Touch Tone Animation Screen Global Setup Day and Time, CIDCW, Area Code, Dial Mode, Voice Mail Tone Deregister the Handset Making and Receiving Calls Placing a Call on Hold Redialing a Call Adjusting the Handset Ringer, Earpiece and Speaker Volume Temporarily Muting the Ringer Mute Microphone Tone Dialing Switch over Travelling Out-of-Range	24 25 26 27 28 28 28 28 29
Voice Mail Access Number, Ringer Tone, Distinctive Ringer Auto Talk, Anykey Answer, True Banner, Language, LCD Contrast, Key Touch Tone Animation Screen Global Setup	24 25 26 26 27 28 28 28 28 29 29
Voice Mail Access Number, Ringer Tone, Distinctive Ringer Auto Talk, Anykey Answer, True Banner, Language, LCD Contrast, Key Touch Tone Animation Screen Global Setup Day and Time, CIDCW, Area Code, Dial Mode, Voice Mail Tone Deregister the Handset Making and Receiving Calls Placing a Call on Hold Redialing a Call Adjusting the Handset Ringer, Earpiece and Speaker Volume Temporarily Muting the Ringer Mute Microphone Tone Dialing Switch over Travelling Out-of-Range	24 25 26 26 27 28 28 28 28 29 29

Phonebook	31
Storing Phone Numbers, Names, Distinctive Rings, and	
Speed Dials	31
Steps for Entering Names and Special Characters	32
Viewing the Phonebook	33
Making Calls Using the	
Phonebook	
Speed Dialing Editing or Erasing a Data	35 35
Copying Phonebook Locations	
Chain Dialing	
Testing Stored Emergency	27
Numbers Caller ID	37 38
Caller ID and CIDCW (Caller ID on	50
Call Waiting)	38
Viewing the Caller ID List	
Deleting a Caller ID Message	40
Using the Caller ID Message List Call Waiting Deluxe Features	40 42
Expanding Your Phone	43
Setup the Charger and Charge the	. •
Extra Handset(s)	43
Register the Handset to the Base	
Using the DirectLink Mode Intercom/Call Transfer Feature	
Find Handset	
Troubleshooting	48
Care	50
Service and Repair	50
Note about Handset-Base	
Registration	50
Main Menu Flow Chart	
man mond i low ondit	UZ

#### INTRODUCTION

Thank you for purchasing a RadioShack 5.8 GHz Multi Handset Expandable Cordless Telephone. Unlike other conventional cordless telephones, your telephone supports up to ten handsets on a single telephone line. You can add a handset to any room in your home or office that has an AC outlet. No more running to the other end of the house to answer the phone! You can transfer outside calls to other handsets. If you subscribe to Call Waiting with Caller ID, the phone shows you the incoming caller information, even when you are already talking on the phone.

Cordless phones require AC power to operate. When the power is off, you cannot make or receive calls by using your phone. You should also have a phone that does not need AC power to operate (not a cordless phone), so you can still make and receive calls if there is an AC power failure.

#### WHAT'S INCLUDED

Make sure you have received the following items in the package.

- · Base unit (1)
- · Handsets (2)
- · Charger (1)
- · AC adapters (2)
- Telephone cord (1)
- · Rechargeable batteries (2)
- · Belt clips (2)
- Wall mount Adapter (1)
- · Printed Materials

#### ! IMPORTANT!

- Your phone operates on standard radio frequencies as allocated by the FCC.
- It is possible for other radio units operating nearby on similar frequencies to unintentionally intercept your conversation or cause interference. This possible lack of privacy can occur with any cordless phone.



As an ENERGYSTAR Partner. RadioShack Corporation has determined that this product meets the ENERGYSTAR auidelines for energy efficiency.





You must not connect your phone to:

- coin-operated systems
- most electronic key telephone systems

WARNING: To reduce the risk of fire or shock hazard, do not expose this product to rain or moisture.





device from the line.

QUALIFIED PERSONNEL



The lightning symbol is intended to alert you to the presence of uninsulated dangerous voltage within this product's enclosure that might be of sufficient magnitude to constitute a risk of electric shock Do not open the product's case



The exclamation symbol is intended to inform you that important operating and maintenance instructions are included in the literature accompanying

#### **IMPORTANT** INFORMATION

This telephone has been tested and found to comply with all applicable UL and FCC standards.

#### **FCC STATEMENT**

This equipment complies with Part 68 of the FCC rules and the requirements adopted by the ACTA. On the base of this equipment is a label that contains, among other information, a product identifier in the format

. US:AAAEQ##TXXXX. If requested, this number must be provided to the telephone company.

Your phone is not intended to be used with party-line systems. Connection to party line service is subject to state tariffs. Contact the state public utility commission, public service commission, or corporation commission for information. T

The RFN is used to determine the number of devices that may be connected to a telephone line. Excessive RENs on a telephone line may result in the devices not ringing in response to an incoming call. In most but not all areas, the sum of RENs should not exceed five (5.0). To be certain of the number of devices that may be connected to a line, as determined by the total RENs, contact the local telephone company. For products approved after July 23, 2001, the REN for this product is part of the product identifier that has the format US:AAAEQ##TXXXX. The digits represented by ## are the REN without a decimal point (é.g., 03 is a REN of 0.3). For earlier products, the REN is separately shown on the label. If you use more than one phone or other device on the line, add up all of the RENs. If the total is more than five (three in rural

areas), your telephones might not ring. If

ringer operation is impaired, remove a

In the unlikely event that your phone causes problems on the phone line, the phone company can temporarily discontinue your service. If this happens, the phone company attempts to notify you in advance. If advance notice is not practical, the phone company notifies you as soon as possible and advises you of your right to file a complaint with the FCC.

Also, the phone company can make changes to its lines, equipment, operations, or procedures that could affect the operation of this phone. The telephone company notifies you of these changes in advance, so you can take the necessary steps to prevent interruption of your telephone service.

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation. Privacy of communications, may not be ensured when using this phone.

To insure the safety of users, the FCC has established criteria for the amount of radio frequency energy various products may produce depending on their intended usage. This product has been tested and found to comply with the FCC's exposure criteria. For body worn operation, the FCC RF exposure guidelines were also met when used with the RadioShack accessories supplied or designed for this product. Use of other accessories may not ensure compliance with FCC RF exposure guidelines and should be avoided.

#### SURGE PROTECTION

Your telephone has built-in protection circuits to reduce the risk of damage from surges in telephone line and power line current. These protection circuits meet or exceed the FCC requirements. However, lightning striking the telephone or power lines can damage your telephone.

Lightning damage is not common. Nevertheless, if you live in an area that has severe electrical storms, we suggest that you unplug your phone when storms approach to reduce the possibility of damage.

#### IMPORTANT SAFETY INSTRUCTIONS

When using your telephone equipment, basic safety precautions should always be followed to reduce the risk of fire, electric shock and injury to persons, including the following:

- 1. Do not use this product near water, for example, near a bathtub, wash bowl, kitchen sink, or laundry tub, in a wet basement or near a swimming pool.
- Avoid using a telephone (other than a cordless type) during an electrical storm. There may be a remote risk of electric shock from lightning.
- 3. Do not use the telephone to report a gas leak in the vicinity of the leak.
- 4. Use only the power cord and batteries indicated in this manual. Do not dispose of batteries in a fire. They may explode. Check with local codes for possible special disposal instructions.

#### SAVE THESE INSTRUCTIONS

# IMPORTANT CALLER ID INFORMATION

To use Caller ID and Call Waiting, you must be in an area where those services are available and you must subscribe to those services through your local phone company. Where Caller ID is offered, one or more options are generally available:

- · caller's number only
- · caller's name only
- · caller's name and number

If you subscribe to Call Waiting ID and Caller ID, the system can show you the incoming caller information, even when you are already talking on the phone.

# READ THIS BEFORE INSTALLATION

We have designed your phone to conform to federal regulations and you can connect it to most phone lines. However, each device that you connect to the telephone line draws power from the line. We refer to this power draw as the phone's ringer equivalence number, or REN. The REN is on the bottom of your phone.

If you use more than one phone or other device on the line, add up all the RENs. If the total is more than five (three in rural areas), your phones might not ring. If ringer operation is impaired, remove one of the devices from the line.

qualified installer.

#### $\mathbb{F}$ note $\mathbb{F}$

If your home has specially wired alarm equipment connected to the telephone line, be sure that installing the system does not disable your alarm equipment. If you have questions about what will disable alarm equipment, contact your telephone company or a

# Correct



#### INSTALLATION

Before using your phone, carefully peel the protective film off the display. The film protects the handset window during shipment and is not necessary to any phone function

#### **SELECTING A LOCATION**

You can place the phone's base on a desk or table, or mount it on a standard wall plate or directly on a wall. Select a location that is:3

- near an accessible AC outlet
- near a telephone line jack
- · out of the way of normal activities
- · away from electrical machinery. electrical appliances, metal walls or filing cabinets, wireless intercoms, alarms, and room monitors
- · away from other cordless phones

The base's location affects the handset's range. If you have a choice of several locations, try each to see which provides the best performance.

The handset antenna is located on the back, above the ringer speaker. For maximum communication range, do not hold the handset in such a way as to cover the antenna by your hand. Also, place the handset in the upright position while not in use so the antenna can pick up the signals from the base

When there is obstacle such as metal or concrete wall between the handset and the base, the operation might be affected. Try to keep free from obstruction.

Your telephone connects directly to a modular telephone line jack. If your telephone wiring does not have a modular jack, you can update the wiring yourself using jacks and adapters (available at your local RadioShack store), or have the telephone company update the wiring for you. You must use compatible modular jacks that are compliant with Part 68 of FCC Rules.

#### On a Desk Top

- Plug one end of the supplied long modular cord into the TEL LINE jack on the back of the base.
- 2. Plug the modular cord's other end into a modular phone line jack.
- Insert the supplied AC adapter's barrel plug into the DC IN 9V jack on the back of the base.
- Route the adapter's cord through the strain relief slot on the base, then plug the adapter into a standard AC outlet.


#### On a Wall Plate or Wall

To mount the phone directly on a wall, you need two screws (not supplied) with heads that fit into the keyhole slots on the bracket. Drill two holes  $3^{15}/_{16}$  inches apart. Thread a screw into each hole, letting the heads extend about  $^{1}/_{8}$  inch.

- Make the AC adapter and the short telephone line cord through the hole on the bracket.
- 2. Slide the bracket into the notches on the base.
- Plug the adapter into a standard AC outlet. Hook the cord on the notch of the bracket.



The USOC number of the jack to be installed is RJ11C (or RJ11W for a wall plate jack).





#### CAUTION W



You must use a Class 2 power source


that supplies 9V DC and delivers at least 350mA. Its center tip must be set to positive and its plug must fit the phone's DC IN 9V jack. The supplied adapter meets these specifications. Using an adapter that does not meet these specifications could damage the phone or the adapter.






4. Plug the telephone line cord into the

5. For a wall plate, align the base's keyhole slots with the wall plate studs and slide the base downward to secure it.



For direct wall mounting, align the base's keyhole slots with the mounting screws and slide



the base downward to secure it.

# To remove, push up a tab on the wall mount adapter as shown.


# CONNECTING/CHARGING THE BATTERY PACK

The phone comes with a rechargeable nickel-metal hydride (Ni-MH) battery pack. Before using your phone, you must charge it for about 15–20 hours.

- 1. Press down and slide off the battery compartment cover.
- 2. Lift the battery pack out of the compartment.
- 3. Plug the battery pack's connector into the socket in the compartment (the connector fits only one way), then place the battery pack in the compartment.
- Replace the cover.

To charge the battery pack, place the handset on the base. The **CHARGE** indicator on the base lights.

Recharge the battery pack when **Low Battery** flashes on the display.



If you have trouble replacing the battery pack, take the phone to your local RadioShack for assistance.

#### **Recharging the Battery Pack**

- If the battery pack becomes weak during a call, Low Battery flashes.
   When this happens, you cannot make a call until you recharge the battery pack.!
- If the display is blank and the phone does not work, recharge the battery pack. (The battery power might be too low to light the display.)
- About once a month, fully discharge the battery by keeping the handset off the base until Low Battery flashes on the display. Otherwise, the battery pack loses its ability to fully recharge.
- Using a damp cloth, clean the charging contacts on the handset about once a month.
- If you are not going to use your phone for an extended period, disconnect the battery pack. This increases the battery pack's usable life.
- The supplied battery pack should last for about a year. If the battery pack does not hold a charge for more than 2 hours after an overnight charge, replace it with a new 3.6-volt, 800 mAh battery pack with a connector that fits the socket in the battery compartment. You can order a replacement battery pack through RadioShack. Install the new battery pack and charge it for about 15–20 hours. A


#### ! IMPORTANT!

Be sure the battery pack is properly connected before you try to charge it. The **CHARGE** indicator lights when the handset is on the base, even if the battery pack is not connected.

#### MARNING M

Dispose of the old battery pack promptly and properly. Do not burn or bury it. There is a risk of explosion if battery is replaced by an incorrect type. Dispose of used batteries according to the instructions.







#### Y NOTES Y



- If you place the handset on the base to recharge it while the headset is connected be sure the handset seats properly.
- You can use a handset holder (available from your local RadioShack store) to hang the handset on your belt for greater convenience when using a headset.

#### INSTALLING A BELTCLIP

#### To attach the beltclip

Insert the beltclip into the holes on each side of the handset. Press down until it. clicks.

#### To remove the beltclip

Pull either side of the beltclip to release the tabs from the holes

#### USING A HEADSET

You can make or answer calls with handsfree convenience using an optional headset that has a <sup>3</sup>/<sub>32</sub>-inch (2.5-mm) plug. RadioShack has a variety of headsets available.

To connect the headset, gently flip open the rubber headset jack cover on the side of the handset, then insert the headset's plug into the jack. 3

Connecting a headset disconnects the handset's earpiece and microphone.


also controls the headset's volume.

With a headset connected, you can make or answer calls as usual using the keys on the handset.

When you finish using the headset, disconnect it from the handset and close the rubber cover to protect the jack.

#### **DISPLAY AND ICONS**


Example of the standby mode display



ICON	Appears During	DESCRIPTION
	Standby/ Talk	<b>Battery</b> icons indicate the handset battery status. This icon changes depending on the battery status (empty, low, medium and full).
OFF	Standby	The Ringer off icon indicates that ringer is turned off.
<u></u>	Talk	The <b>Mute</b> icon appears when you mute the handset.
4	Talk	The <b>Speaker</b> icon appears when the handset speaker phone is used.
	Talk	The <b>Privacy</b> icon appears when the Privacy Mode is turned on.

#### **ANIMATION DISPLAYS**

The handsets have a variety of animation displays. Below are examples of the animation screens and what they mean:





- The soft keys will not appear while the handset is charging.
- Standby Mode The handset is not in use and talk/FLASH has not been pressed.

#### SOFT KEY FUNCTION


"Soft" kevs are kevs that change function during the operation of the phone. There are three soft keys on each handset. Soft Keys allow you to:

- Access the main menu.
- Set up CIDCW options
- Store or edit phone numbers
- Redial one of the last three numbers. dialed from the handset
- · Access voice mail waiting


The function of each soft key is determined by the icon that appears directly above it. For example, when the handset is in standby mode, pressing soft key 1 will redial the last dialed number. When the handset is in talk mode, pressing soft key 1 will mute the microphone. T

Complete information on the features controlled by the soft keys can be found under each feature.

#### In standby mode



#### In talk mode



#### MAIN MENU OPTIONS

Your phone has five main menu options: DirectLink Mode, Room/Baby Monitor, Handset Setup, Global Setup and Deregister HS.

#### **DEFAULT SETTINGS**

The default settings set from the factory match the features that most people use. You may not need to change them. However, there are a number of options you must set and entries you must make in memory to take full advantage of all the phone features. The table below lists the default settings.

Function	Default Settings			
Edit Voice Mail	None			
Ringer Tones	Flicker			
Distinctive Ring	On			
Auto Talk	Off			
Anykey Answer	Off			
Banner	и и			
Language	English			
Contrast	level 5			
Key Touch Tone	On			
Animation Screen	On			
Day & Time	SUN 12:00 AM			
CIDCW	CW On /CWDX Off			
Area Code	None			
Dial Mode	Tone			
Voice Mail Tone	On			



- For Global Setup and Deregister HS menu options, make sure the line is not in use and the handsets are within range of the base.
- Main menu flow chart is provided on page 52.

#### SETTING MENU **OPTIONS**

#### USING THE INTERFACE

Below are some tips for using the software interface on your phone.

- · Press the MENU soft key to access the main menu.
- Use VOL/RING/ 
   or VOL/RING/ 
   to scroll through options.
- Press the **OK** soft key to make a selection
- Press the BACK soft key to return to the previous screen.
- · Press end to exit the menu.

#### DirectLink Mode

In DirectLink® mode, a pair of handsets can function as two-way radios. DirectLink Mode allows two handsets to communicate with each other without the base unit or a telephone line. Use them at sporting events or while shopping to stay in contact with family members or friends. You must set both handsets to DirectLink Mode to activate this feature. For detailed operation instruction, refer to "Using the DirectLink Mode" on page 44. 3





You must have at least two handsets to use Direct Link Mode

#### **Room/Baby Monitor**

This feature allows you to monitor sounds in another room. Place the handset in the room you wish to monitor; it will function as a microphone. A second handset can be set to function as a remote speaker, allowing you to monitor sounds in the room.

#### **Using Room/Baby Monitor**

- Press the MENU soft key and select the Room Monitor menu. To Room Monitor appears.
- 2. Select the handset you want to monitor by using **VOL/RING**/ or **VOL/RING**/ ··.
- Press the **OK** soft key.
   RoomMoni tor appears, and you hear sounds in the room where the handset is installed.
- To turn off the Room Monitor, press the END soft key, or end.

#### **Handset Setup**

The following submenu options must be set separately for each handset.

### Programming your Voice Mail Access Number

- Press the MENU soft key. Select the Handset Setup menu, and then the Edit Voice Mail submenu. Edit V\_mail No. appears.
- Enter your personal access number using the number keypad (0-9), #/tone/<, #/>, the DELETE soft key, or the PAUSE soft key (up to 20 digits).
- 3. Press the **OK** soft key. You will hear the confirmation tone.

To delete the current Voice Mail Access Number, delete all numbers in Step 2 using the **DELETE** soft key and the **OK** soft key.



This feature only works when the handset(s) is within the range of the base.

#### **Selecting a Ringer Tone**

Ringer Tone lets you choose from ten ringer tones or ten melodies:

- Ringers (Flicker, Clatter, Soft Alert, Wake Up, Light Bug, Beep Boop, Tone Board, Chip Chop, Party Clap, Reminder)
- Melodies (Beethoven's Symphony #9
   [Beethoven9], For Elise [Elise], We
   Wish You A Merry Christmas [Merry Xmas], Home Sweet Home [Hm Swt
   Hm], Lorri Song #6 [Lorri Song], When
   Irish Eyes Are Smiling [Irish Eyes],
   Aura Lee, Let Me Call You Sweet Heart
   [Sweetheart], Star Spangled Banner
   [Star Spngl], Old MacDonald [Old
   MacDld])

You must set a separate ringer tone on each handset.

- 1. Press the **MENU** soft key. Select the Handset Setup menu, and then the Ringer Tones submenu.
- Press VOL/RING/ 
   or VOL/RING/ 
   to move the pointer. You will hear the ringer or melody as you scroll through the options.
- When you reach the ringer tone you want, press the **ok** soft key. You will hear a confirmation tone.

#### **Distinctive Ringer Setup**

Distinctive Ringer allows you to assign a designated ring tone to a stored phonebook number (100 stored locations available). When a call is received and the Caller ID information matches the information in one of the phonebook memory locations, the phone uses the distinctive ring assigned to that particular caller. You can assign distinctive rings to multiple phonebook

memory locations. Switching the setting to Distinctive Ring Off disables distinctive ringing: all incoming calls will have a normal ring tone. Switching to Distinctive Ring On activates all programmed distinctive ring memory locations.

- Press the MENU soft key. Select the Handset Setup menu, and then the Distinctive Ring submenu.
- Press VOL/RING/ 
   or VOL/RING/ 
   to select On or Off.
- 3. Press the **OK** soft key. You will hear a confirmation tone.

#### **Setting the Auto Talk**

Autotalk allows you to answer the phone simply by removing the handset from the cradle. You do not have to press any keys to answer the call.

- Press the MENU soft key. Select the Handset Setup menu and then the Auto Talk submenu.
- Press VOL/RING/ 
   or VOL/RING/ 
   to select On or Off.
- 3. Press the **OK** soft key. You will hear a confirmation tone.

#### **Setting the Anykey Answer**

Any Key Answer allows you to answer the phone by pressing any number key, \*/tone/<, or #/> on the handset.

- Press the MENU soft key. Select the Handset Setup menu, and then the Anykey Answer submenu.
- Press VOL/RING/ 
   or VOL/RING/ 
   to select On or Off.
- 3. Press the **OK** soft key. You will hear a confirmation tone.

#### **Setting the True Banner**

True Banner lets you customize the name your handset displays.

The name will be displayed on the LCD screen during Standby Mode, Intercom, Intercom Hold, Room Monitor and Copy Phonebook operation. The banner name will be displayed on the receiving handset as well.

- Press the **MENU** soft key. Select the Handset Setup menu, and then the Banner submenu
- Use the number keypad (0-9), \*/tone/<, #/>, or the DELETE soft key to enter or edit the name.
- 3. Press the **OK** soft key. You will hear a confirmation tone.

#### Selecting a Language

Language selects which language the menu display will use. Choose from English, French, or Spanish.

- Press the MENU soft key. Select the Handset Setup menu, and then the Language submenu.
- Press VOL/RING/ 
   or VOL/RING/ 
   to choose "English", "Français" (French), or "Español" (Spanish).
- 3. Press the **OK** soft key. You will hear a confirmation tone.

#### Adjusting the LCD Contrast

Contrast adjusts the handset LCD brightness. Choose one of the 10 levels for optimum viewing.

 Press the MENU soft key. Select the Handset Setup menu and then the Contrast submenu.

- Press VOL/RING/ 

   or VOL/RING/ 
   to adjust the contrast of the LCD (10 levels).
- 3. Press the **OK** soft key. You will hear a confirmation tone.

#### **Setting the Key Touch Tone**

Key Touch Tone is the tone your keypad makes when keys are pressed. You can turn this tone on or off.

- Press the MENU soft key. Select the Handset Setup menu and then the Key Touch Tone submenu.
- 2. Press VOL/RING/ 

  or VOL/RING/ 

  to select ∩n or ∩ f f
- 3. Press the **OK** soft key. You will hear a confirmation tone

#### **Setting the Animation Screen**

The Animation screen displays animations on the handset LCD. The animations will be displayed on the LCD screen during a call, ringer volume setting, when you hang up, and during other functions.

See "Animation Displays" on page 13 for all the available screens.

- Press the MENU soft key. Select the Handset Setup menu and then the Animation Screen submenu.
- 2. Press VOL/RING/ 

  or VOL/RING/ 

  to select ∩n or ∩ f f
- 3. Press the **OK** soft key. You will hear a confirmation tone.

#### **Global Setup**

If you change one of the global settings, you change that setting for all registered handsets. Only one handset can change global settings at a time.



 $oxed{S}$  note  $oxed{S}$ 

For setting the Day and Time, the time-out is extended to two minutes.

#### **Setting Day and Time**

Day & Time sets the day and time of your display.

- Press the MENU soft key. Select the Global Setup menu, and then the Day & Time submenu option.
- Press VOL/RING/ 
   or VOL/RING/ 
   to select the day of the week, and then the 
   soft key.
- Press VOL/RING/ 
   or VOL/RING/ 
   to set hour, and then press the → soft key.
- Press VOL/RING/ 
   or VOL/RING/ 
   to set minute, and then press the → soft key.
- Press VOL/RING/ or VOL/RING/ to choose AM or PM, and then press the SAVE soft key. You will hear a confirmation tone.

### Setting CIDCW (Caller ID on Call Waiting)

Caller ID on Call Waiting (CIDCW) displays the name and number of an incoming call while you are on the line. Call Waiting Deluxe (CWDX) allows you to handle call waiting calls in seven different ways.

- Press the MENU soft key. Select the Global Setup menu, and then the CIDCW submenu.
- Press VOL/RING/ or VOL/RING/ to select CW On/CWDX On, CW On/CWDX Off, or CW Off/CWDX Off, and then press the OK soft key. You will hear a confirmation tone.

#### Setting the Area Code

If you enter a 3-digit area code number in the "Area Code" option, your local area code does not appear in the Caller ID message. For calls received from outside your local area code, you will see a full 10-digit number.

- Press the MENU soft key. Select the Global Setup menu, and then the Area Code submenu.
- 2. Press the number keypad (0-9) to enter a 3-digit area code.
- 3. Press the **OK** soft key. You will hear a confirmation tone.

#### **Setting the Dial Mode**

Sets the dial mode to tone or pulse. Most phone systems use tone dialing; the default setting is tone dialing. Set the dialing mode to match the dialing system used by your local phone service.

- If you are not sure of your dialing system, set the unit to tone dialing.
   Make a trial call. If the call connects, leave the setting as is; otherwise set the unit to pulse dialing.
- If your phone system requires pulse dialing and you need to send DTMF tones in certain situations during a call, you may switch over to tone dialing (refer to "Tone Dialing Switch over" on page 28).
- Press the MENU soft key. Select the Global Setup menu, and then the Dial Mode submenu
- Press VOL/RING/ or VOL/RING/ to select Tone or Pulse (the initial setting is Tone).
- 3. Press the **OK** soft key. You will hear a confirmation tone.



- If your calling area requires 10-digit dialing, do not program this option.
- If the area code has already been stored in memory, the stored area code will be displayed.
   To change it, use the DELETE soft key and number keys to enter the new area code.

#### **Setting Voice Mail Tone**

Voice Mail Tone sets the voice mail tone. If your service does not support SDT message signal, set your VMWI (Visual Message Waiting Indicator) not to detect SDT message signal.

- Press MENU soft key. Select the Global Setup menu, and then the Voice Mail Tone Submenu.
- Press VOL/RING/ 
   or VOL/RING/ 
   to set the voice message indication (SDT message signal) to 
   on or 
   off.
- 3. Press the **OK** soft key. You will hear a confirmation tone.

#### **Deregister the Handset**

Deregister HS clears the handset's ID from the main base unit and the base ID from the handset. You will usually only deregister the handset if you are having a problem with your phone.

- Press the MENU soft key. Select Deregister HS menu. Deregister HS? appears.
- Press VOL/RING/ or VOL/RING/ to select Yes and then the OK soft key. When de-registration is complete you will hear a confirmation tone, and Deregistration Complete appears.
- After deregistering the handset, place the handset to the base to register. You must reregister the handset before you can use it.

# MAKING AND RECEIVING CALLS

#### From the Handset

This handset has a built-in speakerphone that allows you to have a hands-free conversation. This feature allows you to communicate easily while performing other tasks, such as cooking. 

| appears during hands-free conversations.


You can easily switch a call from normal conversation to hands-free conversation.

To switch a call, press **SPEAKER** during the call.

	From the Handset				
	Normal conversation	Hands-free conversation			
To answer a call []	Handset On the Cradle Pick up the handset (Auto Talk) or pick up the handset and press talk/FLASH. Handset Off the Cradle Press any number key, */tone/<, or #/> (Anykey Answer), or press talk/FLASH.	Handset Off the Cradle Press SPEAKER.			
To make a call $\circlearrowleft$	Handset Off the Cradle 1)Press talk/FLASH. 2)Listen for the dial tone. 3)Dial the number. OR Dial the number, and then press talk/FLASH.	Handset Off the Cradle 1)Press SPEAKER. 2)Listen for the dial tone. 3)Dial the number. OR Dial the number, and then press SPEAKER.			



- To set Auto talk, see "Setting the Auto Talk" on page 19, or to set Anykey Answer see "Setting the Anykey Answer" on page 19.
- The handset microphone is located at the bottom of the handset. Position yourself as near to the handset as possible and speak clearly.
- If the line is in use by another handset(s),
   Line In Use appears in the display of all registered handset's display that are not in use.





#### NOTES T



#### Placing a Call on Hold

- While a call is on hold. CIDCW can not be received
- · If you leave a call on hold for more than ten seconds, the display screen will read. Line On Hold

#### Redialing a Call

- If the number exceeds 32 digits, only the first 32 digits are retained in redial memory.
- · If the redial memory is empty, you will hear a beep.

#### PLACING A CALL ON HOLD

- 1. During a call, press INTCM/HOLD. The call will be put on hold. I
- 2. To talk to the caller, press talk/FLASH or SPEAKER. The phone will return back to the call.

#### REDIALING A CALL

The last three phone numbers dialed can be quickly redialed from the handset. Redial numbers stored in the handset are independent from each other. I

- 1. With the phone in standby mode, press the REDIAL soft key.
- 2. Press VOL/RING/~ or VOL/RING/~ to scroll through the last three dialed numbers.
- 3. Press talk/FLASH or SPEAKER on the handset. The selected number is dialed.
- 4. To hang up, press end.

#### **Deleting a Redial Record**

1. With the phone in standby mode, press the **REDIAL** soft key.

- 2 Press VOI /RING/ \( \text{or VOI /RING/} \) repeatedly to display the number to be deleted.
- 3. Press the **DELETE** soft kev.
- Press VOL/RING/ 
   or VOL/RING/ 
   to choose Yes.
- 5. Press the **OK** soft key. The redialed number is deleted

#### Storing a Redial Record

- 1. With the phone in standby mode, press the REDIAL soft kev.
- Press VOL/RING/ 

   or VOL/RING/ repeatedly to display the number to be stored
- 3. Press the STORE soft key. Store/ Edit Name appears.
- 4. To complete the setting, follow the steps 3-8 in "Storing Phone Numbers, Names, Distinctive Rings, and Speed Dials" on page 31.

#### ADJUSTING THE HANDSET RINGER, EARPIECE AND SPEAKER VOLUME

You can adjust the handset ringer and earpiece/speaker volume separately.

Press the volume up key or volume down key (labelled as VOL/RING/ \sim or VOL/RING/ ✓) in standby mode to select one of three ringer volume (off, low, or high).

Pressing the volume up key or volume down kev (labelled as VOL/RING/ 

✓ or VOL/RING/ 

✓ key) during a call will change the earpiece volume of the handset. This setting will remain in effect after the telephone call has ended.



NOTE T



When you press volume up key (VOL/RING/ ^) in the maximum volume level or volume down key (VOL/ **RING**/ ✓ ) in the lowest volume level, an error tone sounds.



NOTE T



While charging a handset, you can not mute the ringer tone for the handset

#### TEMPORARILY MUTING THE RINGER

You can mute the ringer individually on a handset. When the phone is ringing. pressing the MUTE soft key on the handset vou want to mute. This mute will last for the current incoming call only. The ringer tone will return to the previous setting on the next incoming call. If

#### **MUTE MICROPHONE**

You can temporarily mute the microphone so that the caller cannot hear you. Press the MUTE soft key during talk mode to mute the microphone.

Mute On and 

appear in the display. To cancel muting, press the MUTE soft key again. Mute Off appears.

#### NOTES IX

- The tone feature only applies when the dial mode is set to pulse. This special number can be stored in a memory location.
- This is referred to as Chain Dialing (see "Chain Dialing" on page 37).

#### TONE DIALING SWITCH OVER

Some telephone companies use equipment that requires pulse dialing (sometimes referred to as rotary dialing). If you need to enter tone dialing digits, you can switchover to tone dialing during the call. This feature is useful when you need tone dialing to use automated systems, for example, entering your bank account number after you have called your bank. I

Initially make your call with the pulse dialing mode. Once your call connects, press \*/tone/<. Enter the desired number. These digits will be sent as tone dialing. Once the call ends, the tone mode is cancelled and pulse dialing mode resumes.

#### TRAVELLING OUT-OF-RANGE

During a call, as you begin to move your handset too far from your base unit, noise may increase. If you pass the range limits of the base unit, you will hear a beep and see Out of Range on the display, and then the handset returns to standby mode.

#### **PRIVACY MODE**

Privacy mode prevents interruption from other registered handsets. This works only when the phone is in use.

Press the **PRIVACY** soft key on the handset during talk mode.

Privacu Mode On and appear in the display. To exit Privacy Mode, press the PRIVACY soft key again. Privacu Mode Off appears.

#### THREE-WAY CONFERENCING

The phone permits three-way conversations between two handsets and an outside line.

- 1. Initiate the call normally. Once the call is in progress, other people can join the call.
- 2. To join a conference call, press talk/FLASH or SPEAKER to use the handset speakerphone.
- 3. To leave a conference call, simply hang up as you normally would. All other parties will remain connected.
- 4. To end a conference call completely, all local parties must hang up. The conference call will also end when the calling party hang up.

#### FLASH AND CALL WAITING

If you have Call Waiting service and a call waiting tone sounds while you are on a call. press talk/FLASH to accept the waiting call. There is a short pause, and then you will hear the new caller. To return to the original caller, press talk/FLASH again, 13



You must subscribe through your local telephone company to receive Call Waiting or Caller ID on call waiting service.



You must subscribe to voice mail service from your telephone company in order to use this feature. The voice mail service company will provide you with the access number.

# Using One Touch Voice Mail Access

If you subscribe to voice mail service, you can use your phone to access your voice mailbox. The new message LED flashes whenever you have messages waiting in your voice mailbox.

Just program the handset with your access number, and you can get your messages at the touch of a key on the handset.

The voice mail service provider will supply you with the access number. This number may be simply a phone number. Refer to the provider's literature.

To program or delete your Voice Mail Access Number, See page 17.

#### **Dialing your Voice Mail Service**

Once you've programmed your personal access number, you can dial your mailbox with the touch of a key. When you have messages, simply press the 

soft key.

If you have not entered the access number or it has been deleted, when you press the soft key, No Number Stored To store number press [MENU] appears and you will hear a beep. The phone returns to standby mode.

#### Resetting the New Message LED

The LED flashes when you have new messages in the voice mail service. If the LED remains on after you've retrieved your messages, you may need to reset the indicators. With the phone is in standby mode, press and hold **PAGE** on the base until the paging sound stops (about 5 seconds).

#### **PHONEBOOK**

The Phonebook allows you to dial a number using just a few key presses. Your phone stores names/numbers in the phonebook memory location, and you can search names in alphabetical order. You have a total of 100 locations that can be used for the phonebook (including the speed dials) and Caller ID messages.

# STORING PHONE NUMBERS, NAMES, DISTINCTIVE RINGS, AND SPEED DIALS

1. When the phone is in standby mode, press ►.

The handset displays the following items:

(1st line) The number of the phonebook locations used

(2nd line) How to search (press the number keypad, VOL/RING/ 

∨ or VOL/RING/ 

∨ )

(3rd line) How to enter the storing operation (press the STORE soft key) (4th line) The BACK, COPY, and STORE soft keys

- Press the STORE soft key, Store ✓
   Edit Name appears.
- Enter the name (up to 16 characters) by using the number keypad (see
  "Steps for Entering Names and Special Characters" on page 32).
  If a name is not required, go to step 4.
   No Name> will be used as the name.
- 4. Press the **OK** soft key to store the name, **Store/Edit No.** appears.



When the memory is full, you will hear a beep and **Memory Full** appears. You cannot store additional names and numbers when the memory is full.

#### ☑ NOTES ☑

#### Storing Phone Numbers, Names, Distinctive Rings, and Speed Dial

- The pause key counts as one digit. Pressing the PAUSE soft key, more than once increases the length of the pause between numbers. Each pause represents a two second delay.
- If you choose not to store a "Distinctive Ring", simply select the "No Selectn" option.
- Selecting a speed dial location where a number is already stored, releases the old number's speed dial setting. The new number will be stored in the speed dial location.
- If you choose not to store the name/number as a Speed Dial, simply select the "No Selectn" option.

#### Steps for Entering Names and Special Characters

 If the next character uses the same number key, you must press #/> to move the cursor over. Otherwise the next time you press the number key, it changes the character that was previously set.

- Press the number keypad to enter the phone number (up to 20 digits), press the **OK** soft key to store the number.
- 6. **Distinctive Ring** appears. Press **VOL/RING**/ ∼ or **VOL/RING**/ ∼ to move the pointer to one of the Distinctive Ring options, and then press the **OK** soft key. 

  ✓
- Speed Dial appears. Press
   VOL/RING/~ or VOL/RING/~ to move
   the pointer to select the Speed dial
   location (ten locations: SPD1-SPD0).
- Press the **OK** soft key. You will hear a confirmation tone, and **Done!** appears in the display.

# Steps for Entering Names and Special Characters

Refer to the letters on the number keys to select the desired characters. With each press of a number key (0-9), the displayed character appears in the following order:

upper case letters first, lower case letters next and finally the number corresponding to the key.  $\checkmark$ 

	Number of times key is pressed								
keys	1	2	3	4	5	6	7	8	9
1	1								
2 abc	А	8	С	a	Ь	C	2		
3 def	D	Ε	F	d	е	f	3		
4 ghi	G	Η	I	3	h	i	4		
5 jkl	J	К	L	j	k	1	5		
6 mno	M	N	0	m	n	0	6		
7 pqrs	P	0.	R	S	P	9	Ph	S	7
8 tuv	T	U	U	t	u	V	8		
9 wxyz	W	X	Υ	Z	W	×	У	Z	9
	8	(	)	<	>	1	(blank)	-	_
0 oper		9	:	?	1	a	3		*
	#	0							

If you make a mistake while entering a name, use \*/tone/< or #/> to move the cursor to the incorrect character.

Press the **DELETE** soft key to erase the wrong character, and then enter the correct character.

To delete all characters, press and hold the **DELETE** soft key.

For example, to enter Movies:

- 1. When the phone is in standby mode, press **☑**.
- Press the STORE soft key, Store/ Edit Name appears.
- 3. Press **6** once, and then press **#/>** to move the cursor to the right.
- 4. Press 6 six times.
- 5. Press 8 six times.
- 6. Press 4 six times.
- 7. Press 3 five times.
- 8. Press 7 eight times.
- 9. When finished, press the **OK** soft key.

To continue to store the telephone number, proceed to step 5 on page 32.

#### VIEWING THE PHONEBOOK

Your phone stores names/numbers in the phonebook memory locations, and you can search names in alphabetical order. You can view the phonebook even while the phone is in use.

1. Press **☑**.

Press VOL/RING/ or VOL/RING/ or the number keypad to scroll through the phonebook locations. Phonebook locations appear in alphabetical order (from first to last when you press VOL/RING/ or, from last to first when you press VOL/RING/ or.).

You can also use letters on the number keys to select the first letter of the desired name. Press a number key (2-9 and 0) once for the first letter, press twice for the second letter, and so on. The first location that begins with the letter you entered appears.

For example, to search for "Movies", press 6 once. Press VOL/RING/ or VOL/RING/ , until the phonebook location is displayed.

3. To finish the viewing operation, press end or the BACK soft key (or talk/FLASH during a call).

# MAKING CALLS USING THE PHONEBOOK

#### From Standby Mode

- When the phone is in standby mode, view the phonebook location to dial (see "Viewing the Phonebook" on page 33).
- 2. Press talk/FLASH or SPEAKER. The displayed number is dialed.
- 3. To hang up press end.



end or the call will be disconnected.

#### From Talk Mode

- 1. Press talk/FLASH or SPEAKER.
- View the phonebook location to dial (see "Viewing the Phonebook" on page 33).
- Press the DIAL soft key. The number in the displayed phonebook location is dialed.
- 4. To hang up press end.

#### SPEED DIALING

If you store a phone number in a speed dial memory location (ten locations: SPD1 - SPD0), you can use the speed dialing feature. When the phone is in standby mode, press and hold a number key (0-9) associated with the speed dial until the phone number appears and then press talk/ FLASH or SPEAKER. The number stored in the speed dial (SPD1 - SPD0) is dialed.

#### **EDITING OR ERASING A DATA**

- Press VOL/RING/ 
   or VOL/RING/ 
   or the number keypad to view the phonebook locations (see "Viewing the Phonebook" on page 33).

#### **Editing the Stored Data**

- When the phonebook location to be edited appears, press the EDIT soft key. Store/Edit Name appears.
- Follow the steps 3 to 7 under "Storing Phone Numbers, Names, Distinctive Rings, and Speed Dials" on page 31-32 to complete the editing operation.

3. Press the OK soft key. You will hear a confirmation tone

#### **Deleting the Stored Data**

- 1. When the phonebook location to be deleted appears, press the **DELETE** soft key. Delete Memoru? appears.
- 2. Press VOL/RING/ \( \sigma \) or VOL/RING/ \( \sigma \) to move the pointer to Yes.
- 3. Press the **OK** soft key. You will hear a confirmation tone. Deleted! appears in the display.

#### COPYING PHONEBOOK LOCATIONS

Copy Phonebook allows you to transfer stored phonebook locations from handset to handset without having to manually re-enter names and numbers. You can transfer one memory (phonebook location) at a time, or all memory locations at once. If

- 1. When the phone is in standby mode, press 🔁.
- 2. Press the COPY soft key.
- select the handset to which you want to transfer the phonebook locations and then press the **OK** soft key.
- Press VOL/RING/ 
   or VOL/RING/ 
   to select One Memoru or All Memories: and then press the OK soft key.

If you select All Memories, Are you sure? appears on the display screen. Press VOL/RING/ ~ or VOL/RING/ ~ to select Yes, and then press the OK soft key.



#### NOTE 1



If the memory location on the receiving handset is full, and can not store the phonebook locations, you will hear a beep.

If you select One Memory, press **VOL**/ **RING**/ $\sim$  or **VOL**/**RING**/ $\sim$ , or the number key (**2-9** and **0**) to select the phonebook location you want to export and then press the **COPY** soft key.

 The phonebook locations will be transferred to the handset. Copying and the receiving handset name appear. When the transfer is completed Done! appears on the handset.

# **CHAIN DIALING**

The memory locations in the handset are not limited to phone numbers. You can also store a group of numbers (up to 20 digits), that you need to enter once your call connects. This is referred to as Chain Dialing.

An example of this is a bank account number. Store the account or special number in one of the phonebook locations. (Refer to "Storing Phone Numbers, Names, Distinctive Rings, and Speed Dials" on page 31). When you call your bank, and you are prompted to enter the account number, scroll through your phonebook locations until you find your account or special number, and then press the DIAL soft key.

# Testing Stored Emergency Numbers

If you store an emergency service's number (police department, fire department, ambulance) and you choose to test the stored number, make the test call during the late evening or early morning hours to avoid peak demand periods. Also, remain on the line to explain the reason for your call.



# NOTES X



- · If you answer a call before the Caller ID message is received (for example, before the second ring), the Caller ID message will not appear.
- · When the call is received via a telephone company that does not offer Caller ID service, the caller's phone number and name does not appear. (This includes some international calls.)
- · When the call is via a private branch exchange (PBX), the caller's phone number and name may not appear.
- Data errors appear as

# CALLER ID

# CALLER ID AND CIDCW (CALLER ID ON CALL WAITING)

You must subscribe to Caller ID services. through your local telephone provider to use these features.

When the telephone rings, the Caller ID feature allows you to view the caller's name. and phone number along with the date and time of call. With CIDCW (Caller ID on Call Waiting), you will hear a call waiting tone while you are on a call, and the Caller ID data is displayed. To accept the waiting call. press talk/FLASH (see "Flash and Call Waiting" on page 29). [3]

Additionally, you can dial a number stored in the Caller ID list or save data to your Phonebook locations

When the Caller ID message is received. the display shows the caller's phone number along with the date and time. The incoming call information is stored in the Caller ID record. If the Caller ID service includes the caller's name, the name will appear in the display (up to 15 characters).

> You may receive any one of the following messages:

When a private name is received Private Name When a private number is received Private Number When a unknown name is received. Unknown Name When a unknown number is received Unknown Number

When invalid data is received Incomplete Data

When you pick up the phone, the display changes to **Talk**. (If Auto Talk feature is set to on.)

# VIEWING THE CALLER ID LIST

The Caller ID list stores information for incoming calls - even unanswered calls.

You can store 100 Caller ID messages and Phonebook locations (including Speed Dials) in total. You can view the Caller ID list during a call or when the phone is in standby mode. !

### 1. Press CID.

The summary screen appears. The screen shows the number of new messages and total messages.

To view the Caller ID messages in historical order (from new to old or from old to new), repeatedly press VOL/RING/~ to scroll through the messages from the latest to the earliest, or VOL/RING/~ to scroll back through the messages.

To view the Caller ID messages with alphabetical search, press the number key pad (2-9 and 0) with the letter associated with the first letter of the desired message.

To finish the viewing operation, press end (or the BACK soft key or talk/FLASH during a call).

## ! IMPORTANT!

Memory locations for Caller ID messages and Phonebook locations (including Speed Dials) are shared, you can only store up to 100 in total. A Caller ID message is not stored when you have stored 100 phonebook locations. The earliest Caller ID message is overwritten when you have stored 100 phonebook locations and Caller ID messages in total.

# DELETING A CALLER ID MESSAGE

# **Deleting Information from the Caller ID List**

- When the phone is in standby mode, view the Caller ID information to be deleted (see "Viewing the Caller ID List" on page 39).
- 2. Press the **DELETE** soft key **Delete Caller ID** appears.
- Press VOL/RING/ 
   or VOL/RING/ 
   to choose Yes.
- 4. Press the **OK** soft key. You will hear a confirmation tone.

# Deleting all Caller ID names/ numbers

- 1. When the phone is in standby mode, press **CID**.
- 2. Press the **DELETE** soft key. **Delete R11?** appears.
- Press VOL/RING/ 
   or VOL/RING/ 
   to choose Yes.
- 4. Press the **OK** soft key. You will hear a confirmation tone.

# USING THE CALLER ID MESSAGE LIST

# Calling a party from the Caller ID list

# From Standby mode

 When the phone is in standby mode, view the Caller ID message (see "Viewing the Caller ID List" on page 39).

 $\square$  note  $\square$ 

Once the Caller ID data has

been deleted, the

retrieved

information cannot be

2 Press talk/FLASH or SPEAKER The displayed phone number dials automatically.

## From Talk mode

- Press talk/FLASH or SPEAKER.
- 2. View the Caller ID message you want to dial (see "Viewing the Caller ID List" on page 39).
- 3. Press the **DIAL** soft key. The displayed phone number will be dialed.

## Long Distance calls and Area Code Setting/Cancellation

While the present Caller ID information is displayed, pressing \*/tone/< will place or remove the prefix "1" in the display to set the call for a long distance call, or pressing #/> will set or cancel an area code (see "Setting the Area Code" on page 23).

## Storing Caller ID messages in the Phonebook

Messages shown in the Caller ID list can be stored in the phonebook. The phone number and name of the party on the Caller ID list can be stored in memory.

- 1. When the phone is in standby mode, view the Caller ID message to be stored. Then press the **STORE** soft key. Store/Edit Name appears.
- 2. To complete the setting, follow the steps 3-8 in "Storing Phone Numbers, Names, Distinctive Rings, and Speed Dials" on page 31-32.



- When a long distance call has been set. 1 appears in the display.
- If a call comes in via a telephone system that does not offer Caller ID service, no information is stored.
- If the Caller ID message was received as a private/unknown number, or the message does not have the number, vou cannot store the message in the Phonebook. If it was received as private/ unknown name, the message will be stored as <No Name>
- Even if the 100 memory locations are full, the message will be stored in the Phonebook. However, the message will be erased from the Caller ID list

# ☑ NOTES ☑

- To activate features, select CW On CWDX
   On in the CIDCW option.
   See "Setting CIDCW (Caller ID on Call Waiting)" on page 22.
- You can also answer a waiting call immediately by pressing talk/FLASH, the first caller will be placed on hold. To return to the original caller, press talk/ FLASH again.
- If you don't press a key within 30 seconds while in the operation, the phone goes back to the original call.

# CALL WAITING DELUXE FEATURES

Your phone gives you new options for call waiting. At the touch of a key, you can place the caller on hold, send them to your voice mail service, or conference them into your current call. You may be required to subscribe to Call Waiting and Call Waiting Deluxe to use these features. Not all features are available in all areas. Check with your local telephone company for details.

- When you receive a Call Waiting call, press the CWDX soft key for a list of options.
- Press VOL/RING/ 
   or VOL/RING/ 
   or the number keypad (1-7) to select an option.
- Press the OK soft key. A confirmation screen will appear, and returns back to the call

Your phone is pre-programmed with seven call waiting options. You may select to ask the calling party to hold, send them a busy message, forward them to your voice mail, or answer and drop the first caller. You may also select to conference them into the current call or, at any time, choose to drop the first or drop the last caller. Check with your local telephone company for a full list of options.

# EXPANDING YOUR PHONE

# Ten Multi-Handsets Expandability

Your phone supports up to ten handsets including the handsets supplied with your phone. You can now place a fully- featured cordless handset anywhere AC power is available to connect the handset charger.


With extra handset(s), you can perform

- Three-way conference (two handsets and an outside line).
- Intercom call between handsets even while other handsets are on the outside line
- Monitoring the room where the other handset is placed.
- Using as a pair of walkie-talkies, even outside the base's communication range or other handsets are on the outside line.

All of the handsets ring when a call is received.

# SETUP THE CHARGER AND CHARGE THE EXTRA HANDSET(S)

Insert the supplied AC adapter's barrel plug into the DC IN 9V jack on the back of the charger. Route the cord through the strain relief slot and plug the adapter into a standard AC outlet.



## ! IMPORTANT!

If you purchase a 43-5561 extra handset, please register the handset to the original/main base before use. The 43-5561 will not operate until it is registered.





You must use a Class 2 power source

that supplies 9V DC and delivers at least 210 mA. Its center tip must be set to positive and its plug must fit the charger's DC IN 9V jack. The supplied adapter meets these specifications. Using an adapter that does not meet these specifications could damage the handset or the adapter.

# NOTES Y



- All of the handsets ring when a call is received
- · An extra handset can be registered when the main base is in standby mode

# REGISTER THE HANDSET TO THE BASE

If you purchase an extra handset, you need to register the handset to the base before use. Only one handset can be registered at a time. 🖄

Handsets supplied with the phone are registered to the base by the factory. Handsets that have not been registered display Place handset on main base to register. When you register an extra handset to the base, follow the steps below.

- 1. Before registering the extra handset. the battery pack MUST be charged for 15-20 hours.
- 2. Place the extra handset in the main base unit to begin registration.
- While the handset is registering. Handset Registering will appear in the LCD

When Registration Complete is displayed, the handset has been registered to the base. If Registration Failed appears. remove the handset from the base and trv again.

# NOTE 1

Handsets can be in Direct Link mode while other handsets are in use

# USING THE DIRECTLINK Mode

To use this feature, you must enter the two handsets into the DirectLink mode first. I'

# DirectLink call

1. Press the MENU soft key and select the DirectLink Mode menu. To enter DirectLink mode press **[ENTER]** appears.

- 2. Press the ENTER soft key to enter DirectLink mode. You will hear a confirmation tone, and DirectLink Mode Complete appears.
- Press the DirectLink soft key.
- 4. Select the handset to which you wish to DirectLink with by pressing the number kevs (1-9. 0). Your handset will then page the other handset.
- 5. On the receiving handset, press talk/FLASH, the ANSWER soft key or if Anykey Answer is on, press any number key, \*/tone/< or #/>.
- When you finish your conversation. press end or the END soft key on either handset. Return the handset to the cradle, or press the CANCEL soft key and then the **OK** soft key to return to normal standby mode. (cancelling DirectLink mode).

# INTERCOM/CALL TRANSFER **FEATURE**

You can use handsets as an intercom. Also, you can place an outside call on hold and transfer the call to another handset. Y

# Intercom

- 1. Press INTCM/HOLD in standby mode.
- 2. Select the handset you want to talk with from the selection list within 30. seconds. To select the handset, press press the OK soft key. If you select All, all handsets will be paged. An intercom tone sounds



# NOTES Y



- If the party is busy or out of range, the handset returns to standby mode.
- If any of the following occurs while selecting the other handset, the operation will be cancelled
  - talk/FLASH or SPEAKER is pressed.
  - An outside call intercom or page is received.
- When the party does not answer within one minute, the operation is cancelled.



# NOTE Y

If the party does not answer within one minute, the operation is cancelled.

- To Cancel intercom press the **CANCEL** soft key on the initiating handset.
- On the receiving handset, to answer the call, press talk/FLASH, INTCM/HOLD, or the ANSWER soft key. Or press any number key, \*/tone/< or #/> (when Anykey Answer is on), or pick up the handset from the cradle (when Auto Talk is on).
- 4. To hang up the intercom call, press **end** or the **END** soft key on either handset.

# **Call Transfer Feature**

- 1. During a call, press **INTCM/HOLD** on the handset.
- On the receiving handset, to answer the page, press talk/FLASH, the ANSWER soft key, or INTCM/HOLD. Or press any number key, \*/tone/< or \*#/> (when Anykey Answer is on), or pick up the handset from the cradle (When Auto Talk is on).
- 4. To hang up the intercom call, press the **END** soft key or **end** on the handset.
- 5. To speak to the caller, press talk/FLASH on the receiving handset.

# FIND HANDSET

To locate a misplaced handset, press PAGE on the base when the phone is in standby mode. All registered handsets beep for 60 seconds, and Paging appears on the handset display. To cancel paging, press any key on the handset or PAGE on the base.



If the battery pack is completely drained, the handset will not beep when paging.

# **TROUBLESHOOTING**

If your phone is not performing to your expectations, please try these simple steps first

* Make sure the AC adapter is plugged into the base and wall outlet.  * Make sure the handset is properly seated in the cradle.  * Make sure the handset is properly seated in the cradle.  * Make sure the charging contacts on the handset are clean.  * Move the handset and/or base to a different location away from and/or scratchy metal objects or appliances and try again.  * Make sure that you are not too far from the base.  * Check both ends of the base telephone line cord.  * Make sure the AC adapter is plugged into the base and wall outlet.  * Disconnect the AC adapter for a few minutes, and then reconnect it.  * Deregister the handset (see "Deregister the Handset" on page 24) and register the handset (see "Register the Handset to the Base" on page 44).  * Make sure that you are not too far from the base.  * If an outside call is already established, you cannot make another outside call.  * Charge the batteries in the handset for 15-20 hours by placing the handset on the base or charging cradle.  * The handset doesn't ring or receive a page.  * The handset may be too far away from the base unit.  * Place the base unit away from appliances or metal objects.  * Deregister the handset (see "Deregister the Handset" on page 24) and register the handset (see "Register the Handset" on page 24) and register the handset (see "Register the Handset" on page 24) and register the handset (see "Register the Handset" on page 24) and register the handset (see "Register the Handset" on page 24) and register the handset (see "Register the Handset" on page 24) and register the handset (see "Register the Handset" on page 24) and register the handset (see "Register the Handset to the Base" on page 34).  * Unavailable appears in the base.  * The handset may be too far away from the base unit.  * Place the base unit away from appliances or metal objects.  * Deregister the handset to the Base" on page 34).  * Make sure that another handset is not too far from the base.	Symptom	Suggestion
Interval and the sure that you are not too far from the base.  Can't make or receive calls.  Deregister the AC adapter for a few minutes, and then reconnect it.  Deregister the handset (see "Deregister the handset (see "Register the Handset to the Base" on page 44).  Make sure that you are not too far from the base.  If an outside call is already established, you cannot make another outside call.  Charge the batteries in the handset for 15-20 hours by placing the handset on the base or charging cradle.  The handset may be too far away from the base unit.  Place the base unit away from appliances or metal objects.  Deregister the handset (see "Deregister the Handset" on page 24) and register the handset (see "Register the Handset to the Base" on page 44).  Unavailable appears in  Make sure that another handset is not too far	illuminate when the handset	<ul><li>base and wall outlet.</li><li>Make sure the handset is properly seated in the cradle.</li><li>Make sure the charging contacts on the handset</li></ul>
cord.  Make sure the AC adapter is plugged into the base and wall outlet.  Disconnect the AC adapter for a few minutes, and then reconnect it.  Deregister the handset (see "Deregister the Handset" on page 24) and register the handset (see "Register the Handset to the Base" on page 44).  Make sure that you are not too far from the base.  If an outside call is already established, you cannot make another outside call.  Charge the batteries in the handset for 15-20 hours by placing the handset on the base or charging cradle.  The handset doesn't ring or receive a page.  The handset may be too far away from the base unit.  Place the base unit away from appliances or metal objects.  Deregister the handset (see "Deregister the Handset" on page 24) and register the handset (see "Register the Handset to the Base" on page 44).  Unavailable appears in  Make sure that another handset is not too far	The audio sounds weak.	location away from and/or scratchy metal objects or appliances and try again.  Make sure that you are not too far from the
hours by placing the handset on the base or charging cradle.  The handset doesn't ring or receive a page.  The handset may be too far away from the base unit.  Place the base unit away from appliances or metal objects.  Deregister the handset (see "Deregister the Handset" on page 24) and register the handset (see "Register the Handset to the Base" on page 44).  Unavailable appears in  Make sure that another handset is not too far	Can't make or receive calls.	<ul> <li>cord.</li> <li>Make sure the AC adapter is plugged into the base and wall outlet.</li> <li>Disconnect the AC adapter for a few minutes, and then reconnect it.</li> <li>Deregister the handset (see "Deregister the Handset" on page 24) and register the handset (see "Register the Handset to the Base" on page 44).</li> <li>Make sure that you are not too far from the base.</li> <li>If an outside call is already established, you</li> </ul>
Unavailable appears in • Make sure that another handset is not too far	_	hours by placing the handset on the base or charging cradle.  The handset may be too far away from the base unit.  Place the base unit away from appliances or metal objects.  Deregister the handset (see "Deregister the Handset" on page 24) and register the handset (see "Register the Handset to the Base" on
	Unavailable appears in the display.	Make sure that another handset is not too far from the base.

Symptom	Suggestion
Severe noise interference.	Keep the handset away from microwave ovens, computers, remote control toys, wireless microphones, alarm systems, intercoms, room monitors, fluorescent lights, and electrical appliances.      Move to another location or turn off the source of interference.
The Caller ID does not display.	<ul> <li>The handset was picked up before the second ring.</li> <li>The call was placed through a switchboard.</li> <li>Call your local telephone company to verify your Caller ID service is current.</li> </ul>
You cannot register the handset at the base.	Charge the battery pack for 15-20 hours.     Deregister the handset (see "Deregister the Handset" on page 24) and register the handset (see "Register the Handset to the Base" on page 44).
The handset doesn't communicate with another handsets.	<ul> <li>Deregister the handset (see "Deregister the Handset" on page 24) and register the handset (see "Register the Handset to the Base" on page 44).</li> <li>Make sure that you have registered all handsets.</li> </ul>
The handset can't join the conversation	Make sure there are not two handsets already using the three-way conference feature.

If you still have problems, disconnect the phone. If other phones on the same line work properly, the fault is in this phone or its installation. If you cannot find the problem, take the phone to your local RadioShack store for assistance.

# CARE

Keep the phone dry; if it gets wet, wipe it dry immediately. Use and store the phone only in normal temperature environments. Handle the phone carefully; do not drop it. Keep the phone away from dust and dirt, and wipe it with a damp cloth occasionally to keep it looking new.

# SERVICE AND REPAIR

If your phone is not performing as it should, take it to your local RadioShack store for assistance. To locate your nearest RadioShack, use the store locator feature on RadioShack's website (*www.radioshack.com*), or call 1-800-The Shack (843-7422) and follow the menu options. Modifying or tampering with the phone's internal components can cause a malfunction and might invalidate its warranty and void your FCC authorization to operate it.

# NOTE ABOUT HANDSET-BASE REGISTRATION

When you register the handset with the base, unique data is written on **both** the base and the handset. The handset registered to one base unit cannot be used with other base unit unless the registration data is "deregistered" with the original base unit. This means the handset must be within the range of the original base unit to de-register. If for any reason the original base unit is not within the range (or the registration data in the original base unit is erased), "Out of Range" error takes place and you cannot de-register the handset.

Should you encounter this trouble, follow these steps to individually deregister the handset and the base.

- Remove the handset if it sits on the base.
- On the handset, press and hold end and # at the same time until you hear beep.
- 3. Disconnect the AC adapter.
- While holding PAGE, connect the AC adapter. Keep pressing PAGE until the CHARGE LED starts to blink.
- Wait about five seconds and place the handset on the base and wait until the CHARGE LED stops flashing.


This erases all the handset registration data on the base, not limited to the handset you placed at Step 5 above. You need to register other handset(s) also. First de-register the handset as in Step 1 above, and then place it on the base.

If you have trouble in de-registration, take your base and handset (including extra handset(s) if you have) to your local RadioShack or call 1-800-The Shack (843-7422) for assistance.

Also, when you request repair or service, please be sure to bring in the entire system (including extra handset if used) so we can keep your registration data intact.

# MAIN MENU FLOW CHART

## From standby mode



# **MEMO**

# **MEMO**

# **MEMO**

## **Limited One-Year Warranty**

This product is warranted by *RadioShack* against manufacturing defects in material and workmanship under normal use for one (1) year from the date of purchase from *RadioShack* company-owned stores and authorized *RadioShack* franchisees and dealers. EXCEPT AS PROVIDED HEREIN, *RadioShack* MAKES NO EXPRESS WARRANTIES AND ANY IMPLIED WARRANTIES, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE, ARE LIMITED IN DURATION TO THE DURATION OF THE WRITTEN LIMITED WARRANTIES CONTAINED HEREIN. EXCEPT AS PROVIDED HEREIN, *RadioShack* SHALL HAVE NO LIABILITY OR RESPONSIBILITY TO CUSTOMER OR ANY OTHER PERSON OR ENTITY WITH RESPECT TO ANY LIABILITY, LOSS OR DAMAGE CAUSED DIRECTLY OR INDIRECTLY BY USE OR PERFORMANCE OF THE PRODUCT OR ARISING OUT OF ANY BREACH OF THIS WARRANTY, INCLUDING, BUT ONT LIMITED TO, ANY DAMAGES RESULTING FROM INCONVENIENCE, LOSS OF TIME, DATA, PROPERTY, REVENUE, OR PROFIT OR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, EVEN IF *RadioShack* HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you.

In the event of a product defect during the warranty period, take the product and the RadioShack sales receipt as proof of purchase date to any RadioShack store. RadioShack with at its option, unless otherwise provided by law: (a) correct the defect by product repair without charge for parts and labor; (b) replace the product with one of the same or similar design; or (c) refund the purchase price. All replaced parts and products, and products on which a refund is made, become the property of RadioShack. New or reconditioned parts and products may be used in the performance of warranty service. Repaired or replaced parts and products are warranted for the remainder of the original warranty period. You will be charged for repair or replacement of the product made after the expiration of the warranty period.

This warranty does not cover: (a) damage or failure caused by or attributable to acts of God, abuse, accident, misuse, improper or abnormal usage, failure to follow instructions, improper installation or maintenance, alteration, lightning or other incidence of excess voltage or current; (b) any repairs other than those provided by a *RadioShack* Authorized Service Facility; (c) consumables such as fuses or batteries; (d) cosmetic damage; (e) transportation, shipping or insurance costs; or (f) costs of product removal, installation, set-up service adjustment or reinstallation.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state

RadioShack Customer Relations, 300 RadioShack Circle, Fort Worth, TX 76102-1964

12/99