

Stationary Oxygen • Aerosol Therapy
RESPIRATORY

Aerosol



Yes, you can:™

- *Stratos™ Aerosol Compressors*
- *Nebulizers*
- *Asthma Management*



INVACARE
STRATOS™
PORTABLE PLUS

Invacare is proud to offer an updated aerosol product line that includes the Stratos™ Compact, Portable Plus and Invacare® select aerosol compressors. They feature the performance, reliability, and value that providers and patients have come to expect from Invacare.



Table of Contents

| | |
|---|---|
| Stratos™ Compact Aerosol Compressor | 2 |
| Stratos™ Portable Plus Aerosol Compressor | 3 |
| Invacare® select aerosol compressor | 4 |
| Aerosol Compressors/Aspirators | 5 |
| Nebulizers | 6 |
| Asthma Management | 7 |

For Oxygen Products – form 05-054
For Sleep Products – form nos. 03-061
and 07-065

Invacare® Stratos™ Compact Aerosol Compressor

Model no. IRC1710

The updated Invacare Stratos Compact is a sleek, new piston compressor that offers stylish design, quality and economy in one compact package. Now it is even smaller, yet still powerful enough to deliver the fast, effective aerosol treatments users expect.



Model Selection Guide

| Model no. | Units/Case | Limited warranty | Description |
|-----------|------------|------------------|------------------------------------|
| IRC1710 | 1 | 5 years | Stratos Compact Aerosol Compressor |
| MS2600 | 10 | n/a | Reusable Jet Nebulizer |
| IRC1711 | 1 | n/a | Stratos Compact carrying case |



Reusable Jet Nebulizer

Model no. MS2600

The new Reusable Jet Nebulizer is an extremely cost effective, durable nebulizer. The special geometry and smooth surface finish of the nebulizer result in minimal residual volume.

Features

- Packaged with a reusable nebulizer
- Economical – premium product that is priced to fit the needs of the managed-care market
- Stylish – updated design and color
- Durable – five year limited warranty
- Nebulizer parking post



IRC1710 Stratos Compact Aerosol Compressor.

Specifications

- Dimensions: 5.9" l x 5.7" w x 3.7" h
- Weight: 3.2 lb.
- Maximum compressor pressure: 33 PSI
- Typical operating pressure: 11 - 16 PSI
- Typical operating flow rate: 4 - 8 LPM

Invacare® Stratos™ Portable Plus Aerosol Compressor

Model no. IRC1730

The Invacare Stratos Portable Plus is a sleek, new portable compressor that offers speed, ease-of-use and stylish design in one compact package. Small enough to fit in the palm of your hand, it is ideal for those who desire mobility, expediency and efficiency in an aerosol delivery device.



Features

- Powerful enough to drive a standard nebulizer
- Mobile – small size, quiet operation and battery pack (sold separately) allows the unit to be used almost anywhere
- Economical – premium product that is priced to fit the needs of the managed-care market
- Flexible – can be powered using the AC power cord in a wall outlet, the DC adapter in a car, or the optional battery pack
- Three year limited warranty
- UL Listed

Specifications

- Dimensions: 5.1" l x 3.6" w x 1.6" h
- Weight: 1 lb. (450 g) – without battery pack
1.4 lb. (650 g) – with battery pack
- Maximum compressor pressure – 29 PSI
- Operating flow rate – 3.5 LPM
- Maximum flow rate – 10 LPM
- Noise level – 52 dB

Model Selection Guide

| Model no. | Units/Case | Limited warranty | Description |
|-----------|------------|------------------|--|
| IRC1730 | 1 | 3 years | Stratos Portable Plus aerosol compressor reusable nebulizer, AC power cord, DC car adapter and carrying case |
| IRC1731 | 1 | 6 months | Battery pack for Stratos Portable Plus |
| MS2700 | 10 | n/a | Reusable Jet Plus Nebulizer |
| IRC1722 | 1 | n/a | Stratos Portable Plus carrying case |



Nebulizer Features

- Nebulization Rate - 0.4 ml/minute
- Particle size - < 5 microns



Stratos Portable Plus



IRC1731 Battery Pack (sold separately).



Reusable nebulizer with tubing, DC car adapter, AC power cord and carrying case all come standard with Stratos Portable Plus unit.

Invacare® select aerosol compressor

Model no. IRC1705

The Invacare select aerosol compressor is a standard compressor packaged with a disposable nebulizer. It is designed to meet today's performance and price requirements.

Features

- Packaged with one disposable nebulizer
- Built-in handle
- Easy operation
- UL listed

Specifications

- Dimensions: 6" l x 4.5" w x 3.5" h
- Weight: 3.2 lb.
- Maximum compressor pressure: 36 PSI
- Typical operating pressure: 11 - 16 PSI
- Typical operating flow rate: 4 - 8 LPM



Convenient carrying handle for ease of transportation.

Model Selection Guide

| Model no. | Units/Case | Limited warranty | Description |
|-----------|------------|------------------|------------------------------------|
| IRC1705 | 1 | 3 years | Invacare select aerosol compressor |



Invacare® MOBILAIRE™ 50 PSI Compressor

Model no. IRC607

The durable Invacare MOBILAIRE 50 PSI compressor is ideal for use with medications that require more flow and pressure for proper nebulization.

Features

- Low-noise operation
- Easy-to-read pressure gauge
- Non-marring rubber feet
- Suction-cup feet for stable operation
- Durable piston
- Adjustable pressure
- Optional J-tube (IRC5070) available
- UL and CSA listed

Specifications

| | |
|-------------------------|--|
| Dimensions | 8" l x 8" w x 10.5" h |
| Weight | 11.3 lb. |
| Pressure range | 0 - 50 PSI |
| Operating pressure | 7 lpm at 23 PSI nominal with a filtered nebulizer system |
| Electrical requirements | 115 VAC/60 Hz, 1/8 hp shaded pole motor |

Model Selection Guide

| Model no. | Units/Case | Limited warranty | Description |
|-----------|------------|------------------|----------------------------------|
| IRC607 | 1 | 1 year | 50 PSI compressor, 115 VAC/60 Hz |

Invacare® Aspirator

Model no. IRC1135

The Invacare aspirator is a durable suction unit designed for most home care suction requirements.

Features

- High-performance vacuum specifications
- Adjustable vacuums from 0" to 23" Hg
- Durable piston vacuum pump
- Easy-to-read gauge
- Non-marring suction cup feet
- Single-use collection jars and connecting tubing for quick and easy replacement (1 set included)
- UL and CSA listed

Specifications

| | |
|-------------------------|---|
| Dimensions | 14.8" l x 6.8" w x 9.8" h |
| Weight | 12.1 lb. |
| Vacuum range | 0 - 520 mm Hg 0 - 23" Hg |
| Air flow | 0 - 40 LPM |
| Electrical requirements | 115 VAC 60 Hz, 1/10 hp shaded pole motor |

Model Selection Guide

| Model no. | Units/Case | Limited warranty | Description |
|-----------|------------|------------------|---|
| IRC1135 | 1 | 1 year | Aspirator |
| IRC1140 | 10 | n/a | Disposable collection jars, 800 cc capacity, 6 ft. suction tubing |
| 1148804 | 1 | | Tube and Filter kit |

Reusable Jet Nebulizers

Model no. MS2600, MS2700

The new Reusable Jet Nebulizer is an extremely cost effective, durable nebulizer. The special geometry and smooth surface finish of the nebulizer result in minimal residual volume.



Features

- Rapid and efficient
- Nebulizes 2ccs in approximately three minutes
- Low residual volume of medication
- Constant nebulization in every position at an angle of up to 80°

Salter Labs® Disposable Nebulizers

Model nos. MS2300, MS2500



Features

- Nebulizes 3cc within 7 minutes or less at 7LPM in horizontal or vertical position
- Removable color-coded cone design
- Incorporates integral anti-drool feature
- MS2500 is top rack dishwasher safe


Model Selection Guide

| Model no. | Units/Case | Description |
|-----------|------------|--|
| MS2600 | 10 | Reusable Jet Nebulizer (6 ml capacity) with T-piece, mouth piece and 6.5 ft (200 cm) tubing |
| MS2700 | 10 | Reusable Jet Plus Nebulizer (10 ml capacity) with T-piece, mouth piece and 6.5 ft (200 cm) tubing |
| MS2120 | 10 | VixOne™ Nebulizer (5 ml capacity) with pediatric mask and 7 ft. (213 cm) tubing |
| MS2110 | 50 | VixOne™ Nebulizer (5 ml capacity) with adult mask and 7 ft. (213 cm) tubing |
| MS2100 | 50 | VixOne™ Nebulizer (5 ml capacity) with T-piece, mouthpiece, 7 ft. (213 cm) tubing and 6 in. (15 cm) flextube |
| MS0312 | 50 | VixOne™ Nebulizer with pediatric Dragon mask and 7 ft. (213 cm) tubing |
| MS0382 | 12 | VixOne™ Nebulizer with Pedi-Neb pacifier and 7 ft. (213 cm) tubing |
| MS2300 | 50 | Salter Labs® Disposable Nebulizer (5ml capacity) with T-piece, 6" reservoir tube and 7' supply tube |
| MS2500 | 10 | Salter Labs® Reusable Nebulizer (5ml capacity) with mouth-piece and 7' tubing |

VixOne™ Nebulizers

Model nos. MS2100, MS2110, MS2120

The VixOne Nebulizer is an economical choice in small-volume nebulizers. It is available with a variety of inputs, including a T-piece mouthpiece, adult, pediatric clear or pediatric Dragon mask and Pedi-Neb™ pacifier.



Features

- Nebulizes at angles up to 45°
- Graduated volume marking on medication chamber
- Anti-spill designed T-piece mouthpiece option
- Creative pediatric mask and infant pacifier options



Model no. MS0312

Pediatric Dragon Mask provides a fun, yet calming option. Children can be encouraged to take frequent deep breaths and receive the biofeedback of the dragon exhaling "smoky dragon breath."

Model no. MS0312


The Pedi-Neb pacifier calms an infant or toddler during aerosol treatment, as the medication is inhaled through the nose, not mouth.



Yes, you can.®



These products are Latex Free.



Application of the ColorZone decal by the health care provider customizes the TruZone for the patient. Visualization of the green, yellow and red zones makes it easy to follow the NAEPP guidelines for asthma management.

Monaghan AeroChamber® Z-Stat Plus™

Model nos. HC78510, HC88510, HC79510

The Monaghan AeroChamber Z-Stat Plus helps improve the delivery of medications from metered-dose inhaler (MDI) canisters. It also reduces the coordination required between canister activation and inhalation, making it easier for the patient to use the MDI correctly. And it reduces drug deposition to the mouth and throat, helping to eliminate unpleasant medication taste or hoarseness. AeroChamber Plus VHC with ComfortSeal® mask comes in three sizes, permitting MDI therapy to be administered to infants and small children.

Features

- Z-Stat custom anti-static polymer minimizes static charge which maximizes performance with all MDI formulations
- Clear chamber for easy visualization of proper activation of the MDI
- One-way valve to hold and protect the aerosol until inhalation begins
- Universal MDI adapter allows use with most MDIs
- FLOWSIGNAL® whistle alerts patient to excessive flow rates (adult versions only)
- ComfortSeal® masks available in two sizes allow use by infants and small children
- Fifteen years of clinical research about AeroChamber use

Model Selection Guide⁸

| Model no. | Units/Case | Description |
|-----------|------------|--|
| HC78510 | 10 | AeroChamber Z-Stat Plus with medium ComfortSeal mask |
| HC88510 | 10 | AeroChamber Z-Stat Plus with small ComfortSeal mask |
| HC79510 | 10 | AeroChamber Z-Stat Plus with mouthpiece |

Distribution limited to U.S. customers only.

TruZone® Peak Flow Meter

Model no. IRC1198

The TruZone Peak Flow Meter (PFM) makes it easy to monitor peak expiratory flow rates at home. The small size and shape enhance portability and ease of use. The unique logarithmic scale allows the TruZone to be used in low flow rate conditions (pediatrics) or for standard flow rates. And through the use of Color Zone® decals, each TruZone can be customized easily for color-zone management of asthma as recommended by the NAEPP (National Asthma Education and Prevention Program) Each TruZone is packaged with 4 Color Zone tapes and a daily record..

Features

- Small size makes it easy to use or transport
- Clear body for easy reading of flow rate
- Internal indicator is protected from accidental mishandling
- Accurate measure of PEFR in low flows (pediatrics) and standard flows (adults)
- Simple cleanup with soap and water
- Color Zone® decals easily customize the TruZone® for color-zone management of asthma—no calculations required
- Meets the current American Thoracic Society® waveform 26 standards

Specifications

| | |
|------------|---------------------------------|
| Range | 60-800 lpm |
| Dimensions | 17.4 cm l x 3.2 cm w x 3.2 cm h |
| Weight | 33.1 g |

Model Selection Guide*

| Model no. | Units/Case | Limited warranty | Description |
|-----------|------------|------------------|-------------------------|
| IRC1198 | 10 | 1 year | TruZone Peak Flow Meter |

Distribution limited to U.S. customers only.

Invacare Corporation
www.invacare.com

USA

One Invacare Way
Elyria, Ohio
44035-4190
(800) 333-6900

Canada

570 Matheson Blvd. E.
Unit 8
Mississauga, Ontario
L4Z 4G4 Canada
(800) 668-5324

© 2008 Invacare Corporation.

All rights reserved. Trademarks are identified by the symbols ™ and ®. All trademarks are owned by or licensed to Invacare Corporation unless otherwise noted.

VixOne and Pedi-Neb are trademarks of Westmed, Inc.

Salter Labs is a registered trademark of Salter Labs.

ComfortSeal, Color Zone, TruZone, FLOWSIGNAL and AeroChamber are registered trademarks and Z-Stat Plus is a trademark of Monaghan Medical Inc.

American Thoracic Society is a registered trademark of the American Lung Association.

Specifications are subject to change without notification.

Form No. 04-220
Rev. 01/08