



Global design

The Electrolux cooker hood range echoes the Global Design concept which is geared for modern people in today's modern society. Electrolux cooker hoods are designed to be effective, practical, stylish and unobtrusive in your kitchen creating a pleasant atmosphere.



Fresher air and stunning designs.



The Electrolux range of cooker hoods is segmented into three levels, INSIGHT, INSPIRE & INTUITION, allowing you to create the look you are seeking, from creating a stunning focal point to being discreetly built into a cupboard.

The aesthetics of the Electrolux cooker hood range complement the other kitchen appliances as well as today's kitchen trends. The clever use of lighting including down lights and up lighters helping to create the perfect ambience for food preparation as well as dining.

Make your kitchen a pleasing and attractive place to be

Electrolux Pleasant Kitchen symbols will help you to easily choose the most appropriate cooker hood for the dimensions of your kitchen whilst removing unwanted vapour, airborne grease and odours from your kitchen.

To maximise the performance of the cooker hood it is essential to install the cooker hood with the correct size of ducting, this will enable the cooker hood to extract virtually all the vapour, cooking odours and airborne grease from the kitchen and keep the noise level to a minimum.



The measurements in each of the boxes relates to the floor space of the kitchen. This may help to ensure that you select the right hood for your kitchen that will deal with the vapour, airborne grease and odours.

Take your choice.

Island hoods

Island hoods are designed to be suspended over a central cooking island thus creating a dramatic focal point in the kitchen.

Chimney hoods

Chimney hoods are designed to provide a visual focus whilst offering various styles & widths to suit your kitchen. These are designed to perform well and please the eye.

Telescopic hoods

Ideal for the kitchen where the hood needs to perform well and be out of sight. These hoods are fitted into the wall cupboard and then pulled out from the wall when needed.

Perimeter Extraction.

The air flow is directed to the outer edges of the cooker hood; so the entire external perimeter of the hood is utilised, thereby reducing energy consumption and noise level whilst delivering outstanding air filtration.

Canopy hoods

Canopy hoods are designed to fit snugly under a decorative canopy, kitchen unit or wall cupboard. These hoods save space and are discreet.

Integrated hoods

Appear to be part of the kitchen, hidden behind the furniture door and simply pulled out when required.

Traditional hoods

Traditional hoods fit neatly underneath a wall cupboard with easy to reach front controls.



Indicates the hood's free blowing extraction rate



Indicates the variation of the fan setting

INSIGHT



EFC90680

HIGH performance 90cm stainless steel horizontal hood



Maximum extraction
700m³/h



4 speed fan
including
intensive setting

Hood features:

- Maximum extraction 700m³/h
- 4 speed fan including intensive setting with electronic touch controls - sleek and easy to use
- Automatic switch off for each speed
- Light bar - stylishly designed
- Recirculation or extraction options - charcoal filter included
- 4 concealed, washable aluminium cassette grease filters - easy to clean
- Indicator LED for both grease and charcoal filter saturation - you don't have to remember
- Noise level 59dBA
- 3 x 20W halogen lamps - for excellent cooking visibility
- 2 x 20W halogen uplighters together with the lightbars - for ambient illumination
- Width 90cm

Colour:

- Stainless Steel (EFC90680X)

Accessories:

- Ducting Kit (CDK6FR)



Suitable for kitchens up to this size - for optimum performance and clean air

INSIGHT



EFC90673
HIGH performance 90cm stainless steel CHIMNEY hood



Maximum extraction
720m³/h



4 speed fan including intensive setting

Hood features:

- Maximum extraction 720m³/h
- 4 speed fan including intensive setting with electronic touch controls - sleek and easy to use
- Automatic switch off for each speed
- Temperature sensor - maintains low temperature controls
- Perimeter extraction - for improved airflow and energy consumption and lower noise levels
- Light bar - stylishly designed
- Recirculation or extraction options - charcoal filter included
- 2 concealed, washable aluminium cassette grease filters - easy to clean
- Indicator LED for both grease and charcoal filter saturation - you don't have to remember
- Noise level 57dBA
- 3 x 20W halogen lamps - for excellent cooking visibility
- Width 90cm

Colour:

- Stainless Steel (EFC90673X)

Accessories:

- Ducting Kit (CDK6FR)



Suitable for kitchens up to this size - for optimum performance and clean air

INSPIRE



EFC90671
HIGH performance 90cm stainless steel CHIMNEY hood



Maximum extraction
720m³/h



4 speed fan including intensive setting

Hood features:

- Maximum extraction 720m³/h
- 4 speed fan including intensive setting with electronic push button controls - stylish and easy to use
- Automatic switch off for each speed
- Recirculation or extraction options - charcoal filter included
- 4 washable aluminium cassette grease filters - easy to clean
- Indicator LED for both grease and charcoal filter saturation - you don't have to remember
- Noise level 57dBA
- 3 x 20W halogen lamps - for excellent cooking visibility
- Width 90cm

Colour:

- Stainless Steel (EFC90671X)

Accessories:

- Ducting Kit (CDK6FR)



Suitable for kitchens up to this size - for optimum performance and clean air

INSPIRE



EFC60671
High performance 60cm stainless steel chimney hood



Maximum extraction
720m³/h



4 speed fan including intensive setting

Hood features:

- Maximum extraction 720m³/h
- 4 speed fan including intensive setting with electronic push button controls - stylish and easy to use
- Automatic switch off for each speed
- Recirculation or extraction options - charcoal filter included
- 2 washable aluminium cassette grease filters - easy to clean
- Indicator LED for both grease and charcoal filter saturation - you don't have to remember
- Noise level 57dBA
- 2 x 20W halogen lamps - for excellent cooking visibility
- Width 60cm

Colour:

- Stainless Steel (EFC60671X)

Accessories:

- Ducting Kit (CDK6FR)



Suitable for kitchens up to this size - for optimum performance and clean air

INTUITION



EFC60670
60cm stainless steel chimney hood



Maximum extraction
450m³/h



3 speed fan

Hood features:

- Maximum extraction 450m³/h
- 3 speed fan with push button controls - easy to use
- Recirculation or extraction options
- 2 washable aluminium cassette grease filters - easy to clean
- Noise level 62dBA
- 2 x 20W halogen lamps - for excellent cooking visibility
- Width 60cm

Colour:

- Stainless Steel (EFC60670X)

Accessories:

- Ducting Kit (CDK6FR)



Suitable for kitchens up to this size - for optimum performance and clean air

INSPIRE

**EFC90620**

High performance 100cm stainless steel island hood



Maximum extraction
640m³/h



4 speed fan
including
intensive setting

Hood features:

- Hood Features
- Maximum extraction 640m³/h
- 4 speed fan including intensive setting with electronic touch controls - sleek and easy to use
- Auto switch off delay - for intensive setting
- Recirculation or extraction options - charcoal filter included
- Perimeter Extraction - for improved airflow and energy consumption and lower noise levels
- 2 concealed, washable aluminium cassette grease filters - easy to clean
- Indicator LED for both grease and charcoal filter saturation - you don't have to remember
- Noise level 61dBA
- 2 x 20W halogen lamps - for excellent cooking visibility
- Width 90cm

Colour:

- Stainless Steel (EFC90620X)

Accessories:

- Ducting Kit (CDK6FR)



Suitable for kitchens up to this size -
for optimum performance and clean air

**EFC70710**

60cm Stainless steel and glass canopy chimney hood - extends from 60cm to 70cm using side trims



Maximum extraction
440m³/h



3 speed fan

Hood features:

- Maximum extraction 440m³/h
- 3 speed fan with push button controls - easy to use
- Suitable for low ceiling heights
- Recirculation or extraction options
- 2 washable aluminium cassette grease filters - easy to clean
- Noise level 61dBA
- 2 x 40W hob lights - for good visibility
- Width 60cm-70cm

Colour:

- Stainless Steel (EFC70710X)

Accessories:

- Charcoal Filter (EFF72)
- Ducting Kit (CDK5F/CDK5FR)



Suitable for kitchens up to this size -
for optimum performance and clean air

**EFA90950**

High performance 90cm curved glass island hood



Maximum extraction
660m³/h



4 speed fan
including
intensive setting

Hood features:

- Maximum extraction 660m³/h
- 4 speed fan including intensive setting with electronic push button controls - stylish and easy to use
- Recirculation or extraction options
- 2 washable aluminium cassette grease filters - easy to clean
- Noise level 62dBA
- 4 x 20W halogen lamps - for excellent cooking visibility
- Width 90cm

Colour:

- Stainless Steel (EFA90950X)

Accessories:

- Charcoal Filter (EFF72)
- Ducting Kit (CDK6FR)



Suitable for kitchens up to this size -
for optimum performance and clean air

**EFC90950**

High performance 90cm curved glass chimney hood



Maximum extraction
660m³/h



4 speed fan
including
intensive setting

Hood features:

- Maximum extraction 660m³/h
- 4 speed fan including intensive setting with electronic push button controls - stylish and easy to use
- Recirculation or extraction options
- 2 washable aluminium cassette grease filters - easy to clean
- Noise level 62dBA
- 2 x 20W halogen lamps - for excellent cooking visibility
- Width 90cm

Colour:

- Stainless Steel (EFC90950X)

Accessories:

- Charcoal Filter (EFF72)
- Ducting Kit (CDK6FR)



Suitable for kitchens up to this size -
for optimum performance and clean air

**EFC90700/EFC70700**

90cm/70cm curved stainless steel CHIMNEY hood with aluminium trim

Maximum
extraction
450m³/h

3 speed fan

Hood features:

- Maximum extraction 450m³/h
- 3 speed fan with electronic push button controls - controls positioned on chimney front - see installation diagram for full details
- Recirculation or extraction options
- 2 washable aluminium cassette grease filters - easy to clean
- Noise level 62dBA
- 2 x 20W halogen lamps - for excellent cooking visibility
- Width 90cm/70cm

Colour:

- Stainless Steel (EFC90700X), Stainless Steel (EFC70700X)

Accessories:

- Charcoal Filter (TYPE 160)
- Ducting Kit (CDK6FR)

Suitable for kitchens up to this size -
for optimum performance and clean air**EFC90001/EFC70001/EFC60001**

90cm/70cm/60cm chimney hoods

Maximum
extraction
450m³/h

3 speed fan

Hood features:


- Maximum extraction 450m³/h
- 3 speed fan with slider controls - easy to use.
- Suitable for low ceiling heights
- Recirculation or extraction options
- 2 washable aluminium cassette grease filters - easy to clean (3 for EFC90001)
- Noise level 61dBA
- 2 x 40W hob lights - for good visibility
- Width 90cm/70cm/60cm

Colours:

- 90cm Stainless Steel (EFC90001X) Black (EFC90001K) White (EFC90001W)
- 70cm Stainless Steel (EFC70001X)
- 60cm Stainless Steel (EFC60001X) Black (EFC60001K) White (EFC60001W)

Accessories:

- Charcoal Filter (EFF62)
- Ducting Kit (CDK5F/CDK5FR)

Suitable for kitchens up to this size -
for optimum performance and clean air**EFP90033**

High performance 90cm fully integrated telescopic hood

Maximum
extraction
550m³/h

3 speed fan

Hood features:


- Maximum extraction 550m³/h
- 3 speed fan with slider control - easy to use
- Recirculation or extraction options
- 4 washable aluminium cassette grease filters - easy to clean
- Noise level 65dBA
- 2 x 9W "cool look" - energy saving lamps
- Width 90cm

Colour:

- Silver/Grey (EFP90033X)

Accessories:

- Charcoal Filter (EFF55)
- Ducting Kit (CDK6FR)

**EFP60032**

60cm fully integrated telescopic hood

Maximum
extraction
310m³/h

3 speed fan

Hood features:

- Maximum extraction 310m³/h
- 3 speed fan with slider control - easy to use
- Recirculation or extraction options
- 2 washable aluminium cassette grease filters - easy to clean
- Noise level 63dBA
- 2 x 40W hob lights - for good visibility
- Width 60cm

Colour:

- Silver/Grey (EFP60033X)

Accessories:

- Charcoal Filter (EFF70)
- Ducting Kit (CDK5F/CDK5FR)

**EFG70023**

High performance 70cm/50cm Canopy hood



Maximum extraction
620m³/h

3 speed fan

Hood features:

- Maximum extraction 620m³/h
- 3 speed fan with slider control - easy to use
- Recirculation or extraction options
- 2 washable aluminium cassette grease filters - easy to clean
- Noise level 68dBA
- 2 x 20W halogen lamps - for excellent cooking visibility
- Width 70cm

Colours:

- Silver/Grey (EFG70023S)

Accessories:

- Charcoal Filter (EFF70)
- Ducting Kit (CDK6FR)

EFG50022

50cm Canopy hood



Maximum extraction
320m³/h

3 speed fan

Hood features:

- Maximum extraction 320m³/h
- 3 speed fan with slider control - easy to use
- Recirculation or extraction options
- 2 washable aluminium cassette grease filters - easy to clean
- Noise level 64dBA
- 2 x 40W hob lights - for good visibility
- Width 50cm

Colour:

- Silver/Grey (EFG50022S)

Accessories:

- Charcoal Filter (EFF70)
- Ducting Kit (CDK5F/CDK5FR)

**EFG50021**

50cm Canopy hood



Maximum extraction
280m³/h

3 speed fan

Hood features:

- Maximum extraction 280m³/h
- 3 speed fan with slider control - easy to use
- Recirculation or extraction options
- Acrylic grease filter
- Noise level 61dBA
- 2 x 40W hob lights - for good visibility
- Width 50cm

Colour:

- Silver/Grey (EFG50021S)

Accessories:

- Charcoal Filter (EFF70)
- Ducting Kit (CDK5F/CDK5FR)

EFi60013

HIGH performance 60cm Integrated hood



Maximum extraction
510m³/h

Variable electronic speed fan

Hood features:

- Maximum extraction 510m³/h
- Variable electronic speed control - easy to use
- Recirculation or extraction options
- 2 washable aluminium cassette grease filters - easy to clean
- Noise level 66dBA
- 2 x 40W hob lights - for good visibility
- Width 60cm

Colour:

- Silver/Grey (EFi60013S)

Accessories:

- Charcoal Filter (TYPE 29)
- Ducting Kit (CDK5F/CDK5FR)



EFi60012
60cm INTEGRATED hood



Maximum
extraction
320m³/h

3 speed fan

Hood features:

- Maximum extraction 320m³/h
- 3 speed fan with slider control - easy to use
- Recirculation or extraction options
- 2 washable aluminium cassette grease filters - easy to clean
- Noise level 65dBA
- 2 x 40W hob lights - for good visibility
- Width 60cm

Colours:

- Silver/Grey (EFi60012S)

Accessories:

- Charcoal Filter (TYPE 29)
- Ducting Kit (CDK5F/CDK5FR)



EFi60011
60cm INTEGRATED hood



Maximum
extraction
220m³/h

3 speed fan

Hood features:


- Maximum extraction 220m³/h
- 3 speed fan with slider control - easy to use
- Recirculation or extraction options
- Acrylic grease filter
- Noise level 58dBA
- 2 x 40W hob lights - for good visibility
- Width 60cm

Colour:

- Silver/Grey (EFi60011S)

Accessories:

- Charcoal Filter (TYPE 29)
- Ducting Kit (CDK5F/CDK5FR)



EFT60003
60cm Stainless steel traditional hood with glass visor



Maximum
extraction
240m³/h

3 speed fan

Hood features:

- Maximum extraction 240m³/h
- 3 speed fan with slider control - easy to use
- Recirculation or extraction options
- 2 washable aluminium cassette grease filters - easy to clean
- Noise level 64dBA
- 2 x 40W hob lights - for good visibility
- Width 60cm

Colour:

- Stainless steel (EFT60003X)

Accessories:

- Charcoal Filter (EFF57)
- Ducting Kit (CDK5F/CDK5FR)



EFT60004W / EFT60004K / EFT60004X
60cm Traditional hood with glass visor



Maximum
extraction
180m³/h

3 speed fan

Hood features:


- Maximum extraction 180m³/h
- 3 speed fan with slider control - easy to use
- Recirculation or extraction options
- 1 replaceable acrylic grease filter
- Noise level 59dBA
- 1 x 40W hob lights - for good visibility
- Width 60cm

Colour:

- Stainless steel (EFT60004X), Black (EFT60004K), White (EFT60004W)

Accessories:

- Charcoal Filter (EFF57)
- Ducting Kit (CDK5F/CDK5FR)



EFB60/90/120 EFB675/975/175
Splashbacks

Splashback features:

- Stylish stainless steel splashback to complement our range of stainless steel ovens, hobs & hoods - easy wipe clean

Sizes:

- EFB60X 60cm wide x 70cm high, EFB90X 90cm wide x 70cm high, EFB120X 120cm wide x 70cm high, EFB675X 60cm wide x 75cm high, EFB975X 90cm wide x 75cm high, EFB175X 100cm wide x 75cm high