## Ricoh Aficio SP C311N/SP C312DN

Color Laser Printer Essential Color for Everyday Workflow





## Energize documents, reduce expenses.

Trust the RICOH<sup>®</sup> Aficio<sup>®</sup> SP C311N & SP C312DN color laser printers to deliver all the essentials you need at a price that makes sense for small businesses and other budget-minded organizations. This compact, convenient printer provides outstanding productivity for the color and black & white documents you work with every day. Its simple, intuitive design is extremely easy to use. Plus, it combines a highly competitive price with low total cost of ownership. All of which makes the SP C311N/SP C312DN a smart, cost-effective choice for small offices and workgroups in any industry.



## **ColorSimplicityQualityValue**

## **Exceptionally Affordable Color**

# Give your documents a more professional look and feel with business-quality color.

- Maintain cost savings over time with a competitive cost-per-page for both color and black & white jobs.
- Select the right supplies for your workflow, with a choice of conventional cartridges or high-yield cartridges that reduce cost-per-page even more.
- Print presentations, proposals and other business documents in bright, eye-catching color with resolutions up to 2400 x 600 dpi.
- Print photos without connecting to a PC or installing software. Just plug a PictBridge-enabled digital still camera directly into the SP C312DN and print.
- Support environmental sustainability with a combination of fast warm-up, duplex output (on the SP C312DN) and the Ricoh toner cartridge recycling program.

## **Highly Productive**

### The Ricoh Aficio SP C311N/SP C312DN delivers everything you need to ensure high productivity and handle your workload with ease and efficiency.

- Keep up a steady pace no matter what kind of documents you are printing. This printer offers 26 pages-per-minute speed for full-color and black & white output.
- Get printed pages without waiting. Warm-up time is less than 30 seconds, and time to first print is less than 13.5 seconds.
- Print large files without disrupting your workflow. The Ricoh Aficio SP C311N/ SP C312DN offers powerful memory capabilities, with 128 MB standard that can be expanded to 640 MB.
- Make fewer trips to print-for-pay shops. Print on sizes up to 8.5" x 14" through the Standard Tray, and use the Bypass Tray for thick stocks (up to 110 lb. Index) and banner printing (up to 8.5" x 35").
- Cut paper usage in half for multi-page reports, plans, white papers or training documentation. The SP C312DN comes standard with duplex printing.

## **Ultimate Convenience**

### Designed to maximize your convenience, the Ricoh Aficio SP C311N/SP C312DN includes a variety of features that help make every printing task easier.

- Replace parts and supplies quickly and easily, with no training. Even beginners can change out the All-In-One (AIO) Toner Cartridge in seconds.
- Remove the occasional misfeed quickly and easily, without moving the printer or opening a rear panel. Access the entire paper path through a pull-open front door.
- Change the paper size, prepare to print on envelopes, check supply levels or adjust settings at the intuitive, easy-to-use LCD control panel.
- Manage the printer remotely in a workgroup setting with the Web Image Monitor utility, which makes it easy to change settings and check paper and toner status.
- Save space on the desktop with this printer's compact footprint.



Expand your flexibility by printing full-color and black & white documents on sizes up to 8.5" x 14" and weights up to 110 lb. Index, as well as banners up to 8.5" x 35".



Any user can replace the All-In-One Toner Cartridge in just a few seconds without any training or special tools.

### The Total Green Office Solution



Ricoh continues its longstanding commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity.

# **Ricoh Aficio SP C311N/SP C312DN**



**System Specifications** 

### System Specifications

System Specifications			
Main Unit	SP C311N – Part #406466		
	SP C312DN – Part #406467		
Configuration	Desktop		
Technology	Laser beam scanning, color laser		
	electrophotographic printing with		
	monocomponent toner development,		
	4-drum tandem method		
Resolution	600 x 600 dpi (default),		
	1200 x 600 dpi, 2400 x 600 dpi		
Printing Speed	B/W: 26 ppm (Letter),		
i i i i i i i i i i i i i i i i i i i	FC: 26 ppm (Letter)		
First Print Speed	13.5 sec. or less		
Auto Duplex	SP C312DN only		
Standard Paper Capacity	500 sheets		
Bypass Tray	100 sheets		
Optional Paper Feed Unit	500 sheets (one Paper Feed Unit		
optional raper reed onit	may be added)		
Maximum Paper Capacity	Up to 1,100 sheets		
Output Capacity	150 sheets (face down)		
Acceptable Paper Sizes	Standard Paper Trays: Letter (8.5"		
Acceptable raper sizes	x 11") to Legal (8.5" x 14"),		
	A4 (8.27" x 11.69"), B5 (6.93"		
	x 9.84");		
	Bypass Tray: 3.56" x 5.85" to 8.5"		
	x 14", A4 (8.27" x 11.69"),		
	A5 (5.8" x 8.3"), B5 (6.93" x 9.84"),		
	Banners (up to 8.5" x 35")		
	Optional Paper Feed Unit: Letter		
	(8.5" x 11"), A4 (8.27" x 11.69")		
Acceptable Paper Weights	Standard Tray and Optional Paper		
	Feed Unit: 16 – 28 lb. Bond		
	(60 – 105 g/m²);		
	Bypass Tray: 16 – 53 lb. Bond/		
	110 lb. Index (60 – 200 g/m <sup>2</sup> );		
	Duplex Unit (SP C312DN only):		
	16 – 28 lb. Bond (60 – 105 g/m <sup>2</sup> )		
Acceptable Paper Types	Standard Tray and Optional Paper		
	Feed Unit: Plain Paper, Recycled		
	Paper, Pre-punched Paper, Thin		
	Paper, Color Paper, Pre-printed		
	Paper, Letterhead		
	Bypass Tray: Plain Paper, Recycled		
	Paper, Application Paper, Envelope,		
	Glossy, Thick Paper, Label, Thin		
	Paper, Cardstock		

### Dimensions (WxHxD) Weight Warm-Up Time Power Source Power Consumption

Safety Regulations

### **Controller Specifications**

15.8" x 15.2" x 18.9"

Maximum: 1300W or less

Energy Saver: 15W or less

Tier 1 (SP C312DN only)

PCL/PS3: HP80 fonts

TCP/IP, IPX/SPX, AppleTalk

Windows 2000/XP/Server 2003/

Vista/Server 2008; Mac OS X

v.10.2+: Novell NetWare 4.x+:

Citrix MetaFrame; UNIX (using

PCL 5c/6: Windows 2000/XP/

Server 2003/Server 2008/Vista; PostScript 3: Windows 2000/XP/

Server 2003/Server 2008/Vista,

Mac OS X Native (v 10.2.8 - 10.5)

Part #003310MIU

Part #003311MIU

Part #100118FNG

IEEE 802.11b/g

Ricoh UNIX filter)

Type F

Type F

UL60950-1, FCC Part 15 Class B device, Energy Star Color Printers -

PCL 5c/6, PostScript 3 emulation

128 MB standard/640 MB maximum

USB 2.0, 10/100Base-TX Ethernet, PictBridge (SP C312DN only)

61.73 lb. (28.0 kg)

30 sec. or less

120V. 60Hz

400 MHz

(400 mm x 387 mm x 480 mm)

CPU Printer Languages Fonts Memory (RAM)
Standard Interfaces
Optional Interface Network Protocols Operating Systems

Drivers

#### **Controller Options**

256 MB Memory Unit 512 MB Memory Unit IEEE 802.11b/g SX-2500CG Wireless Adaptor

#### **Optional Accessories**

Paper Feed Unit Type TK1010

Part #406019 Paper Size: Letter (8.5" x 11"), A4 (8.3 " x 11.7 "); Paper Weight: 16 - 28 lb. Bond (60 a/m<sup>2</sup>) Capacity: 500 sheets

### **Software Utilities**

SmartDeviceMonitor Web Image Monitor

#### **Consumables and Yields**

Toner Type SP C310A Black	2,500 prints*	Part #406344	
Toner Type SP C310A Cyan	2,500 prints*	Part #406345	
Toner Type SP C310A Magenta	2,500 prints*	Part #406346	
Toner Type SP C310A Yellow	2,500 prints*	Part #406347	
Toner Type SP C310HA Black	6,500 prints*	Part #406475	
Toner Type SP C310HA Cyan	6,000 prints*	Part #406476	
Toner Type SP C310HA Magenta	6,000 prints*	Part #406477	
Toner Type SP C310HA Yellow	6,000 prints*	Part #406478	
Maintenance Kit**	90,000 prints	Part #406081	
Type SP C310			
Intermediate Transfer Unit	90,000 prints	Part #406067	
Type SP C310			
Waste Toner Bottle	55,000 prints	Part #406066	
Type SP C310			
*Declared yield values are in accordance with ISO/IEC 19798. Actual yields may vary based on images printed and other factors.			

Ships with toner kits (2,500 prints for all toners); all other consumables ship at full yield

\*\*Maintenance Kit consists of the Fusing Unit and Transfer Roller. Specifications subject to change without notice.

### Warranty

The Ricoh Aficio SP C311N/SP C312DN is under warranty against defects for a period of one year from the date of purchase. Consumables are under warranty for a period of 90 days from the date of purchase or until depleted, which ever comes first. Please refer to warranty document shipped with the product for more details.



Bringing Ricoh Value to Your Organization Ricoh technology offers a diverse portfolio of solutions to help your organization stay competitive and move ahead. Let Ricoh show you how to empower your business to improve critical processes, keep information secure, ensure compliance and promote environmental sustainability while reducing the total cost of ownership.

Ricoh Americas Corporation, Five Dedrick Place, West Caldwell, NJ 07006 Ricoh<sup>\*</sup> and the Ricoh Logo are registered trademarks of Ricoh Company, Ltd. All other trademarks are the property of thire respective owners. Print speed may be affected by network, application or PC performance. Specifications and external appearances are subject to change without notice. Products are shown with optional features. ed by R2991

