5083EN Narrow Utility Tractor (MY 2012) (69 PTO hp)

Equipment for Base Machine

ENGINE:
83 (61kW) Gross Engine Horsepower @ 2400 RPM*
69 (51kW) PTO Horsepower at 2400 RPM*
4 Cylinder Turbocharged John Deere
PowerTech Diesel Engine
276 C.I.D. (4.5L)
0il Cooler
Dry Type Air Cleaner with Safety Element
Underhood Muffler with Horizontal Exhaust
Anti-Freeze
Water Separator Bowl
Fuel Cooler

Hand and Foot Throttle
Key Engine Shut Off
Fan Finger Guard

TRANSMISSION:

12F/12R PowrReverser
 Electrohydraulic (EH)
 Directional Reverser

Differential Lock
Neutral Start Safety Switch
Wet Traction Clutch

REAR AXLE: Flanged Rear Axle Planetary Final Drives

STEERING AND BRAKES: Hydrostatic Power Steering Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting

HYDRAULICS:
Open Center Hydraulic System
Tandem Gear Pump 19.4 GPM (74 LPM)
Maximum Total FlowSteering Pump 5.9 GPM (22 LPM)
Implement Pump 13.5 GPM (51 LPM)
Hydraulic Oil Cooler

Dual Rear Hydraulic Control Valves

POWER TAKE-OFF SHAFT:
Independent "Live" 540/540E RPM
Shiftable Rear PTO Shaft
Electrohydraulic (EH) Engagement
Operator Presence Safety Warning - PTO
Safety Start Switch
ROCKSHAFT, HITCH AND DRAWBAR:
Electrohydraulic (EH) Rear Rockshaft
3-Point Hitch (Category II) -Convertible to Category I and I-N

Interchangeable Hitch Balls Adjustable Drawbar

INSTRUMENTATION:
Electric Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Gauge
Alternator Indicator Light
Air Restriction Indicator Light
Turn Signal Indicator Light
High Beam Indicator Light
PTO Engagement Light
Speedometer

ELECTRICAL: 12-Volt Electrical System One Battery - 950 CCA** with 180 Minute Reserve Capacity 7-Pin ASAE Outlet Socket

LIGHTS:
Two Front Halogen Headlights

MISCELLANEOUS: SMV Emblem One Piece Tilt-Up Hood

OPEN STATION - 2WD:
Mid-Mount, Folding Roll-Over
Protective Structure (ROPS)
Deluxe Adjustable Vinyl Seat with Seat Belt
Two Rear Folding, Fender-Mounted
Turn/Warning Lights
Two Rear Warning Lights - Fuel Tank Mounted
Dual Tail Lights - Fuel Tank Mounted
Single Rear Work Light
19 U.S. Gallon (72L) Fuel Tank Capacity
70 Amp Alternator
Adjustable Front Axle
8-Position Steel Rear Wheels with
Two 12.4-24 6PR (R1)Tires
Two 7.5-16 6PR (F2) Front Tires
* Manufacturer's Rating
** Cold Cranking Amps

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington

6935LV 5083EN Narrow Utility Tractor (MY 2012) (69 PTO hp) 36,799.00

OPEN STATION/CAB

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2050		OPEN STATION/CABContinued Cab Left Side Door Air Conditioning and Heater Deluxe Adjustable Fabric Covered Seat with Retractable Seat Belt Tilt Steering Wheel Beverage Holder Front Windshield Wiper With Washer Roof-Mounted Work Lights - Two Front/Two Rear Warning Lights - Fixed Position - Two Front (Beltline), Two Rear (Fuel Tank) Inside Mirror Convenience Power Outlet Monitor Mounting Bosses (2 Sets) Swing-Out Rear Window with Removable Rear Plug for Monitor or Control Wiring Harnesses 90 Amp Alternator 19 U.S. Gallon (71.9 L) Fuel Tank Capacity	10,790.00
2000		Open Station	In Base Price
		OPERATORS MANUAL	
0409		English Operators Manual and Decal Kit	In Base Price
0413		French Operators Manual and Decal Kit	Same Price
0437		Spanish Operators Manual and Decal Kit	Same Price
		FRONT AXLE	
6020		2 Wheel Drive	In Base Price
6040		MFWD (4 Wheel Drive) Push Button, On-the-Go Engagement Engagement Indicator Light Auto Engagement Mode Limited Slip Differential 8-Position Standard Steel Rear Wheels with Two 12.4-24 In. 6PR (R1) Bias Tires 2-Position Steel Front Wheels with Two 8.3-16 In. 6PR (R1) Bias Tires	7,756.00
		TRANSMISSION	
1381		12F/12R PowrReverser with 540/540E PTO	In Base Price
1383		24F/24R PowrReverser with 540/540E PTO Push Button, Electrohydraulic (EH) Hi/Lo	1,429.00
		ENGINE EXHAUST	
3020		Vertical Exhaust	-53.00
3010		Horizontal Side Exhaust	In Base Price
		REAR WHEELS WITH TIRES (TWO)	
		All tires offered are of bias ply construction.	
5123		21.5L - 16.1 6PR R3 Bias (Low Profile Field & Turf Tire) 2WD compatible Code 6120. MFWD (4WD) requires Code 6171.	701.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5171		REAR WHEELS WITH TIRES (TWO)Continued 12.4-24 In. 6PR R1 Bias 2WD compatible Codes 6110, 6201, 6215 or 6102. MFWD (4WD) requires Code 6410.	In Base Price
5111		13.6-24 In. 6PR R1 Bias 2WD compatible Codes 6110 or 6102. MFWD (4WD) requires Code 6161.	204.00
5121		14.9-24 In. 8PR R1 Bias 2WD compatible Codes 6110 or 6102. MFWD (4WD) requires Code 6171.	195.00
5181		16.9-24 In. 6PR R1 Bias 2WD compatible Code 6102. MFWD (4WD) requires Code 6104.	299.00
5101		14.9-28 In. 6PR R1 Bias 2WD compatible Code 6102. MFWD (4WD) requires Code 6104.	290.00
5221		16.9R24 In. Two Star R1 Radial 2WD compatible Code 6102. MFWD (4WD) requires Code 6131. Available in Firestone Only.	2,261.00
		FRONT WHEELS WITH TIRES (TWO) All tires offered are of bias ply construction. See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.	
6110		FOR OPTION CODE 1002 (2WD): 9.5L-15 In. 6PR F2 Bias	-8.00
6120		27/12LL - 15 In. 6PR R3 (Turf Special) Bias	455.00
6102		7.50-16 In. 6PR F2 Bias	In Base Price
6161		FOR OPTION CODE 1004 (MFWD - 4 WHEEL DRIVE): 8.0-16.6 ln. 6PR R1 Bias	In Base Price
6171		9.5-16 In. 4PR R1 Bias	189.00
6104		10.5/80-18 In. 10PR I3(R1 Type) Bias	626.00
6131		280/70R18 In. 114A8 R1W Radial MFWD (4WD) requires Code 6040. Available in Firestone Only.	803.00
		REAR HYDRAULIC CONTROL VALVE	
3320		Dual Rear Valve with Lever Controls	In Base Price
3335		Triple Rear Deluxe Valve with Lever Controls Features: - Three selectable detent positions on EACH valve (auto kickout, continuous flow, or no detent)	1,064.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR HYDRAULIC CONTROL VALVEContinued Float position on EACH valve - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve	
		DUAL MID-HYDRAULIC CONTROL VALVE	
3420		Dual Mid Valve with Joystick Control	1,187.00
3400		Less Mid Valve	In Base Price
		ATTACHMENTS - ORDER AS DESIRED Attachments ordered in this section will be factory installed if ordered by code, or may be shipped separately under the bundle number and dealer installed.	
8955		Front Weight Support - 187 Lbs.	298.00
8300		Cold Weather Package Includes Engine Coolant Heater (RE520167).	83.00
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm) Requires (Qty. 2). Order installation hardware separate - See Parts. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154682	Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	LVB25689	Engine: Auxiliary Front Drive Coupler Kit Also order from Parts (R500588) Front Drive Adapter.	121.00
	RE227949	Engine Block Heater (110V)	See Parts
	LVB25110	Heavy Duty Air Intake Pre-Heater 925 CCA battery recommended for optimum performance.	109.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BW15084	Guards: Hood Guard	230.00
	T21709	Hitch and Drawbar: Category I Interchangeable Hitch Ball Two required.	See Parts
	T21706	Category II Interchangeable Hitch Ball Two required.	See Parts
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	R133359	Drawbar - Offset	See Parts
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	See Parts
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	See Parts
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	LVB25976	Hitch: iMatch Quick Hitch Category 1 Includes one set of Bushings(LVU15507)	319.00
	BLV10101	Hydraulics: Dual Mid SCV with Joystick Control Kit Includes components and parts required to install Dual Mid Control Valve on Tractors not equipped with Mid Control Valve.	1,187.00
	LVB25697	Power Beyond Coupler Kit Requires, at least, two rear Hydraulic Control Valves. For Hydraulic Motor Applications, Order Code 7030 or LVB26087 Triple Rear Deluxe Hydraulic Control Valve with Pressure Compensated Flow Control is Recommended. Order Separately.	425.00
	BLV10071	Triple Rear Deluxe Hydraulic Control Valve Kit with Lever Controls For use with Tractors already equiped with Dual Rear Valves. Features: Three selectable detent positions on each valve (auto kickout, continuous flow, or no detent) Float position on each valve Flow priority to #1 valve Pressure compensated flow control for running hydraulics motos on #1 valve Compatible with Model Year 2012 5EN tractors with Serial Numbers 460001, 470001, and after.	1,113.00
	LVB26137	Lighting: Auxiliary Loader Light Kit	396.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	LVB25719	Miscellaneous: 540/1000 RPM PTO Kit for Tractors with Electro-hydraulic PTO, with or without 540/540E PTO, including Narrows models When 540/1000 is installed the 540 Economy cannot be used. Compatible with 5EN Tractors with 24 speed transmissions. Compatible with 5EN Tractors with black chasis 12 Speed Transmissions. See Parts Catalog for specific serial number information.	1,391.00
	LVB25728	Backup Alarm Kit	144.00
	LVB25241	Creeper Conversion Kit - Higher Speed Compatible with 5EN Tractors with 24 speed transmissions. Compatible with 5EN Tractors with black chasis 12 Speed Transmissions. See Parts Catalog for specific serial number information.	1,254.00
	LVB25153	Creeper Conversion Kit - Standard Speed Compatible with 5EN Tractors with 24 speed transmissions. Compatible with 5EN Tractors with black chasis 12 Speed Transmissions. See Parts Catalog for specific serial number information.	1,254.00
	LVB25701	Operator's Manual and Decal Kit - French	No Charge
	LVB25700	Operator's Manual and Decal Kit - Spanish	No Charge
	LVB25727	PowrReverser Modulation Control Kit	131.00
	LVB25369	Single Horn Kit	46.00
	LVB24983	Operator Environment: Air Seat Suspension Kit (Cab Only) Kit converts the narrow cab mechanical suspension to an air suspension seat.	658.00
	LV100112	Exterior Mirror Kit (fits either side)	93.00
	RE265545	Radio, AM/FM Stereo with Clock and Weatherband Cab Tractors only. Requires Standard Cab Antenna Kit (L113922), ordered separately.	See Parts
	RE289629	Radio, AM/FM, CD, with Clock and Weatherband Cab Tractors only. Requires Standard Cab Antenna Kit (L13922) ordered separately.	See Parts
	LV100114	Radio, Deere/Delco Installation Kit Includes Wiring Harness, Dual Speakers, Antenna and Hardware. Requires radio ordered separately.	130.00
	LV100113	Wiper with Washer Kit - Rear Window Requires L156159 (Qty. 1) ordered separately.	276.00
	L169060	Weights: Front Weight Retaining Pin Required when Front Weights are used. Prevents Weights from sliding off of the Front Weight Support. Also requires L12491, Quick Pin, ordered separately.	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	R127764	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Front Suitcase (104 Lb.) Quantity of One Dealer must order 5000 Lbs. to receive free freight through Waterloo Weight Program. Available to Ag Dealers only.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R183722	Weight, Front Support - 187 Lbs. Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, Ordered Separately.	289.00
	R213907	Weight, Rear Wheel 95 Lb.	198.00

5083EN Narrow Utility Tractor (MY 2012) (69 PTO hp) Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

5093EN Narrow Utility Tractor (MY 2012) (79 PTO hp)

Equipment for Base Machine

ENGINE: 93 (69kW) Gross Engine Horsepower @ 2400 RPM* 79 (59kW) PTO Horsepower at 2400 RPM* 4 Cylinder Turbocharged John Deere PowerTech Diesel Engine 276 C.I.D. (4.5L) Oil Cooler Dry Type Air Cleaner with Safety Element Underhood Muffler with Horizontal Exhaust Anti-Freeze Water Separator Bowl Fuel Cooler Hand and Foot Throttle Key Engine Shut Off Fan Finger Guard TRANSMISSION: 12F/12R PowrReverser Electrohydraulic (EH) Directional Reverser Differential Lock Neutral Start Safety Switch

REAR AXLE: Flanged Rear Axle Planetary Final Drives

Wet Traction Clutch

Safety Start Switch

STEERING AND BRAKES:
Hydrostatic Power Steering
Hydraulic Wet Disk Brakes Self-Equalizing
and Self-Adjusting

HYDRAULICS:
Open Center Hydraulic System
Tandem Gear Pump 25 GPM (95 LPM)
Maximum Total Flow Steering Pump 6.6 GPM (25 LPM)
Implement Pump 18.4 GPM (70 LPM)
Hydraulic Oil Cooler
Dual Rear Hydraulic Control Valves
POWER TAKE-OFF SHAFT:
Independent "Live" 540/540E RPM
Shiftable with Rear PTO Shaft
Electrohydraulic (EH) Engagement
Operator Presence Safety Warning - PTO

ROCKSHAFT, HITCH, AND DRAWBAR Electrohydraulic (EH) Rear Rockshaft 3-Point Hitch (Category II)- Convertible to Category I and I-N Interchangeable Hitch Balls Adjustable Drawbar

INSTRUMENTATION:
Electric Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Gauge
Alternator Indicator Light
Air Restriction Indicator Light
Turn Signal Indicator Light
High Beam Light
PTO Engagement Light
Speedometer

ELECTRICAL: 12-Volt Electrical System One Battery - 950 CCA** with 180 Minute Reserve Capacity 7-Pin ASAE Outlet Socket

LIGHTS:
Two Front Halogen Headlights

MISCELLANEOUS:
SMV Emblem
One-Piece Tilt-Up Hood
BASE MACHINE
(OPEN STATION) - 2WD:
Mid-Mount, Folding Roll-Over
Protective Structure (ROPS)
Deluxe Adjustable Vinyl Seat with Seat Belt
Two Rear Folding, Fender-Mounted
Turn/Warning Lights
Two Rear Warning Lights-Fuel Tank Mounted
Dual Tail Lights - Fuel Tank Mounted
Single Rear Work Light
19 U.S. Gallon (72 L) Fuel Tank Capacity
70 Amp Alternator
Adjustable Front Axle
8-Position Steel Rear Wheels with
Two 12.4-24 6PR (R1)Tires
Two 7.5-16 6PR (F2) Front Tires

* Manufacturer's Rating ** Cold Cranking Amperes

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington

6945LV 5093EN Narrow Utility Tractor (MY 2012) (79 PTO hp) 39,490.00

OPEN STATION/CAB

16 May 2012 US & Canada 2-Tractors-00400- 1

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2050		OPEN STATION/CABContinued Cab Left Side Door Air Conditioning and Heater Deluxe Adjustable Fabric Covered Seat with Retractable Seat Belt Tilt Steering Wheel Beverage Holder Front Windshield Wiper With Washer Roof-Mounted Work Lights - Two Front/Two Rear Warning Lights - Fixed Position - Two Front (Beltline), Two Rear (Fuel Tank) Inside Mirror Convenience Power Outlet Monitor Mounting Bosses (2 Sets) Swing-Out Rear Window with Removable Rear Plug for Monitor or Control Wiring Harnesses 90 Amp Alternator 19 U.S. Gallon (71.9 L) Fuel Tank Capacity	10,790.00
2000		Open Station	In Base Price
		OPERATORS MANUAL	
0409		English Operators Manual and Decal Kit	In Base Price
0413		French Operators Manual and Decal Kit	Same Price
0437		Spanish Operators Manual and Decal Kit	Same Price
		FRONT AXLE	
6020		2 Wheel Drive	In Base Price
6040		MFWD (4 Wheel Drive) Push Button, On-the-Go Engagement Engagement Indicator Light Auto Engagement Mode Limited Slip Differential 8-Position Standard Steel Rear Wheels with Two 12.4-24 In. 6PR (R1) Bias Tires 2-Position Steel Front Wheels with Two 8.3-16 In. 6PR (R1) Bias Tires	7,756.00
		TRANSMISSION	
1381		12F/12R PowrReverser with 540/540E PTO	In Base Price
1383		24F/24R PowrReverser with 540/540E PTO Push Button, Electrohydraulic (EH) Hi/Lo	1,429.00
		ENGINE EXHAUST	
3020		Vertical Exhaust	-53.00
3010		Horizontal Side Exhaust	In Base Price
		REAR WHEELS WITH TIRES (TWO)	
		All tires offered are of bias ply construction.	
5123		21.5L - 16.1 6PR R3 Bias (Low Profile Field & Turf Tire) 2WD compatible Code 6120. MFWD (4WD) requires Code 6171.	701.00

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5171		REAR WHEELS WITH TIRES (TWO)Continued 12.4-24 In. 6PR R1 Bias 2WD compatible Codes 6110, 6201, 6215 or 6102. MFWD (4WD) requires Code 6410.	In Base Price
5111		13.6-24 In. 6PR R1 Bias 2WD compatible Codes 6110 or 6102. MFWD (4WD) requires Code 6161.	204.00
5121		14.9-24 In. 8PR R1 Bias 2WD compatible Codes 6110 or 6102. MFWD (4WD) requires Code 6171.	195.00
5181		16.9-24 In. 6PR R1 Bias 2WD compatible Code 6102. MFWD (4WD) requires Code 6104.	299.00
5101		14.9-28 In. 6PR R1 Bias 2WD compatible Code 6102. MFWD (4WD) requires Code 6104.	290.00
5221		16.9R24 In. Two Star R1 Radial 2WD compatible Code 6102. MFWD (4WD) requires Code 6131. Available in Firestone Only.	2,261.00
		FRONT WHEELS WITH TIRES (TWO) All tires offered are of bias ply construction. See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.	
6110		FOR OPTION CODE 1002 (2WD): 9.5L-15 ln. 6PR F2 Bias	-8.00
6120		27/12LL - 15 In. 6PR R3 (Turf Special) Bias	455.00
6102		7.50-16 In. 6PR F2 Bias	In Base Price
6161		FOR OPTION CODE 1004 (MFWD - 4 WHEEL DRIVE): 8.0-16.6 ln. 6PR R1 Bias	In Base Price
6171		9.5-16 In. 4PR R1 Bias	189.00
6104		10.5/80-18 In. 10PR I3(R1 Type) Bias	626.00
6131		280/70R18 ln. 114A8 R1W Radial MFWD (4WD) requires Code 6040. Available in Firestone Only.	803.00
		REAR HYDRAULIC CONTROL VALVE	
3320		Dual Rear Valve with Lever Controls	In Base Price
3335		Triple Rear Deluxe Valve with Lever Controls Features: - Three selectable detent positions on EACH valve (auto kickout, continuous flow, or no detent)	1,064.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR HYDRAULIC CONTROL VALVEContinued - Float position on EACH valve - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve	
		DUAL MID-HYDRAULIC CONTROL VALVE	
3420		Dual Mid Valve with Joystick Control	1,187.00
3400		Less Mid Valve	In Base Price
		ATTACHMENTS - ORDER AS DESIRED Attachments ordered in this section will be factory installed if ordered by code, or may be shipped separately under the bundle number and dealer installed.	
8955		Front Weight Support - 187 Lbs.	298.00
8300		Cold Weather Package Includes Engine Coolant Heater (RE227949) and Heavy Duty Air Intake Preheater (LVB25110).	210.00
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm) Requires (Qty. 2). Order installation hardware separate - See Parts. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154682	Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	LVB25689	Engine: Auxiliary Front Drive Coupler Kit Also order from Parts (R500588) Front Drive Adapter.	121.00
	RE227949	Engine Block Heater (110V)	See Parts
	LVB25110	Heavy Duty Air Intake Pre-Heater 925 CCA battery recommended for optimum performance.	109.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BW15084	Guards: Hood Guard	230.00
	T21709	Hitch and Drawbar: Category I Interchangeable Hitch Ball Two required.	See Parts
	T21706	Category II Interchangeable Hitch Ball Two required.	See Parts
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	R133359	Drawbar - Offset	See Parts
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	See Parts
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	See Parts
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	LVB25976	Hitch: iMatch Quick Hitch Category 1 Includes one set of Bushings(LVU15507)	319.00
	BLV10101	Hydraulics: Dual Mid SCV with Joystick Control Kit Includes components and parts required to install Dual Mid Control Valve on Tractors not equipped with Mid Control Valve.	1,187.00
	LVB25697	Power Beyond Coupler Kit Requires, at least, two rear Hydraulic Control Valves. For Hydraulic Motor Applications, Order Code 7030 or LVB26087 Triple Rear Deluxe Hydraulic Control Valve with Pressure Compensated Flow Control is Recommended. Order Separately.	425.00
	BLV10071	Triple Rear Deluxe Hydraulic Control Valve Kit with Lever Controls For use with Tractors already equiped with Dual Rear Valves. Features: Three selectable detent positions on each valve (auto kickout, continuous flow, or no detent) Float position on each valve Flow priority to #1 valve Pressure compensated flow control for running hydraulics motos on #1 valve Compatible with Model Year 2012 5EN tractors with Serial Numbers 460001, 470001, and after.	1,113.00
	LVB26137	Lighting: Auxiliary Loader Light Kit	396.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	LVB25719	Miscellaneous: 540/1000 RPM PTO Kit for Tractors with Electro-hydraulic PTO, with or without 540/540E PTO, including Narrows models When 540/1000 is installed the 540 Economy cannot be used. Compatible with 5EN Tractors with 24 speed transmissions. Compatible with 5EN Tractors with black chasis 12 Speed Transmissions. See Parts Catalog for specific serial number information.	1,391.00
	LVB25728	Backup Alarm Kit	144.00
	LVB25241	Creeper Conversion Kit - Higher Speed Compatible with 5EN Tractors with 24 speed transmissions. Compatible with 5EN Tractors with black chasis 12 Speed Transmissions. See Parts Catalog for specific serial number information.	1,254.00
	LVB25153	Creeper Conversion Kit - Standard Speed Compatible with 5EN Tractors with 24 speed transmissions. Compatible with 5EN Tractors with black chasis 12 Speed Transmissions. See Parts Catalog for specific serial number information.	1,254.00
	LVB25701	Operator's Manual and Decal Kit - French	No Charge
	LVB25700	Operator's Manual and Decal Kit - Spanish	No Charge
	LVB25727	PowrReverser Modulation Control Kit	131.00
	LVB25369	Single Horn Kit	46.00
	LVB24983	Operator Environment: Air Seat Suspension Kit (Cab Only) Kit converts the narrow cab mechanical suspension to an air suspension seat.	658.00
	LV100112	Exterior Mirror Kit (fits either side)	93.00
	RE265545	Radio, AM/FM Stereo with Clock and Weatherband Cab Tractors only. Requires Standard Cab Antenna Kit (L113922), ordered separately.	See Parts
	RE289629	Radio, AM/FM, CD, with Clock and Weatherband Cab Tractors only. Requires Standard Cab Antenna Kit (L13922) ordered separately.	See Parts
	LV100114	Radio, Deere/Delco Installation Kit Includes Wiring Harness, Dual Speakers, Antenna and Hardware. Requires radio ordered separately.	130.00
	LV100113	Wiper with Washer Kit - Rear Window Requires L156159 (Qty. 1) ordered separately.	276.00
	L169060	Weights: Front Weight Retaining Pin Required when Front Weights are used. Prevents Weights from sliding off of the Front Weight Support. Also requires L12491, Quick Pin, ordered separately.	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	R127764	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Front Suitcase (104 Lb.) Quantity of One Dealer must order 5000 Lbs. to receive free freight through Waterloo Weight Program. Available to Ag Dealers only.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R183722	Weight, Front Support - 187 Lbs. Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, Ordered Separately.	289.00
	R213907	Weight, Rear Wheel 95 Lb.	198.00

5093EN Narrow Utility Tractor (MY 2012) (79 PTO hp) Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

5101EN Narrow Utility Tractor (MY 2012) (86 PTO hp)

Equipment for Base Machine

ENGINE:

101 (75kW) Gross Engine Horsepower @ 2400 RPM*
86 (64kW) PTO Horsepower at 2400 RPM*
4 Cylinder Turbocharged John Deere
PowerTech Diesel Engine
276 C.I.D. (4.5L)
0il Cooler
Dry Type Air Cleaner with Safety Element
Underhood Muffler with Horizontal Exhaust

Anti-Freeze
Water Separator Bowl
Fuel Cooler
Hand and Foot Throttle
Key Engine Shut Off

Hand and Foot Throttle Key Engine Shut Off Fan Finger Guard

TRANSMISSION:
12F/12R PowrReverser
Electrohydraulic (EH)
Directional Reverser
Differential Lock
Neutral Start Safety Switch
Wet Traction Clutch

REAR AXLE: Flanged Rear Axle Planetary Final Drives

STEERING AND BRAKES: Hydrostatic Power Steering Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting

HYDRAULICS:

Open Center Hydraulic System
Tandem Gear Pump 25 GPM (95 LPM)
Maximum Total Flow Steering Pump 6.6 GPM (25 LPM)
Implement Pump 18.4 GPM (70 LPM)
Hydraulic Oil Cooler
Dual Rear Hydraulic Control Valves

POWER TAKE-OFF SHAFT: Independent "Live" 540/540E RPM Shiftable with Rear PTO Shaft Electrohydraulic (EH) Engagement Operator Presence Safety Warning - PTO Safety Start Switch

ROCKSHAFT, HITCH, AND DRAWBAR Electrohydraulic (EH) Rear Rockshaft 3-Point Hitch (Category II)- Convertible to Category I and I-N Interchangeable Hitch Balls Adjustable Drawbar

INSTRUMENTATION:
Electric Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Gauge
Alternator Indicator Light
Air Restriction Indicator Light
Turn Signal Indicator Light
High Beam Light
PTO Engagement Light
Speedometer

ELECTRICAL: 12-Volt Electrical System One Battery - 950 CCA** with 180 Minute Reserve Capacity 7-Pin ASAE Outlet Socket

LIGHTS:
Two Front Halogen Headlights

MISCELLANEOUS:
SMV Emblem
One-Piece Tilt-Up Hood
BASE MACHINE
(OPEN STATION) - 2WD:
Mid-Mount, Folding Roll-Over
Protective Structure (ROPS)
Deluxe Adjustable Vinyl Seat with Seat Belt
Two Rear Folding, Fender-Mounted
Turn/Warning Lights
Two Rear Warning Lights-Fuel Tank Mounted
Dual Tail Lights - Fuel Tank Mounted
Single Rear Work Light
19 U.S. Gallon (72 L) Fuel Tank Capacity
70 Amp Alternator
Adjustable Front Axle
8-Position Steel Rear Wheels with
Two 12.4-24 6PR (R1)Tires
Two 7.5-16 6PR (F2) Front Tires

* Manufacturer's Rating ** Cold Cranking Amperes

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington

6955LV 5101EN Narrow Utility Tractor (MY 2012) (86 PTO hp)

41,291.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPEN STATION/CAB	
2050		Cab Left Side Door Air Conditioning and Heater Deluxe Adjustable Fabric Covered Seat with Retractable Seat Belt Tilt Steering Wheel Beverage Holder Front Windshield Wiper With Washer Roof-Mounted Work Lights - Two Front/Two Rear Warning Lights - Fixed Position - Two Front (Beltline), Two Rear (Fuel Tank) Inside Mirror Convenience Power Outlet Monitor Mounting Bosses (2 Sets) Swing-Out Rear Window with Removable Rear Plug for Monitor or Control Wiring Harnesses 90 Amp Alternator 19 U.S. Gallon (71.9 L) Fuel Tank Capacity	10,790.00
2000		Open Station	In Base Price
		OPERATORS MANUAL	
0409		English Operators Manual and Decal Kit	In Base Price
0413		French Operators Manual and Decal Kit	Same Price
0437		Spanish Operators Manual and Decal Kit	Same Price
		FRONT AXLE	
6020		2 Wheel Drive	In Base Price
6040		MFWD (4 Wheel Drive) Push Button, On-the-Go Engagement Engagement Indicator Light Auto Engagement Mode Limited Slip Differential 8-Position Standard Steel Rear Wheels with Two 12.4-24 In. 6PR (R1) Bias Tires 2-Position Steel Front Wheels with Two 8.3-16 In. 6PR (R1) Bias Tires	7,756.00
		TRANSMISSION	
1381		12F/12R PowrReverser with 540/540E PTO	In Base Price
1383		24F/24R PowrReverser with 540/540E PTO Push Button, Electrohydraulic (EH) Hi/Lo	1,429.00
		ENGINE EXHAUST	
3020		Vertical Exhaust	-53.00
3010		Horizontal Side Exhaust	In Base Price
		REAR WHEELS WITH TIRES (TWO)	
		All tires offered are of bias ply construction.	
5123		21.5L - 16.1 6PR R3 Bias (Low Profile Field & Turf Tire) 2WD compatible Code 6120. MFWD (4WD) requires Code 6171.	701.00

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION REAR WHEELS WITH TIRES (TWO)Continued	SUGGESTED LIST PRICE USD (\$)
5171		12.4-24 In. 6PR R1 Bias 2WD compatible Codes 6110, 6201, 6215 or 6102. MFWD (4WD) requires Code 6410.	In Base Price
5111		13.6-24 In. 6PR R1 Bias 2WD compatible Codes 6110 or 6102. MFWD (4WD) requires Code 6161.	204.00
5121		14.9-24 In. 8PR R1 Bias 2WD compatible Codes 6110 or 6102. MFWD (4WD) requires Code 6171.	195.00
5181		16.9-24 In. 6PR R1 Bias 2WD compatible Code 6102. MFWD (4WD) requires Code 6104.	299.00
5101		14.9-28 In. 6PR R1 Bias 2WD compatible Code 6102. MFWD (4WD) requires Code 6104.	290.00
5221		16.9R24 In. Two Star R1 Radial 2WD compatible Code 6102. MFWD (4WD) requires Code 6131. Available in Firestone Only.	2,261.00
		FRONT WHEELS WITH TIRES (TWO) All tires offered are of bias ply construction. See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.	
6110		FOR OPTION CODE 1002 (2WD): 9.5L-15 ln. 6PR F2 Bias	-8.00
6120		27/12LL - 15 In. 6PR R3 (Turf Special) Bias	455.00
6102		7.50-16 ln. 6PR F2 Bias	In Base Price
6161		FOR OPTION CODE 1004 (MFWD - 4 WHEEL DRIVE): 8.0-16.6 ln. 6PR R1 Bias	In Base Price
6171		9.5-16 In. 4PR R1 Bias	189.00
6104		10.5/80-18 In. 10PR I3(R1 Type) Bias	626.00
6131		280/70R18 In. 114A8 R1W Radial MFWD (4WD) requires Code 6040. Available in Firestone Only.	803.00
		REAR HYDRAULIC CONTROL VALVE	
3320		Dual Rear Valve with Lever Controls	In Base Price
3335		Triple Rear Deluxe Valve with Lever Controls	1,064.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR HYDRAULIC CONTROL VALVEContinued Features: - Three selectable detent positions on EACH valve (auto kickout, continuous flow, or no detent) - Float position on EACH valve - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve	
		DUAL MID-HYDRAULIC CONTROL VALVE	
3420		Dual Mid Valve with Joystick Control	1,187.00
3400		Less Mid Valve	In Base Price
		ATTACHMENTS - ORDER AS DESIRED Attachments ordered in this section will be factory installed if ordered by code, or may be shipped separately under the bundle number and dealer installed.	
8955		Front Weight Support - 187 Lbs.	298.00
8300		Cold Weather Package Includes Engine Coolant Heater (RE227949) and Heavy Duty Air Intake Preheater (LVB25110).	210.00
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm) Requires (Qty. 2). Order installation hardware separate - See Parts. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154682	Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	LVB25689	Engine: Auxiliary Front Drive Coupler Kit Also order from Parts (R500588) Front Drive Adapter.	121.00
	RE227949	Engine Block Heater (110V)	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB25110	ATTACHMENTS FOR FIELD CONVERSIONContinued Heavy Duty Air Intake Pre-Heater 925 CCA battery recommended for optimum performance.	109.00
	BW15084	Guards: Hood Guard	230.00
	T21709	Hitch and Drawbar: Category I Interchangeable Hitch Ball Two required.	See Parts
	T21706	Category II Interchangeable Hitch Ball Two required.	See Parts
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	R133359	Drawbar - Offset	See Parts
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	See Parts
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	See Parts
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	LVB25976	Hitch: iMatch Quick Hitch Category 1 Includes one set of Bushings(LVU15507)	319.00
	BLV10101	Hydraulics: Dual Mid SCV with Joystick Control Kit Includes components and parts required to install Dual Mid Control Valve on Tractors not equipped with Mid Control Valve.	1,187.00
	LVB25697	Power Beyond Coupler Kit Requires, at least, two rear Hydraulic Control Valves. For Hydraulic Motor Applications, Order Code 7030 or LVB26087 Triple Rear Deluxe Hydraulic Control Valve with Pressure Compensated Flow Control is Recommended. Order Separately.	425.00
	BLV10071	Triple Rear Deluxe Hydraulic Control Valve Kit with Lever Controls For use with Tractors already equiped with Dual Rear Valves. Features: Three selectable detent positions on each valve (auto kickout, continuous flow, or no detent) Float position on each valve Flow priority to #1 valve Pressure compensated flow control for running hydraulics motos on #1 valve Compatible with Model Year 2012 5EN tractors with Serial Numbers 460001, 470001, and after.	1,113.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	LVB26137	Lighting: Auxiliary Loader Light Kit	396.00
	LVB25719	Miscellaneous: 540/1000 RPM PTO Kit for Tractors with Electro-hydraulic PTO, with or without 540/540E PTO, including Narrows models When 540/1000 is installed the 540 Economy cannot be used. Compatible with 5EN Tractors with 24 speed transmissions. Compatible with 5EN Tractors with black chasis 12 Speed Transmissions. See Parts Catalog for specific serial number information.	1,391.00
	LVB25728	Backup Alarm Kit	144.00
	LVB25241	Creeper Conversion Kit - Higher Speed Compatible with 5EN Tractors with 24 speed transmissions. Compatible with 5EN Tractors with black chasis 12 Speed Transmissions. See Parts Catalog for specific serial number information.	1,254.00
	LVB25153	Creeper Conversion Kit - Standard Speed Compatible with 5EN Tractors with 24 speed transmissions. Compatible with 5EN Tractors with black chasis 12 Speed Transmissions. See Parts Catalog for specific serial number information.	1,254.00
	LVB25701	Operator's Manual and Decal Kit - French	No Charge
	LVB25700	Operator's Manual and Decal Kit - Spanish	No Charge
	LVB25727	PowrReverser Modulation Control Kit	131.00
	LVB25369	Single Horn Kit	46.00
	LVB24983	Operator Environment: Air Seat Suspension Kit (Cab Only) Kit converts the narrow cab mechanical suspension to an air suspension seat.	658.00
	LV100112	Exterior Mirror Kit (fits either side)	93.00
	RE265545	Radio, AM/FM Stereo with Clock and Weatherband Cab Tractors only. Requires Standard Cab Antenna Kit (L113922), ordered separately.	See Parts
	RE289629	Radio, AM/FM, CD, with Clock and Weatherband Cab Tractors only. Requires Standard Cab Antenna Kit (L13922) ordered separately.	See Parts
	LV100114	Radio, Deere/Delco Installation Kit Includes Wiring Harness, Dual Speakers, Antenna and Hardware. Requires radio ordered separately.	130.00
	LV100113	Wiper with Washer Kit - Rear Window Requires L156159 (Qty. 1) ordered separately.	276.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	L169060	Weights: Front Weight Retaining Pin Required when Front Weights are used. Prevents Weights from sliding off of the Front Weight Support. Also requires L12491, Quick Pin, ordered separately.	See Parts
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One Dealer must order 5000 Lbs. to receive free freight through Waterloo Weight Program. Available to Ag Dealers only.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R183722	Weight, Front Support - 187 Lbs. Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, Ordered Separately.	289.00
	R213907	Weight, Rear Wheel 95 Lb.	198.00

5101EN Narrow Utility Tractor (MY 2012) (86 PTO hp) Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

5100MH Specialty Utility Tractor (MY 2012) (85 PTO hp)

Equipment for Base Machine

ENGINE:

100 Engine Horsepower @ 2200RPM*
85 PTO Horsepower @ 2100 RPM*
Turbocharger with Intercooler
PowerTech Diesel Engine
4 Valve HPCR
Dry Type Air Cleaner with Safety Element
Underhood Muffler with Vertical Exhaust Stack
Cold Weather Package
Hand and Foot Throttle
Key Engine Shut Off
Water Separator Bowl

TRANSMISSION:

12F/4R SyncShuttle Plus Transmission Right Hand Speed Controls EH Differential Lock Oil Cooler (DT Dependent) Wet Traction Clutch Park Lock Neutral Start Safety Switch

REAR AXLE:

Flanged Rear Axle Planetary Final Drives

FRONT AXLE:

Mechanical Front Wheel Drive Front Axle Planetary Final Drives Electro-Hydraulic MFWD Engagement via On/Auto/Brake

STEERING AND BRAKES:
Hydrostatic Power Steering
Hydraulic Wet Disk Brakes Self-Equalizing
and Self-Adjusting

HYDRAULIC:

Open Center Hydraulic System
Tandem Gear Pump 24.7 GPM
Maximum Total Flow Steering Pump 6.3 GPM (23.7 LPM)
Implement Pump 18.4 GPM
Dual Rear SCV Control Valves

POWER TAKE-OFF SHAFT:
Independent "Live" 540 RPM Rear PTO Shaft
@ 2100 Engine RPM
Economy PTO Setting for 540 PTO RPM
@ 1645 Engine RPM
Electro-Hydraulic PTO Engagement
Wet PTO Clutch
Operator Presence Safety Warning - PTO
Safety Start Switch
Flip Up PTO Shield
ROCKSHAFT, HITCH AND DRAWBAR:
56mm Lift Cylinder
Heavy Duty Straight Drawbar
Telescoping Draft Links with
Category II Balls

INSTRUMENTATION: Electric Fuel Gauge Flashing Warning Lamp High Beam Indicator Light Service Transmission Indicator PTO Speed Indicator/Roll Mode Neutral Indicator (PR Only) Tachometer/Hour Meter Engine Oil Pressure Hydraulic Temperature Indicator Coolant Temperature Gauge Alternator Indicator Light Air Restriction Indicator Light Exhaust Filter Cleaning Switch Roll Mode for Instrument Cluster PTO Engagement Light (Rear PTO) 4WD Engagement Light (4WD Front Axle Only Hi/Lo Transmission Indicator Light (32/16 Transmission Only)

ELECTRICAL:

12-Volt Electrical System One Battery - 950 CCA** with 180 Minute Reserve Capacity 7-Pin ASAE Outlet Socket

LIGHTS:

Two Front Halogen Headlights
Two Turn/Warning Lights

MISCELLANEOUS: SMV Emblem Toolbox English Operator's Manual

OPEN OPERATOR STATION:
2-Post Foldable Roll-Over Protective
Structure (ROPS) Less Canopy
Vinyl Seat with Flip Up Feature and
Retractable Seat Belt
Tilt and Telescopic Steering Column
40 U.S. Gallon (80L) Fuel Tank Capacity
70 Amp Alternator
Flashing Warning Light
Dual Tail Lights
Single Rear Work Light
Beverage Holder
8-Position Standard Steel Rear Wheels
with Two 230/95R40 122A8 R1 Radial Tires
Two 230/95R40 122A8 R1 Radial Front Tires

* Manufacturer's Rating ** Cold Cranking Amps

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

Lower Link Draft Sensing

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINEContinued EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington	
2550LV		5100MH Specialty Utility Tractor (MY 2012) (85 PTO hp)	58,095.00
		OPEN STATION/CAB	
2000		Open Operator Station Fixed Open Operator Station with Flat Floor Tilt and Telescopic Steering Column 2-Post Foldable Roll-Over Protection Structure (ROPS) Base Seat with Flip Up Feature and Retractable Seat Belt 40 U.S. Gallon Fuel Tank Capacity (External and Inner Fuel Tank) Beverage Holder 70 AMP Alternator Flashing Warning Lights Dual Taillights Single Rear Work Light (5100MH Only)	In Base Price
2055		Cab Plus Deluxe Isolated Cab with Flat Floor Tilt and Telescopic Steering Column Left and Right Side Doors with Steps Air Conditioning and Heater Deluxe Adjustable Fabric Seat with Retractable Seat Belt Speedometer Beverage Holder Sunvisor for Front Window 2-Speed Front Windshield Wiper and Washer Two Front/Two Rear Roof-Mounted Work Lights Two Front/Two Rear Roof-Mounted Warning Lights Two Fender-Mounted Taillights 90 Amp Alternator Convenience Power Outlet Monitor Mounting Bosses (2 Sets) 46 U.S. Gallon Fuel Tank Capacity (5100MH) Swing-out Rear Window with Two Removable Rear Plugs for Monitor Right Hand Console Light Radio Preparation (with speakers, wiring) Swivel Seat with Adjustable Seat Pan Requires MFWD (6040)	11,881.00
2060		Deluxe Cab Deluxe Isolated Cab with Flat Floor Tilt and Telescopic Steering Column Left and Right Side Doors with Steps Air Conditioning and Heater Deluxe Adjustable Fabric Seat with Retractable Seat Belt Speedometer Beverage Holder Sunvisor for Front Window 2-Speed Front Windshield Wiper and Washer Two Front/Two Rear Roof-Mounted Work Lights Two Front/Two Rear Roof-Mounted Warning Lights Two Fender-Mounted Taillights 90 Amp Alternator Convenience Power Outlet Monitor Mounting Bosses (2 Sets) 46 U.S. Gallon Fuel Tank Capacity (5100MH) Swing-out Rear Window with Two Removable Rear Plugs for Monitor Right Hand Console Light Radio Preparation (with speakers, wiring) Swivel Seat with Adjustable Seat Pan Load View Window (Sunroof) with Shade	13,464.00

ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	OPEN STATION/CABContinued Deluxe Sound System with Bluetooth and Satellite Radio Ready Rear Window Wiper Deluxe Corner Post Exhaust Radio Antenna Additional Defrost Louvers Requires PowrReverser Transmission (1382) Requires MFWD (6040) Requires EH Hitch Controls (4030)	
	CAB OPTIONS	
	Instructional Seat with Seatbelt	522.00
	Less Instructional Seat	In Base Price
	OPERATORS MANUAL	
	English Operators Manual and Decal Kit	In Base Price
	French Operators Manual and Decal Kit	Same Price
	Spanish Operators Manual and Decal Kit	Same Price
	FRONT AXLE	
	MFWD (4 Wheel Drive) Limited Slip Differential Push Button, On-the-Go Engagement Engagement Indicator Light on SyncReverser and PowrReverser Transmissions Auto Engagement Mode on PowrReverser Transmissions (Code 1380 or 1382)	In Base Price
	TRANSMISSION	
	12F/4R SyncShuttle Plus Transmission - 540/540E with Creeper Requires 4 Wheel Drive Front Axle (Code 6040). Requires Base OOS (Code 2000) or Base Cab Plus (Code 2055).	In Base Price
	16F/16R PowrReverser Transmission - 540/540E with Creeper Electrohydraulic (EH) Directional Reverser Hydraulic Oil Cooler Neutral Indicator Service Hitch Indicator Service Engine Indicator Requires MFWD (Code 6040).	2,890.00
	FNGINE EXHAUST	
	Vertical Exhaust	In Base Price
	Deluxe Cornerpost Exhaust Compatible with Cab Plus Only (Code 2055). In base equipment on Deluxe Cab (Code 2060).	827.00
	REAR WHEELS WITH TIRES (TWO)	
		OPEN STATION/CABContinued Deluxe Sound System with Bluetooth and Satellite Radio Ready Rear Window Wiper Deluxe Corner Post Echaust Radio Antenna Additional Defrost Louvers Requires PowrReverser Transmission (1382) Requires MFWD (6040) Requires EH Hitch Controls (4030) CAB OPTIONS Instructional Seat with Seatbelt Less Instructional Seat OPERATORS MANUAL English Operators Manual and Decal Kit French Operators Manual and Decal Kit Spanish Operators Manual and Decal Kit FRONT AXLE MFWD (4 Wheel Drive) Limited Slip Differential Push Butnon, On-the-Go Engagement Engagement Indicator Light on SyncReverser and PowrReverser Transmissions Auto Engagement Mode on PowrReverser Transmissions (Code 1380 or 1382) TRANSMISSION 12F/4R SyncShuttls Plus Transmission - 540/540E with Creeper Requires 4 Wheel Drive Front Asle (Code 6040). Requires Base OOS (Code 2000) or Base Cab Plus (Code 2055). 16F/16R PowrReverser Transmission - 540/540E with Creeper Electrohydraulic (EH) Directional Reverser Hydraulic Oil Cooler Neutral Indicator Service Bitch Indicator Service Engine Indicator Requires MFWD (Code 6040). ENGINE EXHAUST Vertical Exhaust Deluxe Cornepost Exhaust Compatible with Cob Plus Only (Code 2055). In base equipment on Deluxe Cab (Code 2060).

5100MH Specialty Utility Tractor (MY 2012) (85 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5302		REAR WHEELS WITH TIRES (TWO)Continued 13.6-38 In. 6PR R2 Tube Bias MFWD (4WD) requires Code 6302.	-168.00
5301		230/95R40 122A8 R1 Radial <i>MFWD (4WD) requires Code 6301.</i>	In Base Price
		FRONT WHEELS WITH TIRES (TWO)	
		All tires offered are of bias ply construction. See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.	
6302		FOR OPTION CODE 1004 (MFWD - 4 WHEEL DRIVE): 13.6-38 In. 6PR R2 Tube Bias	-168.00
6301		230/95R40 122A8 R1 Radial	In Base Price
		REAR HYDRAULIC CONTROL VALVE	
3320		Dual Rear Valve with Lever Controls	-1,113.00
3330		Triple Rear Deluxe Valve with Lever Controls Features: - Three selectable detent positions on EACH valve (auto kickout, continuous flow, or no detent) - Float position on EACH valve - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve	In Base Price
		HITCH CONTROLS	
4010		Mechanical	In Base Price
4030		Electrohydraulic (EH) with remote LH fender control	444.00
		MID-HYDRAULIC CONTROL VALVE	
3400		Less Mid Valve	In Base Price
3420		Dual Mid Valve with Joystick Control Includes engine side frames.	1,244.00
3430		Triple Mid Valve with Joystick Control Features: - Valve #1 Push button, Electrohydraulic (EH) control Priority flow Pressure compensated flow control (0 - 12 GPM) for intermittent hydraulic applications - Valve #2 - Float position - Valve #3 - Extend/Retract positions ONLY Includes Engine Side Frames.	2,131.00

ATTACHMENTS - ORDER AS DESIRED

Attachments ordered in this section will be factory installed if ordered by code, or may be

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION ATTACHMENTS - ORDER AS DESIREDContinued shipped separately under the bundle number and dealer installed.	SUGGESTED LIST PRICE USD (\$)
8955		Front Weight Support - 187 Lbs.	298.00
8458		63mm Hitch Lift Cylinders lbs.[kg] 5935 [2692] @ 24" [610mm]	585.00
8300		Cold Weather Package	220.00
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154682	Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	LVB24989	Engine: Auxiliary Front Drive Coupler Kit Kit contains all necessary parts with hardware.	889.00
	RE227949	Engine Block Heater (110V)	See Parts
	LVB25110	Heavy Duty Air Intake Pre-Heater 925 CCA battery recommended for optimum performance.	109.00
	LVB25787	Radiator Clean Out Screen Compatible with cab model only.	56.00
	RE282652	Side Exhaust for 4045 Engines <i>Also order (1) 14M7296, (1) R276417, (1) 19M7785, (1) 19M7646, (1) 24M7085.</i>	See Parts
	LVB25714	Fenders: Rear Fender Extension Kit Cab Tractors only.	186.00
	LVB25066	Rear Fender Extension Kit Open Station Tractors only (Code 2003).	413.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	BW15683	Guards: Brush Guard Requires BW15657 Hood Guard.	114.00
	BW15657	Hood Guard	236.00
	T21709	Hitch and Drawbar: Category I Interchangeable Hitch Ball Two required.	See Parts
	T21706	Category II Interchangeable Hitch Ball Two required.	See Parts
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	LVB25949	Drawbar - Hammerstrap and Chain Clevis Kit Kit contains all necessary parts and hardware (instructions included).	125.00
	LVB25716	Electrohydraulic (EH) Hitch Right Fender Switch Kit Cab Tractors (Code 2034) and Electrohydraulic (EH) Hitch (Code 4002) ONLY.	134.00
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	LVB25976	Hitch: iMatch Quick Hitch Category 1 Includes one set of Bushings(LVU15507)	319.00
	LVB24995	Hydraulics: Dual Mid SCV to Triple Mid SCV Conversion Kit Includes components and parts required to install Triple Mid Control Valve on Tractors already equipped with Dual Mid and Rear Control Valves.	1,586.00
	LVB24993	Dual Mid SCV with Joystick Control Kit Includes components and parts required to install Dual Mid Control Valve on Tractors not equipped with Mid Control Valve.	1,143.00
	LVB24991	Dual Rear SCV Kit with Lever Controls Open Station Tractors only (Code 2003). Includes components and parts required to install Dual Rear Control Valve on Tractors not equipped with any Rear Control Valve.	1,017.00
	LVB24990	Dual Rear SCV with Lever Control Kit Compatible with Cab models only. (Code 2034). Includes components and parts required to install dual rear control valve on Tractors not equipped with any rear control valve.	1,071.00
	LVB25093	Oil Collection System Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware and instructions included).	100.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB24996	ATTACHMENTS FOR FIELD CONVERSIONContinued Power Beyond Coupler Kit for 5M Series Tractors Not compatible with Code 5095 (Less Rear Control Valve).	349.00
	LVB24992	Triple Deluxe Rear SCV with Lever Control Kit For use with Tractors ALREADY equipped with Dual Rear Valves. Features: - Three selectable detent positions on EACH valve (auto kickout, continuous flow, or no detent) -Float position one EACH valve - Flow priority to #1 valve - Pressure compensated flow	2,188.00
	BLV10071	Triple Rear Deluxe Hydraulic Control Valve Kit with Lever Controls For use with Tractors already equiped with Dual Rear Valves. Features: Three selectable detent positions on each valve (auto kickout, continuous flow, or no detent) Float position on each valve Flow priority to #1 valve Pressure compensated flow control for running hydraulics motos on #1 valve Compatible with Model Year 2012 5EN tractors with Serial Numbers 460001, 470001, and after.	1,113.00
	LVB25720	Lighting: Auxiliary Work Light Kit Cab Tractors (Code 2034) ONLY.	134.00
	LVB25713	Beacon Light Kit Cab Tractors (Code 2034) ONLY.	211.00
	LVB25729	Brake Light Kit Cab Tractors (Code 2034) ONLY.	98.00
	RE205274	Miscellaneous: 120 Amp Alternator	See Parts
	LVB25022	Backup Alarm Kit	146.00
	LVB26136	Engine Side Frame Kit Includes left and right engine side frames and mounting components. Required for use with front-mounted implements.	220.00
	LVB25812	Front Handrail Kit Compatible with Open Operator Station Models only (Code 2003). Kit contains Handrail, Shield and all necessary hardware for both sides.	248.00
	LVB25727	PowrReverser Modulation Control Kit	131.00
	LVB24988	Single Horn Kit	46.00
	L113922	Operator Environment: Antenna All SM Series Cab Tractors are "Radio Ready", including Radio Wiring Harness and Speakers as Standard Equipment. Requires Radio Ordered Separately.	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AH104259	Ash Tray Cab Tractors (Code 2034) ONLY.	See Parts
	LVB25717	Cab Instructional Seat Kit Cab Tractors (Code 2034) ONLY.	494.00
	LVB25785	Canopy - Deluxe Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	857.00
	LVB25334	Canopy - Standard Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	520.00
	LVB25783	Canopy Mounting Kit Operator Stations Only (Code 2003). Canopy ordered separately.	67.00
	AR60937	Cigarette Lighter Cab Tractors (Code 2034) ONLY.	See Parts
	AL153405	Field Office Cab Tractors (Code 2034) ONLY. Requires (2) R205546 and (4) 37M7355 Ordered Separately.	See Parts
	AL80126	Mirror, Telescopic, LH, Manually Adjustable Cab Tractors (Code 2034) ONLY.	149.00
	AL80127	Mirror, Telescopic, RH, Manually Adjustable Cab Tractors (Code 2034) ONLY.	149.00
	RE68495	Power Strip with Six Outlets Cab Tractors (Code 2034) ONLY. Requires (1) RE67013, (1) RE67014, and (1) RE67015 Ordered Separately.	See Parts
	RE265545	Radio, AM/FM Stereo with Clock and Weatherband Cab Tractors only. Requires Standard Cab Antenna Kit (L113922), ordered separately.	See Parts
	RE289629	Radio, AM/FM, CD, with Clock and Weatherband Cab Tractors only. Requires Standard Cab Antenna Kit (L13922) ordered separately.	See Parts
	LVB25501	Seat Armrest Kit Open Operator Station (Code 2003) Tractors ONLY.	128.00
	AT162291	Seat Backrest Extension Cab Tractors (Code 2034) ONLY.	See Parts
	LVB25712	Wiper with Washer Kit - Rear Window Cab Tractors (Code 2034) ONLY.	297.00
	LVB24999	PTO: 1000/540/540E RPM Power Take Off Kit Not compatible with any Tractor equipped with a single speed PTO (540 only).	1,319.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL113087	ATTACHMENTS FOR FIELD CONVERSIONContinued Lockable Fuel Tank Cap	See Parts
	T32146	Weights: Front Weight Retaining Pin Required when Front Weights are used. Prevents Weights from sliding off of the Front Weight Support. Also requires L12491, Quick Pin, ordered separately.	See Parts
	R262449	Front Weight Support, 187 Lbs	See Parts
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One Dealer must order 5000 Lbs. to receive free freight through Waterloo Weight Program. Available to Ag Dealers only.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R213907	Weight, Rear Wheel 95 Lb.	198.00
	LVB26074	Wheel Equipment: Hi-Crop Wheel Spacer Kit	745.00
	AL156778	Wheel Spacers, MFWD, 2.36 In. (60 mm) with Hardware (Qty 2) Fits MFWD and Rear Axles. Tread setting should not exceed 80 In. for maximum load applications. Contains (2) L154685 Hubs, (16) 24M7242 washers, and (16) L152521 bolts. For other hub thickness, see Parts.	575.00

5100MH Specialty Utility Tractor (MY 2012) (85 PTO hp) Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

5115ML Utility Tractor (MY2012)

Equipment for Base Machine

ENGINE
115 Engine Horsepower @ 2200RPM*
100 PTO Horsepower @ 2100 RPM*
Turbocharger with Intercooler
 PowerTech Diesel Engine
4 Valve HPCR
Dry Type Air Cleaner with Safety Element
Underhood Muffler
Cold Weather Package
Hand and Foot Throttle
Key Engine Shut Off

TRANSMISSION
16F/16R PowrReverser Transmission
Right Hand Speed Controls
EH Differential Lock
Oil Cooler (DT Dependent)
Wet Traction Clutch
Park Lock
Neutral Start Safety Switch
B+C+D Range Synchronization (PowrReverser Only)

REAR AXLE Flanged Rear Axle Planetary Final Drives

Water Separator Bowl

FRONT AXLE
Two Wheel Drive Front Axle

STEERING AND BRAKES
Hydrostatic Power Steering
Hydraulic Wet Disk Brakes Self-Equalizing
and Self-Adjusting

HYDRAULIC
Open Center Hydraulic System
Tandem Gear Pump 24.7 GPM
Maximum Total Flow Steering Pump 6.3 GPM (23.7 LPM)
Implement Pump 18.4 GPM
Triple Rear SCV Control Valves

POWER TAKE-OFF SHAFT
Independent "Live" 540 RPM Rear PTO Shaft
@ 2100 Engine RPM
Economy PTO Setting for 540 PTO RPM
@ 1645 Engine RPM
Electro-Hydraulic PTO Engagement
Wet PTO Clutch
Operator Presence Safety Warning - PTO
Safety Start Switch
Flip Up PTO Shield

ROCKSHAFT, HITCH AND DRAWBAR 63mm Lift Cylinder Heavy Duty Drawbar Telescoping Draft Links with Category II Balls Lower Link Draft Sensing

INSTRUMENTATION
Electric Fuel Gauge
Flashing Warning Lamp
High Beam Indicator Light
Service Transmission Indicator
PTO Speed Indicator/Roll Mode
Neutral Indicator (PR Only)
Tachometer/Hour Meter
Engine Oil Pressure
Hydraulic Temperature Indicator
Coolant Temperature Gauge
Alternator Indicator Light
Air Restriction Indicator Light
Exhaust Filter Cleaning Switch
Roll Mode for Instrument Cluster
PTO Engagement Light (Awd Front Axle Only)
4WD Engagement Light (4WD Front Axle Only)

ELECTRICAL
12-Volt Electrical System
One Battery - 950 CCA** with
180 Minute Reserve Capacity
7-Pin ASAE Outlet Socket

LIGHTS
Two Front Halogen Headlights
Two Turn/Warning Lights

MISCELLANEOUS SMV Emblem English Operator's Manual

OPEN OPERATOR STATION
2-Post Foldable Roll-Over Protective
Structure (ROPS) Less Canopy
Vinyl Seat with
Retractable Seat Belt
Tilt and Telescopic Steering Column
40 U.S. Gallon Fuel Tank Capacity
70 Amp Alternator
Flashing Warning Light
Dual Tail Lights
Beverage Holder
Two Rear Work Lights
8-Position Standard Steel Rear Wheels
Two:19.5L-24 10PR R4 Tires
Two:11L-15 8PR F3 Truck Type Tires

* Manufacturer's Rating
** Cold Cranking Amps

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas;

5115ML Utility Tractor (MY2012) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINEContinued Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington	
2560LV		5115ML Utility Tractor (MY2012)	53,605.00
		OPEN STATION/CAB	
2000		Open Operator Station Low Profile Fixed Open Operator Station with Flat Floor Tilt and Telescopic Steering Column 2-Post Foldable Roll-Over Protection Structure (ROPS) Base Seat with Flip Up Feature and Retractable Seat Belt 40 U.S. Gallon Fuel Tank Capacity (External and Inner Fuel Tank) Beverage Holder 70 AMP Alternator Flashing Warning Lights Dual Taillights Two Rear Work Lights (5115ML Only)	In Base Price
		OPERATORS MANUAL	
0409		English Operators Manual and Decal Kit	No Charge
0413		French Operators Manual and Decal Kit	No Charge
0437		Spanish Operators Manual and Decal Kit	No Charge
		FRONT AXLE	
6020		2 Wheel Drive	In Base Price
6040		MFWD (4 Wheel Drive) Limited Slip Differential Push Button, On-The-Go Engagement Engagement Indicator Light on PowrReverser Transmissions. Auto Engagement Mode on PowrReverser Transmissions.	6,421.00
		TRANSMISSION	
1380		16F/16R PowrReverser Transmission - 540/540E Electrohydraulic (EH) Directional Reverser Electrohydraulic Differential Lock Oil Cooler (DT dependent) Wet Traction Clutch Wet PTO Clutch Park Lock Neutral Start Safety Switch B-C-D Range Synchronization	In Base Price
		ENGINE EXHAUST	
3010		Horizontal Side Exhaust	In Base Price
		REAR WHEELS WITH TIRES (TWO)	
		All tires offered are of bias ply construction unless otherwise stated.	
5303		21.5L-16.1 R3 Bias (Button Tire) 2wd compatible Code 6112 or 6213 or 8213.	-355.00

	ATTACHMENT		SUGGESTED LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)
		REAR WHEELS WITH TIRES (TWO)Continued MFWD (4wd) required Code 6111.	
5914		19.5L-24 10PR R4 2wd compatible Code 6113. MFWD (4WD) requires Code 6133.	In Base Price
5121		16.9-30 6PR R1 2wd compatible Code 6112 or 6113. MFWD (4WD) requires Code 6111.	-80.00
		FRONT WHEELS WITH TIRES (TWO)	
		All tires offered are of bias ply construction unless otherwise stated. See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.	
6113		FOR OPTION CODE 6020 (2WD - 2 WHEEL DRIVE): 11L-15 8PR F3 Truck Type	In Base Price
0113		TIL-13 OFK F3 HUGKType	III base Filce
6112		11L-15 8PR F2	-22.00
6103		27-12LL-15 6PR R3 Turf Button Tire Option.	372.00
6111		FOR OPTION CODE 6040 (MFWD - 4 WHEEL DRIVE): 11.2-24 ln. 6PR R1 Bias	-49.00
6133		12.5/80-18 6PR I3	In Base Price
6303		9.5-16 6PR Bias Button tire front MFWD.	-396.00
		REAR HYDRAULIC CONTROL VALVE	
3320		Dual Rear Valve with Lever Controls	-1,113.00
3330		Triple Rear Deluxe Valve with Lever Controls Features: - Three selectable detent positions on EACH valve (auto kickout, continuous flow, or no detent) - Float position on EACH valve - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve	In Base Price
		HITCH CONTROLS	
4010		Mechanical	In Base Price
		MID-HYDRAULIC CONTROL VALVE	
3400		Less Mid Valve Does not include engine side frames.	In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
3420		MID-HYDRAULIC CONTROL VALVEContinued Dual Mid Valve with Joystick Control Includes engine side frames.	1,244.00
		ATTACHMENTS - ORDER AS DESIRED	
		Attachments ordered in this section will be factory installed if ordered by code, or may be shipped separately under the bundle number and dealer installed.	
8915		Loader Preparation Package AVAILABLE FOR ORDERING EARLY 2012. Includes mounting frames and hood guard.	1,542.00
8955		Front Weight Support - 187 Lbs.	298.00
8300		Cold Weather Package	220.00
8330		Guards: Skid Plate, Fuel Tank and Steering Line Guarding Package	800.00
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	BLV10107	Guards: Guard Kit, Fuel Tank Includes parts that make up Kit LVB25779 with additional protective components. Compatible with the 5115ML (2560LV).	231.00

5045D Utility Tractor

Equipment for Base Machine

ENGINE:
45 (33.1 kW) 97/68/EC Engine Horsepower @ 2300* RPM
37 (27.3 kW) PTO Horsepower @ 2200
3 Cylinder Turbocharged John Deere
PowerTech Diesel Engine
179 C.I.D. (2.9L)
Dry Type Air Cleaner with Safety Element
Underhood Muffler with Vertical Exhaust Stack
Anti-Freeze
Hand and Foot Throttles
Key Engine Shutoff
Fan Finger Guard
Heavy Duty Air Intake Pre-Heater

TRANSMISSION:

8F/4R Inline Forward-Reverse - 1R, 2R, 3R and 4R Synchronized Shifting (A-R) and non-synchronized speed shifts Right Hand Shifted Speeds Left Hand Shifted Ranges Differential Lock

REAR AXLE: Flanged Rear Axle

Flanged Rear Axle Planetary Final Drives

Neutral Start Safety Switch

STEERING AND BRAKES:
Hydrostatic Power Steering
Mechanically Actuated Wet Disk Brakes
Positive Brake Pedal Latch / Release Lever on
Control Console
HYDRAULICS:
Open Center Hydraulic System
Tandem Gear Pump 17.4 GPM (66 LPM)
Maximum Total Flow
Steering Pump 6.5 GPM (24.6 LPM)
Implement Pump 10.9 GPM (41.4 LPM)

POWER TAKE-OFF SHAFT: Independent "Live" 540 RPM Rear PTO Shaft Operator Presence Safety Warning - PTO Safety Start Switch

ROCKSHAFT, HITCH AND DRAWBAR:
Rear Rockshaft with Position Control,
Draft Control, and Adjustable
Rate of Drop
3-Point (Category II) Hitch

One Rear Selective Control Valve

with Sway Chains -Convertible to Category I Adjustable Drawbar

INSTRUMENTATION:
Electric Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Gauge
Alternator Indicator Light
Air Restriction Indicator Light
Turn Signal Indicator Light
High Beam Light
PTO Engagement Light

ELECTRICAL: 12-Volt Electrical System One Battery - 623 CCA** with 145 Minute Reserve Capacity 40 Amp Alternator

LIGHTS: Two Front Halogen Headlights Two Turn/Flashing Warning Lights

MISCELLANEOUS: SMV Emblem Tilt-Up Hood Fender Mounted Toolbox

Two Tail Lights

BASE MACHINE:
2-Post Foldable Roll-Over Protective
Structure (ROPS)
Deluxe Adjustable Vinyl Seat with
Retractable Seat Belt
16 U.S. Gallon (60 L) Fuel Tank Capacity
Adjustable Front Axle (56-80 In.)
8-Position Steel Rear Wheels with
Two 13.6-28 6PR (R1) Tires
Two 7.50-16 6PR (F2) Front Tires

* Manufacturer's Rating
** Cold Cranking Amps

	ATTACHMENT	
CODE	IDENTIFIER	DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington

1701LV 5045D Utility Tractor 16,090.00

DESTINATION

0200 North America In Base Price

5045D Utility Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATORS MANUAL	
0402		English Operators Manual and Decal Kit	In Base Price
0404		French Operators Manual and Decal Kit	Same Price
0408		Spanish Operators Manual and Decal Kit	Same Price
		FRONT AXLE	
1220		2 Wheel Drive Includes 8F/4R Inline Forward-Reverse - 1R, 2R, 3R and 4R Synchronized Shifting (A-R) and Non-Synchronized Speed Shifts.	In Base Price
		HYDRAULIC CONTROL VALVES	
3500		Less Mid Valves Requires Code 1220.	In Base Price
		REAR WHEELS WITH TIRES (TWO)	
5010		21.5L-16.1 In. 6PR R3 Bias Code 1220 requires Code 6010.	582.00
5037		16.9-24 In. 6PR R4 Bias Code 1220 requires Code 6020.	200.00
5040		13.6-28 In. 4PR R1 Bias Code 1220 requires Code 6030.	In Base Price
5045		14.9-28 In. 6PR R1 Bias Code 1220 requires Code 6030.	242.00
5050		16.9-28 In. 6PR R1 Bias Code 1220 requires Code 6030.	494.00
		FRONT WHEELS WITH TIRES (TWO)	
6010		FOR OPTION CODE 1002 (2WD): 27/12LL-15 In. 6PR Turf Special Bias	461.00
6020		11L-15 In. 8PR F3(Truck Type) Bias	88.00
6030		7.50-16 In. 6PR F2 Bias	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Axle - Rear:

L154683 Rear Axle 1.2 In. Extension (30 mm)

Two required.

Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.

See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	L154682	ATTACHMENTS FOR FIELD CONVERSIONContinued Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	LV150155	Engine: Engine Coolant Heater Kit (3 Cyl.)	82.00
	LVB25110	Heavy Duty Air Intake Pre-Heater 925 CCA battery recommended for optimum performance.	109.00
	LVB26028	Horizontal Side Exhaust Compatible on 5D Series only.	263.00
	T12553	Hitch and Drawbar: Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	R133359	Drawbar - Offset	See Parts
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	See Parts
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	See Parts
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
		Hitch:	
	DE19487	Left Hand Telescopic Draft Link	See Parts
	DE19486	Right Hand Telescopic Draft Link	See Parts
	LVB25826	Hydraulics: Mid-Mount Dual SCV with Joystick Control Compatible with 5D Series Tractors.	1,137.00
	LVB25827	Second Rear SCV with Detented Float and Lever Control Compatible with 5D Series Tractors.	667.00
	LVB25547	Lighting: Rear Work Light (1 Light)	57.00
	LVB25926	Miscellaneous: Single Horn Kit	46.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	LVB25785	Operator Environment: Canopy - Deluxe Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately.	857.00
	LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately.	520.00
	LVB25332	Canopy Mounting Bracket and Hardware Kit Requires LVB25334 or LVB25539 Canopy Kit ordered separately.	94.00
	R127764	Weights: Weight, Front Suitcase (104 Lb.) Quantity of One See Instruction Number R282918 for hardware requirements.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764) See Instruction Number R282918 for hardware requirements.	2,504.00
	LVB25889	Weight, Front Support - 100 Lb. Kit includes necessary hardware.	227.00
	R213907	Weight, Rear Wheel 95 Lb. Maximum of 2 per wheel.	198.00

5045E Utility Tractor

Equipment for Base Machine

ENGINE:
45 (33.1 kW) 97/68/EC Engine Horsepower @ 2400* RPM
37 (27.3 kW) PTO Horsepower @ 2400* RPM
3 Cylinder Turbocharged John Deere
PowerTech Diesel Engine
179 C.I.D. (2.9L)
Dry Type Air Cleaner with Safety Element
Underhood Muffler with Vertical Exhaust Stack

Underhood Muffler with Vertical Exhaust St Anti-Freeze Hand and Foot Throttles Key Engine Shutoff Fan Finger Guard

Heavy Duty Air Intake Pre-Heater

TRANSMISSION:

9F/3R SyncShuttle - 2R, 5R and 8R Synchronized Shuttle Shifts and Speed Shifts, Integrated Park Position Right Hand Shifted Speeds

Left Hand Shifted Ranges Differential Lock

Neutral Start Safety Switch

REAR AXLE:

Flanged Rear Axle Planetary Final Drives

STEERING AND BRAKES: Hydrostatic Power Steering Hydraulically Actuated Wet Disk Brakes

Self-Equalizing and Self-Adjusting

HYDRAULICS:

Open Center Hydraulic System
Tandem Gear Pump 18.2 GPM (68.9 LPM)
Maximum Total Flow
Steering Pump 6.8 GPM (25.7 LPM)
Implement Pump 11.4 GPM (43.1 LPM)
One Rear Selective Control Valve

POWER TAKE-OFF SHAFT: Independent "Live" 540 RPM Rear PTO Shaft Operator Presence Safety Warning - PTO Safety Start Switch

ROCKSHAFT, HITCH AND DRAWBAR: Rear Rockshaft with Position Control, Draft Control, and Adjustable Rate of Drop 3-Point (Category II) Hitch with Sway Chains -Convertible to Category I Adjustable Drawbar

INSTRUMENTATION:

Electric Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Gauge
Alternator Indicator Light
Air Restriction Indicator Light
Turn Signal Indicator Light
High Beam Light
PTO Engagement Light

ELECTRICAL:

12-Volt Electrical System
One Battery - 623 CCA** with
145 Minute Reserve Capacity
40 Amp Alternator

LIGHTS:

Two Front Halogen Headlights Two Turn/Flashing Warning Lights Two Tail Lights

MISCELLANEOUS: SMV Emblem Tilt-Up Hood

Fender Mounted Toolbox

BASE MACHINE:
2-Post Foldable Roll-Over Protective
Structure (ROPS)
Deluxe Adjustable Vinyl Seat with
Retractable Seat Belt
18 U.S. Gallon (68.1 L) Fuel Tank Capacity
MFWD (4Wheel Drive) Front Axle
8-Position Steel Rear Wheels with
Two 13.6-28 6PR (R1) Tires
Two 9.5-24 6PR (R1) Front Tires

* Manufacturer's Rating ** Cold Cranking Amps

	ATTACHMENT	
CODE	IDENTIFIER	DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington

1721LV 5045E Utility Tractor 21,279.00

DESTINATION

0200 North America In Base Price

5045E Utility Tractor

Continued

SUGGESTED LIST PRICE USD (\$)		ATTACHMENT IDENTIFIER	CODE
	OPERATORS MANUAL		
In Base Price	English Operators Manual and Decal Kit		0402
In Base Price	French Operators Manual and Decal Kit		0404
In Base Price	Spanish Operators Manual and Decal Kit		0408
	FRONT AXLE		
In Base Price	4 Wheel Drive Limited Slip MFWD Axle. Anti-Wrapping Guards for MFWD Drive Shaft. Includes 9F/3R SyncShuttle - Synchronized Shuttle and Speed Shifts. Code 3520 is mandatory.		1240
	HYDRAULIC CONTROL VALVES		
1,049.00	Dual Mid Valves with Joystick Control Requires Code 1240.		3520
	REAR WHEELS WITH TIRES (TWO)		
582.00	21.5L-16.1 In. 6PR R3 Bias Code 1240 requires Code 6110.		5010
200.00	16.9-24 In. 6PR R4 Bias Code 1240 requires Code 6120.		5037
In Base Price	13.6-28 In. 4PR R1 Bias Code 1240 requires Code 6140.		5040
242.00	14.9-28 In. 6PR R1 Bias Code 1240 requires Code 6140.		5045
494.00	16.9-28 In. 6PR R1 Bias Code 1240 requires Code 6140.		5050
	FRONT WHEELS WITH TIRES (TWO)		
-205.00	FOR OPTION CODE 1004 (MFWD): 9.5-16 In. 6PR R3 Bias		6110
174.00	12.5/80-18 In. 10PR I3(R4 Type) Bias		6120
In Base Price	9.5-24 In. 6PR R1 Bias		6140

ATTACHMENTS FOR FIELD CONVERSION

Axle - Rear:

L154683 Rear Axle 1.2 In. Extension (30 mm)

Two required.
Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.

See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	L154682	ATTACHMENTS FOR FIELD CONVERSIONContinued Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	LV150155	Engine: Engine Coolant Heater Kit (3 Cyl.)	82.00
	LVB25110	Heavy Duty Air Intake Pre-Heater 925 CCA battery recommended for optimum performance.	109.00
	LVB25900	Horizontal Side Exhaust Compatible on 5E Series only.	172.00
	T12553	Hitch and Drawbar: Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	R133359	Drawbar - Offset	See Parts
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	See Parts
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	See Parts
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	DE40407	Hitch:	0 5 .
	DE19487 DE19486	Left Hand Telescopic Draft Link	See Parts See Parts
	DE 19400	Right Hand Telescopic Draft Link	See Falls
	LVB25925	Hydraulics: Mid-Mount Dual SCV with Joystick Control Compatible with 5103, 5203, 5303, 5403 and 5E Series Tractors.	1,137.00
	LVB25788	Motor Control Kit Compatible with 5003 and 5E Series Tractors. Also order RE251179 if no mid-mount valve installed.	1,860.00
	LVB25771	Second Rear SCV with Detented Float and Lever Control Compatible with 5E Series Tractors and 5103-5403 models after S/N PY5103U013641, PY5203U005570, PY5303U007753, PY5403U000735.	667.00
	LVB25547	Lighting: Rear Work Light (1 Light)	57.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	LVB25817	Miscellaneous: Backup Alarm Kit NOT compatible with 2WD front axle (Code 1002) and 5D Series Tractors.	144.00
	LVB25926	Single Horn Kit	46.00
	LVB25785 LVB25334 LVB25332	Operator Environment: Canopy - Deluxe Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately. Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately. Canopy Mounting Bracket and Hardware Kit Requires LVB25334 or LVB25539 Canopy Kit ordered separately.	857.00 520.00 94.00
	R127764	Weights: Weight, Front Suitcase (104 Lb.) Quantity of One See Instruction Number R282918 for hardware requirements.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764) See Instruction Number R282918 for hardware requirements.	2,504.00
	LVB25889	Weight, Front Support - 100 Lb. Kit includes necessary hardware.	227.00
	R213907	Weight, Rear Wheel 95 Lb. Maximum of 2 per wheel.	198.00

5055D Utility Tractor

Equipment for Base Machine

ENGINE:
55 (41.5 kW) 97/68/EC Engine Horsepower @ 2300* RPM
45 (33.1 kW) PTO Horsepower @ 2200
3 Cylinder Turbocharged John Deere
PowerTech Diesel Engine
179 C.I.D. (2.9L)
Dry Type Air Cleaner with Safety Element
Underhood Muffler with Vertical Exhaust Stack
Anti-Freeze
Hand and Foot Throttles
Key Engine Shutoff
Fan Finger Guard
Heavy Duty Air Intake Pre-Heater

TRANSMISSION:
8F/4R Inline Forward-Reverse - 1R, 2R, 3R and 4R
Synchronized Shifting (A-R) and non-synchronized
speed shifts
Right Hand Shifted Speeds
Left Hand Shifted Ranges
Differential Lock
Neutral Start Safety Switch

REAR AXLE: Flanged Rear Axle Planetary Final Drives

STEERING AND BRAKES:
Hydrostatic Power Steering
Mechanically Actuated Wet Disk Brakes
Positive Brake Pedal Latch / Release Lever on
Control Console
HYDRAULICS:
Open Center Hydraulic System
Tandem Gear Pump 17.4 GPM (66.0 LPM)
Maximum Total Flow
Steering Pump 6.5 GPM (24.6 LPM)
Implement Pump 10.9 GPM (41.4 LPM)
One Rear Selective Control Valve

POWER TAKE-OFF SHAFT: Independent "Live" 540 RPM Rear PTO Shaft Operator Presence Safety Warning - PTO Safety Start Switch

ROCKSHAFT, HITCH AND DRAWBAR:
Rear Rockshaft with Position Control,
Draft Control, and Adjustable
Rate of Drop
3-Point (Category II) Hitch

with Sway Chains -Convertible to Category I Adjustable Drawbar

INSTRUMENTATION:
Electric Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Gauge
Alternator Indicator Light
Air Restriction Indicator Light
Turn Signal Indicator Light
High Beam Light
PTO Engagement Light

ELECTRICAL: 12-Volt Electrical System One Battery - 623 CCA** with 145 Minute Reserve Capacity 40 Amp Alternator

LIGHTS: Two Front Halogen Headlights Two Turn/Flashing Warning Lights Two Tail Lights

MISCELLANEOUS: SMV Emblem Tilt-Up Hood Fender Mounted Toolbox

BASE MACHINE:
2-Post Foldable Roll-Over Protective
Structure (ROPS)
Deluxe Adjustable Vinyl Seat with
Retractable Seat Belt
16 U.S. Gallon (60 L) Fuel Tank Capacity
Adjustable Front Axle (56-80 In.)
8-Position Steel Rear Wheels with
Two 14.9-28 6PR (R1) Tires
Two 7.50-16 6PR (F2) Front Tires

* Manufacturer's Rating
** Cold Cranking Amps

	ATTACHMENT	
CODE	IDENTIFIER	DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington

1711LV 5055D Utility Tractor 17,510.00

DESTINATION

0200 North America In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATORS MANUAL	
0402		English Operators Manual and Decal Kit	In Base Price
0404		French Operators Manual and Decal Kit	In Base Price
0408		Spanish Operators Manual and Decal Kit	In Base Price
		FRONT AXLE	
1220		2 Wheel Drive Includes 8F/4R Inline Forward-Reverse - 1R, 2R, 3R and 4R Synchronized Shifting (A-R) and Non-Synchronized Speed Shifts.	In Base Price
		HYDRAULIC CONTROL VALVES	
3500		Less Mid Valves Requires Code 1220.	In Base Price
		REAR WHEELS WITH TIRES (TWO)	
5010		21.5L-16.1 ln. 6PR R3 Bias Code 1220 requires Code 6010.	340.00
5037		16.9-24 In. 6PR R4 Bias Code 1220 requires Code 6020.	-42.00
5045		14.9-28 In. 6PR R1 Bias Code 1220 requires Code 6030.	In Base Price
5050		16.9-28 In. 6PR R1 Bias Code 1220 requires Code 6030.	242.00
		FRONT WHEELS WITH TIRES (TWO)	
6010		FOR OPTION CODE 1002 (2WD): 27/12LL-15 In. 6PR Turf Special Bias	461.00
6020		11L-15 In. 8PR F3(Truck Type) Bias	88.00
6030		7.50-16 In. 6PR F2 Bias	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154682	Rear Axle 1.6 In. Extension (40 mm)	See Parts
		Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	L154684	ATTACHMENTS FOR FIELD CONVERSIONContinued Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	LV150155	Engine: Engine Coolant Heater Kit (3 Cyl.)	82.00
	LVB25110	Heavy Duty Air Intake Pre-Heater 925 CCA battery recommended for optimum performance.	109.00
	LVB26028	Horizontal Side Exhaust Compatible on 5D Series only.	263.00
	T12553	Hitch and Drawbar: Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	R133359	Drawbar - Offset	See Parts
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	See Parts
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	See Parts
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	DE19487 DE19486	Hitch: Left Hand Telescopic Draft Link Right Hand Telescopic Draft Link	See Parts See Parts
	LVB25976	iMatch Quick Hitch Category 1 Includes one set of Bushings(LVU15507)	319.00
	LVB25826	Hydraulics: Mid-Mount Dual SCV with Joystick Control Compatible with 5D Series Tractors.	1,137.00
	LVB25827	Second Rear SCV with Detented Float and Lever Control Compatible with 5D Series Tractors.	667.00
	LVB25547	Lighting: Rear Work Light (1 Light)	57.00
	LVB25926	Miscellaneous: Single Horn Kit	46.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	LVB25785	Operator Environment: Canopy - Deluxe Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately.	857.00
	LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately.	520.00
	LVB25332	Canopy Mounting Bracket and Hardware Kit Requires LVB25334 or LVB25539 Canopy Kit ordered separately.	94.00
	R127764	Weights: Weight, Front Suitcase (104 Lb.) Quantity of One See Instruction Number R282918 for hardware requirements.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764) See Instruction Number R282918 for hardware requirements.	2,504.00
	LVB25889	Weight, Front Support - 100 Lb. Kit includes necessary hardware.	227.00
	R213907	Weight, Rear Wheel 95 Lb. Maximum of 2 per wheel.	198.00

5055E Utility Tractor

Equipment for Base Machine

ENGINE:
55 (41.5 kW) 97/68/EC Engine Horsepower @ 2400* RPM
45 (33.1 kW) PTO Horsepower @ 2400* RPM
3 Cylinder Turbocharged John Deere
PowerTech Diesel Engine
179 C.I.D. (2.9L)
Dry Type Air Cleaner with Safety Element
Underhood Muffler with Vertical Exhaust Stack
Anti-Freeze
Hand and Foot Throttles
Key Engine Shutoff
Fan Finger Guard
Heavy Duty Air Intake Pre-Heater

TRANSMISSION:

9F/3R SyncShuttle - 2R, 5R and 8R
 Synchronized Shuttle Shifts and Speed Shifts,
 Integrated Park Position
Right Hand Shifted Speeds
Left Hand Shifted Ranges
Differential Lock
Neutral Start Safety Switch

REAR AXLE: Flanged Rear Axle Planetary Final Drives

STEERING AND BRAKES:
Hydrostatic Power Steering
Hydraulically Actuated Wet Disk Brakes
Self-Equalizing and Self-Adjusting

HYDRAULICS:
Open Center Hydraulic System
Tandem Gear Pump 18.2 GPM (68.9 LPM)
Maximum Total Flow
Steering Pump 6.8 GPM (25.7 LPM)
Implement Pump 11.4 GPM (43.1 LPM)
One Rear Selective Control Valve

POWER TAKE-OFF SHAFT: Independent "Live" 540 RPM Rear PTO Shaft Operator Presence Safety Warning - PTO Safety Start Switch

ROCKSHAFT, HITCH AND DRAWBAR:
Rear Rockshaft with Position Control,
Draft Control, and Adjustable
Rate of Drop
3-Point (Category II) Hitch

with Sway Chains -Convertible to Category I Adjustable Drawbar

INSTRUMENTATION:
Electric Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Gauge
Alternator Indicator Light
Air Restriction Indicator Light
Turn Signal Indicator Light
High Beam Light
PTO Engagement Light

ELECTRICAL: 12-Volt Electrical System One Battery - 623 CCA** with 145 Minute Reserve Capacity 40 Amp Alternator

LIGHTS: Two Front Halogen Headlights Two Turn/Flashing Warning Lights Two Tail Lights

MISCELLANEOUS: SMV Emblem Tilt-Up Hood Fender Mounted Toolbox

BASE MACHINE:
2-Post Foldable Roll-Over Protective
Structure (ROPS)
Deluxe Adjustable Vinyl Seat with
Retractable Seat Belt
18 U.S. Gallon (68.1 L) Fuel Tank Capacity
MFWD (4 Wheel Drive) Front Axle
8-Position Steel Rear Wheels with
Two 14.9-28 6PR (R1) Tires
Two 9.5-24 6PR (R1) Front Tires

* Manufacturer's Rating
** Cold Cranking Amps

	ATTACHMENT	
CODE	IDENTIFIER	DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington

1731LV 5055E Utility Tractor 23,867.00

DESTINATION

0200 North America In Base Price

5055E Utility Tractor

Continued

ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	OPERATORS MANUAL	
	English Operators Manual and Decal Kit	In Base Price
	French Operators Manual and Decal Kit	In Base Price
	Spanish Operators Manual and Decal Kit	In Base Price
	FRONT AXLE	
	4 Wheel Drive Limited Slip MFWD Axle. Anti-Wrapping Guards for MFWD Drive Shaft. Includes 9F/3R SyncShuttle - Synchronized Shuttle and Speed Shifts. Code 3520 is mandatory.	In Base Price
	HYDRAULIC CONTROL VALVES	
	Dual Mid Valves with Joystick Control Requires Code 1240.	1,049.00
	REAR WHEELS WITH TIRES (TWO)	
	21.5L-16.1 In. 6PR R3 Bias Code 1240 requires Code 6110.	340.00
	16.9-24 In. 6PR R4 Bias Code 1240 requires Code 6120.	-42.00
	14.9-28 In. 6PR R1 Bias Code 1240 requires Code 6140.	In Base Price
	16.9-28 In. 6PR R1 Bias Code 1240 requires Code 6140.	242.00
	FRONT WHEELS WITH TIRES (TWO)	
	FOR OPTION CODE 1004 (MFWD): 9.5-16 In. 6PR R3 Bias	-205.00
	12.5/80-18 In. 10PR I3(R4 Type) Bias	174.00
	9.5-24 In. 6PR R1 Bias	In Base Price
		DESCRIPTION OPERATORS MANUAL English Operators Manual and Decal Kit French Operators Manual and Decal Kit Spanish Operators Manual and Decal Kit FRONT AXLE 4 Wheel Drive Limited Stip MFWD Axle. Anti-Wrapping Guards for MFWD Drive Shaft. Includes 9F/3R SyncShuttle - Synchronized Shuttle and Speed Shifts. Code 3520 is mandatory. HYDRAULIC CONTROL VALVES Dual Mid Valves with Joystick Control Requires Code 1240. REAR WHEELS WITH TIRES (TWO) 21.5L-16.1 In. 6PR R3 Bias Code 1240 requires Code 6110. 16.9-24 In. 6PR R4 Bias Code 1240 requires Code 6140. 16.9-28 In. 6PR R1 Bias Code 1240 requires Code 6140. FRONT WHEELS WITH TIRES (TWO) FOR OPTION CODE 1004 (MFWD): 9.5-16 In. 6PR R3 Bias 12.5/80-18 In. 10PR 13(R4 Type) Bias

ATTACHMENTS FOR FIELD CONVERSION

Axle - Rear:

L154683 Rear Axle 1.2 In. Extension (30 mm)

Two required.
Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.

See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	L154682	ATTACHMENTS FOR FIELD CONVERSIONContinued Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	LV150155	Engine: Engine Coolant Heater Kit (3 Cyl.)	82.00
	LVB25110	Heavy Duty Air Intake Pre-Heater 925 CCA battery recommended for optimum performance.	109.00
	LVB25900	Horizontal Side Exhaust Compatible on 5E Series only.	172.00
	T12553	Hitch and Drawbar: Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	R133359	Drawbar - Offset	See Parts
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	See Parts
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	See Parts
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	DE19487	Hitch: Left Hand Telescopic Draft Link	See Parts
	DE19486	Right Hand Telescopic Draft Link	See Parts
	LVB25976	iMatch Quick Hitch Category 1 Includes one set of Bushings(LVU15507)	319.00
	LVB25925	Hydraulics: Mid-Mount Dual SCV with Joystick Control Compatible with 5103, 5203, 5303, 5403 and 5E Series Tractors.	1,137.00
	LVB25788	Motor Control Kit Compatible with 5003 and 5E Series Tractors. Also order RE251179 if no mid-mount valve installed.	1,860.00
	LVB25771	Second Rear SCV with Detented Float and Lever Control Compatible with 5E Series Tractors and 5103-5403 models after S/N PY5103U013641, PY5203U005570, PY5303U007753, PY5403U000735.	667.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	LVB25547	Lighting: Rear Work Light (1 Light)	57.00
	LVB25817	Miscellaneous: Backup Alarm Kit NOT compatible with 2WD front axle (Code 1002) and 5D Series Tractors.	144.00
	LVB25926	Single Horn Kit	46.00
	LVB25785	Operator Environment: Canopy - Deluxe Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately.	857.00
	LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately.	520.00
	LVB25332	Canopy Mounting Bracket and Hardware Kit Requires LVB25334 or LVB25539 Canopy Kit ordered separately.	94.00
	R127764	Weights: Weight, Front Suitcase (104 Lb.) Quantity of One See Instruction Number R282918 for hardware requirements.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764) See Instruction Number R282918 for hardware requirements.	2,504.00
	LVB25889	Weight, Front Support - 100 Lb. Kit includes necessary hardware.	227.00
	R213907	Weight, Rear Wheel 95 Lb. Maximum of 2 per wheel.	198.00

5065E Utility Tractor

Equipment for Base Machine

ENGINE:

65 (47.8 kW) 97/68/EC Engine Horsepower @ 2400 RPM*

53 (39.0 kW) PTO Horsepower @ 2400 RPM*

3 Cylinder Turbocharged John Deere

PowerTech Diesel Engine

179 C.I.D. (2.9L) Dry Type Air Cleaner with Safety Element

Underhood Muffler with Vertical Exhaust Stack

Anti-Freeze

Hand and Foot Throttles

Key Engine Shutoff

Fan Finger Guard Heavy Duty Air Intake Pre-Heater

TRANSMISSION:

2WD: 9F/3R Inline Forward-Reverse - 2R, 5R and 8R Synchronized Shifting and Non-Synchronized Speed

Shifts and

Integrated Park Position

MFWD: 9F/3R SyncShuttle - 2R, 5R and 8R Synchronized Shuttle Shifts and Speed Shifts and

Integrated Park Position

Right Hand Shifted Speeds

Left Hand Shifted Ranges Park Lock

Differential Lock

Neutral Start Safety Switch

REAR AXLE:

Flanged Rear Axle

Planetary Final Drives

STEERING AND BRAKES:

Hydrostatic Power Steering Hydraulically Actuated Wet Disk Brakes Self-Equalizing and Self-Adjusting

HYDRAULICS:

Open Center Hydraulic System

Tandem Gear Pump 18.2 GPM (68.9 LPM)

Maximum Total Flow

Steering Pump 6.8 GPM (25.7 LPM) Implement Pump 11.4 GPM (43.1 LPM)

One Rear Selective Control Valve

POWER TAKE-OFF SHAFT:

Independent "Live" 540 RPM Rear PTO Shaft

Operator Presence Safety Warning - PTO

Safety Start Switch

ROCKSHAFT, HITCH AND DRAWBAR:

Rear Rockshaft with Position Control,

Draft Control, and Adjustable

Rate of Drop

3-Point (Category II) Hitch

with Sway Chains -Convertible to Category I

Interchangeable Hitch Balls

Adjustable Drawbar

INSTRUMENTATION:

Electric Fuel Gauge

Tachometer/Hour Meter Oil Pressure Indicator Light

Coolant Temperature Gauge

Alternator Indicator Light

Air Restriction Indicator Light

Turn Signal Indicator Light High Beam Light

PTO Engagement Light

ELECTRICAL:

12-Volt Electrical System One Battery - 623 CCA** with 145 Minute Reserve Capacity

40 Amp Alternator

LIGHTS:

Two Front Halogen Headlights

Two Turn/Flashing Warning Lights

Two Tail Lights

MISCELLANEOUS:

SMV Emblem

Tilt-Up Hood

Fender Mounted Toolbox

BASE MACHINE:

2-Post Foldable Roll-Over Protective Structure (ROPS)

Deluxe Adjustable Vinyl Seat with

Retractable Seat Belt

18 U.S. Gallon (68.1 L) Fuel Tank Capacity Adjustable Front Axle (56-80 In.) 8-Position Steel Rear Wheels with

Two 16.9-28 6PR (R1) Tires

2WD: Two 9.5-24 6PR (R1) Front Tires

* Manufacturer's Rating

** Cold Cranking Amps

ATTACHMENT CODE **IDENTIFIER**

DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas;

Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington

1741LV 5065E Utility Tractor 20,251.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATION	
0200		North America	In Base Price
		OPERATORS MANUAL	
0402		English Operators Manual and Decal Kit	In Base Price
0404		French Operators Manual and Decal Kit	In Base Price
0408		Spanish Operators Manual and Decal Kit	In Base Price
		FRONT AXLE	
1220		2 Wheel Drive Includes 9F/3R Inline Forward-Reverse - 2R, 5R and 8R Synchronized Shifting and Non-Synchronized Speed Shifts.	In Base Price
1240		4 Wheel Drive Limited Slip MFWD Axle. Anti-Wrapping Guards for MFWD Drive Shaft. Includes 9F/3R SyncShuttle - Synchronized Shuttle and Speed Shifts. Code 3520 is mandatory.	4,945.00
		HYDRAULIC CONTROL VALVES	
3500		Less Mid Valves Requires Code 1220.	In Base Price
3520		Dual Mid Valves with Joystick Control Requires Code 1240.	1,049.00
		REAR WHEELS WITH TIRES (TWO)	
5010		21.5L-16.1 In. 6PR R3 Bias Code 1220 requires Code 6010 or Code 1240 requires Code 6110.	88.00
5037		16.9-24 In. 6PR R4 Bias Code 1240 requires Code 6120.	-294.00
5050		16.9-28 In. 6PR R1 Bias Code 1220 requires Code 6030 or Code 1240 requires Code 6140.	In Base Price
		FRONT WHEELS WITH TIRES (TWO)	
6010		FOR OPTION CODE 1002 (2WD): 27/12LL-15 In. 6PR Turf Special Bias	461.00
6030		7.50-16 In. 6PR F2 Bias	In Base Price
6110		FOR OPTION CODE 1004 (MFWD): 9.5-16 In. 6PR R3 Bias	354.00
6120		12.5/80-18 In. 10PR I3(R4 Type) Bias	731.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6140		FRONT WHEELS WITH TIRES (TWO)Continued 9.5-24 In. 6PR R1 Bias	558.00
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154682	Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	LV150155	Engine: Engine Coolant Heater Kit (3 Cyl.)	82.00
	LVB25110	Heavy Duty Air Intake Pre-Heater 925 CCA battery recommended for optimum performance.	109.00
	LVB25900	Horizontal Side Exhaust Compatible on 5E Series only.	172.00
	T12553	Hitch and Drawbar: Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	R133359	Drawbar - Offset	See Parts
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	See Parts
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	See Parts
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	DE19487	Hitch: Left Hand Telescopic Draft Link	See Parts
	DE19486	Right Hand Telescopic Draft Link	See Parts
	LVB25976	iMatch Quick Hitch Category 1 Includes one set of Bushings(LVU15507)	319.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	LVB25925	Hydraulics: Mid-Mount Dual SCV with Joystick Control Compatible with 5103, 5203, 5303, 5403 and 5E Series Tractors.	1,137.00
	LVB25788	Motor Control Kit Compatible with 5003 and 5E Series Tractors. Also order RE251179 if no mid-mount valve installed.	1,860.00
	LVB25771	Second Rear SCV with Detented Float and Lever Control Compatible with 5E Series Tractors and 5103-5403 models after S/N PY5103U013641, PY5203U005570, PY5303U007753, PY5403U000735.	667.00
	LVB25547	Lighting: Rear Work Light (1 Light)	57.00
	LVB25817	Miscellaneous: Backup Alarm Kit NOT compatible with 2WD front axle (Code 1002) and 5D Series Tractors.	144.00
	LVB25926	Single Horn Kit	46.00
	LVB25785	Operator Environment: Canopy - Deluxe Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately.	857.00
	LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately.	520.00
	LVB25332	Canopy Mounting Bracket and Hardware Kit Requires LVB25334 or LVB25539 Canopy Kit ordered separately.	94.00
	R127764	Weights: Weight, Front Suitcase (104 Lb.) Quantity of One See Instruction Number R282918 for hardware requirements.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764) See Instruction Number R282918 for hardware requirements.	2,504.00
	LVB25889	Weight, Front Support - 100 Lb. Kit includes necessary hardware.	227.00
	R213907	Weight, Rear Wheel 95 Lb. Maximum of 2 per wheel.	198.00

5075E Utility Tractor

Equipment for Base Machine

ENGINE:

75 (55.0 kW) 97/68/EC Engine Horsepower @ 2400 RPM*

61 (44.9 kW) PTO Horsepower @ 2400 RPM*

3 Cylinder Turbocharged John Deere

PowerTech Diesel Engine

179 C.I.D. (2.9L) Dry Type Air Cleaner with Safety Element

Underhood Muffler with Vertical Exhaust Stack

Anti-Freeze

Hand and Foot Throttles

Key Engine Shutoff Fan Finger Guard

Heavy Duty Air Intake Pre-Heater

TRANSMISSION:

2WD: 9F/3R Inline Forward-Reverse - 2R, 5R and 8R Synchronized Shifting and Non-Synchronized Speed

Shifts and

Integrated Park Position

MFWD: 9F/3R SyncShuttle - 2R, 5R and 8R Synchronized Shuttle Shifts and Speed Shifts and

Integrated Park Position

Right Hand Shifted Speeds

Left Hand Shifted Ranges Park Lock

Differential Lock

Neutral Start Safety Switch

REAR AXLE:

Flanged Rear Axle

Planetary Final Drives

STEERING AND BRAKES:

Hydrostatic Power Steering Hydraulically Actuated Wet Disk Brakes

Self-Equalizing and Self-Adjusting

HYDRAULICS:

Open Center Hydraulic System

Tandem Gear Pump 18.2 GPM (68.9 LPM)

Maximum Total Flow

Steering Pump 6.8 GPM (25.7 LPM) Implement Pump 11.4 GPM (43.1 LPM)

One Rear Selective Control Valve

POWER TAKE-OFF SHAFT:

Independent "Live" 540 RPM Rear PTO Shaft

Operator Presence Safety Warning - PTO

Safety Start Switch

ROCKSHAFT, HITCH AND DRAWBAR:

Rear Rockshaft with Position Control, Draft Control, and Adjustable

Rate of Drop

3-Point (Category II) Hitch

with Sway Chains -

Convertible to Category I Interchangeable Hitch Balls

Adjustable Drawbar

INSTRUMENTATION:

Electric Fuel Gauge

Tachometer/Hour Meter

Oil Pressure Indicator Light Coolant Temperature Gauge

Alternator Indicator Light

Air Restriction Indicator Light Turn Signal Indicator Light

High Beam Light

PTO Engagement Light

ELECTRICAL:

12-Volt Electrical System One Battery - 623 CCA** with 145 Minute Reserve Capacity

40 Amp Alternator

LIGHTS:

Two Front Halogen Headlights

Two Turn/Flashing Warning Lights

Two Tail Lights

MISCELLANEOUS:

SMV Emblem Tilt-Up Hood

Fender Mounted Toolbox

BASE MACHINE:

2-Post Foldable Roll-Over Protective

Structure (ROPS)

Deluxe Adjustable Vinyl Seat with Retractable Seat Belt

18 U.S. Gallon (68.1 L) Fuel Tank Capacity

Adjustable Front Axle (56-80 In.) 8-Position Steel Rear Wheels with

Two 16.9-28 6PR (R1) Tires

2WD: Two 9.5-24 6PR (R1) Front Tires

* Manufacturer's Rating ** Cold Cranking Amps

ATTACHMENT CODE **IDENTIFIER**

DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington

1751LV 5075E Utility Tractor 22,698.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATION	
0200		North America	In Base Price
		OPERATORS MANUAL	
0402		English Operators Manual and Decal Kit	In Base Price
0404		French Operators Manual and Decal Kit	In Base Price
0408		Spanish Operators Manual and Decal Kit	In Base Price
		FRONT AXLE	
1220		2 Wheel Drive Includes 9F/3R Inline Forward-Reverse - 2R, 5R and 8R Synchronized Shifting and Non-Synchronized Speed Shifts.	In Base Price
1240		4 Wheel Drive Limited Slip MFWD Axle. Anti-Wrapping Guards for MFWD Drive Shaft. Includes 9F/3R SyncShuttle - Synchronized Shuttle and Speed Shifts. Code 3520 is mandatory.	4,945.00
		HYDRAULIC CONTROL VALVES	
3500		Less Mid Valves Requires Code 1220.	In Base Price
3520		Dual Mid Valves with Joystick Control Requires Code 1240.	1,049.00
		REAR WHEELS WITH TIRES (TWO)	
5010		21.5L-16.1 In. 6PR R3 Bias Code 1220 requires Code 6010.	88.00
5037		16.9-24 ln. 6PR R4 Bias Code 1240 requires Code 6120.	-294.00
5050		16.9-28 In. 6PR R1 Bias Code 1220 requires Code 6030 or Code 1240 requires Code 6140.	In Base Price
		FRONT WHEELS WITH TIRES (TWO)	
6010		FOR OPTION CODE 1002 (2WD): 27/12LL-15 In. 6PR Turf Special Bias	461.00
6030		7.50-16 ln. 6PR F2 Bias	In Base Price
6120		FOR OPTION CODE 1004 (MFWD): 12.5/80-18 In. 10PR I3(R4 Type) Bias	731.00
6140		9.5-24 In. 6PR R1 Bias	558.00

			SUGGESTED
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154682	Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	LV150155	Engine: Engine Coolant Heater Kit (3 Cyl.)	82.00
	LVB25110	Heavy Duty Air Intake Pre-Heater 925 CCA battery recommended for optimum performance.	109.00
	LVB25900	Horizontal Side Exhaust Compatible on 5E Series only.	172.00
	T12553	Hitch and Drawbar: Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	R133359	Drawbar - Offset	See Parts
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	See Parts
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	See Parts
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
		Hitch:	
	DE19487	Left Hand Telescopic Draft Link	See Parts
	DE19486	Right Hand Telescopic Draft Link	See Parts
	LVB25976	iMatch Quick Hitch Category 1 Includes one set of Bushings(LVU15507)	319.00
	LVB25925	Hydraulics: Mid-Mount Dual SCV with Joystick Control Compatible with 5103, 5203, 5303, 5403 and 5E Series Tractors.	1,137.00
	LVB25788	Motor Control Kit Compatible with 5003 and 5E Series Tractors. Also order RE251179 if no mid-mount valve installed.	1,860.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB25771	ATTACHMENTS FOR FIELD CONVERSIONContinued Second Rear SCV with Detented Float and Lever Control Compatible with 5E Series Tractors and 5103-5403 models after S/N PY5103U013641, PY5203U005570, PY5303U007753, PY5403U000735.	667.00
	LVB25547	Lighting: Rear Work Light (1 Light)	57.00
	LVB25817	Miscellaneous: Backup Alarm Kit NOT compatible with 2WD front axle (Code 1002) and 5D Series Tractors.	144.00
	LVB25926	Single Horn Kit	46.00
	LVB25785	Operator Environment: Canopy - Deluxe Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately.	857.00
	LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately.	520.00
	LVB25332	Canopy Mounting Bracket and Hardware Kit Requires LVB25334 or LVB25539 Canopy Kit ordered separately.	94.00
	R127764	Weights: Weight, Front Suitcase (104 Lb.) Quantity of One See Instruction Number R282918 for hardware requirements.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764) See Instruction Number R282918 for hardware requirements.	2,504.00
	LVB25889	Weight, Front Support - 100 Lb. Kit includes necessary hardware.	227.00
	R213907	Weight, Rear Wheel 95 Lb. Maximum of 2 per wheel.	198.00

5065M Utility Tractor (MY 2012)

Equipment for Base Machine

ENGINE:
65 Engine Horsepower @ 2200RPM*
50 PTO Horsepower @ 2100 RPM*
5 Cylinder Turbocharged John Deere
PowerTech Diesel Engine
184 C.I.D. (3.0L)
0il Cooler
Dry Type Air Cleaner with Safety Element
Underhood Muffler with Vertical Exhaust Stack
Cold Start Aid - Glow Plugs
Water Separator Bowl
Anti-Freeze
Hand and Foot Throttle
Key Engine Shut Off
Fan Finger Guard

TRANSMISSION:
16F/16R PowrReverser Transmission
Right Hand Speed Controls
Left Hand F/R Shuttle Control
EH Differential Lock
Integrated Park Position
Neutral Start Safety Switch
Wet Traction Clutch

REAR AXLE: Flanged Rear Axle Planetary Final Drives

FRONT AXLE:
Mechanical Front Wheel Drive Front Axle
Planetary Final Drives
Electro-Hydraulic MFWD Engagement via On/Auto/Brake

STEERING AND BRAKES:
Hydrostatic Power Steering
Hydraulic Wet Disk Brakes Self-Equalizing
and Self-Adjusting

HYDRAULIC:
Open Center Hydraulic System
Tandem Gear Pump 20.9 GPM
Maximum Total Flow Steering Pump 6.3 GPM (23.7 LPM)
Implement Pump 14.6 GPM
Dual Mid & Dual Rear SCV Control Valves

POWER TAKE-OFF SHAFT:
Independent "Live" 540 RPM Rear PTO Shaft
@ 2100 Engine RPM
Economy PTO Setting for 540 PTO RPM
@ 1645 Engine RPM
Electro-Hydraulic PTO Engagement
Wet PTO Clutch
Operator Presence Safety Warning - PTO
Safety Start Switch
Flip Up PTO Shield

ROCKSHAFT, HITCH AND DRAWBAR: 56mm Lift Cylinder Standard Adjustable Straight Drawbar Telescoping Draft Links with Category II Balls Lower Link Draft Sensing

INSTRUMENTATION: Electric Fuel Gauge Flashing Warning Lamp High Beam Indicator Light Service Transmission Indicator PTO Speed Indicator/Roll Mode Natural Indicator (PR Only) Tachometer/Hour Meter Engine Oil Pressure Hydraulic Temperature Indicator Coolant Temperature Gauge Alternator Indicator Light Air Restriction Indicator Light Exhaust Filter Cleaning Switch Roll Mode for Instrument Cluster PTO Engagement Indicator Light 4WD Engagement Light (4WD Front Axle Only) Hi/Lo Transmission Indicator Light (32/16 Transmission Only)

ELECTRICAL: 12-Volt Electrical System One Battery - 950 CCA** with 180 Minute Reserve Capacity 7-Pin ASAE Outlet Socket

LIGHTS:
Two Front Halogen Headlights
Two Turn/Warning Lights

MISCELLANEOUS: SMV Emblem Toolbox English Operator's Manual

OPEN OPERATOR STATION (Code 2000):
2-Post Foldable Roll-Over Protective
Structure (ROPS) Less Canopy
Vinyl Seat with Flip Up Feature and
Retractable Seat Belt
Tilt and Telescopic Steering Column
21 U.S. Gallon (80L) Fuel Tank Capacity
70 Amp Alternator
Flashing Warning Light
Dual Tail Lights
Single Rear Work Light
Beverage Holder
8-Position Standard Steel Rear Wheels
with Two 16.9-30 6PR (R1) Tires
Two 11.2-24 6PR (R1) Front Tires

* Manufacturer's Rating ** Cold Cranking Amps

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINE	
		EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington	
1902LV		5065M Utility Tractor (MY 2012)	41,233.00
		OPERATORS MANUAL	
0409		English Operators Manual and Decal Kit	No Charge
0413		French Operators Manual and Decal Kit	No Charge
0437		Spanish Operators Manual and Decal Kit	No Charge
		FRONT AXLE	
6020		2 Wheel Drive Requires Base OOS (Code 2000) or Base Cab (Code 2050).	-6,421.00
00.40		•	
6040		MFWD (4 Wheel Drive) Limited Slip Differential Push Button, On-The-Go Engagement Engagement Indicator Light on PowrReverser Transmission. Auto Engagement Mode on PowrReverser Transmissions (Code 1380, 1382, or 1384).	In Base Price
		OPEN STATION/CAB	
2000		Open Operator Station Fixed Open Operator Station with Flat Floor Tilt and Telescopic Steering Column 2-Post Foldable Roll-Over Protection Structure (ROPS) Base Seat with Flip Up Feature and Retractable Seat Belt 21 U.S. Gallon Fuel Tank Capacity (5065M and 5075M) Beverage Holder 70 AMP Alternator Flashing Warning Lights Dual Taillights Single Rear Work Light Not available with 32F/16R PowerReverser Plus (Code 1384). Requires Mechanical Hitch Controls (Code 4010).	In Base Price
2005		Deluxe Isolated Open Operator Station Deluxe Isolated Open Operator Station with Flat Floor Tilt and Telescoping Steering Column 2-Post Isolated Foldable Roll-Over Protection Structure (ROPS) Floor mat Plexiglass Debris/Air Deflector with Grab Handles Speedometer Deluxe Seat with Swivel, Armrests, and Retractable Seat Belt 21 U.S. Gallon Fuel Tank Capacity (5065M and 5075M Only) 30 U.S. Gallon Fuel Tank Capacity (5085M, 5100M Only) 40 U.S. Gallon Fuel Tank Capacity (5115M) 70 AMP Alternator Two Rear Work Lights Flashing Warning Lights Fender Extensions with Front Work Lights Dual Taillights Beverage Holder Requires PowrReverser transmission (1380, 1382, or 1384). Requires MFWD (6040).	1,236.00
2050		Cab	10,981.00

5065M Utility Tractor (MY 2012)

Continued

SUGGESTED
ATTACHMENT LIST PRICE
CODE IDENTIFIER DESCRIPTION USD (\$)

OPEN STATION/CAB ...Continued...

Deluxe Isolated Cab with Flat Floor Tilt and Telescopic Steering Column

Left and Right Side Doors with Steps

Air Conditioning and Heater

Adjustable Fabric Seat with Retractable Seat Belt

Speedometer

Beverage Holder

Sunvisor for Front Window

2-Speed Front Windshield Wiper and Washer

Two Front/Two Rear Roof-Mounted Work Lights
Two Front/Two Rear Roof-Mounted Warning Lights

Two Fender-Mounted Taillights

90 Amp Alternator

Convenience Power Outlet

Monitor Mounting Bosses (2 Sets)

30 U.S. Gallon Fuel Tank Capacity (5065M and 5075M)

36 U.S. Gallon Fuel Tank Capacity (5085M, 5100M Only)

46 U.S. Gallon Fuel Tank Capacity (5115M Only)

Swing-Out Rear Window with Two Removable Rear Plugs for Monitor

Right-Hand Console Light

Radio Preparation (w/speakers, wiring)

Not available with 32F/16R PowrReverser Plus (Code 1384).

Requires Mechanical Hitch Controls (Code 4010).

2055 Cab Plus 11,881.00

Deluxe Isolated Cab with Flat Floor Tilt and Telescopic Steering Column Left and Right Side Doors with Steps

Air Conditioning and Heater

Deluxe Air Suspension Adjustable Fabric Seat with Retractable Seat Belt

Swivel Seat with Adjustable Seat Pan

Speedometer

Beverage Holder

Sunvisor for Front Window

2-Speed Front Windshield Wiper and Washer Two Front/Two Rear Roof-Mounted Work Lights Two Front/Two Rear Roof-Mounted Warning Lights

Two Fender-Mounted Taillights

90 Amp Alternator

Convenience Power Outlet

Manitor Mounting Bosses (2 Sets

Monitor Mounting Bosses (2 Sets)

30 U.S. Gallon Fuel Tank Capacity (5065M and 5075M Only)

36 U.S. Gallon Fuel Tank Capacity (5085M, 5100M Only)

46 U.S. Gallon Fuel Tank Capacity (5115M Only)

Swing-Out Rear Window with Two Removable Rear Plugs for Monitor

Right-Hand Console Light

Radio Preparation (w/speakers, wiring)

Swivel Seat with Adjustable Seat Pan

2060 Deluxe Cab 12,637.00

Deluxe Isolated Cab with Flat Floor Tilt and Telescopic Steering Column Left and Right Side Doors with Steps

Air Conditioning and Heater Deluxe Air Suspension Adjustable Fabric Seat with Retractable Seat Belt

Swivel Seat with Adjustable Seat Pan

Speedometer Beverage Holder

Sunvisor for Front Window

2-Speed Front Windshield Wiper and Washer

Two Front/Two Rear Roof-Mounted Work Lights

Two Front/Two Rear Roof-Mounted Warning Lights

Two Fender-Mounted Taillights

90 Amp Alternator

Convenience Power Outlet

16 May 2012 US & Canada 2-Tractors-01800- 3

	CODE
OPEN STATION/CABContinued Monitor Mounting Bosses (2 Sets) 30 U.S. Gallon Fuel Tank Capacity (5065M and 5075M Only)	
46 U.S. Gallon Fuel Tank Capacity (5115M) Swing-Out Rear Window with Two Removable Rear Plugs for Monitor	
Radio Preparation (w/speakers, wiring)	
Deluxe Sound System with Bluetooth and Satellite Radio Ready	
Requires Deluxe Corner Post Exhaust (3025) (5085M, 5100M, 5115M Only) Radio Antenna	
Requires PowrReverser Transmission (1380, 1382 or 1384)	
Requires MF WD (0040) Requires EH Hitch Controls (4030)	
Cab Options	
Instructional Seat with Seatbelt	2410
Less Instructional Seat	2400
ENGINE EXHAUST	
Vertical Exhaust	3020
Horizontal Side Exhaust	3010
TRANSMISSION	
12F/4R SyncShuttle Plus Transmission - 540 RPM PTO Requires 2 Wheel Drive Front Axle (Code 6020). Requires Base OOS (Code 2000) or Base Cab (Code 2050).	1360
12F/4R SyncShuttle Plus Transmission - 540/540E Requires 4 Wheel Drive Front Axle (Code 6040). Requires Base OOS (Code 2000) or Base Cab (Code	1362
2050).	
16F/16R PowrReverser Transmission - 540/540E Electrohydraulic (EH) Directional Reverser	1380
Oil Cooler (DT dependent)	
Wet PTO Clutch	
Park Lock Neutral Start Safety Switch B-C-D Range Synchronization	
16F/16R PowrReverser Transmission - 540/540E with Creeper Electrohydraulic (EH) Directional Reverser	1382
Hydraulic Oil Cooler Neutral Indicator	
Service Hitch Indicator Service Engine Indicator	
B-C-D Range Synchronization	
	OPEN STATION/CABContinued Monitor Mounting Bosses (2 Sets) 30 U.S. Gollon Fuel Tank Capacity (5065M and 5075M Only) 36 U.S. Gollon Fuel Tank Capacity (5085M, 5100M Only) 46 U.S. Gollon Fuel Tank Capacity (5185M, 5100M Only) Wing-Out Rear Window with Two Removable Rear Plugs for Monitor Righ-Hand Console Light Ratio Preparation (w/speakers, wring) Loud View Window (Surroof) with Shade Deluxe Sound System with Bluetooth and Satellite Radio Ready Rear Window Wiper Requires Deluxe Corner Post Exhaust (3025) (5085M, 5100M, 5115M Only) Radio Antenna Additional Defrost Louvers Requires PowrReverser Transmission (1380, 1382 or 1384) Requires HAPWD (6040) Requires EH Huch Controls (4030) Cab Options Instructional Seat ENGINE EXHAUST Vertical Exhaust Horizontal Side Exhaust TRANSMISSION 12F/4R SyncShuttle Plus Transmission - 540 RPM PTO Requires 2 Wheel Drive Front Axie (Code 6020). Requires Base OOS (Code 2000) or Base Cab (Code 2050). 12F/4R SyncShuttle Plus Transmission - 540/540E Requires Base OOS (Code 2000) or Base Cab (Code 2050). 16F/16R PowrReverser Transmission - 540/540E ElectrobyAraulic (EH) Directional Reverser ElectrobyAraulic (EH) Directional Reverser ElectrobyAraulic (EH) Directional Reverser ElectrobyAraulic (EH) Directional Reverser Hydraulic Oil Cooler Neural Indicator Service Enjine Indicator Service Enjine Indicator Service Hitch Indicator Service Hitch Indicator Service Enjine Indicator

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION HITCH CONTROLS	SUGGESTED LIST PRICE USD (\$)
4010		Mechanical Requires Base OOS (Code 2000) or Base Cab (Code 2050).	In Base Price
4030		Electrohydraulic (EH) with remote LH fender control Electrohydraulic (EH) Hitch Engagement Requires PowrReverser Transmission (Codes 1380 or 1382 or 1384). Requires Deluxe OOS (Code 2005) or Cab Plus (Code 2055) or Deluxe Cab (Code 2060).	444.00
		REAR HYDRAULIC CONTROL VALVE	
3320		Dual Rear Valve with Lever Controls	In Base Price
3330		Triple Rear Deluxe Valve with Lever Controls Features: - Three selectable detent positions on EACH valve (auto kickout, continuous flow, or no detent) - Float position on EACH valve - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve	1,113.00
		MID-HYDRAULIC CONTROL VALVE	
3400		Less Mid Valve Incompatible with EH Hitch (Code 4002). Does not include side frames.	-1,244.00
3420		Dual Mid Valve with Joystick Control <i>Includes side frames</i> .	In Base Price
		REAR WHEELS WITH TIRES (TWO) All tires offered are of bias ply construction unless otherwise stated.	
5121		16.9-30 In. 6PR R1 Bias 2WD compatible Code 6112 or 6113. MFWD (4WD) requires Code 6111.	In Base Price
5911		18.4R30 143A8 R1 Radial 2WD compatible Code 6112. MFWD (4WD) requires Code 6701.	1,848.00
5141		15.5R38 125A8 R1 Radial 2WD compatible Code 6112. MFWD (4WD) requires Code 6141.	912.00
5161		420/85 R34 R1W Radial Requires MFWD (Code 6040) and Code 6151.	2,769.00
5103		22.5LL-16.1 In. 6PR R3 (Turf Special) Bias 2WD compatible Code 6103 or 6113. MFWD (4WD) requires Code 6123.	1,115.00
5913		23.1-26 In. 8PR R3 (Turf) Bias 2WD compatible Code 6103 or 6113. Not compatible with Rear Wheel Weights R213907.	1,145.00
5914		19.5L-24 In. 10PR R4 Bias 2WD compatible Code 6113.	80.00

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS WITH TIRES (TWO)Continued MFWD (4WD) requires Code 6133.	
5924		19.5L-24 In. 10PR R4 Bias (Sod Harvester Applications) 2WD compatible Code 6113. MFWD (4WD) requires Code 6133.	80.00
5101		14.9-28 In. 6PR R1 Bias 2WD compatible Code 6112 or 6113. MFWD (4WD) requires Code 6101.	-453.00
5151		230/95R48 136A8 R1W Required MFWD Code 6040 and Code 6131. High Clearance Applications.	2,174.00
		FRONT WHEELS WITH TIRES (TWO)	
		All tires offered are of bias ply construction unless otherwise stated. See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.	_
6112		FOR OPTION CODE 6020 (2WD): 11L-15 In. 8PR F2 Bias	-643.00
6103		27/12LL-15 In. 6PR R3 (Turf Special) Bias	-248.00
6113		11LL-15 In. 8PR F3 (Truck Type) Bias	-620.00
6101		FOR OPTION CODE 6004 (MFWD - 4 WHEEL DRIVE): 9.5-24 In. 6PR R1 Bias	-93.00
6111		11.2-24 In. 6PR R1 Bias	In Base Price
6701		12.4R24 122A8 R1 Radial	590.00
6141		13.6R24 125A8 R1W Radial	774.00
6151		13.6R24 125A8 R1W Radial (Michelin)	774.00
6123		12LL-16 In. 6PR R3 (Turf Special) Bias	-122.00
6703		44X18-20 In. 4PR R3 Bias	834.00
6133		12.5/80-18 In. 12PR I3 Bias	32.00
6131		230/95R32 128A8 Radial High Clearance Applications.	1,205.00
		ATTACHMENTS - ORDER AS DESIRED Attachments ordered in this section will be factory installed if ordered by code, or may be shipped separately under the bundle number and dealer installed.	
8915		Loader Preparation Package Includes loader mounting frames and hood guard.	1,542.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8458		ATTACHMENTS - ORDER AS DESIREDContinued 63mm Hitch Lift Cylinders lbs.[kg] 5935 [2692] @ 24" [610mm]	585.00
8955		Front Weight Support	267.00
8510		Telescopic Rear View Cab Mirrors (2) Manually Adjustable Cab models only.	279.00
8300		Cold Weather Package	78.00
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154682	Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	RE520488	Engine: Engine Coolant Heater (110V) For use on 5 cylinder Engines only.	See Parts
	LVB25787	Radiator Clean Out Screen Compatible with cab model only (Codes 2050, 2055 and 2060).	56.00
	RE264139	Radiator Clean Out Screen 5065M and 5075M Only. Open Operator Station units only. (Code 2000 and 2005).	See Parts
	RE282653	Side Exhaust for 5030 Engines <i>Also order</i> (1) 19M7766, (1) 19M7784, (1) R275624, (1) 14M7298.	See Parts
	AL180328	Fenders: MFWD Front Fenders 12.6 In. (320 mm) Wide Recommended for use with 8.3-24 and 9.5-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders or HI-CROP Tractors.	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL180330	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fenders 14.6 In. (370 mm) Wide Recommended for use with 12.5/80-18, 11.2-24 and 12.4-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders or HI-CROP Tractors.	See Parts
	AL180327	MFWD Front Fenders 16.5 In. (420 mm) Wide Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders or HI-CROP Tractors.	See Parts
	LVB25776	Mounting Brackets and Hardware Kit - MFWD Fenders WITHOUT LOADER Requires Fenders (AL180328, AL180330, AL180327) ordered separately through parts.	756.00
	LVB25714	Rear Fender Extension Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	186.00
	LVB25066	Rear Fender Extension Kit Open Station Tractors only (Code 2000 or 2005).	413.00
	BW15683	Guards: Brush Guard Requires BW15657 Hood Guard.	114.00
	BW15657	Hood Guard	236.00
	LVB25779	Skid Plates, Fuel Tank Kit Kit contains hardware and skid plates for both main and inner fuel tank. Compatible with 5065M and 5075M Open Station and Cab Tractors ONLY.	132.00
	T12553	Hitch and Drawbar: Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	LVB25949	Drawbar - Hammerstrap and Chain Clevis Kit Kit contains all necessary parts and hardware (instructions included).	125.00
	LVB25716	Electrohydraulic (EH) Hitch Right Fender Switch Kit Cab Tractors (Codes 2033 or 2034) and Electrohydraulic (EH) Hitch (Code 4002) ONLY.	134.00
	LVB25941	Heavy Duty Drawbar Kit Kit contains Heavy Duty Drawbar with support assembly. Hardware and instructions included.	252.00
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	LVB25976	Hitch: iMatch Quick Hitch Category 1 Includes one set of Bushings(LVU15507). Not compatible on a 5115M.	319.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	LVB24995	Hydraulics: Dual Mid SCV to Triple Mid SCV Conversion Kit Includes components and parts required to install Triple Mid SCV's on Tractors already equipped with Dual Mid and Rear SCV's.	1,586.00
	LVB24993	Dual Mid SCV with Joystick Control Kit Includes components and parts required to install Dual Mid SCV on Tractors not equipped with Mid SCV.	1,143.00
	LVB24991	Dual Rear SCV Kit with Lever Controls Open Station Tractors only (Codes 2000 and 2005). Includes components and parts required to install Dual Rear SCV's on Tractors not equipped with any Rear SCV.	1,017.00
	LVB24990	Dual Rear SCV with Lever Control Kit Includes components and parts required to install Dual Rear SCV on Tractors not equipped with a Rear SCV. Compatible with Cab Models only (Codes 2050, 2055 and 2060).	1,071.00
	BLV10074	Mid Couplers Kit For use with 5M IT4 Tractors and MY2012 5065M, 5075M. (Note: For customers not ordering the GL3 Loader.)	161.00
	LVB25093	Oil Collection System Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware and instructions included).	100.00
	RE222718	Plumbing, Hydraulic Case Drain Supplies non-restricted flow of hydraulic fluid to reservoir. Also order: (1) 61M5035 Fitting, (1) RE268341 Tube, (2) R120797 Snap Ring, (1) R218933 Cover, (1) R252725 Bracket, (2) 19M7866 Screw, (2) 14M7298 Nut, (1) T77613 O-Ring, (1) 51M7042 O-Ring.	See Parts
	RE227760	Plumbing, Hydraulic Motor Return Also order: (1) A79902 Cover, (1) R269471 Fitting, (2) T77858 O-Ring, (1) 51M7045 O-Ring, (1) 34H5254 Fitting.	See Parts
	LVB24992	Triple Deluxe Rear SCV with Lever Control Kit For use with Tractors ALREADY equipped with Dual Rear Valves. Features: - Three selectable detent positions on EACH valve (auto kickout, continuous flow, or no detent) -Float position one EACH valve - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve	2,188.00
	LVB24997	Lighting: Auxiliary Loader Light Kit Requires Loader installation.	689.00
	LVB25720	Auxiliary Work Light Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	134.00
	RE244176	Beacon Light Kit Open Operator Station only. (Code 2000 and 2005).	See Parts
	BLV10120	Beacon Light Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	211.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB25729	ATTACHMENTS FOR FIELD CONVERSIONContinued Brake Light Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	98.00
	LVB25978	Brake Light Kit Open Operator Station only. (Code 2000 and 2005).	215.00
	RE205274	Miscellaneous: 120 Amp Alternator 5065M and 5075M Only	See Parts
	LVB25022	Backup Alarm Kit	146.00
	LVB26136	Engine Side Frame Kit	220.00
	BLV10077	Field Installation Kit - Satellite Radio Antenna All 5M Series Cab Tractors are "Radio Ready," including Radio Wiring Harness and Speakers as Standard Equipment. Requires Radio Ordered Separately. Requires Radio Subscription Ordered Separately.	78.00
	RE243739	Front 3-Point Hitch Includes all components necessary to install hitch system. Hydraulic SCV required, mid-SCV preferred due to supplied hose length.	3,901.00
	LVB25812	Front Handrail Kit Compatible with Open Operator Station Models only (Code 2000). Kit contains Handrail, Shield and all necessary hardware for both sides.	248.00
	LVB24986	Mid Fuel Tank - 5 Cylinder Engines Compatible with Open Station only (Codes 2000 and 2005). 1902LV and 1912LV Base Codes only.	159.00
	LVB24998	Mid Fuel Tank - 5 Cylinder Engines Compatible with Cab Models only (Codes 2050, 2055 and 2060). 1902LV and 1912LV Base Codes only.	159.00
	LVB25727	PowrReverser Modulation Control Kit	131.00
	RE19428	Safety Chain Support Kit Kit contains necessary parts and hardware.	See Parts
	LVB24988	Single Horn Kit Compatible with 5065M and 5075M ONLY	46.00
	L113922	Operator Environment: Antenna All 5M Series Cab Tractors are "Radio Ready", including Radio Wiring Harness and Speakers as Standard Equipment. Requires Radio Ordered Separately.	See Parts
	AH104259	Ash Tray Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	See Parts
	LVB25717	Cab Instructional Seat Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	494.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB25785	ATTACHMENTS FOR FIELD CONVERSIONContinued Canopy - Deluxe Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	857.00
	LVB25334	Canopy - Standard Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	520.00
	LVB25783	Canopy Mounting Kit Operator Stations Only (Code 2000 and 2005). Canopy ordered separately.	67.00
	AR60937	Cigarette Lighter Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	See Parts
	RE52682	Convenience Outlet Open Station only (Codes 2000 and 2005). Also order: (1) L157467 strap, (4) 37M70995 screws.	See Parts
	AL153405	Field Office Cab Tractors (Codes 2050, 2055 or 2060) ONLY. Requires (2) R205546 and (4) 37M7355 Ordered Separately.	See Parts
	RE244177	Kit, Rear View Mirror Mounting Kit Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror.	See Parts
	AL80126	Mirror, Telescopic, LH, Manually Adjustable For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	149.00
	AL80127	Mirror, Telescopic, RH, Manually Adjustable For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	149.00
	RE68495	Power Strip with Six Outlets Cab Tractors (Codes 2050, 2055 or 2060) ONLY. Requires (1) RE67013, (1) RE67014, and (1) RE67015 Ordered Separately.	See Parts
	RE265545	Radio, AM/FM Stereo with Clock and Weatherband Cab Tractors only (Codes 2050, 2055 and 2060). Requires Standard Cab Antenna Kit (SJ10170), ordered separately. MY2011 Tractors also require the following: AT209965 Ground Strap, 37M7090 Self-tapping screw M6 X 1 X 16 to attach Ground Strap to roof metal structure, 14M7450 Flange nut M5 x 0.8 to attach ground strap to radio.	See Parts
	RE289629	Radio, AM/FM, CD, with Clock and Weatherband Cab Tractors only (Code 2050, 2055 and 2060). Requires Standard Cab Antenna Kit (SJ10170) ordered separately. MY2011 Tractors also require the following: AT209965 Ground Strap, 37M7090 Self-tapping screw M6 X 1 X 16 to attach Ground Strap to roof metal structure, 14M7450 Flange nut M5 x 0.8 to attach ground strap to radio.	See Parts
	LVB25501	Seat Armrest Kit Open Operator Station (Code 2000) Tractors ONLY.	128.00
	AL77888	Seat Backrest Extension Deluxe Open Operator Station (Code 2005) Tractors ONLY.	See Parts
	AT162291	Seat Backrest Extension Cab Tractors (Code 2050, 2055 or 2060) ONLY.	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BLV10173	ATTACHMENTS FOR FIELD CONVERSIONContinued Wiper with Washer Kit - Rear Window Cab Tractors (Code 2050, 2055, or 2060) ONLY. Cab tractors with wiper mounting location over the LH shoulder of the operator.	297.00
	BLV10099	PTO: 1000/540/540E RPM Power Take Off Kit Not compatible with any Tractor equipped with a single speed PTO (540 only).	1,319.00
	BW16094	Stationary Fenders: Stationary Fenders Compatible with H260 and H310 Loader only. Loader ordered separately. Fenders bolt directly to Loader mounting frame assembly.	457.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts
	T32146	Weights: Front Weight Retaining Pin Required when Front Weights are used. Prevents Weights from sliding off of the Front Weight Support. Also requires L12491, Quick Pin, ordered separately.	See Parts
	R262449	Front Weight Support, 187 Lbs	See Parts
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One Dealer must order 5000 Lbs. to receive free freight through Waterloo Weight Program. Available to Ag Dealers only.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R213907	Weight, Rear Wheel 95 Lb. Maximum of 2 per wheel. Not compatible on wheels sized 24" or smaller.	198.00
	AL156778	Wheel Equipment: Wheel Spacers, MFWD, 2.36 In. (60 mm) with Hardware (Qty 2) Fits MFWD Axles. Tread setting should not exceed 80 In. for maximum load applications. Kit contains (2) L154685 Hubs, (16) 24M7242 Washers, and (16) L152521 Bolts. For other hub thickness, see Parts.	575.00

5075M Utility Tractor (MY 2012)

Equipment for Base Machine

ENGINE:
75 Engine Horsepower @ 2200RPM*
60 PTO Horsepower @ 2100 RPM*
5 Cylinder Turbocharged John Deere
PowerTech Diesel Engine
184 C.I.D. (3.0L)
Dry Type Air Cleaner with Safety Element
Underhood Muffler with Vertical Exhaust Stack
Cold Start Aid - Glow Plugs
Water Separator Bowl
Anti-Freeze
Hand and Foot Throttle
Key Engine Shut Off

TRANSMISSION:

Fan Finger Guard

16F/16R PowrReverser Transmission Right Hand Speed Controls Left Hand F/R Shuttle Control EH Differential Lock Integrated Park Position Neutral Start Safety Switch Wet Traction Clutch

REAR AXLE: Flanged Rear Axle Planetary Final Drives

FRONT AXLE:
Mechanical Front Wheel Drive Front Axle
Planetary Final Drives
Electro-Hydraulic MFWD Engagement via On/Auto/Brake

STEERING AND BRAKES:
Hydrostatic Power Steering
Hydraulic Wet Disk Brakes Self-Equalizing
and Self-Adjusting

HYDRAULIC:

Flip Up PTO Shield

Open Center Hydraulic System
Tandem Gear Pump 20.9 GPM
Maximum Total Flow Steering Pump 6.3 GPM (23.7 LPM)
Implement Pump 14.6 GPM
Dual Mid & Dual Rear SCV Control Valves

POWER TAKE-OFF SHAFT:
Independent "Live" 540 RPM Rear PTO Shaft
@ 2100 Engine RPM
Economy PTO Setting for 540 PTO RPM
@ 1645 Engine RPM
Electro-Hydraulic PTO Engagement
Wet PTO Clutch
Operator Presence Safety Warning - PTO
Safety Start Switch

ROCKSHAFT, HITCH AND DRAWBAR: 56mm Lift Cylinder Standard Adjustable Straight Drawbar Telescoping Draft Links with Category II Balls Lower Link Draft Sensing

INSTRUMENTATION:
Electric Fuel Gauge
Flashing Warning Lamp
High Beam Indicator Light
Service Transmission Indicator
PTO Speed Indicator/Roll Mode
Natural Indicator (PR Only)
Tachometer/Hour Meter
Engine Oil Pressure
Hydraulic Temperature Indicator
Coolant Temperature Gauge
Alternator Indicator Light
Air Restriction Indicator Light
Exhaust Filter Cleaning Switch
Roll Mode for Instrument Cluster
PTO Engagement Indicator Light
4WD Engagement Light (4WD Front Axle Only)
Hi/Lo Transmission Indicator Light
(32/16 Transmission Only)

ELECTRICAL: 12-Volt Electrical System One Battery - 950 CCA** with 180 Minute Reserve Capacity 7-Pin ASAE Outlet Socket

LIGHTS:

Two Front Halogen Headlights
Two Turn/Warning Lights

MISCELLANEOUS: SMV Emblem Toolbox English Operator's Manual

2-Post Foldable Roll-Over Protective Structure (ROPS) Less Canopy Vinyl Seat with Flip Up Feature and Retractable Seat Belt Tilt and Telescopic Steering Column 21 U.S. Gallon (80L) Fuel Tank Capacity 70 Amp Alternator Flashing Warning Light Dual Tail Lights Single Rear Work Light Beverage Holder 8-Position Standard Steel Rear Wheels with Two 16.9-30 6PR (R1) Tires Two 11.2-24 6PR (R1) Front Tires

OPEN OPERATOR STATION (Code 2000):

* Manufacturer's Rating ** Cold Cranking Amps

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINE	
		EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington	
1912LV		5075M Utility Tractor (MY 2012)	44,487.00
		OPERATORS MANUAL	
0409		English Operators Manual and Decal Kit	No Charge
0413		French Operators Manual and Decal Kit	No Charge
0437		Spanish Operators Manual and Decal Kit	No Charge
		FRONT AXLE	
6020		2 Wheel Drive Requires Base OOS (Code 2000) or Base Cab (Code 2050).	-6,421.00
6040		MFWD (4 Wheel Drive) Limited Slip Differential Push Button, On-The-Go Engagement Engagement Indicator Light on PowrReverser Transmission. Auto Engagement Mode on PowrReverser Transmissions (Code 1380, 1382, or 1384).	In Base Price
		OPEN STATION/CAB	
2000		Open Operator Station Fixed Open Operator Station with Flat Floor Tilt and Telescopic Steering Column 2-Post Foldable Roll-Over Protection Structure (ROPS) Base Seat with Flip Up Feature and Retractable Seat Belt 21 U.S. Gallon Fuel Tank Capacity (5065M and 5075M) Beverage Holder 70 AMP Alternator Flashing Warning Lights Dual Taillights Single Rear Work Light Not available with 32F/16R PowerReverser Plus (Code 1384). Requires Mechanical Hitch Controls (Code 4010).	In Base Price
2005		Deluxe Isolated Open Operator Station Deluxe Isolated Open Operator Station with Flat Floor Tilt and Telescoping Steering Column 2-Post Isolated Foldable Roll-Over Protection Structure (ROPS) Floor mat Plexiglass Debris/Air Deflector with Grab Handles Speedometer Deluxe Seat with Swivel, Armrests, and Retractable Seat Belt 21 U.S. Gallon Fuel Tank Capacity (5065M and 5075M Only) 30 U.S. Gallon Fuel Tank Capacity (5085M, 5100M Only) 40 U.S. Gallon Fuel Tank Capacity (5115M) 70 AMP Alternator Two Rear Work Lights Flashing Warning Lights Fender Extensions with Front Work Lights Dual Taillights Beverage Holder Requires PowrReverser transmission (1380, 1382, or 1384). Requires MFWD (6040).	1,236.00
2050		Cab	10,981.00

5075M Utility Tractor (MY 2012)

Continued

SUGGESTED **ATTACHMENT** LIST PRICE CODE **DESCRIPTION IDENTIFIER** USD (\$)

OPEN STATION/CAB ...Continued...

Deluxe Isolated Cab with Flat Floor Tilt and Telescopic Steering Column

Left and Right Side Doors with Steps

Air Conditioning and Heater

Adjustable Fabric Seat with Retractable Seat Belt

Speedometer

Beverage Holder

Sunvisor for Front Window

2-Speed Front Windshield Wiper and Washer

Two Front/Two Rear Roof-Mounted Work Lights

Two Front/Two Rear Roof-Mounted Warning Lights

Two Fender-Mounted Taillights

90 Amp Alternator

Convenience Power Outlet

Monitor Mounting Bosses (2 Sets)

30 U.S. Gallon Fuel Tank Capacity (5065M and 5075M)

36 U.S. Gallon Fuel Tank Capacity (5085M, 5100M Only)

46 U.S. Gallon Fuel Tank Capacity (5115M Only)

Swing-Out Rear Window with Two Removable Rear Plugs for Monitor

Right-Hand Console Light

Radio Preparation (w/speakers, wiring)

Not available with 32F/16R PowrReverser Plus (Code 1384).

Requires Mechanical Hitch Controls (Code 4010).

2055 Cab Plus 11.881.00

Deluxe Isolated Cab with Flat Floor Tilt and Telescopic Steering Column Left and Right Side Doors with Steps

Air Conditioning and Heater

Deluxe Air Suspension Adjustable Fabric Seat with Retractable Seat Belt

Swivel Seat with Adjustable Seat Pan

Speedometer

Beverage Holder

Sunvisor for Front Window

2-Speed Front Windshield Wiper and Washer Two Front/Two Rear Roof-Mounted Work Lights

Two Front/Two Rear Roof-Mounted Warning Lights

Two Fender-Mounted Taillights

90 Amp Alternator

Convenience Power Outlet

Monitor Mounting Bosses (2 Sets)

30 U.S. Gallon Fuel Tank Capacity (5065M and 5075M Only)

36 U.S. Gallon Fuel Tank Capacity (5085M, 5100M Only)

46 U.S. Gallon Fuel Tank Capacity (5115M Only)

Swing-Out Rear Window with Two Removable Rear Plugs for Monitor

Right-Hand Console Light

Radio Preparation (w/speakers, wiring)

Swivel Seat with Adjustable Seat Pan

2060 12,637.00 Deluxe Cab

Deluxe Isolated Cab with Flat Floor Tilt and Telescopic Steering Column Left and Right Side Doors with Steps

Air Conditioning and Heater

Deluxe Air Suspension Adjustable Fabric Seat with Retractable Seat Belt

Swivel Seat with Adjustable Seat Pan

Speedometer

Beverage Holder

Sunvisor for Front Window

2-Speed Front Windshield Wiper and Washer Two Front/Two Rear Roof-Mounted Work Lights

Two Front/Two Rear Roof-Mounted Warning Lights

Two Fender-Mounted Taillights

90 Amp Alternator

Convenience Power Outlet

16 May 2012 US & Canada 2-Tractors-01900-3

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPEN STATION/CABContinued Monitor Mounting Bosses (2 Sets) 30 U.S. Gallon Fuel Tank Capacity (5065M and 5075M Only) 36 U.S. Gallon Fuel Tank Capacity (5085M, 5100M Only) 46 U.S. Gallon Fuel Tank Capacity (5115M) Swing-Out Rear Window with Two Removable Rear Plugs for Monitor Right-Hand Console Light Radio Preparation (w/speakers, wiring) Load View Window (Sunroof) with Shade Deluxe Sound System with Bluetooth and Satellite Radio Ready Rear Window Wiper Requires Deluxe Corner Post Exhaust (3025) (5085M, 5100M, 5115M Only) Radio Antenna Additional Defrost Louvers Requires PowrReverser Transmission (1380, 1382 or 1384) Requires MFWD (6040) Requires EH Hitch Controls (4030)	
		Tequires Ell Titles Controls (1950)	
		Cab Options	
2410		Instructional Seat with Seatbelt	522.00
2400		Less Instructional Seat	In Base Price
		ENGINE EXHAUST	
3020		Vertical Exhaust	In Base Price
3010		Horizontal Side Exhaust	140.00
		TRANSMISSION	
1360		12F/4R SyncShuttle Plus Transmission - 540 RPM PTO Requires 2 Wheel Drive Front Axle (Code 6020). Requires Base OOS (Code 2000) or Base Cab (Code 2050).	-3,217.00
1362		12F/4R SyncShuttle Plus Transmission - 540/540E Requires 4 Wheel Drive Front Axle (Code 6040). Requires Base OOS (Code 2000) or Base Cab (Code 2050).	-2,779.00
1380		16F/16R PowrReverser Transmission - 540/540E Electrohydraulic (EH) Directional Reverser Electrohydraulic Differential Lock Oil Cooler (DT dependent) Wet Traction Clutch Wet PTO Clutch Park Lock Neutral Start Safety Switch B-C-D Range Synchronization	In Base Price
1382		16F/16R PowrReverser Transmission - 540/540E with Creeper Electrohydraulic (EH) Directional Reverser Hydraulic Oil Cooler Neutral Indicator Service Hitch Indicator Service Engine Indicator B-C-D Range Synchronization Requires MFWD (Code 6040)	2,469.00
1384		32F/16R PowrReverser Plus Transmission - 540/540E Electrohydraulic (EH) Directional Reverser	1,583.00

5075M Utility Tractor (MY 2012)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRANSMISSIONContinued Push Button, Electrohydraulic (EH) Hi/Lo Hydraulic Oil Cooler Hi/Lo Indicator Light PowrReverser Modulation Control Knob B-C-D Range Synchronization Requires Electrohydraulic (EH) Hitch (Code 4030) Requires Deluxe OOS (Code 2005) or Deluxe Cab (Code 2060) Requires MFWD (Code 6040)	
		HITCH CONTROLS	
4010		Mechanical Requires Base OOS (Code 2000) or Base Cab (Code 2050).	In Base Price
4030		Electrohydraulic (EH) with remote LH fender control Electrohydraulic (EH) Hitch Engagement Requires PowrReverser Transmission (Codes 1380 or 1382 or 1384). Requires Deluxe OOS (Code 2005) or Cab Plus (Code 2055) or Deluxe Cab (Code 2060).	444.00
		REAR HYDRAULIC CONTROL VALVE	
3320		Dual Rear Valve with Lever Controls	In Base Price
3330		Triple Rear Deluxe Valve with Lever Controls Features: - Three selectable detent positions on EACH valve (auto kickout, continuous flow, or no detent) - Float position on EACH valve - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve	1,113.00
		MID-HYDRAULIC CONTROL VALVE	
3400		Less Mid Valve Incompatible with EH Hitch (Code 4002). Does not include side frames.	-1,244.00
3420		Dual Mid Valve with Joystick Control <i>Includes side frames</i> .	In Base Price
3430		Triple Mid Valve with Joystick Control Features: - Valve #1 Push button, Electrohydraulic (EH) control Priority flow Pressure compensated flow control (0 - 12 GPM) for intermittent hydraulic applications - Valve #2 - Float position - Valve #3 - Extend/Retract positions ONLY Includes Side Frames Requires Deluxe OOS (Code 2005) or Deluxe Cab (Code 2060) Not available on 5065M Incompatible with 12F/4R TSS (Code 1360)	886.00

REAR WHEELS WITH TIRES (TWO)

All tires offered are of bias ply construction unless otherwise stated.

CODE	ATTACHMENIDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5121		REAR WHEELS WITH TIRES (TWO)Continued 16.9-30 ln. 6PR R1 Bias 2WD compatible Code 6112 or 6113. MFWD (4WD) requires Code 6111.	In Base Price
5911		18.4R30 143A8 R1 Radial 2WD compatible Code 6112. MFWD (4WD) requires Code 6701.	1,848.00
5141		15.5R38 125A8 R1 Radial 2WD compatible Code 6112. MFWD (4WD) requires Code 6141.	912.00
5161		420/85 R34 R1W Radial Requires MFWD (Code 6040) and Code 6151.	2,769.00
5103		22.5LL-16.1 In. 6PR R3 (Turf Special) Bias 2WD compatible Code 6103 or 6113. MFWD (4WD) requires Code 6123.	1,115.00
5913		23.1-26 In. 8PR R3 (Turf) Bias 2WD compatible Code 6103 or 6113. Not compatible with Rear Wheel Weights R213907.	1,145.00
5914		19.5L-24 In. 10PR R4 Bias 2WD compatible Code 6113. MFWD (4WD) requires Code 6133.	80.00
5924		19.5L-24 In. 10PR R4 Bias (Sod Harvester Applications) 2WD compatible Code 6113. MFWD (4WD) requires Code 6133.	80.00
5101		14.9-28 In. 6PR R1 Bias 2WD compatible Code 6112 or 6113. MFWD (4WD) requires Code 6101.	-453.00
5151		230/95R48 136A8 R1W Required MFWD Code 6040 and Code 6131. High Clearance Applications.	2,174.00
		FRONT WHEELS WITH TIRES (TWO)	
		All tires offered are of bias ply construction unless otherwise stated. See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.	
6112		FOR OPTION CODE 6020 (2WD): 11L-15 In. 8PR F2 Bias	-643.00
6103		27/12LL-15 In. 6PR R3 (Turf Special) Bias	-248.00
6113		11LL-15 In. 8PR F3 (Truck Type) Bias	-620.00
6101		FOR OPTION CODE 6004 (MFWD - 4 WHEEL DRIVE): 9.5-24 In. 6PR R1 Bias	-93.00
6111		11.2-24 In. 6PR R1 Bias	In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6701		FRONT WHEELS WITH TIRES (TWO)Continued 12.4R24 122A8 R1 Radial	590.00
6141		13.6R24 125A8 R1W Radial	774.00
6151		13.6R24 125A8 R1W Radial (Michelin)	774.00
6123		12LL-16 In. 6PR R3 (Turf Special) Bias	-122.00
6703		44X18-20 In. 4PR R3 Bias	834.00
6133		12.5/80-18 In. 12PR I3 Bias	32.00
6131		230/95R32 128A8 Radial High Clearance Applications.	1,205.00
		ATTACHMENTS - ORDER AS DESIRED Attachments ordered in this section will be factory installed if ordered by code, or may be	
		shipped separately under the bundle number and dealer installed.	
8915		Loader Preparation Package Includes loader mounting frames and hood guard.	1,542.00
8458		63mm Hitch Lift Cylinders lbs.[kg] 5935 [2692] @ 24" [610mm]	585.00
8253		Instructional Seat with Seatbelt	522.00
8955		Front Weight Support	267.00
8510		Telescopic Rear View Cab Mirrors (2) Manually Adjustable <i>Cab models only</i> .	279.00
8300		Cold Weather Package	78.00
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154682	Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	L154684	ATTACHMENTS FOR FIELD CONVERSIONContinued Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	RE520488	Engine: Engine Coolant Heater (110V) For use on 5 cylinder Engines only.	See Parts
	LVB25787	Radiator Clean Out Screen Compatible with cab model only (Codes 2050, 2055 and 2060).	56.00
	RE264139	Radiator Clean Out Screen 5065M and 5075M Only. Open Operator Station units only. (Code 2000 and 2005).	See Parts
	RE282653	Side Exhaust for 5030 Engines <i>Also order</i> (1) 19M7766, (1) 19M7784, (1) R275624, (1) 14M7298.	See Parts
	AL180328	Fenders: MFWD Front Fenders 12.6 In. (320 mm) Wide Recommended for use with 8.3-24 and 9.5-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders or HI-CROP Tractors.	See Parts
	AL180330	MFWD Front Fenders 14.6 In. (370 mm) Wide Recommended for use with 12.5/80-18, 11.2-24 and 12.4-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders or HI-CROP Tractors.	See Parts
	AL180327	MFWD Front Fenders 16.5 In. (420 mm) Wide Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders or HI-CROP Tractors.	See Parts
	LVB25776	Mounting Brackets and Hardware Kit - MFWD Fenders WITHOUT LOADER Requires Fenders (AL180328, AL180330, AL180327) ordered separately through parts.	756.00
	LVB25714	Rear Fender Extension Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	186.00
	LVB25066	Rear Fender Extension Kit Open Station Tractors only (Code 2000 or 2005).	413.00
	BW15683	Guards: Brush Guard Requires BW15657 Hood Guard.	114.00
	BW15657	Hood Guard	236.00
	LVB25779	Skid Plates, Fuel Tank Kit Kit contains hardware and skid plates for both main and inner fuel tank. Compatible with 5065M and 5075M Open Station and Cab Tractors ONLY.	132.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	T12553	Hitch and Drawbar: Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	LVB25949	Drawbar - Hammerstrap and Chain Clevis Kit Kit contains all necessary parts and hardware (instructions included).	125.00
	LVB25716	Electrohydraulic (EH) Hitch Right Fender Switch Kit Cab Tractors (Codes 2033 or 2034) and Electrohydraulic (EH) Hitch (Code 4002) ONLY.	134.00
	LVB25941	Heavy Duty Drawbar Kit Kit contains Heavy Duty Drawbar with support assembly. Hardware and instructions included.	252.00
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	LVB25976	Hitch: iMatch Quick Hitch Category 1 Includes one set of Bushings(LVU15507). Not compatible on a 5115M.	319.00
	LVB24995	Hydraulics: Dual Mid SCV to Triple Mid SCV Conversion Kit Includes components and parts required to install Triple Mid SCV's on Tractors already equipped with Dual Mid and Rear SCV's.	1,586.00
	LVB24993	Dual Mid SCV with Joystick Control Kit Includes components and parts required to install Dual Mid SCV on Tractors not equipped with Mid SCV.	1,143.00
	LVB24991	Dual Rear SCV Kit with Lever Controls Open Station Tractors only (Codes 2000 and 2005). Includes components and parts required to install Dual Rear SCV's on Tractors not equipped with any Rear SCV.	1,017.00
	LVB24990	Dual Rear SCV with Lever Control Kit Includes components and parts required to install Dual Rear SCV on Tractors not equipped with a Rear SCV. Compatible with Cab Models only (Codes 2050, 2055 and 2060).	1,071.00
	BLV10074	Mid Couplers Kit For use with 5M IT4 Tractors and MY2012 5065M, 5075M. (Note: For customers not ordering the GL3 Loader.)	161.00
	LVB25093	Oil Collection System Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware and instructions included).	100.00
	RE222718	Plumbing, Hydraulic Case Drain Supplies non-restricted flow of hydraulic fluid to reservoir. Also order: (1) 61M5035 Fitting, (1) RE268341 Tube, (2) R120797 Snap Ring, (1) R218933 Cover, (1) R252725 Bracket, (2) 19M7866 Screw, (2) 14M7298 Nut, (1) T77613 O-Ring, (1) 51M7042 O-Ring.	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE227760	ATTACHMENTS FOR FIELD CONVERSIONContinued Plumbing, Hydraulic Motor Return Also order: (1) A79902 Cover, (1) R269471 Fitting, (2) T77858 O-Ring, (1) 51M7045 O-Ring, (1) 34H5254 Fitting.	See Parts
	LVB24992	Triple Deluxe Rear SCV with Lever Control Kit For use with Tractors ALREADY equipped with Dual Rear Valves. Features: - Three selectable detent positions on EACH valve (auto kickout, continuous flow, or no detent) -Float position one EACH valve - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve	2,188.00
	LVB24997	Lighting: Auxiliary Loader Light Kit Requires Loader installation.	689.00
	LVB25720	Auxiliary Work Light Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	134.00
	RE244176	Beacon Light Kit Open Operator Station only. (Code 2000 and 2005).	See Parts
	BLV10120	Beacon Light Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	211.00
	LVB25729	Brake Light Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	98.00
	LVB25978	Brake Light Kit Open Operator Station only. (Code 2000 and 2005).	215.00
	RE205274	Miscellaneous: 120 Amp Alternator 5065M and 5075M Only	See Parts
	LVB25022	Backup Alarm Kit	146.00
	LVB26136	Engine Side Frame Kit	220.00
	BLV10077	Field Installation Kit - Satellite Radio Antenna All 5M Series Cab Tractors are "Radio Ready," including Radio Wiring Harness and Speakers as Standard Equipment. Requires Radio Ordered Separately. Requires Radio Subscription Ordered Separately.	78.00
	RE243739	Front 3-Point Hitch Includes all components necessary to install hitch system. Hydraulic SCV required, mid-SCV preferred due to supplied hose length.	3,901.00
	LVB25812	Front Handrail Kit Compatible with Open Operator Station Models only (Code 2000). Kit contains Handrail, Shield and all necessary hardware for both sides.	248.00
	LVB24986	Mid Fuel Tank - 5 Cylinder Engines Compatible with Open Station only (Codes 2000 and 2005). 1902LV and 1912LV Base Codes only.	159.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB24998	ATTACHMENTS FOR FIELD CONVERSIONContinued Mid Fuel Tank - 5 Cylinder Engines Compatible with Cab Models only (Codes 2050, 2055 and 2060). 1902LV and 1912LV Base Codes only.	159.00
	LVB25727	PowrReverser Modulation Control Kit	131.00
	RE19428	Safety Chain Support Kit Kit contains necessary parts and hardware.	See Parts
	LVB24988	Single Horn Kit Compatible with 5065M and 5075M ONLY	46.00
	L113922	Operator Environment: Antenna All 5M Series Cab Tractors are "Radio Ready", including Radio Wiring Harness and Speakers as Standard Equipment. Requires Radio Ordered Separately.	See Parts
	AH104259	Ash Tray Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	See Parts
	LVB25717	Cab Instructional Seat Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	494.00
	LVB25785	Canopy - Deluxe Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	857.00
	LVB25334	Canopy - Standard Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	520.00
	LVB25783	Canopy Mounting Kit Operator Stations Only (Code 2000 and 2005). Canopy ordered separately.	67.00
	AR60937	Cigarette Lighter Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	See Parts
	RE52682	Convenience Outlet Open Station only (Codes 2000 and 2005). Also order: (1) L157467 strap, (4) 37M70995 screws.	See Parts
	AL153405	Field Office Cab Tractors (Codes 2050, 2055 or 2060) ONLY. Requires (2) R205546 and (4) 37M7355 Ordered Separately.	See Parts
	RE244177	Kit, Rear View Mirror Mounting Kit Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror.	See Parts
	AL80126	Mirror, Telescopic, LH, Manually Adjustable For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	149.00
	AL80127	Mirror, Telescopic, RH, Manually Adjustable For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	149.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE68495	ATTACHMENTS FOR FIELD CONVERSIONContinued Power Strip with Six Outlets Cab Tractors (Codes 2050, 2055 or 2060) ONLY. Requires (1) RE67013, (1) RE67014, and (1) RE67015 Ordered Separately.	See Parts
	RE265545	Radio, AM/FM Stereo with Clock and Weatherband Cab Tractors only (Codes 2050, 2055 and 2060). Requires Standard Cab Antenna Kit (SJ10170), ordered separately. MY2011 Tractors also require the following: AT209965 Ground Strap, 37M7090 Self-tapping screw M6 X 1 X 16 to attach Ground Strap to roof metal structure, 14M7450 Flange nut M5 x 0.8 to attach ground strap to radio.	See Parts
	RE289629	Radio, AM/FM, CD, with Clock and Weatherband Cab Tractors only (Code 2050, 2055 and 2060). Requires Standard Cab Antenna Kit (SJ10170) ordered separately. MY2011 Tractors also require the following: AT209965 Ground Strap, 37M7090 Self-tapping screw M6 X 1 X 16 to attach Ground Strap to roof metal structure, 14M7450 Flange nut M5 x 0.8 to attach ground strap to radio.	See Parts
	LVB25501	Seat Armrest Kit Open Operator Station (Code 2000) Tractors ONLY.	128.00
	AL77888	Seat Backrest Extension Deluxe Open Operator Station (Code 2005) Tractors ONLY.	See Parts
	AT162291	Seat Backrest Extension Cab Tractors (Code 2050, 2055 or 2060) ONLY.	See Parts
	BLV10173	Wiper with Washer Kit - Rear Window Cab Tractors (Code 2050, 2055, or 2060) ONLY. Cab tractors with wiper mounting location over the LH shoulder of the operator.	297.00
	BLV10099	PTO: 1000/540/540E RPM Power Take Off Kit Not compatible with any Tractor equipped with a single speed PTO (540 only).	1,319.00
	BW16094	Stationary Fenders: Stationary Fenders Compatible with H260 and H310 Loader only. Loader ordered separately. Fenders bolt directly to Loader mounting frame assembly.	457.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts
	T32146	Weights: Front Weight Retaining Pin Required when Front Weights are used. Prevents Weights from sliding off of the Front Weight Support. Also requires L12491, Quick Pin, ordered separately.	See Parts
	R262449	Front Weight Support, 187 Lbs	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	R127764	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Front Suitcase (104 Lb.) Quantity of One Dealer must order 5000 Lbs. to receive free freight through Waterloo Weight Program. Available to Ag Dealers only.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R213907	Weight, Rear Wheel 95 Lb. Maximum of 2 per wheel. Not compatible on wheels sized 24" or smaller.	198.00
	AL156778	Wheel Equipment: Wheel Spacers, MFWD, 2.36 In. (60 mm) with Hardware (Qty 2) Fits MFWD Axles. Tread setting should not exceed 80 In. for maximum load applications. Kit contains (2) L154685 Hubs, (16) 24M7242 Washers, and (16) L152521 Bolts. For other hub thickness, see Parts.	575.00

5075M Utility Tractor (MY 2012) Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

5085M Utility Tractor (MY 2012)

Equipment for Base Machine

ENGINE:

85 Engine Horsepower @ 2200RPM*
70 PTO Horsepower @ 2100 RPM*
Turbocharger with Intercooler
PowerTech Diesel Engine
4 Valve HPCR
Dry Type Air Cleaner with Safety Element
Underhood Muffler with Vertical Exhaust Stack
Cold Weather Package
Hand and Foot Throttle
Key Engine Shut Off
Water Separator Bowl

TRANSMISSION:

16F/16R PowrReverser Transmission Right Hand Speed Controls EH Differential Lock Oil Cooler (DT Dependent) Wet Traction Clutch Park Lock Neutral Start Safety Switch

REAR AXLE: Flanged Rear Axle Planetary Final Drives

FRONT AXLE:

Mechanical Front Wheel Drive Front Axle Planetary Final Drives Electro-Hydraulic MFWD Engagement via On/Auto/Brake

STEERING AND BRAKES:
Hydrostatic Power Steering
Hydraulic Wet Disk Brakes Self-Equalizing
and Self-Adjusting

HYDRAULIC:

Flip Up PTO Shield

Open Center Hydraulic System
Tandem Gear Pump 24.7 GPM
Maximum Total Flow Steering Pump 6.3 GPM (23.7 LPM)
Implement Pump 18.4 GPM
Dual Mid & Dual Rear SCV Control Valves

POWER TAKE-OFF SHAFT:
Independent "Live" 540 RPM Rear PTO Shaft
@ 2100 Engine RPM
Economy PTO Setting for 540 PTO RPM
@ 1645 Engine RPM
Electro-Hydraulic PTO Engagement
Wet PTO Clutch
Operator Presence Safety Warning - PTO
Safety Start Switch

ROCKSHAFT, HITCH AND DRAWBAR: 56mm Lift Cylinder Standard Adjustable Straight Drawbar Telescoping Draft Links with Category II Balls Lower Link Draft Sensing

INSTRUMENTATION: Electric Fuel Gauge Flashing Warning Lamp High Beam Indicator Light Service Transmission Indicator PTO Speed Indicator/Roll Mode Natural Indicator (PR Only) Tachometer/Hour Meter Engine Oil Pressure Hydraulic Temperature Indicator Coolant Temperature Gauge Alternator Indicator Light Air Restriction Indicator Light Exhaust Filter Cleaning Switch Roll Mode for Instrument Cluster PTO Engagement Light (Rear PTO) 4WD Engagement Light (4WD Front Axle Only) Hi/Lo Transmission Indicator Light
 (32/16 Transmission Only)

ELECTRICAL:

12-Volt Electrical System
One Battery - 950 CCA** with
180 Minute Reserve Capacity
7-Pin ASAE Outlet Socket

LIGHTS:

Two Front Halogen Headlights
Two Turn/Warning Lights

MISCELLANEOUS: SMV Emblem Toolbox

English Operator's Manual

OPEN OPERATOR STATION (Code 2000):
2-Post Foldable Roll-Over Protective
Structure (ROPS) Less Canopy
Vinyl Seat with Flip Up Feature and
Retractable Seat Belt
Tilt and Telescopic Steering Column
30 U.S. Gallon (80L) Fuel Tank Capacity
70 Amp Alternator
Flashing Warning Light
Dual Tail Lights
Single Rear Work Light
Beverage Holder
8-Position Standard Steel Rear Wheels
with Two 16.9-30 6PR (R1) Tires
Two 11.2-24 6PR (R1) Front Tires

* Manufacturer's Rating
** Cold Cranking Amps

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINEContinued EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington	
1922LV		5085M Utility Tractor (MY 2012)	47,986.00
		OPERATORS MANUAL	
0409		English Operators Manual and Decal Kit	No Charge
0413		French Operators Manual and Decal Kit	No Charge
0437		Spanish Operators Manual and Decal Kit	No Charge
		FRONT AXLE	
6020		2 Wheel Drive Requires Base OOS (Code 2000) or Base Cab (Code 2050).	-6,421.00
6040		MFWD (4 Wheel Drive) Limited Slip Differential Push Button, On-The-Go Engagement Engagement Indicator Light on PowrReverser Transmission. Auto Engagement Mode on PowrReverser Transmissions (Code 1380, 1382, or 1384).	In Base Price
		OPEN STATION/CAB	
2000		Open Operator Station Fixed Open Operator Station with Flat Floor Tilt and Telescopic Steering Column 2-Post Foldable Roll-Over Protection Structure (ROPS) Base Seat with Flip Up Feature and Retractable Seat Belt 30 U.S. Gallon Fuel Tank Capacity (5085M, 5100M Only) 40 U.S. Gallon Fuel Tank Capacity (5115M Only) Beverage Holder 70 AMP Alternator Flashing Warning Lights Dual Taillights Single Rear Work Light Not available with 32F/16R PowerReverser Plus (Code 1384). Requires Mechanical Hitch Controls (Code 4010).	In Base Price
2005		Deluxe Isolated Open Operator Station Deluxe Isolated Open Operator Station with Flat Floor Tilt and Telescoping Steering Column 2-Post Isolated Foldable Roll-Over Protection Structure (ROPS) Floor mat Plexiglass Debris/Air Deflector with Grab Handles Speedometer Deluxe Seat with Swivel, Armrests, and Retractable Seat Belt 21 U.S. Gallon Fuel Tank Capacity (5065M and 5075M Only) 30 U.S. Gallon Fuel Tank Capacity (5085M, 5100M Only) 40 U.S. Gallon Fuel Tank Capacity (5115M) 70 AMP Alternator Two Rear Work Lights Flashing Warning Lights Fender Extensions with Front Work Lights Dual Taillights Beverage Holder Requires PowrReverser transmission (1380, 1382, or 1384). Requires MFWD (6040).	1,236.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2050		OPEN STATION/CABContinued Cab Deluxe Isolated Cab with Flat Floor Tilt and Telescopic Steering Column Left and Right Side Doors with Steps Air Conditioning and Heater Adjustable Fabric Seat with Retractable Seat Belt Speedometer Beverage Holder Sunvisor for Front Window 2-Speed Front Windshield Wiper and Washer Two Front/Two Rear Roof-Mounted Work Lights Two Front/Two Rear Roof-Mounted Warning Lights Two Fender-Mounted Taillights 90 Amp Alternator Convenience Power Outlet Monitor Mounting Bosses (2 Sets) 30 U.S. Gallon Fuel Tank Capacity (5065M and 5075M) 36 U.S. Gallon Fuel Tank Capacity (5085M, 5100M Only) 46 U.S. Gallon Fuel Tank Capacity (5115M Only) Swing-Out Rear Window with Two Removable Rear Plugs for Monitor Right-Hand Console Light Radio Preparation (w/speakers, wiring) Not available with 32F/16R PowrReverser Plus (Code 1384). Requires Mechanical Hitch Controls (Code 4010).	10,981.00
2055		Cab Plus Deluxe Isolated Cab with Flat Floor Tilt and Telescopic Steering Column Left and Right Side Doors with Steps Air Conditioning and Heater Deluxe Air Suspension Adjustable Fabric Seat with Retractable Seat Belt Swivel Seat with Adjustable Seat Pan Speedometer Beverage Holder Sunvisor for Front Window 2-Speed Front Windshield Wiper and Washer Two Front/Two Rear Roof-Mounted Work Lights Two Front/Two Rear Roof-Mounted Warning Lights Two Fender-Mounted Taillights 90 Amp Alternator Convenience Power Outlet Monitor Mounting Bosses (2 Sets) 30 U.S. Gallon Fuel Tank Capacity (5065M and 5075M Only) 36 U.S. Gallon Fuel Tank Capacity (5085M, 5100M Only) 46 U.S. Gallon Fuel Tank Capacity (5115M Only) Swing-Out Rear Window with Two Removable Rear Plugs for Monitor Right-Hand Console Light Radio Preparation (w/speakers, wiring) Swivel Seat with Adjustable Seat Pan	11,881.00
2060		Deluxe Cab Deluxe Isolated Cab with Flat Floor Tilt and Telescopic Steering Column Left and Right Side Doors with Steps Air Conditioning and Heater Deluxe Air Suspension Adjustable Fabric Seat with Retractable Seat Belt Swivel Seat with Adjustable Seat Pan Speedometer Beverage Holder Sunvisor for Front Window 2-Speed Front Windshield Wiper and Washer Two Front/Two Rear Roof-Mounted Work Lights Two Front/Two Rear Roof-Mounted Warning Lights Two Fender-Mounted Taillights 90 Amp Alternator	12,637.00

5085M Utility Tractor (MY 2012)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPEN STATION/CABContinued Convenience Power Outlet Monitor Mounting Bosses (2 Sets) 30 U.S. Gallon Fuel Tank Capacity (5065M and 5075M Only) 36 U.S. Gallon Fuel Tank Capacity (5085M, 5100M Only) 46 U.S. Gallon Fuel Tank Capacity (5115M) Swing-Out Rear Window with Two Removable Rear Plugs for Monitor Right-Hand Console Light Radio Preparation (w/speakers, wiring) Load View Window (Sunroof) with Shade Deluxe Sound System with Bluetooth and Satellite Radio Ready Rear Window Wiper Requires Deluxe Corner Post Exhaust (3025) (5085M, 5100M, 5115M Only) Radio Antenna Additional Defrost Louvers Requires PowrReverser Transmission (1380, 1382 or 1384) Requires MFWD (6040) Requires EH Hitch Controls (4030)	
2440		Cab Options	500.00
2410		Instructional Seat with Seatbelt	522.00
2400		Less Instructional Seat	In Base Price
		ENGINE EXHAUST	
3020		Vertical Exhaust	In Base Price
3025		Deluxe Corner Post Exhaust (Cab Only)	827.00
		TRANSMISSION	
1360		12F/4R SyncShuttle Plus Transmission - 540 RPM PTO Requires 2 Wheel Drive Front Axle (Code 6020). Requires Base OOS (Code 2000) or Base Cab (Code 2050).	-3,217.00
1362		12F/4R SyncShuttle Plus Transmission - 540/540E Requires 4 Wheel Drive Front Axle (Code 6040). Requires Base OOS (Code 2000) or Base Cab (Code 2050).	-2,779.00
1380		16F/16R PowrReverser Transmission - 540/540E Electrohydraulic (EH) Directional Reverser Electrohydraulic Differential Lock Oil Cooler (DT dependent) Wet Traction Clutch Wet PTO Clutch Park Lock Neutral Start Safety Switch B-C-D Range Synchronization	In Base Price
1382		16F/16R PowrReverser Transmission - 540/540E with Creeper Electrohydraulic (EH) Directional Reverser Hydraulic Oil Cooler Neutral Indicator Service Hitch Indicator Service Engine Indicator B-C-D Range Synchronization Requires MFWD (Code 6040)	2,469.00
1384		32F/16R PowrReverser Plus Transmission - 540/540E	1,583.00

5085M Utility Tractor (MY 2012)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRANSMISSIONContinued Electrohydraulic (EH) Directional Reverser Push Button, Electrohydraulic (EH) Hi/Lo Hydraulic Oil Cooler Hi/Lo Indicator Light PowrReverser Modulation Control Knob B-C-D Range Synchronization Requires Electrohydraulic (EH) Hitch (Code 4030) Requires Deluxe OOS (Code 2005) or Deluxe Cab (Code 2060) Requires MFWD (Code 6040)	
		HITCH CONTROLS	
4010		Mechanical Requires Base OOS (Code 2000) or Base Cab (Code 2050).	In Base Price
4030		Electrohydraulic (EH) with remote LH fender control Electrohydraulic (EH) Hitch Engagement Requires PowrReverser Transmission (Codes 1380 or 1382 or 1384). Requires Deluxe OOS (Code 2005) or Cab Plus (Code 2055) or Deluxe Cab (Code 2060).	444.00
		REAR HYDRAULIC CONTROL VALVE	
3320		Dual Rear Valve with Lever Controls	In Base Price
3330		Triple Rear Deluxe Valve with Lever Controls Features: - Three selectable detent positions on EACH valve (auto kickout, continuous flow, or no detent) - Float position on EACH valve - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve	1,113.00
		MID-HYDRAULIC CONTROL VALVE	
3400		Less Mid Valve Incompatible with EH Hitch (Code 4002). Does not include side frames.	-1,244.00
3420		Dual Mid Valve with Joystick Control <i>Includes side frames</i> .	In Base Price
3430		Triple Mid Valve with Joystick Control Features: - Valve #1 Push button, Electrohydraulic (EH) control Priority flow Pressure compensated flow control (0 - 12 GPM) for intermittent hydraulic applications - Valve #2 - Float position - Valve #3 - Extend/Retract positions ONLY Includes Side Frames Requires Deluxe OOS (Code 2005) or Deluxe Cab (Code 2060) Not available on 5065M Incompatible with 12F/4R TSS (Code 1360)	886.00

REAR WHEELS WITH TIRES (TWO)

All tires offered are of bias ply construction unless otherwise stated.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS WITH TIRES (TWO)Continued	
5101		14.9-28 In. 6PR R1 Bias 2WD compatible Code 6112 or 6113. MFWD (4WD) requires Code 6101.	-453.00
5121		16.9-30 In. 6PR R1 Bias 2WD compatible Code 6112 or 6113. MFWD (4WD) requires Code 6111.	In Base Price
5911		18.4R30 143A8 R1 Radial 2WD compatible Code 6112. MFWD (4WD) requires Code 6701.	1,848.00
5141		15.5R38 125A8 R1 Radial 2WD compatible Code 6112. MFWD (4WD) requires Code 6141.	912.00
5161		420/85 R34 R1W Radial Requires MFWD (Code 6040) and Code 6151.	2,769.00
5103		22.5LL-16.1 In. 6PR R3 (Turf Special) Bias 2WD compatible Code 6103 or 6113. MFWD (4WD) requires Code 6123.	1,115.00
5913		23.1-26 In. 8PR R3 (Turf) Bias 2WD compatible Code 6103 or 6113. Not compatible with Rear Wheel Weights R213907.	1,145.00
5914		19.5L-24 In. 10PR R4 Bias 2WD compatible Code 6113. MFWD (4WD) requires Code 6133.	80.00
5924		19.5L-24 In. 10PR R4 Bias (Sod Harvester Applications) 2WD compatible Code 6113. MFWD (4WD) requires Code 6133.	80.00
5151		230/95R48 136A8 R1W Required MFWD Code 6040 and Code 6131. High Clearance Applications.	2,174.00
		FRONT WHEELS WITH TIRES (TWO)	
		All tires offered are of bias ply construction unless otherwise stated. See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.	
6112		FOR OPTION CODE 6020 (2WD): 11L-15 In. 8PR F2 Bias	-643.00
6103		27/12LL-15 In. 6PR R3 (Turf Special) Bias Not compatible with Deluxe Isolated Open Operator Station Code 2005.	-248.00
6113		11LL-15 In. 8PR F3 (Truck Type) Bias	-620.00
6101		FOR OPTION CODE 6004 (MFWD - 4 WHEEL DRIVE): 9.5-24 In. 6PR R1 Bias	-93.00

5085M Utility Tractor (MY 2012)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6111		FRONT WHEELS WITH TIRES (TWO)Continued 11.2-24 In. 6PR R1 Bias	In Base Price
6701		12.4R24 122A8 R1 Radial	590.00
6141		13.6R24 125A8 R1W Radial	774.00
6151		13.6R24 125A8 R1W Radial (Michelin)	774.00
6123		12LL-16 In. 6PR R3 (Turf Special) Bias	-122.00
6703		44X18-20 In. 4PR R3 Bias	834.00
6133		12.5/80-18 In. 12PR I3 Bias	32.00
6131		230/95R32 128A8 Radial High Clearance Applications.	1,205.00
		ATTACHMENTS - ORDER AS DESIRED Attachments ordered in this section will be factory installed if ordered by code, or may be shipped separately under the bundle number and dealer installed.	
8915		Loader Preparation Package Includes loader mounting frames and hood guard.	1,542.00
8458		63mm Hitch Lift Cylinders lbs.[kg] 5935 [2692] @ 24" [610mm]	585.00
8253		Instructional Seat with Seatbelt	522.00
8310		High Capacity Fuel Tank Inner fuel tank 6 gal/ 22L additional for Open Staion, 7 gal/ 26 L additional for Cab.	180.00
8955		Front Weight Support	267.00
8510		Telescopic Rear View Cab Mirrors (2) Manually Adjustable Cab models only.	279.00
8300		Cold Weather Package	78.00
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge

ATTACHMENTS FOR FIELD CONVERSION

Axle - Rear:

L154683 Rear Axle 1.2 In. Extension (30 mm)

 $Two\ required.$

Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.

See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	L154682	ATTACHMENTS FOR FIELD CONVERSIONContinued Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	LVB24989	Engine: Auxiliary Front Drive Coupler Kit Kit contains all necessary parts with hardware. Compatible with 5085M, 5100M, and 5115M Models only.	889.00
	RE227949	Engine Block Heater (110V) For use on 4 cylinder Engines only.	See Parts
	LVB25110	Heavy Duty Air Intake Pre-Heater 925 CCA battery recommended for optimum performance.	109.00
	AL180328	Fenders: MFWD Front Fenders 12.6 In. (320 mm) Wide Recommended for use with 8.3-24 and 9.5-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders or HI-CROP Tractors.	See Parts
	AL180330	MFWD Front Fenders 14.6 In. (370 mm) Wide Recommended for use with 12.5/80-18, 11.2-24 and 12.4-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders or HI-CROP Tractors.	See Parts
	AL180327	MFWD Front Fenders 16.5 In. (420 mm) Wide Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders or HI-CROP Tractors.	See Parts
	LVB25776	Mounting Brackets and Hardware Kit - MFWD Fenders WITHOUT LOADER Requires Fenders (AL180328, AL180330, AL180327) ordered separately through parts.	756.00
	LVB25714	Rear Fender Extension Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	186.00
	LVB25066	Rear Fender Extension Kit Open Station Tractors only (Code 2000 or 2005).	413.00
	BW16009	Guards: Hood Guard	363.00
	BLV10076	Skid Plate Kit, Fuel Tank Protection Kit contains hardware and skid plates for both main and inner fuel tank with additional protective components. Compatible with Open Station and Cab Tractors.	82.00
		Compatible with 5085M, 5100M and 5115M Cab and OOS tractors.	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	T12553	Hitch and Drawbar: Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	LVB25949	Drawbar - Hammerstrap and Chain Clevis Kit Kit contains all necessary parts and hardware (instructions included).	125.00
	LVB25716	Electrohydraulic (EH) Hitch Right Fender Switch Kit Cab Tractors (Codes 2033 or 2034) and Electrohydraulic (EH) Hitch (Code 4002) ONLY.	134.00
	LVB25941	Heavy Duty Drawbar Kit Kit contains Heavy Duty Drawbar with support assembly. Hardware and instructions included.	252.00
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	LVB25976	Hitch: iMatch Quick Hitch Category 1 Includes one set of Bushings(LVU15507). Not compatible on a 5115M.	319.00
	LVB24995	Hydraulics: Dual Mid SCV to Triple Mid SCV Conversion Kit Includes components and parts required to install Triple Mid SCV's on Tractors already equipped with Dual Mid and Rear SCV's.	1,586.00
	LVB24993	Dual Mid SCV with Joystick Control Kit Includes components and parts required to install Dual Mid SCV on Tractors not equipped with Mid SCV.	1,143.00
	LVB24991	Dual Rear SCV Kit with Lever Controls Open Station Tractors only (Codes 2000 and 2005). Includes components and parts required to install Dual Rear SCV's on Tractors not equipped with any Rear SCV.	1,017.00
	LVB24990	Dual Rear SCV with Lever Control Kit Includes components and parts required to install Dual Rear SCV on Tractors not equipped with a Rear SCV. Compatible with Cab Models only (Codes 2050, 2055 and 2060).	1,071.00
	BLV10074	Mid Couplers Kit For use with 5M IT4 Tractors and MY2012 5065M, 5075M. (Note: For customers not ordering the GL3 Loader.)	161.00
	LVB25093	Oil Collection System Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware and instructions included).	100.00
	RE222718	Plumbing, Hydraulic Case Drain Supplies non-restricted flow of hydraulic fluid to reservoir. Also order: (1) 61M5035 Fitting, (1) RE268341 Tube, (2) R120797 Snap Ring, (1) R218933 Cover, (1) R252725 Bracket, (2) 19M7866 Screw, (2) 14M7298 Nut, (1) T77613 O-Ring, (1) 51M7042 O-Ring.	See Parts

5085M Utility Tractor (MY 2012)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE227760	ATTACHMENTS FOR FIELD CONVERSIONContinued Plumbing, Hydraulic Motor Return Also order: (1) A79902 Cover, (1) R269471 Fitting, (2) T77858 O-Ring, (1) 51M7045 O-Ring, (1) 34H5254 Fitting.	See Parts
	LVB24992	Triple Deluxe Rear SCV with Lever Control Kit For use with Tractors ALREADY equipped with Dual Rear Valves. Features: - Three selectable detent positions on EACH valve (auto kickout, continuous flow, or no detent) -Float position one EACH valve - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve	2,188.00
	LVB24997	Lighting: Auxiliary Loader Light Kit Requires Loader installation.	689.00
	LVB25720	Auxiliary Work Light Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	134.00
	RE244176	Beacon Light Kit Open Operator Station only. (Code 2000 and 2005).	See Parts
	BLV10120	Beacon Light Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	211.00
	LVB25729	Brake Light Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	98.00
	LVB25978	Brake Light Kit Open Operator Station only. (Code 2000 and 2005).	215.00
	LVB25022	Miscellaneous: Backup Alarm Kit	146.00
	LVB26136	Engine Side Frame Kit	220.00
	BLV10077	Field Installation Kit - Satellite Radio Antenna All 5M Series Cab Tractors are "Radio Ready," including Radio Wiring Harness and Speakers as Standard Equipment. Requires Radio Ordered Separately. Requires Radio Subscription Ordered Separately.	78.00
	BLV10032	Inner Fuel Tank Compatible with Cab and OOS. 1922LV and 2530LV Base Codes only.	198.00
	LVB25727	PowrReverser Modulation Control Kit	131.00
	RE19428	Safety Chain Support Kit Kit contains necessary parts and hardware.	See Parts
	AL203265	Service Horn Compatible with 5085M, 5100M, and 5115M ONLY.	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	L113922	Operator Environment: Antenna All 5M Series Cab Tractors are "Radio Ready", including Radio Wiring Harness and Speakers as Standard Equipment. Requires Radio Ordered Separately.	See Parts
	AH104259	Ash Tray Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	See Parts
	LVB25717	Cab Instructional Seat Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	494.00
	LVB25785	Canopy - Deluxe Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	857.00
	LVB25334	Canopy - Standard Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	520.00
	LVB25783	Canopy Mounting Kit Operator Stations Only (Code 2000 and 2005). Canopy ordered separately.	67.00
	AR60937	Cigarette Lighter Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	See Parts
	RE52682	Convenience Outlet Open Station only (Codes 2000 and 2005). Also order: (1) L157467 strap, (4) 37M70995 screws.	See Parts
	AL153405	Field Office Cab Tractors (Codes 2050, 2055 or 2060) ONLY. Requires (2) R205546 and (4) 37M7355 Ordered Separately.	See Parts
	RE244177	Kit, Rear View Mirror Mounting Kit Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror.	See Parts
	AL80126	Mirror, Telescopic, LH, Manually Adjustable For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	149.00
	AL80127	Mirror, Telescopic, RH, Manually Adjustable For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	149.00
	RE68495	Power Strip with Six Outlets Cab Tractors (Codes 2050, 2055 or 2060) ONLY. Requires (1) RE67013, (1) RE67014, and (1) RE67015 Ordered Separately.	See Parts
	RE265545	Radio, AM/FM Stereo with Clock and Weatherband Cab Tractors only (Codes 2050, 2055 and 2060). Requires Standard Cab Antenna Kit (S.110170), ordered separately. MY2011 Tractors also require the following: AT209965 Ground Strap, 37M7090 Self-tapping screw M6 X 1 X 16 to attach Ground Strap to roof metal structure, 14M7450 Flange nut M5 x 0.8 to attach ground strap to radio.	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE289629	ATTACHMENTS FOR FIELD CONVERSIONContinued Radio, AM/FM, CD, with Clock and Weatherband Cab Tractors only (Code 2050, 2055 and 2060). Requires Standard Cab Antenna Kit (SJ10170) ordered separately. MY2011 Tractors also require the following: AT209965 Ground Strap, 37M7090 Self-tapping screw M6 X I X 16 to attach Ground Strap to roof metal structure, 14M7450 Flange nut M5 x 0.8 to attach ground strap to radio.	See Parts
	LVB25501	Seat Armrest Kit Open Operator Station (Code 2000) Tractors ONLY.	128.00
	AL77888	Seat Backrest Extension Deluxe Open Operator Station (Code 2005) Tractors ONLY.	See Parts
	AT162291	Seat Backrest Extension Cab Tractors (Code 2050, 2055 or 2060) ONLY.	See Parts
	BLV10173	Wiper with Washer Kit - Rear Window <i>Cab Tractors (Code 2050, 2055, or 2060) ONLY. Cab tractors with wiper mounting location over the LH shoulder of the operator.</i>	297.00
	BLV10099	PTO: 1000/540/540E RPM Power Take Off Kit Not compatible with any Tractor equipped with a single speed PTO (540 only).	1,319.00
	BW16094	Stationary Fenders: Stationary Fenders Compatible with H260 and H310 Loader only. Loader ordered separately. Fenders bolt directly to Loader mounting frame assembly.	457.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts
	T32146	Weights: Front Weight Retaining Pin Required when Front Weights are used. Prevents Weights from sliding off of the Front Weight Support. Also requires L12491, Quick Pin, ordered separately.	See Parts
	R262449	Front Weight Support, 187 Lbs	See Parts
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One Dealer must order 5000 Lbs. to receive free freight through Waterloo Weight Program. Available to Ag Dealers only.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R213907	Weight, Rear Wheel 95 Lb. Maximum of 2 per wheel. Not compatible on wheels sized 24" or smaller.	198.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL156778	Wheel Equipment: Wheel Spacers, MFWD, 2.36 In. (60 mm) with Hardware (Qty 2) Fits MFWD Axles. Tread setting should not exceed 80 In. for maximum load applications. Kit contains (2) L154685 Hubs, (16) 24M7242 Washers, and (16) L152521 Bolts. For other hub thickness, see Parts.	575.00

5085M Utility Tractor (MY 2012) Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

5100M Utility Tractor (MY 2012)

Equipment for Base Machine

ENGINE:

100 Engine Horsepower @ 2200RPM* 85 PTO Horsepower @ 2100 RPM* Turbocharger with Intercooler PowerTech Diesel Engine 4 Valve HPCR Dry Type Air Cleaner with Safety Element Underhood Muffler with Vertical Exhaust Stack Cold Weather Package

Hand and Foot Throttle Key Engine Shut Off Water Separator Bowl

TRANSMISSION:

16F/16R PowrReverser Transmission Right Hand Speed Controls EH Differential Lock Oil Cooler (DT Dependent) Wet Traction Clutch Park Lock Neutral Start Safety Switch

REAR AXLE: Flanged Rear Axle Planetary Final Drives

FRONT AXLE:

Mechanical Front Wheel Drive Front Axle Planetary Final Drives Electro-Hydraulic MFWD Engagement via On/Auto/Brake

STEERING AND BRAKES: Hydrostatic Power Steering Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting

HYDRAULIC:

Open Center Hydraulic System Tandem Gear Pump 24.7 GPM Maximum Total Flow -Steering Pump 6.3 GPM (23.7 LPM) Implement Pump 18.4 GPM Dual Mid & Dual Rear SCV Control Valves

POWER TAKE-OFF SHAFT: Independent "Live" 540 RPM Rear PTO Shaft @ 2100 Engine RPM Economy PTO Setting for 540 PTO RPM @ 1645 Engine RPM Electro-Hydraulic PTO Engagement Wet PTO Clutch Operator Presence Safety Warning - PTO Safety Start Switch Flip Up PTO Shield ROCKSHAFT, HITCH AND DRAWBAR: 56mm Lift Cylinder Standard Adjustable Straight Drawbar Telescoping Draft Links with

Category II Balls Lower Link Draft Sensing

INSTRUMENTATION: Electric Fuel Gauge Flashing Warning Lamp High Beam Indicator Light Service Transmission Indicator PTO Speed Indicator/Roll Mode Natural Indicator (PR Only) Tachometer/Hour Meter Engine Oil Pressure Hydraulic Temperature Indicator Coolant Temperature Gauge Alternator Indicator Light Air Restriction Indicator Light Exhaust Filter Cleaning Switch Roll Mode for Instrument Cluster PTO Engagement Light (Rear PTO) 4WD Engagement Light (4WD Front Axle Only) Hi/Lo Transmission Indicator Light
 (32/16 Transmission Only)

ELECTRICAL:

12-Volt Electrical System
One Battery - 950 CCA** with 180 Minute Reserve Capacity 7-Pin ASAE Outlet Socket

LIGHTS:

Two Front Halogen Headlights Two Turn/Warning Lights

MISCELLANEOUS: SMV Emblem Toolbox

English Operator's Manual

OPEN OPERATOR STATION 2-Post Foldable Roll-Over Protective Structure (ROPS) Less Canopy Vinyl Seat with Flip Up Feature and Retractable Seat Belt Tilt and Telescopic Steering Column 30 U.S. Gallon Fuel Tank Capacity 70 Amp Alternator Flashing Warning Light Dual Tail Lights Single Rear Work Light Beverage Holder 8-Position Standard Steel Rear Wheels with Two 18.4-30 6PR (R1) Tires Two 12.4R24 122A8 R1 Radial

* Manufacturer's Rating ** Cold Cranking Amps

ATTACHMENT CODE **IDENTIFIER DESCRIPTION** SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINEContinued EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington	
2530LV		5100M Utility Tractor (MY 2012)	55,428.00
		OPERATORS MANUAL	
0409		English Operators Manual and Decal Kit	No Charge
0413		French Operators Manual and Decal Kit	No Charge
0437		Spanish Operators Manual and Decal Kit	No Charge
		FRONT AXLE	
6020		2 Wheel Drive Requires Base OOS (Code 2000) or Base Cab (Code 2050).	-6,421.00
6040		MFWD (4 Wheel Drive) Limited Slip Differential Push Button, On-The-Go Engagement Engagement Indicator Light on PowrReverser Transmission. Auto Engagement Mode on PowrReverser Transmissions (Code 1380, 1382, or 1384).	In Base Price
		OPEN STATION/CAB	_
2000		Open Operator Station Fixed Open Operator Station with Flat Floor Tilt and Telescopic Steering Column 2-Post Foldable Roll-Over Protection Structure (ROPS) Base Seat with Flip Up Feature and Retractable Seat Belt 30 U.S. Gallon Fuel Tank Capacity (5085M, 5100M Only) 40 U.S. Gallon Fuel Tank Capacity (5115M Only) Beverage Holder 70 AMP Alternator Flashing Warning Lights Dual Taillights Single Rear Work Light Not available with 32F/16R PowerReverser Plus (Code 1384). Requires Mechanical Hitch Controls (Code 4010).	In Base Price
2005		Deluxe Isolated Open Operator Station Deluxe Isolated Open Operator Station with Flat Floor Tilt and Telescoping Steering Column 2-Post Isolated Foldable Roll-Over Protection Structure (ROPS) Floor mat Plexiglass Debris/Air Deflector with Grab Handles Speedometer Deluxe Seat with Swivel, Armrests, and Retractable Seat Belt 21 U.S. Gallon Fuel Tank Capacity (5065M and 5075M Only) 30 U.S. Gallon Fuel Tank Capacity (5085M, 5100M Only) 40 U.S. Gallon Fuel Tank Capacity (5115M) 70 AMP Alternator Two Rear Work Lights Flashing Warning Lights Fender Extensions with Front Work Lights Dual Taillights Beverage Holder Requires PowrReverser transmission (1380, 1382, or 1384). Requires MFWD (6040).	1,236.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2050		OPEN STATION/CABContinued Cab Deluxe Isolated Cab with Flat Floor Tilt and Telescopic Steering Column Left and Right Side Doors with Steps Air Conditioning and Heater Adjustable Fabric Seat with Retractable Seat Belt Speedometer Beverage Holder Sunvisor for Front Window 2-Speed Front Windshield Wiper and Washer Two Front/Two Rear Roof-Mounted Work Lights Two Front/Two Rear Roof-Mounted Warning Lights Two Fender-Mounted Taillights 90 Amp Alternator Convenience Power Outlet Monitor Mounting Bosses (2 Sets) 30 U.S. Gallon Fuel Tank Capacity (5065M and 5075M) 36 U.S. Gallon Fuel Tank Capacity (5115M Only) Swing-Out Rear Window with Two Removable Rear Plugs for Monitor Right-Hand Console Light Radio Preparation (w/speakers, wiring) Not available with 32F/16R PowrReverser Plus (Code 1384).	10,981.00
2055		Cab Plus Deluxe Isolated Cab with Flat Floor Tilt and Telescopic Steering Column Left and Right Side Doors with Steps Air Conditioning and Heater Deluxe Air Suspension Adjustable Fabric Seat with Retractable Seat Belt Swivel Seat with Adjustable Seat Pan Speedometer Beverage Holder Sunvisor for Front Window 2-Speed Front Windshield Wiper and Washer Two Front/Two Rear Roof-Mounted Work Lights Two Front/Two Rear Roof-Mounted Warning Lights Two Fender-Mounted Taillights 90 Amp Alternator Convenience Power Outlet Monitor Mounting Bosses (2 Sets) 30 U.S. Gallon Fuel Tank Capacity (5065M and 5075M Only) 36 U.S. Gallon Fuel Tank Capacity (51085M, 5100M Only) 46 U.S. Gallon Fuel Tank Capacity (5115M Only) Swing-Out Rear Window with Two Removable Rear Plugs for Monitor Right-Hand Console Light Radio Preparation (w/speakers, wiring) Swivel Seat with Adjustable Seat Pan	11,881.00
2060		Deluxe Cab Deluxe Isolated Cab with Flat Floor Tilt and Telescopic Steering Column Left and Right Side Doors with Steps Air Conditioning and Heater Deluxe Air Suspension Adjustable Fabric Seat with Retractable Seat Belt Swivel Seat with Adjustable Seat Pan Speedometer Beverage Holder Sunvisor for Front Window 2-Speed Front Windshield Wiper and Washer Two Front/Two Rear Roof-Mounted Work Lights Two Front/Two Rear Roof-Mounted Warning Lights Two Fender-Mounted Taillights 90 Amp Alternator	12,637.00

	ATTACHMENT		SUGGESTED LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)
		OPEN STATION/CABContinued Convenience Power Outlet Monitor Mounting Bosses (2 Sets) 30 U.S. Gallon Fuel Tank Capacity (5065M and 5075M Only) 36 U.S. Gallon Fuel Tank Capacity (5085M, 5100M Only) 46 U.S. Gallon Fuel Tank Capacity (5115M) Swing-Out Rear Window with Two Removable Rear Plugs for Monitor Right-Hand Console Light Radio Preparation (w/speakers, wiring) Load View Window (Sunroof) with Shade Deluxe Sound System with Bluetooth and Satellite Radio Ready Rear Window Wiper Requires Deluxe Corner Post Exhaust (3025) (5085M, 5100M, 5115M Only) Radio Antenna Additional Defrost Louvers Requires PowrReverser Transmission (1380, 1382 or 1384) Requires MFWD (6040) Requires EH Hitch Controls (4030)	
2410		Cab Options	F22.00
2410		Instructional Seat with Seatbelt	522.00
2400		Less Instructional Seat	In Base Price
		ENGINE EXHAUST	
3020		Vertical Exhaust	In Base Price
3025		Deluxe Corner Post Exhaust (Cab Only)	827.00
		TRANSMISSION	
1360		12F/4R SyncShuttle Plus Transmission - 540 RPM PTO Requires 2 Wheel Drive Front Axle (Code 6020). Requires Base OOS (Code 2000) or Base Cab (Code 2050).	-3,217.00
1362		12F/4R SyncShuttle Plus Transmission - 540/540E Requires 4 Wheel Drive Front Axle (Code 6040). Requires Base OOS (Code 2000) or Base Cab (Code 2050).	-2,779.00
1380		16F/16R PowrReverser Transmission - 540/540E Electrohydraulic (EH) Directional Reverser Electrohydraulic Differential Lock Oil Cooler (DT dependent) Wet Traction Clutch Wet PTO Clutch Park Lock Neutral Start Safety Switch B-C-D Range Synchronization	In Base Price
1382		16F/16R PowrReverser Transmission - 540/540E with Creeper Electrohydraulic (EH) Directional Reverser Hydraulic Oil Cooler Neutral Indicator Service Hitch Indicator Service Engine Indicator B-C-D Range Synchronization Requires MFWD (Code 6040)	2,469.00
1384		32F/16R PowrReverser Plus Transmission - 540/540E	1,583.00

5100M Utility Tractor (MY 2012)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRANSMISSIONContinued Electrohydraulic (EH) Directional Reverser Push Button, Electrohydraulic (EH) Hi/Lo Hydraulic Oil Cooler Hi/Lo Indicator Light PowrReverser Modulation Control Knob B-C-D Range Synchronization Requires Electrohydraulic (EH) Hitch (Code 4030) Requires Deluxe OOS (Code 2005) or Deluxe Cab (Code 2060) Requires MFWD (Code 6040)	
		HITCH CONTROLS	
4010		Mechanical Requires Base OOS (Code 2000) or Base Cab (Code 2050).	In Base Price
4030		Electrohydraulic (EH) with remote LH fender control Electrohydraulic (EH) Hitch Engagement Requires PowrReverser Transmission (Codes 1380 or 1382 or 1384). Requires Deluxe OOS (Code 2005) or Cab Plus (Code 2055) or Deluxe Cab (Code 2060).	444.00
		REAR HYDRAULIC CONTROL VALVE	
3320		Dual Rear Valve with Lever Controls	In Base Price
3330		Triple Rear Deluxe Valve with Lever Controls Features: - Three selectable detent positions on EACH valve (auto kickout, continuous flow, or no detent) - Float position on EACH valve - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve	1,113.00
		MID-HYDRAULIC CONTROL VALVE	
3400		Less Mid Valve Incompatible with EH Hitch (Code 4002). Does not include side frames.	-1,244.00
3420		Dual Mid Valve with Joystick Control <i>Includes side frames</i> .	In Base Price
3430		Triple Mid Valve with Joystick Control Features: - Valve #1 Push button, Electrohydraulic (EH) control Priority flow Pressure compensated flow control (0 - 12 GPM) for intermittent hydraulic applications - Valve #2 - Float position - Valve #3 - Extend/Retract positions ONLY Includes Side Frames Requires Deluxe OOS (Code 2005) or Deluxe Cab (Code 2060) Not available on 5065M Incompatible with 12F/4R TSS (Code 1360)	886.00

REAR WHEELS WITH TIRES (TWO)

All tires offered are of bias ply construction unless otherwise stated.

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS WITH TIRES (TWO)Continued	
5101		14.9-28 In. 6PR R1 Bias 2WD compatible Code 6112 or 6113. MFWD (4WD) requires Code 6101.	-2,301.00
5121		16.9-30 In. 6PR R1 Bias 2WD compatible Code 6112 or 6113. MFWD (4WD) requires Code 6111.	-1,848.00
5911		18.4R30 143A8 R1 Radial 2WD compatible Code 6112. MFWD (4WD) requires Code 6701.	In Base Price
5141		15.5R38 125A8 R1 Radial 2WD compatible Code 6112. MFWD (4WD) requires Code 6141.	-936.00
5161		420/85 R34 R1W Radial Requires MFWD (Code 6040) and Code 6151.	921.00
5103		22.5LL-16.1 In. 6PR R3 (Turf Special) Bias 2WD compatible Code 6103 or 6113. MFWD (4WD) requires Code 6123.	-733.00
5913		23.1-26 In. 8PR R3 (Turf) Bias 2WD compatible Code 6103 or 6113. Not compatible with Rear Wheel Weights R213907.	-705.00
5914		19.5L-24 In. 10PR R4 Bias 2WD compatible Code 6113. MFWD (4WD) requires Code 6133.	-1,769.00
5924		19.5L-24 In. 10PR R4 Bias (Sod Harvester Applications) 2WD compatible Code 6113. MFWD (4WD) requires Code 6133.	-1,769.00
5151		230/95R48 136A8 R1W Required MFWD Code 6040 and Code 6131. High Clearance Applications.	2,174.00
		FRONT WHEELS WITH TIRES (TWO)	
		All tires offered are of bias ply construction unless otherwise stated. See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.	
6112		FOR OPTION CODE 6020 (2WD): 11L-15 ln. 8PR F2 Bias	-1,233.00
6103		27/12LL-15 In. 6PR R3 (Turf Special) Bias Not compatible with Deluxe Isolated Open Operator Station Code 2005.	-838.00
6113		11LL-15 In. 8PR F3 (Truck Type) Bias	-1,211.00
6101		FOR OPTION CODE 6004 (MFWD - 4 WHEEL DRIVE): 9.5-24 In. 6PR R1 Bias	-684.00

5100M Utility Tractor (MY 2012)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6111		FRONT WHEELS WITH TIRES (TWO)Continued 11.2-24 In. 6PR R1 Bias	-590.00
6701		12.4R24 122A8 R1 Radial	In Base Price
6141		13.6R24 125A8 R1W Radial	184.00
6151		13.6R24 125A8 R1W Radial (Michelin)	184.00
6123		12LL-16 In. 6PR R3 (Turf Special) Bias	-713.00
6703		44X18-20 In. 4PR R3 Bias	244.00
6133		12.5/80-18 In. 12PR I3 Bias	-754.00
6131		230/95R32 128A8 Radial High Clearance Applications.	1,205.00
		ATTACHMENTS - ORDER AS DESIRED Attachments ordered in this section will be factory installed if ordered by code, or may be shipped separately under the bundle number and dealer installed.	
8915		Loader Preparation Package Includes loader mounting frames and hood guard.	1,542.00
8458		63mm Hitch Lift Cylinders lbs.[kg] 5935 [2692] @ 24" [610mm]	585.00
8253		Instructional Seat with Seatbelt	522.00
8310		High Capacity Fuel Tank Inner fuel tank 6 gal/ 22L additional for Open Staion, 7 gal/ 26 L additional for Cab.	180.00
8955		Front Weight Support	267.00
8510		Telescopic Rear View Cab Mirrors (2) Manually Adjustable Cab models only.	279.00
8300		Cold Weather Package	78.00
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge

ATTACHMENTS FOR FIELD CONVERSION

Axle - Rear:

L154683 Rear Axle 1.2 In. Extension (30 mm)

 $Two\ required.$

Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.

See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	L154682	ATTACHMENTS FOR FIELD CONVERSIONContinued Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	LVB24989	Engine: Auxiliary Front Drive Coupler Kit Kit contains all necessary parts with hardware. Compatible with 5085M, 5100M, and 5115M Models only.	889.00
	RE227949	Engine Block Heater (110V) For use on 4 cylinder Engines only.	See Parts
	LVB25110	Heavy Duty Air Intake Pre-Heater 925 CCA battery recommended for optimum performance.	109.00
	AL180328	Fenders: MFWD Front Fenders 12.6 In. (320 mm) Wide Recommended for use with 8.3-24 and 9.5-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders or HI-CROP Tractors.	See Parts
	AL180330	MFWD Front Fenders 14.6 In. (370 mm) Wide Recommended for use with 12.5/80-18, 11.2-24 and 12.4-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders or HI-CROP Tractors.	See Parts
	AL180327	MFWD Front Fenders 16.5 In. (420 mm) Wide Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders or HI-CROP Tractors.	See Parts
	LVB25776	Mounting Brackets and Hardware Kit - MFWD Fenders WITHOUT LOADER Requires Fenders (AL180328, AL180330, AL180327) ordered separately through parts.	756.00
	LVB25714	Rear Fender Extension Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	186.00
	LVB25066	Rear Fender Extension Kit Open Station Tractors only (Code 2000 or 2005).	413.00
	BW16009	Guards: Hood Guard	363.00
	BLV10076	Skid Plate Kit, Fuel Tank Protection Kit contains hardware and skid plates for both main and inner fuel tank with additional protective components. Compatible with Open Station and Cab Tractors.	82.00
		Compatible with 5085M, 5100M and 5115M Cab and OOS tractors.	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	T12553	Hitch and Drawbar: Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	LVB25949	Drawbar - Hammerstrap and Chain Clevis Kit Kit contains all necessary parts and hardware (instructions included).	125.00
	LVB25716	Electrohydraulic (EH) Hitch Right Fender Switch Kit Cab Tractors (Codes 2033 or 2034) and Electrohydraulic (EH) Hitch (Code 4002) ONLY.	134.00
	LVB25941	Heavy Duty Drawbar Kit Kit contains Heavy Duty Drawbar with support assembly. Hardware and instructions included.	252.00
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	LVB25976	Hitch: iMatch Quick Hitch Category 1 Includes one set of Bushings(LVU15507). Not compatible on a 5115M.	319.00
	LVB24995	Hydraulics: Dual Mid SCV to Triple Mid SCV Conversion Kit Includes components and parts required to install Triple Mid SCV's on Tractors already equipped with Dual Mid and Rear SCV's.	1,586.00
	LVB24993	Dual Mid SCV with Joystick Control Kit Includes components and parts required to install Dual Mid SCV on Tractors not equipped with Mid SCV.	1,143.00
	LVB24991	Dual Rear SCV Kit with Lever Controls Open Station Tractors only (Codes 2000 and 2005). Includes components and parts required to install Dual Rear SCV's on Tractors not equipped with any Rear SCV.	1,017.00
	LVB24990	Dual Rear SCV with Lever Control Kit Includes components and parts required to install Dual Rear SCV on Tractors not equipped with a Rear SCV. Compatible with Cab Models only (Codes 2050, 2055 and 2060).	1,071.00
	BLV10074	Mid Couplers Kit For use with 5M IT4 Tractors and MY2012 5065M, 5075M. (Note: For customers not ordering the GL3 Loader.)	161.00
	LVB25093	Oil Collection System Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware and instructions included).	100.00
	RE222718	Plumbing, Hydraulic Case Drain Supplies non-restricted flow of hydraulic fluid to reservoir. Also order: (1) 61M5035 Fitting, (1) RE268341 Tube, (2) R120797 Snap Ring, (1) R218933 Cover, (1) R252725 Bracket, (2) 19M7866 Screw, (2) 14M7298 Nut, (1) T77613 O-Ring, (1) 51M7042 O-Ring.	See Parts

5100M Utility Tractor (MY 2012)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE227760	ATTACHMENTS FOR FIELD CONVERSIONContinued Plumbing, Hydraulic Motor Return Also order: (1) A79902 Cover, (1) R269471 Fitting, (2) T77858 O-Ring, (1) 51M7045 O-Ring, (1) 34H5254 Fitting.	See Parts
	LVB24992	Triple Deluxe Rear SCV with Lever Control Kit For use with Tractors ALREADY equipped with Dual Rear Valves. Features: - Three selectable detent positions on EACH valve (auto kickout, continuous flow, or no detent) -Float position one EACH valve - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve	2,188.00
	LVB24997	Lighting: Auxiliary Loader Light Kit Requires Loader installation.	689.00
	LVB25720	Auxiliary Work Light Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	134.00
	RE244176	Beacon Light Kit Open Operator Station only. (Code 2000 and 2005).	See Parts
	BLV10120	Beacon Light Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	211.00
	LVB25729	Brake Light Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	98.00
	LVB25978	Brake Light Kit Open Operator Station only. (Code 2000 and 2005).	215.00
	LVB25022	Miscellaneous: Backup Alarm Kit	146.00
	LVB26136	Engine Side Frame Kit	220.00
	BLV10077	Field Installation Kit - Satellite Radio Antenna All 5M Series Cab Tractors are "Radio Ready," including Radio Wiring Harness and Speakers as Standard Equipment. Requires Radio Ordered Separately. Requires Radio Subscription Ordered Separately.	78.00
	BLV10032	Inner Fuel Tank Compatible with Cab and OOS. 1922LV and 2530LV Base Codes only.	198.00
	LVB25727	PowrReverser Modulation Control Kit	131.00
	RE19428	Safety Chain Support Kit Kit contains necessary parts and hardware.	See Parts
	AL203265	Service Horn Compatible with 5085M, 5100M, and 5115M ONLY.	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	L113922	Operator Environment: Antenna All 5M Series Cab Tractors are "Radio Ready", including Radio Wiring Harness and Speakers as Standard Equipment. Requires Radio Ordered Separately.	See Parts
	AH104259	Ash Tray Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	See Parts
	LVB25717	Cab Instructional Seat Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	494.00
	LVB25785	Canopy - Deluxe Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	857.00
	LVB25334	Canopy - Standard Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	520.00
	LVB25783	Canopy Mounting Kit Operator Stations Only (Code 2000 and 2005). Canopy ordered separately.	67.00
	AR60937	Cigarette Lighter Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	See Parts
	RE52682	Convenience Outlet Open Station only (Codes 2000 and 2005). Also order: (1) L157467 strap, (4) 37M70995 screws.	See Parts
	AL153405	Field Office Cab Tractors (Codes 2050, 2055 or 2060) ONLY. Requires (2) R205546 and (4) 37M7355 Ordered Separately.	See Parts
	RE244177	Kit, Rear View Mirror Mounting Kit Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror.	See Parts
	AL80126	Mirror, Telescopic, LH, Manually Adjustable For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	149.00
	AL80127	Mirror, Telescopic, RH, Manually Adjustable For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	149.00
	RE68495	Power Strip with Six Outlets Cab Tractors (Codes 2050, 2055 or 2060) ONLY. Requires (1) RE67013, (1) RE67014, and (1) RE67015 Ordered Separately.	See Parts
	RE265545	Radio, AM/FM Stereo with Clock and Weatherband Cab Tractors only (Codes 2050, 2055 and 2060). Requires Standard Cab Antenna Kit (SJ10170), ordered separately. MY2011 Tractors also require the following: AT209965 Ground Strap, 37M7090 Self-tapping screw M6 X 1 X 16 to attach Ground Strap to roof metal structure, 14M7450 Flange nut M5 x 0.8 to attach ground strap to radio.	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE289629	ATTACHMENTS FOR FIELD CONVERSIONContinued Radio, AM/FM, CD, with Clock and Weatherband Cab Tractors only (Code 2050, 2055 and 2060). Requires Standard Cab Antenna Kit (SJ10170) ordered separately. MY2011 Tractors also require the following: AT209965 Ground Strap, 37M7090 Self-tapping screw M6 X I X 16 to attach Ground Strap to roof metal structure, 14M7450 Flange nut M5 x 0.8 to attach ground strap to radio.	See Parts
	LVB25501	Seat Armrest Kit Open Operator Station (Code 2000) Tractors ONLY.	128.00
	AL77888	Seat Backrest Extension Deluxe Open Operator Station (Code 2005) Tractors ONLY.	See Parts
	AT162291	Seat Backrest Extension Cab Tractors (Code 2050, 2055 or 2060) ONLY.	See Parts
	BLV10173	Wiper with Washer Kit - Rear Window <i>Cab Tractors (Code 2050, 2055, or 2060) ONLY. Cab tractors with wiper mounting location over the LH shoulder of the operator.</i>	297.00
	BLV10099	PTO: 1000/540/540E RPM Power Take Off Kit Not compatible with any Tractor equipped with a single speed PTO (540 only).	1,319.00
	BW16094	Stationary Fenders: Stationary Fenders Compatible with H260 and H310 Loader only. Loader ordered separately. Fenders bolt directly to Loader mounting frame assembly.	457.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts
	T32146	Weights: Front Weight Retaining Pin Required when Front Weights are used. Prevents Weights from sliding off of the Front Weight Support. Also requires L12491, Quick Pin, ordered separately.	See Parts
	R262449	Front Weight Support, 187 Lbs	See Parts
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One Dealer must order 5000 Lbs. to receive free freight through Waterloo Weight Program. Available to Ag Dealers only.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R213907	Weight, Rear Wheel 95 Lb. Maximum of 2 per wheel. Not compatible on wheels sized 24" or smaller.	198.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	AL156778	Wheel Equipment: Wheel Spacers, MFWD, 2.36 In. (60 mm) with Hardware (Qty 2) Fits MFWD Axles. Tread setting should not exceed 80 In. for maximum load applications. Kit contains (2) L154685 Hubs, (16) 24M7242 Washers, and (16) L152521 Bolts. For other hub thickness, see Parts.	575.00

5100M Utility Tractor (MY 2012) Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

5115M Utility Tractor (MY 2012)

Equipment for Base Machine

ENGINE:
115 Engine Horsepower @ 2200RPM*
100 PTO Horsepower @ 2100 RPM*
Turbocharger with Intercooler
 PowerTech Diesel Engine
4 Valve HPCR
Dry Type Air Cleaner with Safety Element
Underhood Muffler with Vertical Exhaust Stack
Cold Weather Package
Hand and Foot Throttle
Key Engine Shut-Off
Water Separator Bowl

TRANSMISSION:
16F/16R PowrReverser Transmission
Right Hand Speed Controls
EH Differential Lock
Oil Cooler (DT Dependent
Wet Traction Clutch
Park Lock
Neutral Start Safety Switch

REAR AXLE: Flanged Rear Axle Planetary Final Drives

FRONT AXLE:
Mechanical Front Wheel Drive Front Axle
Planetary Final Drives
Electro-Hydraulic MFWD Engagement via On/Auto/Brake

STEERING AND BRAKES:
Hydrostatic Power Steering
Hydraulic Wet Disk Brakes Self-Equalizing
and Self-Adjusting

HYDRAULIC:
Open Center Hydraulic System
Tandem Gear Pump 24.7 GPM (93.6 LPM)
Maximum Total Flow Steering Pump 6.3 GPM (23.7 LPM)
Implement Pump 18.4 GPM (69.9 LPM)
Dual Mid & Dual Rear SCV Control Valves

POWER TAKE-OFF SHAFT:
Independent "Live" 540 RPM Rear PTO Shaft
@ 2100 Engine RPM
Economy PTO Setting for 540 PTO RPM
@ 1645 Engine RPM
Electro-Hydraulic PTO Engagement
Wet PTO Clutch
Operator Presence Safety Warning - PTO
Safety Start Switch
Flip Up PTO Shield
ROCKSHAFT, HITCH AND DRAWBAR:
63mm Lift Cylinder
Heavy Duty Drawbar
Telescoping Draft Links with
Category II Balls
Lower Link Draft Sensing

INSTRUMENTATION:

Electric Fuel Gauge
Flashing Warning Lamp
High Beam Indicator Light
Service Transmission Indicator
PTO Speed Indicator/Roll Mode
Neutral Indicator (PR Only)
Tachometer/Hour Meter
Engine Oil Pressure
Hydraulic Temperature Indicator
Coolant Temperature Gauge
Alternator Indicator Light
Air Restriction Indicator Light
Exhaust Filter Cleaning Switch
Roll Mode for Instrument Cluster
PTO Engagement Light (AwD Front Axle Only)
Hi/Lo Transmission Indicator Light
(32/16 Transmission Only)

ELECTRICAL: 12-Volt Electrical System One Battery - 950 CCA** with 180 Minute Reserve Capacity 7-Pin ASAE Outlet Socket

LIGHTS:
Two Front Halogen Headlights
Two Turn/Warning Lights
Two Rear Work Lights

MISCELLANEOUS: SMV Emblem Toolbox English Operator's Manual

DELUXE OPEN OPERATOR STATION WITH FLAT FLOOR Tilt and Telescopic Steering Column 2-Post Isolated Foldable ROPS Floor Mat Plexi-glass Debris/Air Deflector with Grab Handles Speedometer Deluxe Seat with Swivel, Retractable Seat Belt, and Armrests Fender Extensions Beverage Holder 46 U.S. Gallon Fuel Tank Capacity 70 Amp Alternator Flashing Warning Light Dual Tail Lights Two Rear Work Lights 8-Position Standard Steel Rear Wheels with Two 18.4-30 6PR (R1) Tires Two 12.4R24 122A8 R1 Radial

* Manufacturer's Rating ** Cold Cranking Amps

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINE	
		EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington	
2540LV		5115M Utility Tractor (MY 2012)	59,799.00
		OPERATORS MANUAL	
0409		English Operators Manual and Decal Kit	No Charge
0413		French Operators Manual and Decal Kit	No Charge
0437		Spanish Operators Manual and Decal Kit	No Charge
		FRONT AXLE	
6040		MFWD (4 Wheel Drive) Limited Slip Differential Push Button, On-The-Go Engagement Engagement Indicator Light on PowrReverser Transmission. Auto Engagement Mode on PowrReverser Transmissions (Code 1380, 1382, or 1384).	In Base Price
		OPEN STATION/CAB	
2000		Open Operator Station Fixed Open Operator Station with Flat Floor Tilt and Telescopic Steering Column 2-Post Foldable Roll-Over Protection Structure (ROPS) Base Seat with Flip Up Feature and Retractable Seat Belt 30 U.S. Gallon Fuel Tank Capacity (5085M, 5100M Only) 40 U.S. Gallon Fuel Tank Capacity (5115M Only) Beverage Holder 70 AMP Alternator Flashing Warning Lights Dual Taillights Single Rear Work Light Not available with 32F/16R PowerReverser Plus (Code 1384). Requires Mechanical Hitch Controls (Code 4010).	-1,236.00
2005		Deluxe Isolated Open Operator Station Deluxe Isolated Open Operator Station with Flat Floor Tilt and Telescoping Steering Column 2-Post Isolated Foldable Roll-Over Protection Structure (ROPS) Floor mat Plexiglass Debris/Air Deflector with Grab Handles Speedometer Deluxe Seat with Swivel, Armrests, and Retractable Seat Belt 21 U.S. Gallon Fuel Tank Capacity (5065M and 5075M Only) 30 U.S. Gallon Fuel Tank Capacity (5085M, 5100M Only) 40 U.S. Gallon Fuel Tank Capacity (5115M) 70 AMP Alternator Two Rear Work Lights Flashing Warning Lights Fender Extensions with Front Work Lights Dual Taillights Beverage Holder Requires PowrReverser transmission (1380, 1382, or 1384). Requires MFWD (6040).	In Base Price
2055		Cab Plus Deluxe Isolated Cab with Flat Floor Tilt and Telescopic Steering Column	11,881.00

5115M Utility Tractor (MY 2012)

Continued

		Continuod	
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPEN STATION/CABContinued Left and Right Side Doors with Steps Air Conditioning and Heater Deluxe Air Suspension Adjustable Fabric Seat with Retractable Seat Belt Swivel Seat with Adjustable Seat Pan Speedometer Beverage Holder Sunvisor for Front Window 2-Speed Front Windshield Wiper and Washer Two Front/Two Rear Roof-Mounted Work Lights Two Front/Two Rear Roof-Mounted Warning Lights Two Frontent-Mounted Taillights 90 Amp Alternator Convenience Power Outlet Monitor Mounting Bosses (2 Sets) 30 U.S. Gallon Fuel Tank Capacity (5065M and 5075M Only) 36 U.S. Gallon Fuel Tank Capacity (5085M, 5100M Only) 46 U.S. Gallon Fuel Tank Capacity (5115M Only) Swing-Out Rear Window with Two Removable Rear Plugs for Monitor Right-Hand Console Light Radio Preparation (w/speakers, wiring)	
2060		Swivel Seat with Adjustable Seat Pan Deluxe Cab Deluxe Isolated Cab with Flat Floor	12,637.00
		Tilt and Telescopic Steering Column Left and Right Side Doors with Steps Air Conditioning and Heater Deluxe Air Suspension Adjustable Fabric Seat with Retractable Seat Belt Swivel Seat with Adjustable Seat Pan Speedometer Beverage Holder Sunvisor for Front Window 2-Speed Front Windshield Wiper and Washer Two Front/Two Rear Roof-Mounted Work Lights Two Front/Two Rear Roof-Mounted Warning Lights Two Fender-Mounted Taillights 90 Amp Alternator Convenience Power Outlet Monitor Mounting Bosses (2 Sets) 30 U.S. Gallon Fuel Tank Capacity (5065M and 5075M Only) 36 U.S. Gallon Fuel Tank Capacity (5085M, 5100M Only) 46 U.S. Gallon Fuel Tank Capacity (5115M) Swing-Out Rear Window with Two Removable Rear Plugs for Monitor Right-Hand Console Light Radio Preparation (w/speakers, wiring) Load View Window (Sunroof) with Shade Deluxe Sound System with Bluetooth and Satellite Radio Ready Rear Window Wiper Requires Deluxe Corner Post Exhaust (3025) (5085M, 5100M, 5115M Only) Radio Antenna Additional Defrost Louvers Requires PowrReverser Transmission (1380, 1382 or 1384) Requires MFWD (6040) Requires EH Hitch Controls (4030)	
		Cab Options	
2410		Instructional Seat with Seatbelt	522.00

ENGINE EXHAUST

Less Instructional Seat

2400

In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0000		ENGINE EXHAUSTContinued	la Dana Brian
3020		Vertical Exhaust	In Base Price
3025		Deluxe Corner Post Exhaust (Cab Only)	827.00
		TRANSMISSION	
1380		16F/16R PowrReverser Transmission - 540/540E Electrohydraulic (EH) Directional Reverser Electrohydraulic Differential Lock Oil Cooler (DT dependent) Wet Traction Clutch Wet PTO Clutch Park Lock Neutral Start Safety Switch B-C-D Range Synchronization	In Base Price
1382		16F/16R PowrReverser Transmission - 540/540E with Creeper Electrohydraulic (EH) Directional Reverser Hydraulic Oil Cooler Neutral Indicator Service Hitch Indicator Service Engine Indicator B-C-D Range Synchronization Requires MFWD (Code 6040)	2,469.00
1384		32F/16R PowrReverser Plus Transmission - 540/540E Electrohydraulic (EH) Directional Reverser Push Button, Electrohydraulic (EH) Hi/Lo Hydraulic Oil Cooler Hi/Lo Indicator Light PowrReverser Modulation Control Knob B-C-D Range Synchronization Requires Electrohydraulic (EH) Hitch (Code 4030) Requires Deluxe OOS (Code 2005) or Deluxe Cab (Code 2060) Requires MFWD (Code 6040)	1,583.00
		HITCH CONTROLS	
4010		Mechanical Requires Base OOS (Code 2000) or Base Cab (Code 2050).	In Base Price
4030		Electrohydraulic (EH) with remote LH fender control Electrohydraulic (EH) Hitch Engagement Requires PowrReverser Transmission (Codes 1380 or 1382 or 1384). Requires Deluxe OOS (Code 2005) or Cab Plus (Code 2055) or Deluxe Cab (Code 2060).	444.00
		REAR HYDRAULIC CONTROL VALVE	
3320		Dual Rear Valve with Lever Controls	In Base Price
3330		Triple Rear Deluxe Valve with Lever Controls Features: - Three selectable detent positions on EACH valve (auto kickout, continuous flow, or no detent) - Float position on EACH valve - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve	1,113.00
		MID-HYDRAULIC CONTROL VALVE	

5115M Utility Tractor (MY 2012)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
3400		MID-HYDRAULIC CONTROL VALVEContinued Less Mid Valve Incompatible with EH Hitch (Code 4002). Does not include side frames.	-1,244.00
3420		Dual Mid Valve with Joystick Control <i>Includes side frames</i> .	In Base Price
3430		Triple Mid Valve with Joystick Control Features: - Valve #1 Push button, Electrohydraulic (EH) control Priority flow Pressure compensated flow control (0 - 12 GPM) for intermittent hydraulic applications - Valve #2 - Float position - Valve #3 - Extend/Retract positions ONLY Includes Side Frames Requires Deluxe OOS (Code 2005) or Deluxe Cab (Code 2060) Not available on 5065M Incompatible with 12F/4R TSS (Code 1360)	886.00

	REAR WHEELS WITH TIRES (TWO)	
	All tires offered are of bias ply construction unless otherwise stated.	
5101	14.9-28 In. 6PR R1 Bias 2WD compatible Code 6112 or 6113. MFWD (4WD) requires Code 6101.	-2,301.00
5121	16.9-30 In. 6PR R1 Bias 2WD compatible Code 6112 or 6113. MFWD (4WD) requires Code 6111.	-1,848.00
5911	18.4R30 143A8 R1 Radial 2WD compatible Code 6112. MFWD (4WD) requires Code 6701.	In Base Price
5141	15.5R38 125A8 R1 Radial 2WD compatible Code 6112. MFWD (4WD) requires Code 6141.	-936.00
5161	420/85 R34 R1W Radial Requires MFWD (Code 6040) and Code 6151.	921.00
5103	22.5LL-16.1 In. 6PR R3 (Turf Special) Bias 2WD compatible Code 6103 or 6113. MFWD (4WD) requires Code 6123.	-733.00
5913	23.1-26 In. 8PR R3 (Turf) Bias 2WD compatible Code 6103 or 6113. Not compatible with Rear Wheel Weights R213907.	-705.00
5914	19.5L-24 In. 10PR R4 Bias 2WD compatible Code 6113. MFWD (4WD) requires Code 6133.	-1,769.00
5924	19.5L-24 In. 10PR R4 Bias (Sod Harvester Applications) 2WD compatible Code 6113. MFWD (4WD) requires Code 6133.	-1,769.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5151		REAR WHEELS WITH TIRES (TWO)Continued 230/95R48 136A8 R1W Required MFWD Code 6040 and Code 6131. High Clearance Applications.	2,174.00
		FRONT WHEELS WITH TIRES (TWO)	
		All tires offered are of bias ply construction unless otherwise stated. See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.	
6101		FOR OPTION CODE 6004 (MFWD - 4 WHEEL DRIVE): 9.5-24 In. 6PR R1 Bias	-684.00
6111		11.2-24 In. 6PR R1 Bias	-590.00
6701		12.4R24 122A8 R1 Radial	In Base Price
6141		13.6R24 125A8 R1W Radial	184.00
6151		13.6R24 125A8 R1W Radial (Michelin)	184.00
6123		12LL-16 In. 6PR R3 (Turf Special) Bias	-713.00
6703		44X18-20 In. 4PR R3 Bias	244.00
6133		12.5/80-18 In. 12PR I3 Bias	-754.00
6131		230/95R32 128A8 Radial High Clearance Applications.	1,205.00
		ATTACHMENTS - ORDER AS DESIRED	
		Attachments ordered in this section will be factory installed if ordered by code, or may be shipped separately under the bundle number and dealer installed.	
8915		Loader Preparation Package Includes loader mounting frames and hood guard.	1,542.00
8253		Instructional Seat with Seatbelt	522.00
8955		Front Weight Support	267.00
8510		Telescopic Rear View Cab Mirrors (2) Manually Adjustable Cab models only.	279.00
8300		Cold Weather Package	78.00
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154682	Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	LVB24989	Engine: Auxiliary Front Drive Coupler Kit Kit contains all necessary parts with hardware. Compatible with 5085M, 5100M, and 5115M Models only.	889.00
	RE227949	Engine Block Heater (110V) For use on 4 cylinder Engines only.	See Parts
	LVB25110	Heavy Duty Air Intake Pre-Heater 925 CCA battery recommended for optimum performance.	109.00
	AL180328	Fenders: MFWD Front Fenders 12.6 In. (320 mm) Wide Recommended for use with 8.3-24 and 9.5-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders or HI-CROP Tractors.	See Parts
	AL180330	MFWD Front Fenders 14.6 In. (370 mm) Wide Recommended for use with 12.5/80-18, 11.2-24 and 12.4-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders or HI-CROP Tractors.	See Parts
	AL180327	MFWD Front Fenders 16.5 In. (420 mm) Wide Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders or HI-CROP Tractors.	See Parts
	LVB25776	Mounting Brackets and Hardware Kit - MFWD Fenders WITHOUT LOADER Requires Fenders (AL180328, AL180330, AL180327) ordered separately through parts.	756.00
	LVB25714	Rear Fender Extension Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	186.00
	BW16009	Guards: Hood Guard	363.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BLV10076	ATTACHMENTS FOR FIELD CONVERSIONContinued Skid Plate Kit, Fuel Tank Protection Kit contains hardware and skid plates for both main and inner fuel tank with additional protective components. Compatible with Open Station and Cab Tractors.	82.00
		Compatible with 5085M, 5100M and 5115M Cab and OOS tractors.	
	T21709	Hitch and Drawbar: Category I Interchangeable Hitch Ball Two required.	See Parts
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	LVB25949	Drawbar - Hammerstrap and Chain Clevis Kit Kit contains all necessary parts and hardware (instructions included).	125.00
	LVB25716	Electrohydraulic (EH) Hitch Right Fender Switch Kit Cab Tractors (Codes 2033 or 2034) and Electrohydraulic (EH) Hitch (Code 4002) ONLY.	134.00
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	LVB24995	Hydraulics: Dual Mid SCV to Triple Mid SCV Conversion Kit Includes components and parts required to install Triple Mid SCV's on Tractors already equipped with Dual Mid and Rear SCV's.	1,586.00
	LVB24993	Dual Mid SCV with Joystick Control Kit Includes components and parts required to install Dual Mid SCV on Tractors not equipped with Mid SCV.	1,143.00
	LVB24991	Dual Rear SCV Kit with Lever Controls Open Station Tractors only (Codes 2000 and 2005). Includes components and parts required to install Dual Rear SCV's on Tractors not equipped with any Rear SCV.	1,017.00
	LVB24990	Dual Rear SCV with Lever Control Kit Includes components and parts required to install Dual Rear SCV on Tractors not equipped with a Rear SCV. Compatible with Cab Models only (Codes 2050, 2055 and 2060).	1,071.00
	BLV10074	Mid Couplers Kit For use with 5M IT4 Tractors and MY2012 5065M, 5075M. (Note: For customers not ordering the GL3 Loader.)	161.00
	LVB25093	Oil Collection System Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware and instructions included).	100.00
	RE222718	Plumbing, Hydraulic Case Drain Supplies non-restricted flow of hydraulic fluid to reservoir. Also order: (1) 61M5035 Fitting, (1) RE268341 Tube, (2) R120797 Snap Ring, (1) R218933 Cover, (1) R252725 Bracket, (2) 19M7866 Screw, (2) 14M7298 Nut, (1) T77613 O-Ring, (1) 51M7042 O-Ring.	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE227760	ATTACHMENTS FOR FIELD CONVERSIONContinued Plumbing, Hydraulic Motor Return Also order: (1) A79902 Cover, (1) R269471 Fitting, (2) T77858 O-Ring, (1) 51M7045 O-Ring, (1) 34H5254 Fitting.	See Parts
	LVB24992	Triple Deluxe Rear SCV with Lever Control Kit For use with Tractors ALREADY equipped with Dual Rear Valves. Features: - Three selectable detent positions on EACH valve (auto kickout, continuous flow, or no detent) -Float position one EACH valve - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve	2,188.00
	LVB24997	Lighting: Auxiliary Loader Light Kit Requires Loader installation.	689.00
	LVB25720	Auxiliary Work Light Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	134.00
	RE244176	Beacon Light Kit Open Operator Station only. (Code 2000 and 2005).	See Parts
	BLV10120	Beacon Light Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	211.00
	LVB25729	Brake Light Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	98.00
	LVB25978	Brake Light Kit Open Operator Station only. (Code 2000 and 2005).	215.00
	LVB25022	Miscellaneous: Backup Alarm Kit	146.00
	LVB26136	Engine Side Frame Kit	220.00
	BLV10077	Field Installation Kit - Satellite Radio Antenna All 5M Series Cab Tractors are "Radio Ready," including Radio Wiring Harness and Speakers as Standard Equipment. Requires Radio Ordered Separately. Requires Radio Subscription Ordered Separately.	78.00
	LVB25727	PowrReverser Modulation Control Kit	131.00
	RE19428	Safety Chain Support Kit Kit contains necessary parts and hardware.	See Parts
	AL203265	Service Horn Compatible with 5085M, 5100M, and 5115M ONLY.	See Parts
	L113922	Operator Environment: Antenna All 5M Series Cab Tractors are "Radio Ready", including Radio Wiring Harness and Speakers as Standard Equipment. Requires Radio Ordered Separately.	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AH104259	ATTACHMENTS FOR FIELD CONVERSIONContinued Ash Tray Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	See Parts
	LVB25717	Cab Instructional Seat Kit Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	494.00
	LVB25785	Canopy - Deluxe Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	857.00
	LVB25334	Canopy - Standard Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	520.00
	LVB25783	Canopy Mounting Kit Operator Stations Only (Code 2000 and 2005). Canopy ordered separately.	67.00
	AR60937	Cigarette Lighter Cab Tractors (Codes 2050, 2055 or 2060) ONLY.	See Parts
	RE52682	Convenience Outlet Open Station only (Codes 2000 and 2005). Also order: (1) L157467 strap, (4) 37M70995 screws.	See Parts
	AL153405	Field Office Cab Tractors (Codes 2050, 2055 or 2060) ONLY. Requires (2) R205546 and (4) 37M7355 Ordered Separately.	See Parts
	RE244177	Kit, Rear View Mirror Mounting Kit Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror.	See Parts
	AL80126	Mirror, Telescopic, LH, Manually Adjustable For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	149.00
	AL80127	Mirror, Telescopic, RH, Manually Adjustable For Open Station Tractors also order (1) RE244177 (Mounting Kit) per side.	149.00
	RE68495	Power Strip with Six Outlets Cab Tractors (Codes 2050, 2055 or 2060) ONLY. Requires (1) RE67013, (1) RE67014, and (1) RE67015 Ordered Separately.	See Parts
	RE265545	Radio, AM/FM Stereo with Clock and Weatherband Cab Tractors only (Codes 2050, 2055 and 2060). Requires Standard Cab Antenna Kit (SJ10170), ordered separately. MY2011 Tractors also require the following: AT209965 Ground Strap, 37M7090 Self-tapping screw M6 X 1 X 16 to attach Ground Strap to roof metal structure, 14M7450 Flange nut M5 x 0.8 to attach ground strap to radio.	See Parts
	RE289629	Radio, AM/FM, CD, with Clock and Weatherband Cab Tractors only (Code 2050, 2055 and 2060). Requires Standard Cab Antenna Kit (SJ10170) ordered separately. MY2011 Tractors also require the following: AT209965 Ground Strap, 37M7090 Self-tapping screw M6 X 1 X 16 to attach Ground Strap to roof metal structure, 14M7450 Flange nut M5 x 0.8 to attach ground strap to radio.	See Parts
	LVB25501	Seat Armrest Kit Open Operator Station (Code 2000) Tractors ONLY.	128.00

	ATTACHMENT		SUGGESTED LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)
	AL77888	ATTACHMENTS FOR FIELD CONVERSIONContinued Seat Backrest Extension Deluxe Open Operator Station (Code 2005) Tractors ONLY.	See Parts
	AT162291	Seat Backrest Extension Cab Tractors (Code 2050, 2055 or 2060) ONLY.	See Parts
	BLV10173	Wiper with Washer Kit - Rear Window <i>Cab Tractors (Code 2050, 2055, or 2060) ONLY. Cab tractors with wiper mounting location over the LH shoulder of the operator.</i>	297.00
	BLV10099	PTO: 1000/540/540E RPM Power Take Off Kit Not compatible with any Tractor equipped with a single speed PTO (540 only).	1,319.00
	BW16094	Stationary Fenders: Stationary Fenders Compatible with H260 and H310 Loader only. Loader ordered separately. Fenders bolt directly to Loader mounting frame assembly.	457.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts
	T32146	Weights: Front Weight Retaining Pin Required when Front Weights are used. Prevents Weights from sliding off of the Front Weight Support. Also requires L12491, Quick Pin, ordered separately.	See Parts
	R262449	Front Weight Support, 187 Lbs	See Parts
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One Dealer must order 5000 Lbs. to receive free freight through Waterloo Weight Program. Available to Ag Dealers only.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R213907	Weight, Rear Wheel 95 Lb. Maximum of 2 per wheel. Not compatible on wheels sized 24" or smaller.	198.00
	AL156778	Wheel Equipment: Wheel Spacers, MFWD, 2.36 In. (60 mm) with Hardware (Qty 2) Fits MFWD Axles. Tread setting should not exceed 80 In. for maximum load applications. Kit contains (2) L154685 Hubs, (16) 24M7242 Washers, and (16) L152521 Bolts. For other hub thickness, see Parts.	575.00

5115M Utility Tractor (MY 2012) Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

5083E Limited Utility Tractor (MY 2012)(83 Engine Hp/69 PTO Hp)

Equipment for Base Machine

ENGINE: Wet PTO Clutch 83 (61 kW) 97/68/EC Engine Horsepower @ 2400 RPM* Operator Presence Safety Warning - PTO Safety Start Switch 69 (51 kW) PTO Horsepower @ 2400 RPM* 4 Cylinder Turbocharged Flip Up PTO Shield John Deere PowerTech Diesel Engine 276 C.I.D. (4.5 L) Oil Cooler ROCKSHAFT, HITCH AND DRAWBAR: Telescopic Draft Links with Category II Balls Dry Type Air Cleaner with Safety Element Adjustable Sway Chains Adjustable Straight Drawbar Underhood Muffler with Top Link Draft Sensing Vertical Exhaust Stack Anti-Freeze INSTRUMENTATION: Water Separator Bowl Electric Fuel Gauge Hand and Foot Throttle Tachometer/Hour Meter Key Engine Shut Off Oil Pressure Indicator Light Coolant Temperature Gauge Alternator Indicator Light Fan Finger Guard Fuel Cooler Air Restriction Indicator Light Turn Signal Indicator Light TRANSMISSION: 12F/12R PowrReverser Transmission LH_Electrohydraulic (EH) High Beam Indicator Light PTO Engagement Indicator Light Directional Reverser MFWD Engagement Indicator Light Integrated Park Position Differential Lock Neutral Start Safety Switch ELECTRICAL: 12-Volt Electrical System One Battery - 950 CCA** with 180 Minute Reserve Capacity Wet Traction Clutch FRONT AXLE AND TIRES: 7-Pin ASAE Outlet Socket Mechanical Front Wheel Drive 90 Amp Alternator (4 Wheel Drive) Front Axle Mechanical MFWD Engagement Planetary Final Drives Two Front Halogen Headlights 8-Position Steel Front Wheels Two Turn/Warning Lights with Two 11.2-24 8PR (R1) Two Front/Two Rear Roof-Mounted Work Lights REAR AXLE AND TIRES: Two Front/Two Rear Roof-Mounted Flanged Rear Axle Warning Lights Planetary Final Drives 8-Position Steel Rear Wheels MISCELLANEOUS: with Two 16.9-30 8PR (R1) SMV Emblem Tilt-Up Hood STEERING AND BRAKES: Side-Mounted Toolbox 30 U.S. Gallon (115 L) Hydrostatic Power Steering Hydraulic Wet Disk Brakes Fuel Tank Capacity Self-Equalizing and Self-Adjusting OPERATOR STATION: Cab HYDRAULICS: Left Side Door Air Conditioning Open Center Hydraulic System Tandem Gear Pump 22.5 GPM Comfort Mechanical Seat (85.1 LPM) Maximum Total Flow Cup Holders Steering Pump 6.6 GPM (24.9 LPM) Radio/CD Ready (Antenna Cable, Implement Pump 15.9 GPM (60.1 LPM) Two Speakers, and Wiring Harness) Hydraulic Oil Cooler Front Windshield Wiper Dual Rear SCV Control Valve * Manufacturer's Rating POWER TAKE-OFF SHAFT: ** Cold Cranking Amps Independent "Live" 540 RPM Rear PTO Shaft Electro-hydraulic PTO engagement @ 2400 Rated Engine RPM Economy PTO setting for 540 PTO RPM

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

@ 1716 Engine RPM

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINE	
		EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington	
6905LV		5083E Limited Utility Tractor (MY 2012)(83 Engine Hp/69 PTO Hp)	44,598.00
		OPERATORS MANUAL	
0409		English Operators Manual and Decal Kit	In Base Price
0413		French Operators Manual and Decal Kit	Same Price
0437		Spanish Operators Manual and Decal Kit	Same Price
		OPERATOR'S STATION	
2110		Cab with Mechanical Suspension Seat	In Base Price
2120		Cab with Air Suspension Seat Features: Push-button adjustable air suspension Fore and aft adjustments Reclining back support	675.00
3400		MID SELECTIVE CONTROL VALVES Less Mid Valves Recommended for applications WITHOUT front loaders. Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments.	In Base Price
3420		Dual Mid Valves with Joystick Control Recommended for applications WITH front loaders.	1,182.00
		REAR SELECTIVE CONTROL VALVES	
3300		Less Rear SCV's Not compatible with Less Mid SCV (Code 3400).	-756.00
3320		Dual Rear SCV's with Lever Control	In Base Price
3335		Triple Rear SCV's with Lever Control Features: - Valve #1 - Push button, Electrohydraulic (EH) control, Priority flow, Pressure compensated flow control (0 - 12 GPM) for intermittent hydraulic applications - Valve #2 - Float position - Valve #3 - Extend/Retract positions ONLY	1,113.00
		REAR WHEELS WITH TIRES (TWO)	
		All tires offered are of bias ply construction. See Loader Section of the Sales Manual for Front Tire/Loader Compatibility information.	
5121		16.9 - 30 In. 6PR R1 Bias <i>MFWD (4WD) requires Code 6111.</i>	In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5911		REAR WHEELS WITH TIRES (TWO)Continued 18.4 - 30 In. 8PR R1 Bias MFWD (4WD) requires Code 6701.	368.00
5914		19.5L - 24 In. 10PR R4 Bias <i>MFWD (4WD) requires Code 6114.</i>	80.00
		FRONT WHEELS WITH TIRES (TWO)	
		All tires offered are of bias ply construction. See Loader Section of the Sales Manual for Front Tire/Loader Compatibility Information.	
6111		11.2 - 24 In. 8PR R1 Bias	In Base Price
6701		12.4 - 24 In. 8PR R1 Bias Not compatible with the 553 Loader.	261.00
6114		12.5/80 - 18 In. 10PR I3 (R4 Type) Bias	25.00
9076		ATTACHMENTS - ORDER AS DESIRED Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine	No Charge
		to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm) Requires (Qty. 2). Order installation hardware separate - See Parts. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154682	Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	RE227949	Engine: Engine Block Heater (110V)	See Parts
	LVB25110	Heavy Duty Air Intake Pre-Heater	109.00
	LVB25787	Radiator Clean Out Screen	56.00
	SJ303279	Side Exhaust Kit	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL180330	Fenders: MFWD Front Fenders 14.6 In. (370 mm) Wide Recommended for use with 12.5/80-18, 11.2-24 and 12.4-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately.	See Parts
	AL180327	MFWD Front Fenders 16.5 In. (420 mm) Wide Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately.	See Parts
	LVB25776	Mounting Brackets and Hardware Kit - MFWD Fenders WITHOUT LOADER	756.00
	LVB25714	Rear Fender Extension Kit	186.00
	BW15084	Guards: Hood Guard	230.00
	T12553	Hitch and Drawbar: Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	R133359	Drawbar - Offset	See Parts
	R196191	Drawbar - Straight Heavy-Duty	See Parts
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	See Parts
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	See Parts
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	LVB25976	Hitch: iMatch Quick Hitch Category 1 Includes one set of Bushings(LVU15507)	319.00
	BLV10072	Hydraulics: Dual Mid Hydraulic Control Valve Kit with Joystick Control Recommended for applications WITH Front Loaders. Compatible with 5E Limited tractors with Serial Numbers 440001 and after: 1LV5083E+BY440001 - 1LV5101E+BY440001 -	1,182.00
	BLV10070	Dual Rear SCV Kit with Lever Controls Includes second rear SCV lever, hoses, and mounting bracket to add a second rear SCV with Extend/Retract/Re-Gen functionality. Compatible with 5E Limited tractors with Serial Numbers 440001 and after: 1LV5083E+BY440001 - 1LV5101E+BY440001 -	1,017.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BLV10074	ATTACHMENTS FOR FIELD CONVERSIONContinued Mid Couplers Kit Includes 6 SCV couplers and dust plugs. Required for loader installation on Model Year 2012 5E Limited tractors with 553 or 563 loaders. Compatible with 5E Limited tractors with Serial Numbers 440001 and after: 1LV5083E+BY440001 - 1LV5101E+BY440001 -	161.00
	LVB25697	Power Beyond Coupler Kit Compatible with 5EN tractors and 5E Limited tractors with Serial Numbers 440001 and after: 1LV5083E+BY440001 - 1LV5101E+BY440001 -	425.00
	BLV10073	Triple Mid Hydraulic Control Valve Kit (Converting Dual Mid to Triple Mid) Only for tractors alreaqdy equipped with Dual Mid Hydraulics. Fits all 5603 and 5E Limited tractors that already have dual mid SCVs installed. For 5603 or 5E Limiteds already equipped with triple rear SCVs, also order SJ12253 and SJ12285. Tractors not equipped with Rear SCVs also require RE226516. Tractors with Serial Numbers before LV5101E260404, LV5093E260319, LV5083E260785 also order SJ11059.	1,586.00
	BLV10071	Triple Rear Deluxe Hydraulic Control Valve Kit with Lever Controls For use with Tractors already equiped with Dual Rear Valves. Features: Three selectable detent positions on each valve (auto kickout, continuous flow, or no detent) Float position on each valve Flow priority to #1 valve Pressure compensated flow control for running hydraulics motos on #1 valve Compatible with 5E Limited tractors with Serial Numbers 440001 and after: 1LV5083E+BY440001 - 1LV5101E+BY440001 -	1,113.00
	LVB26137	Lighting: Auxiliary Loader Light Kit	396.00
	LVB25720	Auxiliary Work Light Kit	134.00
	LVB25713	Beacon Light Kit	211.00
	LVB25729	Brake Light Kit	98.00
	RE205274	Miscellaneous: 120 Amp Alternator	See Parts
	LVB25728	Backup Alarm Kit	144.00
	LVB26088	Operator's Manual and Decal Kit - French	No Charge
	LVB26089	Operator's Manual and Decal Kit - Spanish	No Charge
	LVB25727	PowrReverser Modulation Control Kit	131.00
	RE19428	Safety Chain Support Kit	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB26096	ATTACHMENTS FOR FIELD CONVERSIONContinued Single Horn Kit	46.00
	BLV10121	Sway Control Stabilizer Kit	596.00
	LVB24983	Operator Environment: Air Seat Suspension Kit (Cab Only) Kit contains seat suspension to change mechanical to air suspension. Kit does NOT include a seat.	658.00
	SJ10170	Antenna Compatible with MY2012 Cab Tractors.	See Parts
	AH104259	Ash Tray	See Parts
	AR60937	Cigarette Lighter	See Parts
	AL153405	Field Office Cab Tractors (Codes 2033 or 2034) ONLY. Requires (2) R205546 and (4) 37M7355 Ordered Separately.	See Parts
	RE244177	Kit, Rear View Mirror Mounting Kit Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror.	See Parts
	AL80126	Mirror, Telescopic, LH, Manually Adjustable	149.00
	AL80127	Mirror, Telescopic, RH, Manually Adjustable	149.00
	RE68495	Power Strip with Six Outlets	See Parts
	RE265545	Radio, AM/FM Stereo with Clock and Weatherband Requires Standard Cab Antenna Kit (L113922), ordered separately. MY2011 tractors also require the following: AT209965 Ground Strap, 37M7090 Self-tapping screw M6 X 1 X 16 to attach Ground Strap to roof metal structure, 14M7450 Flange nut M5 x 0.8 to attach ground strap to radio.	See Parts
	RE289629	Radio, AM/FM, CD, with Clock and Weatherband Requires Standard Cab Antenna Kit (L113922), ordered separately. MY2011 tractors also require the following: AT209965 Ground Strap, 37M7090 Self-tapping screw M6 X 1 X 16 to attach Ground Strap to roof metal structure, 14M7450 Flange nut M5 x 0.8 to attach ground strap to radio.	See Parts
	LVB26040	Right Hand Door Kit	260.00
	LVB25712	Wiper with Washer Kit - Rear Window	297.00
	BW15741	Stationary Fenders: Stationary Fenders (Quik-Tach)	468.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	T32146	Weights: Front Weight Retaining Pin Required when Front Weights are used. Prevents Weights from sliding off of the Front Weight Support. Also requires L12491, Quick Pin, ordered separately.	See Parts
	R262449	Front Weight Support, 187 Lbs Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.	See Parts
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One Dealer must order 5000 Lbs. to receive free freight through Waterloo Weight Program. Available to Ag Dealers only.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R213907	Weight, Rear Wheel 95 Lb. Maximum of 2 per wheel.	198.00
	AL156778	Wheel Equipment: Wheel Spacers, MFWD, 2.36 In. (60 mm) with Hardware (Qty 2) Fits MFWD and Rear Axles. Tread Setting Should Not exceed 80 In. for Maximum Load Applications.	575.00

5083E Limited Utility Tractor (MY 2012)(83 Engine Hp/69 PTO Hp) Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

5093E Limited Utility Tractor (MY 2012)(93 Engine Hp/79 PTO Hp)

Equipment for Base Machine

ENGINE: Wet PTO Clutch 93 (69 kW) 97/68/EC Engine Horsepower @ 2400 RPM* Operator Presence Safety 79 (59 kW) PTO Horsepower @ 2400 RPM* Warning - PTO Safety Start Switch 4 Cylinder Turbocharged Flip up PTO Shield John Deere PowerTech Diesel Engine 276 C.I.D. (4.5 L) Oil Cooler ROCKSHAFT, HITCH AND DRAWBAR: Telescopic Draft Links with Dry Type Air Cleaner with Safety Element Category II Balls Underhood Muffler with Adjustable Drawbar Vertical Exhaust Stack Anti-Freeze Hand and Foot Throttle INSTRUMENTATION: Key Engine Shut Off Electric Fuel Gauge Fan Finger Guard Water Separator Bowl Fuel Cooler TRANSMISSION: 12F/12R PowrReverser Transmission LH_Electrohydraulic (EH) Directional Reverser Integrated Park Position Differential Lock Neutral Start Safety Switch ELECTRICAL: Wet Traction Clutch FRONT AXLE AND TIRES: Mechanical Front Wheel Drive (4 Wheel Drive) Front Axle Mechanical MFWD Engagement Planetary Final Drives 8-Position Steel Front Wheels Two Turn/Warning Lights with Two 11.2-24 8PR (R1) Two Front/Two Rear Roof-Mounted Work Lights REAR AXLE AND TIRES: Two Front/Two Rear Roof-Mounted Flanged Rear Axle Warning Lights Planetary Final Drives 8-Position Steel Rear Wheels MISCELLANEOUS: with Two 16.9-30 8PR (R1) SMV Emblem Tilt-Up Hood STEERING AND BRAKES: Hydrostatic Power Steering Hydraulic Wet Disk Brakes Fuel Tank Capacity Self-Equalizing and Self-Adjusting OPERATOR STATION: Cab Left Hand Door Only HYDRAULICS: Air Conditioning Open Center Hydraulic System Tandem Gear Pump 22.5 GPM (85.1 LPM) Maximum Total Flow Cup Holders Steering Pump 6.6 GPM (24.9 LPM) Implement Pump 15.9 GPM (60.1 LPM) Hydraulic Oil Cooler Dual Rear SCV Control Valve POWER TAKE-OFF SHAFT:

Adjustable Sway Chains Top Link Draft Sensing Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Gauge Alternator Indicator Light Air Restriction Indicator Light Turn Signal Indicator Light High Beam Indicator Light PTO Engagement Indicator Light MFWD Engagement Indicator Light 12-Volt Electrical System
One Battery - 950 CCA** with 180 Minute Reserve Capacity 7-Pin ASAE Outlet Socket Two Front Halogen Headlights

Side-Mounted Toolbox 30 U.S. Gallon (115 L)

Comfort Mechanical Seat Radio/CD Ready (Antenna Cable, Two Speakers, and Wiring Harness) Front Windshield Wiper

* Manufacturer's Rating ** Cold Cranking Amps

ATTACHMENT CODE **IDENTIFIER** DESCRIPTION

Independent "Live" 540 RPM

Electro-hydraulic PTO engagement @ 2400 Rated Engine RPM Economy PTO setting for 540 RPM

Rear PTO Shaft

@ 1716 Engine RPM

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINE	
		EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington	
6915LV		5093E Limited Utility Tractor (MY 2012)(93 Engine Hp/79 PTO Hp)	48,295.00
		OPERATORS MANUAL	
0409		English Operators Manual and Decal Kit	In Base Price
0413		French Operators Manual and Decal Kit	Same Price
0437		Spanish Operators Manual and Decal Kit	Same Price
		OPERATOR'S STATION	
2110		Cab with Mechanical Suspension Seat	In Base Price
2120		Cab with Air Suspension Seat Features: Push-button adjustable air suspension Fore and aft adjustments Reclining back support	675.00
3400		MID SELECTIVE CONTROL VALVES Less Mid Valves Recommended for applications WITHOUT front loaders. Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments.	In Base Price
3420		Dual Mid Valves with Joystick Control Recommended for applications WITH front loaders.	1,182.00
		REAR SELECTIVE CONTROL VALVES	
3300		Less Rear SCV's Not compatible with Less Mid SCV (Code 3400).	-756.00
3320		Dual Rear SCV's with Lever Control	In Base Price
3335		Triple Rear SCV's with Lever Control Features: - Valve #1 - Push button, Electrohydraulic (EH) control, Priority flow, Pressure compensated flow control (0 - 12 GPM) for intermittent hydraulic applications - Valve #2 - Float position - Valve #3 - Extend/Retract positions ONLY	1,113.00
		REAR WHEELS WITH TIRES (TWO)	
		All tires offered are of bias ply construction. See Loader Section of the Sales Manual for Front Tire/Loader Compatibility information.	
5121		16.9 - 30 In. 6PR R1 Bias <i>MFWD (4WD) requires Code 6111.</i>	In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5911		REAR WHEELS WITH TIRES (TWO)Continued 18.4 - 30 In. 8PR R1 Bias MFWD (4WD) requires Code 6701.	368.00
5914		19.5L - 24 In. 10PR R4 Bias <i>MFWD (4WD) requires Code 6114.</i>	80.00
		FRONT WHEELS WITH TIRES (TWO)	
		All tires offered are of bias ply construction. See Loader Section of the Sales Manual for Front Tire/Loader Compatibility Information.	
6111		11.2 - 24 In. 8PR R1 Bias	In Base Price
6701		12.4 - 24 In. 8PR R1 Bias Not compatible with the 553 Loader.	261.00
6114		12.5/80 - 18 In. 10PR I3 (R4 Type) Bias	25.00
		ATTACHMENTS - ORDER AS DESIRED	
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm) Requires (Qty. 2). Order installation hardware separate - See Parts. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154682	Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	RE227949	Engine: Engine Block Heater (110V)	See Parts
	LVB25110	Heavy Duty Air Intake Pre-Heater	109.00
	LVB25787	Radiator Clean Out Screen	56.00
	SJ303279	Side Exhaust Kit	See Parts

	ATTACUMENT		SUGGESTED
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL180330	Fenders: MFWD Front Fenders 14.6 In. (370 mm) Wide Recommended for use with 12.5/80-18, 11.2-24 and 12.4-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately.	See Parts
	AL180327	MFWD Front Fenders 16.5 In. (420 mm) Wide Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately.	See Parts
	LVB25776	Mounting Brackets and Hardware Kit - MFWD Fenders WITHOUT LOADER	756.00
	LVB25714	Rear Fender Extension Kit	186.00
	BW15084	Guards: Hood Guard	230.00
	T12553	Hitch and Drawbar: Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	R133359	Drawbar - Offset	See Parts
	R196191	Drawbar - Straight Heavy-Duty	See Parts
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	See Parts
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	See Parts
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	LVB25976	Hitch: iMatch Quick Hitch Category 1 Includes one set of Bushings(LVU15507)	319.00
	BLV10072	Hydraulics: Dual Mid Hydraulic Control Valve Kit with Joystick Control Recommended for applications WITH Front Loaders. Compatible with 5E Limited tractors with Serial Numbers 440001 and after: 1LV5083E+BY440001 - 1LV5101E+BY440001 -	1,182.00
	BLV10070	Dual Rear SCV Kit with Lever Controls Includes second rear SCV lever, hoses, and mounting bracket to add a second rear SCV with Extend/Retract/Re-Gen functionality.	1,017.00
		Compatible with 5E Limited tractors with Serial Numbers 440001 and after: 1LV5083E+BY440001 - 1LV5093E+BY440001 - 1LV5101E+BY440001 -	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BLV10074	ATTACHMENTS FOR FIELD CONVERSIONContinued Mid Couplers Kit Includes 6 SCV couplers and dust plugs. Required for loader installation on Model Year 2012 5E Limited tractors with 553 or 563 loaders. Compatible with 5E Limited tractors with Serial Numbers 440001 and after: ILV5083E+BY440001 - ILV5101E+BY440001 -	161.00
	LVB25697	Power Beyond Coupler Kit Compatible with 5EN tractors and 5E Limited tractors with Serial Numbers 440001 and after: 1LV5083E+BY440001 - 1LV5101E+BY440001 -	425.00
	BLV10073	Triple Mid Hydraulic Control Valve Kit (Converting Dual Mid to Triple Mid) Only for tractors alreaqdy equipped with Dual Mid Hydraulics. Fits all 5603 and 5E Limited tractors that already have dual mid SCVs installed. For 5603 or 5E Limiteds already equipped with triple rear SCVs, also order SJ12253 and SJ12285. Tractors not equipped with Rear SCVs also require RE226516. Tractors with Serial Numbers before LV5101E260404, LV5093E260319, LV5083E260785 also order SJ11059.	1,586.00
	BLV10071	Triple Rear Deluxe Hydraulic Control Valve Kit with Lever Controls For use with Tractors already equiped with Dual Rear Valves. Features: Three selectable detent positions on each valve (auto kickout, continuous flow, or no detent) Float position on each valve Flow priority to #1 valve Pressure compensated flow control for running hydraulics motos on #1 valve Compatible with 5E Limited tractors with Serial Numbers 440001 and after: 1LV5083E+BY440001 - 1LV5101E+BY440001 -	1,113.00
	LVB26137	Lighting: Auxiliary Loader Light Kit	396.00
	LVB25720	Auxiliary Work Light Kit	134.00
	LVB25713	Beacon Light Kit	211.00
	LVB25729	Brake Light Kit	98.00
	RE205274	Miscellaneous: 120 Amp Alternator	See Parts
	LVB25728	Backup Alarm Kit	144.00
	LVB26088	Operator's Manual and Decal Kit - French	No Charge
	LVB26089	Operator's Manual and Decal Kit - Spanish	No Charge
	LVB25727	PowrReverser Modulation Control Kit	131.00
	RE19428	Safety Chain Support Kit	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB26096	ATTACHMENTS FOR FIELD CONVERSIONContinued Single Horn Kit	46.00
	BLV10121	Sway Control Stabilizer Kit	596.00
	LVB24983	Operator Environment: Air Seat Suspension Kit (Cab Only) Kit contains seat suspension to change mechanical to air suspension. Kit does NOT include a seat.	658.00
	SJ10170	Antenna Compatible with MY2012 Cab Tractors.	See Parts
	AH104259	Ash Tray	See Parts
	AR60937	Cigarette Lighter	See Parts
	AL153405	Field Office Cab Tractors (Codes 2033 or 2034) ONLY. Requires (2) R205546 and (4) 37M7355 Ordered Separately.	See Parts
	RE244177	Kit, Rear View Mirror Mounting Kit Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror.	See Parts
	AL80126	Mirror, Telescopic, LH, Manually Adjustable	149.00
	AL80127	Mirror, Telescopic, RH, Manually Adjustable	149.00
	RE68495	Power Strip with Six Outlets	See Parts
	RE265545	Radio, AM/FM Stereo with Clock and Weatherband Requires Standard Cab Antenna Kit (L113922), ordered separately. MY2011 tractors also require the following: AT209965 Ground Strap, 37M7090 Self-tapping screw M6 X 1 X 16 to attach Ground Strap to roof metal structure, 14M7450 Flange nut M5 x 0.8 to attach ground strap to radio.	See Parts
	RE289629	Radio, AM/FM, CD, with Clock and Weatherband Requires Standard Cab Antenna Kit (L113922), ordered separately. MY2011 tractors also require the following: AT209965 Ground Strap, 37M7090 Self-tapping screw M6 X 1 X 16 to attach Ground Strap to roof metal structure, 14M7450 Flange nut M5 x 0.8 to attach ground strap to radio.	See Parts
	LVB26040	Right Hand Door Kit	260.00
	LVB25712	Wiper with Washer Kit - Rear Window	297.00
	BW15741	Stationary Fenders: Stationary Fenders (Quik-Tach)	468.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	T32146	Weights: Front Weight Retaining Pin Required when Front Weights are used. Prevents Weights from sliding off of the Front Weight Support. Also requires L12491, Quick Pin, ordered separately.	See Parts
	R262449	Front Weight Support, 187 Lbs Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.	See Parts
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One Dealer must order 5000 Lbs. to receive free freight through Waterloo Weight Program. Available to Ag Dealers only.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R213907	Weight, Rear Wheel 95 Lb. Maximum of 2 per wheel.	198.00
	AL156778	Wheel Equipment: Wheel Spacers, MFWD, 2.36 In. (60 mm) with Hardware (Qty 2) Fits MFWD and Rear Axles. Tread Setting Should Not exceed 80 In. for Maximum Load Applications.	575.00

5093E Limited Utility Tractor (MY 2012)(93 Engine Hp/79 PTO Hp) Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

5101E Limited Utility Tractor(MY 2012)(101 Engine Hp/86 PTO Hp)

Equipment for Base Machine

ENGINE: 101 (75 kW) 97/68/EC Engine Horsepower @ 2400 RPM* 86 (64 kW) PTO Horsepower @ 2400 RPM* 4 Cylinder Turbocharged John Deere PowerTech Diesel Engine 276 C.I.D. (4.5 L) Oil Cooler Dry Type Air Cleaner with Safety Element Underhood Muffler with

Vertical Exhaust Stack Anti-Freeze Water Separator Hand and Foot Throttle Key Engine Shut Off Fan Finger Guard Fuel Cooler

TRANSMISSION:

12F/12R PowrReverser Transmission LH_Electrohydraulic (EH) Directional Reverser Integrated Park Position Differential Lock Neutral Start Safety Switch Wet Traction Clutch

FRONT AXLE AND TIRES: Mechanical Front Wheel Drive (4 Wheel Drive) Front Axle Mechanical MFWD Engagement Planetary Final Drives 8-Position Steel Front Wheels with Two 12.4-24 8PR (R1)

REAR AXLE AND TIRES: Flanged Rear Axle Planetary Final Drives 8-Position Steel Rear Wheels with Two 18.4-30 8PR (R1)

STEERING AND BRAKES: Hydrostatic Power Steering Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting

HYDRAULICS:

Open Center Hydraulic System Tandem Gear Pump 22.5 GPM (85.1 LPM) Maximum Total Flow Steering Pump 6.6 GPM (24.9 LPM) Implement Pump 15.9 GPM (60.1 LPM) Hydraulic Oil Cooler Dual Rear SCV Control Valve

POWER TAKE-OFF SHAFT: Independent 540 RPM Rear 540/540E PTO Electro-hydraulic PTO engagement Operator Presence Safety

Warning - PTO Safety Start Switch

ROCKSHAFT, HITCH AND DRAWBAR: Telescopic Draft Links with Category II Balls Adjustable Sway Chains Adjustable Drawbar Top Link Draft Sensing

INSTRUMENTATION: Electric Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Gauge Alternator Indicator Light Air Restriction Indicator Light Turn Signal Indicator Light High Beam Indicator Light PTO Engagement Indicator Light MFWD Engagement Indicator Light

ELECTRICAL: 12-Volt Electrical System One Battery - 950 CCA** with 180 Minute Reserve Capacity 7-Pin ASAE Outlet Socket 90 AMP Alternator

LIGHTS: Two Front Halogen Headlights Two Turn/Warning Lights Two Front/Two Rear Roof-Mounted Work Lights Two Front/Two Rear Roof-Mounted Warning Lights

MISCELLANEOUS: SMV Emblem Tilt-Up Hood Side-Mounted Toolbox 30.5 U.S. Gallon (115 L) Fuel Tank Capacity

OPERATOR STATION: Cab Left Hand Door Air Conditioning Comfort Mechanical Seat Cup Holders Radio/CD Ready (Antenna Cable, Two Speakers, and Wiring Harness) Front Windshield Wiper

* Manufacturer's Rating ** Cold Cranking Amps

ATTACHMENT CODE **IDENTIFIER DESCRIPTION** SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINE	
		EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington	
6925LV		5101E Limited Utility Tractor(MY 2012)(101 Engine Hp/86 PTO Hp)	51,779.00
		OPERATORS MANUAL	
0409		English Operators Manual and Decal Kit	In Base Price
0413		French Operators Manual and Decal Kit	Same Price
0437		Spanish Operators Manual and Decal Kit	Same Price
		OPERATOR'S STATION	
2110		Cab with Mechanical Suspension Seat	In Base Price
2120		Cab with Air Suspension Seat Features: Push-button adjustable air suspension Fore and aft adjustments Reclining back support	675.00
3400		MID SELECTIVE CONTROL VALVES Less Mid Valves Recommended for applications WITHOUT front loaders. Can later be upgraded for front loader and/or other hydraulic applications using	In Base Price
3420		field-installed attachments. Dual Mid Valves with Joystick Control Recommended for applications WITH front loaders.	1,182.00
		REAR SELECTIVE CONTROL VALVES	
3300		Less Rear SCV's Not compatible with Less Mid SCV (Code 3400).	-756.00
3320		Dual Rear SCV's with Lever Control	In Base Price
3335		Triple Rear SCV's with Lever Control Features: - Valve #1 - Push button, Electrohydraulic (EH) control, Priority flow, Pressure compensated flow control (0 - 12 GPM) for intermittent hydraulic applications - Valve #2 - Float position - Valve #3 - Extend/Retract positions ONLY	1,113.00
		REAR WHEELS WITH TIRES (TWO)	
		All tires offered are of bias ply construction. See Loader Section of the Sales Manual for Front Tire/Loader Compatibility information.	
5911		18.4 - 30 In. 8PR R1 Bias MFWD (4WD) requires Code 6701.	In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5914		REAR WHEELS WITH TIRES (TWO)Continued 19.5L - 24 In. 10PR R4 Bias MFWD (4WD) requires Code 6114.	-289.00
		FRONT WHEELS WITH TIRES (TWO)	
		All tires offered are of bias ply construction. See Loader Section of the Sales Manual for Front Tire/Loader Compatibility Information.	
6701		12.4 - 24 In. 8PR R1 Bias Not compatible with the 553 Loader.	In Base Price
6114		12.5/80 - 18 In. 10PR I3 (R4 Type) Bias	-236.00
		ATTACHMENTS - ORDER AS DESIRED	
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm) Requires (Qty. 2). Order installation hardware separate - See Parts. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154682	Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	RE227949	Engine: Engine Block Heater (110V)	See Parts
	LVB25110	Heavy Duty Air Intake Pre-Heater	109.00
	LVB25787	Radiator Clean Out Screen	56.00
	SJ303279	Side Exhaust Kit	See Parts
	AL180330	Fenders: MFWD Front Fenders 14.6 In. (370 mm) Wide Recommended for use with 12.5/80-18, 11.2-24 and 12.4-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately.	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL180327	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fenders 16.5 In. (420 mm) Wide Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately.	See Parts
	LVB25776	Mounting Brackets and Hardware Kit - MFWD Fenders WITHOUT LOADER	756.00
	LVB25714	Rear Fender Extension Kit	186.00
	BW15084	Guards: Hood Guard	230.00
	T12553	Hitch and Drawbar: Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	R133359	Drawbar - Offset	See Parts
	R196191	Drawbar - Straight Heavy-Duty	See Parts
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	See Parts
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	See Parts
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	LVB25976	Hitch: iMatch Quick Hitch Category 1 Includes one set of Bushings(LVU15507)	319.00
	BLV10072	Hydraulics: Dual Mid Hydraulic Control Valve Kit with Joystick Control Recommended for applications WITH Front Loaders. Compatible with 5E Limited tractors with Serial Numbers 440001 and after: 1LV5083E+BY440001 - 1LV5093E+BY440001 - 1LV5101E+BY440001 -	1,182.00
	BLV10070	Dual Rear SCV Kit with Lever Controls Includes second rear SCV lever, hoses, and mounting bracket to add a second rear SCV with Extend/Retract/Re-Gen functionality.	1,017.00
		Compatible with 5E Limited tractors with Serial Numbers 440001 and after: 1LV5083E+BY440001 - 1LV5093E+BY440001 - 1LV5101E+BY440001 -	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BLV10074	ATTACHMENTS FOR FIELD CONVERSIONContinued Mid Couplers Kit Includes 6 SCV couplers and dust plugs. Required for loader installation on Model Year 2012 5E Limited tractors with 553 or 563 loaders. Compatible with 5E Limited tractors with Serial Numbers 440001 and after: 1LV5083E+BY440001 - 1LV5101E+BY440001 -	161.00
	LVB25697	Power Beyond Coupler Kit Compatible with 5EN tractors and 5E Limited tractors with Serial Numbers 440001 and after: 1LV5083E+BY440001 - 1LV5101E+BY440001 -	425.00
	BLV10073	Triple Mid Hydraulic Control Valve Kit (Converting Dual Mid to Triple Mid) Only for tractors alreaqdy equipped with Dual Mid Hydraulics. Fits all 5603 and 5E Limited tractors that already have dual mid SCVs installed. For 5603 or 5E Limiteds already equipped with triple rear SCVs, also order SJ12253 and SJ12285. Tractors not equipped with Rear SCVs also require RE226516. Tractors with Serial Numbers before LV5101E260404, LV5093E260319, LV5083E260785 also order SJ11059.	1,586.00
	BLV10071	Triple Rear Deluxe Hydraulic Control Valve Kit with Lever Controls For use with Tractors already equiped with Dual Rear Valves. Features: Three selectable detent positions on each valve (auto kickout, continuous flow, or no detent) Float position on each valve Flow priority to #1 valve Pressure compensated flow control for running hydraulics motos on #1 valve Compatible with 5E Limited tractors with Serial Numbers 440001 and after: 1LV5083E+BY440001 - 1LV5101E+BY440001 -	1,113.00
	LVB26137	Lighting: Auxiliary Loader Light Kit	396.00
	LVB25720	Auxiliary Work Light Kit	134.00
	LVB25713	Beacon Light Kit	211.00
	LVB25729	Brake Light Kit	98.00
	RE205274	Miscellaneous: 120 Amp Alternator	See Parts
	LVB25728	Backup Alarm Kit	144.00
	LVB26088	Operator's Manual and Decal Kit - French	No Charge
	LVB26089	Operator's Manual and Decal Kit - Spanish	No Charge
	LVB25727	PowrReverser Modulation Control Kit	131.00
	RE19428	Safety Chain Support Kit	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB26096	ATTACHMENTS FOR FIELD CONVERSIONContinued Single Horn Kit	46.00
	BLV10121	Sway Control Stabilizer Kit	596.00
	LVB24983	Operator Environment: Air Seat Suspension Kit (Cab Only) Kit contains seat suspension to change mechanical to air suspension. Kit does NOT include a seat.	658.00
	SJ10170	Antenna Compatible with MY2012 Cab Tractors.	See Parts
	AH104259	Ash Tray	See Parts
	AR60937	Cigarette Lighter	See Parts
	AL153405	Field Office Cab Tractors (Codes 2033 or 2034) ONLY. Requires (2) R205546 and (4) 37M7355 Ordered Separately.	See Parts
	RE244177	Kit, Rear View Mirror Mounting Kit Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror.	See Parts
	AL80126	Mirror, Telescopic, LH, Manually Adjustable	149.00
	AL80127	Mirror, Telescopic, RH, Manually Adjustable	149.00
	RE68495	Power Strip with Six Outlets	See Parts
	RE265545	Radio, AM/FM Stereo with Clock and Weatherband Requires Standard Cab Antenna Kit (L113922), ordered separately. MY2011 tractors also require the following: AT209965 Ground Strap, 37M7090 Self-tapping screw M6 X 1 X 16 to attach Ground Strap to roof metal structure, 14M7450 Flange nut M5 x 0.8 to attach ground strap to radio.	See Parts
	RE289629	Radio, AM/FM, CD, with Clock and Weatherband Requires Standard Cab Antenna Kit (L113922), ordered separately. MY2011 tractors also require the following: AT209965 Ground Strap, 37M7090 Self-tapping screw M6 X 1 X 16 to attach Ground Strap to roof metal structure, 14M7450 Flange nut M5 x 0.8 to attach ground strap to radio.	See Parts
	LVB26040	Right Hand Door Kit	260.00
	LVB25712	Wiper with Washer Kit - Rear Window	297.00
	BW15741	Stationary Fenders: Stationary Fenders (Quik-Tach)	468.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	T32146	Weights: Front Weight Retaining Pin Required when Front Weights are used. Prevents Weights from sliding off of the Front Weight Support. Also requires L12491, Quick Pin, ordered separately.	See Parts
	R262449	Front Weight Support, 187 Lbs Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.	See Parts
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One Dealer must order 5000 Lbs. to receive free freight through Waterloo Weight Program. Available to Ag Dealers only.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R213907	Weight, Rear Wheel 95 Lb. Maximum of 2 per wheel.	198.00
	AL156778	Wheel Equipment: Wheel Spacers, MFWD, 2.36 In. (60 mm) with Hardware (Qty 2) Fits MFWD and Rear Axles. Tread Setting Should Not exceed 80 In. for Maximum Load Applications.	575.00

5101E Limited Utility Tractor(MY 2012)(101 Engine Hp/86 PTO Hp) Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

6100D Open Operator Station Tractor (82 PTO hp)

Equipment for Base Machine

ENGINE:

98 Engine HP (72.7 kw) [97/68/EC] @ 2100 RPM
82 PTO Horsepower (61.4 kW) @ 2100 rpm
4-Cylinders, John Deere PowerTech (2-Valve) Diesel
4.5 Liter (276 Cu. In) Displacement, Tier 3
2100 Rated Engine Speed
Mechanical, Rotary Injection Pump
Fixed Turbocharger, Intercooled
Dual Temperature Cooling System with
Viscous Drive Fan
PowerCore Air Filtration System

Underhood Muffler with Vertical Exhaust 41.7 Gal (158 L) Fuel Tank Capacity

TRANSMISSION:

Provided Forward / 9 Reverse Top Shaft Synchronized PowrReverser 17.6 mph (28.3 km/h)

Mechanical Hydraulic Left Hand Reverser Wet Multi-Disk Clutch

Mechanically Actuated Park Brake

Meutral Safety Start System

Neutral Safety Start System
STEERING, BRAKES, DIFFERENTIAL:
Hydrostatic Steering

Sealed Wet Disk Brake Mechanically Actuated Rear Differential Lock

HYDRAULICS:

Open Center, Constant-Flow Hydraulic System 17.6 GPM (66.6 L/min) Pump Flow @ 2100 RPM Two Mechanical Rear Selective Control Valves with ISO Breakaway Couplers

REAR PTO:

540/1000 PTO Speeds, 1-3/8 In. Independent Rear PTO Reversible Shaft and PTO Master Shield Mechanical Activation Dry PTO Clutch PTO Neutral Start Safety System Seat Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR:
Rockshaft Internally Mounted
Category 2, 3-Point Hitch with Center Link
Mechanical Hitch Control
6,800 Lb. Lift Capacity
Mechanical Lower Link Draft Sensing
Telescopic Draft Links
Sway Chain Retainers
Category 2 Drawbar; Swinging
Drawbar Clevis

INSTRUMENTATION: Engine RPM Groundspeed

Safety Chain Holder

Hour of Operation
Fuel Level
Engine Oil Pressure
Engine Coolant Temperature
Rear PTO Engagement
Engine Air Filter
Alternator
Directional Indicators
Hazard Switch

OPEN OPERATOR STATION:
Two Post Foldable ROPS with Seat Belt,
Less Canopy
Flat Platform with Steel Fenders
Left Hand Foot Steps
Operational Controls Location Right Hand Console
Mechanical Suspension Seat with Armrest
and Seat Belt
Tilt / Telescopic Steering Column
Foot Throttle Control

ELECTRICAL:
Key Shutoff
12-Volt Electrical System
One 12-Volt Battery, 925 Cold Cranking Amps
90-Amp Alternator
7 Terminal (ASAE) Outlet Socket

LIGHTS:

Two Front Headlights
One Rear ROPS Mounted Work Light
Two ROPS Hazard Lights
Two Rear Fender Tail Lights with Brake Lights

FRONT AXLE WHEELS AND TIRES:
MFWD Front Axle with Limited Slip Differential
Two Multi-Position Steel Wheels
Mechanical MFWD Engagement, Left Side
13.6-24 In. 6PR Rl Bias Tires

REAR AXLE WHEELS AND TIRES: Flange Axle Eight Position Steel Wheels 18.4-34 In. 8PR R1 Bias

MISCELLANEOUS:
Operator's Manual (English) and Holder
SMV Emblem
Horn

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas

6100D Open Operator Station Tractor (82 PTO hp)

47,735.00

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINEContinued	
		PACKAGE CONFIGURATIONS	
0090		No Package	In Base Price
0092		Open Station MFWD 2-SCV PowrReverser Value Package Open Operator Station Tractor with MFWD, 9F/9R PowrReverser wet clutch Transmission, Two Telescopic Draft Links and Two Selective Control Valves. Package contains Codes: 0130, 0240, 5410 and 6020.	In Configuration
		OPERATOR STATION	
0130		Open Operator Station - Flat Platform	In Base Price
		TRANSMISSION	
0220		9F/9R PowrReverser Wet Clutch Transmission - 2WD Front Axle Adjustable 2WD Front Axle (59.1 - 74 In.). 540/1000 rpm PTO.	-6,137.00
0240		9F/9R PowrReverser Wet Clutch Transmission - MFWD Axle 540/1000 rpm PTO.	In Base Price
		REAR WHEELS AND TIRES	
1020		18.4-38 In. 8PR R1 Bias	502.00
1030		18.4-34 In. 8PR R1 Bias	In Base Price
1050		16.9X38 In. 8PR R1 Bias Requires Code 2010.	128.00
1060		12.4-42 In. 10PR R1 Bias	608.00
		FRONT WHEELS AND TIRES	
2005		For 2WD Front Axle / Transmission 10.00-16 In. 6PR F2 Bias Requires Code 0210 or 0220.	-842.00
2010		For MFWD Front Axle / Transmission 13.6-24 In. 6PR R1 Bias Requires Codes 0230 or 0240, and 1030 (18.4-34 Rear Tires).	In Base Price
2040		14.9-24 In. 8PR R1 Bias Requires Codes 0230 or 0240, and 1020 (18.4-38 Rear Tires).	138.00
2060		12.4-24 In. 8PR R1 Bias	-68.00
		DRAFT LINKS	
5410		Two Telescopic Draft Links	In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SELECTIVE CONTROL VALVES	
6020		Dual Standard SCV with ISO Breakaway Couplers See Ag Sales manual for Details. Four positions in each spool: Raise, Off/Neutral, Lower and Float. Provides detent in Float position.	In Base Price
6030		Triple Deluxe SCV with ISO Breakaway Couplers See Ag Sales Manual for Details. All three Spools have Three Detent Choices: Pressure Limit Kick-out (Cylinder Use), Spring Center (Front Loader Use) and Continuous Detent (Hydraulic Motor Use). Spool #1 has Pressure-Compensated Flow Control and priority over Spools 2 & 3. Four positions on each spool: Raise, Off/Neutral, Lower and Float.	1,059.00
		ATTACHMENTS - ORDER AS DESIRED	
9005		Operator Station Second Rear Work Light	96.00
9013		Two Forward Facing Work Lights - Fender Mounted	245.00
9160		Right Hand Steps	289.00
8810		Front Loader Preparation: Loader Prep Package, 2 Function Mid-Mount Valve with Mechanical Joystick Includes Two Function Mechanical Joystick and Mid-Mount Hydraulic Valve with Couplers. For Field Installation Mid-mount Joystick, please see Ag Sales Manual.	1,386.00
8210		Front Weights: Front Weight Support Bracket Holds up to eighteen 100-Lbs suitcase weights.	265.00
8060		Rear Wheel Weights: Two Rear Wheel Weights Two - 120 Lb (54Kg) weights.	468.00
8070		Four Rear Wheel Weights Four - 120 Lb (54 kg) weights.	933.00
8080		Six Rear Wheel Weights Six - 120 Lb (54 kg) weights.	1,399.00
8090		Eight Rear Wheel Weights Eight - 120 Lb (54 kg) weights.	1,866.00
9040		Miscellaneous: Fixed Front Fenders (MFWD Front Axle only) Not compatible with Front Loader.	541.00
9112		Tool Box	46.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9170		ATTACHMENTS - ORDER AS DESIREDContinued Fuel Tank Guard	153.00
9510		Spanish Operator's Manual Includes warning labels in Spanish.	No Charge
9520		French Operator's Manual Includes warning labels in French.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE227949	Engine: Engine Block Heater (110V)	See Parts
	SJ292024	Engine Ether Kit	92.00
	RE199488	Engine Manifold Heater	193.00
	SJ291766	Fenders: Fixed Front Fenders (MFWD only)	536.00
	SJ291694	Guards: Fuel Tank Guard	183.00
	SJ292562	Hydraulic Oil Filter Guard	91.00
	TY16042	Hitch and Drawbar: Quik-Coupler, Economy, Category 2	See Parts
	SJ288860	Hydraulics: Hydraulic Motor Return and Case Drain	244.00
	RE285845	Power Beyond Kit and Case Drain	476.00
	SJ290765	Third Selective Control Valve Kit Converts from Dual SCV to Triple Deluxe SCV. Position 1 has flow control. Positions 2 and 3 do not have flow control.	1,143.00
	SJ291699	Lighting: Fender Mounted Work Lights (LH and RH), Front Facing For Open Operator Station Tractors only.	243.00
	SJ291765	Second Rear Work Light (Right Hand) For Open Operator Station Tractors only.	99.00
	LVB25728	Miscellaneous: Backup Alarm Kit Compatible with 9x9 Power Reverser transmission only.	144.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	SJ290032	ATTACHMENTS FOR FIELD CONVERSIONContinued Fuel Filter Relocation Kit Required for Loader operations.	80.00
	LVB25727	PowrReverser Modulation Control Kit	131.00
	AR201256	Operator Environment: Canopy for Roll-Gard For Open Operator Station Tractors Only.	1,289.00
	SJ298490	RH Steps with Handrail For Open Operator Station Tractors only.	284.00
	AL113087	Vandal Protection: Lockable Fuel Tank Cap	See Parts
		Weights: Please Refer to the Agricultural Sales Manual for Rear Wheel Weight Compatibility Information. Before ordering, verify Axle type (Flange or R&P). For Flange Axles, verify Bolt Circle Diameter (BCD). Weights and Supports do not include Installation Hardware.	
	SJ291758	Front Weight Support Bracket	302.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	APY10029	Weight, Rear Wheel, 480 Lb. (4-L28228)	1,090.00

6100D Open Operator Station Tractor (82 PTO hp) Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

6115D Open Operator Station Tractor (95 PTO hp)

Equipment for Base Machine

ENGINE:

117 Engine HP (87 kw) [97/68/EC] @ 2100 RPM 95 PTO Horsepower (70.8 kW) @ 2100 rpm 4-Cylinders, John Deere PowerTech (2-Valve) Diesel 4.5 Liter (276 Cu. In) Displacement, Tier 3 2100 Rated Engine Speed Mechanical, Rotary Injection Pump Fixed Turbocharged, Intercooled Dual Temperature Cooling System with Viscous Drive Fan PowerCore Air Filtration System

Underhood Muffler with Vertical Exhaust 41.7 Gal (158 L) Fuel Tank Capacity

TRANSMISSION: 9 Forward / 9 Reverse Top Shaft Synchronized PowrReverser Transmission 17.6 mph (28.3 km/h) Power Reverser Transmission Wet Multi-Disk Clutch

Mechanically Actuated Park Brake Neutral Safety Start System

STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering Sealed Wet Disk Brake

Mechanically Actuated Rear Differential Lock

HYDRAULICS:

Open Center Constant-Flow Hydraulic System 17.6 GPM (66.6 L/min) Pump Flow @ 2100 RPM Two Mechanical Rear Selective Control Valves with ISO Breakaway Couplers

REAR PTO:

540/1000 PTO Speeds, 1-3/8 In. Independent Rear PTO Reversible Shaft and PTO Master Shield Mechanical Activation Dry PTO Clutch PTO Lever Neutral Start Seat Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR: Rockshaft Internally Mounted Category 2, 3-Point Hitch with Center Link Mechanical Hitch Control 6,800 Lb. Lift Capacity Mechanical Lower Link Draft Sensing Telescopic Draft Links Sway Chain Retainers Category 2 Drawbar; Swinging Drawbar Clevis Safety Chain Holder

INSTRUMENTATION: Engine RPM

656BP

Groundspeed Hours of Operation Fuel Level Engine Oil Pressure Engine Coolant Temperature Rear PTO Engagement Engine Air Filter Alternator

Directional Indicators

Hazard Switch

OPEN OPERATOR STATION: Two Post Foldable ROPS with Seat Belt, Less Canopy Flat Platform with Steel Fenders Left Hand Foot Steps

Operational Controls Location - Right Hand Console

Mechanical Suspension Seat with Armrest

and Seat Belt Tilt / Telescopic Steering Column Foot Throttle Control

ELECTRICAL:

Key Shutoff 12-Volt Electrical System

One 12-Volt Battery, 925 Cold Cranking Amps 90 Amp Alternator

7 Terminal ASAE Outlet Socket

LIGHTS:

Two Front Headlights One Rear ROPS Mounted Work Light Two Rear Fender Tail Lights with Brake Lights

FRONT AXLE WHEELS AND TIRES: MFWD Front Axle with Limited Slip Differential Two Multi-Position Steel Wheels Mechanical MFWD Engagement, Left Side 13.6-24 In. 6PR Bias Tires R1

REAR AXLE WHEELS AND TIRES: Flange Axle Eight Position Steel Wheels 18.4-34 In. 8PR R1

MISCELLANEOUS:

Operator's Manual (English) and Holder SMV Emblem Horn

ATTACHMENT CODE **IDENTIFIER**

DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas

6115D Open Operator Station Tractor (95 PTO hp)

51,159.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINEContinued	
		PACKAGE CONFIGURATIONS	
0090		No Package	In Base Price
0092		Open Station MFWD 2-SCV PowrReverser Value Package Open Operator Station Tractor with MFWD, 9F/9R PowrReverser wet clutch Transmission, Two Telescopic Draft Links and Two Selective Control Valves. Package contains Codes: 0130, 0240, 5410 and 6020.	In Configuration
		OPERATOR STATION	
0130		Open Operator Station - Flat Platform	In Base Price
		TRANSMISSION	
0210		9F/3R Top Shaft Sychronized w/ Dry Clutch - 2WD Front Axle Adjustable 2WD Front Axle (59.1 - 74 In.). 540/1000 rpm PTO.	-7,915.00
0220		9F/9R PowrReverser Wet Clutch Transmission - 2WD Front Axle Adjustable 2WD Front Axle (59.1 - 74 In.). 540/1000 rpm PTO.	-6,137.00
0230		9F/3R Top Shaft Synchronized w/ Dry Clutch - MFWD Axle 540/1000 rpm PTO.	-1,727.00
0240		9F/9R PowrReverser Wet Clutch Transmission - MFWD Axle $540/1000\ rpm\ PTO$.	In Base Price
		REAR WHEELS AND TIRES	
1020		18.4-38 In. 8PR R1 Bias	502.00
1030		18.4-34 In. 8PR R1 Bias	In Base Price
1050		16.9X38 In. 8PR R1 Bias Requires Code 2010.	128.00
1060		12.4-42 In. 10PR R1 Bias	608.00
		FRONT WHEELS AND TIRES	
2005		For 2WD Front Axle / Transmission 10.00-16 In. 6PR F2 Bias Requires Code 0210 or 0220.	-842.00
2010		For MFWD Front Axle / Transmission 13.6-24 In. 6PR R1 Bias Requires Codes 0230 or 0240, and 1030 (18.4-34 Rear Tires).	In Base Price
2040		14.9-24 In. 8PR R1 Bias Requires Codes 0230 or 0240, and 1020 (18.4-38 Rear Tires).	138.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2060		FRONT WHEELS AND TIRESContinued 12.4-24 In. 8PR R1 Bias	-68.00
		DRAFT LINKS	
5410		Two Telescopic Draft Links	In Base Price
6020		Dual Standard SCV with ISO Breakaway Couplers See Ag Sales manual for Details. Four positions in each spool: Raise, Off/Neutral, Lower and Float. Provides detent in Float position.	In Base Price
6030		Triple Deluxe SCV with ISO Breakaway Couplers See Ag Sales Manual for Details. All three Spools have Three Detent Choices: Pressure Limit Kick-out (Cylinder Use), Spring Center (Front Loader Use) and Continuous Detent (Hydraulic Motor Use). Spool #1 has Pressure-Compensated Flow Control and priority over Spools 2 & 3. Four positions on each spool: Raise, Off/Neutral, Lower and Float.	1,059.00
		ATTACHMENTS - ORDER AS DESIRED	
9005		Operator Station Second Rear Work Light	96.00
9013		Two Forward Facing Work Lights - Fender Mounted	245.00
9160		Right Hand Steps	289.00
8810		Front Loader Preparation: Loader Prep Package, 2 Function Mid-Mount Valve with Mechanical Joystick Includes Two Function Mechanical Joystick and Mid-Mount Hydraulic Valve with Couplers. For Field Installation Mid-mount Joystick, please see Ag Sales Manual.	1,386.00
8210		Front Weights: Front Weight Support Bracket Holds up to eighteen 100-Lbs suitcase weights.	265.00
8060		Rear Wheel Weights: Two Rear Wheel Weights Two - 120 Lb (54Kg) weights.	468.00
8070		Four Rear Wheel Weights Four - 120 Lb (54 kg) weights.	933.00
8080		Six Rear Wheel Weights Six - 120 Lb (54 kg) weights.	1,399.00
8090		Eight Rear Wheel Weights Eight - 120 Lb (54 kg) weights.	1,866.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
9040		Miscellaneous: Fixed Front Fenders (MFWD Front Axle only) Not compatible with Front Loader.	541.00
9112		Tool Box	46.00
9170		Fuel Tank Guard	153.00
9510		Spanish Operator's Manual Includes warning labels in Spanish.	No Charge
9520		French Operator's Manual Includes warning labels in French.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE227949	Engine: Engine Block Heater (110V)	See Parts
	SJ292024	Engine Ether Kit	92.00
	RE199488	Engine Manifold Heater	193.00
	SJ291766	Fenders: Fixed Front Fenders (MFWD only)	536.00
	SJ291694	Guards: Fuel Tank Guard	183.00
	SJ292562	Hydraulic Oil Filter Guard	91.00
	TY16042	Hitch and Drawbar: Quik-Coupler, Economy, Category 2	See Parts
	SJ288860	Hydraulics: Hydraulic Motor Return and Case Drain	244.00
	RE285845	Power Beyond Kit and Case Drain	476.00
	SJ290765	Third Selective Control Valve Kit Converts from Dual SCV to Triple Deluxe SCV. Position 1 has flow control. Positions 2 and 3 do not have flow control.	1,143.00
	SJ291699	Lighting: Fender Mounted Work Lights (LH and RH), Front Facing For Open Operator Station Tractors only.	243.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	SJ291765	ATTACHMENTS FOR FIELD CONVERSIONContinued Second Rear Work Light (Right Hand) For Open Operator Station Tractors only.	99.00
	LVB25728	Miscellaneous: Backup Alarm Kit Compatible with 9x9 Power Reverser transmission only.	144.00
	SJ290032	Fuel Filter Relocation Kit Required for Loader operations.	80.00
	LVB25727	PowrReverser Modulation Control Kit	131.00
	AR201256	Operator Environment: Canopy for Roll-Gard For Open Operator Station Tractors Only.	1,289.00
	SJ298490	RH Steps with Handrail For Open Operator Station Tractors only.	284.00
	AL113087	Vandal Protection: Lockable Fuel Tank Cap	See Parts
		Weights: Please Refer to the Agricultural Sales Manual for Rear Wheel Weight Compatibility Information. Before ordering, verify Axle type (Flange or R&P). For Flange Axles, verify Bolt Circle Diameter (BCD). Weights and Supports do not include Installation Hardware.	
	SJ291758	Front Weight Support Bracket	302.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	APY10029	Weight, Rear Wheel, 480 Lb. (4-L28228)	1,090.00

6115D Open Operator Station Tractor (95 PTO hp) Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

6130D Open Operator Station Tractor (105 PTO hp)

Equipment for Base Machine

ENGINE:

128 Engine HP (95.4 kw) [97/68/EC] @ 2100 RPM 105 PTO Horsepower (78.3 kW) @ 2100 rpm 4-Cylinders, John Deere PowerTech (2-Valve) Diesel 4.5 Liter (276 Cu. In) Displacement, Tier 3 2100 Rated Engine Speed Mechanical Rotary Triection Dump Mechanical, Rotary Injection Pump Fixed Turbocharged, Intercooled

Dual Temperature Cooling System with Viscous Drive Fan PowerCore Air Filtration System

Underhood Muffler with Vertical Exhaust 41.7 Gal (158 L) Fuel Tank Capacity

TRANSMISSION:

9 Forward / 9 Reverse Top Shaft Synchronized PowrReverser Transmission 17.6 mph (28.3 km/h) Mechanical Hydraulic Left Hand Reverser Wet Multi-Disk Clutch

Mechanically Actuated Park Brake

Neutral Safety Start System

STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering Sealed Wet Disk Brake

Mechanically Actuated Rear Differential Lock

HYDRAULICS:

Open Center, Constant-Flow Hydraulic System 17.6 GPM (66.6 L/min) Pump Flow @ 2100 RPM Two Mechanical Rear Selective Control Valves with ISO Breakaway Couplers

REAR PTO:

540/1000 PTO Speeds, 1-3/8 In. Independent Rear PTO Reversible Shaft and PTO Master Shield Mechanical Activation Dry PTO Clutch PTO Lever Neutral Start Seat Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR: Rockshaft Internally Mounted Category 2, 3-Point Hitch with Center Link Mechanical Hitch Control 6,800 Lb. Lift Capacity Mechanical Lower Link Draft Sensing Telescopic Draft Links Sway Chain Retainers Category 2 Drawbar; Swinging Drawbar Clevis Safety Chain Holder

INSTRUMENTATION:

Engine RPM Groundspeed Hours of Operation Fuel Level Engine Oil Pressure Engine Coolant Temperature Rear PTO Engagement Engine Air Filter Alternator Directional Indicators Hazard Switch

OPEN OPERATOR STATION: Two Post Foldable ROPS with Seat Belt, Less Canopy Left Hand Foot Steps Operational Controls Location-Right Hand Console

Mechanical Suspension Seat with Armrest

and Seat Belt Tilt / Telescopic Steering Column Foot Throttle Control

ELECTRICAL: Kev Shutoff

12-Volt Electrical System One 12-Volt Battery, 925 Cold Cranking Amps

90 Amp Alternator

7 Terminal ASAE Outlet Socket

LIGHTS:

Two Front Headlights One Rear ROPS Mounted Work Light

Two ROPS Hazard Lights
Two Rear Fender Tail Lights with Brake Lights

FRONT AXLE WHEELS AND TIRES: MFWD Front Axle with Limited Slip Differential Two Multi-Position Steel Wheels Mechanical MFWD Engagement, Left Side 13.6-24 In. 6PR R1 Bias Tires

REAR AXLE WHEELS AND TIRES: Flange Axle Eight Position Steel Wheels 18.4-34 In. 8PR R1

MISCELLANEOUS:

Operator's Manual (English) and Holder SMV Emblem Horn

ATTACHMENT CODE **IDENTIFIER** DESCRIPTION **SUGGESTED** LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas

657BP 6130D Open Operator Station Tractor (105 PTO hp) 56,594.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		PACKAGE CONFIGURATIONS	
0090		No Package	In Base Price
0092		Open Station MFWD 2-SCV PowrReverser Value Package Open Operator Station Tractor with MFWD, 9F/9R PowrReverser wet clutch Transmission, Two Telescopic Draft Links and Two Selective Control Valves. Package contains Codes: 0130, 0240, 5410 and 6020.	In Configuration
		OPERATOR STATION	
0130		Open Operator Station - Flat Platform	In Base Price
		TRANSMISSION	
0240		9F/9R PowrReverser Wet Clutch Transmission - MFWD Axle 540/1000 rpm PTO.	In Base Price
		REAR WHEELS AND TIRES	
1020		18.4-38 In. 8PR R1 Bias	502.00
1030		18.4-34 In. 8PR R1 Bias	In Base Price
1050		16.9X38 In. 8PR R1 Bias Requires Code 2010.	128.00
1060		12.4-42 In. 10PR R1 Bias	608.00
		FRONT WHEELS AND TIRES	
2010		For MFWD Front Axle / Transmission 13.6-24 In. 6PR R1 Bias Requires Codes 0230 or 0240, and 1030 (18.4-34 Rear Tires).	In Base Price
2040		14.9-24 In. 8PR R1 Bias Requires Codes 0230 or 0240, and 1020 (18.4-38 Rear Tires).	138.00
2060		12.4-24 In. 8PR R1 Bias	-68.00
		DRAFT LINKS	
5410		Two Telescopic Draft Links	In Base Price
		SELECTIVE CONTROL VALVES	
6020		Dual Standard SCV with ISO Breakaway Couplers See Ag Sales manual for Details. Four positions in each spool: Raise, Off/Neutral, Lower and Float. Provides detent in Float position.	In Base Price
6030		Triple Deluxe SCV with ISO Breakaway Couplers See Ag Sales Manual for Details. All three Spools have Three Detent Choices: Pressure Limit Kick-out (Cylinder Use), Spring Center (Front Loader Use) and Continuous Detent (Hydraulic Motor Use). Spool #1 has Pressure-Compensated Flow Control and priority over Spools 2 & 3.	1,059.00

6130D Open Operator Station Tractor (105 PTO hp)

Continued

SUGGESTED

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	LIST PRICE USD (\$)
		SELECTIVE CONTROL VALVESContinued Four positions on each spool: Raise, Off/Neutral, Lower and Float.	
		ATTACHMENTS - ORDER AS DESIRED	
9005		Operator Station Second Rear Work Light	96.00
9013		Two Forward Facing Work Lights - Fender Mounted	245.00
9160		Right Hand Steps	289.00
8810		Front Loader Preparation: Loader Prep Package, 2 Function Mid-Mount Valve with Mechanical Joystick Includes Two Function Mechanical Joystick and Mid-Mount Hydraulic Valve with Couplers. For Field Installation Mid-mount Joystick, please see Ag Sales Manual.	1,386.00
8210		Front Weights: Front Weight Support Bracket Holds up to eighteen 100-Lbs suitcase weights.	265.00
8060		Rear Wheel Weights: Two Rear Wheel Weights Two - 120 Lb (54Kg) weights.	468.00
8070		Four Rear Wheel Weights Four - 120 Lb (54 kg) weights.	933.00
8080		Six Rear Wheel Weights Six - 120 Lb (54 kg) weights.	1,399.00
8090		Eight Rear Wheel Weights Eight - 120 Lb (54 kg) weights.	1,866.00
9040		Miscellaneous: Fixed Front Fenders (MFWD Front Axle only) Not compatible with Front Loader.	541.00
9112		Tool Box	46.00
9170		Fuel Tank Guard	153.00
9510		Spanish Operator's Manual Includes warning labels in Spanish.	No Charge
9520		French Operator's Manual Includes warning labels in French.	No Charge

ATTACHMENTS FOR FIELD CONVERSION

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE227949	Engine: Engine Block Heater (110V)	See Parts
	SJ292024	Engine Ether Kit	92.00
	RE199488	Engine Manifold Heater	193.00
	SJ291766	Fenders: Fixed Front Fenders (MFWD only)	536.00
	SJ291694	Guards: Fuel Tank Guard	183.00
	SJ292562	Hydraulic Oil Filter Guard	91.00
	TY16042	Hitch and Drawbar: Quik-Coupler, Economy, Category 2	See Parts
	SJ288860	Hydraulics: Hydraulic Motor Return and Case Drain	244.00
	RE285845	Power Beyond Kit and Case Drain	476.00
	SJ290765	Third Selective Control Valve Kit Converts from Dual SCV to Triple Deluxe SCV. Position 1 has flow control. Positions 2 and 3 do not have flow control.	1,143.00
	SJ291699	Lighting: Fender Mounted Work Lights (LH and RH), Front Facing For Open Operator Station Tractors only.	243.00
	SJ291765	Second Rear Work Light (Right Hand) For Open Operator Station Tractors only.	99.00
	LVB25728	Miscellaneous: Backup Alarm Kit Compatible with 9x9 Power Reverser transmission only.	144.00
	SJ290032	Fuel Filter Relocation Kit Required for Loader operations.	80.00
	LVB25727	PowrReverser Modulation Control Kit	131.00
	AR201256	Operator Environment: Canopy for Roll-Gard For Open Operator Station Tractors Only.	1,289.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	SJ298490	ATTACHMENTS FOR FIELD CONVERSIONContinued RH Steps with Handrail For Open Operator Station Tractors only.	284.00
	AL113087	Vandal Protection: Lockable Fuel Tank Cap	See Parts
		Weights: Please Refer to the Agricultural Sales Manual for Rear Wheel Weight Compatibility Information. Before ordering, verify Axle type (Flange or R&P). For Flange Axles, verify Bolt Circle Diameter (BCD). Weights and Supports do not include Installation Hardware.	
	SJ291758	Front Weight Support Bracket	302.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	APY10029	Weight, Rear Wheel, 480 Lb. (4-L28228)	1,090.00

6130D Open Operator Station Tractor (105 PTO hp) Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

6140D Open Operator Station Tractor (115 PTO hp)

Equipment for Base Machine

ENGINE:

136 Engine HP (101.3 kw) [97/68/EC] @ 2100 RPM 115 PTO Horsepower (85.8 kW) @ 2100 rpm 4-Cylinders, John Deere PowerTech (2-Valve) Diesel 4.5 Liter (276 Cu. In) Displacement, Tier 3 2100 Rated Engine Speed Mechanical, Rotary Injection Pump Fixed Turbocharged, Intercooled Dual Temperature Cooling System with Viscous Drive Fan

PowerCore Air Filtration System Underhood Muffler with Vertical Exhaust 41.7 Gal (158 L) Fuel Tank Capacity

TRANSMISSION:

9 Forward / 9 Reverse Top Shaft Synchronized PowrReverser Transmission 17.6 mph (28.3 km/h) Mechanical Hydraulic Left Hand Reverser Wet Multi-Disk Clutch

Mechanically Actuated Park Brake Neutral Safety Start System

STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering Sealed Wet Disk Brake

Mechanically Actuated Rear Differential Lock

HYDRAULICS:

Open Center Constant-Flow Hydraulic System 17.6 GPM (66.6 L/min) Pump Flow @ 2100 RPM Two Mechanical Rear Selective Control Valves with ISO Breakaway Couplers

REAR PTO:

540/1000 PTO Speeds, 1-3/8 In. Independent Rear PTO Reversible Shaft and PTO Master Shield Mechanical Activation Dry PTO Clutch PTO Lever Neutral Start Seat Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR: Rockshaft Internally Mounted Category 2, 3-Point Hitch Center Link Mechanical Hitch Control 6,800 Lb. Lift Capacity Mechanical Lower Link Draft Sensing Telescopic Draft Links Sway Chain Retainers Category 2 Drawbar; Swinging Drawbar Clevis Safety Chain Holder

INSTRUMENTATION: Engine RPM

658BP

Groundspeed Hours of Operation Fuel Level Engine Oil Pressure Engine Coolant Temperature Rear PTO Engagement Engine Air Filter Alternator

Directional Indicators

Hazard Switch

OPEN OPERATOR STATION:

Two Post Foldable ROPS with Seat Belt, Less Canopy

Flat Platform with Steel Fenders Left Hand Foot Steps

Operational Controls Location-Right Hand Console Mechanical Suspension Seat with Armrest

and Seat Belt Tilt / Telescopic Steering Column

Foot Throttle Control

ELECTRICAL:

Kev Shutoff 12-Volt Electrical System

One 12-Volt Battery, 925 Cold Cranking Amps

90 Amp Alternator

7 Terminal ASAE Outlet Socket

LIGHTS:

Two Front Headlights

One Rear ROPS Mounted Work Light

Two ROPS Hazard Lights
Two Rear Fender Tail Lights with Brake Lights

FRONT AXLE WHEELS AND TIRES:

MFWD Front Axle with Limited Slip Differential Two Multi-Position Steel Wheels

Mechanical MFWD Engagement, Left Side 13.6-24 In. 6PR Bias Tires R1

REAR AXLE WHEELS AND TIRES:

Flange Axle

8 Position Steel Wheels

18.4-34 In. 8PR R1 Bias

MISCELLANEOUS:

Operator's Manual (English) and Holder

SMV Emblem

Horn

ATTACHMENT CODE **IDENTIFIER DESCRIPTION** SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas

6140D Open Operator Station Tractor (115 PTO hp)

61,983.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINEContinued	
		PACKAGE CONFIGURATIONS	
0090		No Package	In Base Price
0092		Open Station MFWD 2-SCV PowrReverser Value Package Open Operator Station Tractor with MFWD, 9F/9R PowrReverser wet clutch Transmission, Two Telescopic Draft Links and Two Selective Control Valves. Package contains Codes: 0130, 5410 and 6020.	In Configuration
		OPERATOR STATION	
0130		Open Operator Station - Flat Platform	In Base Price
		REAR WHEELS AND TIRES	
1020		18.4-38 In. 8PR R1 Bias	502.00
1030		18.4-34 In. 8PR R1 Bias	In Base Price
1050		16.9X38 In. 8PR R1 Bias Requires Code 2010.	128.00
1060		12.4-42 In. 10PR R1 Bias	608.00
		FRONT WHEELS AND TIRES	
		For MFWD Front Axle / Transmission	
2010		13.6-24 In. 6PR R1 Bias Requires Codes 0230 or 0240, and 1030 (18.4-34 Rear Tires).	In Base Price
2040		14.9-24 In. 8PR R1 Bias Requires Codes 0230 or 0240, and 1020 (18.4-38 Rear Tires).	138.00
2060		12.4-24 In. 8PR R1 Bias	-68.00
		DRAFT LINKS	
5410		Two Telescopic Draft Links	In Base Price
		SELECTIVE CONTROL VALVES	
6020		Dual Standard SCV with ISO Breakaway Couplers See Ag Sales manual for Details. Four positions in each spool: Raise, Off/Neutral, Lower and Float. Provides detent in Float position.	In Base Price
6030		Triple Deluxe SCV with ISO Breakaway Couplers See Ag Sales Manual for Details. All three Spools have Three Detent Choices: Pressure Limit Kick-out (Cylinder Use), Spring Center (Front Loader Use) and Continuous Detent (Hydraulic Motor Use). Spool #1 has Pressure-Compensated Flow Control and priority over Spools 2 & 3. Four positions on each spool: Raise, Off/Neutral, Lower and Float.	1,059.00

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIRED	
9005		Operator Station Second Rear Work Light	96.00
9013		Two Forward Facing Work Lights - Fender Mounted	245.00
9160		Right Hand Steps	289.00
8810		Front Loader Preparation: Loader Prep Package, 2 Function Mid-Mount Valve with Mechanical Joystick Includes Two Function Mechanical Joystick and Mid-Mount Hydraulic Valve with Couplers. For Field Installation Mid-mount Joystick, please see Ag Sales Manual.	1,386.00
8210		Front Weights: Front Weight Support Bracket Holds up to eighteen 100-Lbs suitcase weights.	265.00
8060		Rear Wheel Weights: Two Rear Wheel Weights Two - 120 Lb (54Kg) weights.	468.00
8070		Four Rear Wheel Weights Four - 120 Lb (54 kg) weights.	933.00
8080		Six Rear Wheel Weights Six - 120 Lb (54 kg) weights.	1,399.00
8090		Eight Rear Wheel Weights Eight - 120 Lb (54 kg) weights.	1,866.00
9040		Miscellaneous: Fixed Front Fenders (MFWD Front Axle only) Not compatible with Front Loader.	541.00
9112		Tool Box	46.00
9170		Fuel Tank Guard	153.00
9510		Spanish Operator's Manual Includes warning labels in Spanish.	No Charge
9520		French Operator's Manual Includes warning labels in French.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE227949	Engine: Engine Block Heater (110V)	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	SJ292024	ATTACHMENTS FOR FIELD CONVERSIONContinued Engine Ether Kit	92.00
	RE199488	Engine Manifold Heater	193.00
	SJ291766	Fenders: Fixed Front Fenders (MFWD only)	536.00
	SJ291694	Guards: Fuel Tank Guard	183.00
	SJ292562	Hydraulic Oil Filter Guard	91.00
	TY16042	Hitch and Drawbar: Quik-Coupler, Economy, Category 2	See Parts
	SJ288860	Hydraulics: Hydraulic Motor Return and Case Drain	244.00
	RE285845	Power Beyond Kit and Case Drain	476.00
	SJ290765	Third Selective Control Valve Kit Converts from Dual SCV to Triple Deluxe SCV. Position 1 has flow control. Positions 2 and 3 do not have flow control.	1,143.00
	SJ291699	Lighting: Fender Mounted Work Lights (LH and RH), Front Facing For Open Operator Station Tractors only.	243.00
	SJ291765	Second Rear Work Light (Right Hand) For Open Operator Station Tractors only.	99.00
	LVB25728	Miscellaneous: Backup Alarm Kit Compatible with 9x9 Power Reverser transmission only.	144.00
	SJ290032	Fuel Filter Relocation Kit Required for Loader operations.	80.00
	LVB25727	PowrReverser Modulation Control Kit	131.00
	AR201256	Operator Environment: Canopy for Roll-Gard For Open Operator Station Tractors Only.	1,289.00
	SJ298490	RH Steps with Handrail For Open Operator Station Tractors only.	284.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL113087	Vandal Protection: Lockable Fuel Tank Cap	See Parts
		Weights: Please Refer to the Agricultural Sales Manual for Rear Wheel Weight Compatibility Information. Before ordering, verify Axle type (Flange or R&P). For Flange Axles, verify Bolt Circle Diameter (BCD). Weights and Supports do not include Installation Hardware.	
	SJ291758	Front Weight Support Bracket	302.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	APY10029	Weight, Rear Wheel, 480 Lb. (4-L28228)	1,090.00

6140D Open Operator Station Tractor (115 PTO hp) Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

6100D Cab Tractor (82 PTO hp)

Equipment for Base Machine

ENGINE:

88 Engine HP (72.7 kw) [97/68/EC] @ 2100 RPM 82 PTO Horsepower (61.4 kW) @ 2100 rpm 4-Cylinders, John Deere PowerTech Engine 4.5 Liter (276 Cu. In) Displacement, Tier 3

Emissions Level 2100 Rated Engine Speed Rotary Injection Pump

Turbocharged Closed Cooling System

Dry Type Air Cleaner with Safety Element and Pre-Cleaner

Underhood Muffler with Vertical Exhaust 41.7 Gal (158 L) Fuel Tank Capacity

TRANSMISSION:

9 Forward / 9 Reverse PowrReverser 17.6 mph (28.3 km/h)

Power Reverser

Wet Multi-Disk Clutch Park Lock

Neutral Safety Start System

STEERING, BRAKES, DIFFERENTIAL:

Hydrostatic Steering Sealed Wet Disk Brake Rear Axle Differential Lock

HYDRAULICS:

Open Center 17.6 GPM (66.6 L/min) Pump Flow @ 2100 RPM 2 SCV's; Mechanical; ISO Breakaway Couplers

540/1000 PTO Speeds, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield

Mechanical Activation

Dry Clutch

Neutral Start Safety System Seat Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR: Mechanical Hitch

Category 2, 3-Point Hitch Mechanical Hitch Control

6,800 Lb. (3150 kg) Lift Capacity

Mechanical Draft Sensing Telescopic Draft Links Sway Chain Retainers

Category 2 Drawbar; Swinging Drawbar Clevis

Safety Chain Holder

INSTRUMENTATION:

Tachometer

Speedometer Hour Meter

Fuel Gauge Engine Oil Pressure Coolant Temperature PTO Engagement

Engine Air Filter Alternator

Directional Indicators

Hazard Switch

CAB OPERATOR STATION:

Air Conditioning and Heater

2 Doors

Front Windshield Wiper and Washer Mechanical Seat with Seat Belt Tilt / Telescopic Steering Column Operational Controls, Floor Mounted

Floor Mat Foot Throttle Control

Power Outlet

Pre-Radio Wiring and Speaker Package

Overhead Courtesy Light

Two Cup Holders

ELECTRICAL:

Key Shutoff 12-Volt Electrical System

12-Volt Battery, 925 Cold Cranking Amps

90-Amp Alternator

7 Terminal ASAE Outlet Socket

LIGHTS:

Two Front Grille Headlights Two Front Roof Lights Two Rear Roof/ROPS Light

Flashing Hazard Lights
Two Rear Fender Tail Lights with Brake Lights

FRONT AXLE WHEELS AND TIRES:

MFWD

Steel Wheels

MFWD Engagement, Mechanical 13.6-24 In. 6PR R1 Bias Tires

REAR AXLE WHEELS AND TIRES:

Flange Axle

8 Position Steel Wheels Bias

18.4-34 In. 8PR

MISCELLANEOUS:

Operator's Manual (English) and Holder

ATTACHMENT CODE **IDENTIFIER DESCRIPTION** SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas

655AP 6100D Cab Tractor (82 PTO hp) 56,171.00

6100D Cab Tractor (82 PTO hp) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINEContinued	
		PACKAGE CONFIGURATIONS	
0090		No Package	In Base Price
0094		Cab MFWD 2-SCV PowrReverser Air Seat Value Package Cab Tractor with MFWD, 9F/9R PowrReverser Transmission, Air Seat, Two Telescopic Draft Links and Two Selective Control Valves. Package contains Codes: 0150, 0240, 5100, 5410 and 6020.	In Configuration
0096		Priority Replenishment Units Priority Replenishment Unit Cab Tractor with MFWD, 9F/9R PowerReverser Transmission, Air Seat, Two Telescopic Draft Links, Two Selective Control Valves, 18.4-34 In. R1 Rear Tires, 13.6-24 In. R1 Front Tires, Loader Prep Package, and Toolbox. Package contains Codes: 0150, 0240, 5100, 5410, 6020, 1030, 2010, 8810, and 9112.	In Configuration
		OPERATOR STATION	
0150		Standard Cab	In Base Price
		TRANSMISSION	
0220		9F/9R PowrReverser Wet Clutch Transmission - 2WD Front Axle Adjustable 2WD Front Axle (59.1 - 74 In.). 540/1000 rpm PTO.	-6,137.00
0240		9F/9R PowrReverser Wet Clutch Transmission - MFWD Axle 540/1000 rpm PTO.	In Base Price
		REAR WHEELS AND TIRES	
1020		18.4-38 In. 8PR R1 Bias	502.00
1030		18.4-34 In. 8PR R1 Bias	In Base Price
1050		16.9X38 In. 8PR R1 Bias Requires Code 2010.	128.00
1060		12.4-42 In. 10PR R1 Bias	608.00
		FRONT WHEELS AND TIRES	
2005		For 2WD Front Axle / Transmission 10.00-16 In. 6PR F2 Bias Requires Code 0210 or 0220.	-842.00
2010		For MFWD Front Axle / Transmission 13.6-24 In. 6PR R1 Bias Requires Codes 0230 or 0240, and 1030 (18.4-34 Rear Tires).	In Base Price
2040		14.9-24 In. 8PR R1 Bias Requires Codes 0230 or 0240, and 1020 (18.4-38 Rear Tires).	138.00

6100D Cab Tractor (82 PTO hp) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2060		FRONT WHEELS AND TIRESContinued 12.4-24 In. 8PR R1 Bias	-68.00
		SEAT	
5000		Mechanical Suspension Seat (MSG85) Scissor-type suspension; Operator presence switch; Seat belt with retractor; OM holder on seat; Flip up armrest; Adjustable armrest height and backrest angle; Lumbar adjustment; No swivel.	In Base Price
5100		Air Suspension Seat (MSG 95) Scissor-type suspension; Operator presence switch; Seat belt with retractor; OM holder on seat; Flip up armrest; Adjustable armrest height, backrest angle, and lower seat cushion; Fore-aft attenuator; Lumbar adjustment; No swivel.	799.00
		DRAFT LINKS	
5410		Two Telescopic Draft Links	In Base Price
		SELECTIVE CONTROL VALVES	
6020		Dual Standard SCV with ISO Breakaway Couplers See Ag Sales Manual for Details. Four positions in each spool: Raise, Off/Neutral, Lower and Float. Provides detent in Float position.	In Base Price
6030		Triple Deluxe SCV with ISO Breakaway Couplers See Ag Sales Manual for Details. All Three Spools have Three Detent Choices: Pressure Limit Kick-out (Cylinder Use), Spring Center (Front Loader Use) and Continuous Detent (Hydraulic Motor Use). Spool #1 has Pressure-Compensated Flow Control and priority over Spools 2 & 3. Four positions on each spool: Raise, Off/Neutral, Lower and Float.	1,059.00
		ATTACHMENTS - ORDER AS DESIRED	
9080		Cab: Rotating Warning Light (Beacon Light)	210.00
8810		Front Loader Preparation: Loader Prep Package, 2 Function Mid-Mount Valve with Mechanical Joystick Includes Two Function Mechanical Joystick and Mid-Mount Hydraulic Valve with Couplers. For Field Installation Mid-mount Joystick, please see Ag Sales Manual.	1,386.00
8210		Front Weights: Front Weight Support Bracket Holds up to eighteen 100-Lbs suitcase weights.	265.00
8060		Rear Wheel Weights: Two Rear Wheel Weights Two - 120 Lb (54 kg) weights.	468.00

6100D Cab Tractor (82 PTO hp) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8070		ATTACHMENTS - ORDER AS DESIREDContinued Four Rear Wheel Weights Four - 120 Lb (54 kg) weights.	933.00
8080		Six Rear Wheel Weights Six - 120 Lb (54 kg) weights.	1,399.00
8090		Eight Rear Wheel Weights Eight - 120 Lb (54 kg) weights.	1,866.00
9040		Miscellaneous: Fixed Front Fenders (MFWD Front Axle only) Not compatible with Front Loader.	541.00
9112		Tool Box	46.00
9170		Fuel Tank Guard	153.00
9510		Spanish Operator's Manual Includes warning labels in Spanish.	No Charge
9520		French Operator's Manual Includes warning labels in French.	No Charge
8030		John Deere Industrial Yellow Paint Finish	1,388.00
		ATTACHMENTS FOR FIELD CONVERSION	
	RE227949	Engine: Engine Block Heater (110V)	See Parts
	SJ292024	Engine Ether Kit	92.00
	RE199488	Engine Manifold Heater	193.00
	SJ291766	Fenders: Fixed Front Fenders (MFWD only)	536.00
	LVB25714	Rear Fender Extension Kit	186.00
	SJ291694	Guards: Fuel Tank Guard	183.00
	SJ292562	Hydraulic Oil Filter Guard	91.00
	TY16042	Hitch and Drawbar: Quik-Coupler, Economy, Category 2	See Parts
	SJ288860	Hydraulics: Hydraulic Motor Return and Case Drain	244.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE285845	ATTACHMENTS FOR FIELD CONVERSIONContinued Power Beyond Kit and Case Drain	476.00
	SJ290765	Third Selective Control Valve Kit Converts from Dual SCV to Triple Deluxe SCV. Position 1 has flow control. Positions 2 and 3 do not have flow control.	1,143.00
	LVB25720	Lighting: Auxiliary Work Light Kit For Cab Tractors Only.	134.00
	LVB25713	Beacon Light Kit	211.00
	LVB25728	Miscellaneous: Backup Alarm Kit Compatible with 9x9 Power Reverser transmission only.	144.00
	SJ290032	Fuel Filter Relocation Kit Required for Loader operations.	80.00
	LVB25727	PowrReverser Modulation Control Kit	131.00
	SJ10170	Operator Environment: Antenna	See Parts
	RE321102	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband Requires Standard Cab Antenna Kit (L113922) ordered separately through Parts.	434.00
	RE321109	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband Requires Standard Cab Antenna Kit (L113922) Ordered Separately through Parts.	849.00
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For Cab Tractors Only.	See Parts
	LVB25712	Wiper with Washer Kit - Rear Window	297.00
	AL71345	Vandal Protection: Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts
		Weights: Please Refer to the Agricultural Sales Manual for Rear Wheel Weight Compatibility Information. Before ordering, verify Axle type (Flange or R&P). For Flange Axles, verify Bolt Circle Diameter (BCD). Weights and Supports do not include Installation Hardware.	
	SJ291758	Front Weight Support Bracket	302.00

6100D Cab Tractor (82 PTO hp)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	R127764	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	APY10029	Weight, Rear Wheel, 480 Lb. (4-L28228)	1,090.00

6115D Cab Tractor (95 PTO hp)

Equipment for Base Machine

ENGINE:

117 Engine HP (87 kw) [97/68/EC] @ 2100 RPM 95 PTO Horsepower (70.8 kW) @ 2100 rpm 4-Cylinder John Deere PowerTech E Engine 4.5 Liter (276 Cu. In) Displacement, Tier 3

Emissions Level 2100 Rated Engine Speed High Pressure Common Rail Turbocharged

Closed Cooling System

Dry Type Air Cleaner with Safety Element and Pre-Cleaner

Underhood Muffler with Vertical Exhaust 41.7 Gal (158 L) Fuel Tank Capacity

TRANSMISSION:

9 Forward / 9 Reverse PowrReverser 17.6 mph (28.3 km/h)

Power Reverser Wet Multi-Disk Clutch

Park Lock

Neutral Safety Start System

STEERING, BRAKES, DIFFERENTIAL:

Hydrostatic Steering Sealed Wet Disk Brake Rear Axle Differential Lock

HYDRAULICS:

Open Center 17.6 GPM (66.6 L/min) Pump Flow @ 2100 RPM 2 SCV's; Mechanical; ISO Breakaway Couplers

540/1000 PTO Speeds, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield

Mechanical Activation

Dry Clutch

Neutral Start Safety System Seat Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR:

Mechanical Hitch

Category 2, 3-Point Hitch Mechanical Hitch Control

6,800 Lb. (3150 kg) Lift Capacity Mechanical Draft Sensing

Telescopic Draft Links Sway Chain Retainers

Category 2 Drawbar; Swinging Drawbar Clevis

Safety Chain Holder

INSTRUMENTATION:

Tachometer Speedometer Hour Meter

Fuel Gauge

Engine Oil Pressure Coolant Temperature PTO Engagement

Engine Air Filter Alternator

Directional Indicators

Hazard Switch

CAB OPERATOR STATION:

Air Conditioning and Heater

2 Doors

Front Windshield Wiper and Washer Mechanical Seat with Seat Belt Tilt / Telescopic Steering Column Operational Controls, Floor Mounted

Floor Mat Foot Throttle Control

Power Outlet

Pre-Radio Wiring and Speaker Package

Overhead Courtesy Light

Two Cup Holders

ELECTRICAL:

Key Shutoff 12-Volt Electrical System

12-Volt Battery, 925 Cold Cranking Amps

90 Amp Alternator

7 Terminal ASAE Outlet Socket

LIGHTS:

Two Front Grille Headlights Two Front Roof Lights Two Rear Roof/ROPS Light

Flashing Hazard Lights
Two Rear Fender Tail Lights with Brake Lights

FRONT AXLE WHEELS AND TIRES:

MFWD

Steel Wheels

MFWD Engagement, Mechanical 13.6-24 In. 6PR R1 Bias Tires

REAR AXLE WHEELS AND TIRES:

Flange Axle

8 Position Steel Wheels

18.4-34 In. 8PR Bias

MISCELLANEOUS:

Operator's Manual (English) and Holder

ATTACHMENT CODE IDENTIFIER DESCRIPTION **SUGGESTED** LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
CECAD.		BASE MACHINEContinued	E0 E06 00
656AP		6115D Cab Tractor (95 PTO hp)	59,596.00
		PACKAGE CONFIGURATIONS	
0090		No Package	In Base Price
0094		Cab MFWD 2-SCV PowrReverser Air Seat Value Package Cab Tractor with MFWD, 9F/9R PowrReverser Transmission, Air Seat, Two Telescopic Draft Links and Two Selective Control Valves. Package contains Codes: 0150, 0240, 5100, 5410 and 6020.	In Configuration
0096		Priority Replenishment Units Priority Replenishment Unit Cab Tractor with MFWD, 9F/9R PowerReverser Transmission, Air Seat, Two Telescopic Draft Links, Two Selective Control Valves, 18.4-38 In. R1 Rear Tires, 14.9-24 In. R1 Front Tires, Loader Prep Package, and Toolbox. Package contains Codes: 0150, 0240, 5100, 5410, 6020, 1020, 2040, 8810, and 9112.	In Configuration
		OPERATOR STATION	
0150		Standard Cab	In Base Price
		TRANSMISSION	
0210		TRANSMISSION 9F/3R Top Shaft Sychronized w/ Dry Clutch - 2WD Front Axle Adjustable 2WD Front Axle (59.1 - 74 In.). 540/1000 rpm PTO.	-7,915.00
0220		9F/9R PowrReverser Wet Clutch Transmission - 2WD Front Axle Adjustable 2WD Front Axle (59.1 - 74 In.). 540/1000 rpm PTO.	-6,137.00
0230		9F/3R Top Shaft Synchronized w/ Dry Clutch - MFWD Axle 540/1000 rpm PTO.	-1,727.00
0240		9F/9R PowrReverser Wet Clutch Transmission - MFWD Axle 540/1000 rpm PTO.	In Base Price
		REAR WHEELS AND TIRES	
1020		18.4-38 In. 8PR R1 Bias	502.00
1030		18.4-34 In. 8PR R1 Bias	In Base Price
1050		16.9X38 In. 8PR R1 Bias Requires Code 2010.	128.00
1060		12.4-42 In. 10PR R1 Bias	608.00
		FRONT WHEELS AND TIRES	
2005		For 2WD Front Axle / Transmission 10.00-16 In. 6PR F2 Bias Requires Code 0210 or 0220.	-842.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
2010		For MFWD Front Axle / Transmission 13.6-24 In. 6PR R1 Bias Requires Codes 0230 or 0240, and 1030 (18.4-34 Rear Tires).	In Base Price
2040		14.9-24 In. 8PR R1 Bias Requires Codes 0230 or 0240, and 1020 (18.4-38 Rear Tires).	138.00
2060		12.4-24 In. 8PR R1 Bias	-68.00
		SEAT	
5000		Mechanical Suspension Seat (MSG85) Scissor-type suspension; Operator presence switch; Seat belt with retractor; OM holder on seat; Flip up armrest; Adjustable armrest height and backrest angle; Lumbar adjustment; No swivel.	In Base Price
5100		Air Suspension Seat (MSG 95) Scissor-type suspension; Operator presence switch; Seat belt with retractor; OM holder on seat; Flip up armrest; Adjustable armrest height, backrest angle, and lower seat cushion; Fore-aft attenuator; Lumbar adjustment; No swivel.	799.00
		DRAFT LINKS	
5410		Two Telescopic Draft Links	In Base Price
		SELECTIVE CONTROL VALVES	
6020		Dual Standard SCV with ISO Breakaway Couplers See Ag Sales Manual for Details. Four positions in each spool: Raise, Off/Neutral, Lower and Float. Provides detent in Float position.	In Base Price
6030		Triple Deluxe SCV with ISO Breakaway Couplers See Ag Sales Manual for Details. All Three Spools have Three Detent Choices: Pressure Limit Kick-out (Cylinder Use), Spring Center (Front Loader Use) and Continuous Detent (Hydraulic Motor Use). Spool #1 has Pressure-Compensated Flow Control and priority over Spools 2 & 3. Four positions on each spool: Raise, Off/Neutral, Lower and Float.	1,059.00
		ATTACHMENTS - ORDER AS DESIRED	
9080		Cab: Rotating Warning Llght (Beacon Light)	210.00
8810		Front Loader Preparation: Loader Prep Package, 2 Function Mid-Mount Valve with Mechanical Joystick Includes Two Function Mechanical Joystick and Mid-Mount Hydraulic Valve with Couplers. For Field Installation Mid-mount Joystick, please see Ag Sales Manual.	1,386.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
8210		Front Weights: Front Weight Support Bracket Holds up to eighteen 100-Lbs suitcase weights.	265.00
8060		Rear Wheel Weights: Two Rear Wheel Weights Two - 120 Lb (54 kg) weights.	468.00
8070		Four Rear Wheel Weights Four - 120 Lb (54 kg) weights.	933.00
8080		Six Rear Wheel Weights Six - 120 Lb (54 kg) weights.	1,399.00
8090		Eight Rear Wheel Weights Eight - 120 Lb (54 kg) weights.	1,866.00
9040		Miscellaneous: Fixed Front Fenders (MFWD Front Axle only) Not compatible with Front Loader.	541.00
9112		Tool Box	46.00
9170		Fuel Tank Guard	153.00
9510		Spanish Operator's Manual Includes warning labels in Spanish.	No Charge
9520		French Operator's Manual Includes warning labels in French.	No Charge
8030		John Deere Industrial Yellow Paint Finish	1,388.00
		ATTACHMENTS FOR FIELD CONVERSION	
	RE227949	Engine: Engine Block Heater (110V)	See Parts
	SJ292024	Engine Ether Kit	92.00
	RE199488	Engine Manifold Heater	193.00
	SJ291766	Fenders: Fixed Front Fenders (MFWD only)	536.00
	LVB25714	Rear Fender Extension Kit	186.00
	SJ291694	Guards: Fuel Tank Guard	183.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	SJ292562	ATTACHMENTS FOR FIELD CONVERSIONContinued Hydraulic Oil Filter Guard	91.00
	TY16042	Hitch and Drawbar: Quik-Coupler, Economy, Category 2	See Parts
	SJ288860	Hydraulics: Hydraulic Motor Return and Case Drain	244.00
	RE285845	Power Beyond Kit and Case Drain	476.00
	SJ290765	Third Selective Control Valve Kit Converts from Dual SCV to Triple Deluxe SCV. Position 1 has flow control. Positions 2 and 3 do not have flow control.	1,143.00
	LVB25720	Lighting: Auxiliary Work Light Kit For Cab Tractors Only.	134.00
	LVB25713	Beacon Light Kit	211.00
	LVB25728	Miscellaneous: Backup Alarm Kit Compatible with 9x9 Power Reverser transmission only.	144.00
	SJ290032	Fuel Filter Relocation Kit Required for Loader operations.	80.00
	LVB25727	PowrReverser Modulation Control Kit	131.00
	SJ10170	Operator Environment: Antenna	See Parts
	RE321102	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband Requires Standard Cab Antenna Kit (L113922) ordered separately through Parts.	434.00
	RE321109	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband Requires Standard Cab Antenna Kit (L113922) Ordered Separately through Parts.	849.00
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For Cab Tractors Only.	See Parts
	LVB25712	Wiper with Washer Kit - Rear Window	297.00
	AL71345	Vandal Protection: Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
		Weights: Please Refer to the Agricultural Sales Manual for Rear Wheel Weight Compatibility Information. Before ordering, verify Axle type (Flange or R&P). For Flange Axles, verify Bolt Circle Diameter (BCD). Weights and Supports do not include Installation Hardware.	
	SJ291758	Front Weight Support Bracket	302.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	APY10029	Weight, Rear Wheel, 480 Lb. (4-L28228)	1,090.00

6130D Cab Tractor (105 PTO hp)

Equipment for Base Machine

ENGINE:

128 Engine HP (95.4 kw) [97/68/EC] @ 2100 RPM 105 PTO Horsepower (78.3 kW) @ 2100 rpm 4-Cylinder John Deere PowerTech E Engine 4.5 Liter (276 Cu. In) Displacement, Tier 3

Emissions Level 2100 Rated Engine Speed High Pressure Common Rail

Turbocharged

Closed Cooling System Dry Type Air Cleaner with Safety Element

and Pre-Cleaner

Underhood Muffler with Vertical Exhaust 41.7 Gal (158 L) Fuel Tank Capacity

TRANSMISSION:

9 Forward / 9 Reverse PowrReverser 17.6 mph (28.3 km/h)

Power Reverser

Wet Multi-Disk Clutch

Park Lock

Neutral Safety Start System

STEERING, BRAKES, DIFFERENTIAL:

Hydrostatic Steering Sealed Wet Disk

Rear Axle Differential Lock

HYDRAULICS:

Open Center

17.6 GPM (66.6 L/min) Pump Flow @ 2100 RPM 2 SCV's; Mechanical; ISO Breakaway Couplers

540/1000 PTO Speeds, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield

Dry Clutch

Neutral Start Safety System

Seat Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR: Mechanical Hitch

Category 2, 3-Point Hitch Mechanical Hitch Control

6,800 Lb. (3150 kg) Lift Capacity Mechanical Draft Sensing

Telescopic Draft Links

Sway Chain Retainers

Category 2 Drawbar; Swinging Drawbar Clevis

Safety Chain Holder

INSTRUMENTATION:

Tachometer

Speedometer Hour Meter

Fuel Gauge

Engine Oil Pressure Coolant Temperature PTO Engagement Engine Air Filter

Alternator

Directional Indicators

Hazard Switch

CAB OPERATOR STATION:

Air Conditioning and Heater

2 Doors

Front Windshield Wiper and Washer Mechanical Seat with Seat Belt Tilt / Telescopic Steering Column Operational Controls, Floor Mounted Floor Mat

Foot Throttle Control Power Outlet

Pre-Radio Wiring and Speaker Package Overhead Courtesy Light

Two Cup Holders

ELECTRICAL:

Kev Shutoff

12-Volt Electrical System 12-Volt Battery, 925 Cold Cranking Amps

90 Amp Alternator

7 Terminal ASAE Outlet Socket

LIGHTS:

Two Front Grille Headlights

Two Front Roof Lights

Two Rear Roof/ROPS Light Flashing Hazard Lights

Two Rear Fender Tail Lights with Brake Lights

FRONT AXLE WHEELS AND TIRES:

MFWD

Steel Wheels

MFWD Engagement, Mechanical

13.6-24 In. 6PR R1 Bias Tires

REAR AXLE WHEELS AND TIRES:

Flange Axle

8 Position Steel Wheels

18.4-34 In. 8PR R1 Bias

MISCELLANEOUS:

Operator's Manual (English) and Holder

SMV Emblem

ATTACHMENT CODE **IDENTIFIER**

DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas

657AP 6130D Cab Tractor (105 PTO hp) 65,012.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINEContinued	
		PACKAGE CONFIGURATIONS	
0090		No Package	In Base Price
0094		Cab MFWD 2-SCV PowrReverser Air Seat Value Package Cab Tractor with MFWD, 9F/9R PowrReverser Transmission, Air Seat, Two Telescopic Draft Links and Two Selective Control Valves. Package contains Codes: 0150, 0240, 5100, 5410 and 6020.	In Configuration
0096		Priority Replenishment Units Priority Replenishment Unit Cab Tractor with MFWD, 9F/9R PowerReverser Transmission, Air Seat, Two Telescopic Draft Links, Two Selective Control Valves, 18.4-38 In. R1 Rear Tires, 14.9-24 In. R1 Front Tires, Loader Prep Package, and Toolbox. Package contains Codes: 0150, 0240, 5100, 5410, 6020, 1020, 2040, 8810, and 9112.	In Configuration
		OPERATOR STATION	
0150		Standard Cab	In Base Price
		TRANSMISSION	
0240		9F/9R PowrReverser Wet Clutch Transmission - MFWD Axle 540/1000 rpm PTO.	In Base Price
		REAR WHEELS AND TIRES	
1020		18.4-38 In. 8PR R1 Bias	502.00
1030		18.4-34 In. 8PR R1 Bias	In Base Price
1050		16.9X38 In. 8PR R1 Bias Requires Code 2010.	128.00
1060		12.4-42 In. 10PR R1 Bias	608.00
		FRONT WHEELS AND TIRES	
2010		For MFWD Front Axle / Transmission 13.6-24 In. 6PR R1 Bias Requires Codes 0230 or 0240, and 1030 (18.4-34 Rear Tires).	In Base Price
2040		14.9-24 In. 8PR R1 Bias Requires Codes 0230 or 0240, and 1020 (18.4-38 Rear Tires).	138.00
2060		12.4-24 In. 8PR R1 Bias	-68.00
		SEAT	
5000		Mechanical Suspension Seat (MSG85) Scissor-type suspension; Operator presence switch; Seat belt with retractor; OM holder on seat; Flip up armrest; Adjustable armrest height and backrest angle; Lumbar adjustment; No swivel.	In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5100		SEATContinued Air Suspension Seat (MSG 95) Scissor-type suspension; Operator presence switch; Seat belt with retractor; OM holder on seat; Flip up armrest; Adjustable armrest height, backrest angle, and lower seat cushion; Fore-aft attenuator; Lumbar adjustment; No swivel.	799.00
		DRAFT LINKS	
5410		Two Telescopic Draft Links	In Base Price
6020		SELECTIVE CONTROL VALVES Dual Standard SCV with ISO Breakaway Couplers See Ag Sales Manual for Details. Four positions in each spool: Raise, Off/Neutral, Lower and Float. Provides detent in Float position.	In Base Price
6030		Triple Deluxe SCV with ISO Breakaway Couplers See Ag Sales Manual for Details. All Three Spools have Three Detent Choices: Pressure Limit Kick-out (Cylinder Use), Spring Center (Front Loader Use) and Continuous Detent (Hydraulic Motor Use). Spool #1 has Pressure-Compensated Flow Control and priority over Spools 2 & 3. Four positions on each spool: Raise, Off/Neutral, Lower and Float.	1,059.00
		ATTACHMENTS - ORDER AS DESIRED	
9080		Cab: Rotating Warning Light (Beacon Light)	210.00
8810		Front Loader Preparation: Loader Prep Package, 2 Function Mid-Mount Valve with Mechanical Joystick Includes Two Function Mechanical Joystick and Mid-Mount Hydraulic Valve with Couplers. For Field Installation Mid-mount Joystick, please see Ag Sales Manual.	1,386.00
8210		Front Weights: Front Weight Support Bracket Holds up to eighteen 100-Lbs suitcase weights.	265.00
8060		Rear Wheel Weights: Two Rear Wheel Weights Two - 120 Lb (54 kg) weights.	468.00
8070		Four Rear Wheel Weights Four - 120 Lb (54 kg) weights.	933.00
8080		Six Rear Wheel Weights Six - 120 Lb (54 kg) weights.	1,399.00
8090		Eight Rear Wheel Weights Eight - 120 Lb (54 kg) weights.	1,866.00

CODE	ATTACHMENT IDENTIFIER	. DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
9040		Miscellaneous: Fixed Front Fenders (MFWD Front Axle only) Not compatible with Front Loader.	541.00
9112		Tool Box	46.00
9170		Fuel Tank Guard	153.00
9510		Spanish Operator's Manual Includes warning labels in Spanish.	No Charge
9520		French Operator's Manual Includes warning labels in French.	No Charge
8030		John Deere Industrial Yellow Paint Finish	1,388.00
		ATTACHMENTS FOR FIELD CONVERSION	
	RE227949	Engine: Engine Block Heater (110V)	See Parts
	SJ292024	Engine Ether Kit	92.00
	RE199488	Engine Manifold Heater	193.00
	SJ291766	Fenders: Fixed Front Fenders (MFWD only)	536.00
	LVB25714	Rear Fender Extension Kit	186.00
		Guards:	
	SJ291694	Fuel Tank Guard	183.00
	SJ292562	Hydraulic Oil Filter Guard	91.00
	TY16042	Hitch and Drawbar: Quik-Coupler, Economy, Category 2	See Parts
	SJ288860	Hydraulics: Hydraulic Motor Return and Case Drain	244.00
	RE285845	Power Beyond Kit and Case Drain	476.00
	SJ290765	Third Selective Control Valve Kit Converts from Dual SCV to Triple Deluxe SCV. Position 1 has flow control. Positions 2 and 3 do not have flow control.	1,143.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	LVB25720	Lighting: Auxiliary Work Light Kit For Cab Tractors Only.	134.00
	LVB25713	Beacon Light Kit	211.00
	LVB25728	Miscellaneous: Backup Alarm Kit Compatible with 9x9 Power Reverser transmission only.	144.00
	SJ290032	Fuel Filter Relocation Kit Required for Loader operations.	80.00
	LVB25727	PowrReverser Modulation Control Kit	131.00
	SJ10170	Operator Environment: Antenna	See Parts
	RE321102	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband Requires Standard Cab Antenna Kit (L113922) ordered separately through Parts.	434.00
	RE321109	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband Requires Standard Cab Antenna Kit (L113922) Ordered Separately through Parts.	849.00
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For Cab Tractors Only.	See Parts
	LVB25712	Wiper with Washer Kit - Rear Window	297.00
	AL71345	Vandal Protection: Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts
		Weights: Please Refer to the Agricultural Sales Manual for Rear Wheel Weight Compatibility Information. Before ordering, verify Axle type (Flange or R&P). For Flange Axles, verify Bolt Circle Diameter (BCD). Weights and Supports do not include Installation Hardware.	
	SJ291758	Front Weight Support Bracket	302.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	APY10029	Weight, Rear Wheel, 480 Lb. (4-L28228)	1,090.00

6140D Cab Tractor (115 PTO hp)

Equipment for Base Machine

ENGINE:

137.8 Engine HP (101.3 kw) [97/68/EC] @ 2100 RPM 115 PTO Horsepower (78.3 kW) @ 2100 rpm 4 Cylinder John Deere PowerTech E Engine 4.5 Liter (276 Cu. In) Displacement, Tier 3 Emissions Level 2100 Rated Engine Speed

High Pressure Common Rail Turbocharged

Closed Cooling System

Dry Type Air Cleaner with Safety Element and Pre-Cleaner

Underhood Muffler with Vertical Exhaust 41.7 Gal (158 L) Fuel Tank Capacity

TRANSMISSION:

9 Forward / 9 Reverse PowrReverser 17.6 mph (28.3 km/h)

Power Reverser

Wet Multi-Disk Clutch Park Lock

Neutral Safety Start System

STEERING, BRAKES, DIFFERENTIAL:

Hydrostatic Steering Sealed Wet Disk Brake Rear Axle Differential Lock

HYDRAULICS:

Open Center 17.6 GPM (66.6 L/min) Pump Flow @ 2100 RPM 2 SCV's; Mechanical; ISO Breakaway Couplers

540/1000 PTO Speeds, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield

Mechanical Activation

Dry Clutch

Neutral Start Safety System Seat Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR: Mechanical Hitch

Category 2, 3-Point Hitch Mechanical Hitch Control

6,800 Lb. (3150 kg) Lift Capacity

Mechanical Draft Sensing Telescopic Draft Links Sway Chain Retainers

Category 2 Drawbar; Swinging Drawbar Clevis

Safety Chain Holder

INSTRUMENTATION:

Tachometer Speedometer Hour Meter

Fuel Gauge

Engine Oil Pressure Coolant Temperature PTO Engagement Engine Air Filter

Alternator

Directional Indicators

Hazard Switch

CAB OPERATOR STATION:

Air Conditioning and Heater

2 Doors

Front Windshield Wiper and Washer Mechanical Seat with Seat Belt Tilt / Telescopic Steering Column Operational Controls, Floor Mounted

Floor Mat Foot Throttle Control

Power Outlet

Pre-Radio Wiring and Speaker Package

Overhead Courtesy Light

Two Cup Holders

ELECTRICAL:

Key Shutoff 12-Volt Electrical System

12-Volt Battery, 925 Cold Cranking Amps

90 Amp Alternator

7 Terminal ASAE Outlet Socket

LIGHTS:

Two Front Grille Headlights Two Front Roof Lights Two Rear Roof/ROPS Light

Flashing Hazard Lights
Two Rear Fender Tail Lights with Brake Lights

FRONT AXLE WHEELS AND TIRES:

MFWD

Steel Wheels

MFWD Engagement, Mechanical

13.6-24 In. 6PR R1 Bias Tires

REAR AXLE WHEELS AND TIRES:

Flange Axle

8 Position Steel Wheels

18.4-34 In. 8PR Bias

MISCELLANEOUS:

Operator's Manual (English) and Holder

ATTACHMENT CODE **IDENTIFIER**

DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Laredo, Texas

658AP 6140D Cab Tractor (115 PTO hp) 70,401.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINEContinued	
		PACKAGE CONFIGURATIONS	
0090		No Package	In Base Price
0094		Cab MFWD 2-SCV PowrReverser Air Seat Value Package Cab Tractor with MFWD, 9F/9R PowrReverser Transmission, Air Seat, Two Telescopic Draft Links and Two Selective Control Valves. Package contains Codes: 0150, 5100, 5410 and 6020.	In Configuration
0096		Priority Replenishment Units Priority Replenishment Unit Cab Tractor with MFWD, 9F/9R PowerReverser Transmission, Air Seat, Two Telescopic Draft Links, Two Selective Control Valves, 18.4-38 In. R1 Rear Tires, 14.9-24 In. R1 Front Tires, Loader Prep Package, and Toolbox. Package contains Codes: 0150, 0240, 5100, 5410, 6020, 1020, 2040, 8810, and 9112.	In Configuration
		OPERATOR STATION	
0150		Standard Cab	In Base Price
		REAR WHEELS AND TIRES	
1020		18.4-38 In. 8PR R1 Bias	502.00
1030		18.4-34 In. 8PR R1 Bias	In Base Price
1050		16.9X38 In. 8PR R1 Bias Requires Code 2010.	128.00
1060		12.4-42 In. 10PR R1 Bias	608.00
		FRONT WHEELS AND TIRES	
2010		For MFWD Front Axle / Transmission 13.6-24 In. 6PR R1 Bias Requires Codes 0230 or 0240, and 1030 (18.4-34 Rear Tires).	In Base Price
2040		14.9-24 In. 8PR R1 Bias Requires Codes 0230 or 0240, and 1020 (18.4-38 Rear Tires).	138.00
2060		12.4-24 In. 8PR R1 Bias	-68.00
		SEAT	
5000		Mechanical Suspension Seat (MSG85) Scissor-type suspension; Operator presence switch; Seat belt with retractor; OM holder on seat; Flip up armrest; Adjustable armrest height and backrest angle; Lumbar adjustment; No swivel.	In Base Price
5100		Air Suspension Seat (MSG 95) Scissor-type suspension; Operator presence switch; Seat belt with retractor; OM holder on seat; Flip up armrest; Adjustable armrest height, backrest angle, and lower seat cushion; Fore-aft attenuator; Lumbar adjustment; No swivel.	799.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DRAFT LINKS	
5410		Two Telescopic Draft Links	In Base Price
		SELECTIVE CONTROL VALVES	
6020		Dual Standard SCV with ISO Breakaway Couplers See Ag Sales Manual for Details. Four positions in each spool: Raise, Off/Neutral, Lower and Float. Provides detent in Float position.	In Base Price
6030		Triple Deluxe SCV with ISO Breakaway Couplers See Ag Sales Manual for Details. All Three Spools have Three Detent Choices: Pressure Limit Kick-out (Cylinder Use), Spring Center (Front Loader Use) and Continuous Detent (Hydraulic Motor Use). Spool #1 has Pressure-Compensated Flow Control and priority over Spools 2 & 3. Four positions on each spool: Raise, Off/Neutral, Lower and Float.	1,059.00
		ATTACHMENTS - ORDER AS DESIRED	
9080		Cab: Rotating Warning Light (Beacon Light)	210.00
8810		Front Loader Preparation: Loader Prep Package, 2 Function Mid-Mount Valve with Mechanical Joystick Includes Two Function Mechanical Joystick and Mid-Mount Hydraulic Valve with Couplers. For Field Installation Mid-mount Joystick, please see Ag Sales Manual.	1,386.00
8210		Front Weights: Front Weight Support Bracket Holds up to eighteen 100-Lbs suitcase weights.	265.00
8060		Rear Wheel Weights: Two Rear Wheel Weights Two - 120 Lb (54 kg) weights.	468.00
8070		Four Rear Wheel Weights Four - 120 Lb (54 kg) weights.	933.00
8080		Six Rear Wheel Weights Six - 120 Lb (54 kg) weights.	1,399.00
8090		Eight Rear Wheel Weights Eight - 120 Lb (54 kg) weights.	1,866.00
9040		Miscellaneous: Fixed Front Fenders (MFWD Front Axle only) Not compatible with Front Loader.	541.00
9112		Tool Box	46.00
9170		Fuel Tank Guard	153.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9510		ATTACHMENTS - ORDER AS DESIREDContinued Spanish Operator's Manual Includes warning labels in Spanish.	No Charge
9520		French Operator's Manual Includes warning labels in French.	No Charge
8030		John Deere Industrial Yellow Paint Finish	1,388.00
		ATTACHMENTS FOR FIELD CONVERSION	
	RE227949	Engine: Engine Block Heater (110V)	See Parts
	SJ292024	Engine Ether Kit	92.00
	RE199488	Engine Manifold Heater	193.00
	SJ291766	Fenders: Fixed Front Fenders (MFWD only)	536.00
	LVB25714	Rear Fender Extension Kit	186.00
	245207.11	Total Fords Extension W.	100.00
	SJ291694	Guards: Fuel Tank Guard	183.00
	SJ292562	Hydraulic Oil Filter Guard	91.00
	TY16042	Hitch and Drawbar: Quik-Coupler, Economy, Category 2	See Parts
	SJ288860	Hydraulics: Hydraulic Motor Return and Case Drain	244.00
	RE285845	Power Beyond Kit and Case Drain	476.00
	SJ290765	Third Selective Control Valve Kit Converts from Dual SCV to Triple Deluxe SCV. Position 1 has flow control. Positions 2 and 3 do not have flow control.	1,143.00
	LVB25720	Lighting: Auxiliary Work Light Kit For Cab Tractors Only.	134.00
	LVB25713	Beacon Light Kit	211.00
	LVB25728	Miscellaneous: Backup Alarm Kit Compatible with 9x9 Power Reverser transmission only.	144.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	SJ290032	ATTACHMENTS FOR FIELD CONVERSIONContinued Fuel Filter Relocation Kit Required for Loader operations.	80.00
	LVB25727	PowrReverser Modulation Control Kit	131.00
	SJ10170	Operator Environment: Antenna	See Parts
	RE321102	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband Requires Standard Cab Antenna Kit (L113922) ordered separately through Parts.	434.00
	RE321109	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband Requires Standard Cab Antenna Kit (L113922) Ordered Separately through Parts.	849.00
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For Cab Tractors Only.	See Parts
	LVB25712	Wiper with Washer Kit - Rear Window	297.00
	AL71345	Vandal Protection: Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts
		Weights: Please Refer to the Agricultural Sales Manual for Rear Wheel Weight Compatibility Information. Before ordering, verify Axle type (Flange or R&P). For Flange Axles, verify Bolt Circle Diameter (BCD). Weights and Supports do not include Installation Hardware.	
	SJ291758	Front Weight Support Bracket	302.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	APY10029	Weight, Rear Wheel, 480 Lb. (4-L28228)	1,090.00

6140D Cab Tractor (115 PTO hp) Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

6230 Open Operator Station Tractor

Equipment for Base Machine

ENGINE:

95 Engine HP (70 kw) [97/68/EC] at 2300 RPM $76\ \text{PTO}\ \text{Horsepower}$ at 2300 RPM 4 Cylinder, John Deere PowerTech E 4.5 Liter (276 Cu. In.) Displacement, Tier 3 Emissions Level 2300 Rated Engine Speed High Pressure Common Rail Turbocharged Dual Temperature Cooling System Dry Type Air Cleaner with Safety Element and PreCleaner Underhood Muffler with Vertical Exhaust

TRANSMISSION:

12 Forward/4 Reverse SyncroPlus Transmission 19 mph (30km/h) Wet Multi-Disk Clutch Park Lock Neutral Safety Start System

43.6 Gal (165 L) Fuel Tank Capacity

STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering Dual Stage Disk Brakes Rear Axle Differential Lock

HYDRAULICS:

Load Sensing Constant Flow Pressure Compensated (PC) System 21.1 GPM (81 L/min) Pump Flow at 2300 RPM 1 SCV; Mechanical; ISO Couplers

REAR PTO:

540 RPM, Independent Rear PTO, and PTO Master Shield Electrohydraulic Wet Multi-Disk Clutch Neutral Start Safety System Seat Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR: Electronic Hitch Category 2, 3-Point Hitch Electrohydraulic Hitch Controls One Rear Fender Hitch Controls 4450 Lb. Lift Capacity LH Telescopic Draft Link Left Hand Stabilizer Bar Category 2 Swinging Drawbar

INSTRUMENTATION: Tachometer Speedometer

Hour Meter Fuel Gauge Engine Oil Pressure Indicator Light Coolant Temperature PTO Engagement Engine Air Filter Restriction Indicator

Alternator Indicator Light Directional Indicators Hazard Switch

OPEN OPERATOR STATION:

Two Post Foldable ROPS with Seat Belt, Less Canopy Platform Steps

Operational Controls, Console Mechanical Suspension Seat with Seat Belt

Tilt Steering Column Foot Throttle Control

ELECTRICAL: Kev Shutoff

12-Volt Electrical System 12-Volt Battery, 830 Cold Cranking Amps 90 Amp Alternator

7 Terminal ASAE Outlet Socket

LIGHTS:

Two Front Grille Headlights One Rear ROPS Light Two Flashing Hazard Lights Two Rear Fender Tail Lights with Brake Lights

FRONT AXLE WHEELS AND TIRES: MFWD Steel Wheels MFWD Engagement, Electrohydraulic 12.4R24 In.

REAR AXLE WHEELS AND TIRES: Flange Eight Position Steel Wheels 18.4R30 In. Radial

MISCELLANEOUS:

Operator's Manual (English) and Holder SMV Emblem

ATTACHMENT CODE IDENTIFIER

DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

54,193.00

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Port of Entry

3111R 6230 Open Operator Station Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		VALUE PACKAGE CONFIGURATIONS	
0600		No Package	In Base Price
0611		Open Station Flat Platform 2WD SyncroPlus Flanged Value Package Flat Platform Open Station, 2WD, SyncroPlus 12F/4R (19 mph/30 kmh), 540/1000 PTO, Flanged Rear Axle. Codes: 0130, 0200, 7000, 7102, 7152.	-287.00
0612		Open Station Flat Platform MFWD PowrQuad w/ LHR Flanged Value Package Flat Platform Open Station, MFWD, PowrQuad 16F/16R with Left Hand Reverser (19 mph/30 kmh), 540/1000 PTO, Flanged Rear Axle. Codes: 0130, 0250, 7040, 7102, 7152.	-575.00
0645		Open Station Flat Platform MFWD PowrQuad w/ LHR Flanged Value Package Flat Platform Open Station, MFWD, PowrQuad 24F/24R with Left Hand Reverser (25 mph/40 kmh), 540/1000 PTO, Flanged Rear Axle. Codes: 0130, 0250, 7044, 7102, 7152.	-287.00
0639		LP Orchard Open Station Straddle Platform MFWD PowrQuad Plus Flanged M-SCV Value	-287.00
		Package Low Profile Orchard Open Operator Station, MFWD, PowrQuad Plus 16F/16R (19 mph/30 kmh), 540/1000 PTO, Flanged Rear Axle, Dual Deluxe 3-detent Mechanical Selective Control Valves, Mechanical Seat. Codes: 0120, 0250, 7030, 7102, 7152, 7226, 7601.	
		OPERATOR STATION	
0100		Open Operator Station, Low Profile - Straddle Mount Platform	670.00
0120		Open Operator Station, Orchard Low Profile - Straddle Mount with RH Reverser Requires Code 7030 or 7050.	841.00
0130		Open Operator Station Isolated Flat Platform	In Base Price
		EDONT AVI EQ	
0200		FRONT AXLES Adjustable 2WD Front Axle (4-Positions: 59.1-74 In.)	-8,073.00
		,	,
0250		MFWD Front Axle with Limited Slip Differential	In Base Price
		SINGLE REAR WHEELS AND TIRES	
1021		21.5L-16.1 In. R3 6PR Requires Code 4021 or 4747 and 7151. Not compatible with Code 8763, 8764 or 25 mph (40 kmh) Transmissions. Available in Firestone Turf & Field only.	-2,234.00
1029		21.5L-16 ln. l-2 6PR Use of these tires reduces ground clearance to less than eight inches. For 2WD: Requires Codes 4747 and 7151. For MFWD: Requires Codes 4021 and 7151. Not compatible with Codes 8763, 8764 or 25 mph (40 kmh) Transmissions. Available in Goodyear SoftTrac II only.	-1,970.00
1061		16.9-24 In. 6PR R3 For 2WD: Requires Codes 4747, 4802, 4804 or 4853. For MFWD: Requires Code 4042. Not compatible with Code 7154. Available in Firestone R3 ANS and Goodyear R3 AWT.	-2,076.00

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1067		SINGLE REAR WHEELS AND TIRESContinued 16.9R24 In. 134A8 R1W Radial (420/85R24 In. 137A8 R1W Radial) For 2WD: Requires Code 4703, 4782, 4802, 4804, 4822 or 4824. For MFWD: Requires Code 4149. Available in Continental AC85, Firestone F7000 and Goodyear DT 806.	-830.00
1081		18.4-26 ln. 6PR R3 Bias For 2WD: Requires Code 4747, 4802 or 4804. For MFWD: Requires Code 4042. Not compatible with Code 7154. Not compatible with Codes 4822 or 4824 as 11L16 tire requires 6-bolt disk. Available in Firestone ANS only.	-1,642.00
1087		18.4R26 In. 140A8 R1W Radial For 2WD: Requires Code 4747, 4802 or 4804. For MFWD: Requires Code 4133. Not compatible with Code 7154. Not compatible with Codes 4822 or 4824 as 11L16 tire requires 6-bolt disk. Available in Goodyear DT 806 only.	-976.00
1104		16.9R30 In. 137A8 R1W Radial For 2WD: Requires Code 4703, 4802 or 4804. (Results in mismatched Tire Brands). For MFWD: Requires Code 4146. Available in Michelin SM25 only.	1,314.00
1107		16.9R30 In. 137A8 R1W Radial For 2WD: Requires Code 4703, 4802 or 4804. For MFWD: Requires Code 4149. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	-80.00
1124		18.4R30 In. 142A8 R1W Radial For 2WD: Requires Code 4703, 4782, 4802, 4804, 4822 or 4824. For MFWD: Requires Code 4146. Available in Michelin XM25 only.	1,394.00
1127		18.4R30 In. 142A8 R1W Radial (460/85R30 In. 145A8 R1W Radial) For 2WD: Requires Code 4703, 4782 4802, 4804, 4822 or 4824. For MFWD: Requires Code 4149. Available in Continental AC85, Firestone Performer 85, Goodyear DT 806.	In Base Price
1207		16.9R34 In. 139A8 R1W Radial (420/85R34 In. 139A8 R1W Radial) For 2WD: Requires Code 4703, 4782, 4802, 4804, 4822 or 4824. For MFWD: Requires Code 4168. Available in Goodyear DT 806 or Firestone F8000 only.	-34.00
1223		480/70R34 In. 143A8 R1W Radial For MFWD: Requires Code 4183. Available in Continental HC 70, Firestone F8000, Goodyear DT812.	618.00
1284		18.4R34 In. 144A8 R1W Radial For 2WD: Requires Code 4782. For MFWD: Requires Code 4146, 4166, 4226 or 4246. Available in Michelin XM25 only.	1,680.00
1288		18.4R34 In. 144A8 R1W Radial (460/85R34 In. 147A8 R1W Radial) For 2WD: Requires Code 4782. For MFWD: Requires Code 4149, 4168 or 4249. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	286.00

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1327		SINGLE REAR WHEELS AND TIRESContinued 16.9R38 In. 141A8 R1W Radial (420/85R38 In. 144A8 R1W Radial) For 2WD: Requires Code 4703 or 4782. For MFWD: Requires Code 4229, 4249 or 4308. Available in Continental AC85, Firestone F8000, Goodyear DT806.	706.00
1343		480/70R38 In. 145A8 R1W Radial For MFWD: Requires Code 4263. Available in Firestone F8000, Goodyear DT812.	1,784.00
1424		18.4R38 In. 146A8 R1W Radial For 2WD: Requires Code 4782. For MFWD: Requires Code 4246 or 4306. Available in Michelin XM25 only.	2,318.00
1425		18.4R38 In. 146A8 R1W Radial (460/85R38 In. 149A8 R1W Radial) For 2WD: Requires Code 4782. For MFWD: Requires Code 4249 or 4308. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	924.00
1563		13.6-46 In. 6PR R2 Bias For 2WD: Requires Codes 0130 and 4721. For MFWD: Requires Codes 0130 and 4603. Requires High Clearance Foot Steps: Code 8867. Available in Firestone CSG only.	1,066.00
		FRONT WHEELS AND TIRES	
4703		For Code 0200 (2WD): 7.50-18 In. 8PR F2 Bias Available in Firestone F2 4-Rib only. Standard Load Capacity 4158 Lbs.	-1,652.00
4721		7.50-20 In. 8PR F2 Bias Requires Code 0130 (Open Station Flat Platform) Available in Goodyear Super Rib only. Standard Load Capacity 4620 Lbs.	-1,426.00
4747		27/9.5-15 In. 6PR I1 Bias Requires Code 0130 (Open Station Flat Platform) Available in Goodyear Terra Rib only. Standard Load Capacity 3559 Lbs.	-1,800.00
4782		10.00-16 In. 10PR F2 Bias Available in Goodyear F2 Super Rib and Firestone F2 only. Standard Load Capacity 5830 Lbs.	-1,396.00
4802		11L-15 In. 8PR F2 Bias Available in Firestone Champion Guide Grip only. Standard Load Capacity 3806 Lbs.	-1,756.00
4804		11L-15 In. 8PR F3 Bias Available in Goodyear F3 Laborer and Firestone F3 Industrial Special only. Standard Load Capacity 4708 Lbs.	-1,734.00

CODE	ATTACHMENT IDENTIFIER	- DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
4822		FRONT WHEELS AND TIRESContinued 11L-16 In. 8PR F3 Bias Available in Goodyear F3 Laborer only. Standard Load Capacity 4400 Lbs.	-1,574.00
4824		11L-16 In. 12PR F3 Bias Available in Goodyear F3 Laborer and Firestone F3 Industrial Special only. Standard Load Capacity 5500 Lbs.	-1,530.00
4853		9.5L-15 In. 8PR F2 Bias Available in Firestone F2 Champion Guide Grip only. Standard Load Capacity 3740 Lbs.	-1,778.00
4021		For Code 0250 (MFWD): 280/70R16 In. 112A8 R1W Radial Only with Code 0100 or 0120 and 0250. Available as Goodyear DT812 Radial only.	-1,196.00
4042		10.5/80-18 In. 10PR 13 Bias Requires Code 0250. Available in Goodyear I-3 Super Grip and Firestone ATU.	-1,198.00
4133		11.2R24 In. 114A8 R1W Radial (280/85R24 In. 115A8 R1W Radial) Requires Code 0250. Available in Goodyear DT 806 and Firestone F6000.	-380.00
4146		12.4R24 In. 119A8 R1W Radial Requires Code 0250. Available in Michelin XM25 only.	1,394.00
4149		12.4R24 In. 119A8 R1W Radial (320/85/R24 In. 122A8 R1W Radial) Requires Code 0250. Available in Continental AC85, Firestone F6000, Goodyear DT 806.	In Base Price
4166		13.6R24 In. 121A8 R1W Radial Requires Code 0250. Available in Michelin XM25 only.	1,828.00
4168		13.6R24 In. 128A8 R1W Radial Available in Goodyear DT 806 only.	566.00
4183		380/70R24 In. 125A8 R1W Radial Requires Code 0250. Available in Continental HC 70, Firestone F6000, Goodyear DT812.	206.00
4226		12.4R28 121A8 R1W Radial Requires Codes 0130 and 0250. Available in Michelin XM25 only.	1,804.00
4229		12.4R28 In. 121A8 R1W Radial Requires Codes 0130 and 0250. Available in Continental AC85, Firestone F6000, Goodyear DT 806.	1,007.00
4246		14.9R24 In. 126A8 R1W Radial Requires Codes 0130 and 0250. Available in Michelin XM25 only.	2,098.00

6230 Open Operator Station Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
4249		FRONT WHEELS AND TIRESContinued 14.9R24 In. 126A8 R1W Radial Requires Codes 0130 and 0250. Available in Continental AC85, Firestone F6000, Goodyear DT 806.	704.00
4263		420/70R24 In. 130A8 R1W Radial Requires Codes 0130 and 0250. Available in Firestone F6000, Goodyear DT812.	472.00
4306		13.6R28 In. 123A8 R1W Radial Requires Codes 0130 and 0250. Available in Michelin XM25 only.	2,086.00
4308		13.6R28 In. 123A8 R1W Radial Requires Codes 0130 and 0250. Available in Continental AC85, Firestone F6000, Goodyear DT 806.	692.00
4603		13.6-38 In. 6PR R2 Bias Requires Codes 0130 and 0250. Available in Firestone CSG only.	618.00
		TRANSMISSION	
		Transmissions WITHOUT Factory Installed Creepers.	
7000		SyncroPlus 12F/4R Transmission (19 mph/30 kmh)	In Base Price
7010		SyncroPlus 16F/16R Transmission with Mechanical Left Hand Power Reverser (19 mph/30 kmh)	1,953.00
7030		PowrQuad 16F/16R Transmission with Right Hand Reverser (19 mph/30 kmh) For Orchard version only - Requires Code 0120.	2,150.00
7040		PowrQuad 16F/16R Transmission with Mechanical Left Hand Reverser (19 mph/30 kmh) Not with Code 0120 (Orchard Models).	3,535.00
7044		PowrQuad 24F/24R Transmission with Mechanical Left Hand Reverser (25 mph/40 kmh) Requires Code 0250 (MFWD).	5,120.00
7020		CREEPER Transmissions SyncroPlus 12F/4R Transmission (19 mph/30 kmh) with Creeper	2,416.00
7050		PowrQuad 16F/16R Transmission with Right Hand Reverser (19 mph/30 kmh) with Creeper Requires Code 0120 for Orchard version only.	4,566.00
7060		PowrQuad 16F/16R Transmission with Left Hand Reverser (19 mph/30 kmh) with Creeper	4,566.00
7064		PowrQuad 24F/24R Transmission with Mechanical Left Hand Reverser (25 mph/40 kmh) with Creeper Requires Code 0250 (MFWD).	7,536.00
		POWER TAKE-OFF SHAFT	
7101		Rear Independent 540 RPM PTO Heavy-Duty Ductile Iron PTO Housing is recommended for road side mowing applications. See Code 9002 in the Miscellaneous Section.	In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		POWER TAKE-OFF SHAFTContinued	
7102		540/1000 RPM Independent PTO Heavy-Duty Ductile Iron PTO Housing is recommended for road side mowing applications. See Code 9002 in the Miscellaneous Section.	723.00
		REAR AXLES AND WHEELS	
7151		Flanged Axle, 2-Position Steel Wheels Requires Code 0100 Low Profile and Code 1021 or 1029.	-42.00
7152		Flanged Axle, 8 Position Steel Wheels	In Base Price
7153		Rack and Pinion Axle (Length: 100.6 In., Diameter: 3.1 In.) 2-Position Steel Wheels Requires Code 1327, 1343, 1424, 1425 or 1563.	1,190.00
7154		Rack and Pinion Axle (Length: 100.6 In., Diameter: 3.1 In.) 2-Position Cast Wheels	1,357.00
		HYDRAULIC SYSTEM	
7281		Load Sensing Constant Flow Hydraulic System 21.1 GPM (80 L/min)	In Base Price
7282		Pressure and Flow Compensated Hydraulic System 29 GPM (110 L/min)	1,560.00
		SELECTIVE CONTROL VALVES	
7211		Single Basic SCV (No Detent - 101 Series) with Standard Couplers Only with Code 7281.	In Base Price
7213		Single Standard SCV (2 Detent - 201 Series) with Standard Couplers Only with Code 7281.	659.00
7225		1st & 2nd Deluxe SCVs (3 Detent - 301 Series) with Standard Couplers Only with Code 7281.	1,313.00
7229		1st & 2nd Standard SCVs (2 Detent - 201 Series) with Standard Couplers Only with Code 7281.	1,121.00
7214		Single Standard (2-Detent - 200 Series) with Deluxe Couplers Requires Code 7282.	870.00
7230		Two Standard SCV (2-Detent - 200 Series) with Deluxe Couplers Requires Code 7282.	1,038.00
7226		Two Deluxe SCVs (3-Detent - 300 Series) with Deluxe Couplers <i>Requires Code 7282</i> .	1,399.00
		EXHAUST	
7451		Horizontal Exhaust with Underhood Muffler	89.00
7452		Vertical Exhaust with Underhood Muffler	In Base Price
		SEAT	
7601		Comfort Seat with Mechanical Suspension, 3-In. Seat Cushion	In Base Price

6230 Open Operator Station Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SEATContinued Mechanical Suspension, 3-In. Seat Cushion, Armrests, Horizontal Adjustment, Side Rails, Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	
7623		Super Comfort Seat with Mechanical Suspension, 3-In. Seat Cushion Mechanical Suspension, 3-In. Seat Cushion, Horizontal Suspension, Backrest Adjustment, Armrest, Mechanical Lumbar Support, Side Rails, Swivel (15 Degree Left/20 Degree Right), Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	573.00
		ATTACHMENTS - ORDER AS DESIRED	
8830		Operator Station Options: Vandal Protection Package	319.00
8835		Floor Mat Requires Code 0130 Open Operator Station Flat Platform.	104.00
8867		High Clearance Footstep Requires Code 0130 Open Operator Station Flat Platform.	47.00
8871		Fuel Tank, 30 Gallon (116L) Requires Code 0130 Open Operator Station Flat Platform.	190.00
8875		Fuel Tank Bottom Guard	388.00
8876		Fuel Tank Front & Bottom Guard, 30 Gallon High Clearance Tank Not Compatible with 8877.	395.00
8877		Fuel Tank, 42.3 Gallon (160L) Requires Code 0100 or 0120 Open Operator Station Low Profile. Not Compatible with Code 8876.	258.00
9045		Lighting / Electrical: One Rear Work light RH, H3, 2-Post mounted	99.00
9051		Two Front Work Lights, H3, Fender mounted Not Compatible with Code 0120 Orchard version Operator Station.	198.00
9055		Corner Lights	302.00
9115		Back-Up Alarm	487.00
9145		Power Outlet Socket, 3 Terminals	63.00
8840		Front Axle: Fixed Front Fenders (For 2WD axle) Not Compatible with Code 0250 MFWD axle. Not Compatible with Code 4308 (13.6-28) Tires when used with Front Loader.	342.00
8841		Rigid Front Fenders (MFWD) Not Compatible with Code 0200 2WD axle. Not Compatible with Code 4308 (13.6-28) Tires when used with Front Loader.	534.00

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8842		ATTACHMENTS - ORDER AS DESIREDContinued Turnable Front Fenders (MFWD) Not compatible with Code 0200 2WD axle. Not compatible with Code 4308 (13.6-28) Tires when used with Front Loader. Not compatible with Loaders.	800.00
8763		Rear Hitch and Drawbar: Stabilizers, RH and LH Not Compatible with Code 9442.	550.00
8764		Automatic Stabilizer Bar, LH with Retainer Not Compatible with Code 9442.	1,008.00
9086		No Rockshaft; No Draft links; No Sway control	-1,838.00
9225		Draft Control Components Not Compatible with Code 9086.	601.00
9441		Drawbar, Standard Swinging, with Hammerstrap	257.00
9442		Drawbar, High Clearance with Sway Chains and Hammerstrap	257.00
9465		Hitch Ball Category 2 Requires Code 9485.	13.00
9480		Right-hand Telescopic Draft Link / Cat II	257.00
9485		Draft Links with Hooks	349.00
9303		Hydraulics: Third SCV Deluxe (2 Detents - 201 Series) with Standard Couplers Requires Code 7281. 3-SCVs with Power Beyond for Loader Prep and Power Beyond are not a compatible configuration with the Pressure Compensated Hydraulic System. If this combination is required, it is recommended to order Pressure & Flow Compensated Hydraulics (Code 7282) which can accommodate, 4-SCVs, Power Beyond for Loader Prep and Power Beyond.	1,139.00
9304		Third SCV Standard (2-Detents - 200 Series) with Deluxe Couplers Requires Code 7282.	1,009.00
9306		Third SCV Deluxe (3-Detents - 300 Series) with Deluxe Couplers Requires Code 7282.	1,302.00
9340		Power Beyond	127.00
8775		Engine: Front Auxiliary Drive (Crankshaft Pulley without Drive Shaft)	582.00
9020		Cold Weather Package I Includes Heavy-Duty Battery (1230 CCA, 154 Amp Hrs) Engine Coolant Heater (110v).	306.00
9025		Fuel Heating System (12V)	151.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
8780		Miscellaneous 'JD Industrial Yellow' Paint Finish	1,402.00
8781		'Community Orange' Paint Finish	1,402.00
8850		Toolbox	78.00
8910		Heavy Duty Rear Wheel Brakes	118.00
9002		Heavy Duty PTO Bearing	308.00
		Loader Packages: Loader READY Package Includes: Mid-Mount Valve & Joystick, Loader Mounting Frame and Hood Guard. Tool Box Mounting Bracket included on Loader Frame. Loader PREPARATION Package Includes: Mid-Mount Valve & Mechanical Joystick.	
8810		2-Function Mechanical Independent Control Valve Loader PREPARATION Package Includes: Two Function Mid-Mounted Control Valve with Mechanical Joystick Control Not compatible with Code 8842. Not compatible with Code 0120 Orchard Package (Floor Mounted Joystick Interference).	1,441.00
894A		2-Function Mechanical Independent Control Valve Loader READY Package Not compatible with Code 8841.	4,375.00
9520		Rear Axle Weight Packages: One Set Rear Wheel Weights 170 lb (77 kg) For 28 Inch wheel and larger. Requires Code 7152 (Flanged Rear Axle).	385.00
9521		Two Set Rear Wheel Weights 340 lb (154 kg) For 28 Inch wheel and larger. Requires Code 7152 (Flanged Rear Axle).	766.00
9522		Three Set Rear Wheel Weights 510 lb (231 kg) For 28 Inch wheel and larger. Requires Code 7152 (Flanged Rear Axle).	1,151.00
9525		One Set Rear Wheel Weights 242 lb (110 kg) For 34 - 38 Inch wheel. Requires Code 7152 (Flanged Rear Axle).	545.00
9526		Two Set Rear Wheel Weights 485 lb (220 kg) For 34 - 38 Inch wheel. Requires Code 7152 (Flanged Rear Axle).	1,090.00
9550		Tire Preference / Special Handling Codes: Protection for Overseas Shipment	54.00
9608		French Operator's Manual	No Charge
9660		Spanish Operator's Manual	No Charge

6230 Open Operator Station Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9901		ATTACHMENTS - ORDER AS DESIREDContinued Tire Brand Firestone	400.00
9903		Tire Brand Goodyear	400.00
9905		Tire Brand Continental	400.00
9988		No Specific Tire brand	No Charge
8770		Quick-Tatch Front-end Weight Packages: Front Weight Support 70kg (for up to 14 front weights)	271.00
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm)	See Parts
	AL174696	Electrical: Battery Cut-Off Switch (4 Cyl.)	604.00
	AL174697	Battery Cut-Off Switch (6 Cyl.)	604.00
	AL173200	Engine: Cold Weather Starting Package - 110 Volt Includes Coolant Heater, Transmission Heater, Charge Pump Heater and Mounting Parts. Compatible only with Code 7282 (Optional 29 gpm Pressure and Flow Compensating Hydraulic Pump).	469.00
	AL173967	Engine Coolant Heater (110V) Engine Coolant Heater is included in Cold Weather Starting Packages. Compatible with 6020 and 6030 Series.	82.00
	AL173596	Engine Ventilation with Oil Separator Kit Engine oil separator re-extracts the oil particles from the crankcase ventilation system for return back into the engine oil sump.	428.00
	AL158520	Fuel Pre-Heater Kit	148.00
	AL180215	Fenders: 2WD Front Fenders Not compatible with 563 or 673 Loader.	601.00
	AL165335	Fender Stop Panel For Models with Turnable MFWD Fenders.	411.00
	AL180095	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	668.00
	AL180097	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	677.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL180099	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fenders, Fixed, 18.9 ln. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	686.00
	AL180101	MFWD Front Fenders, Fixed, 21.3 ln. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	716.00
	AL180103	MFWD Front Fenders, Fixed, 24.4 ln. (620 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	725.00
	AL180098	MFWD Front Fenders, Turnable, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180100	MFWD Front Fenders, Turnable, 18.9 In. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180102	MFWD Front Fenders, Turnable, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL156243	Guards: Guard, Fuel Tank Bottom, 48 Gal. (185L) Compatible with 42.3 (160 L), 43.6 (165 L) and 48 (185 L) Gallon Fuel Tanks.	175.00
	AL204901	Hitch and Drawbar: Draft Link, Telescoping (Qty. 2)	1,137.00
	AL116748	Draft Sensing Control Kit Requires Right Hand Console Panel L115370 (for OOS), order through Service Parts.	601.00
	AL81724	Drawbar Drop-Down Kit Lowers the height of Drawbar by approximately 3 Inches.	397.00
	AL80054	Drawbar, Swinging with Hammerstrap	707.00
	AL180493	Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170. For 6030 and 7030 Cab and OOS Tractors only.	87.00
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	AL206324	Stabilizer Bar, Automatic (Qty. 1) and Standard Economy Stabilizer Bar (Qty. 1) <i>Not compatible with 7330.</i> Contains attaching parts.	608.00
	AL117961	Stabilizer Bar, Mechanical (One) with Attaching Parts May be used with either RH or LH.	298.00
	AL82925	Stabilizer Sway Chains	320.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL78129	ATTACHMENTS FOR FIELD CONVERSIONContinued Support, Load Control Shaft Secured to the steel frame without left and right hand bore holes. Protects the banding bar from shock loads under extreme draft work. Permits shock loads to be transferred from the lift arms directly to the frame. Not compatible with Code 7330.	See Parts
	RE228000	Hydraulics: Hydraulic Motor Case Drain Allows coupling of the oil return line of a hydraulic motor into a pressure-free circuit. Recommended for usage with Hydraulic Motors that are susceptible to damage if return Coupler flow checks.	174.00
	AL207614	Independent Control Valve, Mechanical (M-ICV), 2 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,056.00
	AL180376	Joystick, Mechanical 2 Function, 3rd & 4th Position, Non-Shiftable Controls Rear SCVs in the #3 & #4 positions. Compatible with OOS equipped with PFC Hydraulic System.	423.00
	AL180385	Joystick, Mechanical 2 Function, Non-Shiftable Controls Rear SCVs in the #3 & #4 positions. Compatible with Mid Spec Cab & OOS equipped with PC Hydraulic System.	423.00
	AL180659	Joystick, Mechanical 2 Function, Non-Shiftable Requires Hydraulic Lines (BL15002 OR BL15003) and Mechanical Independent Control Valve (AL204116). Not compatible with Low Profile Open Station Models.	631.00
	AL180660	Joystick, Mechanical 2 Function, Non-Shiftable Requires Hydraulic Lines (BL15002 OR BL15003) and Mechanical Independent Control Valve (AL204116). Compatible with Low Profile Open Station Models.	629.00
	BL15002	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (2) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	BL15003	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (3) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	AL207607	Mechanical Deluxe Select Control Valve 100 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	504.00
	AL204102	Mechanical Deluxe Select Control Valve 200 Series (2-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	651.00
	AL207609	Mechanical Deluxe Select Control Valve 200 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	675.00
	AL205078	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL207613	ATTACHMENTS FOR FIELD CONVERSIONContinued Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL180373	Position Kit, Position #1, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL180372	Position Kit, Position #1, Mechanical SCVs for PFC Hydraulics (OOS Tractors) For Pressure & Flow Compensated Hydraulic Systems only.	244.00
	AL180375	Position Kit, Position #3, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL180374	Position Kit, Position #3, Mechanical SCVs for PFC Hydraulics (OOS Tractors) For Pressure & Flow Compensated Hydraulic Systems only.	244.00
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	237.00
	AL176299	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Tractors Kit contains three Female Couplers and Dust Shields. Connects Pressure, Return and Load Sense Hoses from Implement to Tractor. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176808) 1/2-In. (12.5 mm) for Implement End.	237.00
	AL173904	Trailer Brakes, Hydraulic For Tractors equipped with PFC Hydraulic System. Requires additional components to complete installation. See installation instructions.	471.00
	AL180827	Trailer Brakes, Hydraulic For Tractors equipped with PC Hydraulic System. Requires additional components to complete installation. See installation instructions.	495.00
	AL169602	Valve, Shut Off, Electrically Actuated, Loader Boom	625.00
	AL174686	Valve, Shut Off, Electrically Actuated, Loader Mast	421.00
	AL178998	Lighting: Fender Mounted Work Lights (LH and RH), Front Facing Open Operator Station only.	212.00
	AL79915	Work Light, (1) Rear Facing, LH or RH Open Operator Station only.	106.00
	AL202564	Work Lights, H3 Front Corner Mounted in the grill with the headlights.	289.00
	AT173678	Operator Environment: 3 Inch Seat Belt	See Parts
	AL203919	3-Terminal Socket	72.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AR201256	ATTACHMENTS FOR FIELD CONVERSIONContinued Canopy for Roll-Gard Requires Wiring Harness Adapter (AL160408), order through Parts.	1,289.00
	AL179255	Seat, Comfort Seat MSG83 Seat is mechanical suspended. Features include manual weight adjustment and backrest angle adjustment.	705.00
	AL179257	Seat, Comfort Seat MSG85 Mechanically suspended. Features include horizontal suspension, manual weight adjustment, mechanical lumbar support, and backrest angle adjustment.	1,295.00
	AL174141	Step Mud Guard For Tractors without suspended cab.	108.00
	AL116924	Steps (2), RH with Handle <i>Quantity of one.</i>	315.00
	AL181336	Steps (2), RH with Handle For Low Profile Tractors. Quantity of one.	326.00
	AL160984	PTO/Front Auxiliary Drive: Front Auxiliary Drive (Crankshaft pulley without Drive Shaft) Compatible with Tier 2 and Tier 3 Engines produced after S/N 354700.	614.00
	AL158728	Transmission: Back-up Alarm for SyncroPlus, PowrQuad PLUS and AutoQuad Transmissions	496.00
	AL173294	Creeper Field Kit for 16F/16R SyncroPlus Transmission with Left Hand Power Reverser Additional parts are required to complete installation -see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	3,130.00
	AL173292	Creeper Field Kit for SyncroPlus 12F/4R Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	3,130.00
	AL173291	Creeper Kit for 16F/16R PowrQuad PLUS 4-Range (19 mph/30 kmh) Transmission (EPQT) Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	2,627.00
	AL173288	Creeper Kit for 24F/24R PowrQuad Plus or AutoQuad 6-Range (25 mph/40 kmh) Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	2,627.00
	AL180063	Creeper, Control Kit Required to complete Creeper installation.	476.00
	AL113087	Vandal Protection: Lockable Fuel Tank Cap	See Parts

6230 Open Operator Station Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL110170	ATTACHMENTS FOR FIELD CONVERSIONContinued Lockable Transmission Oil Filler Cap	132.00
	AL175117	Vandal Protection Field Kit Kit contains Hood and Side Shield Locks. Lockable Fuel Tank Cap. Lockable Transmission Oil Filler Neck.	562.00
		Weights: Please Refer to the Agricultural Sales Manual for Rear Wheel Weight Compatibility Information. Before ordering, verify Axle type (Flange or R&P). For Flange Axles, verify Bolt Circle Diameter (BCD). Weights and Supports do not include Installation Hardware.	
	RE300838	Front Weight Support, 132 Lb. (60 Kg) 21 In. (535 mm) Wide Holds 14 weights.	391.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	T21689	Weight, Rear Wheel, 107 Lb.	209.00
	R61524	Weight, Rear Wheel, 135 Lb.	287.00
	RFR61524	Weight, Rear Wheel, 1620 Lb. (12-R61524)	2,896.00
	RFT21689	Weight, Rear Wheel, 1760 Lb. (16-T21689)	3,000.00
	AR112536	Weight, Rear Wheel, 440 Lb. (4-R56920) Requires Steel Wheels.	937.00
	APY10029	Weight, Rear Wheel, 480 Lb. (4-L28228)	1,090.00
	L157909	Wheel Equipment: Tie Rod Extension - 2WD Axle (Increase Width 204 mm Per Side) Order 1 Per Side.	See Parts
	AL156778	Wheel Spacers, MFWD, 2.36 In. (60 mm) with Hardware (Qty 2) Increased Tread Setting from 2016 mm to 2134 mm. 8 Bolt Patterns (275 mm diameter).	575.00
	AL156779	Wheel Spacers, Rear, 1.73 In. (44 mm) with Hardware (Qty 2)	470.00
	AL156777	Wheel Spacers, Rear, 4.37 In. (111 mm) with Hardware (Qty 2)	597.00

6230 Cab Tractor

Equipment for Base Machine

ENGINE:

95 Engine HP (70 kW) [97/68 EC] @ 2300 RPM
76 PTO Horsepower (57 kW) @ 2300 RPM
4 Cylinders, John Deere PowerTech E
4.5 Liter (276 Cu. In.) Displacement, Tier 3
Emissions Level
2300 Rated Engine Speed
High Pressure Common Rail
Turbocharged
Dual Temperature Cooling System
Dry Type Air Cleaner with Safety Element
and PreCleaner
Underhood Muffler with Vertical Exhaust
43.6 Gal (165 L) Fuel Tank Capacity

TRANSMISSION:

12 Forward/4 Reverse SyncroPlus Transmission 19 mph (30km/h) Wet Multi-Disk Clutch Park Lock Neutral Safety Start System

STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering Dual Stage Disk Brakes Rear Axle Differential Lock

HYDRAULICS:

Load Sensing Constant Flow Pressure Compensated (PC) System 21.1 GPM (81 L/min) Pump Flow at 2300 RPM 1 SCV; Mechanical; ISO Couplers

REAR PTO:

540 RPM, Independent Rear PTO, and PTO Master Shield Electrohydraulic Wet Multi-Disk Clutch Neutral Start Safety System Seat Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR: Electronic Hitch Category 2, 3-Point Hitch Electrohydraulic Hitch Control One Rear Fender Hitch Control 4450 Lb. Lift Capacity LH Telescopic Draft Link Left Hand Stabilizer Bar

Category 2 Swinging Drawbar

INSTRUMENTATION:

Tachometer
Speedometer
Hour Meter
Fuel Gauge
Engine Oil Pressure Indicator Light
Coolant Temperature

PTO Engagement
Engine Air Filter Restriction Indicator
Alternator Indicator Light
Directional Indicators
Hazard Switch

CAB OPERATOR STATION:
ComfortGard Cab with Air Conditioning and Heater
Two Doors
Front Windshield Wiper
Mechanical Suspension Seat with Armrests and Seat Belt
Tilt/Telescopic Steering Column
Right-hand Operational Controls
Floor Mat
Foot Throttle Control
Power Outlet
Pre-Radio Wiring and Speaker Package
Overhead Courtesy Light
Rear View Mirror

ELECTRICAL:
Key Shutoff
12-Volt Electrical System
One 12-Volt Battery, 830 Cold Cranking Amps
90 Amp Alternator
7 Terminal ASAE Outlet Socket

LIGHTS:

Two Front Grille Headlights
Two Front Roof Lights
One Rear Roof/ROPS Light
Flashing Warning Lights
Two Rear Fender Tail Lights
with Brake Lights

FRONT AXLE WHEELS AND TIRES:
MFWD
Steel Wheels
Electrohydraulic MFWD Engagement,
Right-hand Console
12.4R24 In. Radial Tires

REAR AXLE WHEELS AND TIRES: Flanged Axle Eight Position Steel Wheels 18.4R30 In. Radial Rear Tires

MISCELLANEOUS:

Operator's Manual (English) and Holder

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Port of Entry

6230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
3112R		BASE MACHINEContinued 6230 Cab Tractor	65,717.00
OTIZIC			00,717.00
		VALUE PACKAGE CONFIGURATIONS	
0600		No Package	In Base Price
0606		Cab MFWD SyncroPlus w/ LHR Flanged Mechanical Seat Value Package Standard Cab, MFWD, SyncroPlus 16F/16R with Left Hand Reverser (19 mph / 30 km/h), 540/1000 Rear PTO, Flanged Rear Axle, Mechanical Seat. Codes: 0150, 0250, 7010, 7102, 7152, 7611.	-287.00
0607		Cab MFWD PQ Plus w/ LHR Flanged Air Seat Value Package Standard Cab, MFWD, PowrQuad Plus 16F/16R with Left Hand Reverser (19 mph / 30 km/h), 540/1000 Rear PTO, Flanged Rear Axle, Air Seat. Codes: 0150, 0250, 7073, 7102, 7152, 7662.	-575.00
0609		Cab 2WD SyncroPlus w/ LHR Flanged Mechanical Seat Value Package Standard Cab, 2WD, SyncroPlus 16F/16R with Left Hand Reverser (19 mph / 30km/h), 540/1000 Rear PTO, Flanged Rear Axle, Mechanical Seat. Codes: 0150, 0200, 7010, 7102, 7152, 7611.	-287.00
0610		Cab 2WD PQ Plus w/ LHR Flanged Air Seat Value Package Standard Cab, 2WD, PowrQuad Plus 16F/16R with Left Hand Reverser (19 mph / 30km/h), 540/1000 Rear PTO, Flanged Rear Axle, Air Seat. Codes: 0150, 0200, 7073, 7102, 7152, 7662.	-287.00
0637		Cab MFWD PQ Plus w/ LHR Rack and Pinion Air Seat Value Package Standard Cab, MFWD, PowrQuad Plus 16F/16R with Left Hand Reverser (19 mph / 30 km/h), 540/1000 Rear PTO, Rack and Pinion Rear Axle, Air Seat. Codes: 0150, 0250, 7073, 7102, 7153, 7662.	-287.00
0643		Cab MFWD PQ Plus w/ LHR Flanged Air Seat Value Package Standard Cab, MFWD, PowrQuad Plus 24F/24R with Left Hand Reverser (25 mph / 40 km/h), 540/1000 Rear PTO, Flanged Rear Axle, Air Seat. Codes: 0150, 0250, 7072, 7102, 7152, 7662.	-460.00
		OPERATOR STATION	
0150		Standard Cab	In Base Price
0175		Low Clearance Cab Not compatible with Codes 7000 or 7010. Contains 29 gpm Pressure and Flow Hydraulic System as Base Equipment.	12,665.00
		FRONT AXLES	
0200		Adjustable 2WD Front Axle (59.1-74 In.)	-8,073.00
0250		MFWD Front Axle with Limited Slip Differential	In Base Price
		SINGLE REAR WHEELS AND TIRES	
1021		21.5L-16.1 In. 6PR R3 Bias Only with Code 0175 (Low Clearance Cab). Use of these tires reduces ground clearance to less than eight inches. For 2WD: Requires Codes 4747 and 7151. For MFWD: Requires Codes 4021 and 7151. Not compatible with 25 mph (40kmh) transmissions or Code 8840. Available in Firestone Turf and Field only.	-2,234.00

6230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SINGLE REAR WHEELS AND TIRESContinued	
1029		21.5L-16.1 ln. 6PR 12 Bias Only with Code 0175 (Low Clearance Cab). Use of these tires reduces ground clearance to less than eight inches. For 2WD: Requires Codes 4747 and 7151. For MFWD: Requires Codes 4021 and 7151. Not compatible with 25 mph (40kmh) transmissions or Code 8840. Available in Goodyear SoftTrac II only.	-1,970.00
1061		16.9-24 In. 6PR R3 Bias Only with Code 0175(Low Clearance Cab). For 2WD: Requires Code 4747, 4802, 4804 or 4853. For MFWD: Requires Code 4042. Not compatible with Code 7154 or 8840. Available in Firestone R3 ANS and Goodyear R3 AWT.	-2,076.00
1067		16.9R24 In. 134A8 R1W Radial (420/85R24 In. 137A8 R1W Radial) Only with Code 0175(Low Clearance Cab). For 2WD: Requires Code 4747, 4802, 4804 or 4853. For MFWD: Requires Code 4042. Not compatible with Code 7154 or 8840. Available in Firestone F6000 and Goodyear DT 806.	-830.00
1081		18.4-26 ln. 6PR R3 Bias For 2WD: Requires Code 4747, 4802 or 4804. For MFWD: Requires Code 4042. Not compatible with Code 7154 or 8840. Not compatible with Codes 4822 or 4824 as 11L16 tire requires 6-bolt disk. Available in Firestone ANS only.	-1,642.00
1087		18.4R26 In. 140A8 R1W Radial Only with Code 0175(Low Clearance Cab). For 2WD: Requires Code 4747, 4802 or 4804. For MFWD: Requires Code 4133. Not compatible with Code 7154 or 8840. Not compatible with Codes 4822 or 4824 as 11L16 tire requires 6-bolt disk. Available in Goodyear DT 806 only.	-976.00
1107		16.9R30 In. 137A8 R1W Radial (420/85R30 In. 137A8 R1W Radial) Only with Code 0175(Low Clearance Cab). For 2WD: Requires Code 4703, 4802 or 4804. For MFWD: Requires Code 4149. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	-80.00
1127		18.4R30 In. 142A8 R1W Radial (460/85R30 In. 145A8 R1W Radial) For 2WD: Requires Code 4703, 4782 4802, 4804, 4822 or 4824. For MFWD: Requires Code 4149. Available in Continental AC85, Firestone Performer 85, Goodyear DT 806.	In Base Price
1207		16.9R34 In. 139A8 R1W Radial (420/85R34 In. 139A8 R1W Radial) For 2WD: Requires Code 4703, 4782, 4802, 4804, 4822 or 4824. For MFWD: Requires Code 4168. Available in Goodyear DT 806 only.	-34.00
1288		18.4R34 In. 144A8 R1W Radial (460/85R34 In. 147A8 R1W Radial) For 2WD: Requires Code 4782. For MFWD: Requires Code 4149, 4168, or 4249. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	286.00

6230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SINGLE REAR WHEELS AND TIRESContinued	
1264		320/90R42 In. 139A8 R1W Radial For 2WD: Requires Code 4782. For MFWD: Requires Code 4229 and Code 7153. Not compatible with Code 7152 or 7154. Available in Firestone F9000 and Goodyear DT 806 only.	834.00
1425		18.4R38 In. 149A8 R1W Radial (460/85R38 In. 149A8 R1W Radial) For 2WD: Requires Code 4782. For MFWD: Requires Code 4249 or 4308. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	924.00
1563		13.6-46 In. 6PR R2 Bias For 2WD: Requires Code 4721 and 7152. For MFWD: Requires Codes 4603 and 7152. Available in Firestone CSG (Champion Spade Grip).	1,066.00
1863		480/80R34/TL/R4/159D Requires code 4793. Available in Nokian.	1,492.00
1873		480/80R38/TL/R4/161D Requires code 4813. Available in Nokian.	3,406.00
		FRONT WHEELS AND TIRES	
4703		For Code 0200 (2WD): 7.50-18 In. 8PR F2 Bias Requires Code 0200. Available in Firestone F2 4-Rib only. Standard Load Capacity 4158 Lbs.	-1,652.00
4721		7.50-20 In. 8PR F2 Bias Only with Code 0150. Requires Code 0200. Available in Goodyear Super Rib only. Standard Load Capacity 4620 Lbs.	-1,426.00
4853		9.5L-15 In. 8PR F2 Bias Requires Code 0200. Available in Firestone F2 Champion Guide Grip only. Standard Load Capacity 3740 Lbs.	-1,778.00
4747		27/9.5-15 In. 6PR 11 Terra Bias Requires Code 0200. Available in Goodyear Terra Rib only. Standard Load Capacity 3559 Lbs.	-1,980.00
4782		10.00-16 In. 10PR F2 Bias Requires Code 0200. Available in Goodyear F2 Super Rib and Firestone F2 only. Standard Load Capacity 5830 Lbs.	-1,396.00

6230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	- DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
4802		FRONT WHEELS AND TIRESContinued 11L-15 In. 8PR F2 Bias Requires Code 0200. Available in Firestone Champion Guide Grip only. Standard Load Capacity 3806 Lbs.	-1,756.00
4804		11L-15 In. 8PR F3 Bias Requires Code 0200. Available in Goodyear F3 Laborer and Firestone F3 Industrial Special only. Standard Load Capacity 4708 Lbs.	-1,734.00
4822		11L-16 In. 8PR F3 Bias Requires Code 0200. Available in Goodyear F3 Laborer only. Standard Load Capacity 4400 Lbs.	-1,574.00
4824		11L-16 In. 12PR F3 Bias Requires Code 0200. Available in Goodyear F3 Laborer and Firestone F3 Industrial Special only. Standard Load Capacity 5500 Lbs.	-1,530.00
4021		For Code 0250 (MFWD): 280/70R16 In. 112A8 R1W Radial Requires Code 0175. Available as Goodyear DT812 Radial only.	-1,196.00
4042		10.5/80-18 In. 10PR I3 Bias Available with Code 0175.	-1,198.00
4133		11.2R24 In. 114A8 R1W Radial (280/85R24 In. 115A8 R1W Radial) Requires Code 0175. Available as Goodyear DT 806.	-380.00
4149		12.4R24 In. 119A8 R1W Radial (320/85R24 In. 122A8 R1W Radial) Available in Continental AC85, Firestone F6000, Goodyear DT 806.	In Base Price
4168		13.6R24 In. 128A8 R1W Radial Available in Goodyear DT 806 only.	566.00
4229		12.4R28 In. 121A8 R1W Radial (320/85R28 In. 124A8 R1W Radial) Available in Continental AC85, Firestone F6000, Goodyear DT 806.	410.00
4249		14.9R24 In. 126A8 R1W Radial (380/85R24 In. 131A8 R1W Radial) Available in Continental AC85, Firestone F6000, Goodyear DT 806.	704.00
4308		13.6R28 In. 123A8 R1W Radial (340/85R28 In. 127A8 R1W Radial) Available in Continental AC85, Firestone F6000, Goodyear DT 806.	692.00
4603		13.6-38 In. 6PR R2 Bias Available in Firestone only.	618.00
4793		400/80R24/TL/R4 144D Available in Nokian.	1,530.00

6230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
4813		FRONT WHEELS AND TIRESContinued 440/80R24/TL/R4 149D Available in Nokian.	2,092.00
		TRANSMISSION	
		Transmissions WITHOUT Factory Installed Creepers.	
7000		SyncroPlus 12F/4R Transmission (19 mph/30 kmh) Not compatible with Code 0175.	In Base Price
7010		SyncroPlus 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh) <i>Not compatible with Code 0175.</i>	1,953.00
7073		PowrQuad PLUS 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh)	3,888.00
7072		PowrQuad PLUS 24F/24R Transmission with Left Hand Power Reverser (25 mph/40 kmh) Requires Code 0250.	5,631.00
7020		CREEPER Transmissions SyncroPlus 12F/4R Transmission (19 mph/30 kmh) with Creeper	2,439.00
7015		SyncroPlus 16F/16R Left Hand Mechanical Reverser Transmission (19 mph/30 kmh) with Creeper	4,370.00
7078		PowrQuad PLUS 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh) with Creeper	6,304.00
7077		PowrQuad PLUS 24F/24R Transmission with Left Hand Power Reverser (25 mph/40 kmh) with Creeper Requires Code 0250.	8,046.00
		POWER TAKE-OFF SHAFT	
7101		Rear Independent 540 RPM PTO	In Base Price
7102		Rear Independent 540/1000 RPM PTO	723.00
		REAR AXLES AND WHEELS	
7151		Flanged Axle, 2-Position Steel Wheel Requires Code 0175 AND 1021 or 1029.	-42.00
7152		Flanged Axle, 8 Position Steel Wheels	In Base Price
7153		Rack and Pinion Axle 3.1 In. (78.74 mm) Diameter by 100.6 In. Length 2-Pos. Steel Wheels Requires Code 1264, 1425 or 1563.	1,190.00
7154		Rack & Pinion Axle 2-Pos. Cast Wheels 3.1 In. (78.74 mm) diameter by 100.6 In. Length. Requires Code 1107, 1127, 1207, 1288 or 1425.	1,357.00
		EXHAUST	

6230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
7452		EXHAUSTContinued Vertical Exhaust with Underhood Muffler	In Base Price
7453		Deluxe Cab Corner Post Exhaust with Underhood Muffler	872.00
7451		Horizontal Downswept Exhaust with Underhood Muffler	89.00
		SEAT	
7611		Super Comfort Seat (MSG 83) with Mechanical Suspension, 3-In. Seat Cushion Arm Rest, Seat Adjustment Side Rails, Retractable Seatbelt, Operator Presence Switch.	In Base Price
7662		Super Comfort Seat (MSG 95) with Air Suspension, 3-In. Seat Cushion Horizontal Suspension, Backrest Adjustment, Armrest, Mechanical Lumbar Support, Side Rails, Swivel (15 Deg. Left/15 Deg. Right), Operator Presence Switch, Retractable Seat Belt, Operator's Manual Holder.	896.00
		ATTACHMENTS - ORDER AS DESIRED	
8830		ComfortGard Cab Options: Vandal Protection Package Includes Lockable Fuel Cap, Lockable Transmission Oil Fill, Lockable Hood and Engine Side Panels.	319.00
8871		Fuel Tank, 30 Gallon (116L) Not with Code 0175 (Low Clearance Cab).	190.00
8872		Fuel Tank, 48.8 Gallon (185L) Not with Code 0175 (Low Clearance Cab).	320.00
8875		Fuel Tank Guard, Bottom	388.00
8876		Fuel Tank Guard, Front & Bottom Not with Code 0175 (Low Clearance Cab) or Codes 8941 or 8942. Requires Code 8871 (30 gallon high clearance tank).	395.00
9076		Ash Tray with Cigarette Lighter	21.00
9207		Telescopic Rear View Mirrors (2) - Manually Adjustable Not with Code 0175 (Low Clearance Cab).	294.00
9102		Rear Windshield Wiper with Front & Rear Washer Included in Code 0175 (Low Clearance Cab).	493.00
9140		Single Interface Outlet (7-Pin) Located on Rear RH Corner-post.	87.00
9212		Sun Visor Not with Code 0175 (Low Clearance Cab).	80.00
9214		Additional Storage Compartment (LH upper corner inner roof) Not with Code 0175 (Low Clearance Cab).	69.00
9216		Bottle Holder Floor Mounted.	33.00

6230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9218		ATTACHMENTS - ORDER AS DESIREDContinued Cup Holder Mounts to Right Hand A-post.	37.00
9220		Field Office / Storage Tray / 3-Pin Power Outlet	312.00
9232		Instructional Seat with Seat Belt The instructional seat has been approved only for training operators or diagnosing machine problems. Keep all other riders off the tractor and equipment. Always wear your seat belt. Not with Code 0175 (Low Clearance Cab).	551.00
9246		Roof Hatch with Glass Not with Code 0175 (Low Clearance Cab), 9214, 8941 or 8942.	560.00
9041		Lighting / Electrical: One Rear Worklight LH, H-3 Not with Code 0175 (Low Clearance Cab).	118.00
9055		Corner Lights, Front	302.00
9070		Lights, High/Low Beam, H-4, Belt Line Mounted Not with Code 0175 (Low Clearance Cab), 8941 or 8942.	477.00
9080		Rotating Warning Light (Beacon Light) Not with Code 0175 (Low Clearance Cab).	222.00
9115		Back-Up Alarm	487.00
8840		Front Axle: Fixed Front Fenders (2WD) Requires Code 0200, 2WD Axle. Not compatible with Code 4308 (13.6-28) when used with Front Loader.	342.00
8841		Rigid Front Fenders (MFWD) Requires Code 0250, MFWD Axle. Not compatible with Code 4603 (13.6-38 R2 Tire).	534.00
8842		Turnable Front Fenders (MFWD) Requires Code 0250, MFWD Axle. Not compatible with Code 4603 (13.6-38 R2 Tire). Not compatible with Loaders.	800.00
9480		Rear Hitch and Drawbar: Right-hand Telescopic Draft Link	217.00
9225		Draft Control	601.00
9442		Drawbar, High Clearance with Sway Chains and Hammerstrap	257.00
9441		Drawbar, Standard Swinging, with Hammerstrap	257.00
9260		Hydraulics: Second SCV Deluxe (3 Detents - 301 Series) with Standard Couplers Required with Hydraulic Motors.	1,124.00

6230 Cab Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9340		ATTACHMENTS - ORDER AS DESIREDContinued Power Beyond Allows Hydraulic Pump to power implements that have Independent Control Valves.	127.00
9303		Third SCV Standard (2 Detents - 201 Series) with Standard Couplers For a total of 3 SCVs it requires Code 9260 (2nd SCV). 3-SCVs with Power Beyond for Loader Prep and Power Beyond are not a compatible configuration with the Pressure Compensated Hydraulic System. If this combination is required, it is recommended to order the Premium Cab series with P&FC Hydraulics which can accommodate, 4-SCVs, Power Beyond for Loader Prep and Power Beyond.	1,139.00
8775		Engine: Front Auxiliary Drive Preparation (Crankshaft Pulley without Drive Shaft)	591.00
8890		Condensor Screen, Air Conditioning (4 or 6 cylinder engine)	20.00
9020		Cold Weather Package I Includes Heavy-Duty Battery (1230 CCA, 154 Amp Hrs) Engine Coolant Heater (110V).	306.00
9025		Fuel Heating System (12V)	151.00
8770		Miscellaneous: Front Weight Support, 155 lbs. (70kg), Holds up to 14 Front Weights	271.00
8780		'JD Industrial Yellow' Paint Finish	1,402.00
8781		'Community Orange' Paint Finish	1,402.00
8850		Toolbox	78.00
9085		License Plate Bracket with Light Not with Code 0175 (Low Clearance Cab).	36.00
		Loader Packages: Loader READY Package Includes: Mid-Mount Valve and Joystick as specified by code, hydraulic hoses from mid-mount valve to tractor attached multi-coupler half valve (Note: loader component of multi-coupler is ordered with loader boom), Standardized Loader Frame, Hood Guard, H-4 Beltline Mounted High/Low Beam Road Lights and Glass Roof with Hatch. Not Compatible with Code 8842.	
8810		Loader Joystick with 2-Function Midmount Independent Control Valve (M-ICV) Includes: 2-Function Mid-Mounted Control Valve with Mechanical Joystick Control and non-activated PQ+ Shift Buttons.	1,455.00
894A		2-Function Mechanical Independent Control Valve Loader READY Package Activated Gear Shift Buttons on Joystick only available with Codes 7073, 7072 or 7077. Not compatible with Code 8841, 8942, 9070 or 9246.	4,375.00
894B		3-Function Mechanical Independent Control Valve Loader Ready Package Activated Joystick Gear Shift Buttons Requires Transmission Code 7073, 7072 or 7077. Not compatible with Code 8842, 8941, 9070 or 9246.	4,798.00
9550		Tire Preference / Special Handling Codes: Protection for Overseas Shipment	54.00

6230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9608		ATTACHMENTS - ORDER AS DESIREDContinued French Operator's Manual	No Charge
9660		Spanish Operator's Manual	No Charge
9901		Tire Brand, Firestone	400.00
9903		Tire Brand, Goodyear	400.00
9905		Tire Brand, Continental	400.00
9988		No Specific Tire brand	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm)	See Parts
	AL173200	Engine: Cold Weather Starting Package - 110 Volt	469.00
	AL173967	Engine Coolant Heater (110V) Engine Coolant Heater is included in Cold Weather Starting Packages. Compatible with 6020 and 6030 Series.	82.00
	AL173596	Engine Ventilation with Oil Separator Kit Engine oil separator re-extracts the oil particles from the crankcase ventilation system for return back into the engine oil sump.	428.00
	AL158520	Fuel Pre-Heater Kit	148.00
	AL180215	Fenders: 2WD Front Fenders Not compatible with 563 or 673 Loader.	601.00
	AL205783	Conversion Kit from Rigid Front Fenders to Turnable Front Fenders For Front Fenders with Single Arm Support.	1,249.00
	AL174767	Fender Side Extension Dimensions: Length 4.33 In. (110 mm) x Width 0.59 In. (15 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	180.00
	AL174768	Fender Side Extension Dimensions: Length 4.33 In. (110 mm) x Width 2.36 In. (60 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	180.00
	AL174769	Fender Side Extension Dimensions: Length 7.48 In. (190 mm) x Width 0.79 In. (20 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	200.00

6230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL174770	ATTACHMENTS FOR FIELD CONVERSIONContinued Fender Side Extension Dimensions: Length 7.48 In. (190 mm) x Width 2.56 In. (65 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	200.00
	AL165335	Fender Stop Panel For Models with Turnable MFWD Fenders.	411.00
	AL180095	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	668.00
	AL180097	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	677.00
	AL180099	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	686.00
	AL180101	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	716.00
	AL180103	MFWD Front Fenders, Fixed, 24.4 In. (620 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	725.00
	AL180098	MFWD Front Fenders, Turnable, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180100	MFWD Front Fenders, Turnable, 18.9 ln. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180102	MFWD Front Fenders, Turnable, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL159975	Rear Fender Flap for Fender Side Extensions Dimensions: Width 9 In. (229 mm) x Length 24.8 In. (632 mm). Requires Fender Side Extension of 190 x 20 mm. or 190 x 65 mm.	81.00
	AL156243	Guards: Guard, Fuel Tank Bottom, 48 Gal. (185L) Compatible with 42.3 (160 L), 43.6 (165 L) and 48 (185 L) Gallon Fuel Tanks.	175.00
	AL204901	Hitch and Drawbar: Draft Link, Telescoping (Qty. 2)	1,137.00
	AL116748	Draft Sensing Control Kit Requires Right Hand Console Panel L170711 (for Cab), order through Service Parts.	601.00
	AL81724	Drawbar Drop-Down Kit Lowers the height of Drawbar by approximately 3 Inches.	397.00
	AL80054	Drawbar, Swinging with Hammerstrap	707.00

6230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL180493	ATTACHMENTS FOR FIELD CONVERSIONContinued Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170. For 6030 and 7030 Cab and OOS Tractors only.	87.00
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	AL206324	Stabilizer Bar, Automatic (Qty. 1) and Standard Economy Stabilizer Bar (Qty. 1) <i>Not compatible with 7330.</i> Contains attaching parts.	608.00
	AL117961	Stabilizer Bar, Mechanical (One) with Attaching Parts May be used with either RH or LH.	298.00
	AL82925	Stabilizer Sway Chains	320.00
	AL78129	Support, Load Control Shaft Secured to the steel frame without left and right hand bore holes. Protects the banding bar from shock loads under extreme draft work. Permits shock loads to be transferred from the lift arms directly to the frame. Not compatible with Code 7330.	See Parts
	RE228000	Hydraulics: Hydraulic Motor Case Drain Allows coupling of the oil return line of a hydraulic motor into a pressure-free circuit. Recommended for usage with Hydraulic Motors that are susceptible to damage if return Coupler flow checks.	174.00
	AL207614	Independent Control Valve, Mechanical (M-ICV), 2 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,056.00
	AL207615	Independent Control Valve, Mechanical (M-ICV), 3 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,628.00
	AL180385	Joystick, Mechanical 2 Function, Non-Shiftable Controls Rear SCVs in the #3 & #4 positions. Compatible with Mid Spec Cab & OOS equipped with PC Hydraulic System.	423.00
	AL180657	Joystick, Mechanical 2 Function, Non-Shiftable Requires Hydraulic Lines (BL15002 OR BL15003) and Mechanical Independent Control Valve (AL204116).	637.00
	AL180658	Joystick, Mechanical 3 Function, Non-Shiftable Requires Hydraulic Lines (BL15002 OR BL15003) and Mechanical Independent Control Valve (AL204117).	965.00
	BL15002	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (2) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	BL15003	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (3) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	AL207607	Mechanical Deluxe Select Control Valve 100 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	504.00

6230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL204102	ATTACHMENTS FOR FIELD CONVERSIONContinued Mechanical Deluxe Select Control Valve 200 Series (2-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	651.00
	AL207609	Mechanical Deluxe Select Control Valve 200 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	675.00
	AL205078	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL207613	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL180373	Position Kit, Position #1, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL180375	Position Kit, Position #3, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	237.00
	AL176299	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Tractors Kit contains three Female Couplers and Dust Shields. Connects Pressure, Return and Load Sense Hoses from Implement to Tractor. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176808) 1/2-In. (12.5 mm) for Implement End.	237.00
	AL180827	Trailer Brakes, Hydraulic For Tractors equipped with PC Hydraulic System. Requires additional components to complete installation. See installation instructions.	495.00
	AL169602	Valve, Shut Off, Electrically Actuated, Loader Boom	625.00
	AL174686	Valve, Shut Off, Electrically Actuated, Loader Mast	421.00
	AL181123	Lighting: Beacon Light Switch Required to operate Beacon Light (AL111705).	See Parts
	AL111705	Beacon Light for Cab Requires Switch (AL181123).	219.00
	AL201586	Extremity Lights Preparation Kit See Parts Catalog and MHM 873 Installation Instructions for additional components.	922.00
	AL179968	Headlights, H4 (2) High/Low Beam Forward Facing	372.00

6230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL164391	ATTACHMENTS FOR FIELD CONVERSIONContinued Work Light, (2) Rear Facing, LH & RH, Fender Mounted Compatible with Mid Spec Tractors (S/N - 606378) and below.	213.00
	AL179973	Work Light, H3 (1) Rear Facing, Fender Mounted, LH or RH	157.00
	AL179974	Work Lights, H3 (55 Watt) (2) Belt Line	403.00
	AL179970	Work Lights, H3 (55 Watt) (2), Cab Roof Mounted, Front, LH and RH Not compatible on Tractors which already have 2 work lights factory installed.	198.00
	AL179971	Work Lights, H3 (55 Watt) (2), Cab Roof Mounted, Rear, LH and RH	198.00
	AL179972	Work Lights, H3 (55 Watt) (2), Fender Mounted, Rear, LH and RH Compatible with Mid Spec Tractors (S/N - 606379) and above.	195.00
	AL202564	Work Lights, H3 Front Corner Mounted in the grill with the headlights.	289.00
		Operator Environment:	
	AT173678	3 İnch Seat Belt	See Parts
	AL203919	3-Terminal Socket	72.00
	RE67015	3-Way Convenience Adapter for Power Strip	See Parts
	AL207711	Antenna Kit	453.00
	AL177152	Antenna Kit, Hidden Includes Antenna (AL176845).	460.00
	AL164673	Ash Tray	See Parts
	AL112070	Beverage Cooler Box Portable, non-electrical. Mounts on the floor in the front right of the cab.	130.00
	AL156731	Bottle Holder, Floor Mounted, Left Side	35.00
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	AL173370	Cigarette Lighter	See Parts
	AL163826	Cup Holder, Right-Hand A-Post Mounted	41.00
	AL178985	Field Office without Beverage Holder Compatible with Instructional Seat.	217.00
	AL158986	Filter Kit, Carbon, with LH and RH Fresh Air and Recirculation	See Parts
	AL173569	Instructional Seat with Seat Belt	545.00
	AL151224	Mirror, Inside Rear Mounts behind operator's right shoulder - provides increased Drawbar Visibility.	145.00
	AL80126	Mirror, Telescopic, LH, Manually Adjustable	149.00

6230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL80127	Mirror, Telescopic, RH, Manually Adjustable	149.00
	AL158785	Power Strip with Six Outlets Requires Bracket (AL117211). Also available through Parts.	See Parts
	RE289848	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband Includes audio input jack for MP3 compatible devices.	434.00
	RE289852	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband Includes audio input jack for MP3 compativle devices.	849.00
	AL174234	Seat Telescopic Backrest Extension	135.00
	AL179256	Seat, Comfort Seat MSG93 Air suspended with operator presence switch. Features include weight adjustment, mechanical lumbar support, and backrest angle adjustment.	1,535.00
	AL175598	Seat, Super Air Comfort Seat MSG95 For Tractors not equipped with CommandARM. Air suspended with operator presence switch. Features include automatic weight adjustment, mechanical lumbar support, backrest angle adjustment, and 15 degrees of swivel.	1,709.00
	AL175599	Seat, Super Comfort Seat MSG85 For Tractors not equipped with CommandARM. Mechanically suspended.	1,220.00
	AL175596	Seat, Super Deluxe Air Comfort Seat MSG95 For Tractors equipped with CommandARM. Low frequency air suspension with operator presence switch. Features include active carbon layer, seat heating, lateral suspension, automatic weight adjustment, air lumbar support, adjustable seat depth and incline, telescopic backrest extension, backrest angle adjustment, and 15 degrees of swivel.	2,943.00
	AL119286	Seat, Swivel, Operators, 180 degrees For Tractors not equipped with CommandARM.	See Parts
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE282643	Steering Wheel, Dark Brown Leather	See Parts
	AL174141	Step Mud Guard For Tractors without suspended cab.	108.00
	AL174359	Sun Screen, Telescopic (Rollo Blinds) Kit includes (1) Sun Screen with Mounting Hardware. May be used either in Front or Rear Window.	140.00
	AL157620	Sun Visor	88.00
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	AL157189	Windshield Washer, Front Requires additional parts available from PDC for Tractors not equipped with RH door.	175.00

6230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL157190	ATTACHMENTS FOR FIELD CONVERSIONContinued Windshield Washer, Front and Rear	324.00
	AL179028	Wiper, Rear Window	244.00
		PTO/Front Auxiliary Drive: Front PTOs are no longer available as a field installed option through John Deere. Availability is limited to existing inventory. When inventory is exhausted, please contact Laforge Hitch for your Front PTO and Front Hitch needs.	
		Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com	
	AL160984	Front Auxillary Drive (Crankshaft pulley without Drive Shaft) Compatible with Tier 2 and Tier 3 Engines produced after S/N 354700.	614.00
		Transmission:	
	AL158728	Back-up Alarm for SyncroPlus, PowrQuad PLUS and AutoQuad Transmissions	496.00
	AL173294	Creeper Field Kit for 16F/16R SyncroPlus Transmission with Left Hand Power Reverser Additional parts are required to complete installation -see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	3,130.00
	AL173292	Creeper Field Kit for SyncroPlus 12F/4R Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	3,130.00
	AL173291	Creeper Kit for 16F/16R PowrQuad PLUS 4-Range (19 mph/30 kmh) Transmission (EPQT) Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	2,627.00
	AL173288	Creeper Kit for 24F/24R PowrQuad Plus or AutoQuad 6-Range (25 mph/40 kmh) Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	2,627.00
	AL180063	Creeper, Control Kit Required to complete Creeper installation.	476.00
	AL71345	Vandal Protection: Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts
	AL110170	Lockable Transmission Oil Filler Cap	132.00

6230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER		SUGGESTED LIST PRICE
CODE	AL175117	ATTACHMENTS FOR FIELD CONVERSIONContinued Vandal Protection Field Kit Kit contains Hood and Side Shield Locks. Lockable Fuel Tank Cap. Lockable Transmission Oil Filler Neck.	USD (\$) 562.00
	RE300838	Weights: Front Weight Support, 132 Lb. (60 Kg) 21 In. (535 mm) Wide Holds 14 weights.	391.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	T21689	Weight, Rear Wheel, 107 Lb.	209.00
	R61524	Weight, Rear Wheel, 135 Lb.	287.00
	RFR61524	Weight, Rear Wheel, 1620 Lb. (12-R61524)	2,896.00
	RFT21689	Weight, Rear Wheel, 1760 Lb. (16-T21689)	3,000.00
	AR112536	Weight, Rear Wheel, 440 Lb. (4-R56920) Requires Steel Wheels.	937.00
	APY10029	Weight, Rear Wheel, 480 Lb. (4-L28228)	1,090.00
	L157909	Wheel Equipment: Tie Rod Extension - 2WD Axle (Increase Width 204 mm Per Side) Order 1 Per Side.	See Parts
	AL156778	Wheel Spacers, MFWD, 2.36 In. (60 mm) with Hardware (Qty 2) Increased Tread Setting from 2016 mm to 2134 mm. 8 Bolt Patterns (275 mm diameter).	575.00
	AL156779	Wheel Spacers, Rear, 1.73 In. (44 mm) with Hardware (Qty 2)	470.00
	AL156777	Wheel Spacers, Rear, 4.37 In. (111 mm) with Hardware (Qty 2)	597.00

6230 Cab Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

6330 Open Operator Station Tractor

Equipment for Base Machine

ENGINE:

105 Engine HP (77 kw) [97/68/EC] at 2300 RPM 85 PTO Horsepower at 2300 RPM 4 Cylinder, John Deere PowerTech E 4.5 Liter (276 Cu. In.) Displacement, Tier 3 Emissions Level 2300 Rated Engine Speed High Pressure Common Rail Turbocharged Dual Temperature Cooling System Dry Type Air Cleaner with Safety Element and PreCleaner Underhood Muffler with Vertical Exhaust 43.6 Gal (165 L) Fuel Tank Capacity

TRANSMISSION:

12 Forward/4 Reverse SyncroPlus Transmission 19 mph (30km/h) Wet Multi-Disk Clutch Park Lock Neutral Safety Start System

STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering Dual Stage Disk Brakes Rear Axle Differential Lock

HYDRAULICS:

Load Sensing Constant Flow Pressure Compensated (PC) System 21.1 GPM (81 L/min) Pump Flow at 2300 RPM 1 SCV; Mechanical; ISO Couplers

REAR PTO:

540 RPM, Independent Rear PTO, and PTO Master Shield Electrohydraulic Wet Multi-Disk Clutch Neutral Start Safety System Seat Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR: Electronic Hitch Category 2, 3-Point Hitch Electrohydraulic Hitch Controls One Rear Fender Hitch Controls 4450 Lb. Lift Capacity LH Telescopic Draft Link Left Hand Stabilizer Bar Category 2 Swinging Drawbar

INSTRUMENTATION: Tachometer Speedometer Hour Meter
Fuel Gauge
Engine Oil Pressure Indicator Light
Coolant Temperature
PTO Engagement
Engine Air Filter Restriction Indicator
Alternator Indicator Light
Directional Indicators

Hazard Switch

OPEN OPERATOR STATION:
Two Post Foldable ROPS with Seat Belt,
Less Canopy Platform
Steps
Operational Controls, Console
Mechanical Suspension Seat with
Seat Belt

Tilt Steering Column Foot Throttle Control

ELECTRICAL:
Key Shutoff
12-Volt Electrical System
12-Volt Battery, 830 Cold Cranking Amps
90 Amp Alternator
7 Terminal ASAE Outlet Socket

LIGHTS:

Two Front Grille Headlights One Rear ROPS Light Two Flashing Hazard Lights Two Rear Fender Tail Lights with Brake Lights

FRONT AXLE WHEELS AND TIRES: MFWD Steel Wheels MFWD Engagement, Electrohydraulic 14.9R24 In.

REAR AXLE WHEELS AND TIRES: Flange Eight Position Steel Wheels 18.4R34 In. Radial

MISCELLANEOUS:

Operator's Manual (English) and Holder SMV Emblem

ATTACHMENT CODE IDENTIFIER D

DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Port of Entry

3121R 6330 Open Operator Station Tractor 59,625.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		VALUE PACKAGE CONFIGURATIONS	
0600		No Package	In Base Price
0611		Open Station Flat Platform 2WD SyncroPlus Flanged Value Package Flat Platform Open Station, 2WD, SyncroPlus 12F/4R (19 mph/30 kmh), 540/1000 PTO, Flanged Rear Axle. Codes: 0130, 0200, 7000, 7102, 7152.	-287.00
0612		Competitive Package - Open Station Flat Platform MFWD PowrQuad w/ LHR Flanged Value Package Flat Platform Open Station, MFWD, PowrQuad 16F/16R with Left Hand Reverser (19 mph/30 kmh), 540/1000 PTO, Flanged Rear Axle. Codes: 0130, 0250, 7040, 7102, 7152.	-575.00
0645		Open Station Flat Platform MFWD PowrQuad w/ LHR Flanged Value Package Flat Platform Open Station, MFWD, PowrQuad 24F/24R with Left Hand Reverser (25 mph/40 kmh), 540/1000 PTO, Flanged Rear Axle. Codes: 0130, 0250, 7044, 7102, 7152.	-287.00
0639		LP Orchard Open Station Straddle Platform MFWD PowrQuad Plus Flanged M-SCV Value Package Low Profile Orchard Open Operator Station, MFWD, PowrQuad Plus 16F/16R (19 mph/30 kmh), 540/1000 PTO, Flanged Rear Axle, Dual Deluxe 3-detent Mechanical Selective Control Valves, Mechanical Seat. Codes: 0120, 0250, 7030, 7102, 7152, 7226, 7601.	-287.00
		OPERATOR STATION	
0100		Open Operator Station, Low Profile - Straddle Mount Platform	670.00
0120		Open Operator Station, Orchard Low Profile - Straddle Mount with RH Reverser Requires Code 7030 or 7050.	841.00
0130		Open Operator Station Isolated Flat Platform	In Base Price
		FRONT AXLES	
0200		Adjustable 2WD Front Axle (4-Positions: 59.1-74 In.)	-8,073.00
0250		MFWD Front Axle with Limited Slip Differential	In Base Price
		CINICI E DEAD WILEEL C AND TIDEC	
1021		21.5L-16.1 In. R3 6PR Requires Code 4021 or 4747 and 7151. Not compatible with Code 8763, 8764 or 25 mph (40 kmh) Transmissions. Available in Firestone Turf & Field only.	-2,520.00
1029		21.5L-16 In. I-2 6PR Use of these tires reduces ground clearance to less than eight inches. For 2WD: Requires Codes 4747 and 7151. For MFWD: Requires Codes 4021 and 7151. Not compatible with Codes 8763, 8764 or 25 mph (40 kmh) Transmissions. Available in Goodyear SoftTrac II only.	-2,256.00
1061		16.9-24 In. 6PR R3 For 2WD: Requires Codes 4747, 4802, 4804 or 4853. For MFWD: Requires Code 4042. Not compatible with Code 7154. Available in Firestone R3 ANS and Goodyear R3 AWT.	-2,362.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1067		SINGLE REAR WHEELS AND TIRESContinued 16.9R24 In. 134A8 R1W Radial (420/85R24 In. 137A8 R1W Radial) For 2WD: Requires Code 4703, 4782, 4802, 4804, 4822 or 4824. For MFWD: Requires Code 4149. Available in Continental AC85, Firestone F7000 and Goodyear DT 806.	-1,116.00
1081		18.4-26 In. 6PR R3 Bias For 2WD: Requires Code 4747, 4802 or 4804. For MFWD: Requires Code 4042. Not compatible with Code 7154. Not compatible with Codes 4822 or 4824 as 11L16 tire requires 6-bolt disk. Available in Firestone ANS only.	-1,928.00
1087		18.4R26 In. 140A8 R1W Radial For 2WD: Requires Code 4747, 4802 or 4804. For MFWD: Requires Code 4133. Not compatible with Code 7154. Not compatible with Codes 4822 or 4824 as 11L16 tire requires 6-bolt disk. Available in Goodyear DT 806 only.	-1,262.00
1104		16.9R30 In. 137A8 R1W Radial For 2WD: Requires Code 4703, 4802 or 4804. (Results in mismatched Tire Brands). For MFWD: Requires Code 4146. Available in Michelin SM25 only.	1,028.00
1107		16.9R30 In. 137A8 R1W Radial For 2WD: Requires Code 4703, 4802 or 4804. For MFWD: Requires Code 4149. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	-366.00
1124		18.4R30 In. 142A8 R1W Radial For 2WD: Requires Code 4703, 4782, 4802, 4804, 4822 or 4824. For MFWD: Requires Code 4146. Available in Michelin XM25 only.	1,108.00
1127		18.4R30 In. 142A8 R1W Radial (460/85R30 In. 145A8 R1W Radial) For 2WD: Requires Code 4703, 4782 4802, 4804, 4822 or 4824. For MFWD: Requires Code 4149. Available in Continental AC85, Firestone Performer 85, Goodyear DT 806.	-286.00
1207		16.9R34 In. 139A8 R1W Radial (420/85R34 In. 139A8 R1W Radial) For 2WD: Requires Code 4703, 4782, 4802, 4804, 4822 or 4824. For MFWD: Requires Code 4168. Available in Goodyear DT 806 or Firestone F8000 only.	-320.00
1264		320/90R42 In. 139A8 R1W Radial For 2WD: Requires Code 4782. For MFWD: Requires Code 4229 and 7153. Not compatible with Code 7152 or 7154. Available in Firestone F9000 and Goodyear DT800 only.	548.00
1284		18.4R34 In. 144A8 R1W Radial For 2WD: Requires Code 4782. For MFWD: Requires Code 4146, 4166, 4226 or 4246. Available in Michelin XM25 only.	1,394.00
1288		18.4R34 In. 144A8 R1W Radial (460/85R34 In. 147A8 R1W Radial) For 2WD: Requires Code 4782. For MFWD: Requires Code 4149, 4168 or 4249.	In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION SINGLE REAR WHEELS AND TIRESContinued	SUGGESTED LIST PRICE USD (\$)
1303		Available in Continental AC85, Firestone F8000, Goodyear DT 806. 520/70R34 In. 148A8 R1W Radial Requires Code 0130 (Flat Platform). For MFWD: Requires Code 4263. Not compatible with Code 7154. Available in Firestone F8000, Goodyear DT812.	562.00
1424		18.4R38 In. 146A8 R1W Radial For 2WD: Requires Code 4782. For MFWD: Requires Code 4246, 4306 or 4366. Available in Michelin XM25 only.	2,032.00
1327		16.9R38 In. 141A8 R1W Radial (420/85R38 In. 144A8 R1W Radial) For 2WD: Requires Code 4703 or 4782. For MFWD: Requires Code 4229, 4249 or 4308. Available in Continental AC85, Firestone F8000, Goodyear DT806.	420.00
1343		480/70R38 In. 145A8 R1W Radial For MFWD: Requires Code 4263. Available in Firestone F8000, Goodyear DT812.	1,498.00
1425		18.4R38 ln. 146A8 R1W Radial (460/85R38 ln. 149A8 R1W Radial) For 2WD: Requires Code 4782. For MFWD: Requires Code 4249, 4308 or 4369. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	638.00
1443		520/70R38 In. 150A8 R1W Radial For MFWD: Requires Code 4383. Not compatible with Code 7154. Available in Continental HC 70, Firestone F8000, Goodyear DT812.	2,220.00
1563		13.6-46 In. 6PR R2 Bias For 2WD: Requires Codes 0130 and 4721. For MFWD: Requires Codes 0130 and 4603. Requires High Clearance Foot Steps: Code 8867. Available in Firestone CSG only.	780.00
		FRONT WHEELS AND TIRES	
4703		For Code 0200 (2WD): 7.50-18 In. 8PR F2 Bias Available in Firestone F2 4-Rib only. Standard Load Capacity 4158 Lbs.	-2,356.00
4721		7.50-20 In. 8PR F2 Bias Requires Code 0130 (Open Station Flat Platform) Available in Goodyear Super Rib only. Standard Load Capacity 4620 Lbs.	-2,130.00
4747		27/9.5-15 In. 6PR I1 Bias Requires Code 0130 (Open Station Flat Platform) Available in Goodyear Terra Rib only. Standard Load Capacity 3559 Lbs.	-2,504.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
4782		FRONT WHEELS AND TIRESContinued 10.00-16 In. 10PR F2 Bias Available in Goodyear F2 Super Rib and Firestone F2 only. Standard Load Capacity 5830 Lbs.	-2,100.00
4802		11L-15 In. 8PR F2 Bias Available in Firestone Champion Guide Grip only. Standard Load Capacity 3806 Lbs.	-2,460.00
4804		11L-15 In. 8PR F3 Bias Available in Goodyear F3 Laborer and Firestone F3 Industrial Special only. Standard Load Capacity 4708 Lbs.	-2,438.00
4822		11L-16 In. 8PR F3 Bias Available in Goodyear F3 Laborer only. Standard Load Capacity 4400 Lbs.	-2,278.00
4824		11L-16 In. 12PR F3 Bias Available in Goodyear F3 Laborer and Firestone F3 Industrial Special only. Standard Load Capacity 5500 Lbs.	-2,234.00
4853		9.5L-15 In. 8PR F2 Bias Available in Firestone F2 Champion Guide Grip only. Standard Load Capacity 3740 Lbs.	-2,482.00
4021		For Code 0250 (MFWD): 280/70R16 In. 112A8 R1W Radial Only with Code 0100 or 0120 and 0250. Available as Goodyear DT812 Radial only.	-1,900.00
4042		10.5/80-18 In. 10PR 13 Bias Requires Code 0250. Available in Goodyear I-3 Super Grip and Firestone ATU.	-1,902.00
4133		11.2R24 In. 114A8 R1W Radial (280/85R24 In. 115A8 R1W Radial) Requires Code 0250. Available in Goodyear DT 806 and Firestone F6000.	-1,084.00
4146		12.4R24 In. 119A8 R1W Radial Requires Code 0250. Available in Michelin XM25 only.	690.00
4149		12.4R24 In. 119A8 R1W Radial (320/85/R24 In. 122A8 R1W Radial) Requires Code 0250. Available in Continental AC85, Firestone F6000, Goodyear DT 806.	-704.00
4166		13.6R24 In. 121A8 R1W Radial Requires Code 0250. Available in Michelin XM25 only.	1,124.00
4168		13.6R24 In. 128A8 R1W Radial Available in Goodyear DT 806 only.	-138.00
4226		12.4R28 121A8 R1W Radial Requires Codes 0130 and 0250. Available in Michelin XM25 only.	1,100.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
4229		FRONT WHEELS AND TIRESContinued 12.4R28 In. 121A8 R1W Radial Requires Codes 0130 and 0250. Available in Continental AC85, Firestone F6000, Goodyear DT 806.	-294.00
4246		14.9R24 In. 126A8 R1W Radial Requires Codes 0130 and 0250. Available in Michelin XM25 only.	1,394.00
4249		14.9R24 In. 126A8 R1W Radial Requires Codes 0130 and 0250. Available in Continental AC85, Firestone F6000, Goodyear DT 806.	In Base Price
4263		420/70R24 In. 130A8 R1W Radial Requires Codes 0130 and 0250. Available in Firestone F6000, Goodyear DT812.	-232.00
4306		13.6R28 In. 123A8 R1W Radial Requires Codes 0130 and 0250. Available in Michelin XM25 only.	1,382.00
4308		13.6R28 In. 123A8 R1W Radial Requires Codes 0130 and 0250. Available in Continental AC85, Firestone F6000, Goodyear DT 806.	-12.00
4366		16.9R24 In. 134A8 R1W Radial Requires Code 0250. Available in Michelin XM25 only.	1,724.00
4369		16.9R24 In. 134A8 R1W Radial Requires Code 0250. Available in Continental AC85, Firestone F6000, Goodyear DT806.	330.00
4383		480/70R24 In. 138A8 R1W Radial Requires Code 0250. Available in Continental HC 70, Firestone F6000, Goodyear DT812.	64.00
4603		13.6-38 In. 6PR R2 Bias Requires Codes 0130 and 0250. Available in Firestone CSG only.	-86.00
		TRANSMISSION	
7000		Transmissions WITHOUT Factory Installed Creepers. SupercePlus 12E/AB Transmission (10 mph/20 kmh)	In Base Price
7000 7010		SyncroPlus 12F/4R Transmission (19 mph/30 kmh) SyncroPlus 16F/16R Transmission with Mechanical Left Hand Power Reverser (19 mph/30 kmh)	1,953.00
7030		PowrQuad 16F/16R Transmission with Right Hand Reverser (19 mph/30 kmh) For Orchard version only - Requires Code 0120.	2,150.00
7040		PowrQuad 16F/16R Transmission with Mechanical Left Hand Reverser (19 mph/30 kmh) Not with Code 0120 (Orchard Models).	3,535.00
7044		PowrQuad 24F/24R Transmission with Mechanical Left Hand Reverser (25 mph/40 kmh) Requires Code 0250 (MFWD).	5,120.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRANSMISSIONContinued	
7020		CREEPER Transmissions SyncroPlus 12F/4R Transmission (19 mph/30 kmh) with Creeper	2,416.00
7050		PowrQuad 16F/16R Transmission with Right Hand Reverser (19 mph/30 kmh) with Creeper Requires Code 0120 for Orchard version only.	4,566.00
7060		PowrQuad 16F/16R Transmission with Left Hand Reverser (19 mph/30 kmh) with Creeper	4,566.00
7064		PowrQuad 24F/24R Transmission with Mechanical Left Hand Reverser (25 mph/40 kmh) with Creeper Requires Code 0250 (MFWD).	7,536.00
		POWER TAKE-OFF SHAFT	
7101		Rear Independent 540 RPM PTO Heavy-Duty Ductile Iron PTO Housing is recommended for road side mowing applications. See Code 9002 in the Miscellaneous Section.	In Base Price
7102		540/1000 RPM Independent PTO Heavy-Duty Ductile Iron PTO Housing is recommended for road side mowing applications. See Code 9002 in the Miscellaneous Section.	723.00
		REAR AXLES AND WHEELS	
7151		Flanged Axle, 2-Position Steel Wheels Requires Code 0100 Low Profile and Code 1021 or 1029.	-42.00
7152		Flanged Axle, 8 Position Steel Wheels	In Base Price
7153		Rack and Pinion Axle (Length: 100.6 In., Diameter: 3.1 In.) 2-Position Steel Wheels Requires Code 1264, 1327, 1343, 1424, 1425 or 1563.	1,190.00
7154		Rack and Pinion Axle (Length: 100.6 In., Diameter: 3.1 In.) 2-Position Cast Wheels	1,357.00
		HYDRAULIC SYSTEM	
7281		Load Sensing Constant Flow Hydraulic System 21.1 GPM (80 L/min)	In Base Price
7282		Pressure and Flow Compensated Hydraulic System 29 GPM (110 L/min)	1,560.00
		SELECTIVE CONTROL VALVES	
7211		Single Basic SCV (No Detent - 101 Series) with Standard Couplers Only with Code 7281.	In Base Price
7213		Single Standard SCV (2 Detent - 201 Series) with Standard Couplers Only with Code 7281.	659.00
7225		1st & 2nd Deluxe SCVs (3 Detent - 301 Series) with Standard Couplers Only with Code 7281.	1,313.00
7229		1st & 2nd Standard SCVs (2 Detent - 201 Series) with Standard Couplers Only with Code 7281.	1,121.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SELECTIVE CONTROL VALVESContinued	
7214		Single Standard (2-Detent - 200 Series) with Deluxe Couplers Requires Code 7282.	870.00
7230		Two Standard SCV (2-Detent - 200 Series) with Deluxe Couplers Requires Code 7282.	1,038.00
7226		Two Deluxe SCVs (3-Detent - 300 Series) with Deluxe Couplers Requires Code 7282.	1,399.00
		EXHAUST	
7451		Horizontal Exhaust with Underhood Muffler	89.00
7452		Vertical Exhaust with Underhood Muffler	In Base Price
		SEAT	
7601		Comfort Seat with Mechanical Suspension, 3-In. Seat Cushion Mechanical Suspension, 3-In. Seat Cushion, Armrests, Horizontal Adjustment, Side Rails, Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	In Base Price
7623		Super Comfort Seat with Mechanical Suspension, 3-In. Seat Cushion Mechanical Suspension, 3-In. Seat Cushion, Horizontal Suspension, Backrest Adjustment, Armrest, Mechanical Lumbar Support, Side Rails, Swivel (15 Degree Left/20 Degree Right), Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	573.00
		ATTACHMENTS - ORDER AS DESIRED	
8830		Operator Station Options: Vandal Protection Package	319.00
8835		Floor Mat Requires Code 0130 Open Operator Station Flat Platform.	104.00
8867		High Clearance Footstep Requires Code 0130 Open Operator Station Flat Platform.	47.00
8871		Fuel Tank, 30 Gallon (116L) Requires Code 0130 Open Operator Station Flat Platform.	190.00
8875		Fuel Tank Bottom Guard	388.00
8876		Fuel Tank Front & Bottom Guard, 30 Gallon High Clearance Tank Not Compatible with 8877.	395.00
8877		Fuel Tank, 42.3 Gallon (160L) Requires Code 0100 or 0120 Open Operator Station Low Profile. Not Compatible with Code 8876.	258.00
9045		Lighting / Electrical: One Rear Work light RH, H3, 2-Post mounted	99.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9051		ATTACHMENTS - ORDER AS DESIREDContinued Two Front Work Lights, H3, Fender mounted Not Compatible with Code 0120 Orchard version Operator Station.	198.00
9055		Corner Lights	302.00
9115		Back-Up Alarm	487.00
9145		Power Outlet Socket, 3 Terminals	63.00
8840		Front Axle: Fixed Front Fenders (For 2WD axle) Not Compatible with Code 0250 MFWD axle. Not Compatible with Code 4308 (13.6-28) Tires when used with Front Loader.	342.00
8841		Rigid Front Fenders (MFWD) Not Compatible with Code 0200 2WD axle. Not Compatible with Code 4308 (13.6-28) Tires when used with Front Loader.	534.00
8842		Turnable Front Fenders (MFWD) Not compatible with Code 0200 2WD axle. Not compatible with Code 4308 (13.6-28) Tires when used with Front Loader. Not compatible with Loaders.	800.00
8763		Rear Hitch and Drawbar: Stabilizers, RH and LH Not Compatible with Code 9442.	550.00
8764		Automatic Stabilizer Bar, LH with Retainer Not Compatible with Code 9442.	1,008.00
9060		Increased Lift Capacity, Max Total Cap 7231 (3280 kg) Requires Code 0250.	691.00
9086		No Rockshaft; No Draft links; No Sway control	-1,838.00
9225		Draft Control Components Not Compatible with Code 9086.	601.00
9441		Drawbar, Standard Swinging, with Hammerstrap	257.00
9442		Drawbar, High Clearance with Sway Chains and Hammerstrap	257.00
9465		Hitch Ball Category 2 Requires Code 9485.	13.00
9480		Right-hand Telescopic Draft Link / Cat II	257.00
9485		Draft Links with Hooks	349.00

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
9303		Hydraulics: Third SCV Deluxe (2 Detents - 201 Series) with Standard Couplers Requires Code 7281. 3-SCVs with Power Beyond for Loader Prep and Power Beyond are not a compatible configuration with the Pressure Compensated Hydraulic System. If this combination is required, it is recommended to order Pressure & Flow Compensated Hydraulics (Code 7282) which can accommodate, 4-SCVs, Power Beyond for Loader Prep and Power Beyond.	1,139.00
9304		Third SCV Standard (2-Detents - 200 Series) with Deluxe Couplers Requires Code 7282.	1,009.00
9306		Third SCV Deluxe (3-Detents - 300 Series) with Deluxe Couplers Requires Code 7282.	1,302.00
9340		Power Beyond	127.00
		Engine:	
8775		Front Auxiliary Drive (Crankshaft Pulley without Drive Shaft)	582.00
9020		Cold Weather Package I Includes Heavy-Duty Battery (1230 CCA, 154 Amp Hrs) Engine Coolant Heater (110v).	306.00
9025		Fuel Heating System (12V)	151.00
8780		Miscellaneous 'JD Industrial Yellow' Paint Finish	1,402.00
8781		'Community Orange' Paint Finish	1,402.00
8850		Toolbox	78.00
8910		Heavy Duty Rear Wheel Brakes	118.00
9002		Heavy Duty PTO Bearing	308.00
		Loader Packages: Loader READY Package Includes: Mid-Mount Valve & Joystick, Loader Mounting Frame and Hood Guard. Tool Box Mounting Bracket included on Loader Frame. Loader PREPARATION Package Includes: Mid-Mount Valve & Mechanical Joystick.	
8810		2-Function Mechanical Independent Control Valve Loader PREPARATION Package Includes: Two Function Mid-Mounted Control Valve with Mechanical Joystick Control Not compatible with Code 8842. Not compatible with Code 0120 Orchard Package (Floor Mounted Joystick Interference).	1,441.00
894A		2-Function Mechanical Independent Control Valve Loader READY Package Not compatible with Code 8841.	4,375.00

CODE	ATTACHMEN'	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
9520		Rear Axle Weight Packages: One Set Rear Wheel Weights 170 lb (77 kg) For 28 Inch wheel and larger. Requires Code 7152 (Flanged Rear Axle).	385.00
9521		Two Set Rear Wheel Weights 340 lb (154 kg) For 28 Inch wheel and larger. Requires Code 7152 (Flanged Rear Axle).	766.00
9522		Three Set Rear Wheel Weights 510 lb (231 kg) For 28 Inch wheel and larger. Requires Code 7152 (Flanged Rear Axle).	1,151.00
9525		One Set Rear Wheel Weights 242 lb (110 kg) For 34 - 38 Inch wheel. Requires Code 7152 (Flanged Rear Axle).	545.00
9526		Two Set Rear Wheel Weights 485 lb (220 kg) For 34 - 38 Inch wheel. Requires Code 7152 (Flanged Rear Axle).	1,090.00
9550		Tire Preference / Special Handling Codes: Protection for Overseas Shipment	54.00
9608		French Operator's Manual	No Charge
9660		Spanish Operator's Manual	No Charge
9901		Tire Brand Firestone	400.00
9903		Tire Brand Goodyear	400.00
9905		Tire Brand Continental	400.00
9988		No Specific Tire brand	No Charge
8770		Quick-Tatch Front-end Weight Packages: Front Weight Support 70kg (for up to 14 front weights)	271.00
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm)	See Parts
	AL174696	Electrical: Battery Cut-Off Switch (4 Cyl.)	604.00
	AL174697	Battery Cut-Off Switch (6 Cyl.)	604.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL173200	Engine: Cold Weather Starting Package - 110 Volt Includes Coolant Heater, Transmission Heater, Charge Pump Heater and Mounting Parts. Compatible only with Code 7282 (Optional 29 gpm Pressure and Flow Compensating Hydraulic Pump).	469.00
	AL173967	Engine Coolant Heater (110V) Engine Coolant Heater is included in Cold Weather Starting Packages. Compatible with 6020 and 6030 Series.	82.00
	AL173596	Engine Ventilation with Oil Separator Kit Engine oil separator re-extracts the oil particles from the crankcase ventilation system for return back into the engine oil sump.	428.00
	AL158520	Fuel Pre-Heater Kit	148.00
		Fenders:	
	AL180215	2WD Front Fenders Not compatible with 563 or 673 Loader.	601.00
	AL165335	Fender Stop Panel For Models with Turnable MFWD Fenders.	411.00
	AL180095	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	668.00
	AL180097	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	677.00
	AL180099	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	686.00
	AL180101	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	716.00
	AL180103	MFWD Front Fenders, Fixed, 24.4 In. (620 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	725.00
	AL180098	MFWD Front Fenders, Turnable, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180100	MFWD Front Fenders, Turnable, 18.9 ln. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180102	MFWD Front Fenders, Turnable, 21.3 ln. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL156243	Guards: Guard, Fuel Tank Bottom, 48 Gal. (185L) Compatible with 42.3 (160 L), 43.6 (165 L) and 48 (185 L) Gallon Fuel Tanks.	175.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL204901	Hitch and Drawbar: Draft Link, Telescoping (Qty. 2)	1,137.00
	AL116748	Draft Sensing Control Kit Requires Right Hand Console Panel L115370 (for OOS), order through Service Parts.	601.00
	AL81724	Drawbar Drop-Down Kit Lowers the height of Drawbar by approximately 3 Inches.	397.00
	AL80054	Drawbar, Swinging with Hammerstrap	707.00
	AL180493	Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170. For 6030 and 7030 Cab and OOS Tractors only.	87.00
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	AL206324	Stabilizer Bar, Automatic (Qty. 1) and Standard Economy Stabilizer Bar (Qty. 1) <i>Not compatible with 7330.</i> Contains attaching parts.	608.00
	AL117961	Stabilizer Bar, Mechanical (One) with Attaching Parts May be used with either RH or LH.	298.00
	AL82925	Stabilizer Sway Chains	320.00
	AL78129	Support, Load Control Shaft Secured to the steel frame without left and right hand bore holes. Protects the banding bar from shock loads under extreme draft work. Permits shock loads to be transferred from the lift arms directly to the frame. Not compatible with Code 7330.	See Parts
	RE228000	Hydraulics: Hydraulic Motor Case Drain Allows coupling of the oil return line of a hydraulic motor into a pressure-free circuit. Recommended for usage with Hydraulic Motors that are susceptible to damage if return Coupler flow checks.	174.00
	AL207614	Independent Control Valve, Mechanical (M-ICV), 2 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,056.00
	AL180376	Joystick, Mechanical 2 Function, 3rd & 4th Position, Non-Shiftable Controls Rear SCVs in the #3 & #4 positions. Compatible with OOS equipped with PFC Hydraulic System.	423.00
	AL180385	Joystick, Mechanical 2 Function, Non-Shiftable Controls Rear SCVs in the #3 & #4 positions. Compatible with Mid Spec Cab & OOS equipped with PC Hydraulic System.	423.00
	AL180659	Joystick, Mechanical 2 Function, Non-Shiftable Requires Hydraulic Lines (BL15002 OR BL15003) and Mechanical Independent Control Valve (AL204116). Not compatible with Low Profile Open Station Models.	631.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL180660	ATTACHMENTS FOR FIELD CONVERSIONContinued Joystick, Mechanical 2 Function, Non-Shiftable Requires Hydraulic Lines (BL15002 OR BL15003) and Mechanical Independent Control Valve (AL204116). Compatible with Low Profile Open Station Models.	629.00
	BL15002	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (2) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	BL15003	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (3) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	AL207607	Mechanical Deluxe Select Control Valve 100 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	504.00
	AL204102	Mechanical Deluxe Select Control Valve 200 Series (2-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	651.00
	AL207609	Mechanical Deluxe Select Control Valve 200 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	675.00
	AL205078	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL207613	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL180373	Position Kit, Position #1, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL180372	Position Kit, Position #1, Mechanical SCVs for PFC Hydraulics (OOS Tractors) For Pressure & Flow Compensated Hydraulic Systems only.	244.00
	AL180375	Position Kit, Position #3, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL180374	Position Kit, Position #3, Mechanical SCVs for PFC Hydraulics (OOS Tractors) For Pressure & Flow Compensated Hydraulic Systems only.	244.00
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	237.00
	AL176299	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Tractors Kit contains three Female Couplers and Dust Shields. Connects Pressure, Return and Load Sense Hoses from Implement to Tractor. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176808) 1/2-In. (12.5 mm) for Implement End.	237.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL173904	ATTACHMENTS FOR FIELD CONVERSIONContinued Trailer Brakes, Hydraulic For Tractors equipped with PFC Hydraulic System. Requires additional components to complete installation. See installation instructions.	471.00
	AL180827	Trailer Brakes, Hydraulic For Tractors equipped with PC Hydraulic System. Requires additional components to complete installation. See installation instructions.	495.00
	AL169602	Valve, Shut Off, Electrically Actuated, Loader Boom	625.00
	AL174686	Valve, Shut Off, Electrically Actuated, Loader Mast	421.00
	AL178998	Lighting: Fender Mounted Work Lights (LH and RH), Front Facing Open Operator Station only.	212.00
	AL79915	Work Light, (1) Rear Facing, LH or RH Open Operator Station only.	106.00
	AL202564	Work Lights, H3 Front Corner Mounted in the grill with the headlights.	289.00
	AT173678	Operator Environment: 3 Inch Seat Belt	See Parts
	AL203919	3-Terminal Socket	72.00
	AR201256	Canopy for Roll-Gard Requires Wiring Harness Adapter (AL160408), order through Parts.	1,289.00
	AL179255	Seat, Comfort Seat MSG83 Seat is mechanical suspended. Features include manual weight adjustment and backrest angle adjustment.	705.00
	AL179257	Seat, Comfort Seat MSG85 Mechanically suspended. Features include horizontal suspension, manual weight adjustment, mechanical lumbar support, and backrest angle adjustment.	1,295.00
	AL174141	Step Mud Guard For Tractors without suspended cab.	108.00
	AL116924	Steps (2), RH with Handle Quantity of one.	315.00
	AL181336	Steps (2), RH with Handle For Low Profile Tractors. Quantity of one.	326.00
	AL160984	PTO/Front Auxiliary Drive: Front Auxiliary Drive (Crankshaft pulley without Drive Shaft) Compatible with Tier 2 and Tier 3 Engines produced after S/N 354700.	614.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	. ,
	AL158728	Transmission: Back-up Alarm for SyncroPlus, PowrQuad PLUS and AutoQuad Transmissions	496.00
	AL173294	Creeper Field Kit for 16F/16R SyncroPlus Transmission with Left Hand Power Reverser Additional parts are required to complete installation -see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	3,130.00
	AL173292	Creeper Field Kit for SyncroPlus 12F/4R Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	3,130.00
	AL173291	Creeper Kit for 16F/16R PowrQuad PLUS 4-Range (19 mph/30 kmh) Transmission (EPQT) Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	2,627.00
	AL173288	Creeper Kit for 24F/24R PowrQuad Plus or AutoQuad 6-Range (25 mph/40 kmh) Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	2,627.00
	AL180063	Creeper, Control Kit Required to complete Creeper installation.	476.00
	AL113087	Vandal Protection: Lockable Fuel Tank Cap	See Parts
	AL110170	Lockable Transmission Oil Filler Cap	132.00
	AL175117	Vandal Protection Field Kit Kit contains Hood and Side Shield Locks. Lockable Fuel Tank Cap. Lockable Transmission Oil Filler Neck.	562.00
		Weights: Please Refer to the Agricultural Sales Manual for Rear Wheel Weight Compatibility Information. Before ordering, verify Axle type (Flange or R&P). For Flange Axles, verify Bolt Circle Diameter (BCD). Weights and Supports do not include Installation Hardware.	
	RE300838	Front Weight Support, 132 Lb. (60 Kg) 21 In. (535 mm) Wide Holds 14 weights.	391.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	T21689	Weight, Rear Wheel, 107 Lb.	209.00
	R61524	Weight, Rear Wheel, 135 Lb.	287.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RFR61524	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Rear Wheel, 1620 Lb. (12-R61524)	2,896.00
	RFT21689	Weight, Rear Wheel, 1760 Lb. (16-T21689)	3,000.00
	AR112536	Weight, Rear Wheel, 440 Lb. (4-R56920) Requires Steel Wheels.	937.00
	APY10029	Weight, Rear Wheel, 480 Lb. (4-L28228)	1,090.00
	L157909	Wheel Equipment: Tie Rod Extension - 2WD Axle (Increase Width 204 mm Per Side) Order 1 Per Side.	See Parts
	AL156778	Wheel Spacers, MFWD, 2.36 In. (60 mm) with Hardware (Qty 2) Increased Tread Setting from 2016 mm to 2134 mm. 8 Bolt Patterns (275 mm diameter).	575.00
	AL156779	Wheel Spacers, Rear, 1.73 In. (44 mm) with Hardware (Qty 2)	470.00
	AL156777	Wheel Spacers, Rear, 4.37 In. (111 mm) with Hardware (Qty 2)	597.00

G330 Open Operator Station Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

6330 Cab Tractor

Equipment for Base Machine

ENGINE:

105 Engine HP (77 kW) [97/68 EC] @ 2300 RPM 85 PTO Horsepower (63 kW) @ 2300 RPM 4 Cylinders, John Deere PowerTech E 4.5 Liter (276 Cu. In.) Displacement, Tier 3 Emissions Level 2300 Rated Engine Speed High Pressure Common Rail Turbocharged Dual Temperature Cooling System Dry Type Air Cleaner with Safety Element and PreCleaner Underhood Muffler with Vertical Exhaust

TRANSMISSION:

12 Forward/4 Reverse SyncroPlus Transmission 19 mph (30km/h) Wet Multi-Disk Clutch Park Lock Neutral Safety Start System

43.6 Gal (165 L) Fuel Tank Capacity

STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering Dual Stage Disk Brakes Rear Axle Differential Lock

HYDRAULICS:

Load Sensing Constant Flow Pressure Compensated (PC) System 21.1 GPM (81 L/min) Pump Flow at 2300 RPM 1 SCV; Mechanical; ISO Couplers

REAR PTO:

540 RPM, Independent Rear PTO, and PTO Master Shield Electrohydraulic Wet Multi-Disk Clutch Neutral Start Safety System Seat Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR: Electronic Hitch Category 2, 3-Point Hitch Electrohydraulic Hitch Control One Rear Fender Hitch Control 4450 Lb. Lift Capacity LH Telescopic Draft Link Left Hand Stabilizer Bar Category 2 Swinging Drawbar

INSTRUMENTATION: Tachometer Speedometer Hour Meter

Fuel Gauge Engine Oil Pressure Indicator Light

Coolant Temperature

PTO Engagement Engine Air Filter Restriction Indicator Alternator Indicator Light Directional Indicators Hazard Switch

CAB OPERATOR STATION: ComfortGard Cab with Air Conditioning and Heater Two Doors Front Windshield Wiper Mechanical Suspension Seat with Armrests and Seat Belt Tilt/Telescopic Steering Column Right-hand Operational Controls Floor Mat Foot Throttle Control Power Outlet Pre-Radio Wiring and Speaker Package Overhead Courtesy Light

ELECTRICAL: Kev Shutoff 12-Volt Electrical System One 12-Volt Battery, 830 Cold Cranking Amps 90 Amp Alternator 7 Terminal ASAE Outlet Socket

LIGHTS:

Rear View Mirror

Two Front Grille Headlights Two Front Roof Lights One Rear Roof/ROPS Light Flashing Warning Lights
Two Rear Fender Tail Lights with Brake Lights

FRONT AXLE WHEELS AND TIRES: MFWD Steel Wheels Electrohydraulic MFWD Engagement, Right-hand Console 14.9R24 In. Radial Tires

REAR AXLE WHEELS AND TIRES: Flanged Axle Eight Position Steel Wheels 18.4R34 In. Radial Rear Tires

MISCELLANEOUS:

Operator's Manual (English) and Holder

ATTACHMENT CODE IDENTIFIER

DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Port of Entry

6330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
3122R		BASE MACHINEContinued 6330 Cab Tractor	70,352.00
		VALUE PACKAGE CONFIGURATIONS	. 5,552-155
0600		No Package	In Base Price
0606		Cab MFWD SyncroPlus w/ LHR Flanged Mechanical Seat Value Package Standard Cab, MFWD, SyncroPlus 16F/16R with Left Hand Reverser (19 mph / 30 km/h), 540/1000 Rear PTO, Flanged Rear Axle, Mechanical Seat. Codes: 0150, 0250, 7010, 7102, 7152, 7611.	-287.00
0607		Competitive Package - Cab MFWD PQ Plus w/ LHR Flanged Air Seat Value Package Standard Cab, MFWD, PowrQuad Plus 16F/16R with Left Hand Reverser (19 mph / 30 km/h), 540/1000 Rear PTO, Flanged Rear Axle, Air Seat. Codes: 0150, 0250, 7073, 7102, 7152, 7662.	-575.00
0609		Cab 2WD SyncroPlus w/ LHR Flanged Mechanical Seat Value Package Standard Cab, 2WD, SyncroPlus 16F/16R with Left Hand Reverser (19 mph / 30km/h), 540/1000 Rear PTO, Flanged Rear Axle, Mechanical Seat. Codes: 0150, 0200, 7010, 7102, 7152, 7611.	-287.00
0610		Cab 2WD PQ Plus w/ LHR Flanged Air Seat Value Package Standard Cab, 2WD, PowrQuad Plus 16F/16R with Left Hand Reverser (19 mph / 30km/h), 540/1000 Rear PTO, Flanged Rear Axle, Air Seat. Codes: 0150, 0200, 7073, 7102, 7152, 7662.	-287.00
0637		Cab MFWD PQ Plus w/ LHR Rack and Pinion Air Seat Value Package Standard Cab, MFWD, PowrQuad Plus 16F/16R with Left Hand Reverser (19 mph / 30 km/h), 540/1000 Rear PTO, Rack and Pinion Rear Axle, Air Seat. Codes: 0150, 0250, 7073, 7102, 7153, 7662.	-287.00
0643		Cab MFWD PQ Plus w/ LHR Flanged Air Seat Value Package Standard Cab, MFWD, PowrQuad Plus 24F/24R with Left Hand Reverser (25 mph / 40 km/h), 540/1000 Rear PTO, Flanged Rear Axle, Air Seat. Codes: 0150, 0250, 7072, 7102, 7152, 7662.	-460.00
		OPERATOR STATION	
0150		Standard Cab	In Base Price
0175		Low Clearance Cab Not compatible with Codes 7000 or 7010. Contains 29 gpm Pressure and Flow Hydraulic System as Base Equipment.	12,665.00
		FRONT AXLES	
0200		Adjustable 2WD Front Axle (59.1-74 In.)	-8,073.00
0250		MFWD Front Axle with Limited Slip Differential	In Base Price
		SINGLE REAR WHEELS AND TIRES	
1021		21.5L-16.1 In. 6PR R3 Bias Only with Code 0175 (Low Clearance Cab). Use of these tires reduces ground clearance to less than eight inches. For 2WD: Requires Codes 4747 and 7151. For MFWD: Requires Codes 4021 and 7151. Not compatible with 25 mph (40kmh) transmissions or Code 8840. Available in Firestone Turf and Field only.	-2,520.00

6330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SINGLE REAR WHEELS AND TIRES Continued	
1029		21.5L-16.1 ln. 6PR 12 Bias Only with Code 0175 (Low Clearance Cab). Use of these tires reduces ground clearance to less than eight inches. For 2WD: Requires Codes 4747 and 7151. For MFWD: Requires Codes 4021 and 7151. Not compatible with 25 mph (40kmh) transmissions or Code 8840. Available in Goodyear SoftTrac II only.	-2,256.00
1061		16.9-24 In. 6PR R3 Bias Only with Code 0175(Low Clearance Cab). For 2WD: Requires Code 4747, 4802, 4804 or 4853. For MFWD: Requires Code 4042. Not compatible with Code 7154 or 8840. Available in Firestone R3 ANS and Goodyear R3 AWT.	-2,362.00
1067		16.9R24 In. 134A8 R1W Radial (420/85R24 In. 137A8 R1W Radial) Only with Code 0175(Low Clearance Cab). For 2WD: Requires Code 4747, 4802, 4804 or 4853. For MFWD: Requires Code 4042. Not compatible with Code 7154 or 8840. Available in Firestone F6000 and Goodyear DT 806.	-1,116.00
1081		18.4-26 In. 6PR R3 Bias For 2WD: Requires Code 4747, 4802 or 4804. For MFWD: Requires Code 4042. Not compatible with Code 7154 or 8840. Not compatible with Codes 4822 or 4824 as 11L16 tire requires 6-bolt disk. Available in Firestone ANS only.	-1,928.00
1087		18.4R26 In. 140A8 R1W Radial Only with Code 0175(Low Clearance Cab). For 2WD: Requires Code 4747, 4802 or 4804. For MFWD: Requires Code 4133. Not compatible with Code 7154 or 8840. Not compatible with Codes 4822 or 4824 as 11L16 tire requires 6-bolt disk. Available in Goodyear DT 806 only.	-1,262.00
1107		16.9R30 In. 137A8 R1W Radial (420/85R30 In. 137A8 R1W Radial) Only with Code 0175(Low Clearance Cab). For 2WD: Requires Code 4703, 4802 or 4804. For MFWD: Requires Code 4149. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	-366.00
1127		18.4R30 In. 142A8 R1W Radial (460/85R30 In. 145A8 R1W Radial) For 2WD: Requires Code 4703, 4782 4802, 4804, 4822 or 4824. For MFWD: Requires Code 4149. Available in Continental AC85, Firestone Performer 85, Goodyear DT 806.	-286.00
1207		16.9R34 In. 139A8 R1W Radial (420/85R34 In. 139A8 R1W Radial) For 2WD: Requires Code 4703, 4782, 4802, 4804, 4822 or 4824. For MFWD: Requires Code 4168. Available in Goodyear DT 806 only.	-320.00
1288		18.4R34 In. 144A8 R1W Radial (460/85R34 In. 147A8 R1W Radial) For 2WD: Requires Code 4782. For MFWD: Requires Code 4149, 4168, or 4249. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	In Base Price

6330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SINGLE REAR WHEELS AND TIRESContinued	
1264		320/90R42 In. 139A8 R1W Radial For 2WD: Requires Code 4782. For MFWD: Requires Code 4229 and Code 7153. Not compatible with Code 7152 or 7154. Available in Firestone F9000 and Goodyear DT 806 only.	548.00
1425		18.4R38 In. 149A8 R1W Radial (460/85R38 In. 149A8 R1W Radial) For 2WD: Requires Code 4782. For MFWD: Requires Code 4249 or 4308. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	638.00
1563		13.6-46 In. 6PR R2 Bias For 2WD: Requires Code 4721 and 7152. For MFWD: Requires Codes 4603 and 7152. Available in Firestone CSG (Champion Spade Grip).	780.00
1863		480/80R34/TL/R4/159D Requires code 4793. Available in Nokian.	1,206.00
1873		480/80R38/TL/R4/161D Requires code 4813. Available in Nokian.	3,120.00
		FRONT WHEELS AND TIRES	
4703		For Code 0200 (2WD): 7.50-18 In. 8PR F2 Bias Requires Code 0200. Available in Firestone F2 4-Rib only. Standard Load Capacity 4158 Lbs.	-2,356.00
4721		7.50-20 In. 8PR F2 Bias Only with Code 0150. Requires Code 0200. Available in Goodyear Super Rib only. Standard Load Capacity 4620 Lbs.	-2,130.00
4853		9.5L-15 In. 8PR F2 Bias Requires Code 0200. Available in Firestone F2 Champion Guide Grip only. Standard Load Capacity 3740 Lbs.	-2,482.00
4747		27/9.5-15 In. 6PR I1 Terra Bias Requires Code 0200. Available in Goodyear Terra Rib only. Standard Load Capacity 3559 Lbs.	-2,506.00
4782		10.00-16 In. 10PR F2 Bias Requires Code 0200. Available in Goodyear F2 Super Rib and Firestone F2 only. Standard Load Capacity 5830 Lbs.	-2,100.00

6330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
4802		FRONT WHEELS AND TIRESContinued 11L-15 In. 8PR F2 Bias Requires Code 0200. Available in Firestone Champion Guide Grip only. Standard Load Capacity 3806 Lbs.	-2,460.00
4804		11L-15 In. 8PR F3 Bias Requires Code 0200. Available in Goodyear F3 Laborer and Firestone F3 Industrial Special only. Standard Load Capacity 4708 Lbs.	-2,438.00
4822		11L-16 In. 8PR F3 Bias Requires Code 0200. Available in Goodyear F3 Laborer only. Standard Load Capacity 4400 Lbs.	-2,278.00
4824		11L-16 In. 12PR F3 Bias Requires Code 0200. Available in Goodyear F3 Laborer and Firestone F3 Industrial Special only. Standard Load Capacity 5500 Lbs.	-2,234.00
4021		For Code 0250 (MFWD): 280/70R16 In. 112A8 R1W Radial Requires Code 0175. Available as Goodyear DT812 Radial only.	-1,900.00
4042		10.5/80-18 In. 10PR I3 Bias <i>Available with Code 0175.</i>	-1,902.00
4133		11.2R24 In. 114A8 R1W Radial (280/85R24 In. 115A8 R1W Radial) Requires Code 0175. Available as Goodyear DT 806.	-1,084.00
4149		12.4R24 In. 119A8 R1W Radial (320/85R24 In. 122A8 R1W Radial) Available in Continental AC85, Firestone F6000, Goodyear DT 806.	-704.00
4168		13.6R24 In. 128A8 R1W Radial Available in Goodyear DT 806 only.	-138.00
4229		12.4R28 In. 121A8 R1W Radial (320/85R28 In. 124A8 R1W Radial) Available in Continental AC85, Firestone F6000, Goodyear DT 806.	-294.00
4249		14.9R24 In. 126A8 R1W Radial (380/85R24 In. 131A8 R1W Radial) Available in Continental AC85, Firestone F6000, Goodyear DT 806.	In Base Price
4308		13.6R28 In. 123A8 R1W Radial (340/85R28 In. 127A8 R1W Radial) Available in Continental AC85, Firestone F6000, Goodyear DT 806.	-12.00
4603		13.6-38 ln. 6PR R2 Bias Available in Firestone only.	-86.00
4793		400/80R24/TL/R4 144D Available in Nokian.	826.00

6330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
4813		FRONT WHEELS AND TIRESContinued 440/80R24/TL/R4 149D Available in Nokian.	1,388.00
		TRANSMISSION	
		Transmissions WITHOUT Factory Installed Creepers.	
7000		SyncroPlus 12F/4R Transmission (19 mph/30 kmh) Not compatible with Code 0175.	In Base Price
7010		SyncroPlus 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh) <i>Not compatible with Code 0175.</i>	1,953.00
7073		PowrQuad PLUS 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh)	3,888.00
7072		PowrQuad PLUS 24F/24R Transmission with Left Hand Power Reverser (25 mph/40 kmh) Requires Code 0250.	5,631.00
7020		CREEPER Transmissions SyncroPlus 12F/4R Transmission (19 mph/30 kmh) with Creeper	2,439.00
7015		SyncroPlus 16F/16R Left Hand Mechanical Reverser Transmission (19 mph/30 kmh) with Creeper	4,370.00
7078		PowrQuad PLUS 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh) with Creeper	6,304.00
7077		PowrQuad PLUS 24F/24R Transmission with Left Hand Power Reverser (25 mph/40 kmh) with Creeper Requires Code 0250.	8,046.00
		POWER TAKE-OFF SHAFT	
7101		Rear Independent 540 RPM PTO	In Base Price
7102		Rear Independent 540/1000 RPM PTO	723.00
		REAR AXLES AND WHEELS	
7151		Flanged Axle, 2-Position Steel Wheel Requires Code 0175 AND 1021 or 1029.	-42.00
7152		Flanged Axle, 8 Position Steel Wheels	In Base Price
7153		Rack and Pinion Axle 3.1 In. (78.74 mm) Diameter by 100.6 In. Length 2-Pos. Steel Wheels Requires Code 1264, 1425 or 1563.	1,190.00
7154		Rack & Pinion Axle 2-Pos. Cast Wheels 3.1 In. (78.74 mm) diameter by 100.6 In. Length. Requires Code 1107, 1127, 1207, 1288 or 1425.	1,357.00
		EXHAUST	

6330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
7452		EXHAUSTContinued Vertical Exhaust with Underhood Muffler	In Base Price
7453		Deluxe Cab Corner Post Exhaust with Underhood Muffler	872.00
7451		Horizontal Downswept Exhaust with Underhood Muffler	89.00
		SEAT	
7611		Super Comfort Seat (MSG 83) with Mechanical Suspension, 3-In. Seat Cushion Arm Rest, Seat Adjustment Side Rails, Retractable Seatbelt, Operator Presence Switch.	In Base Price
7662		Super Comfort Seat (MSG 95) with Air Suspension, 3-In. Seat Cushion Horizontal Suspension, Backrest Adjustment, Armrest, Mechanical Lumbar Support, Side Rails, Swivel (15 Deg. Left/15 Deg. Right), Operator Presence Switch, Retractable Seat Belt, Operator's Manual Holder.	896.00
		ATTACHMENTS - ORDER AS DESIRED	
8830		ComfortGard Cab Options: Vandal Protection Package Includes Lockable Fuel Cap, Lockable Transmission Oil Fill, Lockable Hood and Engine Side Panels.	319.00
8871		Fuel Tank, 30 Gallon (116L) Not with Code 0175 (Low Clearance Cab).	190.00
8872		Fuel Tank, 48.8 Gallon (185L) Not with Code 0175 (Low Clearance Cab).	320.00
8875		Fuel Tank Guard, Bottom	388.00
8876		Fuel Tank Guard, Front & Bottom Not with Code 0175 (Low Clearance Cab) or Codes 8941 or 8942. Requires Code 8871 (30 gallon high clearance tank).	395.00
9076		Ash Tray with Cigarette Lighter	21.00
9207		Telescopic Rear View Mirrors (2) - Manually Adjustable Not with Code 0175 (Low Clearance Cab).	294.00
9102		Rear Windshield Wiper with Front & Rear Washer Included in Code 0175 (Low Clearance Cab).	493.00
9140		Single Interface Outlet (7-Pin) Located on Rear RH Corner-post.	87.00
9212		Sun Visor Not with Code 0175 (Low Clearance Cab).	80.00
9214		Additional Storage Compartment (LH upper corner inner roof) Not with Code 0175 (Low Clearance Cab).	69.00
9216		Bottle Holder Floor Mounted.	33.00

6330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9218		ATTACHMENTS - ORDER AS DESIREDContinued Cup Holder Mounts to Right Hand A-post.	37.00
9220		Field Office / Storage Tray / 3-Pin Power Outlet	312.00
9232		Instructional Seat with Seat Belt The instructional seat has been approved only for training operators or diagnosing machine problems. Keep all other riders off the tractor and equipment. Always wear your seat belt. Not with Code 0175 (Low Clearance Cab).	551.00
9246		Roof Hatch with Glass Not with Code 0175 (Low Clearance Cab), 9214, 8941 or 8942.	560.00
9041		Lighting / Electrical: One Rear Worklight LH, H-3 Not with Code 0175 (Low Clearance Cab).	118.00
9055		Corner Lights, Front	302.00
9070		Lights, High/Low Beam, H-4, Belt Line Mounted Not with Code 0175 (Low Clearance Cab), 8941 or 8942.	477.00
9080		Rotating Warning Light (Beacon Light) Not with Code 0175 (Low Clearance Cab).	222.00
9115		Back-Up Alarm	487.00
8840		Front Axle: Fixed Front Fenders (2WD) Requires Code 0200, 2WD Axle. Not compatible with Code 4308 (13.6-28) when used with Front Loader.	342.00
8841		Rigid Front Fenders (MFWD) Requires Code 0250, MFWD Axle. Not compatible with Code 4603 (13.6-38 R2 Tire).	534.00
8842		Turnable Front Fenders (MFWD) Requires Code 0250, MFWD Axle. Not compatible with Code 4603 (13.6-38 R2 Tire). Not compatible with Loaders.	800.00
9480		Rear Hitch and Drawbar: Right-hand Telescopic Draft Link	217.00
9225		Draft Control	601.00
9442		Drawbar, High Clearance with Sway Chains and Hammerstrap	257.00
9441		Drawbar, Standard Swinging, with Hammerstrap	257.00
9260		Hydraulics: Second SCV Deluxe (3 Detents - 301 Series) with Standard Couplers Required with Hydraulic Motors.	1,124.00

6330 Cab Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9340		ATTACHMENTS - ORDER AS DESIREDContinued Power Beyond Allows Hydraulic Pump to power implements that have Independent Control Valves.	127.00
9303		Third SCV Standard (2 Detents - 201 Series) with Standard Couplers For a total of 3 SCVs it requires Code 9260 (2nd SCV). 3-SCVs with Power Beyond for Loader Prep and Power Beyond are not a compatible configuration with the Pressure Compensated Hydraulic System. If this combination is required, it is recommended to order the Premium Cab series with P&FC Hydraulics which can accommodate, 4-SCVs, Power Beyond for Loader Prep and Power Beyond.	1,139.00
8775		Engine: Front Auxiliary Drive Preparation (Crankshaft Pulley without Drive Shaft)	591.00
8890		Condensor Screen, Air Conditioning (4 or 6 cylinder engine)	20.00
9020		Cold Weather Package I Includes Heavy-Duty Battery (1230 CCA, 154 Amp Hrs) Engine Coolant Heater (110V).	306.00
9025		Fuel Heating System (12V)	151.00
8770		Miscellaneous: Front Weight Support, 155 lbs. (70kg), Holds up to 14 Front Weights	271.00
8780		'JD Industrial Yellow' Paint Finish	1,402.00
8781		'Community Orange' Paint Finish	1,402.00
8850		Toolbox	78.00
9085		License Plate Bracket with Light Not with Code 0175 (Low Clearance Cab).	36.00
		Loader Packages: Loader READY Package Includes: Mid-Mount Valve and Joystick as specified by code, hydraulic hoses from mid-mount valve to tractor attached multi-coupler half valve (Note: loader component of multi-coupler is ordered with loader boom), Standardized Loader Frame, Hood Guard, H-4 Beltline Mounted High/Low Beam Road Lights and Glass Roof with Hatch. Not Compatible with Code 8842.	
8810		Loader Joystick with 2-Function Midmount Independent Control Valve (M-ICV) Includes: 2-Function Mid-Mounted Control Valve with Mechanical Joystick Control and non-activated PQ+ Shift Buttons.	1,455.00
894A		2-Function Mechanical Independent Control Valve Loader READY Package Activated Gear Shift Buttons on Joystick only available with Codes 7073, 7072 or 7077. Not compatible with Code 8841, 8942, 9070 or 9246.	4,375.00
894B		3-Function Mechanical Independent Control Valve Loader Ready Package Activated Joystick Gear Shift Buttons Requires Transmission Code 7073, 7072 or 7077. Not compatible with Code 8842, 8941, 9070 or 9246.	4,798.00
9550		Tire Preference / Special Handling Codes: Protection for Overseas Shipment	54.00

6330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9608		ATTACHMENTS - ORDER AS DESIREDContinued French Operator's Manual	No Charge
9660		Spanish Operator's Manual	No Charge
9901		Tire Brand, Firestone	400.00
9903		Tire Brand, Goodyear	400.00
9905		Tire Brand, Continental	400.00
9988		No Specific Tire brand	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm)	See Parts
	AL173200	Engine: Cold Weather Starting Package - 110 Volt	469.00
	AL173967	Engine Coolant Heater (110V) Engine Coolant Heater is included in Cold Weather Starting Packages. Compatible with 6020 and 6030 Series.	82.00
	AL173596	Engine Ventilation with Oil Separator Kit Engine oil separator re-extracts the oil particles from the crankcase ventilation system for return back into the engine oil sump.	428.00
	AL158520	Fuel Pre-Heater Kit	148.00
	AL180215	Fenders: 2WD Front Fenders Not compatible with 563 or 673 Loader.	601.00
	AL205783	Conversion Kit from Rigid Front Fenders to Turnable Front Fenders For Front Fenders with Single Arm Support.	1,249.00
	AL174767	Fender Side Extension Dimensions: Length 4.33 In. (110 mm) x Width 0.59 In. (15 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	180.00
	AL174768	Fender Side Extension Dimensions: Length 4.33 In. (110 mm) x Width 2.36 In. (60 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	180.00
	AL174769	Fender Side Extension Dimensions: Length 7.48 In. (190 mm) x Width 0.79 In. (20 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	200.00

6330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL174770	ATTACHMENTS FOR FIELD CONVERSIONContinued Fender Side Extension Dimensions: Length 7.48 In. (190 mm) x Width 2.56 In. (65 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	200.00
	AL165335	Fender Stop Panel For Models with Turnable MFWD Fenders.	411.00
	AL180095	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	668.00
	AL180097	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	677.00
	AL180099	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	686.00
	AL180101	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	716.00
	AL180103	MFWD Front Fenders, Fixed, 24.4 In. (620 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	725.00
	AL180098	MFWD Front Fenders, Turnable, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180100	MFWD Front Fenders, Turnable, 18.9 ln. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180102	MFWD Front Fenders, Turnable, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL159975	Rear Fender Flap for Fender Side Extensions Dimensions: Width 9 In. (229 mm) x Length 24.8 In. (632 mm). Requires Fender Side Extension of 190 x 20 mm. or 190 x 65 mm.	81.00
	AL156243	Guards: Guard, Fuel Tank Bottom, 48 Gal. (185L) Compatible with 42.3 (160 L), 43.6 (165 L) and 48 (185 L) Gallon Fuel Tanks.	175.00
	AL204901	Hitch and Drawbar: Draft Link, Telescoping (Qty. 2)	1,137.00
	AL116748	Draft Sensing Control Kit Requires Right Hand Console Panel L170711 (for Cab), order through Service Parts.	601.00
	AL81724	Drawbar Drop-Down Kit Lowers the height of Drawbar by approximately 3 Inches.	397.00
	AL80054	Drawbar, Swinging with Hammerstrap	707.00

6330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL180493	ATTACHMENTS FOR FIELD CONVERSIONContinued Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170. For 6030 and 7030 Cab and OOS Tractors only.	87.00
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	AL206324	Stabilizer Bar, Automatic (Qty. 1) and Standard Economy Stabilizer Bar (Qty. 1) <i>Not compatible with 7330.</i> Contains attaching parts.	608.00
	AL117961	Stabilizer Bar, Mechanical (One) with Attaching Parts May be used with either RH or LH.	298.00
	AL82925	Stabilizer Sway Chains	320.00
	AL78129	Support, Load Control Shaft Secured to the steel frame without left and right hand bore holes. Protects the banding bar from shock loads under extreme draft work. Permits shock loads to be transferred from the lift arms directly to the frame. Not compatible with Code 7330.	See Parts
	RE228000	Hydraulics: Hydraulic Motor Case Drain Allows coupling of the oil return line of a hydraulic motor into a pressure-free circuit. Recommended for usage with Hydraulic Motors that are susceptible to damage if return Coupler flow checks.	174.00
	AL207614	Independent Control Valve, Mechanical (M-ICV), 2 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,056.00
	AL207615	Independent Control Valve, Mechanical (M-ICV), 3 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,628.00
	AL180385	Joystick, Mechanical 2 Function, Non-Shiftable Controls Rear SCVs in the #3 & #4 positions. Compatible with Mid Spec Cab & OOS equipped with PC Hydraulic System.	423.00
	AL180657	Joystick, Mechanical 2 Function, Non-Shiftable Requires Hydraulic Lines (BL15002 OR BL15003) and Mechanical Independent Control Valve (AL204116).	637.00
	AL180658	Joystick, Mechanical 3 Function, Non-Shiftable Requires Hydraulic Lines (BL15002 OR BL15003) and Mechanical Independent Control Valve (AL204117).	965.00
	BL15002	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (2) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	BL15003	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (3) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	AL207607	Mechanical Deluxe Select Control Valve 100 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	504.00

6330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL204102	ATTACHMENTS FOR FIELD CONVERSIONContinued Mechanical Deluxe Select Control Valve 200 Series (2-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	651.00
	AL207609	Mechanical Deluxe Select Control Valve 200 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	675.00
	AL205078	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL207613	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL180373	Position Kit, Position #1, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL180375	Position Kit, Position #3, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	237.00
	AL176299	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Tractors Kit contains three Female Couplers and Dust Shields. Connects Pressure, Return and Load Sense Hoses from Implement to Tractor. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176808) 1/2-In. (12.5 mm) for Implement End.	237.00
	AL180827	Trailer Brakes, Hydraulic For Tractors equipped with PC Hydraulic System. Requires additional components to complete installation. See installation instructions.	495.00
	AL169602	Valve, Shut Off, Electrically Actuated, Loader Boom	625.00
	AL174686	Valve, Shut Off, Electrically Actuated, Loader Mast	421.00
	AL181123	Lighting: Beacon Light Switch Required to operate Beacon Light (AL111705).	See Parts
	AL111705	Beacon Light for Cab Requires Switch (AL181123).	219.00
	AL201586	Extremity Lights Preparation Kit See Parts Catalog and MHM 873 Installation Instructions for additional components.	922.00
	AL179968	Headlights, H4 (2) High/Low Beam Forward Facing	372.00

6330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL164391	ATTACHMENTS FOR FIELD CONVERSIONContinued Work Light, (2) Rear Facing, LH & RH, Fender Mounted Compatible with Mid Spec Tractors (S/N - 606378) and below.	213.00
	AL179973	Work Light, H3 (1) Rear Facing, Fender Mounted, LH or RH	157.00
	AL179974	Work Lights, H3 (55 Watt) (2) Belt Line	403.00
	AL179970	Work Lights, H3 (55 Watt) (2), Cab Roof Mounted, Front, LH and RH Not compatible on Tractors which already have 2 work lights factory installed.	198.00
	AL179971	Work Lights, H3 (55 Watt) (2), Cab Roof Mounted, Rear, LH and RH	198.00
	AL179972	Work Lights, H3 (55 Watt) (2), Fender Mounted, Rear, LH and RH Compatible with Mid Spec Tractors (S/N - 606379) and above.	195.00
	AL202564	Work Lights, H3 Front Corner Mounted in the grill with the headlights.	289.00
	AT173678	Operator Environment: 3 Inch Seat Belt	See Parts
	AL203919	3-Terminal Socket	72.00
	RE67015	3-Way Convenience Adapter for Power Strip	See Parts
	AL207711	Antenna Kit	453.00
	AL177152	Antenna Kit, Hidden Includes Antenna (AL176845).	460.00
	AL164673	Ash Tray	See Parts
	AL112070	Beverage Cooler Box Portable, non-electrical. Mounts on the floor in the front right of the cab.	130.00
	AL156731	Bottle Holder, Floor Mounted, Left Side	35.00
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	AL173370	Cigarette Lighter	See Parts
	AL163826	Cup Holder, Right-Hand A-Post Mounted	41.00
	AL178985	Field Office without Beverage Holder Compatible with Instructional Seat.	217.00
	AL158986	Filter Kit, Carbon, with LH and RH Fresh Air and Recirculation	See Parts
	AL173569	Instructional Seat with Seat Belt	545.00
	AL151224	Mirror, Inside Rear Mounts behind operator's right shoulder - provides increased Drawbar Visibility.	145.00
	AL80126	Mirror, Telescopic, LH, Manually Adjustable	149.00

6330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL80127	ATTACHMENTS FOR FIELD CONVERSIONContinued Mirror, Telescopic, RH, Manually Adjustable	149.00
	AL158785	Power Strip with Six Outlets Requires Bracket (AL117211). Also available through Parts.	See Parts
	RE289848	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband Includes audio input jack for MP3 compatible devices.	434.00
	RE289852	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband Includes audio input jack for MP3 compativle devices.	849.00
	AL174234	Seat Telescopic Backrest Extension	135.00
	AL179256	Seat, Comfort Seat MSG93 Air suspended with operator presence switch. Features include weight adjustment, mechanical lumbar support, and backrest angle adjustment.	1,535.00
	AL175598	Seat, Super Air Comfort Seat MSG95 For Tractors not equipped with CommandARM. Air suspended with operator presence switch. Features include automatic weight adjustment, mechanical lumbar support, backrest angle adjustment, and 15 degrees of swivel.	1,709.00
	AL175599	Seat, Super Comfort Seat MSG85 For Tractors not equipped with CommandARM. Mechanically suspended.	1,220.00
	AL175596	Seat, Super Deluxe Air Comfort Seat MSG95 For Tractors equipped with CommandARM. Low frequency air suspension with operator presence switch. Features include active carbon layer, seat heating, lateral suspension, automatic weight adjustment, air lumbar support, adjustable seat depth and incline, telescopic backrest extension, backrest angle adjustment, and 15 degrees of swivel.	2,943.00
	AL119286	Seat, Swivel, Operators, 180 degrees For Tractors not equipped with CommandARM.	See Parts
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE282643	Steering Wheel, Dark Brown Leather	See Parts
	AL174141	Step Mud Guard For Tractors without suspended cab.	108.00
	AL174359	Sun Screen, Telescopic (Rollo Blinds) Kit includes (1) Sun Screen with Mounting Hardware. May be used either in Front or Rear Window.	140.00
	AL157620	Sun Visor	88.00
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	AL157189	Windshield Washer, Front Requires additional parts available from PDC for Tractors not equipped with RH door.	175.00

6330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL157190	ATTACHMENTS FOR FIELD CONVERSIONContinued Windshield Washer, Front and Rear	324.00
	AL179028	Wiper, Rear Window	244.00
		PTO/Front Auxiliary Drive: Front PTOs are no longer available as a field installed option through John Deere. Availability is limited to existing inventory. When inventory is exhausted, please contact Laforge Hitch for your Front PTO and Front Hitch needs.	
		Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com	
	AL160984	Front Auxillary Drive (Crankshaft pulley without Drive Shaft) Compatible with Tier 2 and Tier 3 Engines produced after S/N 354700.	614.00
		Transmission:	
	AL158728	Back-up Alarm for SyncroPlus, PowrQuad PLUS and AutoQuad Transmissions	496.00
	AL173294	Creeper Field Kit for 16F/16R SyncroPlus Transmission with Left Hand Power Reverser Additional parts are required to complete installation -see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	3,130.00
	AL173292	Creeper Field Kit for SyncroPlus 12F/4R Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	3,130.00
	AL173291	Creeper Kit for 16F/16R PowrQuad PLUS 4-Range (19 mph/30 kmh) Transmission (EPQT) Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	2,627.00
	AL173288	Creeper Kit for 24F/24R PowrQuad Plus or AutoQuad 6-Range (25 mph/40 kmh) Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	2,627.00
	AL180063	Creeper, Control Kit Required to complete Creeper installation.	476.00
	AL71345	Vandal Protection: Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts
	AL110170	Lockable Transmission Oil Filler Cap	132.00

6330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL175117	ATTACHMENTS FOR FIELD CONVERSIONContinued Vandal Protection Field Kit Kit contains Hood and Side Shield Locks. Lockable Fuel Tank Cap. Lockable Transmission Oil Filler Neck.	562.00
	RE300838	Weights: Front Weight Support, 132 Lb. (60 Kg) 21 In. (535 mm) Wide <i>Holds 14 weights</i> .	391.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	T21689	Weight, Rear Wheel, 107 Lb.	209.00
	R61524	Weight, Rear Wheel, 135 Lb.	287.00
	RFR61524	Weight, Rear Wheel, 1620 Lb. (12-R61524)	2,896.00
	RFT21689	Weight, Rear Wheel, 1760 Lb. (16-T21689)	3,000.00
	AR112536	Weight, Rear Wheel, 440 Lb. (4-R56920) Not compatible with Rack and Pinion Axle.	937.00
	APY10029	Weight, Rear Wheel, 480 Lb. (4-L28228)	1,090.00
	L157909	Wheel Equipment: Tie Rod Extension - 2WD Axle (Increase Width 204 mm Per Side) Order 1 Per Side.	See Parts
	AL156778	Wheel Spacers, MFWD, 2.36 In. (60 mm) with Hardware (Qty 2) Increased Tread Setting from 2016 mm to 2134 mm. 8 Bolt Patterns (275 mm diameter).	575.00
	AL156779	Wheel Spacers, Rear, 1.73 In. (44 mm) with Hardware (Qty 2)	470.00
	AL156777	Wheel Spacers, Rear, 4.37 In. (111 mm) with Hardware (Qty 2)	597.00

6330 Cab Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

6430 Open Operator Station Tractor

Equipment for Base Machine

ENGINE:

120 Engine HP (88 kw) [97/68/EC] at 2300 RPM
99 PTO Horsepower at 2300 RPM
4 Cylinder, John Deere PowerTech E
4.5 Liter (276 Cu. In.) Displacement, Tier 3
Emissions Level
2300 Rated Engine Speed
High Pressure Common Rail
Turbocharged
Dual Temperature Cooling System
Dry Type Air Cleaner with Safety Element
and PreCleaner
Underhood Muffler with Vertical Exhaust

TRANSMISSION:

12 Forward/4 Reverse SyncroPlus Transmission 19 mph (30km/h) Wet Multi-Disk Clutch Park Lock Neutral Safety Start System

43.6 Gal (165 L) Fuel Tank Capacity

STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering Dual Stage Disk Brakes Rear Axle Differential Lock

HYDRAULICS:

Load Sensing Constant Flow Pressure Compensated (PC) System 21.1 GPM (81 L/min) Pump Flow at 2300 RPM 1 SCV; Mechanical; ISO Couplers

REAR PTO

540/1000 RPM, Independent Rear PTO, Reversible Shaft and PTO Master Shield Electrohydraulic Wet Multi-Disk Clutch Neutral Start Safety System Seat Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR: Electronic Hitch Category 2, 3-Point Hitch Electrohydraulic Hitch Controls One Rear Fender Hitch Controls 5100 Lb. Lift Capacity LH Telescopic Draft Link Left Hand Stabilizer Bar Category 2 Swinging Drawbar

INSTRUMENTATION: Tachometer Speedometer Hour Meter
Fuel Gauge
Engine Oil Pressure Indicator Light
Coolant Temperature
PTO Engagement
Engine Air Filter Restriction Indicator

Alternator Indicator Light
Directional Indicators
Hazard Switch

Hazard Switch

OPEN OPERATOR STATION:
Two Post Foldable ROPS with Seat Belt,
Less Canopy Platform
Steps
Operational Controls, Console
Mechanical Suspension Seat with
Seat Belt

Tilt Steering Column Foot Throttle Control

ELECTRICAL:
Key Shutoff
12-Volt Electrical System
12-Volt Battery, 830 Cold Cranking Amps
90 Amp Alternator
7 Terminal ASAE Outlet Socket

LIGHTS:

Two Front Grille Headlights
One Rear ROPS Light
Two Flashing Hazard Lights
Two Rear Fender Tail Lights with
Brake Lights

FRONT AXLE WHEELS AND TIRES: MFWD Steel Wheels MFWD Engagement, Electrohydraulic 14.9R24 In.

REAR AXLE WHEELS AND TIRES: Flange Eight Position Steel Wheels 18.4R34 In. Radial

MISCELLANEOUS: Operator's Manual (English) and Holder SMV Emblem

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Port of Entry

3131R 6430 Open Operator Station Tractor 63,882.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		VALUE PACKAGE CONFIGURATIONS	
0600		No Package	In Base Price
0611		Open Station Flat Platform 2WD SyncroPlus Flanged Value Package Flat Platform Open Station, 2WD, SyncroPlus 12F/4R (19 mph/30 kmh), Flanged Rear Axle. Codes: 0130, 0200, 7000, 7152.	-287.00
0612		Competitive Package - Open Station Flat Platform MFWD PowrQuad w/ LHR Flanged Value Package	-575.00
		Flat Platform Open Station, MFWD, PowrQuad 16F/16R with Left Hand Reverser (19 mph/30 kmh), Flanged Rear Axle. Codes: 0130, 0250, 7040, 7152.	
0645		Open Station Flat Platform MFWD PowrQuad w/ LHR Flanged Value Package Flat Platform Open Station, MFWD, PowrQuad 24F/24R with Left Hand Reverser (25 mph/40 kmh), Flanged Rear Axle. Codes: 0130, 0250, 7044, 7152.	-287.00
0639		LP Orchard Open Station Straddle Platform MFWD PowrQuad Plus Flanged M-SCV Value Package	-287.00
		Low Profile Orchard Open Operator Station, MFWD, PowrQuad Plus 16F/16R (19 mph/30 kmh), Flanged Rear Axle, Dual Deluxe 3-detent Mechanical Selective Control Valves, Mechanical Seat. Codes: 0120, 0250, 7030, 7152, 7226, 7601.	
0100		OPERATOR STATION Open Operator Station, Low Profile - Straddle Mount Platform	670.00
0120		Open Operator Station, Orchard Low Profile - Straddle Mount with RH Reverser Requires Code 7030 or 7050.	841.00
0130		Open Operator Station Isolated Flat Platform	In Base Price
		FRONT AXLES	
0200		Adjustable 2WD Front Axle (4-Positions: 59.1-74 In.)	-8,073.00
0250		MFWD Front Axle with Limited Slip Differential	In Base Price
		SINGLE REAR WHEELS AND TIRES	
1021		21.5L-16.1 In. R3 6PR Requires Code 4021 or 4747 and 7151. Not compatible with Code 8763, 8764 or 25 mph (40 kmh) Transmissions. Available in Firestone Turf & Field only.	-2,520.00
1029		21.5L-16 ln. l-2 6PR Use of these tires reduces ground clearance to less than eight inches. For 2WD: Requires Codes 4747 and 7151. For MFWD: Requires Codes 4021 and 7151. Not compatible with Codes 8763, 8764 or 25 mph (40 kmh) Transmissions. Available in Goodyear SoftTrac II only.	-2,256.00
1061		16.9-24 In. 6PR R3 For 2WD: Requires Codes 4747, 4802, 4804 or 4853. For MFWD: Requires Code 4042. Not compatible with Code 7154. Available in Firestone R3 ANS and Goodyear R3 AWT.	-2,362.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1067		SINGLE REAR WHEELS AND TIRESContinued 16.9R24 In. 134A8 R1W Radial (420/85R24 In. 137A8 R1W Radial) For 2WD: Requires Code 4703, 4782, 4802, 4804, 4822 or 4824. For MFWD: Requires Code 4149. Available in Continental AC85, Firestone F7000 and Goodyear DT 806.	-1,116.00
1081		18.4-26 In. 6PR R3 Bias For 2WD: Requires Code 4747, 4802 or 4804. For MFWD: Requires Code 4042. Not compatible with Code 7154. Not compatible with Codes 4822 or 4824 as 11L16 tire requires 6-bolt disk. Available in Firestone ANS only.	-1,928.00
1087		18.4R26 In. 140A8 R1W Radial For 2WD: Requires Code 4747, 4802 or 4804. For MFWD: Requires Code 4133. Not compatible with Code 7154. Not compatible with Codes 4822 or 4824 as 11L16 tire requires 6-bolt disk. Available in Goodyear DT 806 only.	-1,262.00
1104		16.9R30 In. 137A8 R1W Radial For 2WD: Requires Code 4703, 4802 or 4804. (Results in mismatched Tire Brands). For MFWD: Requires Code 4146. Available in Michelin SM25 only.	1,028.00
1107		16.9R30 In. 137A8 R1W Radial For 2WD: Requires Code 4703, 4802 or 4804. For MFWD: Requires Code 4149. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	-366.00
1124		18.4R30 In. 142A8 R1W Radial For 2WD: Requires Code 4703, 4782, 4802, 4804, 4822 or 4824. For MFWD: Requires Code 4146. Available in Michelin XM25 only.	1,108.00
1127		18.4R30 In. 142A8 R1W Radial (460/85R30 In. 145A8 R1W Radial) For 2WD: Requires Code 4703, 4782 4802, 4804, 4822 or 4824. For MFWD: Requires Code 4149. Available in Continental AC85, Firestone Performer 85, Goodyear DT 806.	-286.00
1207		16.9R34 In. 139A8 R1W Radial (420/85R34 In. 139A8 R1W Radial) For 2WD: Requires Code 4703, 4782, 4802, 4804, 4822 or 4824. For MFWD: Requires Code 4168. Available in Goodyear DT 806 or Firestone F8000 only.	-320.00
1264		320/90R42 In. 139A8 R1W Radial For 2WD: Requires Code 4782. For MFWD: Requires Code 4229 and 7153. Not compatible with Code 7152 or 7154. Available in Firestone F9000 and Goodyear DT800 only.	548.00
1284		18.4R34 In. 144A8 R1W Radial For 2WD: Requires Code 4782. For MFWD: Requires Code 4146, 4166, 4226 or 4246. Available in Michelin XM25 only.	1,394.00
1288		18.4R34 In. 144A8 R1W Radial (460/85R34 In. 147A8 R1W Radial) For 2WD: Requires Code 4782. For MFWD: Requires Code 4149, 4168 or 4249.	In Base Price

6430 Open Operator Station Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SINGLE REAR WHEELS AND TIRESContinued Available in Continental AC85, Firestone F8000, Goodyear DT 806.	
1303		520/70R34 In. 148A8 R1W Radial Requires Code 0130 (Flat Platform). For MFWD: Requires Code 4263. Not compatible with Code 7154. Available in Firestone F8000, Goodyear DT812.	562.00
1425		18.4R38 In. 146A8 R1W Radial (460/85R38 In. 149A8 R1W Radial) For 2WD: Requires Code 4782. For MFWD: Requires Code 4249, 4308 or 4369. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	638.00
1327		16.9R38 In. 141A8 R1W Radial (420/85R38 In. 144A8 R1W Radial) For 2WD: Requires Code 4703 or 4782. For MFWD: Requires Code 4229, 4249 or 4308. Available in Continental AC85, Firestone F8000, Goodyear DT806.	420.00
1343		480/70R38 In. 145A8 R1W Radial For MFWD: Requires Code 4263. Available in Firestone F8000, Goodyear DT812.	1,498.00
1424		18.4R38 In. 146A8 R1W Radial For 2WD: Requires Code 4782. For MFWD: Requires Code 4246, 4306 or 4366. Available in Michelin XM25 only.	2,032.00
1443		520/70R38 In. 150A8 R1W Radial For MFWD: Requires Code 4383. Not compatible with Code 7154. Available in Continental HC 70, Firestone F8000, Goodyear DT812.	2,220.00
1463		600/65R38 In. 153A8 R1W Radial For MFWD: Requires Code 4403. Not compatible with Code 7154. Available in Continental AC65, Firestone F9000, Goodyear DT818.	1,870.00
1464		600/65R38 In. 153A8 R1W Radial For MFWD: Requires Code 4406. Not compatible with Code 7154. Available in Michelin Multibib only.	3,264.00
1563		13.6-46 In. 6PR R2 Bias For 2WD: Requires Codes 0130 and 4721. For MFWD: Requires Codes 0130 and 4603. Requires High Clearance Foot Steps: Code 8867. Available in Firestone CSG only.	780.00
		FRONT WHEELS AND TIRES	

FRONT WHEELS AND TIRES

For Code 0200 (2WD):

4703 7.50-18 In. 8PR F2 Bias -2,356.00

Available in Firestone F2 4-Rib only.

Standard Load Capacity 4158 Lbs.

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
4721		FRONT WHEELS AND TIRESContinued 7.50-20 In. 8PR F2 Bias Requires Code 0130 (Open Station Flat Platform) Available in Goodyear Super Rib only. Standard Load Capacity 4620 Lbs.	-2,130.00
4747		27/9.5-15 In. 6PR I1 Bias Requires Code 0130 (Open Station Flat Platform) Available in Goodyear Terra Rib only. Standard Load Capacity 3559 Lbs.	-2,504.00
4782		10.00-16 In. 10PR F2 Bias Available in Goodyear F2 Super Rib and Firestone F2 only. Standard Load Capacity 5830 Lbs.	-2,100.00
4802		11L-15 In. 8PR F2 Bias Available in Firestone Champion Guide Grip only. Standard Load Capacity 3806 Lbs.	-2,460.00
4804		11L-15 In. 8PR F3 Bias Available in Goodyear F3 Laborer and Firestone F3 Industrial Special only. Standard Load Capacity 4708 Lbs.	-1,734.00
4822		11L-16 In. 8PR F3 Bias Available in Goodyear F3 Laborer only. Standard Load Capacity 4400 Lbs.	-2,278.00
4824		11L-16 In. 12PR F3 Bias Available in Goodyear F3 Laborer and Firestone F3 Industrial Special only. Standard Load Capacity 5500 Lbs.	-2,234.00
4853		9.5L-15 In. 8PR F2 Bias Available in Firestone F2 Champion Guide Grip only. Standard Load Capacity 3740 Lbs.	-2,482.00
4021		For Code 0250 (MFWD): 280/70R16 In. 112A8 R1W Radial Only with Code 0100 or 0120 and 0250. Available as Goodyear DT812 Radial only.	-1,900.00
4042		10.5/80-18 In. 10PR 13 Bias Requires Code 0250. Available in Goodyear I-3 Super Grip and Firestone ATU.	-1,902.00
4133		11.2R24 In. 114A8 R1W Radial (280/85R24 In. 115A8 R1W Radial) Requires Code 0250. Available in Goodyear DT 806 and Firestone F6000.	-1,084.00
4146		12.4R24 In. 119A8 R1W Radial Requires Code 0250. Available in Michelin XM25 only.	690.00
4149		12.4R24 In. 119A8 R1W Radial (320/85/R24 In. 122A8 R1W Radial) Requires Code 0250. Available in Continental AC85, Firestone F6000, Goodyear DT 806.	-704.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
4166		FRONT WHEELS AND TIRESContinued 13.6R24 In. 121A8 R1W Radial Requires Code 0250. Available in Michelin XM25 only.	1,124.00
4168		13.6R24 In. 128A8 R1W Radial Available in Goodyear DT 806 only.	-138.00
4226		12.4R28 121A8 R1W Radial Requires Codes 0130 and 0250. Available in Michelin XM25 only.	1,100.00
4229		12.4R28 In. 121A8 R1W Radial Requires Codes 0130 and 0250. Available in Continental AC85, Firestone F6000, Goodyear DT 806.	-294.00
4246		14.9R24 In. 126A8 R1W Radial Requires Codes 0130 and 0250. Available in Michelin XM25 only.	1,394.00
4249		14.9R24 In. 126A8 R1W Radial Requires Codes 0130 and 0250. Available in Continental AC85, Firestone F6000, Goodyear DT 806.	In Base Price
4263		420/70R24 In. 130A8 R1W Radial Requires Codes 0130 and 0250. Available in Firestone F6000, Goodyear DT812.	-232.00
4306		13.6R28 In. 123A8 R1W Radial Requires Codes 0130 and 0250. Available in Michelin XM25 only.	1,382.00
4308		13.6R28 In. 123A8 R1W Radial Requires Codes 0130 and 0250. Available in Continental AC85, Firestone F6000, Goodyear DT 806.	-12.00
4366		16.9R24 In. 134A8 R1W Radial Requires Code 0250. Available in Michelin XM25 only.	1,724.00
4369		16.9R24 In. 134A8 R1W Radial Requires Code 0250. Available in Continental AC85, Firestone F6000, Goodyear DT806.	330.00
4383		480/70R24 In. 138A8 R1W Radial Requires Code 0250. Available in Continental HC 70, Firestone F6000, Goodyear DT812.	64.00
4403		540/65R24 In. 140A8 R1W Radial Requires Code 0250. Available in Continental AC65, Firestone F9000, Goodyear DT818.	876.00
4406		540/65R24 In. 140A8 R1W Radial Requires Code 0250. Available in Michelin Multibib only.	2,270.00
4603		13.6-38 In. 6PR R2 Bias Requires Codes 0130 and 0250. Available in Firestone CSG only.	-86.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRANSMISSION	
		Transmissions WITHOUT Factory Installed Creepers.	
7000		SyncroPlus 12F/4R Transmission (19 mph/30 kmh)	In Base Price
7010		SyncroPlus 16F/16R Transmission with Mechanical Left Hand Power Reverser (19 mph/30 kmh)	1,953.00
7030		PowrQuad 16F/16R Transmission with Right Hand Reverser (19 mph/30 kmh) For Orchard version only - Requires Code 0120.	2,150.00
7040		PowrQuad 16F/16R Transmission with Mechanical Left Hand Reverser (19 mph/30 kmh) Not with Code 0120 (Orchard Models).	3,535.00
7044		PowrQuad 24F/24R Transmission with Mechanical Left Hand Reverser (25 mph/40 kmh) Requires Code 0250 (MFWD).	5,120.00
7020		CREEPER Transmissions SyncroPlus 12F/4R Transmission (19 mph/30 kmh) with Creeper	2,416.00
7050		PowrQuad 16F/16R Transmission with Right Hand Reverser (19 mph/30 kmh) with Creeper Requires Code 0120 for Orchard version only.	4,566.00
7060		PowrQuad 16F/16R Transmission with Left Hand Reverser (19 mph/30 kmh) with Creeper	4,566.00
7064		PowrQuad 24F/24R Transmission with Mechanical Left Hand Reverser (25 mph/40 kmh) with Creeper Requires Code 0250 (MFWD).	7,536.00
		REAR AXLES AND WHEELS	
7151		Flanged Axle, 2-Position Steel Wheels Requires Code 0100 Low Profile and Code 1021 or 1029.	-42.00
7152		Flanged Axle, 8 Position Steel Wheels	In Base Price
7153		Rack and Pinion Axle (Length: 100.6 In., Diameter: 3.1 In.) 2-Position Steel Wheels Requires Code 1264, 1327, 1343, 1424, 1425 or 1563.	1,190.00
7154		Rack and Pinion Axle (Length: 100.6 In., Diameter: 3.1 In.) 2-Position Cast Wheels	1,357.00
		HYDRAULIC SYSTEM	
7281		Load Sensing Constant Flow Hydraulic System 21.1 GPM (80 L/min)	In Base Price
7282		Pressure and Flow Compensated Hydraulic System 29 GPM (110 L/min)	1,560.00
		SELECTIVE CONTROL VALVES	
7211		Single Basic SCV (No Detent - 101 Series) with Standard Couplers Only with Code 7281.	In Base Price
7213		Single Standard SCV (2 Detent - 201 Series) with Standard Couplers Only with Code 7281.	659.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
7225		SELECTIVE CONTROL VALVESContinued 1st & 2nd Deluxe SCVs (3 Detent - 301 Series) with Standard Couplers Only with Code 7281.	1,313.00
7229		1st & 2nd Standard SCVs (2 Detent - 201 Series) with Standard Couplers Only with Code 7281.	1,121.00
7214		Single Standard (2-Detent - 200 Series) with Deluxe Couplers Requires Code 7282.	870.00
7230		Two Standard SCV (2-Detent - 200 Series) with Deluxe Couplers Requires Code 7282.	1,038.00
7226		Two Deluxe SCVs (3-Detent - 300 Series) with Deluxe Couplers Requires Code 7282.	1,399.00
		EXHAUST	
7451		Horizontal Exhaust with Underhood Muffler	89.00
7452		Vertical Exhaust with Underhood Muffler	In Base Price
		SEAT	
7601		Comfort Seat with Mechanical Suspension, 3-In. Seat Cushion Mechanical Suspension, 3-In. Seat Cushion, Armrests, Horizontal Adjustment, Side Rails, Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	In Base Price
7623		Super Comfort Seat with Mechanical Suspension, 3-In. Seat Cushion Mechanical Suspension, 3-In. Seat Cushion, Horizontal Suspension, Backrest Adjustment, Armrest, Mechanical Lumbar Support, Side Rails, Swivel (15 Degree Left/20 Degree Right), Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	573.00
		ATTACHMENTS - ORDER AS DESIRED	
8830		Operator Station Options: Vandal Protection Package	319.00
8835		Floor Mat Requires Code 0130 Open Operator Station Flat Platform.	104.00
8867		High Clearance Footstep Requires Code 0130 Open Operator Station Flat Platform.	47.00
8871		Fuel Tank, 30 Gallon (116L) Requires Code 0130 Open Operator Station Flat Platform.	190.00
8875		Fuel Tank Bottom Guard	388.00
8876		Fuel Tank Front & Bottom Guard, 30 Gallon High Clearance Tank Not Compatible with 8877.	395.00
8877		Fuel Tank, 42.3 Gallon (160L) Requires Code 0100 or 0120 Open Operator Station Low Profile. Not Compatible with Code 8876.	258.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
9045		Lighting / Electrical: One Rear Work light RH, H3, 2-Post mounted	99.00
9051		Two Front Work Lights, H3, Fender mounted Not Compatible with Code 0120 Orchard version Operator Station.	198.00
9055		Corner Lights	302.00
9115		Back-Up Alarm	487.00
9145		Power Outlet Socket, 3 Terminals	63.00
8840		Front Axle: Fixed Front Fenders (For 2WD axle) Not Compatible with Code 0250 MFWD axle. Not Compatible with Code 4308 (13.6-28) Tires when used with Front Loader.	342.00
8841		Rigid Front Fenders (MFWD) Not Compatible with Code 0200 2WD axle. Not Compatible with Code 4308 (13.6-28) Tires when used with Front Loader.	534.00
8842		Turnable Front Fenders (MFWD) Not compatible with Code 0200 2WD axle. Not compatible with Code 4308 (13.6-28) Tires when used with Front Loader. Not compatible with Loaders.	800.00
8763		Rear Hitch and Drawbar: Stabilizers, RH and LH Not Compatible with Code 9442.	550.00
8764		Automatic Stabilizer Bar, LH with Retainer Not Compatible with Code 9442.	1,008.00
9060		Increased Lift Capacity, Max Total Cap 7231 (3280 kg) Requires Code 0250.	691.00
9086		No Rockshaft; No Draft links; No Sway control	-1,838.00
9225		Draft Control Components Not Compatible with Code 9086.	601.00
9441		Drawbar, Standard Swinging, with Hammerstrap	257.00
9442		Drawbar, High Clearance with Sway Chains and Hammerstrap	257.00
9465		Hitch Ball Category 2 Requires Code 9485.	13.00
9480		Right-hand Telescopic Draft Link / Cat II	257.00
9485		Draft Links with Hooks	349.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
9303		Hydraulics: Third SCV Deluxe (2 Detents - 201 Series) with Standard Couplers Requires Code 7281. 3-SCVs with Power Beyond for Loader Prep and Power Beyond are not a compatible configuration with the Pressure Compensated Hydraulic System. If this combination is required, it is recommended to order Pressure & Flow Compensated Hydraulics (Code 7282) which can accommodate, 4-SCVs, Power Beyond for Loader Prep and Power Beyond.	1,139.00
9304		Third SCV Standard (2-Detents - 200 Series) with Deluxe Couplers Requires Code 7282.	1,009.00
9306		Third SCV Deluxe (3-Detents - 300 Series) with Deluxe Couplers Requires Code 7282.	1,302.00
9340		Power Beyond	127.00
		Engine:	
8775		Front Auxiliary Drive (Crankshaft Pulley without Drive Shaft)	582.00
9020		Cold Weather Package I Includes Heavy-Duty Battery (1230 CCA, 154 Amp Hrs) Engine Coolant Heater (110v).	306.00
9025		Fuel Heating System (12V)	151.00
8780		Miscellaneous 'JD Industrial Yellow' Paint Finish	1,402.00
8781		'Community Orange' Paint Finish	1,402.00
8850		Toolbox	78.00
8910		Heavy Duty Rear Wheel Brakes	118.00
9002		Heavy Duty PTO Bearing	308.00
		Loader Packages: Loader READY Package Includes: Mid-Mount Valve & Joystick, Loader Mounting Frame and Hood Guard. Tool Box Mounting Bracket included on Loader Frame. Loader PREPARATION Package Includes: Mid-Mount Valve & Mechanical Joystick.	
8810		2-Function Mechanical Independent Control Valve Loader PREPARATION Package Includes: Two Function Mid-Mounted Control Valve with Mechanical Joystick Control Not compatible with Code 8842. Not compatible with Code 0120 Orchard Package (Floor Mounted Joystick Interference).	1,441.00
894A		2-Function Mechanical Independent Control Valve Loader READY Package Not compatible with Code 8841.	4,375.00

CODE	ATTACHMEN IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
9520		Rear Axle Weight Packages: One Set Rear Wheel Weights 170 lb (77 kg) For 28 Inch wheel and larger. Requires Code 7152 (Flanged Rear Axle).	385.00
9521		Two Set Rear Wheel Weights 340 lb (154 kg) For 28 Inch wheel and larger. Requires Code 7152 (Flanged Rear Axle).	766.00
9522		Three Set Rear Wheel Weights 510 lb (231 kg) For 28 Inch wheel and larger. Requires Code 7152 (Flanged Rear Axle).	1,151.00
9525		One Set Rear Wheel Weights 242 lb (110 kg) For 34 - 38 Inch wheel. Requires Code 7152 (Flanged Rear Axle).	545.00
9526		Two Set Rear Wheel Weights 485 lb (220 kg) For 34 - 38 Inch wheel. Requires Code 7152 (Flanged Rear Axle).	1,090.00
9550		Tire Preference / Special Handling Codes: Protection for Overseas Shipment	54.00
9608		French Operator's Manual	No Charge
9660		Spanish Operator's Manual	No Charge
9901		Tire Brand Firestone	400.00
9903		Tire Brand Goodyear	400.00
9905		Tire Brand Continental	400.00
9988		No Specific Tire brand	No Charge
8770		Quick-Tatch Front-end Weight Packages: Front Weight Support 70kg (for up to 14 front weights)	271.00
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm)	See Parts
	AL174696	Electrical: Battery Cut-Off Switch (4 Cyl.)	604.00
	AL174697	Battery Cut-Off Switch (6 Cyl.)	604.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	AL173200	Engine: Cold Weather Starting Package - 110 Volt Includes Coolant Heater, Transmission Heater, Charge Pump Heater and Mounting Parts. Compatible only with Code 7282 (Optional 29 gpm Pressure and Flow Compensating Hydraulic Pump).	469.00
	AL173967	Engine Coolant Heater (110V) Engine Coolant Heater is included in Cold Weather Starting Packages. Compatible with 6020 and 6030 Series.	82.00
	AL173596	Engine Ventilation with Oil Separator Kit Engine oil separator re-extracts the oil particles from the crankcase ventilation system for return back into the engine oil sump.	428.00
	AL158520	Fuel Pre-Heater Kit	148.00
		Fenders:	
	AL180215	2WD Front Fenders Not compatible with 563 or 673 Loader.	601.00
	AL165335	Fender Stop Panel For Models with Turnable MFWD Fenders.	411.00
	AL180095	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	668.00
	AL180097	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	677.00
	AL180099	MFWD Front Fenders, Fixed, 18.9 ln. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	686.00
	AL180101	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	716.00
	AL180103	MFWD Front Fenders, Fixed, 24.4 In. (620 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	725.00
	AL180098	MFWD Front Fenders, Turnable, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180100	MFWD Front Fenders, Turnable, 18.9 In. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180102	MFWD Front Fenders, Turnable, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL156243	Guards: Guard, Fuel Tank Bottom, 48 Gal. (185L) Compatible with 42.3 (160 L), 43.6 (165 L) and 48 (185 L) Gallon Fuel Tanks.	175.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL204901	Hitch and Drawbar: Draft Link, Telescoping (Qty. 2)	1,137.00
	AL116748	Draft Sensing Control Kit Requires Right Hand Console Panel L115370 (for OOS), order through Service Parts.	601.00
	AL81724	Drawbar Drop-Down Kit Lowers the height of Drawbar by approximately 3 Inches.	397.00
	AL80054	Drawbar, Swinging with Hammerstrap	707.00
	AL180493	Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170. For 6030 and 7030 Cab and OOS Tractors only.	87.00
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	AL206324	Stabilizer Bar, Automatic (Qty. 1) and Standard Economy Stabilizer Bar (Qty. 1) <i>Not compatible with 7330.</i> Contains attaching parts.	608.00
	AL117961	Stabilizer Bar, Mechanical (One) with Attaching Parts May be used with either RH or LH.	298.00
	AL82925	Stabilizer Sway Chains	320.00
	AL78129	Support, Load Control Shaft Secured to the steel frame without left and right hand bore holes. Protects the banding bar from shock loads under extreme draft work. Permits shock loads to be transferred from the lift arms directly to the frame. Not compatible with Code 7330.	See Parts
	RE228000	Hydraulics: Hydraulic Motor Case Drain Allows coupling of the oil return line of a hydraulic motor into a pressure-free circuit. Recommended for usage with Hydraulic Motors that are susceptible to damage if return Coupler flow checks.	174.00
	AL207614	Independent Control Valve, Mechanical (M-ICV), 2 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,056.00
	AL180376	Joystick, Mechanical 2 Function, 3rd & 4th Position, Non-Shiftable Controls Rear SCVs in the #3 & #4 positions. Compatible with OOS equipped with PFC Hydraulic System.	423.00
	AL180385	Joystick, Mechanical 2 Function, Non-Shiftable Controls Rear SCVs in the #3 & #4 positions. Compatible with Mid Spec Cab & OOS equipped with PC Hydraulic System.	423.00
	AL180659	Joystick, Mechanical 2 Function, Non-Shiftable Requires Hydraulic Lines (BL15002 OR BL15003) and Mechanical Independent Control Valve (AL204116). Not compatible with Low Profile Open Station Models.	631.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL180660	ATTACHMENTS FOR FIELD CONVERSIONContinued Joystick, Mechanical 2 Function, Non-Shiftable Requires Hydraulic Lines (BL15002 OR BL15003) and Mechanical Independent Control Valve (AL204116). Compatible with Low Profile Open Station Models.	629.00
	BL15002	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (2) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	BL15003	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (3) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	AL207607	Mechanical Deluxe Select Control Valve 100 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	504.00
	AL204102	Mechanical Deluxe Select Control Valve 200 Series (2-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	651.00
	AL207609	Mechanical Deluxe Select Control Valve 200 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	675.00
	AL205078	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL207613	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL180373	Position Kit, Position #1, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL180372	Position Kit, Position #1, Mechanical SCVs for PFC Hydraulics (OOS Tractors) For Pressure & Flow Compensated Hydraulic Systems only.	244.00
	AL180375	Position Kit, Position #3, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL180374	Position Kit, Position #3, Mechanical SCVs for PFC Hydraulics (OOS Tractors) For Pressure & Flow Compensated Hydraulic Systems only.	244.00
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	237.00
	AL176299	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Tractors Kit contains three Female Couplers and Dust Shields. Connects Pressure, Return and Load Sense Hoses from Implement to Tractor. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176808) 1/2-In. (12.5 mm) for Implement End.	237.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL173904	ATTACHMENTS FOR FIELD CONVERSIONContinued Trailer Brakes, Hydraulic For Tractors equipped with PFC Hydraulic System. Requires additional components to complete installation. See installation instructions.	471.00
	AL180827	Trailer Brakes, Hydraulic For Tractors equipped with PC Hydraulic System. Requires additional components to complete installation. See installation instructions.	495.00
	AL169602	Valve, Shut Off, Electrically Actuated, Loader Boom	625.00
	AL174686	Valve, Shut Off, Electrically Actuated, Loader Mast	421.00
	AL178998	Lighting: Fender Mounted Work Lights (LH and RH), Front Facing Open Operator Station only.	212.00
	AL79915	Work Light, (1) Rear Facing, LH or RH Open Operator Station only.	106.00
	AL202564	Work Lights, H3 Front Corner Mounted in the grill with the headlights.	289.00
	AT173678	Operator Environment: 3 Inch Seat Belt	See Parts
	AL203919	3-Terminal Socket	72.00
	AR201256	Canopy for Roll-Gard Requires Wiring Harness Adapter (AL160408), order through Parts.	1,289.00
	AL179255	Seat, Comfort Seat MSG83 Seat is mechanical suspended. Features include manual weight adjustment and backrest angle adjustment.	705.00
	AL179257	Seat, Comfort Seat MSG85 Mechanically suspended. Features include horizontal suspension, manual weight adjustment, mechanical lumbar support, and backrest angle adjustment.	1,295.00
	AL174141	Step Mud Guard For Tractors without suspended cab.	108.00
	AL116924	Steps (2), RH with Handle Quantity of one.	315.00
	AL181336	Steps (2), RH with Handle For Low Profile Tractors. Quantity of one.	326.00
	AL160984	PTO/Front Auxiliary Drive: Front Auxiliary Drive (Crankshaft pulley without Drive Shaft) Compatible with Tier 2 and Tier 3 Engines produced after S/N 354700.	614.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	. ,
	AL158728	Transmission: Back-up Alarm for SyncroPlus, PowrQuad PLUS and AutoQuad Transmissions	496.00
	AL173294	Creeper Field Kit for 16F/16R SyncroPlus Transmission with Left Hand Power Reverser Additional parts are required to complete installation -see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	3,130.00
	AL173292	Creeper Field Kit for SyncroPlus 12F/4R Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	3,130.00
	AL173291	Creeper Kit for 16F/16R PowrQuad PLUS 4-Range (19 mph/30 kmh) Transmission (EPQT) Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	2,627.00
	AL173288	Creeper Kit for 24F/24R PowrQuad Plus or AutoQuad 6-Range (25 mph/40 kmh) Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	2,627.00
	AL180063	Creeper, Control Kit Required to complete Creeper installation.	476.00
	AL113087	Vandal Protection: Lockable Fuel Tank Cap	See Parts
	AL110170	Lockable Transmission Oil Filler Cap	132.00
	AL175117	Vandal Protection Field Kit Kit contains Hood and Side Shield Locks. Lockable Fuel Tank Cap. Lockable Transmission Oil Filler Neck.	562.00
		Weights: Please Refer to the Agricultural Sales Manual for Rear Wheel Weight Compatibility Information. Before ordering, verify Axle type (Flange or R&P). For Flange Axles, verify Bolt Circle Diameter (BCD). Weights and Supports do not include Installation Hardware.	
	RE300838	Front Weight Support, 132 Lb. (60 Kg) 21 In. (535 mm) Wide Holds 14 weights.	391.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	T21689	Weight, Rear Wheel, 107 Lb.	209.00
	R61524	Weight, Rear Wheel, 135 Lb.	287.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RFR61524	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Rear Wheel, 1620 Lb. (12-R61524)	2,896.00
	RFT21689	Weight, Rear Wheel, 1760 Lb. (16-T21689)	3,000.00
	AR112536	Weight, Rear Wheel, 440 Lb. (4-R56920) Requires Steel Wheels.	937.00
	APY10029	Weight, Rear Wheel, 480 Lb. (4-L28228)	1,090.00
	L157909	Wheel Equipment: Tie Rod Extension - 2WD Axle (Increase Width 204 mm Per Side) Order 1 Per Side.	See Parts
	AL156778	Wheel Spacers, MFWD, 2.36 In. (60 mm) with Hardware (Qty 2) Increased Tread Setting from 2016 mm to 2134 mm. 8 Bolt Patterns (275 mm diameter).	575.00
	AL156779	Wheel Spacers, Rear, 1.73 In. (44 mm) with Hardware (Qty 2)	470.00
	AL156777	Wheel Spacers, Rear, 4.37 In. (111 mm) with Hardware (Qty 2)	597.00

6430 Open Operator Station Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

6430 Cab Tractor

Equipment for Base Machine

ENGINE:

120 Engine HP (88 kW) [97/68 EC] @ 2300 RPM 99 PTO Horsepower (74 kW) @ 2300 RPM 4 Cylinders, John Deere PowerTech E 4.5 Liter (276 Cu. In.) Displacement, Tier 3 Emissions Level 2300 Rated Engine Speed High Pressure Common Rail Turbocharged Dual Temperature Cooling System Dry Type Air Cleaner with Safety Element and PreCleaner Underhood Muffler with Vertical Exhaust 43.6 Gal (165 L) Fuel Tank Capacity

TRANSMISSION:

12 Forward/4 Reverse SyncroPlus Transmission 19 mph (30km/h) Wet Multi-Disk Clutch Park Lock Neutral Safety Start System

STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering Dual Stage Disk Brakes Rear Axle Differential Lock

HYDRAULICS:

Load Sensing Constant Flow Pressure Compensated (PC) System 21.1 GPM (81 L/min) Pump Flow at 2300 RPM 1 SCV; Mechanical; ISO Couplers

REAR PTO:

540/1000 RPM, Independent Rear PTO, Reversible Shaft and PTO Master Shield Electrohydraulic Wet Multi-Disk Clutch Neutral Start Safety System Seat Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR: Electronic Hitch Category 2, 3-Point Hitch Electrohydraulic Hitch Control One Rear Fender Hitch Control 5100 Lb. Lift Capacity LH Telescopic Draft Link Left Hand Stabilizer Bar Category 2 Swinging Drawbar

INSTRUMENTATION:

Tachometer Speedometer Hour Meter Fuel Gauge Engine Oil Pressure Indicator Light Coolant Temperature

PTO Engagement Engine Air Filter Restriction Indicator Alternator Indicator Light Directional Indicators Hazard Switch

CAB OPERATOR STATION: ComfortGard Cab with Air Conditioning and Heater Two Doors Front Windshield Wiper Mechanical Suspension Seat with Armrests and Seat Belt Tilt/Telescopic Steering Column Right-hand Operational Controls Floor Mat Foot Throttle Control Power Outlet Pre-Radio Wiring and Speaker Package Overhead Courtesy Light Rear View Mirror

ELECTRICAL: Kev Shutoff 12-Volt Electrical System One 12-Volt Battery, 830 Cold Cranking Amps 90 Amp Alternator 7 Terminal ASAE Outlet Socket

LIGHTS:

Two Front Grille Headlights Two Front Roof Lights One Rear Roof/ROPS Light Flashing Warning Lights
Two Rear Fender Tail Lights with Brake Lights

FRONT AXLE WHEELS AND TIRES: MFWD Steel Wheels Electrohydraulic MFWD Engagement, Right-hand Console 14.9R24 In. Radial Tires

REAR AXLE WHEELS AND TIRES: Flanged Axle Eight Position Steel Wheels 18.4R34 In. Radial Rear Tires

MISCELLANEOUS:

Operator's Manual (English) and Holder

ATTACHMENT CODE **IDENTIFIER DESCRIPTION** **SUGGESTED** LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Port of Entry

6430 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINEContinued	
3132R		6430 Cab Tractor	76,464.00
		VALUE PACKAGE CONFIGURATIONS	
0600		No Package	In Base Price
0606		Cab MFWD SyncroPlus w/ LHR Flanged Mechanical Seat Value Package Standard Cab, MFWD, SyncroPlus 16F/16R with Left Hand Reverser (19 mph / 30 km/h), Flanged Rear Axle, Mechanical Seat. Codes: 0150, 0250, 7010, 7152, 7611.	-287.00
0607		Competitive Package - Cab MFWD PQ Plus w/ LHR Flanged Air Seat Value Package Standard Cab, MFWD, PowrQuad Plus 16F/16R with Left Hand Reverser (19 mph / 30 km/h), Flanged Rear Axle, Air Seat. Codes: 0150, 0250, 7073, 7152, 7662.	-575.00
0609		Cab 2WD SyncroPlus w/ LHR Flanged Mechanical Seat Value Package Standard Cab, 2WD, SyncroPlus 16F/16R with Left Hand Reverser (19 mph / 30km/h), Flanged Rear Axle, Mechanical Seat. Codes: 0150, 0200, 7010, 7152, 7611.	-287.00
0610		Cab 2WD PQ Plus w/ LHR Flanged Air Seat Value Package Standard Cab, 2WD, PowrQuad Plus 16F/16R with Left Hand Reverser (19 mph / 30km/h), Flanged Rear Axle, Air Seat. Codes: 0150, 0200, 7073, 7152, 7662.	-287.00
0637		Cab MFWD PQ Plus w/ LHR Rack and Pinion Air Seat Value Package Standard Cab, MFWD, PowrQuad Plus 16F/16R with Left Hand Reverser (19 mph / 30 km/h), Rack and Pinion Rear Axle, Air Seat. Codes: 0150, 0250, 7073, 7153, 7662.	-287.00
0643		Cab MFWD PQ Plus w/ LHR Flanged Air Seat Value Package Standard Cab, MFWD, PowrQuad Plus 24F/24R with Left Hand Reverser (25 mph), Flanged Rear Axle, Air Seat. Codes: 0150, 0250, 7072, 7152, 7662.	-460.00
		OPERATOR STATION	
0150		Standard Cab	In Base Price
0175		Low Clearance Cab Not compatible with Codes 7000 or 7010. Contains 29 gpm Pressure and Flow Hydraulic System as Base Equipment.	12,665.00
		FRONT AXLES	
0200		Adjustable 2WD Front Axle (59.1-74 ln.)	-8,073.00
0250		MFWD Front Axle with Limited Slip Differential	In Base Price
		SINGLE REAR WHEELS AND TIRES	
1021		21.5L-16.1 In. 6PR R3 Bias Only with Code 0175 (Low Clearance Cab). Use of these tires reduces ground clearance to less than eight inches. For 2WD: Requires Codes 4747 and 7151. For MFWD: Requires Codes 4021 and 7151.	-2,520.00

6430 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SINGLE REAR WHEELS AND TIRESContinued Not compatible with 25 mph (40kmh) transmissions or Code 8840. Available in Firestone Turf and Field only.	
1029		21.5L-16.1 In. 6PR 12 Bias Only with Code 0175 (Low Clearance Cab). Use of these tires reduces ground clearance to less than eight inches. For 2WD: Requires Codes 4747 and 7151. For MFWD: Requires Codes 4021 and 7151. Not compatible with 25 mph (40kmh) transmissions or Code 8840. Available in Goodyear SoftTrac II only.	-2,256.00
1061		16.9-24 In. 6PR R3 Bias Only with Code 0175(Low Clearance Cab). For 2WD: Requires Code 4747, 4802, 4804 or 4853. For MFWD: Requires Code 4042. Not compatible with Code 7154 or 8840. Available in Firestone R3 ANS and Goodyear R3 AWT.	-2,362.00
1067		16.9R24 In. 134A8 R1W Radial (420/85R24 In. 137A8 R1W Radial) Only with Code 0175(Low Clearance Cab). For 2WD: Requires Code 4747, 4802, 4804 or 4853. For MFWD: Requires Code 4042. Not compatible with Code 7154 or 8840. Available in Firestone F6000 and Goodyear DT 806.	-1,116.00
1081		18.4-26 In. 6PR R3 Bias For 2WD: Requires Code 4747, 4802 or 4804. For MFWD: Requires Code 4042. Not compatible with Code 7154 or 8840. Not compatible with Codes 4822 or 4824 as 11L16 tire requires 6-bolt disk. Available in Firestone ANS only.	-1,928.00
1087		18.4R26 In. 140A8 R1W Radial Only with Code 0175(Low Clearance Cab). For 2WD: Requires Code 4747, 4802 or 4804. For MFWD: Requires Code 4133. Not compatible with Code 7154 or 8840. Not compatible with Codes 4822 or 4824 as 11L16 tire requires 6-bolt disk. Available in Goodyear DT 806 only.	-1,262.00
1107		16.9R30 In. 137A8 R1W Radial (420/85R30 In. 137A8 R1W Radial) Only with Code 0175(Low Clearance Cab). For 2WD: Requires Code 4703, 4802 or 4804. For MFWD: Requires Code 4149. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	-366.00
1127		18.4R30 In. 142A8 R1W Radial (460/85R30 In. 145A8 R1W Radial) For 2WD: Requires Code 4703, 4782 4802, 4804, 4822 or 4824. For MFWD: Requires Code 4149. Available in Continental AC85, Firestone Performer 85, Goodyear DT 806.	-286.00
1207		16.9R34 In. 139A8 R1W Radial (420/85R34 In. 139A8 R1W Radial) For 2WD: Requires Code 4703, 4782, 4802, 4804, 4822 or 4824. For MFWD: Requires Code 4168. Available in Goodyear DT 806 only.	-320.00
1288		18.4R34 In. 144A8 R1W Radial (460/85R34 In. 147A8 R1W Radial) For 2WD: Requires Code 4782.	In Base Price

6430 Cab Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SINGLE REAR WHEELS AND TIRESContinued For MFWD: Requires Code 4149, 4168, or 4249. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	
1264		320/90R42 In. 139A8 R1W Radial For 2WD: Requires Code 4782. For MFWD: Requires Code 4229 and Code 7153. Not compatible with Code 7152 or 7154. Available in Firestone F9000 and Goodyear DT 806 only.	548.00
1425		18.4R38 In. 149A8 R1W Radial (460/85R38 In. 149A8 R1W Radial) For 2WD: Requires Code 4782. For MFWD: Requires Code 4249 or 4308. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	638.00
1563		13.6-46 In. 6PR R2 Bias For 2WD: Requires Code 4721 and 7152. For MFWD: Requires Codes 4603 and 7152. Available in Firestone CSG (Champion Spade Grip).	780.00
1863		480/80R34/TL/R4/159D Requires code 4793. Available in Nokian.	1,206.00
1873		480/80R38/TL/R4/161D Requires code 4813. Available in Nokian.	3,120.00
		FRONT WHEELS AND TIRES	
4703		For Code 0200 (2WD): 7.50-18 In. 8PR F2 Bias Requires Code 0200. Available in Firestone F2 4-Rib only. Standard Load Capacity 4158 Lbs.	-2,356.00
4721		7.50-20 In. 8PR F2 Bias Only with Code 0150. Requires Code 0200. Available in Goodyear Super Rib only. Standard Load Capacity 4620 Lbs.	-2,130.00
4853		9.5L-15 In. 8PR F2 Bias Requires Code 0200. Available in Firestone F2 Champion Guide Grip only. Standard Load Capacity 3740 Lbs.	-2,482.00
4747		27/9.5-15 In. 6PR I1 Terra Bias Requires Code 0200. Available in Goodyear Terra Rib only. Standard Load Capacity 3559 Lbs.	-2,506.00
4782		10.00-16 In. 10PR F2 Bias Requires Code 0200. Available in Goodyear F2 Super Rib and Firestone F2 only. Standard Load Capacity 5830 Lbs.	-2,100.00

6430 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
4802		FRONT WHEELS AND TIRESContinued 11L-15 In. 8PR F2 Bias Requires Code 0200. Available in Firestone Champion Guide Grip only. Standard Load Capacity 3806 Lbs.	-2,460.00
4804		11L-15 In. 8PR F3 Bias Requires Code 0200. Available in Goodyear F3 Laborer and Firestone F3 Industrial Special only. Standard Load Capacity 4708 Lbs.	-2,438.00
4822		11L-16 In. 8PR F3 Bias Requires Code 0200. Available in Goodyear F3 Laborer only. Standard Load Capacity 4400 Lbs.	-2,278.00
4824		11L-16 In. 12PR F3 Bias Requires Code 0200. Available in Goodyear F3 Laborer and Firestone F3 Industrial Special only. Standard Load Capacity 5500 Lbs.	-2,234.00
4021		For Code 0250 (MFWD): 280/70R16 In. 112A8 R1W Radial Requires Code 0175. Available as Goodyear DT812 Radial only.	-1,900.00
4042		10.5/80-18 In. 10PR I3 Bias Available with Code 0175.	-1,902.00
4133		11.2R24 In. 114A8 R1W Radial (280/85R24 In. 115A8 R1W Radial) Requires Code 0175. Available as Goodyear DT 806.	-1,084.00
4149		12.4R24 In. 119A8 R1W Radial (320/85R24 In. 122A8 R1W Radial) Available in Continental AC85, Firestone F6000, Goodyear DT 806.	-704.00
4168		13.6R24 In. 128A8 R1W Radial Available in Goodyear DT 806 only.	-138.00
4229		12.4R28 In. 121A8 R1W Radial (320/85R28 In. 124A8 R1W Radial) Available in Continental AC85, Firestone F6000, Goodyear DT 806.	-294.00
4249		14.9R24 In. 126A8 R1W Radial (380/85R24 In. 131A8 R1W Radial) Available in Continental AC85, Firestone F6000, Goodyear DT 806.	In Base Price
4308		13.6R28 In. 123A8 R1W Radial (340/85R28 In. 127A8 R1W Radial) Available in Continental AC85, Firestone F6000, Goodyear DT 806.	-12.00
4603		13.6-38 In. 6PR R2 Bias Available in Firestone only.	-86.00
4793		400/80R24/TL/R4 144D Available in Nokian.	826.00

6430 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
4813		FRONT WHEELS AND TIRESContinued 440/80R24/TL/R4 149D Available in Nokian.	1,388.00
		TRANSMISSION	
		Transmissions WITHOUT Factory Installed Creepers.	
7000		SyncroPlus 12F/4R Transmission (19 mph/30 kmh) Not compatible with Code 0175.	In Base Price
7010		SyncroPlus 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh) <i>Not compatible with Code 0175.</i>	1,953.00
7073		PowrQuad PLUS 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh)	3,888.00
7072		PowrQuad PLUS 24F/24R Transmission with Left Hand Power Reverser (25 mph/40 kmh) Requires Code 0250.	5,631.00
7020		CREEPER Transmissions SyncroPlus 12F/4R Transmission (19 mph/30 kmh) with Creeper	2,439.00
7015		SyncroPlus 16F/16R Left Hand Mechanical Reverser Transmission (19 mph/30 kmh) with Creeper	4,370.00
7078		PowrQuad PLUS 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh) with Creeper	6,304.00
7077		PowrQuad PLUS 24F/24R Transmission with Left Hand Power Reverser (25 mph/40 kmh) with Creeper Requires Code 0250.	8,046.00
		REAR AXLES AND WHEELS	
7151		Flanged Axle, 2-Position Steel Wheel Requires Code 0175 AND 1021 or 1029.	-42.00
7152		Flanged Axle, 8 Position Steel Wheels	In Base Price
7153		Rack and Pinion Axle 3.1 In. (78.74 mm) Diameter by 100.6 In. Length 2-Pos. Steel Wheels Requires Code 1264, 1425 or 1563.	1,190.00
7154		Rack & Pinion Axle 2-Pos. Cast Wheels 3.1 In. (78.74 mm) diameter by 100.6 In. Length. Requires Code 1107, 1127, 1207, 1288 or 1425.	1,357.00
		EXHAUST	
7452		Vertical Exhaust with Underhood Muffler	In Base Price
7453		Deluxe Cab Corner Post Exhaust with Underhood Muffler	872.00
7451		Horizontal Downswept Exhaust with Underhood Muffler	89.00

6430 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SEAT	
7611		Super Comfort Seat (MSG 83) with Mechanical Suspension, 3-In. Seat Cushion Arm Rest, Seat Adjustment Side Rails, Retractable Seatbelt, Operator Presence Switch.	In Base Price
7662		Super Comfort Seat (MSG 95) with Air Suspension, 3-In. Seat Cushion Horizontal Suspension, Backrest Adjustment, Armrest, Mechanical Lumbar Support, Side Rails, Swivel (15 Deg. Left/15 Deg. Right), Operator Presence Switch, Retractable Seat Belt, Operator's Manual Holder.	896.00
		ATTACHMENTS - ORDER AS DESIRED	
8830		ComfortGard Cab Options: Vandal Protection Package Includes Lockable Fuel Cap, Lockable Transmission Oil Fill, Lockable Hood and Engine Side Panels.	319.00
8871		Fuel Tank, 30 Gallon (116L) Not with Code 0175 (Low Clearance Cab).	190.00
8872		Fuel Tank, 48.8 Gallon (185L) Not with Code 0175 (Low Clearance Cab).	320.00
8875		Fuel Tank Guard, Bottom	388.00
8876		Fuel Tank Guard, Front & Bottom Not with Code 0175 (Low Clearance Cab) or Codes 8941 or 8942. Requires Code 8871 (30 gallon high clearance tank).	395.00
9076		Ash Tray with Cigarette Lighter	21.00
9207		Telescopic Rear View Mirrors (2) - Manually Adjustable Not with Code 0175 (Low Clearance Cab).	294.00
9102		Rear Windshield Wiper with Front & Rear Washer Included in Code 0175 (Low Clearance Cab).	493.00
9140		Single Interface Outlet (7-Pin) Located on Rear RH Corner-post.	87.00
9212		Sun Visor Not with Code 0175 (Low Clearance Cab).	80.00
9214		Additional Storage Compartment (LH upper corner inner roof) Not with Code 0175 (Low Clearance Cab).	69.00
9216		Bottle Holder Floor Mounted.	33.00
9218		Cup Holder Mounts to Right Hand A-post.	37.00
9220		Field Office / Storage Tray / 3-Pin Power Outlet	312.00

6430 Cab Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9232		ATTACHMENTS - ORDER AS DESIREDContinued Instructional Seat with Seat Belt The instructional seat has been approved only for training operators or diagnosing machine problems. Keep all other riders off the tractor and equipment. Always wear your seat belt. Not with Code 0175 (Low Clearance Cab).	551.00
9246		Roof Hatch with Glass Not with Code 0175 (Low Clearance Cab), 9214, 8941 or 8942.	560.00
9041		Lighting / Electrical: One Rear Worklight LH, H-3 Not with Code 0175 (Low Clearance Cab).	118.00
9055		Corner Lights, Front	302.00
9070		Lights, High/Low Beam, H-4, Belt Line Mounted Not with Code 0175 (Low Clearance Cab), 8941 or 8942.	477.00
9080		Rotating Warning Light (Beacon Light) Not with Code 0175 (Low Clearance Cab).	222.00
9115		Back-Up Alarm	487.00
8840		Front Axle: Fixed Front Fenders (2WD) Requires Code 0200, 2WD Axle. Not compatible with Code 4308 (13.6-28) when used with Front Loader.	342.00
8841		Rigid Front Fenders (MFWD) Requires Code 0250, MFWD Axle. Not compatible with Code 4603 (13.6-38 R2 Tire).	534.00
8842		Turnable Front Fenders (MFWD) Requires Code 0250, MFWD Axle. Not compatible with Code 4603 (13.6-38 R2 Tire). Not compatible with Loaders.	800.00
9480		Rear Hitch and Drawbar: Right-hand Telescopic Draft Link	217.00
9225		Draft Control	601.00
9442		Drawbar, High Clearance with Sway Chains and Hammerstrap	257.00
9441		Drawbar, Standard Swinging, with Hammerstrap	257.00
9260		Hydraulics: Second SCV Deluxe (3 Detents - 301 Series) with Standard Couplers Required with Hydraulic Motors.	1,124.00
9340		Power Beyond Allows Hydraulic Pump to power implements that have Independent Control Valves.	127.00

6430 Cab Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9303		ATTACHMENTS - ORDER AS DESIREDContinued Third SCV Standard (2 Detents - 201 Series) with Standard Couplers For a total of 3 SCVs it requires Code 9260 (2nd SCV). 3-SCVs with Power Beyond for Loader Prep and Power Beyond are not a compatible configuration with the Pressure Compensated Hydraulic System. If this combination is required, it is recommended to order the Premium Cab series with P&FC Hydraulics which can accommodate, 4-SCVs, Power Beyond for Loader Prep and Power Beyond.	1,139.00
8775		Engine: Front Auxiliary Drive Preparation (Crankshaft Pulley without Drive Shaft)	591.00
8890		Condensor Screen, Air Conditioning (4 or 6 cylinder engine)	20.00
9020		Cold Weather Package I Includes Heavy-Duty Battery (1230 CCA, 154 Amp Hrs) Engine Coolant Heater (110V).	306.00
9025		Fuel Heating System (12V)	151.00
8770		Miscellaneous: Front Weight Support, 155 lbs. (70kg), Holds up to 14 Front Weights	271.00
8780		'JD Industrial Yellow' Paint Finish	1,402.00
8781		'Community Orange' Paint Finish	1,402.00
8850		Toolbox	78.00
9085		License Plate Bracket with Light Not with Code 0175 (Low Clearance Cab).	36.00
		Loader Packages: Loader READY Package Includes: Mid-Mount Valve and Joystick as specified by code, hydraulic hoses from mid-mount valve to tractor attached multi-coupler half valve (Note: loader component of multi-coupler is ordered with loader boom), Standardized Loader Frame, Hood Guard, H-4 Beltline Mounted High/Low Beam Road Lights and Glass Roof with Hatch. Not Compatible with Code 8842.	
8810		Loader Joystick with 2-Function Midmount Independent Control Valve (M-ICV) Includes: 2-Function Mid-Mounted Control Valve with Mechanical Joystick Control and non-activated PQ+ Shift Buttons.	1,455.00
894A		2-Function Mechanical Independent Control Valve Loader READY Package Activated Gear Shift Buttons on Joystick only available with Codes 7073, 7072 or 7077. Not compatible with Code 8841, 8942, 9070 or 9246.	4,375.00
894B		3-Function Mechanical Independent Control Valve Loader Ready Package Activated Joystick Gear Shift Buttons Requires Transmission Code 7073, 7072 or 7077. Not compatible with Code 8842, 8941, 9070 or 9246.	4,798.00
9550		Tire Preference / Special Handling Codes: Protection for Overseas Shipment	54.00
9608		French Operator's Manual	No Charge

6430 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9660		ATTACHMENTS - ORDER AS DESIREDContinued Spanish Operator's Manual	No Charge
9901		Tire Brand, Firestone	400.00
9903		Tire Brand, Goodyear	400.00
9905		Tire Brand, Continental	400.00
9988		No Specific Tire brand	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm)	See Parts
	AL173200	Engine: Cold Weather Starting Package - 110 Volt	469.00
	AL173967	Engine Coolant Heater (110V) Engine Coolant Heater is included in Cold Weather Starting Packages. Compatible with 6020 and 6030 Series.	82.00
	AL173596	Engine Ventilation with Oil Separator Kit Engine oil separator re-extracts the oil particles from the crankcase ventilation system for return back into the engine oil sump.	428.00
	AL158520	Fuel Pre-Heater Kit	148.00
	AL180215	Fenders: 2WD Front Fenders Not compatible with 563 or 673 Loader.	601.00
	AL205783	Conversion Kit from Rigid Front Fenders to Turnable Front Fenders For Front Fenders with Single Arm Support.	1,249.00
	AL174767	Fender Side Extension Dimensions: Length 4.33 In. (110 mm) x Width 0.59 In. (15 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	180.00
	AL174768	Fender Side Extension Dimensions: Length 4.33 In. (110 mm) x Width 2.36 In. (60 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	180.00
	AL174769	Fender Side Extension Dimensions: Length 7.48 In. (190 mm) x Width 0.79 In. (20 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	200.00

6430 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL174770	ATTACHMENTS FOR FIELD CONVERSIONContinued Fender Side Extension Dimensions: Length 7.48 In. (190 mm) x Width 2.56 In. (65 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	200.00
	AL165335	Fender Stop Panel For Models with Turnable MFWD Fenders.	411.00
	AL180095	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	668.00
	AL180097	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	677.00
	AL180099	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	686.00
	AL180101	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	716.00
	AL180103	MFWD Front Fenders, Fixed, 24.4 In. (620 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	725.00
	AL180098	MFWD Front Fenders, Turnable, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180100	MFWD Front Fenders, Turnable, 18.9 In. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180102	MFWD Front Fenders, Turnable, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL159975	Rear Fender Flap for Fender Side Extensions Dimensions: Width 9 In. (229 mm) x Length 24.8 In. (632 mm). Requires Fender Side Extension of 190 x 20 mm. or 190 x 65 mm.	81.00
	AL156243	Guards: Guard, Fuel Tank Bottom, 48 Gal. (185L) Compatible with 42.3 (160 L), 43.6 (165 L) and 48 (185 L) Gallon Fuel Tanks.	175.00
	AL204901	Hitch and Drawbar: Draft Link, Telescoping (Qty. 2)	1,137.00
	AL116748	Draft Sensing Control Kit Requires Right Hand Console Panel L170711 (for Cab), order through Service Parts.	601.00
	AL81724	Drawbar Drop-Down Kit Lowers the height of Drawbar by approximately 3 Inches.	397.00
	AL80054	Drawbar, Swinging with Hammerstrap	707.00

6430 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL180493	ATTACHMENTS FOR FIELD CONVERSIONContinued Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170. For 6030 and 7030 Cab and OOS Tractors only.	87.00
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	AL206324	Stabilizer Bar, Automatic (Qty. 1) and Standard Economy Stabilizer Bar (Qty. 1) Not compatible with 7330. Contains attaching parts.	608.00
	AL117961	Stabilizer Bar, Mechanical (One) with Attaching Parts May be used with either RH or LH.	298.00
	AL82925	Stabilizer Sway Chains	320.00
	AL78129	Support, Load Control Shaft Secured to the steel frame without left and right hand bore holes. Protects the banding bar from shock loads under extreme draft work. Permits shock loads to be transferred from the lift arms directly to the frame. Not compatible with Code 7330.	See Parts
	RE228000	Hydraulics: Hydraulic Motor Case Drain Allows coupling of the oil return line of a hydraulic motor into a pressure-free circuit. Recommended for usage with Hydraulic Motors that are susceptible to damage if return Coupler flow checks.	174.00
	AL207614	Independent Control Valve, Mechanical (M-ICV), 2 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,056.00
	AL207615	Independent Control Valve, Mechanical (M-ICV), 3 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,628.00
	AL180385	Joystick, Mechanical 2 Function, Non-Shiftable Controls Rear SCVs in the #3 & #4 positions. Compatible with Mid Spec Cab & OOS equipped with PC Hydraulic System.	423.00
	AL180657	Joystick, Mechanical 2 Function, Non-Shiftable Requires Hydraulic Lines (BL15002 OR BL15003) and Mechanical Independent Control Valve (AL204116).	637.00
	AL180658	Joystick, Mechanical 3 Function, Non-Shiftable Requires Hydraulic Lines (BL15002 OR BL15003) and Mechanical Independent Control Valve (AL204117).	965.00
	BL15002	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (2) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	BL15003	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (3) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	AL207607	Mechanical Deluxe Select Control Valve 100 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	504.00

6430 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL204102	ATTACHMENTS FOR FIELD CONVERSIONContinued Mechanical Deluxe Select Control Valve 200 Series (2-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	651.00
	AL207609	Mechanical Deluxe Select Control Valve 200 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	675.00
	AL205078	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL207613	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL180373	Position Kit, Position #1, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL180375	Position Kit, Position #3, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	237.00
	AL176299	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Tractors Kit contains three Female Couplers and Dust Shields. Connects Pressure, Return and Load Sense Hoses from Implement to Tractor. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176808) 1/2-In. (12.5 mm) for Implement End.	237.00
	AL180827	Trailer Brakes, Hydraulic For Tractors equipped with PC Hydraulic System. Requires additional components to complete installation. See installation instructions.	495.00
	AL169602	Valve, Shut Off, Electrically Actuated, Loader Boom	625.00
	AL174686	Valve, Shut Off, Electrically Actuated, Loader Mast	421.00
	AL181123	Lighting: Beacon Light Switch Required to operate Beacon Light (AL111705).	See Parts
	AL111705	Beacon Light for Cab Requires Switch (AL181123).	219.00
	AL201586	Extremity Lights Preparation Kit See Parts Catalog and MHM 873 Installation Instructions for additional components.	922.00
	AL179968	Headlights, H4 (2) High/Low Beam Forward Facing	372.00

6430 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL164391	ATTACHMENTS FOR FIELD CONVERSIONContinued Work Light, (2) Rear Facing, LH & RH, Fender Mounted Compatible with Mid Spec Tractors (S/N - 606378) and below.	213.00
	AL179973	Work Light, H3 (1) Rear Facing, Fender Mounted, LH or RH	157.00
	AL179974	Work Lights, H3 (55 Watt) (2) Belt Line	403.00
	AL179970	Work Lights, H3 (55 Watt) (2), Cab Roof Mounted, Front, LH and RH Not compatible on Tractors which already have 2 work lights factory installed.	198.00
	AL179971	Work Lights, H3 (55 Watt) (2), Cab Roof Mounted, Rear, LH and RH	198.00
	AL179972	Work Lights, H3 (55 Watt) (2), Fender Mounted, Rear, LH and RH Compatible with Mid Spec Tractors (S/N - 606379) and above.	195.00
	AL202564	Work Lights, H3 Front Corner Mounted in the grill with the headlights.	289.00
		Operator Environment:	
	AT173678	3 Inch Seat Belt	See Parts
	AL203919	3-Terminal Socket	72.00
	RE67015	3-Way Convenience Adapter for Power Strip	See Parts
	AL207711	Antenna Kit	453.00
	AL177152	Antenna Kit, Hidden Includes Antenna (AL176845).	460.00
	AL164673	Ash Tray	See Parts
	AL112070	Beverage Cooler Box Portable, non-electrical. Mounts on the floor in the front right of the cab.	130.00
	AL156731	Bottle Holder, Floor Mounted, Left Side	35.00
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	AL173370	Cigarette Lighter	See Parts
	AL163826	Cup Holder, Right-Hand A-Post Mounted	41.00
	AL178985	Field Office without Beverage Holder Compatible with Instructional Seat.	217.00
	AL158986	Filter Kit, Carbon, with LH and RH Fresh Air and Recirculation	See Parts
	AL173569	Instructional Seat with Seat Belt	545.00
	AL151224	Mirror, Inside Rear Mounts behind operator's right shoulder - provides increased Drawbar Visibility.	145.00
	AL80126	Mirror, Telescopic, LH, Manually Adjustable	149.00

6430 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL80127	ATTACHMENTS FOR FIELD CONVERSIONContinued Mirror, Telescopic, RH, Manually Adjustable	149.00
	AL158785	Power Strip with Six Outlets Requires Bracket (AL117211). Also available through Parts.	See Parts
	RE289848	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband Includes audio input jack for MP3 compatible devices.	434.00
	RE289852	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband Includes audio input jack for MP3 compativle devices.	849.00
	AL174234	Seat Telescopic Backrest Extension	135.00
	AL179256	Seat, Comfort Seat MSG93 Air suspended with operator presence switch. Features include weight adjustment, mechanical lumbar support, and backrest angle adjustment.	1,535.00
	AL175598	Seat, Super Air Comfort Seat MSG95 For Tractors not equipped with CommandARM. Air suspended with operator presence switch. Features include automatic weight adjustment, mechanical lumbar support, backrest angle adjustment, and 15 degrees of swivel.	1,709.00
	AL175599	Seat, Super Comfort Seat MSG85 For Tractors not equipped with CommandARM. Mechanically suspended.	1,220.00
	AL175596	Seat, Super Deluxe Air Comfort Seat MSG95 For Tractors equipped with CommandARM. Low frequency air suspension with operator presence switch. Features include active carbon layer, seat heating, lateral suspension, automatic weight adjustment, air lumbar support, adjustable seat depth and incline, telescopic backrest extension, backrest angle adjustment, and 15 degrees of swivel.	2,943.00
	AL119286	Seat, Swivel, Operators, 180 degrees For Tractors not equipped with CommandARM.	See Parts
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE282643	Steering Wheel, Dark Brown Leather	See Parts
	AL174141	Step Mud Guard For Tractors without suspended cab.	108.00
	AL174359	Sun Screen, Telescopic (Rollo Blinds) Kit includes (1) Sun Screen with Mounting Hardware. May be used either in Front or Rear Window.	140.00
	AL157620	Sun Visor	88.00
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	AL157189	Windshield Washer, Front Requires additional parts available from PDC for Tractors not equipped with RH door.	175.00

6430 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL157190	ATTACHMENTS FOR FIELD CONVERSIONContinued Windshield Washer, Front and Rear	324.00
	AL179028	Wiper, Rear Window	244.00
		PTO/Front Auxiliary Drive: Front PTOs are no longer available as a field installed option through John Deere. Availability is limited to existing inventory. When inventory is exhausted, please contact Laforge Hitch for your Front PTO and Front Hitch needs.	
		Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com	
	AL160984	Front Auxillary Drive (Crankshaft pulley without Drive Shaft) Compatible with Tier 2 and Tier 3 Engines produced after S/N 354700.	614.00
		Transmission:	
	AL158728	Back-up Alarm for SyncroPlus, PowrQuad PLUS and AutoQuad Transmissions	496.00
	AL173294	Creeper Field Kit for 16F/16R SyncroPlus Transmission with Left Hand Power Reverser Additional parts are required to complete installation -see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	3,130.00
	AL173292	Creeper Field Kit for SyncroPlus 12F/4R Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	3,130.00
	AL173291	Creeper Kit for 16F/16R PowrQuad PLUS 4-Range (19 mph/30 kmh) Transmission (EPQT) Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	2,627.00
	AL173288	Creeper Kit for 24F/24R PowrQuad Plus or AutoQuad 6-Range (25 mph/40 kmh) Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	2,627.00
	AL180063	Creeper, Control Kit Required to complete Creeper installation.	476.00
	AL71345	Vandal Protection: Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts
	AL110170	Lockable Transmission Oil Filler Cap	132.00

6430 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE
CODE	AL175117	ATTACHMENTS FOR FIELD CONVERSIONContinued Vandal Protection Field Kit Kit contains Hood and Side Shield Locks. Lockable Fuel Tank Cap. Lockable Transmission Oil Filler Neck.	USD (\$) 562.00
	RE300838	Weights: Front Weight Support, 132 Lb. (60 Kg) 21 In. (535 mm) Wide Holds 14 weights.	391.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	T21689	Weight, Rear Wheel, 107 Lb.	209.00
	R61524	Weight, Rear Wheel, 135 Lb.	287.00
	RFR61524	Weight, Rear Wheel, 1620 Lb. (12-R61524)	2,896.00
	RFT21689	Weight, Rear Wheel, 1760 Lb. (16-T21689)	3,000.00
	AR112536	Weight, Rear Wheel, 440 Lb. (4-R56920) Not compatible with Rack and Pinion Axle.	937.00
	APY10029	Weight, Rear Wheel, 480 Lb. (4-L28228)	1,090.00
	L157909	Wheel Equipment: Tie Rod Extension - 2WD Axle (Increase Width 204 mm Per Side) Order 1 Per Side.	See Parts
	AL156778	Wheel Spacers, MFWD, 2.36 In. (60 mm) with Hardware (Qty 2) Increased Tread Setting from 2016 mm to 2134 mm. 8 Bolt Patterns (275 mm diameter).	575.00
	AL156779	Wheel Spacers, Rear, 1.73 In. (44 mm) with Hardware (Qty 2)	470.00
	AL156777	Wheel Spacers, Rear, 4.37 In. (111 mm) with Hardware (Qty 2)	597.00

6430 Cab Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

6105R Cab Tractor

Equipment for Base Machine

ENGINE:	Directional Indicators
	Hazard Switch
John Deere PowerTech PVX Diesel	
In-line 4-Cylinder Wet-Sleeve	CommandCenter Display Includes:
with High Pressure Common Rail (HPCR)	GreenStar 3 Application Capability
Fuel System and 16 Valve Head	Activations Required
4.5 L (276 Cu. In.) Displacement	Access Manager
105 Engine hp (97/68/EC) @ Rated Speed	Universal Performance Monitor
86 SAE PTO hp @ Rated Speed	Display Function Definable by Operator
	propriate randordin permanente of operator
High Pressure Common Rail	
Variable Geometry Turbocharger and	OPERATOR PROTECTIVE STRUCTURE:
Exhaust Gas Recirculation	ComfortView Cab with Air Conditioning
Dual Temp Cooling System	and Heater
PowerCore G2 Air Filtration System with	Two Panorama Doors
Permanent Pre-Cleaning and Safety Element	Front Windshield Washer and Wiper
Underhood AfterTreatment System with	Air Suspended Seat with Seat Belt
Deluxe Corner Post Exhaust	Tilt/Telescopic Steering Column
Self Priming and Bleeding Electronic Fuel Pump	Operational Controls Console Mounted
58 Gal (220 L) Fuel Tank Capacity	Floor Mat
Intelligent Power Management	Foot Throttle Control
	Diff Lock Switch
TID A NOME OF COMP	
TRANSMISSION:	Pre-Radio Wiring and Speaker Package
24/24 AutoQuad PLUS ECO; 25 mph (40km/h)	Two Speakers and External Antenna
Reduced Engine rpm's at max transport speed	Coat Hook
Electronic LH Reverser	Overhead Storage Bin
Perma-Clutch II (Hydraulically Engaged	Left Hand Storage Bin and Accessory Outlet
Wet Disk Clutch)	Overhead Courtesy Light
Speed Matching	Rear View Mirror
Park Lock	Cup Holder on RH Console
Neutral Safety Start System	Sun Visor
	Right Hand Steps and Hand Rail
STEERING, BRAKES, DIFFERENTIAL:	
	ELECTRICAL:
Hydrostatic Steering	
Wet-Disk Hydraulic Power Brakes	Key Shutoff
Hydraulically-Engaged Rear Axle	12 Volt Electrical System
Differential Lock	12 Volt Battery, 154 Ah
Differential Book	
	(1230 Cold Cranking Amps)
HYDRAULICS:	120 Amp Alternator
Pressure and Flow Compensated (PFC)	3 pin Accessory Outlet
30 GPM (114 L/min) Pump Output	Multi-Power Outlet Sockets
26.4 GPM (100 L/min) Flow @ One SCV	7 Terminal Rear Implement
Two 350 Series SCV's; Mechanical with	Electrical Outlet Socket
ISO Breakaway Couplers	12V Electrical Convenience Outlet
	on RH Console
DEAD DTO.	on an compose
REAR PTO:	
540/1000 RPM, 1-3/8 In. Independent Rear PTO,	LIGHTS:
Reversible Shaft and PTO Master Shield	Four Front Grille Headlights
Electrohydraulic Activation	Two Front Grille Worklights
Wet Multi-Disk Clutch	Two Belt Line Mounted Lights
Neutral Start Safety System	Four Front Roof Lights
Seat Activated PTO Warning	Two Rear Roof Lights
RH & LH Rear PTO Switch	Four Roof Mounted Flashing
THE WEST TO SWITCH	
DOGUGUARE WEEKS AND DRAWE-	Hazard Lights
ROCKSHAFT, HITCH AND DRAWBAR:	Two Rear Fender Tail Lights with
Electrohydraulic Hitch with Transport	Brake Lights
Lock and External Remote Controls	-
	EDONE AVIE WHEEL CAND EIDEC.
3-Point (Category 2/3N) Hitch	FRONT AXLE WHEELS AND TIRES:
4755 Lb.(2157 kg) Lift Capacity	MFWD
Electronic Lower Link	Steel Wheels
Telescopic Draft Links	Electrohydraulic MFWD Engagement
Sway Blocks	Two 12.4R24 In. Tires
	IWO 12.4R24 III. IIIES
Category 2 Swinging Drawbar with	
Hammerstrap	REAR AXLE WHEELS AND TIRES:
Secondary Implement Chain Support	Flange Axle
Adjustable Center Link with Ball End	Adjustable Steel Wheels
	Two 16.9R30 In. Tires
INSTRUMENTATION:	
Dashboard Instrument Panel Includes:	MISCELLANEOUS:
Tachometer	JDLink Capable
Speedometer	Operator's Manual (English) and Holder
Hour Meter	SMV Emblem
Fuel Gauge	
Engine Oil Pressure Indicator Light	
Coolant Temperature	
PTO Engagement	
Engine Air Filter Restriction Indicator	
Alternator	

6105R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Port of Entry	
00W2L		6105R Cab Tractor	95,935.00
		DESTINATION	
0184		Canada	Same Price
0202		United States	In Base Price
		ODEDATOR STATION	
0501		Base Cab with RH Console Includes: 1 LH Panorama door and 1 RH Panorama door, RH Steps, Sun Visor, CommandCenter Non-Touch Display located on RH console, Front Windshield Washer and Wiper, Manual Temperature Controls, Remote Radio Controls, Air Seat, Coat Hook, Two 3 Pin Plugs, Overhead Storage Bin, Overhead Reading Light, Rear View Mirror, Multi Power Outlet Strip, 7-pin Signal Interface Socket, Mirrors RH and LH-Manually Adjustable & Telescopic and JDLink Capable. Note: Not compatible with IVT Transmissions. GS3 CommandCenter includes Access	In Base Price
		Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Not compatible with video.	
0502		Deluxe Cab with RH Console Includes Base Package Plus: Rear Windshield Washer and Wiper, Instructional Seat, and Bottle Holder.	1,100.00
		Note: Not compatible with IVT Transmissions. GS3 CommandCenter includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Not compatible with video.	
0503		Deluxe Cab with CommandARM Includes Base Package Plus: Rear Windshield Washer and Wiper, Instructional Seat, Bottle Holder, and Air Seat with CommandARM.	2,542.00
		Note: Not compatible with AutoQuad and PowerQuad Transmissions. GS3 CommandCenter includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Not compatible with video.	
0504		Premium Cab with RH Console Includes Base Package Plus: CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Automatic Temperature Control, Rear Windshield Washer and Wiper, Instructional Seat, and Bottle Holder. Requires Code 3326 (Electronic SCV's), and 8276 (Front and Rear Roller Blind).	4,290.00
		Note: Not compatible with IVT Transmissions. GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	

6105R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0505		OPERATOR STATIONContinued Premium Cab with CommandARM Includes Base Package Plus: CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Automatic Temperature Control, Rear Windshield Washer and Wiper, Instructional Seat, Bottle Holder, and Air Seat with CommandARM. Requires Code 3326 (Electronic SCV's), and 8276 (Front and Rear Roller Blind). Note: Not compatible with AutoQuad and PowrQuad Transmissions. GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro,	5,732.00
		and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	
0506		Premium Plus Cab with RH Console and Cab Suspension Includes Base Package Plus: CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Automatic Temperature Control, Rear Windshield Washer and Wiper, Instructional Seat, Bottle Holder, Deluxe Air Seat, Adaptive Hydraulic Cab Suspension Plus and 70 gal (265L) Fuel Tank. Requires Code 3326 (Electronic SCV's), and 8276 (Front and Rear Roller Blind). Note: Not compatible with IVT Transmissions. GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	9,078.00
0507		Premium Plus Cab with CommandARM and Cab Suspension. Includes Base Package Plus: CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Automatic Temperature Control, Rear Windshield Washer and Wiper, Instructional Seat, Bottle Holder, Deluxe Air Seat, Adaptive Hydraulic Cab Suspension Plus and 70 gal (265L) Fuel Tank. Requires Code 3326 (Electronic SCV's), and 8276 (Front and Rear Roller Blind). Note: Not compatible with AutoQuad and PowrQuad Transmissions. GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	10,470.00
		TRANSMISSION	
		TRANSMISSION All Transmission Options Feature Left Hand Reverser Controls. Hydraulic trailer brakes, Code 8756 must be ordered with 50 kmh transmissions.	
1437		PowrQuad PLUS 16F/16R (19 mph/30 kmh) Must order Code 8222 (Transmission De-Clutch Button).	-3,000.00
1462		AutoQuad PLUS ECO 24F/24R Transmission (25 mph/40 kmh) Includes Auto De-Clutch Function. Not compatible with Code 6022 (2wd front axle).	In Base Price
1466		AutoQuad PLUS 24F/24R Transmission (31 mph/50 kmh) Includes Auto De-Clutch Function. Requires Code 6067 (TLS Plus with brakes). Hydraulic trailer brakes, Code 8756 must be ordered.	Same Price
1551		Infinitely Variable Transmission (25 mph/40 kmh) Requires Code 3326 (E/H SCV's) and Code 8742 (200 amp alternator). Not compatible with Codes 6022 (2wd front axle), 834A, or 834B. Not compatible with tires 675 SRI and lower.	8,386.00
1552		Infinitely Variable Transmission (31 mph/50 kmh)	8,386.00

6105R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRANSMISSIONContinued Requires Code 3326 (E/H SCV's) and Code 8742 (200 amp alternator). Not compatible with Codes 6022 (2WD front axle), 834A, or 834B. Requires Code 6067 (TLS Plus with brakes). Hydraulic trailer brakes, Code 8756 must be ordered.	
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
3325		Two Deluxe (350 Detent) Mechanical SCV's with ISO Breakaway Couplers Order Code 833G (3rd) Factory Installed SCV.	In Base Price
3326		Two Deluxe (350-Detent) Electronic SCVs with ISO Breakaway Couplers Order Code 833H (3rd) or 833T (4th) Factory Installed E-SCV. Not Compatible with Code 833G (Mechanical SCVs).	1,586.00
		POWER TAKE-OFF	
3820		540/1000 RPM Rear Reversible PTO	In Base Price
3831		3-Speed 540/540E/1000 Rear Reversible PTO with Power Assisted PTO Shifting	854.00
		CENTER LINK	
4213		Center Link	In Base Price
4221		Easy Guide Hydraulic Center Link	1,129.00
		STABILIZERS	
4410		Sway Blocks	In Base Price
4412		Automatic Stabilizer Bar - LH with Retainer	1,008.00
4421		Multi-Function Stabilizer Bar LH and RH	550.00
		REAR AXLES	
5020		Flanged Axle, 2 Position Steel Wheels Bolt Circle(Stud): 8x203mm Must order Code 5214 or 5237 (Nokian Tires).	-1,112.00
5031		Flanged Axle, 8 Position Steel Wheels Bolt Circle(Stud): 8x203mm Not available with Code 5220 (320/90R42).	In Base Price
5061		Rack and Pinion Axle 3.1 In. (79.45 mm) Diameter by 100.6 In. Length 2-Pos. Steel Wheels <i>Requires Codes 5220 (320/90R42), 5221 (16.9R38 or 420/85R38) or 5231 (18.4R38 or 460/85R38)</i> .	2,260.00
5063		Rack and Pinion Axle 3.1 In. (79.45 mm) Diameter by 100.6 In. Length 2-Pos. Cast Wheels <i>Requires Codes 5202 (16.9R34), 5212 (18.4R34), 5221 (16.9R38 or 420/85R38) or 5231 (18.4R38 or 460/85R38).</i>	2,427.00
		REAR WHEELS AND TIRES	

For complete tire and wheel information, refer to the Agricultural Sales Manual.

6105R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5180		REAR WHEELS AND TIRESContinued 16.9R30 In. 137A8 R1W Radial (420/85R30 140A8 R1W Radial) For MFWD: Requires Code 6200. Available in Goodyear DT806, Firestone Performer 85, Michelin Agribib, and Continental AC85.	In Base Price
5190		18.4R30 In. 142A8 R1W Radial (460/85R30 145A8 R1W Radial) For 2WD: Requires Code 6151. For MFWD: Requires Code 6200 or 6210. Available in Goodyear DT806, Firestone Performer 85, Michelin Agribib, and Continental AC85.	80.00
5202		16.9R34 In. 139A8 R1W Radial (420/85R34 142A8 R1W Radial) For 2WD: Requires Code 6151. For MFWD: Requires Code 6210. Available in Goodyear DT806, Firestone Performer 85, Michelin Agribib, and Continental AC85.	-234.00
5212		18.4R34 In. 144A8 R1W Radial (460/85R34 147A8 R1W Radial) For 2WD: Requires Code 6151. For MFWD: Requires Code 6220 or 6210. Available in Goodyear DT806, Firestone Performer 85, Michelin Agribib, and Continental AC85.	86.00
5214		480/80R34 In. 159D R4 Radial Available in Nokain TRI2 only. For MFWD: Requires Code 6225 and Code 5020 (2 position flange).	1,292.00
5213		520/70R34 In. 148A8 R1W Radial For MFWD: Requires Code 6221. Available in Goodyear DT812, Firestone Performer 70, Michelin Omnibib, and Continental AC70.	648.00
5221		16.9R38 In. 141A8 R1W Radial (420/85R38 144A8 R1W Radial) For 2WD: Requires Code 6151. For MFWD: Requires Code 6230, 6215 or 6220. Available in Goodyear DT806, Firestone Performer 85, Michelin Agribib, and Continental AC85.	236.00
5222		480/70R38 In. 145A8 R1W Radial For MFWD: Requires Code 6221. Available in Goodyear DT812, Firestone Performer 70, Michelin Omnibib, and Continental AC70.	1,314.00
5231		18.4R38 In. 146A8 R1W Radial (460/85R38 149A8 R1W Radial) For 2WD: Requires Code 6151. For MFWD: Requires Code 6232, 6230, or 6220. Available with 50K Transmissions. Available in Goodyear DT806, Firestone Performer 85, Michelin Agribib, and Continental AC85.	454.00
5237		480/80R38 In. 161D R4 Radial Available in Nokain TRI2 only. For MFWD: Requires Code 6225 or 6237, and Code 5020 (2 position flange).	3,206.00
5220		320/90R42 In. 139A8 R1W Radial For MFWD: Requires Code 6215. Not compatible with Code 5031 or 5063.	84.00

6105R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRESContinued Available in Firestone Performer 85 and Goodyear DT800.	
5232		520/70R38 In. 150A8 R1W Radial For MFWD: Requires Code 6233 or 6221. Available with 50K transmission. Not Compatible with Code 5063. Available in Goodyear DT812, Firestone Performer 70, Michelin Omnibib, and Continental HC70.	2,036.00
5233		600/65R38 In. 153A8 R1W Radial For MFWD: Requires Code 6234. Available with 50K Transmissions. Not Compatible with Code 5063. Available in Goodyear DT818, Firestone R9000 EVO, Michelin Multibib, and Continental AC65.	1,686.00
		REAR TIRE BRAND PREFERENCE	
5999		No Tire Brand Preference	In Base Price
5901		Continental	200.00
5902		Firestone	200.00
5903		Michelin	400.00
5905		Goodyear	200.00
5915		Nokian	Same Price
		FRONT AXLES	
6022		Adjustable 2WD Front Axle (60.4 In80.4 In.) Only compatible with Code 1437 (PowerQuad Plus transmission).	-8,073.00
6043		Mechanical Front Wheel Drive Axle with Limited Slip Differential	In Base Price
6063		MFWD Front Axle with Limited Slip Differential and Triple-Link Suspension PLUS	3,920.00
6067		Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS with Heavy Duty Front Brakes Required for Codes 1466 and 1552 (50K transmission).	5,327.00
		FRONT WHEELS AND TIRES	
6151		For Codes 6022 (2WD): 10.00-16 In. 10PR F2 Bias Requires Code 6022. Available in Goodyear F2 Super Rib and Firestone F2 only. Standard Load Capacity 5830 Lbs.	-1,136.00
6200		For Code 6043 (MFWD), 6063 (TLS PLUS), or 6067 (TLS PLUS w/Brakes): 12.4R24 ln. 119A8 R1W Radial (320/85R24 122A8 R1W Radial) Available in Firestone Performer 85, Goodyear DT806, Michelin Agribib, and Continental AC85.	In Base Price

6105R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6225		FRONT WHEELS AND TIRESContinued 400/80R24 144D R4 Radial Available in Nokian TRI2 only.	1,530.00
6237		440/80R24 149D R4 Radial Available in Nokian TRI2 only.	2,092.00
6210		13.6R24 In. 128A8 R1W Radial Available in Firestone Performer 85, Goodyear DT806, Michelin Agribib and Continental AC85.	566.00
6220		14.9R24 In. 126A8 R1W Radial (380/85R24 131A8 R1W Radial) Available in Firestone Performer 85, Goodyear DT806, Michelin Agribib, and Continental AC85.	704.00
6221		420/70R24 In. 130A8 R1W Radial Available in Firestone Performer 70, Goodyear DT812, Michelin Omnibib, and Continental AC70.	472.00
6215		12.4R28 In. 121A8 R1W Radial (320/85R28 124A8 R1W Radial) Available in Firestone Performer 85, Goodyear DT806, Michelin Agribib, and Continental AC85.	270.00
6230		13.6R28 In. 123A8 R1W Radial (340/85R28 127A8 R1W Radial) Available in Firestone Performer 85, Goodyear DT806, Michelin Agribib, and Continental AC85.	552.00
6232		16.9R24 In. 134A8 R1W Radial (420/85R24 137A8 R1W Radial) Available in Firestone Performer 85, Goodyear DT806, Michelin Agribib, and Continental AC85.	1,034.00
6233		480/70R24 In. 138A8 R1W Radial Available in Firestone Performer 70, Goodyear DT812, Michelin Omnibib, and Continental HC70. Continental tires will be 480/75R24 In.	768.00
6234		540/65R24 In. 140A8 R1W Radial Available in Firestone R9000 EVO, Goodyear DT818, Michelin Mutlibib, and Continental AC65.	1,580.00
		FRONT TIRE BRAND PREFERENCE	
6799		No Tire Brand Preference	In Base Price
6701		Continental	200.00
6702		Firestone	200.00
6703		Michelin	400.00
6705		Goodyear	200.00
6715		Nokian	Same Price
		PREPARATION PACKAGE	

6105R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
7702		PREPARATION PACKAGEContinued Preparation for Shipping	In Base Price
7706		Protection for Overseas Shipment Protective film on certain parts of Tractor.	54.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8222		ComfortView Cab Options: Transmission De-Clutch Button Required for Code 1437 (PowrQuad Transmission).	No Charge
8247		Deluxe Radio Includes: Remote radio controls on RH console, AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	324.00
8248		Premium Radio Includes: Remote radio controls on RH console, AM/FM Stereo, Weatherband, CD/MP3 Player, Remote Mounted USB Port and Auxiliary Input Jack, Blue Tooth Capable including Hands Free External Microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers and External Antenna.	908.00
8276		Front and Rear Roller Blind	278.00
878W		Panorama Glass Roof Requires Code 873A or 873C (Lighting Package), and Code 8276 (Roller Blind). Note: Base and Deluxe Cab Packages ordered with Panorama Roof do not include a Sun Visor.	574.00
878S		Cup Holder (Right Hand A-Post Mounted)	33.00
8300		Engine: Cold Weather Package I Includes Engine Coolant Heater (110V). Not compatible with Code 8301.	568.00
8301		Cold Weather Package II Includes Engine Coolant Heater (110V), Ground Fault Interrupter, Charge Pump Heater, and Transmission Heater (110V). No Transmission Heater with IVT Tractors. Not compatible with Code 8300.	721.00
8304		Fuel Heater System (12v)	136.00
8274		Rear Window Defrost	271.00
8742		200 Amp Alternator Required for IVT transmissions, and SPECIAL EQUIPMENT-FACTORY INSTALLED Ag Management Solutions and Lighting Packages.	252.00
8064		Ag Management Solutions: GreenStar Ready Wiring Harness with Implement Connector Requires StarFire Position Receiver, GreenStar Display, Mobile Processor, PC Data Card and JDOffice Desktop Software. Order these separately from the Ag Management Solutions (AMS) section of the AG Price Pages.	806.00

6105R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8067		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued GreenStar AutoTrac Ready Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac system. See AMS Price Pages and Ag Sales Manual for detailed information. Not compatible with Code 6022 (2WD).	4,537.00
873A		Lighting Packages: Deluxe Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights 2 HB3 Halogen Rear roof mounted adjustable worklights 2 HB3 Halogen Side roof mounted fixed worklights 2 HB3 Rear fender mounted adjustable worklights Only available with Code 878W (Panorama Roof). Includes base lighting less 2 inner rear roof work lights.	1,497.00
873C		Premium Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights 2 Xenon Rear roof mounted adjustable worklights 2 HB3 Halogen Side roof mounted fixed worklights 2 HB3 Rear fender mounted adjustable worklights Only available with Code 878W (Panorama Roof). Includes base lighting less 2 inner rear roof work lights.	2,405.00
873F		Deluxe Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 HB3 Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. Available with Non-Panorama roof.	1,927.00
873E		Premium Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 Xenon Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. Available with Non-Panorama roof.	2,827.00
8728		Accent Light, LH and RH Foot Step Light	202.00
8725		Beacon Light Loader Ready Packages: Loader Ready Package Includes: Mid-Mount Valve and Joystick as specified by code, loader	199.00
8214		mounting brackets, hydraulics hoses, single point half coupler, and hood guard. Gear Shifting on Joystick REQUIRED FOR CODE 834A, 834B, 834O, AND 834P WITH AutoQuad AND PowrQuad TRANSMISSIONS.	No Charge

6105R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
834B		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued 2-Function Mechanical Independent Control Valve Loader Ready Package Includes: 2-Function Mechanical Joystick and inactive rocker switch, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, Loader Mounting Frame, and Hood Guard.	4,375.00
		Must Order Code 8214 (gear shifting on joystick) for activated speed shifting buttons with AutoQuad and PowrQuad Transmissions.	
		Panorama Roof (Code 878W) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with H260, H310, and H340 Loaders.	
834A		3-Function Mechanical Independent Control Valve Loader Ready Package Includes: 3-Function Mechanical Joystick and activated rocker switch, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, Loader Mounting Frame, and Hood Guard.	4,798.00
		Must order Code 8214 (gear shifting on joystick) for activated speed shifting buttons with AutoQuad and PowrQuad Transmissions.	
		Panorama Roof (Code 878W) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with H260, H310, and H340 Loaders.	
8340		2-Function Electrical Independent Control Valve Loader Ready Package Includes: 2-Function Electronic Joystick (activated speed shifting buttons not available with IVT transmission) and inactive rocker switch, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point coupler, Loader Mounting Frame, and Hood Guard.	4,830.00
		Must Order Code 8214 (gear shifting on joystick) for activated speed shifting buttons with AutoQuad and PowrQuad Transmissions.	
		Panorama Roof (Code 878W) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with H260, H310, and H340 Loaders.	
834P		3-Function Electrical Independent Control Valve Loader Ready Package Includes: 3-Function Electronic Joystick (activated speed shifting buttons not available with IVT transmission) and activated rocker switch, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point coupler, Loader Mounting Frame, and Hood Guard.	5,447.00
		Must order Code 8214 (gear shifting on joystick) for activated speed shifting buttons with AutoQuad and PowrQuad Transmissions.	
		Panorama Roof (Code 878W) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with H260, H310, and H340 Loaders.	
8002		Chassis: Tool Box	74.00
8010		Front Fenders (Two Wheel Drive)	342.00
8011		Front Fenders for MFWD (Rigid)	526.00
8012		Turnable Front Fenders for MFWD	818.00
8020		Fender Extension, 1-Piece Side and Rear Extension (Qty 2)	600.00

6105R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8763		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Heavy Duty Rear Wheel Brakes Designed for transport with non-braked trailers.	118.00
8756		Hydraulic Trailer Brakes Includes rear tractor line coupler. Required for 50k transmission.	398.00
8457		3-Point Hitch, PTO and Drawbar: Higher Hitch Lift Capacity 6475 Lb (2937kg)	628.00
8380		Front Auxiliary Drive (Crankshaft Pulley without Drive Shaft) Not in combination with Code 8951 (Front Weight Support).	558.00
8385		Heavy Duty Rear 2-Speed PTO Housing (Nodular Iron) Recommended for Heavy Duty Applications such as roadside mowing.	280.00
833G		Hydraulics: Third SCV (Mechanical) Deluxe (350-Detent) with ISO Breakaway Couplers Requires Code 3325 (First and Second SCV).	1,158.00
833H		Third E-SCV (Electronic) Deluxe (350-Detent) with ISO Breakaway Couplers Requires Code 3326 (First and Second E-SCV).	1,569.00
833T		Fourth E-SCV (Electronic) Deluxe (350-Detent) with ISO Breakaway Couplers Requires Code 3326 (First and Second E-SCV) and 833H (Third E-SCV).	2,198.00
832J		Power Beyond Not compatible with Code 833T (Fourth SCV).	115.00
8951		Weights: Front Weight Support (110 kg / 242 Lb) Holds up to 14 Front Weights.	355.00
8973		Rear Wheel Weights, 242 Lbs. (1-Set 2 x 121 Lb.), Flange Axle, 34" - 38" Requires Code 5031 (Flange Axle). Not Compatible with Code 8974.	495.00
8974		Rear Wheel Weights, 484 Lbs. (2-Sets 2 x 121 Lb.), Flange Axle, 34" - 38" Requires Code 5031 (Flange Axle). Not compatible with Code 8973.	991.00
9013		Miscellaneous: French Operator's Manual	No Charge
9037		Spanish Operator's Manual	No Charge
8030		'JD Industrial Yellow' Paint Finish	1,402.00
8031		'Community Orange' Paint Finish	1,402.00
8307		Bottom Guard for Fuel Tank	388.00
8781		License Plate Bracket with Light	33.00

6105R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8782		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Back-Up Alarm	443.00

FOR FRONT HITCH EQUIPMENT, CONTACT:

Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198

www.fronthitch.com

6115R Cab Tractor

Equipment for Base Machine

ENGINE:	Directional Indicators
	Hazard Switch
John Deere PowerTech PVX Diesel	
In-line 4-Cylinder Wet-Sleeve	CommandCenter Display Includes:
with High Pressure Common Rail (HPCR)	GreenStar 3 Application Capability
Fuel System and 16 Valve Head	Activations Required
4.5 L (276 Cu. In.) Displacement	Access Manager
115 Engine hp (97/68/EC) @ Rated Speed	Universal Performance Monitor
94 SAE PTO hp @ Rated Speed	Display Function Definable by Operator
High Pressure Common Rail	
-	OPERATOR PROTECTIVE STRUCTURE:
Variable Geometry Turbocharger and	
Exhaust Gas Recirculation	ComfortView Cab with Air Conditioning
Dual Temp Cooling System	and Heater
PowerCore G2 Air Filtration System with	Two Panorama Doors
Permanent Pre-Cleaning and Safety Element	Front Windshield Washer and Wiper
Underhood AfterTreatment System with	Air Suspended Seat with Seat Belt
Deluxe Corner Post Exhaust	Tilt/Telescopic Steering Column
Self Priming and Bleeding Electronic Fuel Pump	Operational Controls Console Mounted
58 Gal (220 L) Fuel Tank Capacity	Floor Mat
Intelligent Power Management	Foot Throttle Control
Tillettigene Fower Management	
	Diff Lock Switch
TRANSMISSION:	Pre-Radio Wiring and Speaker Package
24/24 AutoQuad PLUS ECO; 25 mph (40km/h)	Two Speakers and External Antenna
Reduced Engine rpm's at max transport speed	Coat Hook
Electronic LH Reverser	Overhead Storage Bin
Perma-Clutch II (Hydraulically Engaged	Left Hand Storage Bin and Accessory Outlet
Wet Disk Clutch)	Overhead Courtesy Light
Speed Matching	Rear View Mirror
	Cup Holder on RH Console
Park Lock	
Neutral Safety Start System	Sun Visor
	Right Hand Steps and Hand Rail
CREEDING DIVEC DIFFEDENTIAL.	2
STEERING, BRAKES, DIFFERENTIAL:	
Hydrostatic Steering	ELECTRICAL:
Wet-Disk Hydraulic Power Brakes	Key Shutoff
Hydraulically-Engaged Rear Axle	12 Volt Electrical System
Differential Lock	12 Volt Battery, 154 Ah
	(1230 Cold Cranking Amps)
HYDRAULICS:	120 Amp Alternator
Pressure and Flow Compensated (PFC)	3 pin Accessory Outlet
30 GPM (114 L/min) Pump Output	Multi-Power Outlet Sockets
26.4 GPM (100 L/min) Flow @ One SCV	7 Terminal Rear Implement
Two 350 Series SCV's; Mechanical with	Electrical Outlet Socket
ISO Breakaway Couplers	12V Electrical Convenience Outlet
	on RH Console
DEAD DEC.	on iti combote
REAR PTO:	
540/1000 RPM, 1-3/8 In. Independent Rear PTO,	LIGHTS:
Reversible Shaft and PTO Master Shield	Four Front Grille Headlights
Electrohydraulic Activation	Two Front Grille Worklights
Wet Multi-Disk Clutch	Two Belt Line Mounted Lights
Neutral Start Safety System	Four Front Roof Lights
Seat Activated PTO Warning	Two Rear Roof Lights
RH & LH Rear PTO Switch	Four Roof Mounted Flashing
	Hazard Lights
ROCKSHAFT, HITCH AND DRAWBAR:	Two Rear Fender Tail Lights with
Electrohydraulic Hitch with Transport	Brake Lights
Lock and External Remote Controls	
3-Point (Category 2/3N) Hitch	FRONT AXLE WHEELS AND TIRES:
5582 Lb.(2532 kg) Lift Capacity	MFWD
Electronic Lower Link	Steel Wheels
Telescopic Draft Links	Electrohydraulic MFWD Engagement
Sway Blocks	Two 12.4R24 In. Tires
Category 2 Swinging Drawbar with	
Hammerstrap	REAR AXLE WHEELS AND TIRES:
Secondary Implement Chain Support	Flange Axle
Adjustable Center Link with Ball End	Adjustable Steel Wheels
	Two 16.9R30 In. Tires
INSTRUMENTATION:	
	WT 0 0 T T 3 Y T 0 T 0 T
Dashboard Instrument Panel Includes:	MISCELLANEOUS:
Tachometer	JDLink Capable
Speedometer	Operator's Manual (English) and Holder
Hour Meter	SMV Emblem
Fuel Gauge	
Engine Oil Pressure Indicator Light	
Coolant Temperature	
PTO Engagement	
Engine Air Filter Restriction Indicator	
Alternator	
ALCCLIACUL	

6115R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Port of Entry	
00X2L		6115R Cab Tractor	101,077.00
		DESTINATION	
0184		Canada	Same Price
0202		United States	In Base Price
		OPERATOR STATION	
0501		Base Cab with RH Console Includes: 1 LH Panorama door and 1 RH Panorama door, RH Steps, Sun Visor, CommandCenter Non-Touch Display located on RH console, Front Windshield Washer and Wiper, Manual Temperature Controls, Remote Radio Controls, Air Seat, Coat Hook, Two 3 Pin Plugs, Overhead Storage Bin, Overhead Reading Light, Rear View Mirror, Multi Power Outlet Strip, 7-pin Signal Interface Socket, Mirrors RH and LH-Manually Adjustable & Telescopic and JDLink Capable. Note: Not compatible with IVT Transmissions. GS3 CommandCenter includes Access	In Base Price
		Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Not compatible with video.	
0502		Deluxe Cab with RH Console Includes Base Package Plus: Rear Windshield Washer and Wiper, Instructional Seat, and Bottle Holder.	1,100.00
		Note: Not compatible with IVT Transmissions. GS3 CommandCenter includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Not compatible with video.	
0503		Deluxe Cab with CommandARM Includes Base Package Plus: Rear Windshield Washer and Wiper, Instructional Seat, Bottle Holder, and Air Seat with CommandARM.	2,542.00
		Note: Not compatible with AutoQuad and PowerQuad Transmissions. GS3 CommandCenter includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Not compatible with video.	
0504		Premium Cab with RH Console Includes Base Package Plus: CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Automatic Temperature Control, Rear Windshield Washer and Wiper, Instructional Seat, and Bottle Holder. Requires Code 3326 (Electronic SCV's), and 8276 (Front and Rear Roller Blind).	4,290.00
		Note: Not compatible with IVT Transmissions. GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	

6115R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0505		OPERATOR STATIONContinued Premium Cab with CommandARM Includes Base Package Plus: CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Automatic Temperature Control, Rear Windshield Washer and Wiper, Instructional Seat, Bottle Holder, and Air Seat with CommandARM. Requires Code 3326 (Electronic SCV's), and 8276 (Front and Rear Roller Blind). Note: Not compatible with AutoQuad and PowrQuad Transmissions. GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver	5,732.00
		installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	
0506		Premium Plus Cab with RH Console and Cab Suspension Includes Base Package Plus: CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Automatic Temperature Control, Rear Windshield Washer and Wiper, Instructional Seat, Bottle Holder, Deluxe Air Seat, Adaptive Hydraulic Cab Suspension Plus and 70 gal (265L) Fuel Tank. Requires Code 3326 (Electronic SCV's), and 8276 (Front and Rear Roller Blind). Note: Not compatible with IVT Transmissions. GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is	9,078.00
		capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	
0507		Premium Plus Cab with CommandARM and Cab Suspension. Includes Base Package Plus: CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Automatic Temperature Control, Rear Windshield Washer and Wiper, Instructional Seat, Bottle Holder, Deluxe Air Seat, Adaptive Hydraulic Cab Suspension Plus and 70 gal (265L) Fuel Tank. Requires Code 3326 (Electronic SCV's), and 8276 (Front and Rear Roller Blind).	10,470.00
		Note: Not compatible with AutoQuad and PowrQuad Transmissions. GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	
		TRANSMISSION	
		All Transmission Options Feature Left Hand Reverser Controls. Hydraulic trailer brakes, Code 8756 must be ordered with 50 kmh transmissions.	
1437		PowrQuad PLUS 16F/16R (19 mph/30 kmh) Must order Code 8222 (Transmission De-Clutch Button).	-3,000.00
1462		AutoQuad PLUS ECO 24F/24R Transmission (25 mph/40 kmh) Includes Auto De-Clutch Function. Not compatible with Code 6022 (2wd front axle).	In Base Price
1466		AutoQuad PLUS 24F/24R Transmission (31 mph/50 kmh) Includes Auto De-Clutch Function. Requires Code 6067 (TLS Plus with brakes). Hydraulic trailer brakes, Code 8756 must be ordered.	Same Price
1551		Infinitely Variable Transmission (25 mph/40 kmh) Requires Code 3326 (E/H SCV's) and Code 8742 (200 amp alternator). Not compatible with Codes 6022 (2wd front axle), 834A, or 834B. Not compatible with tires 675 SRI and lower.	8,386.00
1552		Infinitely Variable Transmission (31 mph/50 kmh)	8,386.00

6115R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRANSMISSIONContinued Requires Code 3326 (E/H SCV's) and Code 8742 (200 amp alternator). Not compatible with Codes 6022 (2WD front axle), 834A, or 834B. Requires Code 6067 (TLS Plus with brakes). Hydraulic trailer brakes, Code 8756 must be ordered.	
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
3325		Two Deluxe (350 Detent) Mechanical SCV's with ISO Breakaway Couplers Order Code 833G (3rd) Factory Installed SCV.	In Base Price
3326		Two Deluxe (350-Detent) Electronic SCVs with ISO Breakaway Couplers Order Code 833H (3rd) or 833T (4th) Factory Installed E-SCV. Not Compatible with Code 833G (Mechanical SCVs).	1,586.00
		POWER TAKE-OFF	_
3820		540/1000 RPM Rear Reversible PTO	In Base Price
3831		3-Speed 540/540E/1000 Rear Reversible PTO with Power Assisted PTO Shifting	854.00
		CENTER LINK	
4213		Center Link	In Base Price
4221		Easy Guide Hydraulic Center Link	1,129.00
		STABILIZERS	
4410		Sway Blocks	In Base Price
4412		Automatic Stabilizer Bar - LH with Retainer	1,008.00
4421		Multi-Function Stabilizer Bar LH and RH	550.00
		REAR AXLES	
5020		Flanged Axle, 2 Position Steel Wheels Bolt Circle(Stud): 8x203mm Must order Code 5214 or 5237 (Nokian Tires).	-1,112.00
5031		Flanged Axle, 8 Position Steel Wheels Bolt Circle(Stud): 8x203mm Not available with Code 5220 (320/90R42).	In Base Price
5061		Rack and Pinion Axle 3.1 In. (79.45 mm) Diameter by 100.6 In. Length 2-Pos. Steel Wheels <i>Requires Codes</i> 5220 (320/90R42), 5221 (16.9R38 or 420/85R38) or 5231 (18.4R38 or 460/85R38).	2,260.00
5063		Rack and Pinion Axle 3.1 In. (79.45 mm) Diameter by 100.6 In. Length 2-Pos. Cast Wheels <i>Requires Codes</i> 5202 (16.9R34), 5212 (18.4R34), 5221 (16.9R38 or 420/85R38) or 5231 (18.4R38 or 460/85R38).	2,427.00

For complete tire and wheel information, refer to the Agricultural Sales Manual.

REAR WHEELS AND TIRES

6115R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5180		REAR WHEELS AND TIRESContinued 16.9R30 In. 137A8 R1W Radial (420/85R30 140A8 R1W Radial) For MFWD: Requires Code 6200. Available in Goodyear DT806, Firestone Performer 85, Michelin Agribib, and Continental AC85.	In Base Price
5190		18.4R30 In. 142A8 R1W Radial (460/85R30 145A8 R1W Radial) For 2WD: Requires Code 6151. For MFWD: Requires Code 6200 or 6210. Available in Goodyear DT806, Firestone Performer 85, Michelin Agribib, and Continental AC85.	80.00
5202		16.9R34 In. 139A8 R1W Radial (420/85R34 142A8 R1W Radial) For 2WD: Requires Code 6151. For MFWD: Requires Code 6210. Available in Goodyear DT806, Firestone Performer 85, Michelin Agribib, and Continental AC85.	-234.00
5212		18.4R34 In. 144A8 R1W Radial (460/85R34 147A8 R1W Radial) For 2WD: Requires Code 6151. For MFWD: Requires Code 6220 or 6210. Available in Goodyear DT806, Firestone Performer 85, Michelin Agribib, and Continental AC85.	86.00
5214		480/80R34 In. 159D R4 Radial Available in Nokain TRI2 only. For MFWD: Requires Code 6225 and Code 5020 (2 position flange).	1,292.00
5213		520/70R34 In. 148A8 R1W Radial For MFWD: Requires Code 6221. Available in Goodyear DT812, Firestone Performer 70, Michelin Omnibib, and Continental AC70.	648.00
5221		16.9R38 In. 141A8 R1W Radial (420/85R38 144A8 R1W Radial) For 2WD: Requires Code 6151. For MFWD: Requires Code 6230, 6215 or 6220. Available in Goodyear DT806, Firestone Performer 85, Michelin Agribib, and Continental AC85.	236.00
5222		480/70R38 In. 145A8 R1W Radial For MFWD: Requires Code 6221. Available in Goodyear DT812, Firestone Performer 70, Michelin Omnibib, and Continental AC70.	1,314.00
5231		18.4R38 In. 146A8 R1W Radial (460/85R38 149A8 R1W Radial) For 2WD: Requires Code 6151. For MFWD: Requires Code 6232, 6230, or 6220. Available with 50K Transmissions. Available in Goodyear DT806, Firestone Performer 85, Michelin Agribib, and Continental AC85.	454.00
5237		480/80R38 In. 161D R4 Radial Available in Nokain TRI2 only. For MFWD: Requires Code 6225 or 6237, and Code 5020 (2 position flange).	3,206.00
5220		320/90R42 In. 139A8 R1W Radial For MFWD: Requires Code 6215. Not compatible with Code 5031 or 5063.	84.00

6115R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRES Continued Available in Firestone Performer 85 and Goodyear DT800.	
5232		520/70R38 In. 150A8 R1W Radial For MFWD: Requires Code 6233 or 6221. Available with 50K transmission. Not Compatible with Code 5063. Available in Goodyear DT812, Firestone Performer 70, Michelin Omnibib, and Continental HC70.	2,036.00
5233		600/65R38 In. 153A8 R1W Radial For MFWD: Requires Code 6234. Available with 50K Transmissions. Not Compatible with Code 5063. Available in Goodyear DT818, Firestone R9000 EVO, Michelin Multibib, and Continental AC65.	1,686.00
		REAR TIRE BRAND PREFERENCE	
5999		No Tire Brand Preference	In Base Price
5901		Continental	200.00
5902		Firestone	200.00
5903		Michelin	400.00
5905		Goodyear	200.00
5915		Nokian	Same Price
		FRONT AXLES	
6022		Adjustable 2WD Front Axle (60.4 In80.4 In.) Only compatible with Code 1437 (PowerQuad Plus transmission).	-8,073.00
6043		Mechanical Front Wheel Drive Axle with Limited Slip Differential	In Base Price
6063		MFWD Front Axle with Limited Slip Differential and Triple-Link Suspension PLUS	3,920.00
6067		Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS with Heavy Duty Front Brakes Required for Codes 1466 and 1552 (50K transmission).	5,327.00
		FRONT WHEELS AND TIRES	
6151		For Codes 6022 (2WD): 10.00-16 In. 10PR F2 Bias Requires Code 6022. Available in Goodyear F2 Super Rib and Firestone F2 only. Standard Load Capacity 5830 Lbs.	-1,136.00
6200		For Code 6043 (MFWD), 6063 (TLS PLUS), or 6067 (TLS PLUS w/Brakes): 12.4R24 In. 119A8 R1W Radial (320/85R24 122A8 R1W Radial) Available in Firestone Performer 85, Goodyear DT806, Michelin Agribib, and Continental AC85.	In Base Price

6115R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6225		FRONT WHEELS AND TIRESContinued 400/80R24 144D R4 Radial Available in Nokian TRI2 only.	1,530.00
6237		440/80R24 149D R4 Radial Available in Nokian TRI2 only.	2,092.00
6210		13.6R24 In. 128A8 R1W Radial Available in Firestone Performer 85, Goodyear DT806, Michelin Agribib and Continental AC85.	566.00
6220		14.9R24 In. 126A8 R1W Radial (380/85R24 131A8 R1W Radial) Available in Firestone Performer 85, Goodyear DT806, Michelin Agribib, and Continental AC85.	704.00
6221		420/70R24 In. 130A8 R1W Radial Available in Firestone Performer 70, Goodyear DT812, Michelin Omnibib, and Continental AC70.	472.00
6215		12.4R28 In. 121A8 R1W Radial (320/85R28 124A8 R1W Radial) Available in Firestone Performer 85, Goodyear DT806, Michelin Agribib, and Continental AC85.	270.00
6230		13.6R28 In. 123A8 R1W Radial (340/85R28 127A8 R1W Radial) Available in Firestone Performer 85, Goodyear DT806, Michelin Agribib, and Continental AC85.	552.00
6232		16.9R24 In. 134A8 R1W Radial (420/85R24 137A8 R1W Radial) Available in Firestone Performer 85, Goodyear DT806, Michelin Agribib, and Continental AC85.	1,034.00
6233		480/70R24 In. 138A8 R1W Radial Available in Firestone Performer 70, Goodyear DT812, Michelin Omnibib, and Continental HC70. Continental tires will be 480/75R24 In.	768.00
6234		540/65R24 In. 140A8 R1W Radial Available in Firestone R9000 EVO, Goodyear DT818, Michelin Mutlibib, and Continental AC65.	1,580.00
		FRONT TIRE BRAND PREFERENCE	
6799		No Tire Brand Preference	In Base Price
6701		Continental	200.00
6702		Firestone	200.00
6703		Michelin	400.00
6705		Goodyear	200.00
6715		Nokian	Same Price
		PREPARATION PACKAGE	

6115R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
7702		PREPARATION PACKAGEContinued Preparation for Shipping	In Base Price
7706		Protection for Overseas Shipment Protective film on certain parts of Tractor.	54.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8222		ComfortView Cab Options: Transmission De-Clutch Button Required for Code 1437 (PowrQuad Transmission).	No Charge
8247		Deluxe Radio Includes: Remote radio controls on RH console, AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	324.00
8248		Premium Radio Includes: Remote radio controls on RH console, AM/FM Stereo, Weatherband, CD/MP3 Player, Remote Mounted USB Port and Auxiliary Input Jack, Blue Tooth Capable including Hands Free External Microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers and External Antenna.	908.00
8276		Front and Rear Roller Blind	278.00
878W		Panorama Glass Roof Requires Code 873A or 873C (Lighting Package), and Code 8276 (Roller Blind). Note: Base and Deluxe Cab Packages ordered with Panorama Roof do not include a Sun Visor.	574.00
878S		Cup Holder (Right Hand A-Post Mounted)	33.00
8300		Engine: Cold Weather Package I Includes Engine Coolant Heater (110V). Not compatible with Code 8301.	568.00
8301		Cold Weather Package II Includes Engine Coolant Heater (110V), Ground Fault Interrupter, Charge Pump Heater, and Transmission Heater (110V). No Transmission Heater with IVT Tractors. Not compatible with Code 8300.	721.00
8304		Fuel Heater System (12v)	136.00
8274		Rear Window Defrost	271.00
8742		200 Amp Alternator Required for IVT transmissions, and SPECIAL EQUIPMENT-FACTORY INSTALLED Ag Management Solutions and Lighting Packages.	252.00
8064		Ag Management Solutions: GreenStar Ready Wiring Harness with Implement Connector Requires StarFire Position Receiver, GreenStar Display, Mobile Processor, PC Data Card and JDOffice Desktop Software. Order these separately from the Ag Management Solutions (AMS) section of the AG Price Pages.	806.00

6115R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8067		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued GreenStar AutoTrac Ready Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac system. See AMS Price Pages and Ag Sales Manual for detailed information. Not compatible with Code 6022 (2WD).	4,537.00
873A		Lighting Packages: Deluxe Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights 2 HB3 Halogen Rear roof mounted adjustable worklights 2 HB3 Halogen Side roof mounted fixed worklights 2 HB3 Rear fender mounted adjustable worklights Only available with Code 878W (Panorama Roof). Includes base lighting less 2 inner rear roof work lights.	1,497.00
873C		Premium Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights 2 Xenon Rear roof mounted adjustable worklights 2 HB3 Halogen Side roof mounted fixed worklights 2 HB3 Rear fender mounted adjustable worklights Only available with Code 878W (Panorama Roof). Includes base lighting less 2 inner rear roof work lights.	2,405.00
873F		Deluxe Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 HB3 Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. Available with Non-Panorama roof.	1,927.00
873E		Premium Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 Xenon Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. Available with Non-Panorama roof.	2,827.00
8728		Accent Light, LH and RH Foot Step Light	202.00
8725		Beacon Light Loader Ready Packages: Loader Ready Package Includes: Mid-Mount Valve and Joystick as specified by code, loader	199.00
8214		mounting brackets, hydraulics hoses, single point half coupler, and hood guard. Gear Shifting on Joystick REQUIRED FOR CODE 834A, 834B, 834O, AND 834P WITH AutoQuad AND PowrQuad TRANSMISSIONS.	No Charge

6115R Cab Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
834B		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued 2-Function Mechanical Independent Control Valve Loader Ready Package Includes: 2-Function Mechanical Joystick and inactive rocker switch, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, Loader Mounting Frame, and Hood Guard.	4,375.00
		Must Order Code 8214 (gear shifting on joystick) for activated speed shifting buttons with AutoQuad and PowrQuad Transmissions.	
		Panorama Roof (Code 878W) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with H260, H310, and H340 Loaders.	
834A		3-Function Mechanical Independent Control Valve Loader Ready Package Includes: 3-Function Mechanical Joystick and activated rocker switch, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, Loader Mounting Frame, and Hood Guard.	4,798.00
		Must order Code 8214 (gear shifting on joystick) for activated speed shifting buttons with AutoQuad and PowrQuad Transmissions.	
		Panorama Roof (Code 878W) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with H260, H310, and H340 Loaders.	
8340		2-Function Electrical Independent Control Valve Loader Ready Package Includes: 2-Function Electronic Joystick (activated speed shifting buttons not available with IVT transmission) and inactive rocker switch, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point coupler, Loader Mounting Frame, and Hood Guard.	4,830.00
		Must Order Code 8214 (gear shifting on joystick) for activated speed shifting buttons with AutoQuad and PowrQuad Transmissions.	
		Panorama Roof (Code 878W) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with H260, H310, and H340 Loaders.	
834P		3-Function Electrical Independent Control Valve Loader Ready Package Includes: 3-Function Electronic Joystick (activated speed shifting buttons not available with IVT transmission) and activated rocker switch, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point coupler, Loader Mounting Frame, and Hood Guard.	5,447.00
		Must order Code 8214 (gear shifting on joystick) for activated speed shifting buttons with AutoQuad and PowrQuad Transmissions.	
		Panorama Roof (Code 878W) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with H260, H310, and H340 Loaders.	
8002		Chassis: Tool Box	74.00
8010		Front Fenders (Two Wheel Drive)	342.00
8011		Front Fenders for MFWD (Rigid)	526.00
8012		Turnable Front Fenders for MFWD	818.00
8020		Fender Extension, 1-Piece Side and Rear Extension (Qty 2)	600.00

6115R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8763		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Heavy Duty Rear Wheel Brakes Designed for transport with non-braked trailers.	118.00
8756		Hydraulic Trailer Brakes Includes rear tractor line coupler. Required for 50k transmission.	398.00
8457		3-Point Hitch, PTO and Drawbar: Higher Hitch Lift Capacity 7432 Lb (3371kg)	628.00
8380		Front Auxiliary Drive (Crankshaft Pulley without Drive Shaft) Not in combination with Code 8951 (Front Weight Support).	558.00
8385		Heavy Duty Rear 2-Speed PTO Housing (Nodular Iron) Recommended for Heavy Duty Applications such as roadside mowing.	280.00
833G		Hydraulics: Third SCV (Mechanical) Deluxe (350-Detent) with ISO Breakaway Couplers Requires Code 3325 (First and Second SCV).	1,158.00
833H		Third E-SCV (Electronic) Deluxe (350-Detent) with ISO Breakaway Couplers Requires Code 3326 (First and Second E-SCV).	1,569.00
833T		Fourth E-SCV (Electronic) Deluxe (350-Detent) with ISO Breakaway Couplers Requires Code 3326 (First and Second E-SCV) and 833H (Third E-SCV).	2,198.00
832J		Power Beyond Not compatible with Code 833T (Fourth SCV).	115.00
8951		Weights: Front Weight Support (110 kg / 242 Lb) Holds up to 14 Front Weights.	355.00
8973		Rear Wheel Weights, 242 Lbs. (1-Set 2 x 121 Lb.), Flange Axle, 34" - 38" Requires Code 5031 (Flange Axle). Not Compatible with Code 8974.	495.00
8974		Rear Wheel Weights, 484 Lbs. (2-Sets 2 x 121 Lb.), Flange Axle, 34" - 38" Requires Code 5031 (Flange Axle). Not compatible with Code 8973.	991.00
9013		Miscellaneous: French Operator's Manual	No Charge
9037		Spanish Operator's Manual	No Charge
8030		'JD Industrial Yellow' Paint Finish	1,402.00
8031		'Community Orange' Paint Finish	1,402.00
8307		Bottom Guard for Fuel Tank	388.00
878I		License Plate Bracket with Light	33.00

6115R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8782		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Back-Up Alarm	443.00

FOR FRONT HITCH EQUIPMENT, CONTACT:

Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198

www.fronthitch.com

6125R Cab Tractor

Equipment for Base Machine

ENGINE: Directional Indicators John Deere PowerTech PVX Diesel Hazard Switch In-line 4-Cylinder Wet-Sleeve CommandCenter Display Includes: GreenStar 3 Application Capability with High Pressure Common Rail (HPCR) Fuel System and 16 Valve Head 4.5 L (276 Cu. In.) Displacement 125 Engine hp (97/68/EC) @ Rated Speed Activations Required Access Manager Universal Performance Monitor 101 SAE PTO hp @ Rated Speed High Pressure Common Rail Display Function Definable by Operator OPERATOR PROTECTIVE STRUCTURE: Variable Geometry Turbocharger and Exhaust Gas Recirculation
Dual Temp Cooling System
PowerCore G2 Air Filtration System with
Permanent Pre-Cleaning and Safety Element ComfortView Cab with Air Conditioning and Heater Two Panorama Doors Front Windshield Washer and Wiper Underhood AfterTreatment System with Air Suspended Seat with Seat Belt Deluxe Corner Post Exhaust Tilt/Telescopic Steering Column Self Priming and Bleeding Electronic Fuel Pump $58\ \mathrm{Gal}\ (220\ \mathrm{L})$ Fuel Tank Capacity Operational Controls Console Mounted Floor Mat Floor Mat Foot Throttle Control Diff Lock Switch Pre-Radio Wiring and Speaker Package Two Speakers and External Antenna Intelligent Power Management TRANSMISSION: 24/24 AutoQuad PLUS ECO; 25 mph (40km/h) Reduced Engine rpm's at max transport speed Coat. Hook Electronic LH Reverser Overhead Storage Bin Perma-Clutch II (Hydraulically Engaged Wet Disk Clutch) Left Hand Storage Bin and Accessory Outlet Overhead Courtesy Light Speed Matching Rear View Mirror Park Lock Cup Holder on RH Console Neutral Safety Start System Sun Visor Right Hand Steps and Hand Rail STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering ELECTRICAL: Wet-Disk Hydraulic Power Brakes Key Shutoff
12 Volt Electrical System Hydraulically-Engaged Rear Axle 12 Volt Battery, 154 Ah Differential Lock (1230 Cold Cranking Amps) HYDRAULICS: 120 Amp Alternator Pressure and Flow Compensated (PFC) 3 pin Accessory Outlet 30 GPM (114 L/min) Pump Output Multi-Power Outlet Sockets 26.4 GPM (100 L/min) Flow @ One SCV 7 Terminal Rear Implement Two 350 Series SCV's; Mechanical with Electrical Outlet Socket 12V Electrical Convenience Outlet ISO Breakaway Couplers on RH Console 540/1000 RPM, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield LIGHTS: Four Front Grille Headlights Electrohydraulic Activation Wet Multi-Disk Clutch Two Front Grille Worklights Two Belt Line Mounted Lights Neutral Start Safety System Four Front Roof Lights Seat Activated PTO Warning Two Rear Roof Lights RH & LH Rear PTO Switch Four Roof Mounted Flashing Hazard Lights Two Rear Fender Tail Lights with ROCKSHAFT, HITCH AND DRAWBAR: Electrohydraulic Hitch with Transport Brake Lights Lock and External Remote Controls 3-Point (Category 2/3N) Hitch 6475 Lb.(2937 kg) Lift Capacity FRONT AXLE WHEELS AND TIRES: MFWD Electronic Lower Link Steel Wheels Telescopic Draft Links Electrohydraulic MFWD Engagement Sway Blocks Two 12.4R24 In. Tires Category 2 Swinging Drawbar with REAR AXLE WHEELS AND TIRES: Hammerstrap Secondary Implement Chain Support Flange Axle Adjustable Steel Wheels Adjustable Center Link with Ball End Two 16.9R30 In. Tires INSTRUMENTATION: Dashboard Instrument Panel Includes: MISCELLANEOUS: JDLink Capable Tachometer Speedometer Operator's Manual (English) and Holder SMV Emblem Hour Meter Fuel Gauge Engine Oil Pressure Indicator Light Coolant Temperature PTO Engagement Engine Air Filter Restriction Indicator Alternator

6125R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE EX-WORKS Port of Entry	
00Y2L		6125R Cab Tractor	107,347.00
		DESTINATION	
0184		Canada	Same Price
0202		United States	In Base Price
		OPERATOR STATION	
0501		Base Cab with RH Console Includes: 1 LH Panorama door and 1 RH Panorama door, RH Steps, Sun Visor, CommandCenter Non-Touch Display located on RH console, Front Windshield Washer and Wiper, Manual Temperature Controls, Remote Radio Controls, Air Seat, Coat Hook, Two 3 Pin Plugs, Overhead Storage Bin, Overhead Reading Light, Rear View Mirror, Multi Power Outlet Strip, 7-pin Signal Interface Socket, Mirrors RH and LH-Manually Adjustable & Telescopic and JDLink Capable. Note: Not compatible with IVT Transmissions. GS3 CommandCenter includes Access	In Base Price
0502		Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Not compatible with video. Deluxe Cab with RH Console	1,100.00
		Includes Base Package Plus: Rear Windshield Washer and Wiper, Instructional Seat, and Bottle Holder. Note: Not compatible with IVT Transmissions. GS3 CommandCenter includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Not compatible with video.	
0503		Deluxe Cab with CommandARM Includes Base Package Plus: Rear Windshield Washer and Wiper, Instructional Seat, Bottle Holder, and Air Seat with CommandARM. Note: Not compatible with AutoQuad and PowerQuad Transmissions. GS3 CommandCenter includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Not compatible with video.	2,542.00
0504		Premium Cab with RH Console Includes Base Package Plus: CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Automatic Temperature Control, Rear Windshield Washer and Wiper, Instructional Seat, and Bottle Holder. Requires Code 3326 (Electronic SCV's), and 8276 (Front and Rear Roller Blind). Note: Not compatible with IVT Transmissions. GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	4,290.00

6125R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0505		OPERATOR STATIONContinued Premium Cab with CommandARM Includes Base Package Plus: CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Automatic Temperature Control, Rear Windshield Washer and Wiper, Instructional Seat, Bottle Holder, and Air Seat with CommandARM. Requires Code 3326 (Electronic SCV's), and 8276 (Front and Rear Roller Blind).	5,732.00
		Note: Not compatible with AutoQuad and PowrQuad Transmissions. GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	
0506		Premium Plus Cab with RH Console and Cab Suspension Includes Base Package Plus: CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Automatic Temperature Control, Rear Windshield Washer and Wiper, Instructional Seat, Bottle Holder, Deluxe Air Seat, Adaptive Hydraulic Cab Suspension Plus and 70 gal (265L) Fuel Tank. Requires Code 3326 (Electronic SCV's), and 8276 (Front and Rear Roller Blind).	9,078.00
		Note: Not compatible with IVT Transmissions. GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	
0507		Premium Plus Cab with CommandARM and Cab Suspension. Includes Base Package Plus: CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Automatic Temperature Control, Rear Windshield Washer and Wiper, Instructional Seat, Bottle Holder, Deluxe Air Seat, Adaptive Hydraulic Cab Suspension Plus and 70 gal (265L) Fuel Tank. Requires Code 3326 (Electronic SCV's), and 8276 (Front and Rear Roller Blind).	10,470.00
		Note: Not compatible with AutoQuad and PowrQuad Transmissions. GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	
		TRANSMISSION	
		All Transmission Options Feature Left Hand Reverser Controls. Hydraulic trailer brakes, Code 8756 must be ordered with 50 kmh transmissions.	
1437		PowrQuad PLUS 16F/16R (19 mph/30 kmh) Must order Code 8222 (Transmission De-Clutch Button).	-3,000.00
1462		AutoQuad PLUS ECO 24F/24R Transmission (25 mph/40 kmh) Includes Auto De-Clutch Function. Not compatible with Code 6022 (2wd front axle).	In Base Price
1466		AutoQuad PLUS 24F/24R Transmission (31 mph/50 kmh) Includes Auto De-Clutch Function. Requires Code 6067 (TLS Plus with brakes). Hydraulic trailer brakes, Code 8756 must be ordered.	Same Price
1551		Infinitely Variable Transmission (25 mph/40 kmh) Requires Code 3326 (E/H SCV's) and Code 8742 (200 amp alternator). Not compatible with Codes 6022 (2wd front axle), 834A, or 834B. Not compatible with tires 675 SRI and lower.	8,386.00
1552		Infinitely Variable Transmission (31 mph/50 kmh)	8,386.00

6125R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRANSMISSIONContinued Requires Code 3326 (E/H SCV's) and Code 8742 (200 amp alternator). Not compatible with Codes 6022 (2WD front axle), 834A, or 834B. Requires Code 6067 (TLS Plus with brakes). Hydraulic trailer brakes, Code 8756 must be ordered.	
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
3325		Two Deluxe (350 Detent) Mechanical SCV's with ISO Breakaway Couplers Order Code 833G (3rd) Factory Installed SCV.	In Base Price
3326		Two Deluxe (350-Detent) Electronic SCVs with ISO Breakaway Couplers Order Code 833H (3rd) or 833T (4th) Factory Installed E-SCV. Not Compatible with Code 833G (Mechanical SCVs).	1,586.00
		POWER TAKE-OFF	
3820		540/1000 RPM Rear Reversible PTO	In Base Price
3831		3-Speed 540/540E/1000 Rear Reversible PTO with Power Assisted PTO Shifting	854.00
		CENTER LINK	
4213		Center Link	In Base Price
4221		Easy Guide Hydraulic Center Link	1,129.00
		STABILIZERS	
4410		Sway Blocks	In Base Price
4412		Automatic Stabilizer Bar - LH with Retainer	1,008.00
4421		Multi-Function Stabilizer Bar LH and RH	550.00
		REAR AXLES	
5020		Flanged Axle, 2 Position Steel Wheels Bolt Circle(Stud): 8x203mm Must order Code 5214 or 5237 (Nokian Tires).	-1,112.00
5031		Flanged Axle, 8 Position Steel Wheels Bolt Circle(Stud): 8x203mm Not available with Code 5220 (320/90R42).	In Base Price
5061		Rack and Pinion Axle 3.1 In. (79.45 mm) Diameter by 100.6 In. Length 2-Pos. Steel Wheels <i>Requires Codes</i> 5220 (320/90R42), 5221 (16.9R38 or 420/85R38) or 5231 (18.4R38 or 460/85R38).	2,260.00
5063		Rack and Pinion Axle 3.1 In. (79.45 mm) Diameter by 100.6 In. Length 2-Pos. Cast Wheels <i>Requires Codes</i> 5202 (16.9R34), 5212 (18.4R34), 5221 (16.9R38 or 420/85R38) or 5231 (18.4R38 or 460/85R38).	2,427.00
		REAR WHEELS AND TIRES	

 $For \ complete \ tire \ and \ wheel \ information, \ refer \ to \ the \ Agricultural \ Sales \ Manual.$

6125R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5180		REAR WHEELS AND TIRESContinued 16.9R30 In. 137A8 R1W Radial (420/85R30 140A8 R1W Radial) For MFWD: Requires Code 6200. Available in Goodyear DT806, Firestone Performer 85, Michelin Agribib, and Continental AC85.	In Base Price
5190		18.4R30 In. 142A8 R1W Radial (460/85R30 145A8 R1W Radial) For 2WD: Requires Code 6151. For MFWD: Requires Code 6200 or 6210. Available in Goodyear DT806, Firestone Performer 85, Michelin Agribib, and Continental AC85.	80.00
5202		16.9R34 In. 139A8 R1W Radial (420/85R34 142A8 R1W Radial) For 2WD: Requires Code 6151. For MFWD: Requires Code 6210. Available in Goodyear DT806, Firestone Performer 85, Michelin Agribib, and Continental AC85.	-234.00
5212		18.4R34 In. 144A8 R1W Radial (460/85R34 147A8 R1W Radial) For 2WD: Requires Code 6151. For MFWD: Requires Code 6220 or 6210. Available in Goodyear DT806, Firestone Performer 85, Michelin Agribib, and Continental AC85.	86.00
5214		480/80R34 In. 159D R4 Radial Available in Nokain TRI2 only. For MFWD: Requires Code 6225 and Code 5020 (2 position flange).	1,292.00
5213		520/70R34 In. 148A8 R1W Radial For MFWD: Requires Code 6221. Available in Goodyear DT812, Firestone Performer 70, Michelin Omnibib, and Continental AC70.	648.00
5221		16.9R38 In. 141A8 R1W Radial (420/85R38 144A8 R1W Radial) For 2WD: Requires Code 6151. For MFWD: Requires Code 6230, 6215 or 6220. Available in Goodyear DT806, Firestone Performer 85, Michelin Agribib, and Continental AC85.	236.00
5222		480/70R38 In. 145A8 R1W Radial For MFWD: Requires Code 6221. Available in Goodyear DT812, Firestone Performer 70, Michelin Omnibib, and Continental AC70.	1,314.00
5231		18.4R38 In. 146A8 R1W Radial (460/85R38 149A8 R1W Radial) For 2WD: Requires Code 6151. For MFWD: Requires Code 6232, 6230, or 6220. Available with 50K Transmissions. Available in Goodyear DT806, Firestone Performer 85, Michelin Agribib, and Continental AC85.	454.00
5237		480/80R38 In. 161D R4 Radial Available in Nokain TRI2 only. For MFWD: Requires Code 6225 or 6237, and Code 5020 (2 position flange).	3,206.00
5220		320/90R42 In. 139A8 R1W Radial For MFWD: Requires Code 6215. Not compatible with Code 5031 or 5063.	84.00

6125R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRESContinued Available in Firestone Performer 85 and Goodyear DT800.	
5232		520/70R38 In. 150A8 R1W Radial For MFWD: Requires Code 6233 or 6221. Available with 50K transmission. Not Compatible with Code 5063. Available in Goodyear DT812, Firestone Performer 70, Michelin Omnibib, and Continental HC70.	2,036.00
5233		600/65R38 In. 153A8 R1W Radial For MFWD: Requires Code 6234. Available with 50K Transmissions. Not Compatible with Code 5063. Available in Goodyear DT818, Firestone R9000 EVO, Michelin Multibib, and Continental AC65.	1,686.00
		REAR TIRE BRAND PREFERENCE	
5999		No Tire Brand Preference	In Base Price
5901		Continental	200.00
5902		Firestone	200.00
5903		Michelin	400.00
5905		Goodyear	200.00
5915		Nokian	Same Price
		FRONT AXLES	
6022		Adjustable 2WD Front Axle (60.4 In80.4 In.) Only compatible with Code 1437 (PowerQuad Plus transmission).	-8,073.00
6043		Mechanical Front Wheel Drive Axle with Limited Slip Differential	In Base Price
6063		MFWD Front Axle with Limited Slip Differential and Triple-Link Suspension PLUS	3,920.00
6067		Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS with Heavy Duty Front Brakes Required for Codes 1466 and 1552 (50K transmission).	5,327.00
		FRONT WHEELS AND TIRES	
6151		For Codes 6022 (2WD): 10.00-16 In. 10PR F2 Bias Requires Code 6022. Available in Goodyear F2 Super Rib and Firestone F2 only. Standard Load Capacity 5830 Lbs.	-1,136.00
6200		For Code 6043 (MFWD), 6063 (TLS PLUS), or 6067 (TLS PLUS w/Brakes): 12.4R24 ln. 119A8 R1W Radial (320/85R24 122A8 R1W Radial) Available in Firestone Performer 85, Goodyear DT806, Michelin Agribib, and Continental AC85.	In Base Price

6125R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6225		FRONT WHEELS AND TIRESContinued 400/80R24 144D R4 Radial Available in Nokian TRI2 only.	1,530.00
6237		440/80R24 149D R4 Radial Available in Nokian TRI2 only.	2,092.00
6210		13.6R24 In. 128A8 R1W Radial Available in Firestone Performer 85, Goodyear DT806, Michelin Agribib and Continental AC85.	566.00
6220		14.9R24 In. 126A8 R1W Radial (380/85R24 131A8 R1W Radial) Available in Firestone Performer 85, Goodyear DT806, Michelin Agribib, and Continental AC85.	704.00
6221		420/70R24 In. 130A8 R1W Radial Available in Firestone Performer 70, Goodyear DT812, Michelin Omnibib, and Continental AC70.	472.00
6215		12.4R28 In. 121A8 R1W Radial (320/85R28 124A8 R1W Radial) Available in Firestone Performer 85, Goodyear DT806, Michelin Agribib, and Continental AC85.	270.00
6230		13.6R28 In. 123A8 R1W Radial (340/85R28 127A8 R1W Radial) Available in Firestone Performer 85, Goodyear DT806, Michelin Agribib, and Continental AC85.	552.00
6232		16.9R24 In. 134A8 R1W Radial (420/85R24 137A8 R1W Radial) Available in Firestone Performer 85, Goodyear DT806, Michelin Agribib, and Continental AC85.	1,034.00
6233		480/70R24 In. 138A8 R1W Radial Available in Firestone Performer 70, Goodyear DT812, Michelin Omnibib, and Continental HC70. Continental tires will be 480/75R24 In.	768.00
6234		540/65R24 In. 140A8 R1W Radial Available in Firestone R9000 EVO, Goodyear DT818, Michelin Mutlibib, and Continental AC65.	1,580.00
		FRONT TIRE BRAND PREFERENCE	
6799		No Tire Brand Preference	In Base Price
6701		Continental	200.00
6702		Firestone	200.00
6703		Michelin	400.00
6705		Goodyear	200.00
6715		Nokian	Same Price
		PREPARATION PACKAGE	

6125R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
7702		PREPARATION PACKAGEContinued Preparation for Shipping	In Base Price
7706		Protection for Overseas Shipment Protective film on certain parts of Tractor.	54.00
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8222		ComfortView Cab Options: Transmission De-Clutch Button Required for Code 1437 (PowrQuad Transmission).	No Charge
8247		Deluxe Radio Includes: Remote radio controls on RH console, AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	324.00
8248		Premium Radio Includes: Remote radio controls on RH console, AM/FM Stereo, Weatherband, CD/MP3 Player, Remote Mounted USB Port and Auxiliary Input Jack, Blue Tooth Capable including Hands Free External Microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers and External Antenna.	908.00
8276		Front and Rear Roller Blind	278.00
878W		Panorama Glass Roof Requires Code 873A or 873C (Lighting Package), and Code 8276 (Roller Blind). Note: Base and Deluxe Cab Packages ordered with Panorama Roof do not include a Sun Visor.	574.00
878S		Cup Holder (Right Hand A-Post Mounted)	33.00
8300		Engine: Cold Weather Package I Includes Engine Coolant Heater (110V). Not compatible with Code 8301.	568.00
8301		Cold Weather Package II Includes Engine Coolant Heater (110V), Ground Fault Interrupter, Charge Pump Heater, and Transmission Heater (110V). No Transmission Heater with IVT Tractors. Not compatible with Code 8300.	721.00
8304		Fuel Heater System (12v)	136.00
8274		Rear Window Defrost	271.00
8742		200 Amp Alternator Required for IVT transmissions, and SPECIAL EQUIPMENT-FACTORY INSTALLED Ag Management Solutions and Lighting Packages.	252.00
8064		Ag Management Solutions: GreenStar Ready Wiring Harness with Implement Connector Requires StarFire Position Receiver, GreenStar Display, Mobile Processor, PC Data Card and JDOffice Desktop Software. Order these separately from the Ag Management Solutions (AMS) section of the AG Price Pages.	806.00

6125R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8067		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued GreenStar AutoTrac Ready Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac system. See AMS Price Pages and Ag Sales Manual for detailed information. Not compatible with Code 6022 (2WD).	4,537.00
873A		Lighting Packages: Deluxe Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights 2 HB3 Halogen Rear roof mounted adjustable worklights 2 HB3 Halogen Side roof mounted fixed worklights 2 HB3 Rear fender mounted adjustable worklights Only available with Code 878W (Panorama Roof). Includes base lighting less 2 inner rear roof work lights.	1,497.00
873C		Premium Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights 2 Xenon Rear roof mounted adjustable worklights 2 HB3 Halogen Side roof mounted fixed worklights 2 HB3 Rear fender mounted adjustable worklights Only available with Code 878W (Panorama Roof). Includes base lighting less 2 inner rear roof work lights.	2,405.00
873F		Deluxe Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 HB3 Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. Available with Non-Panorama roof.	1,927.00
873E		Premium Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 Xenon Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. Available with Non-Panorama roof.	2,827.00
8728		Accent Light, LH and RH Foot Step Light	202.00
8725		Beacon Light Loader Ready Packages: Loader Ready Package Includes: Mid-Mount Valve and Joystick as specified by code, loader	199.00
8214		mounting brackets, hydraulics hoses, single point half coupler, and hood guard. Gear Shifting on Joystick REQUIRED FOR CODE 834A, 834B, 834O, AND 834P WITH AutoQuad AND PowrQuad TRANSMISSIONS.	No Charge

6125R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
834B		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued 2-Function Mechanical Independent Control Valve Loader Ready Package Includes: 2-Function Mechanical Joystick and inactive rocker switch, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, Loader Mounting Frame, and Hood Guard.	4,375.00
		Must Order Code 8214 (gear shifting on joystick) for activated speed shifting buttons with AutoQuad and PowrQuad Transmissions.	
		Panorama Roof (Code 878W) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with H260, H310, and H340 Loaders.	
834A		3-Function Mechanical Independent Control Valve Loader Ready Package Includes: 3-Function Mechanical Joystick and activated rocker switch, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, Loader Mounting Frame, and Hood Guard.	4,798.00
		Must order Code 8214 (gear shifting on joystick) for activated speed shifting buttons with AutoQuad and PowrQuad Transmissions.	
		Panorama Roof (Code 878W) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with H260, H310, and H340 Loaders.	
8340		2-Function Electrical Independent Control Valve Loader Ready Package Includes: 2-Function Electronic Joystick (activated speed shifting buttons not available with IVT transmission) and inactive rocker switch, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point coupler, Loader Mounting Frame, and Hood Guard.	4,830.00
		Must Order Code 8214 (gear shifting on joystick) for activated speed shifting buttons with AutoQuad and PowrQuad Transmissions.	
		Panorama Roof (Code 878W) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with H260, H310, and H340 Loaders.	
834P		3-Function Electrical Independent Control Valve Loader Ready Package Includes: 3-Function Electronic Joystick (activated speed shifting buttons not available with IVT transmission) and activated rocker switch, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point coupler, Loader Mounting Frame, and Hood Guard.	5,447.00
		Must order Code 8214 (gear shifting on joystick) for activated speed shifting buttons with AutoQuad and PowrQuad Transmissions.	
		Panorama Roof (Code 878W) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Compatible with H260, H310, and H340 Loaders.	
8002		Chassis: Tool Box	74.00
8010		Front Fenders (Two Wheel Drive)	342.00
8011		Front Fenders for MFWD (Rigid)	526.00
8012		Turnable Front Fenders for MFWD	818.00
8020		Fender Extension, 1-Piece Side and Rear Extension (Qty 2)	600.00

6125R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8763		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Heavy Duty Rear Wheel Brakes Designed for transport with non-braked trailers.	118.00
8756		Hydraulic Trailer Brakes Includes rear tractor line coupler. Required for 50k transmission.	398.00
8457		3-Point Hitch, PTO and Drawbar: Higher Hitch Lift Capacity 8457 Lb (3836kg)	628.00
8380		Front Auxiliary Drive (Crankshaft Pulley without Drive Shaft) Not in combination with Code 8951 (Front Weight Support).	558.00
8385		Heavy Duty Rear 2-Speed PTO Housing (Nodular Iron) Recommended for Heavy Duty Applications such as roadside mowing.	280.00
833G		Hydraulics: Third SCV (Mechanical) Deluxe (350-Detent) with ISO Breakaway Couplers Requires Code 3325 (First and Second SCV).	1,158.00
833H		Third E-SCV (Electronic) Deluxe (350-Detent) with ISO Breakaway Couplers Requires Code 3326 (First and Second E-SCV).	1,569.00
833T		Fourth E-SCV (Electronic) Deluxe (350-Detent) with ISO Breakaway Couplers Requires Code 3326 (First and Second E-SCV) and 833H (Third E-SCV).	2,198.00
832J		Power Beyond Not compatible with Code 833T (Fourth SCV).	115.00
8951		Weights: Front Weight Support (110 kg / 242 Lb) Holds up to 14 Front Weights.	355.00
8973		Rear Wheel Weights, 242 Lbs. (1-Set 2 x 121 Lb.), Flange Axle, 34" - 38" Requires Code 5031 (Flange Axle). Not Compatible with Code 8974.	495.00
8974		Rear Wheel Weights, 484 Lbs. (2-Sets 2 x 121 Lb.), Flange Axle, 34" - 38" Requires Code 5031 (Flange Axle). Not compatible with Code 8973.	991.00
9013		Miscellaneous: French Operator's Manual	No Charge
9037		Spanish Operator's Manual	No Charge
8030		'JD Industrial Yellow' Paint Finish	1,402.00
8031		'Community Orange' Paint Finish	1,402.00
8307		Bottom Guard for Fuel Tank	388.00
878I		License Plate Bracket with Light	33.00

6125R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8782		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Back-Up Alarm	443.00

FOR FRONT HITCH EQUIPMENT, CONTACT:

Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198

www.fronthitch.com

7130 Open Operator Station Tractor

Equipment for Base Machine

ENGINE:

125 Engine HP (92 kw) [97/68/EC] at 2300 RPM 101 PTO Horsepower at 2300 RPM $\,$ 4 Cylinder, John Deere PowerTech E 4.5 Liter (276 Cu. In.) Displacement, Tier 3 Emissions Level 2300 Rated Engine Speed High Pressure Common Rail Turbocharged Dual Temperature Cooling System Dry Type Air Cleaner with Safety Element and PreCleaner Underhood Muffler with Vertical Exhaust

TRANSMISSION:

12 Forward/4 Reverse SyncroPlus Transmission 19 mph (30km/h) Wet Multi-Disk Clutch Park Lock Neutral Safety Start System

54 Gal (207 L) Fuel Tank Capacity

STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering Dual Stage Disk Brakes Rear Axle Differential Lock

HYDRAULICS:

Load Sensing Constant Flow Pressure Compensated (PC) System 21.1 GPM (81 L/min) Pump Flow at 2300 RPM 1 SCV; Mechanical; ISO Couplers

540/1000 RPM, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield Electrohydraulic Wet Multi-Disk Clutch Neutral Start Safety System Seat Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR: Electronic Hitch Category 2, 3-Point Hitch Electrohydraulic Hitch Controls One Rear Fender Hitch Controls 5100 Lb. Lift Capacity LH Telescopic Draft Link Left Hand Stabilizer Bar Category 2 Swinging Drawbar

INSTRUMENTATION: Tachometer Speedometer

Hour Meter Fuel Gauge Engine Oil Pressure Indicator Light Coolant Temperature PTO Engagement Engine Air Filter Restriction Indicator

Alternator Indicator Light Directional Indicators

Hazard Switch

OPEN OPERATOR STATION: Two Post Foldable ROPS with Seat Belt, Less Canopy Platform Steps

Operational Controls, Console Mechanical Suspension Seat with

Seat Belt Tilt Steering Column Foot Throttle Control

ELECTRICAL: Kev Shutoff

12-Volt Electrical System 12-Volt Battery, 1230 Cold Cranking Amps

90 Amp Alternator 7 Terminal ASAE Outlet Socket

LIGHTS:

Two Front Grille Headlights One Rear ROPS Light Two Flashing Hazard Lights Two Rear Fender Tail Lights with Brake Lights

FRONT AXLE WHEELS AND TIRES: MFWD Steel Wheels MFWD Engagement, Electrohydraulic 14.9R24 In.

REAR AXLE WHEELS AND TIRES: Flange Eight Position Steel Wheels 18.4R38 In. Radial

MISCELLANEOUS:

Operator's Manual (English) and Holder SMV Emblem

ATTACHMENT CODE IDENTIFIER DESCRIPTION **SUGGESTED** LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Port of Entry

321AR 7130 Open Operator Station Tractor 72,498.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		VALUE PACKAGE CONFIGURATIONS	
0600		No Package	In Base Price
0611		Open Station Flat Platform 2WD SyncroPlus Flanged Value Package Flat Platform Open Station, 2WD, SyncroPlus 12F/4R (19 mph/30 kmh), Flanged Rear Axle. Codes: 0200, 7000, 7152.	-287.00
0612		Competitive Package - Open Station Flat Platform MFWD PowrQuad w/ LHR Flanged Value Package Flat Platform Open Station, MFWD, PowrQuad Transmission 16F/16R with Left Hand	-575.00
		Reverser (19 mph/30 kmh), Flanged Rear Axle. Codes: 0250, 7040, 7152.	
0645		Open Station Flat Platform MFWD PowrQuad w/ LHR Flanged Value Package Flat Platform Open Station, MFWD, PowrQuad 24F/24R with Left Hand Reverser (25 mph/40 kmh), Flanged Rear Axle. Codes: 0250, 7044, 7152.	-287.00
		FRONT AXLES	
0200		Adjustable 2WD Front Axle (4-Positions: 59.1-74 ln.)	-8,073.00
0250		MFWD Front Axle with Limited Slip Differential	In Base Price
		SINGLE REAR WHEELS AND TIRES	
1264		320/90R42 In. 139A8 R1W Radial For 2WD: Requires Code 4782. For MFWD: Requires Code 4229 and 7153. Not compatible with Code 7152 or 7154. Available in Firestone F9000 and Goodyear DT800 only.	-90.00
1276		320/90R54 In. 149A8 R1W Radial For MFWD: Requires Codes 4216 and 7153. Available in Firestone RAT (Radial All Traction). Not compatible with Codes 7044 or 7064.	2,626.00
1284		18.4R34 In. 144A8 R1W Radial For 2WD: Requires Code 4782. For MFWD: Requires Code 4166 or 4246. Requires Code 7152. Available in Michelin XM25 only.	756.00
1288		18.4R34 In. 144A8 R1W Radial (460/85R34 In. 147A8 R1W Radial) For 2WD: Requires Code 4782. For MFWD: Requires Code 4168 or 4249. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	-638.00
1425		18.4R38 In. 146A8 R1W Radial (460/85R38 In. 149A8 R1W Radial) For 2WD: Requires Code 4782. For MFWD: Requires Code 4249 or 4308. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	In Base Price
1424		18.4R38 In. 146A8 R1W Radial For 2WD: Requires Code 4782. For MFWD: Requires Code 4246 or 4306. Available in Michelin XM25 only.	1,394.00
1563		13.6-46 In. 6PR R2 Bias	142.00

7130 Open Operator Station Tractor

Continued

		Commission	
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SINGLE REAR WHEELS AND TIRESContinued For 2WD: Requires Code 4721 and 7152 Available in Firestone CSG only.	
		FRONT WHEELS AND TIRES	
4721		For Code 0200 (2WD): 7.50-20 In. 8PR F2 Bias Requires Code 0130 (Open Station Flat Platform) Available in Goodyear Super Rib only. Standard Load Capacity 4620 Lbs.	-2,130.00
4782		10.00-16 In. 10PR F2 Bias Available in Goodyear F2 Super Rib and Firestone F2 only. Standard Load Capacity 5830 Lbs.	-2,100.00
4166		For Code 0250 (MFWD): 13.6R24 In. 121A8 R1W Radial Requires Code 0250. Available in Michelin XM25 only.	1,124.00
4168		13.6R24 In. 128A8 R1W Radial Available in Goodyear DT 806 only.	-138.00
4216		320/90R42 In. 139A8 R1W Radial Available in Firestone only.	1,994.00
4229		12.4R28 In. 121A8 R1W Radial Requires Code 0250. Available in Continental AC85, Firestone F6000, Goodyear DT 806.	-294.00
4246		14.9R24 In. 126A8 R1W Radial Requires Code 0250. Available in Michelin XM25 only.	1,394.00
4249		14.9R24 In. 126A8 R1W Radial Requires Code 0250. Available in Continental AC85, Firestone F6000, Goodyear DT 806.	In Base Price
4306		13.6R28 In. 123A8 R1W Radial Requires Code 0250. Available in Michelin XM25 only.	1,382.00
4308		13.6R28 In. 123A8 R1W Radial Requires Code 0250. Available in Continental AC85, Firestone F6000, Goodyear DT 806.	-12.00
		TRANSMISSION	
		Transmissions WITHOUT Factory Installed Creepers.	
7000		SyncroPlus 12F/4R Transmission (19 mph/30 kmh)	In Base Price

SyncroPlus 16F/16R Transmission with Mechanical Left Hand Power Reverser (19 mph/30

1,953.00

7010

kmh)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
7040		TRANSMISSIONContinued PowrQuad 16F/16R Transmission with Mechanical Left Hand Reverser (19 mph/30 kmh)	3,535.00
7044		PowrQuad 24F/24R Transmission with Mechanical Left Hand Reverser (25 mph/40 kmh) Requires Code 0250 (MFWD). Not Compatible with Code 1276.	5,120.00
7020		CREEPER Transmissions SyncroPlus 12F/4R Transmission (19 mph/30 kmh) with Creeper	2,416.00
7060		PowrQuad 16F/16R Transmission with Left Hand Reverser (19 mph/30 kmh) with Creeper	4,566.00
7064		PowrQuad 24F/24R Transmission with Mechanical Left Hand Reverser (25 mph/40 kmh) with Creeper Requires Code 0250 (MFWD). Not Compatible with Code 1276.	7,536.00
		REAR AXLES AND WHEELS	
7152		Flanged Axle, 8 Position Steel Wheels	In Base Price
7153		Rack and Pinion Axle (Length: 100.6 In., Diameter: 3.1 In.) 2-Position Steel Wheels Requires Code 1264, 1276, 1424 or 1425.	1,190.00
7154		Rack and Pinion Axle (Length: 100.6 In., Diameter: 3.1 In.) 2-Position Cast Wheels	1,357.00
		HYDRAULIC SYSTEM	
7281		Load Sensing Constant Flow Hydraulic System 21.1 GPM (80 L/min)	In Base Price
7282		Pressure and Flow Compensated Hydraulic System 29 GPM (110 L/min)	1,560.00
		SELECTIVE CONTROL VALVES	
7211		Single Basic SCV (No Detent - 101 Series) with Standard Couplers Only with Code 7281.	In Base Price
7213		Single Standard SCV (2 Detent - 201 Series) with Standard Couplers Only with Code 7281.	659.00
7225		1st & 2nd Deluxe SCVs (3 Detent - 301 Series) with Standard Couplers Only with Code 7281.	1,313.00
7229		1st & 2nd Standard SCVs (2 Detent - 201 Series) with Standard Couplers Only with Code 7281.	1,121.00
7214		Single Standard (2-Detent - 200 Series) with Deluxe Couplers Requires Code 7282.	870.00
7230		Two Standard SCV (2-Detent - 200 Series) with Deluxe Couplers Requires Code 7282.	1,038.00
7226		Two Deluxe SCVs (3-Detent - 300 Series) with Deluxe Couplers Requires Code 7282.	1,399.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SEAT	
7601		Comfort Seat with Mechanical Suspension, 3-In. Seat Cushion Mechanical Suspension, 3-In. Seat Cushion, Armrests, Horizontal Adjustment, Side Rails, Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	In Base Price
7623		Super Comfort Seat with Mechanical Suspension, 3-In. Seat Cushion Mechanical Suspension, 3-In. Seat Cushion, Horizontal Suspension, Backrest Adjustment, Armrest, Mechanical Lumbar Support, Side Rails, Swivel (15 Degree Left/20 Degree Right), Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	573.00
		ATTACHMENTS - ORDER AS DESIRED	
8830		Operator Station Options: Vandal Protection Package	319.00
8835		Floor Mat	104.00
8875		Fuel Tank Bottom Guard	388.00
9045		Lighting / Electrical: One Rear Work light RH, H3, 2-Post mounted	99.00
9051		Two Front Work Lights, H3, Fender mounted	198.00
9055		Corner Lights	302.00
9115		Back-Up Alarm	487.00
9145		Power Outlet Socket, 3 Terminals	63.00
8840		Front Axle: Fixed Front Fenders (For 2WD axle) Not Compatible with Code 0250 MFWD axle. Not Compatible with Code 4308 (13.6-28) Tires when used with Front Loader. Requires Code 4721 or 4782.	342.00
8841		Rigid Front Fenders (MFWD) Not Compatible with Code 0200 2WD axle. Not Compatible with Code 4308 (13.6-28) Tires when used with Front Loader. Not Compatible with Code 4216 (320/90R42).	534.00
8842		Turnable Front Fenders (MFWD) Not compatible with Codes 0200 or 4216 (320/90R42). Not compatible with Loaders.	800.00
8763		Rear Hitch and Drawbar: Stabilizers, RH and LH Not Compatible with Code 9442.	550.00
8764		Automatic Stabilizer Bar, LH with Retainer Not Compatible with Code 9442.	1,008.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9060		ATTACHMENTS - ORDER AS DESIREDContinued Increased Lift Capacity, Max Total Cap 7231 (3280 kg) Requires Code 0250.	691.00
9086		No Rockshaft; No Draft links; No Sway control	-1,838.00
9225		Draft Control Components Not Compatible with Code 9086.	601.00
9441		Drawbar, Standard Swinging, with Hammerstrap	257.00
9442		Drawbar, High Clearance with Sway Chains and Hammerstrap	257.00
9465		Hitch Ball Category 2 Requires Code 9485.	13.00
9480		Right-hand Telescopic Draft Link / Cat II	257.00
9485		Draft Links with Hooks	349.00
9303		Hydraulics: Third SCV Deluxe (2 Detents - 201 Series) with Standard Couplers Requires Code 7281. 3-SCVs with Power Beyond for Loader Prep and Power Beyond are not a compatible configuration with the Pressure Compensated Hydraulic System. If this combination is required, it is recommended to order Pressure & Flow Compensated Hydraulics (Code 7282) which can accommodate, 4-SCVs, Power Beyond for Loader Prep and Power Beyond.	1,139.00
9304		Third SCV Standard (2-Detents - 200 Series) with Deluxe Couplers Requires Code 7282.	1,009.00
9306		Third SCV Deluxe (3-Detents - 300 Series) with Deluxe Couplers Requires Code 7282.	1,302.00
9340		Power Beyond	127.00
8775		Engine: Front Auxiliary Drive (Crankshaft Pulley without Drive Shaft)	582.00
9020		Cold Weather Package I Includes Heavy-Duty Battery (174 Ah) Engine Coolant Heater (110v).	306.00
9025		Fuel Heating System (12V)	151.00
		Miscellaneous	
8780		'JD Industrial Yellow' Paint Finish	1,402.00
8781		'Community Orange' Paint Finish	1,402.00
8850		Toolbox	78.00
8910		Heavy Duty Rear Wheel Brakes	118.00
9002		Heavy Duty PTO Bearing	308.00

CODE	ATTACHMEN'	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
		Loader Packages: Loader PREPARATION Package Includes: Mid-Mount Valve & Mechanical Joystick.	
8810		2-Function Mechanical Independent Control Valve Loader PREPARATION Package Includes: Two Function Mid-Mounted Control Valve with Mechanical Joystick Control <i>Not compatible with Code 8842</i> .	1,441.00
9520		Rear Axle Weight Packages: One Set Rear Wheel Weights 170 lb (77 kg) For 28 Inch wheel and larger. Requires Code 7152 (Flanged Rear Axle).	385.00
9521		Two Set Rear Wheel Weights 340 lb (154 kg) For 28 Inch wheel and larger. Requires Code 7152 (Flanged Rear Axle).	766.00
9522		Three Set Rear Wheel Weights 510 lb (231 kg) For 28 Inch wheel and larger. Requires Code 7152 (Flanged Rear Axle).	1,151.00
9525		One Set Rear Wheel Weights 242 lb (110 kg) For 34 - 38 Inch wheel. Requires Code 7152 (Flanged Rear Axle).	545.00
9526		Two Set Rear Wheel Weights 485 lb (220 kg) For 34 - 38 Inch wheel. Requires Code 7152 (Flanged Rear Axle).	1,090.00
9550		Tire Preference / Special Handling Codes: Protection for Overseas Shipment	54.00
9608		French Operator's Manual	No Charge
9660		Spanish Operator's Manual	No Charge
9901		Tire Brand Firestone	400.00
9903		Tire Brand Goodyear	400.00
9905		Tire Brand Continental	400.00
9988		No Specific Tire brand	No Charge
8770		Quick-Tatch Front-end Weight Packages: Front Weight Support 70kg (for up to 14 front weights)	271.00
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm)	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	AL173200	Engine: Cold Weather Starting Package - 110 Volt Includes Coolant Heater, Transmission Heater, Charge Pump Heater and Mounting Parts. Compatible only with Code 7282 (Optional 29 gpm Pressure and Flow Compensating Hydraulic Pump).	469.00
	AL173967	Engine Coolant Heater (110V) Engine Coolant Heater is included in Cold Weather Starting Packages. Compatible with 6020 and 6030 Series.	82.00
	AL173596	Engine Ventilation with Oil Separator Kit Engine oil separator re-extracts the oil particles from the crankcase ventilation system for return back into the engine oil sump.	428.00
	AL158520	Fuel Pre-Heater Kit	148.00
	AL180215	Fenders: 2WD Front Fenders Not compatible with 563 or 673 Loader.	601.00
	AL165336	Fender Stop Panel For Models with Turnable MFWD Fenders.	411.00
	AL180095	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	668.00
	AL180097	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	677.00
	AL180099	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	686.00
	AL180101	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	716.00
	AL180103	MFWD Front Fenders, Fixed, 24.4 In. (620 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	725.00
	AL180098	MFWD Front Fenders, Turnable, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180100	MFWD Front Fenders, Turnable, 18.9 In. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180102	MFWD Front Fenders, Turnable, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
		Guards:	
	AL118241	Guard, Fuel Tank Bottom, 54.6 US Gal. (207L)	203.00
	AL159939	Guard, Fuel Tank Bottom, 66 US Gal. (250L)	195.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL204901	Hitch and Drawbar: Draft Link, Telescoping (Qty. 2)	1,137.00
	AL116748	Draft Sensing Control Kit Requires Right Hand Console Panel L115370 (for OOS), order through Service Parts.	601.00
	AL81724	Drawbar Drop-Down Kit Lowers the height of Drawbar by approximately 3 Inches.	397.00
	AL80054	Drawbar, Swinging with Hammerstrap	707.00
	AL180493	Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170. For 6030 and 7030 Cab and OOS Tractors only.	87.00
	RE63112	Quik-Coupler, Category 2	1,008.00
	RE60742	Quik-Coupler, Category 3N/2	1,487.00
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	AL206324	Stabilizer Bar, Automatic (Qty. 1) and Standard Economy Stabilizer Bar (Qty. 1) Not compatible with 7330. Contains attaching parts.	608.00
	AL117961	Stabilizer Bar, Mechanical (One) with Attaching Parts May be used with either RH or LH.	298.00
	AL82925	Stabilizer Sway Chains	320.00
	AL78129	Support, Load Control Shaft Secured to the steel frame without left and right hand bore holes. Protects the banding bar from shock loads under extreme draft work. Permits shock loads to be transferred from the lift arms directly to the frame. Not compatible with Code 7330.	See Parts
	RE228000	Hydraulics: Hydraulic Motor Case Drain Allows coupling of the oil return line of a hydraulic motor into a pressure-free circuit. Recommended for usage with Hydraulic Motors that are susceptible to damage if return Coupler flow checks.	174.00
	AL207614	Independent Control Valve, Mechanical (M-ICV), 2 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,056.00
	AL180376	Joystick, Mechanical 2 Function, 3rd & 4th Position, Non-Shiftable Controls Rear SCVs in the #3 & #4 positions. Compatible with OOS equipped with PFC Hydraulic System.	423.00
	AL180385	Joystick, Mechanical 2 Function, Non-Shiftable Controls Rear SCVs in the #3 & #4 positions. Compatible with Mid Spec Cab & OOS equipped with PC Hydraulic System.	423.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL180659	ATTACHMENTS FOR FIELD CONVERSIONContinued Joystick, Mechanical 2 Function, Non-Shiftable Requires Hydraulic Lines (BL15002 OR BL15003) and Mechanical Independent Control Valve (AL204116). Not compatible with Low Profile Open Station Models.	631.00
	BL15002	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (2) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	BL15003	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (3) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	AL207607	Mechanical Deluxe Select Control Valve 100 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	504.00
	AL204102	Mechanical Deluxe Select Control Valve 200 Series (2-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	651.00
	AL207609	Mechanical Deluxe Select Control Valve 200 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	675.00
	AL205078	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL207613	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL180373	Position Kit, Position #1, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL180372	Position Kit, Position #1, Mechanical SCVs for PFC Hydraulics (OOS Tractors) For Pressure & Flow Compensated Hydraulic Systems only.	244.00
	AL180375	Position Kit, Position #3, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL180374	Position Kit, Position #3, Mechanical SCVs for PFC Hydraulics (OOS Tractors) For Pressure & Flow Compensated Hydraulic Systems only.	244.00
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	237.00
	AL176299	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Tractors Kit contains three Female Couplers and Dust Shields. Connects Pressure, Return and Load Sense Hoses from Implement to Tractor. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176808) 1/2-In. (12.5 mm) for Implement End.	237.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL173904	ATTACHMENTS FOR FIELD CONVERSIONContinued Trailer Brakes, Hydraulic For Tractors equipped with PFC Hydraulic System. Requires additional components to complete installation. See installation instructions.	471.00
	AL180827	Trailer Brakes, Hydraulic For Tractors equipped with PC Hydraulic System. Requires additional components to complete installation. See installation instructions.	495.00
	AL169602	Valve, Shut Off, Electrically Actuated, Loader Boom	625.00
	AL174686	Valve, Shut Off, Electrically Actuated, Loader Mast	421.00
	AL178998	Lighting: Fender Mounted Work Lights (LH and RH), Front Facing Open Operator Station only.	212.00
	AL79915	Work Light, (1) Rear Facing, LH or RH Open Operator Station only.	106.00
	AL202564	Work Lights, H3 Front Corner Mounted in the grill with the headlights.	289.00
	AT173678	Operator Environment: 3 Inch Seat Belt	See Parts
	AL203919	3-Terminal Socket	72.00
	AR201256	Canopy for Roll-Gard Requires Wiring Harness Adapter (AL160408), order through Parts.	1,289.00
	AL179255	Seat, Comfort Seat MSG83 Seat is mechanical suspended. Features include manual weight adjustment and backrest angle adjustment.	705.00
	AL179257	Seat, Comfort Seat MSG85 Mechanically suspended. Features include horizontal suspension, manual weight adjustment, mechanical lumbar support, and backrest angle adjustment.	1,295.00
	AL115672	Steps (3), RH with Handle Quantity of one.	403.00
	AL160984	PTO/Front Auxiliary Drive: Front Auxiliary Drive (Crankshaft pulley without Drive Shaft) Compatible with 7130 Cab and OOS Tractors (S/N 634684 and above).	614.00
	AL158728	Transmission: Back-up Alarm for SyncroPlus, PowrQuad PLUS and AutoQuad Transmissions	496.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
CODE	AL173294	ATTACHMENTS FOR FIELD CONVERSIONContinued Creeper Field Kit for 16F/16R SyncroPlus Transmission	3,130.00
	AL170204	with Left Hand Power Reverser Additional parts are required to complete installation -see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	3,130.00
	AL173292	Creeper Field Kit for SyncroPlus 12F/4R Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	3,130.00
	AL173291	Creeper Kit for 16F/16R PowrQuad PLUS 4-Range (19 mph/30 kmh) Transmission (EPQT) Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	2,627.00
	AL173288	Creeper Kit for 24F/24R PowrQuad Plus or AutoQuad 6-Range (25 mph/40 kmh) Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	2,627.00
	AL180063	Creeper, Control Kit Required to complete Creeper installation.	476.00
	AL113087	Vandal Protection: Lockable Fuel Tank Cap	See Parts
	AL110170	Lockable Transmission Oil Filler Cap	132.00
	AL175118	Vandal Protection Field Kit Kit contains Hood and Side Shield Locks. Lockable Fuel Tank Cap. Lockable Transmission Oil Filler Neck.	562.00
		Weights: Please Refer to the Agricultural Sales Manual for Rear Wheel Weight Compatibility Information. Before ordering, verify Axle type (Flange or R&P). For Flange Axles, verify Bolt Circle Diameter (BCD). Weights and Supports do not include Installation Hardware.	
	RE300838	Front Weight Support, 132 Lb. (60 Kg) 21 In. (535 mm) Wide Holds 14 weights.	391.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	T21689	Weight, Rear Wheel, 107 Lb.	209.00
	R61524	Weight, Rear Wheel, 135 Lb.	287.00
	RFR61524	Weight, Rear Wheel, 1620 Lb. (12-R61524)	2,896.00
	RFT21689	Weight, Rear Wheel, 1760 Lb. (16-T21689)	3,000.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AR112536	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Rear Wheel, 440 Lb. (4-R56920) Requires Steel Wheels.	937.00
	APY10029	Weight, Rear Wheel, 480 Lb. (4-L28228)	1,090.00
	AR182457	Wheel Equipment: Kit, Row Spacing (ZF Axles) 10 Bolt Pattern (335 mm diameter). Except for 24 In. and 26 In. Wheel.	1,087.00
	R112387	Row Spacing (ZF Axles) 10 Bolt Pattern (335 mm diameter).	See Parts
	L157909	Tie Rod Extension - 2WD Axle (Increase Width 204 mm Per Side) Order 1 Per Side.	See Parts
	AL156779	Wheel Spacers, Rear, 1.73 In. (44 mm) with Hardware (Qty 2)	470.00
	AL156777	Wheel Spacers, Rear, 4.37 In. (111 mm) with Hardware (Qty 2)	597.00

7130 Open Operator Station Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

7130 Cab Tractor

Equipment for Base Machine

ENGINE:

125 Engine HP (92 kW) [97/68 EC] @ 2300 RPM 101 PTO Horsepower (75 kW) @ 2300 RPM 4 Cylinders, John Deere PowerTech E 4.5 Liter (276 Cu. In.) Displacement, Tier 3 Emissions Level 2300 Rated Engine Speed High Pressure Common Rail Turbocharged Dual Temperature Cooling System

Dry Type Air Cleaner with Safety Element and PreCleaner Underhood Muffler with Vertical Exhaust

55 Gal (207 L) Fuel Tank Capacity

TRANSMISSION:

12 Forward/4 Reverse SyncroPlus Transmission 19 mph (30km/h) Wet Multi-Disk Clutch Park Lock Neutral Safety Start System

STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering Dual Stage Disk Brakes Rear Axle Differential Lock

HYDRAULICS:

Load Sensing Constant Flow Pressure Compensated (PC) System 21.1 GPM (81 L/min) Pump Flow at 2300 RPM 1 SCV; Mechanical; ISO Couplers

540/1000 RPM, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield Electrohydraulic Wet Multi-Disk Clutch Neutral Start Safety System Seat Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR: Electronic Hitch Category 2, 3-Point Hitch Electrohydraulic Hitch Control One Rear Fender Hitch Control 5100 Lb. Lift Capacity LH Telescopic Draft Link Left Hand Stabilizer Bar

Category 2 Swinging Drawbar

Coolant Temperature

CODE

INSTRUMENTATION: Tachometer Speedometer Hour Meter Fuel Gauge Engine Oil Pressure Indicator Light

Available for the United States, Canada and Mexico Only.

PTO Engagement Engine Air Filter Restriction Indicator Alternator Indicator Light Directional Indicators Hazard Switch

CAB OPERATOR STATION: ComfortGard Cab with Air Conditioning and Heater Two Doors Front Windshield Wiper Mechanical Suspension Seat with Armrests and Seat Belt Tilt/Telescopic Steering Column Right-hand Operational Controls Floor Mat Foot Throttle Control Power Outlet Pre-Radio Wiring and Speaker Package Overhead Courtesy Light Rear View Mirror

ELECTRICAL: Kev Shutoff 12-Volt Electrical System One 12-Volt Battery, 1230 Cold Cranking Amps 90 Amp Alternator 7 Terminal ASAE Outlet Socket

LIGHTS:

Two Front Grille Headlights Two Front Roof Lights One Rear Roof/ROPS Light Flashing Warning Lights
Two Rear Fender Tail Lights with Brake Lights

FRONT AXLE WHEELS AND TIRES: MFWD Steel Wheels Electrohydraulic MFWD Engagement, Right-hand Console 14.9R24 In. Radial Tires

REAR AXLE WHEELS AND TIRES: Flanged Axle Eight Position Steel Wheels 18.4R38 In. Radial Rear Tires

MISCELLANEOUS: Operator's Manual (English) and Holder

ATTACHMENT

IDENTIFIER

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

DESCRIPTION

EX-WORKS Port of Entry

7130 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINEContinued	
321BR		7130 Cab Tractor	83,179.00
		VALUE PACKAGE CONFIGURATIONS	
0600		No Package	In Base Price
0606		Cab MFWD SyncroPlus w/ LHR Flanged Mechanical Seat Value Package Standard Cab, MFWD, SyncroPlus 16F/16R with Left Hand Reverser (19 mph / 30 km/h), Flanged Rear Axle, Mechanical Seat. Codes: 0250, 7010, 7152, 7611.	-287.00
0607		Competitive Package - Cab MFWD PQ Plus w/ LHR Flanged Air Seat Value Package Standard Cab, MFWD, PowrQuad Plus 16F/16R with Left Hand Reverser (19 mph / 30 km/h), Flanged Rear Axle, Air Seat. Codes: 0250, 7073, 7152, 7662.	-575.00
0609		Cab 2WD SyncroPlus w/ LHR Flanged Mechanical Seat Value Package Standard Cab, 2WD, SyncroPlus 16F/16R with Left Hand Reverser (19 mph / 30km/h), Flanged Rear Axle, Mechanical Seat. Codes: 0200, 7010, 7152, 7611.	-287.00
0610		Cab 2WD PQ Plus w/ LHR Flanged Air Seat Value Package Standard Cab, 2WD, PowrQuad Plus 16F/16R with Left Hand Reverser (19 mph / 30km/h), Flanged Rear Axle, Air Seat. Codes: 0200, 7073, 7152, 7662.	-287.00
0637		Cab MFWD PQ Plus w/ LHR Rack and Pinion Air Seat Value Package Standard Cab, MFWD, PowrQuad Plus 16F/16R with Left Hand Reverser (19 mph / 30 km/h), Rack and Pinion Rear Axle, Air Seat. Codes: 0250, 7073, 7153, 7662.	-287.00
0643		Cab MFWD PQ Plus w/ LHR Flanged Air Seat Value Package Standard Cab, MFWD, PowrQuad Plus 24F/24R with Left Hand Reverser (25 mph), Flanged Rear Axle, Air Seat. Codes: 0250, 7072, 7152, 7662.	-460.00
		FRONT AXLES	
0200		Adjustable 2WD Front Axle (59.1-74 ln.)	-8,073.00
0250		MFWD Front Axle with Limited Slip Differential	In Base Price
		SINGLE REAR WHEELS AND TIRES	
1288		18.4R34 In. 144A8 R1W Radial (460/85R34 In. 147A8 R1W Radial) For 2WD: Requires Code 4782. For MFWD: Requires Code 4168 or 4249. Not available with Code 7153 Rack and Pinion Rear Axle. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	-638.00
1264		320/90R42 In. 139A8 R1W Radial For 2WD: Requires Code 4782. For MFWD: Requires Code 4229 and Code 7153. Not compatible with Code 7152 or 7154. Available in Firestone F9000 and Goodyear DT 806 only.	-90.00
1425		18.4R38 In. 149A8 R1W Radial (460/85R38 In. 149A8 R1W Radial)	In Base Price

7130 Cab Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SINGLE REAR WHEELS AND TIRESContinued For 2WD: Requires Code 4782. For MFWD: Requires Code 4249 or 4308. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	
1563		13.6-46 In. 6PR R2 Bias	142.00
1276		320/90R54 In. 149A8 R1W Radial Requires Codes 0250, 4216 and 7153. Available in Firestone RAT (Radial All Traction). Not compatible with Code 7072 or 7077 or 8873.	2,626.00
		FRONT WHEELS AND TIRES	
4721		For Code 0200 (2WD): 7.50-20 In. 8PR F2 Bias Requires Code 0200. Available in Goodyear Super Rib only. Standard Load Capacity 4620 Lbs.	-2,130.00
4782		10.00-16 In. 10PR F2 Bias Requires Code 0200. Available in Goodyear F2 Super Rib and Firestone F2 only. Standard Load Capacity 5830 Lbs.	-2,100.00
4168		For Code 0250 (MFWD): 13.6R24 In. 128A8 R1W Radial Available in Goodyear DT 806 only.	-138.00
4229		12.4R28 In. 121A8 R1W Radial (320/85R28 In. 124A8 R1W Radial) Available in Continental AC85, Firestone F6000, Goodyear DT 806.	-294.00
4249		14.9R24 In. 126A8 R1W Radial (380/85R24 In. 131A8 R1W Radial) Available in Continental AC85, Firestone F6000, Goodyear DT 806.	In Base Price
4308		13.6R28 In. 123A8 R1W Radial (340/85R28 In. 127A8 R1W Radial) Available in Continental AC85, Firestone F6000, Goodyear DT 806.	-12.00
4216		320/90R42 In. 139A8 R1W Radial	1,994.00
		TRANSMISSION	
		Transmissions WITHOUT Factory Installed Creepers.	
7000		SyncroPlus 12F/4R Transmission (19 mph/30 kmh)	In Base Price
7010		SyncroPlus 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh)	1,953.00
7073		PowrQuad PLUS 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh)	3,888.00
7072		PowrQuad PLUS 24F/24R Transmission with Left Hand Power Reverser (25 mph/40 kmh)	5,631.00

7130 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRANSMISSIONContinued Requires Code 0250. Not Compatible with Code 1276.	
7020		CREEPER Transmissions SyncroPlus 12F/4R Transmission (19 mph/30 kmh) with Creeper	2,439.00
7015		SyncroPlus 16F/16R Left Hand Mechanical Reverser Transmission (19 mph/30 kmh) with Creeper	4,370.00
7078		PowrQuad PLUS 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh) with Creeper	6,304.00
7077		PowrQuad PLUS 24F/24R Transmission with Left Hand Power Reverser (25 mph/40 kmh) with Creeper Not Compatible with Code 1276.	8,046.00
		REAR AXLES AND WHEELS	
7152		Flanged Axle, 8 Position Steel Wheels	In Base Price
7153		Rack and Pinion Axle 3.1 In. (78.74 mm) Diameter by 100.6 In. Length 2-Pos. Steel Wheels Requires Code 1264, 1276 or 1425.	1,190.00
7154		Rack & Pinion Axle 2-Pos. Cast Wheels 3.1 In. (78.74 mm) diameter by 100.6 In Length. Requires Code 1264 or 1425.	1,357.00
		EXHAUST	
7452		Vertical Exhaust with Underhood Muffler	In Base Price
7453		Deluxe Cab Corner Post Exhaust with Underhood Muffler	872.00
		SEAT	
7611		Super Comfort Seat (MSG 83) with Mechanical Suspension, 3-In. Seat Cushion Arm Rest, Seat Adjustment Side Rails, Retractable Seatbelt, Operator Presence Switch.	In Base Price
7662		Super Comfort Seat (MSG 95) with Air Suspension, 3-In. Seat Cushion Horizontal Suspension, Backrest Adjustment, Armrest, Mechanical Lumbar Support, Side Rails, Swivel (15 Deg. Left/15 Deg. Right), Operator Presence Switch, Retractable Seat Belt, Operator's Manual Holder.	896.00
		ATTACHMENTS - ORDER AS DESIRED	
8830		ComfortGard Cab Options: Vandal Protection Package Includes Lockable Fuel Cap, Lockable Transmission Oil Fill, Lockable Hood and Engine Side Panels.	319.00

7130 Cab Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8873		ATTACHMENTS - ORDER AS DESIREDContinued Fuel Tank, 66 Gallon (250L) Not compatible with Code 1276.	381.00
8875		Fuel Tank Guard, Bottom	388.00
9076		Ash Tray with Cigarette Lighter	21.00
9207		Telescopic Rear View Mirrors (2) - Manually Adjustable	294.00
9102		Rear Windshield Wiper with Front & Rear Washer	493.00
9140		Single Interface Outlet (7-Pin) Located on Rear RH Corner-post.	87.00
9212		Sun Visor	80.00
9214		Additional Storage Compartment (LH upper corner inner roof)	69.00
9216		Bottle Holder Floor Mounted.	33.00
9218		Cup Holder Mounts to Right Hand A-post.	37.00
9220		Field Office / Storage Tray / 3-Pin Power Outlet	312.00
9232		Instructional Seat with Seat Belt The instructional seat has been approved only for training operators or diagnosing machine problems. Keep all other riders off the tractor and equipment. Always wear your seat belt.	551.00
9246		Roof Hatch with Glass Not with Code 0175 (Low Clearance Cab), 9214, 8941 or 8942.	560.00
9041		Lighting / Electrical: One Rear Worklight LH, H-3	118.00
9055		Corner Lights, Front	302.00
9070		Lights, High/Low Beam, H-4, Belt Line Mounted Not with Code 0175 (Low Clearance Cab), 8941 or 8942.	477.00
9080		Rotating Warning Light (Beacon Light)	222.00
9115		Back-Up Alarm	487.00
8840		Front Axle: Fixed Front Fenders (2WD) Not compatible with Code 0250 MFWD axle. Not compatible with Code 4308 (13.6-28) Tires when used with Front Loader.	342.00
8841		Rigid Front Fenders (MFWD) Not compatible with Code 0200 2WD axle. Not compatible with Code 4308 (13.6-28) Tires when used with Front Loader.	534.00

7130 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8842		ATTACHMENTS - ORDER AS DESIREDContinued Turnable Front Fenders (MFWD) Not compatible with Loaders. Not compatible with Code 0200 (2wd) or 4216 (320/90R42 Tire).	800.00
9480		Rear Hitch and Drawbar: Right-hand Telescopic Draft Link	217.00
9225		Draft Control	601.00
9441		Drawbar, Standard Swinging, with Hammerstrap	257.00
9260		Hydraulics: Second SCV Deluxe (3 Detents - 301 Series) with Standard Couplers Required with Hydraulic Motors.	1,124.00
9340		Power Beyond Allows Hydraulic Pump to power implements that have Independent Control Valves.	127.00
9303		Third SCV Standard (2 Detents - 201 Series) with Standard Couplers For a total of 3 SCVs it requires Code 9260 (2nd SCV). 3-SCVs with Power Beyond for Loader Prep and Power Beyond are not a compatible configuration with the Pressure Compensated Hydraulic System. If this combination is required, it is recommended to order the Premium Cab series with P&FC Hydraulics which can accommodate, 4-SCVs, Power Beyond for Loader Prep and Power Beyond.	1,139.00
8775		Engine: Front Auxiliary Drive Preparation (Crankshaft Pulley without Drive Shaft)	591.00
8890		Condensor Screen, Air Conditioning (4 or 6 cylinder engine)	20.00
9020		Cold Weather Package I Includes Heavy-Duty Battery (174 Ah) Engine Coolant Heater (110V).	306.00
9025		Fuel Heating System (12V)	151.00
8770		Miscellaneous: Front Weight Support, 155 lbs. (70kg), Holds up to 14 Front Weights	271.00
8780		'JD Industrial Yellow' Paint Finish	1,402.00
8781		'Community Orange' Paint Finish	1,402.00
8850		Toolbox	78.00
9085		License Plate Bracket with Light	36.00

7130 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION ATTACHMENTS - ORDER AS DESIREDContinued Loader Packages: Loader PREPARATION Package Includes: Mid-Mount Valve and Joystick as specified by code, H-4 Beltline Mounted High/Low Beam Road Lights and Glass Roof with Hatch. Note: Loader Mounting Brackets and Hood Guard to be ordered with Front Loader (See Ag Sales Manual for details).	SUGGESTED LIST PRICE USD (\$)
8810		Loader Joystick with 2-Function Midmount Independent Control Valve (M-ICV) Includes: 2-Function Mid-Mounted Control Valve with Mechanical Joystick Control and non-activated PQ+ Shift Buttons.	1,455.00
894A		2-Function Mechanical Independent Control Valve Loader READY Package Activated Gear Shift Buttons on Joystick only available with Codes 7073, 7072 or 7077. Not compatible with Code 8841, 8942, 9070 or 9246.	4,375.00
894B		3-Function Mechanical Independent Control Valve Loader Ready Package Activated Joystick Gear Shift Buttons Requires Transmission Code 7073, 7072 or 7077. Not compatible with Code 8842, 8941, 9070 or 9246.	4,798.00
9550		Tire Preference / Special Handling Codes: Protection for Overseas Shipment	54.00
9608		French Operator's Manual	No Charge
9660		Spanish Operator's Manual	No Charge
9901		Tire Brand, Firestone	400.00
9903		Tire Brand, Goodyear	400.00
9905		Tire Brand, Continental	400.00
9988		No Specific Tire brand	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm)	See Parts
	AL173200	Engine: Cold Weather Starting Package - 110 Volt	469.00
	AL173967	Engine Coolant Heater (110V) Engine Coolant Heater is included in Cold Weather Starting Packages. Compatible with 6020 and 6030 Series.	82.00
	AL173596	Engine Ventilation with Oil Separator Kit Engine oil separator re-extracts the oil particles from the crankcase ventilation system for return back into the engine oil sump.	428.00
	AL158520	Fuel Pre-Heater Kit	148.00

7130 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL180215	Fenders: 2WD Front Fenders Not compatible with 563 or 673 Loader.	601.00
	AL174767	Fender Side Extension Dimensions: Length 4.33 In. (110 mm) x Width 0.59 In. (15 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	180.00
	AL174768	Fender Side Extension Dimensions: Length 4.33 In. (110 mm) x Width 2.36 In. (60 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	180.00
	AL174770	Fender Side Extension Dimensions: Length 7.48 In. (190 mm) x Width 2.56 In. (65 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	200.00
	AL165336	Fender Stop Panel For Models with Turnable MFWD Fenders.	411.00
	AL180095	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	668.00
	AL180097	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	677.00
	AL180099	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	686.00
	AL180101	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	716.00
	AL180103	MFWD Front Fenders, Fixed, 24.4 In. (620 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	725.00
	AL180098	MFWD Front Fenders, Turnable, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180100	MFWD Front Fenders, Turnable, 18.9 ln. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180102	MFWD Front Fenders, Turnable, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL159975	Rear Fender Flap for Fender Side Extensions Dimensions: Width 9 In. (229 mm) x Length 24.8 In. (632 mm). Requires Fender Side Extension of 190 x 20 mm. or 190 x 65 mm.	81.00

7130 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL118241	Guards: Guard, Fuel Tank Bottom, 54.6 US Gal. (207L)	203.00
	AL159939	Guard, Fuel Tank Bottom, 66 US Gal. (250L)	195.00
	AL204901	Hitch and Drawbar: Draft Link, Telescoping (Qty. 2)	1,137.00
	AL116748	Draft Sensing Control Kit Requires Right Hand Console Panel L170711 (for Cab), order through Service Parts.	601.00
	AL81724	Drawbar Drop-Down Kit Lowers the height of Drawbar by approximately 3 Inches.	397.00
	AL80054	Drawbar, Swinging with Hammerstrap	707.00
	AL180493	Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170. For 6030 and 7030 Cab and OOS Tractors only.	87.00
	RE63112	Quik-Coupler, Category 2	1,008.00
	RE60742	Quik-Coupler, Category 3N/2	1,487.00
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	AL206324	Stabilizer Bar, Automatic (Qty. 1) and Standard Economy Stabilizer Bar (Qty. 1) Not compatible with 7330. Contains attaching parts.	608.00
	AL117961	Stabilizer Bar, Mechanical (One) with Attaching Parts May be used with either RH or LH.	298.00
	AL82925	Stabilizer Sway Chains	320.00
	AL78129	Support, Load Control Shaft Secured to the steel frame without left and right hand bore holes. Protects the banding bar from shock loads under extreme draft work. Permits shock loads to be transferred from the lift arms directly to the frame. Not compatible with Code 7330.	See Parts
	RE228000	Hydraulics: Hydraulic Motor Case Drain Allows coupling of the oil return line of a hydraulic motor into a pressure-free circuit. Recommended for usage with Hydraulic Motors that are susceptible to damage if return Coupler flow checks.	174.00
	AL207614	Independent Control Valve, Mechanical (M-ICV), 2 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,056.00
	AL207615	Independent Control Valve, Mechanical (M-ICV), 3 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,628.00

7130 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL180385	ATTACHMENTS FOR FIELD CONVERSIONContinued Joystick, Mechanical 2 Function, Non-Shiftable Controls Rear SCVs in the #3 & #4 positions. Compatible with Mid Spec Cab & OOS equipped with PC Hydraulic System.	423.00
	AL180657	Joystick, Mechanical 2 Function, Non-Shiftable Requires Hydraulic Lines (BL15002 OR BL15003) and Mechanical Independent Control Valve (AL204116).	637.00
	AL180658	Joystick, Mechanical 3 Function, Non-Shiftable Requires Hydraulic Lines (BL15002 OR BL15003) and Mechanical Independent Control Valve (AL204117).	965.00
	BL15002	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (2) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	BL15003	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (3) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	AL207607	Mechanical Deluxe Select Control Valve 100 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	504.00
	AL204102	Mechanical Deluxe Select Control Valve 200 Series (2-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	651.00
	AL207609	Mechanical Deluxe Select Control Valve 200 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	675.00
	AL205078	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL207613	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL180373	Position Kit, Position #1, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL180375	Position Kit, Position #3, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	237.00
	AL176299	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Tractors Kit contains three Female Couplers and Dust Shields. Connects Pressure, Return and Load Sense Hoses from Implement to Tractor. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176808) 1/2-In. (12.5 mm) for Implement End.	237.00

7130 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
CODE	AL180827	ATTACHMENTS FOR FIELD CONVERSIONContinued Trailer Brakes, Hydraulic For Tractors equipped with PC Hydraulic System. Requires additional components to complete installation. See installation instructions.	495.00
	AL169602	Valve, Shut Off, Electrically Actuated, Loader Boom	625.00
	AL174686	Valve, Shut Off, Electrically Actuated, Loader Mast	421.00
	AL181123	Lighting: Beacon Light Switch Required to operate Beacon Light (AL111705).	See Parts
	AL111705	Beacon Light for Cab Requires Switch (AL181123).	219.00
	AL201586	Extremity Lights Preparation Kit See Parts Catalog and MHM 873 Installation Instructions for additional components.	922.00
	AL179968	Headlights, H4 (2) High/Low Beam Forward Facing	372.00
	AL164391	Work Light, (2) Rear Facing, LH & RH, Fender Mounted Compatible with Mid Spec Tractors (S/N - 606378) and below.	213.00
	AL179973	Work Light, H3 (1) Rear Facing, Fender Mounted, LH or RH	157.00
	AL179974	Work Lights, H3 (55 Watt) (2) Belt Line	403.00
	AL179970	Work Lights, H3 (55 Watt) (2), Cab Roof Mounted, Front, LH and RH Not compatible on Tractors which already have 2 work lights factory installed.	198.00
	AL179971	Work Lights, H3 (55 Watt) (2), Cab Roof Mounted, Rear, LH and RH	198.00
	AL179972	Work Lights, H3 (55 Watt) (2), Fender Mounted, Rear, LH and RH Compatible with Mid Spec Tractors (S/N - 606379) and above.	195.00
	AL202564	Work Lights, H3 Front Corner Mounted in the grill with the headlights.	289.00
		On another Facilities when the	
	AT173678	Operator Environment: 3 Inch Seat Belt	See Parts
	AL203919	3-Terminal Socket	72.00
	RE67015	3-Way Convenience Adapter for Power Strip	See Parts
	AL207711	Antenna Kit	453.00
	AL177152	Antenna Kit, Hidden Includes Antenna (AL176845).	460.00
	AL164673	Ash Tray	See Parts
	AL112070	Beverage Cooler Box Portable, non-electrical. Mounts on the floor in the front right of the cab.	130.00

7130 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL156731	ATTACHMENTS FOR FIELD CONVERSIONContinued Bottle Holder, Floor Mounted, Left Side Floor Mounted.	35.00
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	AL173370	Cigarette Lighter	See Parts
	AL163826	Cup Holder, Right-Hand A-Post Mounted	41.00
	AL178985	Field Office without Beverage Holder Compatible with Instructional Seat.	217.00
	AL158986	Filter Kit, Carbon, with LH and RH Fresh Air and Recirculation	See Parts
	AL173569	Instructional Seat with Seat Belt	545.00
	AL151224	Mirror, Inside Rear Mounts behind operator's right shoulder - provides increased Drawbar Visibility.	145.00
	AL80126	Mirror, Telescopic, LH, Manually Adjustable	149.00
	AL80127	Mirror, Telescopic, RH, Manually Adjustable	149.00
	AL158785	Power Strip with Six Outlets Requires Bracket (AL117211). Also available through Parts.	See Parts
	RE289848	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband Includes audio input jack for MP3 compatible devices.	434.00
	RE289852	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband <i>Includes audio input jack for MP3 compativle devices</i> .	849.00
	AL201826	Seat Belt with Mounting Parts	109.00
	AL174234	Seat Telescopic Backrest Extension	135.00
	AL179256	Seat, Comfort Seat MSG93 Air suspended with operator presence switch. Features include weight adjustment, mechanical lumbar support, and backrest angle adjustment.	1,535.00
	AL175598	Seat, Super Air Comfort Seat MSG95 For Tractors not equipped with CommandARM. Air suspended with operator presence switch. Features include automatic weight adjustment, mechanical lumbar support, backrest angle adjustment, and 15 degrees of swivel.	1,709.00
	AL175599	Seat, Super Comfort Seat MSG85 For Tractors not equipped with CommandARM. Mechanically suspended.	1,220.00

7130 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL175597	ATTACHMENTS FOR FIELD CONVERSIONContinued Seat, Super Deluxe Air Comfort Seat MSG95 For Tractors not equipped with CommandARM. Low frequency air suspension with operator presence switch. Features include active carbon layer, seat heating, lateral suspension, automatic weight adjustment, air lumbar support, adjustable seat depth and incline, telescopic backrest extension, backrest angle adjustment, and 15 degrees of swivel.	2,792.00
	AL175596	Seat, Super Deluxe Air Comfort Seat MSG95 For Tractors equipped with CommandARM. Low frequency air suspension with operator presence switch. Features include active carbon layer, seat heating, lateral suspension, automatic weight adjustment, air lumbar support, adjustable seat depth and incline, telescopic backrest extension, backrest angle adjustment, and 15 degrees of swivel.	2,943.00
	AL119286	Seat, Swivel, Operators, 180 degrees For Tractors not equipped with CommandARM.	See Parts
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE282643	Steering Wheel, Dark Brown Leather	See Parts
	AL174359	Sun Screen, Telescopic (Rollo Blinds) Kit includes (1) Sun Screen with Mounting Hardware. May be used either in Front or Rear Window.	140.00
	AL157620	Sun Visor	88.00
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	AL157189	Windshield Washer, Front Requires additional parts available from PDC for Tractors not equipped with RH door.	175.00
	AL157190	Windshield Washer, Front and Rear	324.00
	AL179028	Wiper, Rear Window	244.00
		PTO/Front Auxiliary Drive: Front PTOs are no longer available as a field installed option through John Deere. Availability is limited to existing inventory. When inventory is exhausted, please contact Laforge Hitch for your Front PTO and Front Hitch needs.	
		Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com	
	AL160984	Front Auxillary Drive (Crankshaft pulley without Drive Shaft) Compatible with 7130 Cab and OOS Tractors (S/N 634684 and above).	614.00
	AL158728	Transmission: Back-up Alarm for SyncroPlus, PowrQuad PLUS and AutoQuad Transmissions	496.00

7130 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL173294	ATTACHMENTS FOR FIELD CONVERSIONContinued Creeper Field Kit for 16F/16R SyncroPlus Transmission with Left Hand Power Reverser Additional parts are required to complete installation -see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	3,130.00
	AL173292	Creeper Field Kit for SyncroPlus 12F/4R Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	3,130.00
	AL173291	Creeper Kit for 16F/16R PowrQuad PLUS 4-Range (19 mph/30 kmh) Transmission (EPQT) Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	2,627.00
	AL173288	Creeper Kit for 24F/24R PowrQuad Plus or AutoQuad 6-Range (25 mph/40 kmh) Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	2,627.00
	AL180063	Creeper, Control Kit Required to complete Creeper installation.	476.00
	AL71345	Vandal Protection: Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts
	AL110170	Lockable Transmission Oil Filler Cap	132.00
	AL175118	Vandal Protection Field Kit Kit contains Hood and Side Shield Locks. Lockable Fuel Tank Cap. Lockable Transmission Oil Filler Neck.	562.00
	RE300838	Weights: Front Weight Support, 132 Lb. (60 Kg) 21 In. (535 mm) Wide <i>Holds 14 weights</i> .	391.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	T21689	Weight, Rear Wheel, 107 Lb.	209.00
	R61524	Weight, Rear Wheel, 135 Lb.	287.00
	RFR61524	Weight, Rear Wheel, 1620 Lb. (12-R61524)	2,896.00
	RFT21689	Weight, Rear Wheel, 1760 Lb. (16-T21689)	3,000.00

7130 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AR112536	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Rear Wheel, 440 Lb. (4-R56920) Requires Steel Wheels.	937.00
	APY10029	Weight, Rear Wheel, 480 Lb. (4-L28228)	1,090.00
	L157909	Wheel Equipment: Tie Rod Extension - 2WD Axle (Increase Width 204 mm Per Side) Order 1 Per Side.	See Parts
	AL156779	Wheel Spacers, Rear, 1.73 In. (44 mm) with Hardware (Qty 2)	470.00
	AL156777	Wheel Spacers, Rear, 4.37 In. (111 mm) with Hardware (Qty 2)	597.00

7130 Cab Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

7230 Open Operator Station Tractor

Equipment for Base Machine

ENGINE:

135 Engine HP (99 kw) [97/68/EC] at 2300 RPM 110 PTO Horsepower at 2300 RPM $\,$ 6 Cylinder, John Deere PowerTech E 6.8 Liter (414 Cu. In.) Displacement, Tier 3 Emissions Level 2300 Rated Engine Speed High Pressure Common Rail Turbocharged Dual Temperature Cooling System Dry Type Air Cleaner with Safety Element and PreCleaner Underhood Muffler with Vertical Exhaust

TRANSMISSION:

12 Forward/4 Reverse SyncroPlus Transmission 19 mph (30km/h) Wet Multi-Disk Clutch Park Lock Neutral Safety Start System

54 Gal (207 L) Fuel Tank Capacity

STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering Dual Stage Disk Brakes Rear Axle Differential Lock

HYDRAULICS:

Load Sensing Constant Flow Pressure Compensated (PC) System 21.1 GPM (81 L/min) Pump Flow at 2300 RPM 1 SCV; Mechanical; ISO Couplers

540/1000 RPM, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield Electrohydraulic Wet Multi-Disk Clutch Neutral Start Safety System Seat Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR: Electronic Hitch Category 2, 3-Point Hitch Electrohydraulic Hitch Controls One Rear Fender Hitch Controls 5100 Lb. Lift Capacity LH Telescopic Draft Link Left Hand Stabilizer Bar Category 2 Swinging Drawbar

INSTRUMENTATION: Tachometer Speedometer

Hour Meter Fuel Gauge Engine Oil Pressure Indicator Light Coolant Temperature PTO Engagement Engine Air Filter Restriction Indicator

Alternator Indicator Light Directional Indicators

Hazard Switch

OPEN OPERATOR STATION: Two Post Foldable ROPS with Seat Belt, Less Canopy Platform Steps

Operational Controls, Console Mechanical Suspension Seat with Seat Belt

Tilt Steering Column Foot Throttle Control

ELECTRICAL: Kev Shutoff

12-Volt Electrical System 12-Volt Battery, 1230 Cold Cranking Amps 90 Amp Alternator

7 Terminal ASAE Outlet Socket

LIGHTS:

Two Front Grille Headlights One Rear ROPS Light Two Flashing Hazard Lights Two Rear Fender Tail Lights with Brake Lights

FRONT AXLE WHEELS AND TIRES: MFWD Steel Wheels MFWD Engagement, Electrohydraulic 14.9R24 In.

REAR AXLE WHEELS AND TIRES: Flange Eight Position Steel Wheels 18.4R38 In. Radial

MISCELLANEOUS:

Operator's Manual (English) and Holder SMV Emblem

ATTACHMENT CODE IDENTIFIER DESCRIPTION **SUGGESTED** LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Port of Entry

3221R 7230 Open Operator Station Tractor 76,015.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		VALUE PACKAGE CONFIGURATIONS	
0600		No Package	In Base Price
0611		Open Station Flat Platform 2WD SyncroPlus Flanged Value Package Flat Platform Open Station, 2WD, SyncroPlus 12F/4R (19 mph/30 kmh), Flanged Rear Axle. Codes: 0200, 7000, 7152.	-287.00
0612		Competitive Package - Open Station Flat Platform MFWD PowrQuad w/ LHR Flanged Value Package Flat Platform Open Station, MFWD, PowrQuad Transmission 16F/16R with Left Hand	-575.00
		Reverser (19 mph/30 kmh), Flanged Rear Axle. Codes: 0250, 7040, 7152.	
0645		Open Station Flat Platform MFWD PowrQuad w/ LHR Flanged Value Package Flat Platform Open Station, MFWD, PowrQuad 24F/24R with Left Hand Reverser (25 mph/40 kmh), Flanged Rear Axle. Codes: 0250, 7044, 7152.	-287.00
		FRONT AXLES	
0200		Adjustable 2WD Front Axle (4-Positions: 59.1-74 ln.)	-8,073.00
0250		MFWD Front Axle with Limited Slip Differential	In Base Price
		SINGLE REAR WHEELS AND TIRES	
1264		320/90R42 In. 139A8 R1W Radial For 2WD: Requires Code 4782. For MFWD: Requires Code 4229 and 7153. Not compatible with Code 7152 or 7154. Available in Firestone F9000 and Goodyear DT800 only.	-90.00
1276		320/90R54 In. 149A8 R1W Radial For MFWD: Requires Codes 4216 and 7153. Available in Firestone RAT (Radial All Traction). Not compatible with Codes 7044 or 7064.	2,626.00
1284		18.4R34 In. 144A8 R1W Radial For 2WD: Requires Code 4782. For MFWD: Requires Code 4166 or 4246. Requires Code 7152. Available in Michelin XM25 only.	756.00
1288		18.4R34 In. 144A8 R1W Radial (460/85R34 In. 147A8 R1W Radial) For 2WD: Requires Code 4782. For MFWD: Requires Code 4168 or 4249. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	-638.00
1425		18.4R38 In. 146A8 R1W Radial (460/85R38 In. 149A8 R1W Radial) For 2WD: Requires Code 4782. For MFWD: Requires Code 4249 or 4308. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	In Base Price
1424		18.4R38 In. 146A8 R1W Radial For 2WD: Requires Code 4782. For MFWD: Requires Code 4246 or 4306. Available in Michelin XM25 only.	1,394.00
1563		13.6-46 In. 6PR R2 Bias	142.00

7230 Open Operator Station Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SINGLE REAR WHEELS AND TIRESContinued For 2WD: Requires Code 4721 and 7152 Available in Firestone CSG only.	
		FRONT WHEELS AND TIRES	
4721		For Code 0200 (2WD): 7.50-20 In. 8PR F2 Bias Requires Code 0130 (Open Station Flat Platform) Available in Goodyear Super Rib only. Standard Load Capacity 4620 Lbs.	-2,130.00
4782		10.00-16 ln. 10PR F2 Bias Available in Goodyear F2 Super Rib and Firestone F2 only. Standard Load Capacity 5830 Lbs.	-2,100.00
4166		For Code 0250 (MFWD): 13.6R24 In. 121A8 R1W Radial Requires Code 0250. Available in Michelin XM25 only.	1,124.00
4168		13.6R24 In. 128A8 R1W Radial Available in Goodyear DT 806 only.	-138.00
4216		320/90R42 In. 139A8 R1W Radial Available in Firestone only.	1,994.00
4229		12.4R28 In. 121A8 R1W Radial Requires Code 0250. Available in Continental AC85, Firestone F6000, Goodyear DT 806.	-294.00
4246		14.9R24 In. 126A8 R1W Radial Requires Code 0250. Available in Michelin XM25 only.	1,394.00
4249		14.9R24 In. 126A8 R1W Radial Requires Code 0250. Available in Continental AC85, Firestone F6000, Goodyear DT 806.	In Base Price
4306		13.6R28 In. 123A8 R1W Radial Requires Code 0250. Available in Michelin XM25 only.	1,382.00
4308		13.6R28 In. 123A8 R1W Radial Requires Code 0250. Available in Continental AC85, Firestone F6000, Goodyear DT 806.	-12.00
		TRANSMISSION	
		Transmissions WITHOUT Factory Installed Creepers.	
7000		SyncroPlus 12F/4R Transmission (19 mph/30 kmh)	In Base Price

SyncroPlus 16F/16R Transmission with Mechanical Left Hand Power Reverser (19 mph/30

1,953.00

7010

kmh)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
7040		TRANSMISSIONContinued PowrQuad 16F/16R Transmission with Mechanical Left Hand Reverser (19 mph/30 kmh)	3,535.00
7044		PowrQuad 24F/24R Transmission with Mechanical Left Hand Reverser (25 mph/40 kmh) Requires Code 0250 (MFWD). Not Compatible with Code 1276.	5,120.00
7020		CREEPER Transmissions SyncroPlus 12F/4R Transmission (19 mph/30 kmh) with Creeper	2,416.00
7060		PowrQuad 16F/16R Transmission with Left Hand Reverser (19 mph/30 kmh) with Creeper	4,566.00
7064		PowrQuad 24F/24R Transmission with Mechanical Left Hand Reverser (25 mph/40 kmh) with Creeper Requires Code 0250 (MFWD). Not Compatible with Code 1276.	7,536.00
		REAR AXLES AND WHEELS	
7152		Flanged Axle, 8 Position Steel Wheels	In Base Price
7153		Rack and Pinion Axle (Length: 100.6 In., Diameter: 3.1 In.) 2-Position Steel Wheels Requires Code 1264, 1276, 1424 or 1425.	1,190.00
7154		Rack and Pinion Axle (Length: 100.6 In., Diameter: 3.1 In.) 2-Position Cast Wheels	1,357.00
		HYDRAULIC SYSTEM	
7281		Load Sensing Constant Flow Hydraulic System 21.1 GPM (80 L/min)	In Base Price
7282		Pressure and Flow Compensated Hydraulic System 29 GPM (110 L/min)	1,560.00
		SELECTIVE CONTROL VALVES	
7211		Single Basic SCV (No Detent - 101 Series) with Standard Couplers Only with Code 7281.	In Base Price
7213		Single Standard SCV (2 Detent - 201 Series) with Standard Couplers Only with Code 7281.	659.00
7225		1st & 2nd Deluxe SCVs (3 Detent - 301 Series) with Standard Couplers Only with Code 7281.	1,313.00
7229		1st & 2nd Standard SCVs (2 Detent - 201 Series) with Standard Couplers Only with Code 7281.	1,121.00
7214		Single Standard (2-Detent - 200 Series) with Deluxe Couplers Requires Code 7282.	870.00
7230		Two Standard SCV (2-Detent - 200 Series) with Deluxe Couplers Requires Code 7282.	1,038.00
7226		Two Deluxe SCVs (3-Detent - 300 Series) with Deluxe Couplers Requires Code 7282.	1,399.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SEAT	
7601		Comfort Seat with Mechanical Suspension, 3-In. Seat Cushion Mechanical Suspension, 3-In. Seat Cushion, Armrests, Horizontal Adjustment, Side Rails, Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	In Base Price
7623		Super Comfort Seat with Mechanical Suspension, 3-In. Seat Cushion Mechanical Suspension, 3-In. Seat Cushion, Horizontal Suspension, Backrest Adjustment, Armrest, Mechanical Lumbar Support, Side Rails, Swivel (15 Degree Left/20 Degree Right), Operator Presence Switch, Seat Belt Retractors, Operator's Manual Holder.	573.00
		ATTACHMENTS - ORDER AS DESIRED	
8830		Operator Station Options: Vandal Protection Package	319.00
8835		Floor Mat	104.00
8875		Fuel Tank Bottom Guard	388.00
9045		Lighting / Electrical: One Rear Work light RH, H3, 2-Post mounted	99.00
9055		Corner Lights	302.00
9115		Back-Up Alarm	487.00
9145		Power Outlet Socket, 3 Terminals	63.00
9051		Two Front Work Lights, H3, Fender mounted	198.00
8840		Front Axle: Fixed Front Fenders (For 2WD axle) Not Compatible with Code 0250 MFWD axle. Not Compatible with Code 4308 (13.6-28) Tires when used with Front Loader. Requires Code 4721 or 4782.	342.00
8841		Rigid Front Fenders (MFWD) Not Compatible with Code 0200 2WD axle. Not Compatible with Code 4308 (13.6-28) Tires when used with Front Loader. Not Compatible with Code 4216 (320/90R42).	534.00
8842		Turnable Front Fenders (MFWD) Not compatible with Codes 0200 or 4216 (320/90R42). Not compatible with Loaders.	800.00
8763		Rear Hitch and Drawbar: Stabilizers, RH and LH Not Compatible with Code 9442.	550.00
8764		Automatic Stabilizer Bar, LH with Retainer Not Compatible with Code 9442.	1,008.00

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9060		ATTACHMENTS - ORDER AS DESIREDContinued Increased Lift Capacity, Max Total Cap 7231 (3280 kg) Requires Code 0250.	691.00
9086		No Rockshaft; No Draft links; No Sway control	-1,838.00
9225		Draft Control Components Not Compatible with Code 9086.	601.00
9441		Drawbar, Standard Swinging, with Hammerstrap	257.00
9442		Drawbar, High Clearance with Sway Chains and Hammerstrap	257.00
9465		Hitch Ball Category 2 Requires Code 9485.	13.00
9480		Right-hand Telescopic Draft Link / Cat II	257.00
9485		Draft Links with Hooks	349.00
9303		Hydraulics: Third SCV Deluxe (2 Detents - 201 Series) with Standard Couplers Requires Code 7281. 3-SCVs with Power Beyond for Loader Prep and Power Beyond are not a compatible configuration with the Pressure Compensated Hydraulic System. If this combination is required, it is recommended to order Pressure & Flow Compensated Hydraulics (Code 7282) which can accommodate, 4-SCVs, Power Beyond for Loader Prep and Power Beyond.	1,139.00
9304		Third SCV Standard (2-Detents - 200 Series) with Deluxe Couplers Requires Code 7282.	1,009.00
9306		Third SCV Deluxe (3-Detents - 300 Series) with Deluxe Couplers Requires Code 7282.	1,302.00
9340		Power Beyond	127.00
8775		Engine: Front Auxiliary Drive (Crankshaft Pulley without Drive Shaft)	582.00
9020		Cold Weather Package I Includes Heavy-Duty Battery (174 Ah) Engine Coolant Heater (110v).	306.00
9025		Fuel Heating System (12V)	151.00
		Miscellaneous	
8780		'JD Industrial Yellow' Paint Finish	1,402.00
8781		'Community Orange' Paint Finish	1,402.00
8850		Toolbox	78.00
8910		Heavy Duty Rear Wheel Brakes	118.00
9002		Heavy Duty PTO Bearing	308.00

CODE	ATTACHMEN'	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
		Loader Packages: Loader PREPARATION Package Includes: Mid-Mount Valve & Mechanical Joystick.	
8810		2-Function Mechanical Independent Control Valve Loader PREPARATION Package Includes: Two Function Mid-Mounted Control Valve with Mechanical Joystick Control <i>Not compatible with Code 8842</i> .	1,441.00
9520		Rear Axle Weight Packages: One Set Rear Wheel Weights 170 lb (77 kg) For 28 Inch wheel and larger. Requires Code 7152 (Flanged Rear Axle).	385.00
9521		Two Set Rear Wheel Weights 340 lb (154 kg) For 28 Inch wheel and larger. Requires Code 7152 (Flanged Rear Axle).	766.00
9522		Three Set Rear Wheel Weights 510 lb (231 kg) For 28 Inch wheel and larger. Requires Code 7152 (Flanged Rear Axle).	1,151.00
9525		One Set Rear Wheel Weights 242 lb (110 kg) For 34 - 38 Inch wheel. Requires Code 7152 (Flanged Rear Axle).	545.00
9526		Two Set Rear Wheel Weights 485 lb (220 kg) For 34 - 38 Inch wheel. Requires Code 7152 (Flanged Rear Axle).	1,090.00
9550		Tire Preference / Special Handling Codes: Protection for Overseas Shipment	54.00
9608		French Operator's Manual	No Charge
9660		Spanish Operator's Manual	No Charge
9901		Tire Brand Firestone	400.00
9903		Tire Brand Goodyear	400.00
9905		Tire Brand Continental	400.00
9988		No Specific Tire brand	No Charge
8770		Quick-Tatch Front-end Weight Packages: Front Weight Support 70kg (for up to 14 front weights)	271.00
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm)	See Parts

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	AL173200	Engine: Cold Weather Starting Package - 110 Volt Includes Coolant Heater, Transmission Heater, Charge Pump Heater and Mounting Parts. Compatible only with Code 7282 (Optional 29 gpm Pressure and Flow Compensating Hydraulic Pump).	469.00
	AL173967	Engine Coolant Heater (110V) Engine Coolant Heater is included in Cold Weather Starting Packages. Compatible with 6020 and 6030 Series.	82.00
	AL173596	Engine Ventilation with Oil Separator Kit Engine oil separator re-extracts the oil particles from the crankcase ventilation system for return back into the engine oil sump.	428.00
	AL158520	Fuel Pre-Heater Kit	148.00
	AL180215	Fenders: 2WD Front Fenders Not compatible with 563 or 673 Loader.	601.00
	AL165336	Fender Stop Panel For Models with Turnable MFWD Fenders.	411.00
	AL180095	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	668.00
	AL180097	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	677.00
	AL180099	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	686.00
	AL180101	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	716.00
	AL180103	MFWD Front Fenders, Fixed, 24.4 In. (620 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	725.00
	AL180098	MFWD Front Fenders, Turnable, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180100	MFWD Front Fenders, Turnable, 18.9 In. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180102	MFWD Front Fenders, Turnable, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
		Guards:	
	AL118241	Guard, Fuel Tank Bottom, 54.6 US Gal. (207L)	203.00
	AL159939	Guard, Fuel Tank Bottom, 66 US Gal. (250L)	195.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL204901	Hitch and Drawbar: Draft Link, Telescoping (Qty. 2)	1,137.00
	AL116748	Draft Sensing Control Kit Requires Right Hand Console Panel L115370 (for OOS), order through Service Parts.	601.00
	AL81724	Drawbar Drop-Down Kit Lowers the height of Drawbar by approximately 3 Inches.	397.00
	AL80054	Drawbar, Swinging with Hammerstrap	707.00
	AL180493	Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170. For 6030 and 7030 Cab and OOS Tractors only.	87.00
	RE63112	Quik-Coupler, Category 2	1,008.00
	RE60742	Quik-Coupler, Category 3N/2	1,487.00
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	AL206324	Stabilizer Bar, Automatic (Qty. 1) and Standard Economy Stabilizer Bar (Qty. 1) <i>Not compatible with 7330.</i> Contains attaching parts.	608.00
	AL117961	Stabilizer Bar, Mechanical (One) with Attaching Parts May be used with either RH or LH.	298.00
	AL82925	Stabilizer Sway Chains	320.00
	AL78129	Support, Load Control Shaft Secured to the steel frame without left and right hand bore holes. Protects the banding bar from shock loads under extreme draft work. Permits shock loads to be transferred from the lift arms directly to the frame. Not compatible with Code 7330.	See Parts
	RE228000	Hydraulics: Hydraulic Motor Case Drain Allows coupling of the oil return line of a hydraulic motor into a pressure-free circuit. Recommended for usage with Hydraulic Motors that are susceptible to damage if return Coupler flow checks.	174.00
	AL207614	Independent Control Valve, Mechanical (M-ICV), 2 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,056.00
	AL180376	Joystick, Mechanical 2 Function, 3rd & 4th Position, Non-Shiftable Controls Rear SCVs in the #3 & #4 positions. Compatible with OOS equipped with PFC Hydraulic System.	423.00
	AL180385	Joystick, Mechanical 2 Function, Non-Shiftable Controls Rear SCVs in the #3 & #4 positions. Compatible with Mid Spec Cab & OOS equipped with PC Hydraulic System.	423.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL180659	ATTACHMENTS FOR FIELD CONVERSIONContinued Joystick, Mechanical 2 Function, Non-Shiftable Requires Hydraulic Lines (BL15002 OR BL15003) and Mechanical Independent Control Valve (AL204116). Not compatible with Low Profile Open Station Models.	631.00
	BL15002	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (2) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	BL15003	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (3) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	AL207607	Mechanical Deluxe Select Control Valve 100 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	504.00
	AL204102	Mechanical Deluxe Select Control Valve 200 Series (2-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	651.00
	AL207609	Mechanical Deluxe Select Control Valve 200 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	675.00
	AL205078	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL207613	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL180373	Position Kit, Position #1, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL180372	Position Kit, Position #1, Mechanical SCVs for PFC Hydraulics (OOS Tractors) For Pressure & Flow Compensated Hydraulic Systems only.	244.00
	AL180375	Position Kit, Position #3, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL180374	Position Kit, Position #3, Mechanical SCVs for PFC Hydraulics (OOS Tractors) For Pressure & Flow Compensated Hydraulic Systems only.	244.00
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	237.00
	AL176299	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Tractors Kit contains three Female Couplers and Dust Shields. Connects Pressure, Return and Load Sense Hoses from Implement to Tractor. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176808) 1/2-In. (12.5 mm) for Implement End.	237.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL173904	ATTACHMENTS FOR FIELD CONVERSIONContinued Trailer Brakes, Hydraulic For Tractors equipped with PFC Hydraulic System. Requires additional components to complete installation. See installation instructions.	471.00
	AL180827	Trailer Brakes, Hydraulic For Tractors equipped with PC Hydraulic System. Requires additional components to complete installation. See installation instructions.	495.00
	AL169602	Valve, Shut Off, Electrically Actuated, Loader Boom	625.00
	AL174686	Valve, Shut Off, Electrically Actuated, Loader Mast	421.00
	AL178998	Lighting: Fender Mounted Work Lights (LH and RH), Front Facing Open Operator Station only.	212.00
	AL79915	Work Light, (1) Rear Facing, LH or RH Open Operator Station only.	106.00
	AL202564	Work Lights, H3 Front Corner Mounted in the grill with the headlights.	289.00
	AT173678	Operator Environment: 3 Inch Seat Belt	See Parts
	AL203919	3-Terminal Socket	72.00
	AR201256	Canopy for Roll-Gard Requires Wiring Harness Adapter (AL160408), order through Parts.	1,289.00
	AL179255	Seat, Comfort Seat MSG83 Seat is mechanical suspended. Features include manual weight adjustment and backrest angle adjustment.	705.00
	AL179257	Seat, Comfort Seat MSG85 Mechanically suspended. Features include horizontal suspension, manual weight adjustment, mechanical lumbar support, and backrest angle adjustment.	1,295.00
	AL115672	Steps (3), RH with Handle Quantity of one.	403.00
	AL160985	PTO/Front Auxiliary Drive: Front Auxillary Drive (Crankshaft pulley without Drive Shaft)	704.00
	AL158728	Transmission: Back-up Alarm for SyncroPlus, PowrQuad PLUS and AutoQuad Transmissions	496.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0022	AL173294	ATTACHMENTS FOR FIELD CONVERSIONContinued Creeper Field Kit for 16F/16R SyncroPlus Transmission with Left Hand Power Reverser Additional parts are required to complete installation -see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	3,130.00
	AL173292	Creeper Field Kit for SyncroPlus 12F/4R Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	3,130.00
	AL173291	Creeper Kit for 16F/16R PowrQuad PLUS 4-Range (19 mph/30 kmh) Transmission (EPQT) Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	2,627.00
	AL173288	Creeper Kit for 24F/24R PowrQuad Plus or AutoQuad 6-Range (25 mph/40 kmh) Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	2,627.00
	AL180063	Creeper, Control Kit Required to complete Creeper installation.	476.00
	AL113087	Vandal Protection: Lockable Fuel Tank Cap	See Parts
	AL110170	Lockable Transmission Oil Filler Cap	132.00
	AL175118	Vandal Protection Field Kit Kit contains Hood and Side Shield Locks. Lockable Fuel Tank Cap. Lockable Transmission Oil Filler Neck.	562.00
		Weights: Please Refer to the Agricultural Sales Manual for Rear Wheel Weight Compatibility Information. Before ordering, verify Axle type (Flange or R&P). For Flange Axles, verify Bolt Circle Diameter (BCD). Weights and Supports do not include Installation Hardware.	
	RE300838	Front Weight Support, 132 Lb. (60 Kg) 21 In. (535 mm) Wide Holds 14 weights.	391.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	T21689	Weight, Rear Wheel, 107 Lb.	209.00
	R61524	Weight, Rear Wheel, 135 Lb.	287.00
	RFR61524	Weight, Rear Wheel, 1620 Lb. (12-R61524)	2,896.00
	RFT21689	Weight, Rear Wheel, 1760 Lb. (16-T21689)	3,000.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AR112536	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Rear Wheel, 440 Lb. (4-R56920) Requires Steel Wheels.	937.00
	APY10029	Weight, Rear Wheel, 480 Lb. (4-L28228)	1,090.00
	AR182457	Wheel Equipment: Kit, Row Spacing (ZF Axles) 10 Bolt Pattern (335 mm diameter). Except for 24 In. and 26 In. Wheel.	1,087.00
	R112387	Row Spacing (ZF Axles) 10 Bolt Pattern (335 mm diameter).	See Parts
	L157909	Tie Rod Extension - 2WD Axle (Increase Width 204 mm Per Side) Order 1 Per Side.	See Parts
	AL156779	Wheel Spacers, Rear, 1.73 In. (44 mm) with Hardware (Qty 2)	470.00
	AL156777	Wheel Spacers, Rear, 4.37 In. (111 mm) with Hardware (Qty 2)	597.00

7230 Open Operator Station Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

7230 Cab Tractor

Equipment for Base Machine

ENGINE:
135 Engine HP (99 kW) [97/68 EC] @ 2300 RPM
110 PTO Horsepower (82 kW) @ 2300 RPM
6 Cylinders, John Deere PowerTech E
6.8 Liter (414 Cu. In.) Displacement, Tier 3
Emissions Level
2300 Rated Engine Speed
High Pressure Common Rail
Turbocharged
Dual Temperature Cooling System
Dry Type Air Cleaner with Safety Element
and PreCleaner
Underhood Muffler with Vertical Exhaust
55 Gal (207 L) Fuel Tank Capacity

TRANSMISSION:

12 Forward/4 Reverse SyncroPlus Transmission 19 mph (30km/h) Wet Multi-Disk Clutch Park Lock Neutral Safety Start System

STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering Dual Stage Disk Brakes Rear Axle Differential Lock

HYDRAULICS:

Load Sensing Constant Flow Pressure Compensated (PC) System 21.1 GPM (81 L/min) Pump Flow at 2300 RPM 1 SCV; Mechanical; ISO Couplers

REAR PTO

540/1000 RPM, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield Electrohydraulic Wet Multi-Disk Clutch Neutral Start Safety System Seat Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR: Electronic Hitch Category 2, 3-Point Hitch Electrohydraulic Hitch Control One Rear Fender Hitch Control 5100 Lb. Lift Capacity LH Telescopic Draft Link Left Hand Stabilizer Bar Category 2 Swinging Drawbar

INSTRUMENTATION:
Tachometer
Speedometer
Hour Meter
Fuel Gauge
Engine Oil Pressure Indicator Light
Coolant Temperature

PTO Engagement
Engine Air Filter Restriction Indicator
Alternator Indicator Light
Directional Indicators
Hazard Switch

CAB OPERATOR STATION:
ComfortGard Cab with Air Conditioning and Heater
Two Doors
Front Windshield Wiper
Mechanical Suspension Seat with Armrests and Seat Belt
Tilt/Telescopic Steering Column
Right-hand Operational Controls
Floor Mat
Foot Throttle Control
Power Outlet
Pre-Radio Wiring and Speaker Package
Overhead Courtesy Light
Rear View Mirror

ELECTRICAL:
Key Shutoff
12-Volt Electrical System
One 12-Volt Battery, 1230 Cold Cranking Amps
90 Amp Alternator
7 Terminal ASAE Outlet Socket

LIGHTS:

Two Front Grille Headlights
Two Front Roof Lights
One Rear Roof/ROPS Light
Flashing Warning Lights
Two Rear Fender Tail Lights
with Brake Lights

FRONT AXLE WHEELS AND TIRES:
MFWD
Steel Wheels
Electrohydraulic MFWD Engagement,
Right-hand Console
14.9R24 In. Radial Tires

REAR AXLE WHEELS AND TIRES: Flanged Axle Eight Position Steel Wheels 18.4R38 In. Radial Rear Tires

MISCELLANEOUS: Operator's Manual (English) and Holder

Available for the United States, Canada, Mexico, Central America, South Korea, Israel, and Egypt Only.

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Port of Entry

7230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINEContinued	
3222R		7230 Cab Tractor	87,986.00
		VALUE PACKAGE CONFIGURATIONS	
0600		No Package	In Base Price
0606		Cab MFWD SyncroPlus w/ LHR Flanged Mechanical Seat Value Package Standard Cab, MFWD, SyncroPlus 16F/16R with Left Hand Reverser (19 mph / 30 km/h), Flanged Rear Axle, Mechanical Seat. Codes: 0250, 7010, 7152, 7611.	-287.00
0607		Competitive Package - Cab MFWD PQ Plus w/ LHR Flanged Air Seat Value Package Standard Cab, MFWD, PowrQuad Plus 16F/16R with Left Hand Reverser (19 mph / 30 km/h), Flanged Rear Axle, Air Seat. Codes: 0250, 7073, 7152, 7662.	-575.00
0609		Cab 2WD SyncroPlus w/ LHR Flanged Mechanical Seat Value Package Standard Cab, 2WD, SyncroPlus 16F/16R with Left Hand Reverser (19 mph / 30km/h), Flanged Rear Axle, Mechanical Seat. Codes: 0200, 7010, 7152, 7611.	-287.00
0610		Cab 2WD PQ Plus w/ LHR Flanged Air Seat Value Package Standard Cab, 2WD, PowrQuad Plus 16F/16R with Left Hand Reverser (19 mph / 30km/h), Flanged Rear Axle, Air Seat. Codes: 0200, 7073, 7152, 7662.	-287.00
0637		Cab MFWD PQ Plus w/ LHR Rack and Pinion Air Seat Value Package Standard Cab, MFWD, PowrQuad Plus 16F/16R with Left Hand Reverser (19 mph / 30 km/h), Rack and Pinion Rear Axle, Air Seat. Codes: 0250, 7073, 7153, 7662.	-287.00
0643		Cab MFWD PQ Plus w/ LHR Flanged Air Seat Value Package Standard Cab, MFWD, PowrQuad Plus 24F/24R with Left Hand Reverser (25 mph), Flanged Rear Axle, Air Seat. Codes: 0250, 7072, 7152, 7662.	-460.00
		FRONT AXLES	
0200		Adjustable 2WD Front Axle (59.1-74 ln.)	-8,073.00
0250		MFWD Front Axle with Limited Slip Differential	In Base Price
		SINGLE REAR WHEELS AND TIRES	
1288		18.4R34 In. 144A8 R1W Radial (460/85R34 In. 147A8 R1W Radial) For 2WD: Requires Code 4782. For MFWD: Requires Code 4168 or 4249. Not available with Code 7153 Rack and Pinion Rear Axle. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	-638.00
1264		320/90R42 In. 139A8 R1W Radial For 2WD: Requires Code 4782. For MFWD: Requires Code 4229 and Code 7153. Not compatible with Code 7152 or 7154. Available in Firestone F9000 and Goodyear DT 806 only.	-90.00
1425		18.4R38 In. 149A8 R1W Radial (460/85R38 In. 149A8 R1W Radial)	In Base Price

7230 Cab Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SINGLE REAR WHEELS AND TIRESContinued For 2WD: Requires Code 4782. For MFWD: Requires Code 4249 or 4308. Available in Continental AC85, Firestone F8000, Goodyear DT 806.	
1563		13.6-46 In. 6PR R2 Bias	142.00
1276		320/90R54 In. 149A8 R1W Radial Requires Codes 0250, 4216 and 7153. Available in Firestone RAT (Radial All Traction). Not compatible with Code 7072 or 7077 or 8873.	2,626.00
		FRONT WHEELS AND TIRES	
4721		For Code 0200 (2WD): 7.50-20 In. 8PR F2 Bias Requires Code 0200. Available in Goodyear Super Rib only. Standard Load Capacity 4620 Lbs.	-2,130.00
4782		10.00-16 In. 10PR F2 Bias Requires Code 0200. Available in Goodyear F2 Super Rib and Firestone F2 only. Standard Load Capacity 5830 Lbs.	-2,100.00
4168		For Code 0250 (MFWD): 13.6R24 In. 128A8 R1W Radial Available in Goodyear DT 806 only.	-138.00
4229		12.4R28 In. 121A8 R1W Radial (320/85R28 In. 124A8 R1W Radial) Available in Continental AC85, Firestone F6000, Goodyear DT 806.	-294.00
4249		14.9R24 In. 126A8 R1W Radial (380/85R24 In. 131A8 R1W Radial) Available in Continental AC85, Firestone F6000, Goodyear DT 806.	In Base Price
4308		13.6R28 In. 123A8 R1W Radial (340/85R28 In. 127A8 R1W Radial) Available in Continental AC85, Firestone F6000, Goodyear DT 806.	-12.00
4216		320/90R42 In. 139A8 R1W Radial	1,994.00
		TRANSMISSION	_
		Transmissions WITHOUT Factory Installed Creepers.	
7000		SyncroPlus 12F/4R Transmission (19 mph/30 kmh)	In Base Price
7010		SyncroPlus 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh)	1,953.00
7073		PowrQuad PLUS 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh)	3,888.00
7072		PowrQuad PLUS 24F/24R Transmission with Left Hand Power Reverser (25 mph/40 kmh)	5,631.00

7230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRANSMISSIONContinued Requires Code 0250. Not Compatible with Code 1276.	
7020		CREEPER Transmissions SyncroPlus 12F/4R Transmission (19 mph/30 kmh) with Creeper	2,439.00
7015		SyncroPlus 16F/16R Left Hand Mechanical Reverser Transmission (19 mph/30 kmh) with Creeper	4,370.00
7078		PowrQuad PLUS 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh) with Creeper	6,304.00
7077		PowrQuad PLUS 24F/24R Transmission with Left Hand Power Reverser (25 mph/40 kmh) with Creeper Not Compatible with Code 1276.	8,046.00
		REAR AXLES AND WHEELS	
7152		Flanged Axle, 8 Position Steel Wheels	In Base Price
7153		Rack and Pinion Axle 3.1 In. (78.74 mm) Diameter by 100.6 In. Length 2-Pos. Steel Wheels Requires Code 1264, 1276 or 1425.	1,190.00
7154		Rack & Pinion Axle 2-Pos. Cast Wheels 3.1 In. (78.74 mm) diameter by 100.6 In Length. Requires Code 1264 or 1425.	1,357.00
		EXHAUST	
7452		Vertical Exhaust with Underhood Muffler	In Base Price
7453		Deluxe Cab Corner Post Exhaust with Underhood Muffler	872.00
		SEAT	
7611		Super Comfort Seat (MSG 83) with Mechanical Suspension, 3-In. Seat Cushion Arm Rest, Seat Adjustment Side Rails, Retractable Seatbelt, Operator Presence Switch.	In Base Price
7662		Super Comfort Seat (MSG 95) with Air Suspension, 3-In. Seat Cushion Horizontal Suspension, Backrest Adjustment, Armrest, Mechanical Lumbar Support, Side Rails, Swivel (15 Deg. Left/15 Deg. Right), Operator Presence Switch, Retractable Seat Belt, Operator's Manual Holder.	896.00
		ATTACHMENTS - ORDER AS DESIRED	
8830		ComfortGard Cab Options: Vandal Protection Package Includes Lockable Fuel Cap, Lockable Transmission Oil Fill, Lockable Hood and Engine Side Panels.	319.00

7230 Cab Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8873		ATTACHMENTS - ORDER AS DESIREDContinued Fuel Tank, 66 Gallon (250L) Not compatible with Code 1276.	381.00
8875		Fuel Tank Guard, Bottom	388.00
9076		Ash Tray with Cigarette Lighter	21.00
9207		Telescopic Rear View Mirrors (2) - Manually Adjustable	294.00
9102		Rear Windshield Wiper with Front & Rear Washer	493.00
9140		Single Interface Outlet (7-Pin) Located on Rear RH Corner-post.	87.00
9212		Sun Visor	80.00
9214		Additional Storage Compartment (LH upper corner inner roof)	69.00
9216		Bottle Holder Floor Mounted.	33.00
9218		Cup Holder Mounts to Right Hand A-post.	37.00
9220		Field Office / Storage Tray / 3-Pin Power Outlet	312.00
9232		Instructional Seat with Seat Belt The instructional seat has been approved only for training operators or diagnosing machine problems. Keep all other riders off the tractor and equipment. Always wear your seat belt.	551.00
9246		Roof Hatch with Glass Not with Code 0175 (Low Clearance Cab), 9214, 8941 or 8942.	560.00
9041		Lighting / Electrical: One Rear Worklight LH, H-3	118.00
9055		Corner Lights, Front	302.00
9070		Lights, High/Low Beam, H-4, Belt Line Mounted Not with Code 0175 (Low Clearance Cab), 8941 or 8942.	477.00
9080		Rotating Warning Light (Beacon Light)	222.00
9115		Back-Up Alarm	487.00
8840		Front Axle: Fixed Front Fenders (2WD) Not compatible with Code 0250 MFWD axle. Not compatible with Code 4308 (13.6-28) Tires when used with Front Loader.	342.00
8841		Rigid Front Fenders (MFWD) Not compatible with Code 0200 2WD axle. Not compatible with Code 4308 (13.6-28) Tires when used with Front Loader.	534.00

7230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8842		ATTACHMENTS - ORDER AS DESIREDContinued Turnable Front Fenders (MFWD) Not compatible with Loaders. Not compatible with Code 0200 (2wd) or 4216 (320/90R42 Tire).	800.00
9480		Rear Hitch and Drawbar: Right-hand Telescopic Draft Link	217.00
9225		Draft Control	601.00
9441		Drawbar, Standard Swinging, with Hammerstrap	257.00
9260		Hydraulics: Second SCV Deluxe (3 Detents - 301 Series) with Standard Couplers Required with Hydraulic Motors.	1,124.00
9340		Power Beyond Allows Hydraulic Pump to power implements that have Independent Control Valves.	127.00
9303		Third SCV Standard (2 Detents - 201 Series) with Standard Couplers For a total of 3 SCVs it requires Code 9260 (2nd SCV). 3-SCVs with Power Beyond for Loader Prep and Power Beyond are not a compatible configuration with the Pressure Compensated Hydraulic System. If this combination is required, it is recommended to order the Premium Cab series with P&FC Hydraulics which can accommodate, 4-SCVs, Power Beyond for Loader Prep and Power Beyond.	1,139.00
8775		Engine: Front Auxiliary Drive Preparation (Crankshaft Pulley without Drive Shaft)	591.00
8890		Condensor Screen, Air Conditioning (4 or 6 cylinder engine)	20.00
9020		Cold Weather Package I Includes Heavy-Duty Battery (174 Ah) Engine Coolant Heater (110V).	306.00
9025		Fuel Heating System (12V)	151.00
8770		Miscellaneous: Front Weight Support, 155 lbs. (70kg), Holds up to 14 Front Weights	271.00
8780		'JD Industrial Yellow' Paint Finish	1,402.00
8781		'Community Orange' Paint Finish	1,402.00
8850		Toolbox	78.00
9085		License Plate Bracket with Light	36.00

7230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
		Loader Packages: Loader PREPARATION Package Includes: Mid-Mount Valve and Joystick as specified by code, H-4 Beltline Mounted High/Low Beam Road Lights and Glass Roof with Hatch. Note: Loader Mounting Brackets and Hood Guard to be ordered with Front Loader (See Ag Sales Manual for details).	
8810		Loader Joystick with 2-Function Midmount Independent Control Valve (M-ICV) Includes: 2-Function Mid-Mounted Control Valve with Mechanical Joystick Control and non-activated PQ+ Shift Buttons.	1,455.00
894A		2-Function Mechanical Independent Control Valve Loader READY Package Activated Gear Shift Buttons on Joystick only available with Codes 7073, 7072 or 7077. Not compatible with Code 8841, 8942, 9070 or 9246.	4,375.00
894B		3-Function Mechanical Independent Control Valve Loader Ready Package Activated Joystick Gear Shift Buttons Requires Transmission Code 7073, 7072 or 7077. Not compatible with Code 8842, 8941, 9070 or 9246.	4,798.00
		Tire Preference / Special Handling Codes:	
9550		Protection for Overseas Shipment	54.00
9608		French Operator's Manual	No Charge
9660		Spanish Operator's Manual	No Charge
9901		Tire Brand, Firestone	400.00
9903		Tire Brand, Goodyear	400.00
9905		Tire Brand, Continental	400.00
9988		No Specific Tire brand	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm)	See Parts
	AL173200	Engine: Cold Weather Starting Package - 110 Volt	469.00
	AL173967	Engine Coolant Heater (110V) Engine Coolant Heater is included in Cold Weather Starting Packages. Compatible with 6020 and 6030 Series.	82.00
	AL173596	Engine Ventilation with Oil Separator Kit Engine oil separator re-extracts the oil particles from the crankcase ventilation system for return back into the engine oil sump.	428.00
	AL158520	Fuel Pre-Heater Kit	148.00

7230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL180215	Fenders: 2WD Front Fenders Not compatible with 563 or 673 Loader.	601.00
	AL174767	Fender Side Extension Dimensions: Length 4.33 In. (110 mm) x Width 0.59 In. (15 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	180.00
	AL174768	Fender Side Extension Dimensions: Length 4.33 In. (110 mm) x Width 2.36 In. (60 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	180.00
	AL174769	Fender Side Extension Dimensions: Length 7.48 In. (190 mm) x Width 0.79 In. (20 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	200.00
	AL174770	Fender Side Extension Dimensions: Length 7.48 In. (190 mm) x Width 2.56 In. (65 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	200.00
	AL165336	Fender Stop Panel For Models with Turnable MFWD Fenders.	411.00
	AL180095	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	668.00
	AL180097	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	677.00
	AL180099	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	686.00
	AL180101	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	716.00
	AL180103	MFWD Front Fenders, Fixed, 24.4 ln. (620 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	725.00
	AL180098	MFWD Front Fenders, Turnable, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180100	MFWD Front Fenders, Turnable, 18.9 In. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180102	MFWD Front Fenders, Turnable, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00

7230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0002	AL159975	ATTACHMENTS FOR FIELD CONVERSIONContinued Rear Fender Flap for Fender Side Extensions Dimensions: Width 9 In. (229 mm) x Length 24.8 In. (632 mm). Requires Fender Side Extension of 190 x 20 mm. or 190 x 65 mm.	81.00
	AL118241	Guards: Guard, Fuel Tank Bottom, 54.6 US Gal. (207L)	203.00
	AL159939	Guard, Fuel Tank Bottom, 66 US Gal. (250L)	195.00
	AL204901	Hitch and Drawbar: Draft Link, Telescoping (Qty. 2)	1,137.00
	AL116748	Draft Sensing Control Kit Requires Right Hand Console Panel L170711 (for Cab), order through Service Parts.	601.00
	AL81724	Drawbar Drop-Down Kit Lowers the height of Drawbar by approximately 3 Inches.	397.00
	AL80054	Drawbar, Swinging with Hammerstrap	707.00
	AL180493	Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170. For 6030 and 7030 Cab and OOS Tractors only.	87.00
	RE63112	Quik-Coupler, Category 2	1,008.00
	RE60742	Quik-Coupler, Category 3N/2	1,487.00
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	AL206324	Stabilizer Bar, Automatic (Qty. 1) and Standard Economy Stabilizer Bar (Qty. 1) <i>Not compatible with 7330.</i> Contains attaching parts.	608.00
	AL117961	Stabilizer Bar, Mechanical (One) with Attaching Parts May be used with either RH or LH.	298.00
	AL82925	Stabilizer Sway Chains	320.00
	AL78129	Support, Load Control Shaft Secured to the steel frame without left and right hand bore holes. Protects the banding bar from shock loads under extreme draft work. Permits shock loads to be transferred from the lift arms directly to the frame. Not compatible with Code 7330.	See Parts
	RE228000	Hydraulics: Hydraulic Motor Case Drain Allows coupling of the oil return line of a hydraulic motor into a pressure-free circuit. Recommended for usage with Hydraulic Motors that are susceptible to damage if return Coupler flow checks.	174.00
	AL207614	Independent Control Valve, Mechanical (M-ICV), 2 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,056.00

7230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL207615	ATTACHMENTS FOR FIELD CONVERSIONContinued Independent Control Valve, Mechanical (M-ICV), 3 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,628.00
	AL180385	Joystick, Mechanical 2 Function, Non-Shiftable Controls Rear SCVs in the #3 & #4 positions. Compatible with Mid Spec Cab & OOS equipped with PC Hydraulic System.	423.00
	AL180657	Joystick, Mechanical 2 Function, Non-Shiftable Requires Hydraulic Lines (BL15002 OR BL15003) and Mechanical Independent Control Valve (AL204116).	637.00
	AL180658	Joystick, Mechanical 3 Function, Non-Shiftable Requires Hydraulic Lines (BL15002 OR BL15003) and Mechanical Independent Control Valve (AL204117).	965.00
	BL15002	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (2) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	BL15003	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (3) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	AL207607	Mechanical Deluxe Select Control Valve 100 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	504.00
	AL204102	Mechanical Deluxe Select Control Valve 200 Series (2-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	651.00
	AL207609	Mechanical Deluxe Select Control Valve 200 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	675.00
	AL205078	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL207613	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL180373	Position Kit, Position #1, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL180375	Position Kit, Position #3, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	237.00

7230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL176299	ATTACHMENTS FOR FIELD CONVERSIONContinued Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Tractors Kit contains three Female Couplers and Dust Shields. Connects Pressure, Return and Load Sense Hoses from Implement to Tractor. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176808) 1/2-In. (12.5 mm) for Implement End.	237.00
	AL180827	Trailer Brakes, Hydraulic For Tractors equipped with PC Hydraulic System. Requires additional components to complete installation. See installation instructions.	495.00
	AL169602	Valve, Shut Off, Electrically Actuated, Loader Boom	625.00
	AL174686	Valve, Shut Off, Electrically Actuated, Loader Mast	421.00
	AL181123	Lighting: Beacon Light Switch Required to operate Beacon Light (AL111705).	See Parts
	AL111705	Beacon Light for Cab Requires Switch (AL181123).	219.00
	AL201586	Extremity Lights Preparation Kit See Parts Catalog and MHM 873 Installation Instructions for additional components.	922.00
	AL179968	Headlights, H4 (2) High/Low Beam Forward Facing	372.00
	AL164391	Work Light, (2) Rear Facing, LH & RH, Fender Mounted Compatible with Mid Spec Tractors (S/N - 606378) and below.	213.00
	AL179973	Work Light, H3 (1) Rear Facing, Fender Mounted, LH or RH	157.00
	AL179974	Work Lights, H3 (55 Watt) (2) Belt Line	403.00
	AL179970	Work Lights, H3 (55 Watt) (2), Cab Roof Mounted, Front, LH and RH Not compatible on Tractors which already have 2 work lights factory installed.	198.00
	AL179971	Work Lights, H3 (55 Watt) (2), Cab Roof Mounted, Rear, LH and RH	198.00
	AL179972	Work Lights, H3 (55 Watt) (2), Fender Mounted, Rear, LH and RH Compatible with Mid Spec Tractors (S/N - 606379) and above.	195.00
	AL202564	Work Lights, H3 Front Corner Mounted in the grill with the headlights.	289.00
	AT173678	Operator Environment: 3 Inch Seat Belt	See Parts
	AL203919	3-Terminal Socket	72.00
	RE67015	3-Way Convenience Adapter for Power Strip	See Parts
	AL207711	Antenna Kit	453.00

7230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL177152	ATTACHMENTS FOR FIELD CONVERSIONContinued Antenna Kit, Hidden Includes Antenna (AL176845).	460.00
	AL164673	Ash Tray	See Parts
	AL112070	Beverage Cooler Box Portable, non-electrical. Mounts on the floor in the front right of the cab.	130.00
	AL156731	Bottle Holder, Floor Mounted, Left Side	35.00
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	AL173370	Cigarette Lighter	See Parts
	AL163826	Cup Holder, Right-Hand A-Post Mounted	41.00
	AL178985	Field Office without Beverage Holder Compatible with Instructional Seat.	217.00
	AL158986	Filter Kit, Carbon, with LH and RH Fresh Air and Recirculation	See Parts
	AL173569	Instructional Seat with Seat Belt	545.00
	AL151224	Mirror, Inside Rear Mounts behind operator's right shoulder - provides increased Drawbar Visibility.	145.00
	AL80126	Mirror, Telescopic, LH, Manually Adjustable	149.00
	AL80127	Mirror, Telescopic, RH, Manually Adjustable	149.00
	AL158785	Power Strip with Six Outlets Requires Bracket (AL117211). Also available through Parts.	See Parts
	RE289848	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband Includes audio input jack for MP3 compatible devices.	434.00
	RE289852	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband Includes audio input jack for MP3 compativle devices.	849.00
	AL201826	Seat Belt with Mounting Parts	109.00
	AL174234	Seat Telescopic Backrest Extension	135.00
	AL179256	Seat, Comfort Seat MSG93 Air suspended with operator presence switch. Features include weight adjustment, mechanical lumbar support, and backrest angle adjustment.	1,535.00
	AL175598	Seat, Super Air Comfort Seat MSG95 For Tractors not equipped with CommandARM. Air suspended with operator presence switch. Features include automatic weight adjustment, mechanical lumbar support, backrest angle adjustment, and 15 degrees of swivel.	1,709.00

7230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL175599	ATTACHMENTS FOR FIELD CONVERSIONContinued Seat, Super Comfort Seat MSG85 For Tractors not equipped with CommandARM. Mechanically suspended.	1,220.00
	AL175597	Seat, Super Deluxe Air Comfort Seat MSG95 For Tractors not equipped with CommandARM. Low frequency air suspension with operator presence switch. Features include active carbon layer, seat heating, lateral suspension, automatic weight adjustment, air lumbar support, adjustable seat depth and incline, telescopic backrest extension, backrest angle adjustment, and 15 degrees of swivel.	2,792.00
	AL175596	Seat, Super Deluxe Air Comfort Seat MSG95 For Tractors equipped with CommandARM. Low frequency air suspension with operator presence switch. Features include active carbon layer, seat heating, lateral suspension, automatic weight adjustment, air lumbar support, adjustable seat depth and incline, telescopic backrest extension, backrest angle adjustment, and 15 degrees of swivel.	2,943.00
	AL119286	Seat, Swivel, Operators, 180 degrees For Tractors not equipped with CommandARM.	See Parts
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE282643	Steering Wheel, Dark Brown Leather	See Parts
	AL174359	Sun Screen, Telescopic (Rollo Blinds) Kit includes (1) Sun Screen with Mounting Hardware. May be used either in Front or Rear Window.	140.00
	AL157620	Sun Visor	88.00
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	AL157189	Windshield Washer, Front Requires additional parts available from PDC for Tractors not equipped with RH door.	175.00
	AL157190	Windshield Washer, Front and Rear	324.00
	AL179028	Wiper, Rear Window	244.00
		PTO/Front Auxiliary Drive: Front PTOs are no longer available as a field installed option through John Deere. Availability is limited to existing inventory. When inventory is exhausted, please contact Laforge Hitch for your Front PTO and Front Hitch needs. Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198	
	AL160985	www.fronthitch.com Front Auxillary Drive (Crankshaft pulley without Drive Shaft)	704.00
	AL158728	Transmission: Back-up Alarm for SyncroPlus, PowrQuad PLUS and AutoQuad Transmissions	496.00

7230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL173294	ATTACHMENTS FOR FIELD CONVERSIONContinued Creeper Field Kit for 16F/16R SyncroPlus Transmission with Left Hand Power Reverser Additional parts are required to complete installation -see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	3,130.00
	AL173292	Creeper Field Kit for SyncroPlus 12F/4R Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	3,130.00
	AL173291	Creeper Kit for 16F/16R PowrQuad PLUS 4-Range (19 mph/30 kmh) Transmission (EPQT) Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	2,627.00
	AL173288	Creeper Kit for 24F/24R PowrQuad Plus or AutoQuad 6-Range (25 mph/40 kmh) Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	2,627.00
	AL180063	Creeper, Control Kit Required to complete Creeper installation.	476.00
	AL71345	Vandal Protection: Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts
	AL110170	Lockable Transmission Oil Filler Cap	132.00
	AL175118	Vandal Protection Field Kit Kit contains Hood and Side Shield Locks. Lockable Fuel Tank Cap. Lockable Transmission Oil Filler Neck.	562.00
	RE300838	Weights: Front Weight Support, 132 Lb. (60 Kg) 21 In. (535 mm) Wide <i>Holds 14 weights</i> .	391.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	T21689	Weight, Rear Wheel, 107 Lb.	209.00
	R61524	Weight, Rear Wheel, 135 Lb.	287.00
	RFR61524	Weight, Rear Wheel, 1620 Lb. (12-R61524)	2,896.00
	RFT21689	Weight, Rear Wheel, 1760 Lb. (16-T21689)	3,000.00

7230 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AR112536	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Rear Wheel, 440 Lb. (4-R56920) Not compatible with Rack and Pinion Axle.	937.00
	APY10029	Weight, Rear Wheel, 480 Lb. (4-L28228)	1,090.00
	L157909	Wheel Equipment: Tie Rod Extension - 2WD Axle (Increase Width 204 mm Per Side) Order 1 Per Side.	See Parts
	AL156779	Wheel Spacers, Rear, 1.73 In. (44 mm) with Hardware (Qty 2)	470.00
	AL156777	Wheel Spacers, Rear, 4.37 In. (111 mm) with Hardware (Qty 2)	597.00

7230 Cab Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

7330 Open Operator Station Tractor

Equipment for Base Machine

ENGINE:

155 Engine HP (114 kw) [97/68/EC] at 2100 RPM 127 PTO Horsepower at 2300 RPM 6 Cylinder, John Deere PowerTech E 6.8 Liter (414 Cu. In.) Displacement, Tier 3 Emissions Level 2100 Rated Engine Speed

High Pressure Common Rail

Turbocharged

Dual Temperature Cooling System

Dry Type Air Cleaner with Safety Element and PreCleaner

Underhood Muffler with Vertical Exhaust 66 Gal (250 L) Fuel Tank Capacity

TRANSMISSION:

16 Forward/16 Reverse SyncroPlus Transmission 19 mph (30km/h) Wet Multi-Disk Clutch Park Lock

Neutral Safety Start System

STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering Dual Stage Disk Brakes

Rear Axle Differential Lock

HYDRAULICS:

Load Sensing Constant Flow Pressure Compensated (PC) System 21.1 GPM (81 L/min) Pump Flow at 2100 RPM 1 SCV; Mechanical; ISO Couplers

540/1000 RPM, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield Electrohydraulic Wet Multi-Disk Clutch

Neutral Start Safety System Seat Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR: Electronic Hitch Category 2, 3-Point Hitch Electrohydraulic Hitch Controls One Rear Fender Hitch Controls 8800 Lb. Lift Capacity Electronic Lower Link Draft Sensing LH Telescopic Draft Link Left Hand Stabilizer Bar Category 2 Swinging Drawbar

INSTRUMENTATION: Tachometer Speedometer

Hour Meter Fuel Gauge

Engine Oil Pressure Indicator Light

Coolant Temperature

PTO Engagement

Engine Air Filter Restriction Indicator

Alternator Indicator Light Directional Indicators

Hazard Switch

OPEN OPERATOR STATION:

Two Post Foldable ROPS with Seat Belt,

Less Canopy Platform

Steps

Operational Controls, Console Mechanical Suspension Seat with

Seat Belt Tilt Steering Column

Foot Throttle Control

ELECTRICAL:

Kev Shutoff

12-Volt Electrical System 12-Volt Battery, 1230 Cold Cranking Amps

90 Amp Alternator

7 Terminal ASAE Outlet Socket

LIGHTS:

Two Front Grille Headlights One Rear ROPS Light Two Flashing Hazard Lights Two Rear Fender Tail Lights with

Brake Lights

FRONT AXLE WHEELS AND TIRES:

MFWD

Steel Wheels

MFWD Engagement, Electrohydraulic

14.9R28 In.

REAR AXLE WHEELS AND TIRES:

Flange

Eight Position Steel Wheels

18.4R38 In. Radial

MISCELLANEOUS:

Operator's Manual (English) and Holder

SMV Emblem

ATTACHMENT CODE **IDENTIFIER**

DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Waterloo, Iowa

1483RW 7330 Open Operator Station Tractor 84,830.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		VALUE PACKAGE CONFIGURATIONS	
0600		No Package	In Base Price
0612		Open Station Flat Platform MFWD PowrQuad w/ LHR Flanged Value Package Flat Platform Open Station Tractor with MFWD Axle, PowrQuad Transmission 16F/16R with Left Hand Reverser (19 mph/30 kmh), Flanged Rear Axle. Codes: 0250, 3020, 7040.	-575.00
0645		Open Station Flat Platform MFWD PowrQuad w/ LHR Flanged Value Package Flat Platform Open Station, MFWD, PowrQuad 20F/20R with Left Hand Reverser (25mph/40 kmh), Flanged Rear Axle. Codes: 0250, 3020, 7043.	-287.00
		FRONT AXLES	
0200		Adjustable 2WD Front Axle (74-80 In.)	-7,792.00
0250		MFWD Front Axle with Limited Slip Differential	In Base Price
		SINGLE REAR WHEELS AND TIRES	
		Two Cast Wheels:	
		RCI Group 45 Size Tires Use with the proper RCI Group 40 MFWD Front Tire with same tread type and brand preference. Requires Code 3001 or 3002.	
4208		480/80R38 In. 149A8 R1 Radial (18.4R38 In. 146A8 R1 Radial) Available in Goodyear and Firestone.	140.00
		RCI Group 46 Size Tires Use with the proper RCI Group 41 MFWD Front Tire with same tread type and brand preference. Requires Code 3001 or 3002.	
4202		320/90R50 In. 147A8 R1W Radial Available in Goodyear.	1,814.00
4255		14.9R46 In. 142A8 R1 Radial Available in Firestone.	1,058.00
4244		18.4R42 In. 148A8 R1W Radial Available in Goodyear.	2,120.00
4211		480/80R42 In. 151A8 R1 Radial (18.4R42 In. 151A8 R1 Radial) Available in Goodyear and Firestone.	1,844.00
4214		480/80R42 In. 151A8 R1W Radial Available in Michelin only. Extended lead time tire, may affect tractor delivery date.	3,238.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
4205		SINGLE REAR WHEELS AND TIRESContinued 520/85R38 In. 155A8 R1 Radial (20.8R38 In. 155A8 R1 Radial) Available in Goodyear and Firestone.	1,598.00
		Two Steel Wheels:	
		RCI Group 45 Size Tires Use with the proper RCI Group 40 MFWD Front tire with same tread type and brand preference.	
4632		480/80R38 In. 149A8 R1 Radial (18.4R38 In. 149A8 R1 Radial) Requires Code 3020. Available in Goodyear and Firestone.	In Base Price
		RCI Group 46 Size Tires Use with the proper RCI Group 41 MFWD Front Tire with same tread type and brand preference.	
4602		320/90R50 In. 147A8 R1W Radial Requires Code 3020. Available in Goodyear only.	1,674.00
		DUAL REAR WHEELS AND TIRES	
4900		No Duals	In Base Price
4901		Dual Hubs only Requires Codes 0250 and 3002.	1,612.00
		Two Steel Wheels:	
4902		RCI Group 46 Size Duals Listed Narrowest to Widest 320/90R50 In. 147A8 R1W Radial Requires Code 4202. Available in Goodyear only.	6,548.00
4944		18.4R42 In. 148A8 R1W Radial Available in Goodyear.	6,852.00
4955		14.9R46 In. 142A8 R1 Radial Available in Firestone only. Extened lead time tire, may affect tractor delivery date.	5,994.00
4911		480/80R42 In. 151A8 R1 Radial (18.4R42 In. 151A8 R1 Radial) Available in Goodyear and Firestone.	5,860.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRES	
6055		For Code 0200 (2WD): 11.00-16 In. 12PR F2 Bias Available in Goodyear and Firestone.	-1,874.00
		For Code 0250 (MFWD):	
6210		RCI Group 40 Size Tires Two Multi-Position Steel Wheels 380/85R28 In. 133A8 R1 Radial (14.9R28 In. 133A8 R1 Radial) Available in Goodyear and Firestone.	In Base Price
6174		16.9R26 In. 135A8 R1 Radial <i>Available in Firestone</i> .	34.00
6151		RCI Group 41 Size Tires Two Multi-Position Wheels 320/85R34 In. 133A8 R1 Radial Requires Code 4202 or 4602. Available in Goodyear only.	624.00
6213		380/85R30 In. 135A8 R1W Radial Requires Code 4214. Available in Michelin only.	2,568.00
6211		380/85R30 In. 135A8 R1 Radial Requires Code 4205, 4211 or 4255. Available in Goodyear and Firestone.	250.00
6212		420/85R28 In. 139A8 R1 Radial Requires Code 4205, 4211 or 4255. Available in Goodyear and Firestone.	528.00
6176		16.9R28 In. 136A8 R1W Radial Requires Code 4202, 4244 or 4602. Available in Goodyear.	818.00
		TRANSMISSION	
		Transmissions WITHOUT Factory Installed Creepers.	_
7040		PowrQuad 16F/16R Transmission with Mechanical Left Hand Reverser (19 mph/30 kmh)	In Base Price
7043		PowrQuad 20F/20R Transmission with Mechanical Left Hand Reverser (25 mph/40 kmh)	1,929.00
7063		CREEPER Transmissions PowrQuad 20F/20R Transmission with Mechanical Left Hand Reverser (25 mph/40 kmh) with Creeper	4,333.00
		REAR ROCKSHAFT AND HITCH	
2500		8800 Lb. Capacity 3-Point Hitch (Category 2) with two Telescopic Draft Links and Sway Blocks	In Base Price

7330 Open Operator Station Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2520		REAR ROCKSHAFT AND HITCHContinued 8200 Lb. Capacity 3-Point Hitch (Category 3N/2) with two Telescopic Draft Links, Secondary Chain Support and Sway Blocks Requires Code 0250.	Same Price
		REAR AXLES AND WHEELS	
3020		Flanged Rear Axle (8x275mm Bolt Circle) Requires Code 4602 or 4632.	In Base Price
3001		Rack and Pinion Axle 3.385 In. (86mm) Diameter by 96 In. Length	1,235.00
3002		Rack and Pinion Axle 3.385 In. (85mm) Diameter by 110.5 In. Length	1,718.00
		HYDRAULIC SYSTEM	
7281		Load Sensing Constant Flow Hydraulic System 21.1 GPM (80 L/min)	In Base Price
7282		Pressure and Flow Compensated Hydraulic System 29 GPM (110 L/min)	1,560.00
7282		Pressure and Flow Compensated Hydraulic System 29 GPM (110 L/min) SELECTIVE CONTROL VALVES	1,560.00
7282			1,560.00 In Base Price
		SELECTIVE CONTROL VALVES Single Basic SCV (No Detent - 101 Series) with Standard Couplers	In Base Price
7211		SELECTIVE CONTROL VALVES Single Basic SCV (No Detent - 101 Series) with Standard Couplers Only with Code 7281. Third Deluxe SCV (3 Detents - 301 Series) with Standard Couplers and Power Beyond for Loader Prep Requires Code 7281 (PC Hyd System). Includes second Deluxe SCV with standard couplers. 3-SCVs with Power Beyond for Loader Prep and Power Beyond for rear implement usage are not a compatible configuration with the Pressure Compensated Hydraulic System. If this combination is required, it is recommended to order the P&FC Hydraulics which can	In Base Price 1,515.00
7211 7241		SELECTIVE CONTROL VALVES Single Basic SCV (No Detent - 101 Series) with Standard Couplers Only with Code 7281. Third Deluxe SCV (3 Detents - 301 Series) with Standard Couplers and Power Beyond for Loader Prep Requires Code 7281 (PC Hyd System). Includes second Deluxe SCV with standard couplers. 3-SCVs with Power Beyond for Loader Prep and Power Beyond for rear implement usage are not a compatible configuration with the Pressure Compensated Hydraulic System. If this combination is required, it is recommended to order the P&FC Hydraulics which can accommodate, 4-SCVs, Power Beyond for Loader Prep and Power Beyond. Second Deluxe SCV (3 Detents - 301 Series) with Standard Couplers	,

ATTACHMENTS - ORDER AS DESIRED

Customer Gold Key Program:

Gold Key Tour 9075

Not compatible with Code 9076.

This personal guided tour strives to provide you with the unique opportunity to watch your machine during its final stages of manufacturing. This tour is limited by factory daily production allowance levels and may have an increased lead-time. A target tour date will be communicated in advance, but a date will not be firmed up until approximately 6 business days in advance for this tour and this date is subject to change up to the tour date. For more information, visit www.deere.com/goldkey.

No Charge

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9076		ATTACHMENTS - ORDER AS DESIREDContinued Gold Key Experience Tour Not compatible with Code 9075. This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
8830		Operator Station Options: Vandal Protection Package	319.00
8835		Floor Mat	104.00
8875		Fuel Tank Bottom Guard	388.00
9045		Lighting / Electrical: One Rear Work light RH, H3, 2-Post mounted	99.00
9055		Corner Lights	302.00
9115		Back-Up Alarm	487.00
9145		Power Outlet Socket, 3 Terminals	63.00
9051		Two Front Work Lights, H3, Fender mounted	198.00
8841		Front Axle: Rigid Front Fenders (MFWD) Not Compatible with Code 0200 2WD axle. Not Compatible with Code 4308 (13.6-28) Tires when used with Front Loader.	534.00
9441		Rear Hitch and Drawbar: Drawbar, Standard Swinging, with Hammerstrap	257.00
9011		Quik-Coupler (Category 3N/2)	1,509.00
9015		Quik-Coupler (Category 2)	1,377.00
9340		Hydraulics: Power Beyond	127.00
9020		Engine: Cold Weather Package I Includes Heavy-Duty Battery (174 Ah) Engine Coolant Heater (110v).	306.00
9025		Fuel Heating System (12V)	151.00
8850		Miscellaneous Toolbox	78.00

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
		Loader Packages: Loader PREPARATION Package Includes: Mid-Mount Valve & Mechanical Joystick.	
8810		2-Function Mechanical Independent Control Valve Loader PREPARATION Package Includes: Two Function Mid-Mounted Control Valve with Mechanical Joystick Control Not compatible with Code 8842.	1,441.00
9401		Quick-Tatch Front-end Weight Packages: Quik-Tatch Weight Support Less Weights Add 313 Lbs. Front, Subtract 73 Lbs. Rear.	358.00
9404		Quik-Tatch Weight Support with Four Weights Add 884 Lbs. Front, Subtract 229 Lbs. Rear.	772.00
9406		Quik-Tatch Weight Support with Six Weights Add 1168 Lbs. Front, Subtract 306 Lbs. Rear.	998.00
9408		Quik-Tatch Weight Support with Eight Weights Add 1455 Lbs. Front, Subtract 384 Lbs. Rear.	1,229.00
9410		Quik-Tatch Weight Support with Ten Weights Add 1742 Lbs. Front, Subtract 463 Lbs. Rear.	1,434.00
9412		Quik-Tatch Weight Support with Twelve Weights Add 2026 Lbs. Front, Subtract 540 Lbs. Rear.	1,704.00
9414		Quik-Tatch Weight Support with Fourteen Weights Add 2310 Lbs. Front, Subtract 619 Lbs. Rear.	1,965.00
9418		Quik-Tatch Weight Support with Eighteen Weights Add 2881 Lbs. Front, Subtract 774 Lbs. Rear.	2,463.00
		Rear Axle Weight Packages:	
		Rear Wheel Weights - For Inside/Inner Drive Wheels Single 75 kg weight available as Field Installed Option only.	
9264		One Pair 205 kg (450 Lb.) Cast Wheel Only	1,250.00
9266		Two Pairs of 205 kg (450 Lb.) Cast Wheel Only Minimum tread spacing is 68 In.	2,498.00
		Rear Wheel Weights - For Outside/Inner Drive Wheels (Cast) Single 75 kg weight available as Field Installed Option only.	
9292		One Pair 75 kg (165 Lb.) and One Pair 205 kg (450 Lb.) Compatible for BOTH Cast and Steel Wheels.	1,736.00
9284		One Pair 205 kg (450 Lb.) Cast Wheel Only	1,250.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
		Rear Wheel Weights - For Outside/Outer Dual Wheels (Steel) Weights shown are for each weight.	
9293		One Pair 75 kg (165 Lb.) and One Pair 205 kg (450 Lb.) Not for Code 4900.	1,736.00
9608		Tire Preference / Special Handling Codes: French Operator's Manual	No Charge
9660		Spanish Operator's Manual	No Charge
9988		No Specific Tire brand	No Charge
9992		Tire Brand Firestone	400.00
9993		Tire Brand Goodyear	400.00
9998		Tire Brand Michelin	800.00
		ATTACHMENTS FOR FIELD CONVERSION	
	AL173200	Engine: Cold Weather Starting Package - 110 Volt Includes Coolant Heater, Transmission Heater, Charge Pump Heater and Mounting Parts. Compatible only with Code 7282 (Optional 29 gpm Pressure and Flow Compensating Hydraulic Pump).	469.00
	AL173967	Engine Coolant Heater (110V) Engine Coolant Heater is included in Cold Weather Starting Packages. Compatible with 6020 and 6030 Series.	82.00
	AL173596	Engine Ventilation with Oil Separator Kit Engine oil separator re-extracts the oil particles from the crankcase ventilation system for return back into the engine oil sump.	428.00
	AL158520	Fuel Pre-Heater Kit	148.00
	AL165336	Fenders: Fender Stop Panel For Models with Turnable MFWD Fenders.	411.00
	AL180095	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	668.00
	AL180097	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	677.00
	AL180099	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	686.00
	AL180101	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	716.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL180103	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fenders, Fixed, 24.4 ln. (620 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	725.00
	AL180098	MFWD Front Fenders, Turnable, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180100	MFWD Front Fenders, Turnable, 18.9 In. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180102	MFWD Front Fenders, Turnable, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL159939	Guards: Guard, Fuel Tank Bottom, 66 US Gal. (250L)	195.00
	AL174551	Hitch and Drawbar: Center Link, Hydraulic CAT 3/90 Permits quick and convenient center link adjustment (90 cm/35.4 In.) from the cab through SCV Levers.	1,581.00
	AL81349	Drawbar, Swinging with Hammerstrap	684.00
	AL180493	Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170. For 6030 and 7030 Cab and OOS Tractors only.	87.00
	RE63112	Quik-Coupler, Category 2	1,008.00
	RE60742	Quik-Coupler, Category 3N/2 Requires MFWD.	1,487.00
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	AL151119	Stabilizer Bar, Mechanical (One) with Attaching Parts May be used with either RH or LH. Not compatible with telescopic draft links. For 7330 only.	298.00
	RE228000	Hydraulics: Hydraulic Motor Case Drain Allows coupling of the oil return line of a hydraulic motor into a pressure-free circuit. Recommended for usage with Hydraulic Motors that are susceptible to damage if return Coupler flow checks.	174.00
	AL207614	Independent Control Valve, Mechanical (M-ICV), 2 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,056.00
	AL180376	Joystick, Mechanical 2 Function, 3rd & 4th Position, Non-Shiftable Controls Rear SCVs in the #3 & #4 positions. Compatible with OOS equipped with PFC Hydraulic System.	423.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL180385	ATTACHMENTS FOR FIELD CONVERSIONContinued Joystick, Mechanical 2 Function, Non-Shiftable Controls Rear SCVs in the #3 & #4 positions. Compatible with Mid Spec Cab & OOS equipped with PC Hydraulic System.	423.00
	AL180659	Joystick, Mechanical 2 Function, Non-Shiftable Requires Hydraulic Lines (BL15004 OR BL15005) and Mechanical Independent Control Valve (AL204116). Not compatible with Low Profile Open Station Models.	631.00
	BL15004	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (2) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	BL15005	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (3) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	AL207607	Mechanical Deluxe Select Control Valve 100 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	504.00
	AL204102	Mechanical Deluxe Select Control Valve 200 Series (2-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	651.00
	AL207609	Mechanical Deluxe Select Control Valve 200 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	675.00
	AL205078	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL207613	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL180373	Position Kit, Position #1, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL180372	Position Kit, Position #1, Mechanical SCVs for PFC Hydraulics (OOS Tractors) For Pressure & Flow Compensated Hydraulic Systems only.	244.00
	AL180375	Position Kit, Position #3, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL180374	Position Kit, Position #3, Mechanical SCVs for PFC Hydraulics (OOS Tractors) For Pressure & Flow Compensated Hydraulic Systems only.	244.00
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	237.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL176299	ATTACHMENTS FOR FIELD CONVERSIONContinued Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Tractors Kit contains three Female Couplers and Dust Shields. Connects Pressure, Return and Load Sense Hoses from Implement to Tractor. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176808) 1/2-In. (12.5 mm) for Implement End.	237.00
	AL173905	Trailer Brakes, Hydraulic For Tractors equipped with PFC Hydraulic System. Requires additional components to complete installation. See installation instructions.	471.00
	AL169602	Valve, Shut Off, Electrically Actuated, Loader Boom	625.00
	AL174686	Valve, Shut Off, Electrically Actuated, Loader Mast	421.00
	AL178998	Lighting: Fender Mounted Work Lights (LH and RH), Front Facing Open Operator Station only.	212.00
	AL79915	Work Light, (1) Rear Facing, LH or RH Open Operator Station only.	106.00
	AL202564	Work Lights, H3 Front Corner Mounted in the grill with the headlights.	289.00
	AT173678	Operator Environment: 3 Inch Seat Belt	See Parts
	AL203919	3-Terminal Socket	72.00
	AR201256	Canopy for Roll-Gard Requires Wiring Harness Adapter (AL160408), order through Parts.	1,289.00
	AL179255	Seat, Comfort Seat MSG83 Seat is mechanical suspended. Features include manual weight adjustment and backrest angle adjustment.	705.00
	AL179257	Seat, Comfort Seat MSG85 Mechanically suspended. Features include horizontal suspension, manual weight adjustment, mechanical lumbar support, and backrest angle adjustment.	1,295.00
	AL115672	Steps (3), RH with Handle Quantity of one.	403.00
	AL160985	PTO/Front Auxiliary Drive: Front Auxillary Drive (Crankshaft pulley without Drive Shaft)	704.00
	AL158728	Transmission: Back-up Alarm for SyncroPlus, PowrQuad PLUS and AutoQuad Transmissions	496.00
	AL180063	Creeper, Control Kit Required to complete Creeper installation.	476.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL113087	Vandal Protection: Lockable Fuel Tank Cap	See Parts
	AL175118	Vandal Protection Field Kit	562.00
	AL175116	Validal Floredon Fleid Kit Kit contains Hood and Side Shield Locks. Lockable Fuel Tank Cap.	302.00
		Lockable Transmission Oil Filler Neck.	
		Weights: Please Refer to the Agricultural Sales Manual for Rear Wheel Weight Compatibility	
		Information. Before ordering, verify Axle type (Flange or R&P). For Flange Axles, verify Bolt Circle	
		Diameter (BCD). Weights and Supports do not include Installation Hardware.	
	RE300840	Front Weight Support, 243 Lb. (110 Kg)	542.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	RFR61524	Weight, Rear Wheel, 1620 Lb. (12-R61524)	2,896.00
	RFT21689	Weight, Rear Wheel, 1760 Lb. (16-T21689)	3,000.00
	AR112536	Weight, Rear Wheel, 440 Lb. (4-R56920) Requires Steel Wheels.	937.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg)	282.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00
	R207782	Weight, Wheel, 450 Lb.	664.00
		Wheel Equipment:	
	R180505	Bolts, Round Head Square Short Neck, M16X2X65 Order 24.	See Parts
	R116570	Bolts, Round Head Square Short Neck, M22X90 Order 24.	See Parts
	AR182457	Kit, Row Spacing (ZF Axles) 10 Bolt Pattern (335 mm diameter). Except for 24 In. and 26 In. Wheel.	1,087.00
	AR190666	One 10 In. Dual Hub Extension	759.00
	AR190668	One 13 In. Dual Hub Extension	844.00
	AR190669	One 15 In. Dual Hub Extension	884.00
	AR194744	One 5 In. Dual Hub Extension	685.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	R112387	ATTACHMENTS FOR FIELD CONVERSIONContinued Row Spacing (ZF Axles) 10 Bolt Pattern (335 mm diameter).	See Parts
	R115277	Tread Spacers Order 16.	See Parts
	R116540	Tread Spacers Order 24.	See Parts

7330 Open Operator Station Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

7330 Cab Tractor

Equipment for Base Machine

ENGINE:

155 Engine HP (114 kW) [97/68 EC] @ 2100 RPM 127 PTO Horsepower (95 kW) @ 2100 RPM 6 Cylinders, John Deere PowerTech E 6.8 Liter (414 Cu. In.) Displacement, Tier 3 Emissions Level 2100 Rated Engine Speed High Pressure Common Rail Turbocharged Dual Temperature Cooling System Dry Type Air Cleaner with Safety Element and PreCleaner Underhood Muffler with Vertical Exhaust

TRANSMISSION:

16 Forward/16 Reverse PowrQuad PLUS Transmission 19 mph (30km/h) Wet Multi-Disk Clutch Park Lock Neutral Safety Start System

83 Gal (315 L) Fuel Tank Capacity

STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering Wet-Disk Hydraulic Power Brakes Rear Axle Differential Lock

HYDRAULICS:

Load Sensing Constant Flow Pressure Compensated (PC) System 21.1 GPM (81 L/min) Pump Flow at 2100 RPM 1 SCV; Mechanical; ISO Couplers

540/1000 RPM, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield Electrohydraulic Wet Multi-Disk Clutch Neutral Start Safety System Seat Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR: Electronic Hitch Category 2, 3-Point Hitch Electrohydraulic Hitch Control One Rear Fender Hitch Control 8800 Lb. Lift Capacity LH and RH Telescopic Draft Link Left Hand Stabilizer Bar Category 2 Swinging Drawbar

INSTRUMENTATION: Tachometer Speedometer Hour Meter Fuel Gauge Engine Oil Pressure Indicator Light Coolant Temperature

PTO Engagement Engine Air Filter Restriction Indicator Alternator Indicator Light Directional Indicators Hazard Switch

CAB OPERATOR STATION: ComfortGard Cab with Air Conditioning and Heater Two Doors Front Windshield Wiper Mechanical Suspension Seat with Armrests and Seat Belt Tilt/Telescopic Steering Column Right-hand Operational Controls Floor Mat Foot Throttle Control Power Outlet Pre-Radio Wiring and Speaker Package Overhead Courtesy Light Rear View Mirror

ELECTRICAL: Kev Shutoff 12-Volt Electrical System One 12-Volt Battery, 1230 Cold Cranking Amps 90 Amp Alternator 7 Terminal ASAE Outlet Socket

LIGHTS:

Two Front Grille Headlights Two Front Roof Lights One Rear Roof/ROPS Light Flashing Warning Lights
Two Rear Fender Tail Lights with Brake Lights

FRONT AXLE WHEELS AND TIRES: MFWD Steel Wheels Electrohydraulic MFWD Engagement, Right-hand Console 14.9R28 In. Radial Tires

REAR AXLE WHEELS AND TIRES: Flanged Axle Eight Position Steel Wheels 460/85R38 18.4R38 In. Radial Rear Tires

MISCELLANEOUS: Operator's Manual (English) and Holder SMV Emblem

Available for the United States, Canada, Mexico, Central America, South Korea, Israel, and Egypt Only.

ATTACHMENT CODE **IDENTIFIER DESCRIPTION** SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Port of Entry

7330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINEContinued	
323BR		7330 Cab Tractor	102,756.00
		VALUE PACKAGE CONFIGURATIONS	
0600		No Package	In Base Price
		FRONT AXLES	
0200		Adjustable 2WD Front Axle (58-84 In.)	-7,792.00
0250		MFWD Front Axle with Limited Slip Differential	In Base Price
		·	
		SINGLE REAR WHEELS AND TIRES	
		RCI Group 46 Size Tires Use with the proper RCI Group 41 MFWD Front Tire with same tread type and brand preference. Requires Code 3001.	
1193		460/85R42 In. 151A8 R1 Radial (18.4R42 In. 151A8 R1 Radial) For MFWD: Requires Code 4523 or 4313. Available in Firestone.	278.00
1813		460/85R42 151A8 R1W For MFWD: Requires Code 4523 or 4423. Requires Code 7154. Available in Goodyear.	610.00
1483		520/85R38 In. 155A8 R1W Radial (20.8R38 In. 155A8 R1W Radial) For MFWD: Requires Code 4313 or 4523. Available in Goodyear or Firestone.	440.00
		RCI Group 45 Size Tires Use with the proper RCI Group 40 MFWD Front Tire with same tread type and brand preference.	
1871		460/85R38 In. 149A8 R1 Radial For MFWD: Requires Code 4423. Available in Goodyear or Firestone.	In Base Price
1872		460/85R38 In. 149A8 R1W Radial For MFWD: Requires Code 4423. Available in Goodyear or Firestone.	920.00
		FRONT WHEELS AND TIRES	
4842		For Code 0200 (2WD): 11.00-16 In. 12PR F2 Bias Available in Goodyear and Firestone.	-2,156.00

7330 Cab Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
3022	12_111111_11	FRONT WHEELS AND TIRESContinued	- (- (+)
4423		For Code 0250 (MFWD): 380/85R28 In. 133A8 R1W Radial (14.9R28 In. 133A8 R1W Radial) Available in Goodyear and Firestone.	In Base Price
4313		380/85R30 In. 135A8 R1W Radial (14.9R30 In. 135A8 R1W Radial) Available in Goodyear.	-32.00
4523		420/85R28 In. 139A8 R1W Radial (16.9R28 In. 139A8 R1W Radial) Available in Goodyear and Firestone.	246.00
		TRANSMISSION	
		Transmissions WITHOUT Factory Installed Creepers.	
7071		PowrQuad PLUS 20F/20R Transmission with Left Hand Power Reverser (25 mph/40 kmh)	2,122.00
7073		PowrQuad PLUS 16F/16R Transmission with Left Hand Power Reverser (19 mph/30 kmh)	In Base Price
7076		CREEPER Transmissions PowrQuad PLUS 20F/20R Transmission with Left Hand Power Reverser (25 mph/40 kmh) with Creeper	4,526.00
		REAR ROCKSHAFT AND HITCH	
7304		8800 Lb. Capacity 3-Point Hitch (Category 2) with two Telescopic Draft Links and Sway Blocks	In Base Price
7314		8200 Lb. Capacity 3-Point Hitch (Category 3N/2) with two Telescopic Draft Links and Sway Blocks Requires Code 0250.	Same Price
		REAR AXLES AND WHEELS	
7152		Flanged Axle, 8 Position Steel Wheels Bolt Circle: 8x275mm	In Base Price
7154		Rack & Pinion Axle 2-Pos. Cast Wheels 3.385 In. (86 mm) diameter by 96 In. Length.	1,235.00
		EXHAUST	
7452		Vertical Exhaust with Underhood Muffler	In Base Price
7453		Deluxe Cab Corner Post Exhaust with Underhood Muffler	872.00
		SEAT	
7611		Super Comfort Seat (MSG 83) with Mechanical Suspension, 3-In. Seat Cushion	In Base Price

7330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SEATContinued Arm Rest, Seat Adjustment Side Rails, Retractable Seatbelt, Operator Presence Switch.	
7662		Super Comfort Seat (MSG 95) with Air Suspension, 3-In. Seat Cushion Horizontal Suspension, Backrest Adjustment, Armrest, Mechanical Lumbar Support, Side Rails, Swivel (15 Deg. Left/15 Deg. Right), Operator Presence Switch, Retractable Seat Belt, Operator's Manual Holder.	896.00
		DESTINATION	
8608		Canada, French Speaking	Same Price
8615		Israel	Same Price
8617		United States, Canada, English Speaking	In Base Price
8623		Korean	Same Price
8654		Taiwan	Same Price
8659		Australia	Same Price
		ATTACHMENTS - ORDER AS DESIRED	
8830		ComfortGard Cab Options: Vandal Protection Package Includes Lockable Fuel Cap, Lockable Transmission Oil Fill, Lockable Hood and Engine Side Panels.	319.00
8875		Fuel Tank Guard, Bottom	388.00
9207		Telescopic Rear View Mirrors (2) - Manually Adjustable	294.00
9102		Rear Windshield Wiper with Front & Rear Washer	493.00
9140		Single Interface Outlet (7-Pin) Located on Rear RH Corner-post.	87.00
9212		Sun Visor	80.00
9216		Bottle Holder Floor Mounted.	33.00
9218		Cup Holder Mounts to Right Hand A-post.	37.00
9232		Instructional Seat with Seat Belt The instructional seat has been approved only for training operators or diagnosing machine problems. Keep all other riders off the tractor and equipment. Always wear your seat belt.	551.00
9246		Roof Hatch with Glass	560.00
9041		Lighting / Electrical: One Rear Worklight LH, H-3	118.00

7330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9055		ATTACHMENTS - ORDER AS DESIREDContinued Corner Lights, Front	302.00
9070		Lights, High/Low Beam, H-4, Belt Line Mounted	477.00
9080		Rotating Warning Light (Beacon Light)	222.00
9115		Back-Up Alarm	487.00
8841		Front Axle: Rigid Front Fenders (MFWD) Not compatible with Code 0200 2WD axle. Not compatible with Code 4308 (13.6-28) Tires when used with Front Loader.	534.00
9441		Rear Hitch and Drawbar: Drawbar, Standard Swinging, with Hammerstrap	257.00
9260		Hydraulics: Second SCV Deluxe (3 Detents - 301 Series) with Standard Couplers Required with Hydraulic Motors.	1,124.00
9305		Third SCV Deluxe (3 Detents - 301 Series) with Standard Couplers 3-SCVs with Power Beyond for Loader Prep and Power Beyond are not a compatible configuration with the Pressure Compensated Hydraulic System. If this combination is required, it is recommended to order the Premium Cab series with P&FC Hydraulics which can accommodate, 4-SCVs, Power Beyond for Loader Prep and Power Beyond.	1,139.00
9340		Power Beyond Allows Hydraulic Pump to power implements that have Independent Control Valves.	127.00
8890		Engine: Condensor Screen, Air Conditioning (4 or 6 cylinder engine)	20.00
9020		Cold Weather Package I Includes Heavy-Duty Battery (174 Ah) Engine Coolant Heater (110V).	306.00
9025		Fuel Heating System (12V)	151.00
8850		Miscellaneous: Toolbox	78.00
		Loader Packages: Loader PREPARATION Package Includes: Mid-Mount Valve and Joystick as specified by code, H-4 Beltline Mounted High/Low Beam Road Lights and Glass Roof with Hatch. Note: Loader Mounting Brackets and Hood Guard to be ordered with Front Loader (See Ag Sales Manual for details).	
894A		2-Function Mechanical Independent Control Valve Loader READY Package Activated Gear Shift Buttons on Joystick only available with Codes 7073, 7072 or 7077. Not compatible with Code 8841, 8942, 9070 or 9246.	4,375.00

7330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
894B		ATTACHMENTS - ORDER AS DESIREDContinued 3-Function Mechanical Independent Control Valve Loader Ready Package Activated Joystick Gear Shift Buttons Requires Transmission Code 7073, 7072 or 7077. Not compatible with Code 8842, 8941, 9070 or 9246.	4,798.00
8771		Quick-Tatch Front-end Weight Packages: Quik-Tatch Weight Support Less Weights Add 313 Lbs. front, subtract 73 Lbs. rear.	325.00
9550		Tire Preference / Special Handling Codes: Protection for Overseas Shipment	54.00
9660		Spanish Operator's Manual	No Charge
9901		Tire Brand, Firestone	400.00
9903		Tire Brand, Goodyear	400.00
9988		No Specific Tire brand	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	AL173200	Engine: Cold Weather Starting Package - 110 Volt	469.00
	AL173967	Engine Coolant Heater (110V) Engine Coolant Heater is included in Cold Weather Starting Packages. Compatible with 6020 and 6030 Series.	82.00
	AL173596	Engine Ventilation with Oil Separator Kit Engine oil separator re-extracts the oil particles from the crankcase ventilation system for return back into the engine oil sump.	428.00
	AL158520	Fuel Pre-Heater Kit	148.00
	AL174767	Fenders: Fender Side Extension Dimensions: Length 4.33 In. (110 mm) x Width 0.59 In. (15 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	180.00
	AL174768	Fender Side Extension Dimensions: Length 4.33 In. (110 mm) x Width 2.36 In. (60 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	180.00
	AL174769	Fender Side Extension Dimensions: Length 7.48 In. (190 mm) x Width 0.79 In. (20 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	200.00

7330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL174770	ATTACHMENTS FOR FIELD CONVERSIONContinued Fender Side Extension Dimensions: Length 7.48 In. (190 mm) x Width 2.56 In. (65 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	200.00
	AL165336	Fender Stop Panel For Models with Turnable MFWD Fenders.	411.00
	AL180095	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	668.00
	AL180097	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	677.00
	AL180099	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	686.00
	AL180101	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	716.00
	AL180103	MFWD Front Fenders, Fixed, 24.4 In. (620 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	725.00
	AL180098	MFWD Front Fenders, Turnable, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180100	MFWD Front Fenders, Turnable, 18.9 In. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180102	MFWD Front Fenders, Turnable, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL159975	Rear Fender Flap for Fender Side Extensions Dimensions: Width 9 In. (229 mm) x Length 24.8 In. (632 mm). Requires Fender Side Extension of 190 x 20 mm. or 190 x 65 mm.	81.00
	AL159939	Guards: Guard, Fuel Tank Bottom, 66 US Gal. (250L)	195.00
	AL174551	Hitch and Drawbar: Center Link, Hydraulic CAT 3/90 Permits quick and convenient center link adjustment (90 cm/35.4 In.) from the cab through SCV Levers.	1,581.00
	AL81349	Drawbar, Swinging with Hammerstrap	684.00
	AL180493	Hitch Raise/Lower Switch Requires Diagnostic Software Kit AL180889 ordered through Parts. Refer to installation instructions MHM1170. For 6030 and 7030 Cab and OOS Tractors only.	87.00
	RE63112	Quik-Coupler, Category 2	1,008.00

7330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AR284936	ATTACHMENTS FOR FIELD CONVERSIONContinued Quik-Coupler, Category 2 Hi-Crop For use with High Crop Tractors only.	2,680.00
	RE60742	Quik-Coupler, Category 3N/2 Requires MFWD.	1,487.00
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	AL151119	Stabilizer Bar, Mechanical (One) with Attaching Parts May be used with either RH or LH. Not compatible with telescopic draft links. For 7330 only.	298.00
	RE228000	Hydraulics: Hydraulic Motor Case Drain Allows coupling of the oil return line of a hydraulic motor into a pressure-free circuit. Recommended for usage with Hydraulic Motors that are susceptible to damage if return Coupler flow checks.	174.00
	AL207614	Independent Control Valve, Mechanical (M-ICV), 2 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,056.00
	AL207615	Independent Control Valve, Mechanical (M-ICV), 3 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,628.00
	AL180385	Joystick, Mechanical 2 Function, Non-Shiftable Controls Rear SCVs in the #3 & #4 positions. Compatible with Mid Spec Cab & OOS equipped with PC Hydraulic System.	423.00
	AL180657	Joystick, Mechanical 2 Function, Non-Shiftable Requires Hydraulic Lines (BL15004 OR BL15005) and Mechanical Independent Control Valve (AL204116).	637.00
	AL180658	Joystick, Mechanical 3 Function, Non-Shiftable Requires Hydraulic Lines (BL15004 OR BL15005) and Mechanical Independent Control Valve (AL204117).	965.00
	BL15004	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (2) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	BL15005	Lines, Hydraulic, Independent Control Valve (ICV) Compatible with Tractors equipped with (3) Selective Control Valves. Reference Installation Instructions for also order parts and compatibility requirements.	664.00
	AL207607	Mechanical Deluxe Select Control Valve 100 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	504.00
	AL204102	Mechanical Deluxe Select Control Valve 200 Series (2-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	651.00
	AL207609	Mechanical Deluxe Select Control Valve 200 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	675.00

7330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL205078	ATTACHMENTS FOR FIELD CONVERSIONContinued Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL207613	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL180373	Position Kit, Position #1, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL180375	Position Kit, Position #3, Mechanical SCVs for PC Hydraulics (Cab or OOS) For Pressure Compensated Hydraulic Systems only.	244.00
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	237.00
	AL176299	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Tractors Kit contains three Female Couplers and Dust Shields. Connects Pressure, Return and Load Sense Hoses from Implement to Tractor. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176808) 1/2-In. (12.5 mm) for Implement End.	237.00
	AL169602	Valve, Shut Off, Electrically Actuated, Loader Boom	625.00
	AL174686	Valve, Shut Off, Electrically Actuated, Loader Mast	421.00
	AL181123	Lighting: Beacon Light Switch Required to operate Beacon Light (AL111705).	See Parts
	AL111705	Beacon Light for Cab Requires Switch (AL181123).	219.00
	AL201586	Extremity Lights Preparation Kit See Parts Catalog and MHM 873 Installation Instructions for additional components.	922.00
	AL179968	Headlights, H4 (2) High/Low Beam Forward Facing	372.00
	AL164391	Work Light, (2) Rear Facing, LH & RH, Fender Mounted <i>Compatible with Mid Spec Tractors (S/N - 606378) and below.</i>	213.00
	AL179973	Work Light, H3 (1) Rear Facing, Fender Mounted, LH or RH	157.00
	AL179974	Work Lights, H3 (55 Watt) (2) Belt Line	403.00
	AL179970	Work Lights, H3 (55 Watt) (2), Cab Roof Mounted, Front, LH and RH Not compatible on Tractors which already have 2 work lights factory installed.	198.00
	AL179971	Work Lights, H3 (55 Watt) (2), Cab Roof Mounted, Rear, LH and RH	198.00

7330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL179972	ATTACHMENTS FOR FIELD CONVERSIONContinued Work Lights, H3 (55 Watt) (2), Fender Mounted, Rear, LH and RH Compatible with Mid Spec Tractors (S/N - 606379) and above.	195.00
	AL202564	Work Lights, H3 Front Corner Mounted in the grill with the headlights.	289.00
	AT173678	Operator Environment: 3 Inch Seat Belt	See Parts
	AL203919	3-Terminal Socket	72.00
	RE67015	3-Way Convenience Adapter for Power Strip	See Parts
	AL207711	Antenna Kit	453.00
	AL177152	Antenna Kit, Hidden Includes Antenna (AL176845).	460.00
	AL164673	Ash Tray	See Parts
	AL112070	Beverage Cooler Box Portable, non-electrical. Mounts on the floor in the front right of the cab.	130.00
	AL156731	Bottle Holder, Floor Mounted, Left Side	35.00
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	AL173370	Cigarette Lighter	See Parts
	AL163826	Cup Holder, Right-Hand A-Post Mounted	41.00
	AL178985	Field Office without Beverage Holder Compatible with Instructional Seat.	217.00
	AL158986	Filter Kit, Carbon, with LH and RH Fresh Air and Recirculation	See Parts
	AL173569	Instructional Seat with Seat Belt	545.00
	AL151224	Mirror, Inside Rear Mounts behind operator's right shoulder - provides increased Drawbar Visibility.	145.00
	AL80126	Mirror, Telescopic, LH, Manually Adjustable	149.00
	AL80127	Mirror, Telescopic, RH, Manually Adjustable	149.00
	AL158785	Power Strip with Six Outlets Requires Bracket (AL117211). Also available through Parts.	See Parts
	RE289848	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband Includes audio input jack for MP3 compatible devices.	434.00
	RE289852	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband Includes audio input jack for MP3 compativle devices.	849.00

7330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL201826	ATTACHMENTS FOR FIELD CONVERSIONContinued Seat Belt with Mounting Parts	109.00
	AL174234	Seat Telescopic Backrest Extension	135.00
	AL179256	Seat, Comfort Seat MSG93 Air suspended with operator presence switch. Features include weight adjustment, mechanical lumbar support, and backrest angle adjustment.	1,535.00
	AL175598	Seat, Super Air Comfort Seat MSG95 For Tractors not equipped with CommandARM. Air suspended with operator presence switch. Features include automatic weight adjustment, mechanical lumbar support, backrest angle adjustment, and 15 degrees of swivel.	1,709.00
	AL175599	Seat, Super Comfort Seat MSG85 For Tractors not equipped with CommandARM. Mechanically suspended.	1,220.00
	AL175597	Seat, Super Deluxe Air Comfort Seat MSG95 For Tractors not equipped with CommandARM. Low frequency air suspension with operator presence switch. Features include active carbon layer, seat heating, lateral suspension, automatic weight adjustment, air lumbar support, adjustable seat depth and incline, telescopic backrest extension, backrest angle adjustment, and 15 degrees of swivel.	2,792.00
	AL175596	Seat, Super Deluxe Air Comfort Seat MSG95 For Tractors equipped with CommandARM. Low frequency air suspension with operator presence switch. Features include active carbon layer, seat heating, lateral suspension, automatic weight adjustment, air lumbar support, adjustable seat depth and incline, telescopic backrest extension, backrest angle adjustment, and 15 degrees of swivel.	2,943.00
	AL119286	Seat, Swivel, Operators, 180 degrees For Tractors not equipped with CommandARM.	See Parts
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE282643	Steering Wheel, Dark Brown Leather	See Parts
	AL174359	Sun Screen, Telescopic (Rollo Blinds) Kit includes (1) Sun Screen with Mounting Hardware. May be used either in Front or Rear Window.	140.00
	AL157620	Sun Visor	88.00
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	AL157189	Windshield Washer, Front Requires additional parts available from PDC for Tractors not equipped with RH door.	175.00
	AL179028	Wiper, Rear Window	244.00

7330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
		PTO/Front Auxiliary Drive: Front PTOs are no longer available as a field installed option through John Deere. Availability is limited to existing inventory. When inventory is exhausted, please contact Laforge Hitch for your Front PTO and Front Hitch needs.	
		Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com	
	AL160985	Front Auxillary Drive (Crankshaft pulley without Drive Shaft)	704.00
	AL158728	Transmission: Back-up Alarm for SyncroPlus, PowrQuad PLUS and AutoQuad Transmissions	496.00
	AL173423	Creeper Kit for 20F/20R AutoQuad PLUS or PowrQuad PLUS 5-Range	4,264.00
		(25 mph/40kmh) Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL180063) and Diagnostic Software Kit (AL180873) from PDC required for installation.	
	AL180063	Creeper, Control Kit Required to complete Creeper installation.	476.00
	AL71345	Vandal Protection: Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts
	AL175118	Vandal Protection Field Kit Kit contains Hood and Side Shield Locks. Lockable Fuel Tank Cap. Lockable Transmission Oil Filler Neck.	562.00
		Weights:	
	RE300840	Front Weight Support, 243 Lb. (110 Kg)	542.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	AR112536	Weight, Rear Wheel, 440 Lb. (4-R56920) Not compatible with Rack and Pinion Axle.	937.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg)	282.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00
	R207782	Weight, Wheel, 450 Lb.	664.00

7330 Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	R180505	Wheel Equipment: Bolts, Round Head Square Short Neck, M16X2X65 Order 24.	See Parts
	R116570	Bolts, Round Head Square Short Neck, M22X90 Order 24.	See Parts
	AR182457	Kit, Row Spacing (ZF Axles) 10 Bolt Pattern (335 mm diameter).	1,087.00
	R112387	Row Spacing (ZF Axles) 10 Bolt Pattern (335 mm diameter).	See Parts
	R115277	Tread Spacers Order 16.	See Parts
	R116540	Tread Spacers Order 24.	See Parts

7330 Cab Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

AGRICULTURAL PRODUCTS

7130 ComfortGard Premium Cab Tractor

Equipment for Base Machine

ENGINE: 125 Engine HP (92 kw) [97/68/EC] @ 2300 RPM 101 PTO Horsepower at 2300 RPM $\,$ 4 Cylinders, John Deere PowerTech Plus Engine 4.5 Liter (276 Cu. In.) Displacement, Tier 3 Emissions Level 2300 Rated Engine Speed High Pressure Common Rail Variable Geometry Turbocharger and Exhaust Gas Recirculation Dual Temp Cooling System PowerCore Air Filtration System with Permanent Pre-Cleaning and Safety Element Underhood Muffler with Deluxe Corner Post Exhaust 66 Gal (250 L) Fuel Tank Capacity Intelligent Power Management

TRANSMISSION:

16/16 PowrQuad PLUS; 19 mph (30km/h) Electronic LH Reverser Wet Multi-Disk Clutch Park Lock Neutral Safety Start System

STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering Wet-Disk Hydraulic Power Brakes Rear Axle Differential Lock

HYDRAULICS:

Pressure and Flow Compensated (PFC) 29 GPM (110 L/min) Pump Flow at 2300 RPM Two 300 Series SCV's; Mechanical with ISO Breakaway Couplers

REAR PTO:

540/1000 RPM, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield Electrohydraulic Activation Wet Multi-Disk Clutch Neutral Start Safety System Seat Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR: Electronic Hitch Category 2, 3-Point Hitch Electrohydraulic Hitch Control Two Rear Fender Hitch Controls 5100 Lb. Lift Capacity Electronic Lower Link Draft Sensing Telescopic Draft Links

Category 2 Swinging Drawbar

INSTRUMENTATION: Tachometer Speedometer Hour Meter Fuel Gauge

Engine Oil Pressure Indicator Light

Coolant Temperature

PTO Engagement Engine Air Filter Restriction Indicator Alternator Directional Indicators Hazard Switch

CAB OPERATOR STATION: ComfortGard Cab with Air Conditioning and Heater Two Panorama Doors Front Windshield Wiper Air Suspended ComfortCommand Seat with Seat Belt Tilt/Telescopic Steering Column Operational Controls Console Mounted Floor Mat Foot Throttle Control Power Outlet Pre-Radio Wiring and Speaker Package Overhead Courtesy Light Rear View Mirror Cup Holder

ELECTRICAL: Key Shutoff 12 Volt Electrical System 12 Volt Battery, 1230 Cold Cranking Amps 120 Amp Alternator 7 Terminal ASAE Outlet Socket

LIGHTS:

Four Front Grille Headlights Two Belt Line Mounted Lights Four Front Roof Lights Two Rear Roof Lights Four Roof Mounted Flashing Hazard Lights Two Rear Fender Tail Lights with Brake Lights

FRONT AXLE WHEELS AND TIRES: Steel Wheels Electrohydraulic MFWD Engagement 380/85R28 In. 133A8 Radial Tires

REAR AXLE WHEELS AND TIRES: Rack and Pinion Axle; 96 In. Width x 3.385 In. (86 mm) Diameter Two Cast Inner Wheels 149A8 R1 Radial Tires Two 18.4R38 In.

SUGGESTED

LIST PRICE

USD (\$)

MISCELLANEOUS: Operator's Manual (English) and Holder

Available for the United States, Canada, Mexico, Central America, Australia, South Korea, Israel and Egypt Only.

ATTACHMENT CODE **IDENTIFIER** DESCRIPTION

Select One Code From Each Required Category

AGRICULTURAL PRODUCTS

7130 ComfortGard Premium Cab Tractor

CODE	ATTACHMENTIDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
1462RW		7130 ComfortGard Premium Cab Tractor	102,471.00
		VALUE PACKAGE CONFIGURATIONS	
0700		No Package	In Base Price
		Order One Code from Each Box in Price Pages.	
		OPERATOR STATION	
0172		Base Cab Package	In Base Price
0173		Deluxe Cab Package Includes RH and LH Manually Adjustable Mirrors, Rear Wiper with Front and Rear Washer, Bottle Holder, Instructional Seat, Sun Visor, and Deere-Delco AM/FM Stereo Radio with Weather Band, Clock and Antenna.	1,899.00
0174		Premium Cab Package Includes RH and LH Electronically Adjustable Mirrors, Automatic Temperature Control, Rear Wiper with Front and Rear Washer, Bottle Holder, Instructional Seat, Sun Visor, and Deere-Delco AM/FM Stereo Radio with Weather Band, Single Compact Disc Player, Clock and Antenna. Requires Electronic SCV's. Not compatible with Code 7226 or 7236, and 8941 or 8942.	3,258.00
0179		Premium Plus Cab Package Includes RH and LH Electronically Adjustable Mirrors, Automatic Temperature Control, Rear Wiper with Front and Rear Washer, Bottle Holder, Instructional Seat, Sun Visor, and Deere-Delco AM/FM Stereo Radio with Weather Band, Single Compact Disc Player, Clock and Antenna, and Hydraulic Cab Suspension. Requires Electronic SCV's. Not compatible with Code 7226 or 7236, and 8941 or 8942.	5,622.00
		AG MANAGEMENT SOLUTIONS	
1006		Less GreenStar Ready Wiring Harness	In Base Price
1005		GreenStar Ready Wiring Harness with Implement Connector Requires StarFire Position Receiver, GreenStar Display, Mobile Processor, PC Data Card and JDOffice Desktop Software. Order these separately from the Ag Management Solutions (AMS) section of the AG Price Pages (Section 10). Not compatible with Code 9218 or 9272.	850.00
1010		GreenStar AutoTrac Ready Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac system. See AMS Price Pages and Ag Sales Manual for detailed information. Not compatible with Code 0200, 9218 or 9272.	4,787.00
		FRONT AXLES	
0200		Adjustable Two Wheel Drive Front Axle (58-84 In.) See Field Attachments for Extension to 98 In. Not compatible with Code 6935.	-8,312.00

7130 ComfortGard Premium Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0250		FRONT AXLESContinued Mechanical Front Wheel Drive Axle with Limited Slip Differential	In Base Price
0350		Mechanical Front Wheel Drive Axle with Triple Link Suspension Not compatible with Code 7078, 6966 or 6967.	3,976.00

SINGLE REAR WHEELS AND TIRES

For complete tire and wheel information, refer to the Agricultural Sales Manual.

Two Cast Wheels:

RCI group 45 Size Tires Listed Narrowest to Widest

Use with the proper RCI Group 40 MFWD Front Tire with same tread type

and brand preference. Requires Code 3001 or 3002.

4208 480/80R38 In. 149A8 R1 Radial In Base Price

(18.4R38 In. 149A8 R1 Radial) Available in Goodyear and Firestone.

RCI Group 46 Size Tires Listed Narrowest to Widest

Use with the proper RCI Group 41 MFWD Front Tire with same tread type

and brand preference. Requires Code 3001 or 3002.

4202 320/90R50 In. 147A8 R1W Radial 1,674.00

Available in Goodyear only.

4255 14.9R46 In. 142A8 R1 Radial 918.00

Not compatible with Code 6056. Available in Firestone only.

4274 14.9R46 In. 142A8 R1 Radial 918.00 *Available in Goodyear only.*

4259 420/80R46 In. 151A8 R1 Radial 1,740.00

Available in Firestone only.

4272 420/80R46 In. 151A8 R1 Radial 1,740.00 Available in Goodyear only.

4244 18.4R42 In. 148A8 R1W Radial 1,980.00 Available in Goodyear only.

480/80R42 In. 151A8 R1 Radial 938.00 (18.4R42 In. 151A8 R1 Radial)

4214 480/80R42 In. 151A8 R1W Radial 3,098.00

Available in Michelin only.

Available in Goodyear and Firestone.

4211

7130 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
4205		SINGLE REAR WHEELS AND TIRESContinued 520/85R38 In. 155A8 R1 Radial (20.8R38 In. 155A8 R1 Radial) Available in Goodyear and Firestone.	1,458.00
4216		650/65R38 In. 157A8 R1W Radial Available in Michelin only. Requires Code 9988 and 4900.	4,428.00
		Two Steel Wheels:	
		RCI Group 45 Size Tires Listed Narrowest to Widest Use with the proper RCI Group 40 MFWD Front Tire with same tread type and brand preference.	
4632		480/80R38 In. 149A8 R1 Radial (18.4R38 In. 149A8 R1 Radial) Requires Code 3020. Available in Goodyear and Firestone.	-140.00
		DUAL REAR WHEELS AND TIRES	
4900		No Duals	In Base Price
4901		Dual Hubs Only Requires Code 3002 and 0250 or 0350.	1,612.00
		Two Steel Wheels and Hubs:	
		RCI Group 45 Size Tires Listed Narrowest to Widest Requires Code 3002 and 0250 or 0350.	
4908		480/80R38 In. 149A8 R1 Radial (18.4R38 In. 149A8 R1 Radial) Requires Code 4208. Available in Goodyear and Firestone.	5,200.00
		RCI Group 46 Size Tires Listed Narrowest to Widest Requires Code 3002 and 0250 or 0350.	
4902		320/90R50 In. 147A8 R1W Radial Requires Code 4202. Available in Goodyear only.	6,874.00
4955		14.9R46 In. 142A8 R1 Radial Requires Code 4255. Available in Firestone only.	6,108.00
4974		14.9R46 In. *** R1 Radial Requires Code 4274. Available in Goodyear only.	6,244.00

7130 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
4959		DUAL REAR WHEELS AND TIRESContinued 420/80R46 In. 151A8 R1 Radial Requires Code 4259. Available in Firestone only.	6,930.00
4972		420/80R46 In. 151A8 R1 Radial Requires Code 4272. Available in Goodyear only.	6,930.00
4911		480/80R42 In. 151A8 R1 Radial (18.4R42 In. 151A8 R1 Radial) Requires Code 4211. Available in Goodyear and Firestone.	6,148.00
4944		18.4R42 In. 148A8 R1W Radial Requires Code 4244. Available in Goodyear.	7,190.00
4914		480/80R42 In. 151A8 R1W Radial Requires Code 4214. Available in Michelin only.	7,542.00
		FRONT WHEELS AND TIRES	
6055		For Code 0200 (Two Wheel Drive): 11.00-16 In. 12PR F2 Bias Available in Goodyear and Firestone.	-1,874.00
6053		14L-16.1 In. 12PR F2 Bias Available in Firestone.	-1,568.00
6056		11.00-20 In. 12PR F2 Bias Available in Titan only.	-1,594.00
		For Code 0250 (Mechanical Front Wheel Drive):	
		RCI Group 40 Size Tires Two Multi-Position Steel Wheels Requires Code 0250 or 0350.	
6210		380/85R28 In. 133A8 R1 Radial Requires Code 4208 or 4632. Available in Goodyear and Firestone.	In Base Price
6174		16.9R26 In. 135A8 R1 Radial Requires Code 4208 or 4632. Available in Firestone.	34.00
		RCI Group 41 Size Tires Two Multi-Position Steel Wheels Requires Code 0250 or 0350.	
6151		320/85R34 In. 133A8 R1 Radial <i>Available in Goodyear only</i> .	624.00

7130 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6211		FRONT WHEELS AND TIRESContinued 380/85R30 In. 135A8 R1 Radial (14.9R30 In. 135A8 R1 Radial) Available in Goodyear and Firestone.	250.00
6213		380/85R30 In. 135A8 R1W Radial Requires Code 4205 or 4214. Available in Michelin only.	1,644.00
6212		420/85R28 In. 139A8 R1 Radial (16.9R28 In. 139A8 R1 Radial) Requires Code 4205, 4211, 4259 or 4272. Available in Goodyear and Firestone.	528.00
6176		16.9R28 In. 136A8 R1W Radial Requires Code 4244. Available in Goodyear.	818.00
6025		540/65R28 In. 142A8 R1W Radial Requires Code 4216. Available in Michelin only.	3,076.00
		TRANSMISSION	
		All Transmission Options Feature Left Hand Reverser Controls. Transmissions WITHOUT Factory Installed Creepers.	
6973		PowrQuad PLUS (19 mph/30 kmh) 16F/16R with PowerTech E Engine Does not include Intelligent Power Management.	-1,567.00
7073		PowrQuad PLUS (19 mph/30 kmh) 16F/16R with PowerTech Plus Engine Optional Auto De-clutch Function. Requires Code 9097. Includes Intelligent Power Management.	In Base Price
6962		AutoQuad PLUS (25 mph/40 kmh) 24F/24R with PowerTech Plus Engine Includes Auto De-Clutch Function. Requires Code 0250 or 0350. Not compatible with Code 0200. Includes Intelligent Power Management.	3,400.00
6935		Infinitely Variable Transmission (25 mph/40 kmh) Requires Code E/H SCV's: Codes 7231, 7232 or 7233. Has CommandARM Console Cab. Not compatible with Code 0200 or 2600. Includes Intelligent Power Management.	8,506.00
7078		CREEPER Transmissions PowrQuad PLUS (19 mph/30 kmh) 16F/16R with PowerTech Plus Engine with Creeper (Additional 12F/12R) Requires Code 7110 - Power Assisted PTO Shifting. Optional Auto De-clutch Function. Requires Code 9097.	2,403.00

7130 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6967		TRANSMISSIONContinued AutoQuad PLUS (25 mph/40 kmh) 24F/24R with PowerTech Plus Engine with Creeper (Additional 12F/12R) Includes Auto De-Clutch Function. Requires Code 7110 - Power Assisted PTO Shifting. Requires Code 0250. Not compatible with Code 0200.	5,682.00
		POWER TAKE-OFF SHAFT	
7102		540/1000 RPM Rear Reversible PTO	In Base Price
7110		3-Speed 540/540E/1000 Rear Reversible PTO with Power Assisted PTO Shifting 540E is an economy mode that allows engine to run at lower RPM and save fuel.	866.00
		REAR AXLES	
3001		Rack and Pinion 3.385 In. (86mm) Diameter by 96 In. Length	In Base Price
3002		Rack and Pinion 3.385 In. (86mm) Diameter by 110.5 In. Length	482.00
3020		Flanged Rear Axle (8x275mm Bolt Circle)	-1,235.00
		REAR ROCKSHAFT AND HITCH	
2500		5100 Lb. Capacity 3-Point Hitch (Category 2) with Telescopic Draft Links and Sway Blocks	In Base Price
2540		8200 Lb. Capacity 3-Point Hitch (Category 3N/2) with Telescopic Draft Links, Secondary Chain Support and Sway Blocks <i>Requires Code 0250 or 0350.</i>	790.00
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
7226		Two Deluxe (3 Detent - 300 Series) Mechanical Selective Control Valves with ISO Breakaway Couplers Not compatible with Code 6935 (IVT Transmission). Not compatible with Premium (0174) and Premium Plus (0179) cab packages.	In Base Price
7231		Two Deluxe (3 Detent - 300 Series) E/H Selective Control Valves with ISO Breakaway Couplers	1,542.00
7232		Three Deluxe (3 Detent - 300 Series) E/H Selective Control Valves with ISO Breakaway Couplers	1,681.00
7233		Four Deluxe (3 Detent - 300 Series) E/H Selective Control Valves with ISO Breakaway Couplers Not compatible with Code 9340.	1,804.00
7236		Three Deluxe (3 Detent - 300 Series) Mechanical Selective Control Valves with ISO Breakaway Couplers Not compatible with Code 6935. Not compatible with Premium (0174) and Premium Plus (0179) cab packages.	1,174.00
		EXHAUST	

7130 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
7452		EXHAUSTContinued Underhood Muffler with Deluxe Corner Post Exhaust	In Page Price
7453		Onderhood with Deluxe Comer Post Exhaust	In Base Price
		SEAT SUSPENSION	
7664		Air-Suspended ComfortCommand Seat Armrests, Lumbar support (5-position), Bidirectional (side-to-side and fore-and-aft) attenuation height and weight adjustments, Fore-and-aft adjustment, Swivel adjustment (20 degrees right or 15 degrees left), Operator presence switch, Seat belt with retractor.	In Base Price
		LOADER PACKAGES	
		Loader PREPARATION Package Includes: Mid-Mount Valve and Joystick as specified by code and Narrow Front Roof Header and Glass Roof with Hatch. Note: Loader Mounting Brackets, Hydraulic Hoses, Multi-Coupler and Hood Guard to be ordered with Front Loader (See Ag Sales Manual for details).	
8940		No Loader Package	No Charge
8941		Two Function Mechanical Independent Control Valve Loader Preparation Package Includes: 2-Function Mechanical Joystick with Activated Speed Shifting Buttons (inactive third function rocker switch), 2-Function Mid-mount Independent Control Valve, Narrow Front Roof Header and Glass Roof with Hatch. (Note: Loader Mounting Brackets, Hydraulic Hoses, Multi-Coupler and Hood Guard are ordered with Loader). Not compatible with Codes 0174, 0197, 8942, 8947 or 8948. Refer to Code 8952 in the "Attachments - Order As Desired" section for Loader Preparation Package Option Deducts.	2,609.00
8942		Three Function Mechanical Independent Control Valve Loader Preparation Package Includes: 3-Function Mechanical Joystick with Activated Speed Shifting Buttons, 3-Function Mid-mount Independent Control Valve, Narrow Front Roof Header and Glass Roof with Hatch. (Note: Loader Mounting Brackets, Hydraulic Hoses, Multi-Coupler and Hood Guard are ordered with Loader). Not compatible with Codes 0174, 0179, 8941, 8947 or 8948. Refer to Code 8952 in the "Attachments - Order As Desired" section for Loader Preparation Package Option Deducts.	3,144.00
8947		Two Function Electrical Independent Control Valve Loader Preparation Package Includes: 2-Function Electronic Joystick with Activated Speed Shifting Buttons (inactive third function rocker switch; Activated Speed Shifting not available with IVT transmission), 2-Function Electronic Mid-mount Independent Control Valve, Narrow Front Roof Header and Glass Roof with Hatch. (Note: Loader Mounting Brackets, Hydraulic Hoses, Multi-Coupler and Hood Guard are ordered with Loader). Not compatible with Codes 8941, 8942 or 8948. Refer to Code 8952 in the "Attachments - Order As Desired" section for Loader Preparation Package Option Deducts.	4,092.00
8948		Three Function Electrical Independent Control Valve Loader Preparation Package Includes: 3-Function Electronic Joystick with Activated Speed Shifting Buttons, (Activated Speed Shifting not available with IVT transmission), 3-Function Electronic Mid-mount Independent Control Valve, Narrow Front Roof Header and Glass Roof with Hatch. (Note: Loader Mounting Brackets, Hydraulic Hoses, Multi-Coupler and Hood Guard are ordered with Loader). Not compatible with Codes 8941, 8942 or 8947. Refer to Code 8952 in the "Attachments - Order As Desired" section for Loader Preparation Package Option Deducts.	4,627.00

7130 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIRED	
9075		Customer Gold Key Program: Gold Key Tour Not compatible with Code 9076. This personal guided tour strives to provide you with the unique opportunity to watch your machine during its final stages of manufacturing. This tour is limited by factory daily production allowance levels and may have an increased lead-time. A target tour date will be communicated in advance, but a date will not be firmed up until approximately 6 business days in advance for this tour and this date is subject to change up to the tour date. For more information, visit www.deere.com/goldkey.	No Charge
9076		Gold Key Experience Tour Not compatible with Code 9075. This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
8952		Loader Prep: Loader Preparation Package Option Deducts Allows the opportunity to deduct Glass Roof with Hatch when ordering Loader Preparation Package. Not compatible with Codes 9246. Requires Code 8941, 8942, 8947 or 8948.	-882.00
8830		ComfortGard and ComfortGard Deluxe Cab Options: Vandal Protection Package Includes Lockable Fuel Cap, Lockable Transmission Oil Fill, Lockable Hood and Engine Side Panels.	317.00
8875		Bottom Guard for Fuel Tank	263.00
8900		Fender Extension, 1-Piece Side and Rear Extension (Qty 2)	465.00
9023		Dual Beam Ground Speed Radar Sensor	977.00
9109		Deere/Delco AM/FM Stereo Radio with Weather band, Two Speakers, Clock and Antenna Requires Code 0172.	729.00
9140		Signal Interface Socket 7-Pin Signal Interface Socket allows Implements to Communicate with the Tractor. Complies to ISO Standard 11786.	87.00
9146		Multi Power Outlet Strip Provides 6 Additional 12 Volt Outlets for Permanent or Ignition Key Controlled Power.	64.00
9218		Cup Holder (Right Hand A-Post Mounted)	37.00
9246		Roof Hatch with Glass, Narrow Roof Header	560.00
9024		Lighting / Electrical: 150 Amp Alternator Not compatible with Code 6935.	253.00

7130 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9056		ATTACHMENTS - ORDER AS DESIREDContinued Deluxe Lighting Includes Standard Lights plus H3 Fender Mounted Rear Facing Lights and Rotary Beacon Light.	439.00
9057		Premium Lighting Includes Standard Lights plus H3 Fender Mounted Rear Facing Lights, Rotary Beacon Light, Xenon Beltline Work Lights, and Xenon Roof Mounted Rear Facing Work Lights. Not compatible with Code 0172, Base Cab Package.	2,641.00
9097		Auto De-Clutch Function for PowrQuad Plus Transmissions Allows PowrQuad Plus Transmission Range Shifting by depressing the Auto De-clutch button versus the traditional foot clutch. Requires Transmission Code 7073 or 7078.	228.00
9272		60A Power Harness For Implements Requiring Only a Power Socket. Allows for Field Upgrades to Install Displays and ISOBUS Gateway Controller.	403.00
8841		Front Axle: Front Fenders for MFWD (Rigid) 18.9-In. (480mm) Coverage Width (2)	534.00
8842		Front Fenders for MFWD (Rigid) 21.3-In. (540mm) Coverage Width (2)	573.00
9011		Hitch and Drawbar: Quik-Coupler (Category 3N/2) Requires Code 2540.	1,509.00
9015		Quik-Coupler (Category 2) Requires Code 2500.	1,377.00
9137		Hydraulic Center Link	1,242.00
9340		Power Beyond for Rear SCV's	128.00
9116		Heavy Duty Drawbar with Hammerstrap	352.00
9441		Drawbar with Hammerstrap	263.00
9020		Engine: Cold Start Package I Includes 174Ah battery, Engine Coolant Heater (110V). Not compatible with Code 9021.	306.00
9021		Cold Start Package II Includes 174Ah battery, engine coolant heater (110V), ground fault interrupter, charge pump heater, transmission heater (110V). No transmission heater with IVT Tractors. Not compatible with Code 9020.	479.00
9025		Fuel Heating System (12v)	152.00
9104		Rear Window Defrost	298.00

7130 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
8659		Miscellaneous: Australia, New Zealand; LH Traffic	No Charge
9350		Hydraulic Trailer Brakes	444.00
9608		French Operator's Manual and Decal Kit	No Charge
9660		Spanish Operator's Manual and Decal Kit	No Charge
9988		Tire Preference / Special Handling Codes: No Brand Preference	No Charge
9992		Firestone Brand Only	400.00
9993		Goodyear Brand Only	400.00
9401		Quik-Tatch Front-end Weight Packages: Quik-Tatch Weight Support Less Weights Add 313 Lbs. Front, Subtract 73 Lbs. Rear. Only available in the US, Canada and Mexico.	358.00
9404		Quik-Tatch Weight Support with Four Weights Add 884 Lbs. Front, Subtract 229 Lbs. Rear. Only available in the US, Canada and Mexico.	772.00
9406		Quik-Tatch Weight Support with Six Weights Add 1168 Lbs. Front, Subtract 306 Lbs. Rear. Only available in the US, Canada and Mexico.	998.00
9408		Quik-Tatch Weight Support with Eight Weights Add 1455 Lbs. Front, Subtract 384 Lbs. Rear. Only available in the US, Canada and Mexico.	1,229.00
9410		Quik-Tatch Weight Support with Ten Weights Add 1742 Lbs. Front, Subtract 463 Lbs. Rear. Only available in the US, Canada and Mexico.	1,434.00
9412		Quik-Tatch Weight Support with Twelve Weights Add 2026 Lbs. Front, Subtract 540 Lbs. Rear. Only available in the US, Canada and Mexico.	1,704.00
9414		Quik-Tatch Weight Support with Fourteen Weights Add 2310 Lbs. Front, Subtract 619 Lbs. Rear. Only available in the US, Canada and Mexico.	1,983.00
9418		Quik-Tatch Weight Support with Eighteen Weights Add 2881 Lbs. Front, Subtract 774 Lbs. Rear. Only available in the US, Canada and Mexico.	2,463.00

7130 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
		Rear Wheel Weights - For Inside/Inner Drive Wheels: Single 75 kg weight available as Field Installed Option Only. Weights shown are for each weight.	
9264		One Pair 205 kg (450 Lb.) Cast Wheel Only	1,250.00
9266		Two Pairs of 205 kg (450 Lb.) Cast Wheel Only Minimum tread spacing is 68 In.	2,498.00
		Rear Wheel Weights - For Outside/Inner Drive Wheels (Cast): Single 75 kg weight available as Field Installed Option Only. Weights shown are for each weight. Requires Code 4900.	
9284		One Pair 205 kg (450 Lb.) Cast Wheel Only	1,250.00
9292		One Pair 75 kg (165 Lb.) and One Pair 205 kg (450 Lb.) Compatible for BOTH Cast and Steel Wheels.	1,802.00
		Rear Wheel Weights - For Outside/Outer Dual Wheels (Steel): Weights shown are for each weight. Not for 34 In. wheels, unless noted.	
9293		One Pair 75 kg (165 Lb.) and One Pair 205 kg (450 Lb.) Not for Code 4900.	1,802.00
		FOR FRONT HITCH EQUIPMENT, CONTACT:	
		Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com	
		REGION 1 EXPORT	
		All Market Segment Codes, Attachment Codes and Attachment for Field Conversion Codes listed below are for tractors being ordered by branches in Region 1 Export Markets outside of North America ONLY.	
9882		Australia	No Charge
9883		Argentina	No Charge
9884		South Africa	No Charge
9885		Uruguay	No Charge
9886		Mexico	No Charge
9887		Central America	No Charge
9888		JDIN	No Charge

7130 ComfortGard Premium Cab Tractor

	ATT A CUMENT		SUGGESTED
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	LIST PRICE USD (\$)
9889		REGION 1 EXPORTContinued JD Asia	No Charge
9890		WW Logistics (Other Region 1 Countries)	No Charge
9891		China	No Charge
9053		Region I Export Attachments: Left-Hand Lighting	No Charge
9090		Skid for Duals	152.00
		ATTACHMENTS FOR FIELD CONVERSION	
	RE278980	Electrical: Radar with Dual Beam Sensor Requires AL171547 Attaching Bracket Kit.	See Parts
	AL171547	Radar, Dual Beam Attaching Kit Includes Bracket, Wiring Harness and Installation Hardware. Order RE249206 Radar through Parts. Requires AL178987 Software Installation Download for 6030 and 7030 Premium Cab Series (Includes Performance Monitor Functionality Download).	317.00
	AL173201	Engine: Cold Weather Starting Package (IVT) Includes Coolant Heater, Charge Pump Heater and Mounting Parts. Compatible with IVT Transmission only.	372.00
	AL173200	Cold Weather Starting Package - 110 Volt Includes Coolant Heater, Transmission Heater, Charge Pump Heater and Mounting Parts. Compatible with all transmissions EXCEPT IVT.	469.00
	AL173967	Engine Coolant Heater (110V) Engine Coolant Heater is included in Cold Weather Starting Packages. Compatible with 6020 and 6030 Series.	82.00
	AL173596	Engine Ventilation with Oil Separator Kit Engine oil separator re-extracts the oil particles from the crankcase ventilation system for return back into the engine oil sump.	428.00
	AL158520	Fuel Pre-Heater Kit	148.00
	AL174767	Fenders: Fender Side Extension Dimensions: Length 4.33 In. (110 mm) x Width 0.59 In. (15 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	180.00
	AL174768	Fender Side Extension Dimensions: Length 4.33 In. (110 mm) x Width 2.36 In. (60 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	180.00

7130 ComfortGard Premium Cab Tractor

	ATTACUMENT		SUGGESTED
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	LIST PRICE USD (\$)
	AL174769	ATTACHMENTS FOR FIELD CONVERSIONContinued Fender Side Extension Dimensions: Length 7.48 In. (190 mm) x Width 0.79 In. (20 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	200.00
	AL174770	Fender Side Extension Dimensions: Length 7.48 In. (190 mm) x Width 2.56 In. (65 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	200.00
	AL165336	Fender Stop Panel For Models with Turnable MFWD Fenders.	411.00
	AL180095	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	668.00
	AL180097	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	677.00
	AL180099	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	686.00
	AL180101	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	716.00
	AL180103	MFWD Front Fenders, Fixed, 24.4 In. (620 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	725.00
	AL180098	MFWD Front Fenders, Turnable, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180100	MFWD Front Fenders, Turnable, 18.9 ln. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180102	MFWD Front Fenders, Turnable, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL159975	Rear Fender Flap for Fender Side Extensions Dimensions: Width 9 In. (229 mm) x Length 24.8 In. (632 mm). Requires Fender Side Extension of 190 x 20 mm. or 190 x 65 mm.	81.00
	AL118241	Guards: Guard, Fuel Tank Bottom, 54.6 US Gal. (207L)	203.00
	AL159939	Guard, Fuel Tank Bottom, 66 US Gal. (250L)	195.00
	AL174550	Hitch and Drawbar: Center Link, Hydraulic CAT 3/70 Permits quick and convenient center link adjustment (70 cm/27.5 In.) from the cab through SCV Levers.	1,361.00
	AL204901	Draft Link, Telescoping (Qty. 2)	1,137.00

7130 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL81724	ATTACHMENTS FOR FIELD CONVERSIONContinued Drawbar Drop-Down Kit Lowers the height of Drawbar by approximately 3 Inches.	397.00
	RE63112	Quik-Coupler, Category 2	1,008.00
	RE60742	Quik-Coupler, Category 3N/2	1,487.00
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	AL206324	Stabilizer Bar, Automatic (Qty. 1) and Standard Economy Stabilizer Bar (Qty. 1) <i>Not compatible with 7330.</i> Contains attaching parts.	608.00
	AL174568	Stabilizer Bar, Hydraulic (Qty. 1) Additional hardware needed, see field installed instructions. Requires AL201802 Software and dealer calibration to activate feature.	1,950.00
	AL117961	Stabilizer Bar, Mechanical (One) with Attaching Parts May be used with either RH or LH.	298.00
	AL82925	Stabilizer Sway Chains	320.00
	AL78129	Support, Load Control Shaft Secured to the steel frame without left and right hand bore holes. Protects the banding bar from shock loads under extreme draft work. Permits shock loads to be transferred from the lift arms directly to the frame. Not compatible with Code 7330.	See Parts
	AL203674	Hydraulics: E-ICV Control Lever (Joystick) with out CommandARM (on RH Armrest) with Gear Shifting For "Sears" seats. Reference installation instructions for additional information.	1,546.00
	AL176950	Electronic #3 Deluxe 300 Series 3 Function SCV (E-SCV) Contains: #3 E-SCV, Paddle Pod Control Switch and Cover, Mounting Studs, Relays, Fuse, Color Coded Dust Protector and ISO Couplers. Requires AL178179 Software and Dealer Calibration to Activate Feature.	1,242.00
	AL207612	Electronic #3 Super Deluxe 350 Series 3 Function SCV (E-SCV) Reference installation instructions for additional order parts required for installation and compatibility requirements.	944.00
	AL207610	Electronic #4 Super Deluxe 350 Series 3 Function SCV (E-SCV) Reference installation instructions for additional order parts required for installation and compatibility requirements.	1,132.00
	AL175231	Electronic Control Kit (E-ICV with E-SCV) Required for Tractors equipped with Electronic E-ICV if the tractor is equipped with Electronic SCVs (E-SCV). Order with AL174933 or AL174934. Requires Dealer Performed Calibration through Service Advisor or DTI. Refer to MHM 1111 Installation Instructions.	381.00

7130 ComfortGard Premium Cab Tractor

			CHOOFOTED
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL175230	ATTACHMENTS FOR FIELD CONVERSIONContinued Electronic Control Kit (E-ICV with M-SCV) Required for Tractors equipped with Electronic E-ICV if the Tractor is equipped with Mechanical SCVs (M-SCV). Order with AL174933 or AL174944. Requires Dealer Performed AL177920 Software Download for Controller Calibration through Service Advisor. Requires AH224250 Power Module, L169001 Bracket, and AL171919 Harness. Refer to MHM 1111 Installation Instructions for more detailed information.	682.00
	RE228000	Hydraulic Motor Case Drain Allows coupling of the oil return line of a hydraulic motor into a pressure-free circuit. Recommended for usage with Hydraulic Motors that are susceptible to damage if return Coupler flow checks.	174.00
	AL207616	Independent Control Valve, Electronic (E-ICV), 2 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,663.00
	AL207617	Independent Control Valve, Electronic (E-ICV), 3 Function Reference Installation Instructions for also order parts and compatibility requirements.	2,428.00
	AL207614	Independent Control Valve, Mechanical (M-ICV), 2 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,056.00
	AL207615	Independent Control Valve, Mechanical (M-ICV), 3 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,628.00
	AL174410	Joystick, Electronic 3 Function, (Compatible with CommardARM), Non-Shiftable Compatible on tractors above S/N 7230020741. Requires Hydraulic Lines (AL174935), Independent Control Valve (AL174933 or AL174934) and Electrical Control Kit (AL175230 or AL175231). Compatible with 2 or 3 Function Midmount Independent Valves. If equipped with 2 Function E-ICV, the 3rd Function Rocker Switch is inactive.	1,283.00
	AL179418	Joystick, Electronic 3 Function, (Sears Seat without CommandARM), Non-Shiftable Requires Hydraulic Lines (AL174935), Independent Control Valve (AL174933 or AL174934) and Electronic Control Kit (AL175230 or AL175231). Compatible with 2 or 3 Function Midmount ICV. If equipped with 2 Function E-ICV, the 3rd Function Rocker Switch is inactive.	1,341.00
	AL175020	Joystick, Mechanical 2 Function, Non-Shiftable Requires Hydraulic Lines (AL174935) and Mechanical Independent Control Valve (AL204116). Mounts on side of RH Console.	404.00
	AL176245	Joystick, Mechanical 2 Function, Shiftable Controls Rear Mechanical SCVs in the #3 & #4 positions. Compatible with PowrQuad PLUS or AutoQuad PLUS Transmissions only.	527.00
	AL175022	Joystick, Mechanical 2 Function, Shiftable Requires Hydraulic Lines (AL174935) and Mechanical Independent Control Valve (AL204116).	574.00
	AL175024	Joystick, Mechanical 3 Function, Shiftable Requires Hydraulic Lines (AL174935) and Mechanical Independent Control Valve (AL204117). Not compatible with IVT.	731.00
	AL174935	Lines, Hydraulic, Independent Control Valve, (ICV) Required for AL204116, AL204117, AL174933 or AL174934 Independent Control Valve.	509.00

7130 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL207607	ATTACHMENTS FOR FIELD CONVERSIONContinued Mechanical Deluxe Select Control Valve 100 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	504.00
	AL204102	Mechanical Deluxe Select Control Valve 200 Series (2-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	651.00
	AL207609	Mechanical Deluxe Select Control Valve 200 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	675.00
	AL205078	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL207613	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL176243	Position Kit, Position #3, Mechanical SCVs (Premium Cab Tractors)	169.00
	AL176244	Position Kit, Position #4, Mechanical SCVs (Premium Cab Tractors)	244.00
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	237.00
	AL176299	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Tractors Kit contains three Female Couplers and Dust Shields. Connects Pressure, Return and Load Sense Hoses from Implement to Tractor. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176808) 1/2-In. (12.5 mm) for Implement End.	237.00
	AL173904	Trailer Brakes, Hydraulic For Tractors equipped with PFC Hydraulic System. Requires additional components to complete installation. See installation instructions.	471.00
	AL169602	Valve, Shut Off, Electrically Actuated, Loader Boom	625.00
	AL174686	Valve, Shut Off, Electrically Actuated, Loader Mast	421.00
	AL174214	Lighting: Beacon Light for Cab Requires Command Center Calibration to activate feature.	219.00
	AL174809	Bracket, Belt Line Lights (H3, H4 or Xenon) Forward Facing, LH and RH Brackets are required for Belt Line Lights if not Factory Installed. Kit does not include Lights.	141.00
	AL201586	Extremity Lights Preparation Kit See Parts Catalog and MHM 873 Installation Instructions for additional components.	922.00

7130 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL174332	ATTACHMENTS FOR FIELD CONVERSIONContinued Headlights, H4 (2) High/Low Beam Forward Facing Requires Brackets (AL174809) and Command Center Calibration to activate feature. For Tractors with a "nose-up" of more than 1.5 degrees. See Installation Instructions for additional parts.	474.00
	AL205374	Work Light, H3 (1) Rear Facing, Fender Mounted, LH or RH Requires Command Center calibration to activate feature.	86.00
	AL175583	Work Lights, (2) Belt Line Xenon Forward Facing Requires Brackets (AL174809) and Command Center Calibration to activate feature.	1,595.00
	AL205373	Work Lights, H3 (55 Watt) (2) Belt Line or Rear Facing Fender Mounted Can be used for front facing belt line (in the upright or hanging position), or rear facing fender mounted work lights. Requires Command Center calibration to activate feature.	253.00
	AL205372	Work Lights, H3 (55 Watt) (2) Rear Facing or Roof Mounted Requires Command Center Calibration to activate feature. Can be used for rear facing fender mounted worklights or rear facing roof mounted worklights.	270.00
	AL177887	Work Lights, Rear Facing, Xexon HID (2), Cab Roof Mounted, LH and RH Requires Command Center Calibration to Activate Feature. Order L153232 double faced adhesive tape if required.	1,555.00
	AT173678	Operator Environment: 3 Inch Seat Belt	See Parts
	RE67015	3-Way Convenience Adapter for Power Strip	See Parts
	AL174997	7-Pin Signal Socket Mount in right-hand Rear "C" Post. Requires Multi-Socket Outlet with 12 Volt 30A Supply (AL174347).	30.00
	AL164673	Ash Tray	See Parts
	AL112070	Beverage Cooler Box Portable, non-electrical. Mounts on the floor in the front right of the cab.	130.00
	AL156731	Bottle Holder, Floor Mounted, Left Side Floor Mounted.	35.00
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	AL173370	Cigarette Lighter	See Parts
	AL163826	Cup Holder, Right-Hand A-Post Mounted	41.00
	AL174264	Field Office with Refrigerator	787.00
	AL174262	Field Office without Refrigerator	254.00
	AL158986	Filter Kit, Carbon, with LH and RH Fresh Air and Recirculation	See Parts
	AL175376	Heat Guard/Exhaust Pipe, Stainless Steel	249.00
	AL173569	Instructional Seat with Seat Belt	545.00

7130 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL151224	ATTACHMENTS FOR FIELD CONVERSIONContinued Mirror, Inside Rear Mounts behind operator's right shoulder - provides increased Drawbar Visibility.	145.00
	AL80126	Mirror, Telescopic, LH, Manually Adjustable	149.00
	AL80127	Mirror, Telescopic, RH, Manually Adjustable	149.00
	AL157751	Mirrors, Telescopic, LH & RH, Electronically Adjustable	1,457.00
	AL174347	Multi-Socket Outlet with 12 Volt 30A Supply Mounts in right-hand Rear "C" Post. Provides power outlet to operate cell phone, laptop computer, etc. Can be upgraded with 7-Pin Signal Socket (AL174997).	82.00
	AL174215	Power Strip with Six Outlets	70.00
	RE289848	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband Includes audio input jack for MP3 compatible devices.	434.00
	RE289852	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband Excludes speakers, mounting hardware and antenna.	849.00
	AL174263	Refrigerator (Electrical Cooling Compartment)	678.00
	AL201826	Seat Belt with Mounting Parts	109.00
	AL119286	Seat, Swivel, Operators, 180 degrees For Tractors not equipped with CommandARM.	See Parts
	AL179613	Software: Headland Management System 3 PLUS (HMS) Additional Parts and Command Center Activation required to complete installation. Includes Performance Monitor function and Auto MFWD capability. For 6030 Premium and 7030 Premium Series Tractors produced after 01 Nov 2007.	See Parts
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE282643	Steering Wheel, Dark Brown Leather	See Parts
	AL174359	Sun Screen, Telescopic (Rollo Blinds) Kit includes (1) Sun Screen with Mounting Hardware. May be used either in Front or Rear Window.	140.00
	AL157620	Sun Visor	88.00
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	AL157189	Windshield Washer, Front Requires additional parts available from PDC for Tractors not equipped with RH door.	175.00
	AL174219	Wiper, Rear Window	244.00
	AL176910	Wood-look Interior Trim Kit includes Decorative Covers for the Front Header Console, Front and Rear Headlining.	450.00

7130 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
		PTO/Front Auxiliary Drive: Front PTOs are no longer available as a field installed option through John Deere. Availability is limited to existing inventory. When inventory is exhausted, please contact Laforge Hitch for your Front PTO and Front Hitch needs.	
		Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com	
	AL160984	Front Auxillary Drive (Crankshaft pulley without Drive Shaft) Compatible with 7130 Cab and OOS Tractors (S/N 634684 and above).	614.00
	AL174225	Transmission: Back-up Alarm - PowrQuad PLUS, AutoQuad and IVT Transmissions Requires AL178365 Software Download and Dealer Calibration through CommandCenter or Service Advisor to activate.	496.00
	AL173291	Creeper Kit for 16F/16R PowrQuad PLUS 4-Range (19 mph/30 kmh) Transmission (EPQT) Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL173654) and Diagnostic Software Kit (AL178511) from PDC required for installation.	2,627.00
	AL173288	Creeper Kit for 24F/24R PowrQuad Plus or AutoQuad 6-Range (25 mph/40 kmh) Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL173654) and Diagnostic Software Kit (AL178511) from PDC required for installation.	2,627.00
	AL173654	Creeper, Control Kit Required to complete Creeper installation.	136.00
	AL71345	Vandal Protection: Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts
	AL110170	Lockable Transmission Oil Filler Cap	132.00
	AL175118	Vandal Protection Field Kit Kit contains Hood and Side Shield Locks. Lockable Fuel Tank Cap. Lockable Transmission Oil Filler Neck.	562.00
	DE200940	Weights:	F40.00
	RE300840	Front Weight Support, 243 Lb. (110 Kg)	542.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg)	282.00

7130 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RFR167153	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00
	R207782	Weight, Wheel, 450 Lb.	664.00
	R180505	Wheel Equipment: Bolts, Round Head Square Short Neck, M16X2X65 Order 24.	See Parts
	R116570	Bolts, Round Head Square Short Neck, M22X90 Order 24.	See Parts
	AR182457	Kit, Row Spacing (ZF Axles) 10 Bolt Pattern (335 mm diameter).	1,087.00
	AR190666	One 10 In. Dual Hub Extension	759.00
	AR190668	One 13 In. Dual Hub Extension	844.00
	AR190669	One 15 In. Dual Hub Extension	884.00
	AR194744	One 5 In. Dual Hub Extension	685.00
	R112387	Row Spacing (ZF Axles) 10 Bolt Pattern (335 mm diameter).	See Parts
	R115277	Tread Spacers Order 16.	See Parts
	R116540	Tread Spacers Order 24.	See Parts

	AGRICULTURAL PRODUCTS
	7130 ComfortGard Premium Cab Tractor Continued
٦	THIS PAGE IS INTENTIONALLY LEFT BLANK

7230 ComfortGard Premium Cab Tractor

Equipment for Base Machine

ENGINE: 135 Engine HP (99 kW) [97/68/EC] @ 2300 RPM 110 PTO Horsepower (82 kW) at 2300 RPM Alternator 6 Cylinders, John Deere PowerTech Plus Engine 6.8 Liter (414 Cu. In.) Displacement, Tier 3 Emissions Level 2300 Rated Engine Speed CAB OPERATOR STATION: High Pressure Common Rail Variable Geometry Turbocharger and Exhaust Gas Recirculation Dual Temp Cooling System PowerCore Air Filtration System with Permanent Pre-Cleaning and Safety Element Underhood Muffler with Deluxe Corner Post Exhaust 66 Gal (250 L) Fuel Tank Capacity Floor Mat Intelligent Power Management TRANSMISSION: 16/16 PowrQuad PLUS; 19 mph (30km/h) Electronic LH Reverser Wet Multi-Disk Clutch Cup Holder Park Lock Neutral Safety Start System ELECTRICAL: STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering Wet-Disk Hydraulic Power Brakes Rear Axle Differential Lock HYDRAULICS: LIGHTS: Pressure and Flow Compensated (PFC) 29 GPM (110 L/min) Pump Flow at 2300 RPM Two 300 Series SCV's; Mechanical with ISO Breakaway

Couplers

REAR PTO:

540/1000 RPM, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield Electrohydraulic Activation Wet Multi-Disk Clutch Neutral Start Safety System Seat Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR: Electronic Hitch Category 2, 3-Point Hitch Electrohydraulic Hitch Control Two Rear Fender Hitch Controls 5100 Lb. Lift Capacity Electronic Lower Link Draft Sensing Telescopic Draft Links

Category 2 Swinging Drawbar INSTRUMENTATION:

Tachometer Speedometer Hour Meter Fuel Gauge Engine Oil Pressure Indicator Light Coolant Temperature

PTO Engagement Engine Air Filter Restriction Indicator Directional Indicators Hazard Switch

ComfortGard Cab with Air Conditioning and Heater Two Panorama Doors Front Windshield Wiper Air Suspended ComfortCommand Seat with Seat Belt Tilt/Telescopic Steering Column Operational Controls Console Mounted Foot Throttle Control Power Outlet Pre-Radio Wiring and Speaker Package Overhead Courtesy Light Rear View Mirror

Key Shutoff 12 Volt Electrical System 12 Volt Battery, 1230 Cold Cranking Amps 120 Amp Alternator 7 Terminal ASAE Outlet Socket

Four Front Grille Headlights Two Belt Line Mounted Lights Four Front Roof Lights Two Rear Roof Lights Four Roof Mounted Flashing Hazard Lights Two Rear Fender Tail Lights with Brake Lights

FRONT AXLE WHEELS AND TIRES:

Steel Wheels Electrohydraulic MFWD Engagement 380/85R28 In. 133A8 Radial Tires

REAR AXLE WHEELS AND TIRES: Rack and Pinion Axle; 96 In. Width x 3.385 In. (86 mm) Diameter Two Cast Inner Wheels Two 18.4R38 In. 149A8 R1 Radial Tires

SUGGESTED

LIST PRICE

USD (\$)

MISCELLANEOUS: Operator's Manual (English) and Holder SMV Emblem

Available for the United State, Canada, Mexico, Central America, Australia, South Korea, Israel and Egypt Only.

ATTACHMENT CODE **IDENTIFIER** DESCRIPTION

Select One Code From Each Required Category

7230 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
1471RW		7230 ComfortGard Premium Cab Tractor	112,964.00
		VALUE PACKAGE CONFIGURATIONS	
0700		No Package Order One Code from Each Box in Price Pages.	In Base Price
		OPERATOR STATION	
0172		Base Cab Package	In Base Price
0173		Deluxe Cab Package Includes RH and LH Manually Adjustable Mirrors, Rear Wiper with Front and Rear Washer, Bottle Holder, Instructional Seat, Sun Visor, and Deere-Delco AM/FM Stereo Radio with Weather Band, Clock and Antenna.	1,899.00
0174		Premium Cab Package Includes RH and LH Electronically Adjustable Mirrors, Automatic Temperature Control, Rear Wiper with Front and Rear Washer, Bottle Holder, Instructional Seat, Sun Visor, and Deere-Delco AM/FM Stereo Radio with Weather Band, Single Compact Disc Player, Clock and Antenna. Requires Electronic SCV's. Not compatible with Code 7226 or 7236, and 8941 or 8942.	3,258.00
0179		Premium Plus Cab Package Includes RH and LH Electronically Adjustable Mirrors, Automatic Temperature Control, Rear Wiper with Front and Rear Washer, Bottle Holder, Instructional Seat, Sun Visor, and Deere-Delco AM/FM Stereo Radio with Weather Band, Single Compact Disc Player, Clock and Antenna, and Hydraulic Cab Suspension. Requires Electronic SCV's. Not compatible with Code 7226 or 7236, and 8941 or 8942.	5,622.00
		AG MANAGEMENT SOLUTIONS	
1006		Less GreenStar Ready Wiring Harness	In Base Price
1005		GreenStar Ready Wiring Harness with Implement Connector Requires StarFire Position Receiver, GreenStar Display, Mobile Processor, PC Data Card and JDOffice Desktop Software. Order these separately from the Ag Management Solutions (AMS) section of the AG Price Pages (Section 10). Not compatible with Code 9218 or 9272.	850.00
1010		GreenStar AutoTrac Ready Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac system. See AMS Price Pages and Ag Sales Manual for detailed information. Not compatible with Code 0200, 9218 or 9272.	4,787.00
		FRONT AXLES	
0200		Adjustable Two Wheel Drive Front Axle (58-84 ln.) See Field Attachments for Extension to 98 In. Not compatible with Code 6935.	-8,312.00

7230 ComfortGard Premium Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0250		FRONT AXLESContinued Mechanical Front Wheel Drive Axle with Limited Slip Differential	In Base Price
0350		Mechanical Front Wheel Drive Axle with Triple Link Suspension Not compatible with Code 7078, 6966 or 6967.	3,976.00

SINGLE REAR WHEELS AND TIRES

For complete tire and wheel information, refer to the Agricultural Sales Manual.

Two Cast Wheels:

RCI group 45 Size Tires Listed Narrowest to Widest

Use with the proper RCI Group 40 MFWD Front Tire with same tread type

and brand preference. Requires Code 3001 or 3002.

4208 480/80R38 In. 149A8 R1 Radial In Base Price

(18.4R38 In. 149A8 R1 Radial) Available in Goodyear and Firestone.

RCI Group 46 Size Tires Listed Narrowest to Widest

Use with the proper RCI Group 41 MFWD Front Tire with same tread type

and brand preference. Requires Code 3001 or 3002.

4202 320/90R50 In. 147A8 R1W Radial 1,674.00

Available in Goodyear only.

4255 14.9R46 In. 142A8 R1 Radial 918.00

Not compatible with Code 6056. Available in Firestone only.

Available in Firestone only.

4274 14.9R46 In. 142A8 R1 Radial 918.00 *Available in Goodyear only*.

4259 420/80R46 In. 151A8 R1 Radial 1,740.00

4272 420/80R46 In. 151A8 R1 Radial 1,740.00 Available in Goodyear only.

4244 18.4R42 In. 148A8 R1W Radial 1,980.00

Available in Goodyear only.

4211 480/80R42 In. 151A8 R1 Radial 938.00 (18.4R42 In. 151A8 R1 Radial)

(16.4K42 III. 151A6 KT Kadiai) Available in Goodyear and Firestone.

4214 480/80R42 In. 151A8 R1W Radial 3,098.00 Available in Michelin only.

7230 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
4205		SINGLE REAR WHEELS AND TIRESContinued 520/85R38 In. 155A8 R1 Radial (20.8R38 In. 155A8 R1 Radial) Available in Goodyear and Firestone.	1,458.00
4216		650/65R38 In. 157A8 R1W Radial Available in Michelin only. Requires Code 9988 and 4900.	4,428.00
		Two Steel Wheels:	
		RCI Group 45 Size Tires Listed Narrowest to Widest Use with the proper RCI Group 40 MFWD Front Tire with same tread type and brand preference.	
4632		480/80R38 In. 149A8 R1 Radial (18.4R38 In. 149A8 R1 Radial) Requires Code 3020. Available in Goodyear and Firestone.	-140.00
		DUAL REAR WHEELS AND TIRES	
4900		No Duals	In Base Price
4901		Dual Hubs Only Requires Code 3002 and 0250 or 0350.	1,612.00
		Two Steel Wheels and Hubs:	
		RCI Group 45 Size Tires Listed Narrowest to Widest Requires Code 3002 and 0250 or 0350.	
4908		480/80R38 In. 149A8 R1 Radial (18.4R38 In. 149A8 R1 Radial) Requires Code 4208. Available in Goodyear and Firestone.	5,200.00
		RCI Group 46 Size Tires Listed Narrowest to Widest Requires Code 3002 and 0250 or 0350.	
4902		320/90R50 In. 147A8 R1W Radial Requires Code 4202. Available in Goodyear only.	6,874.00
4955		14.9R46 In. 142A8 R1 Radial Requires Code 4255. Available in Firestone only.	6,108.00
4974		14.9R46 In. *** R1 Radial Requires Code 4274. Available in Goodyear only.	6,244.00

7230 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
4959		DUAL REAR WHEELS AND TIRESContinued 420/80R46 In. 151A8 R1 Radial Requires Code 4259. Available in Firestone only.	6,930.00
4972		420/80R46 In. 151A8 R1 Radial Requires Code 4272. Available in Goodyear only.	6,930.00
4911		480/80R42 In. 151A8 R1 Radial (18.4R42 In. 151A8 R1 Radial) Requires Code 4211. Available in Goodyear and Firestone.	6,148.00
4944		18.4R42 In. 148A8 R1W Radial Requires Code 4244. Available in Goodyear.	7,190.00
4914		480/80R42 In. 151A8 R1W Radial Requires Code 4214. Available in Michelin only.	7,542.00
		FRONT WHEELS AND TIRES	
6055		For Code 0200 (Two Wheel Drive): 11.00-16 In. 12PR F2 Bias Available in Goodyear and Firestone.	-1,874.00
6053		14L-16.1 ln. 12PR F2 Bias Available in Firestone.	-1,568.00
6056		11.00-20 In. 12PR F2 Bias Available in Titan only.	-1,594.00
		For Code 0250 (Mechanical Front Wheel Drive):	
		RCI Group 40 Size Tires Two Multi-Position Steel Wheels Requires Code 0250 or 0350.	
6210		380/85R28 In. 133A8 R1 Radial Requires Code 4208 or 4632. Available in Goodyear and Firestone.	In Base Price
6174		16.9R26 In. 135A8 R1 Radial Requires Code 4208 or 4632. Available in Firestone.	34.00
		RCI Group 41 Size Tires Two Multi-Position Steel Wheels Requires Code 0250 or 0350.	
6151		320/85R34 In. 133A8 R1 Radial Available in Goodyear only.	624.00

7230 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6211		FRONT WHEELS AND TIRESContinued 380/85R30 In. 135A8 R1 Radial (14.9R30 In. 135A8 R1 Radial) Available in Goodyear and Firestone.	250.00
6213		380/85R30 In. 135A8 R1W Radial Requires Code 4205 or 4214. Available in Michelin only.	1,644.00
6212		420/85R28 In. 139A8 R1 Radial (16.9R28 In. 139A8 R1 Radial) Requires Code 4205, 4211, 4259 or 4272. Available in Goodyear and Firestone.	528.00
6176		16.9R28 In. 136A8 R1W Radial Requires Code 4244. Available in Goodyear.	818.00
6025		540/65R28 In. 142A8 R1W Radial Requires Code 4216. Available in Michelin only.	3,076.00
		TRANSMISSION	
		All Transmission Options Feature Left Hand Reverser Controls. Transmissions WITHOUT Factory Installed Creepers.	
6973		PowrQuad PLUS (19 mph/30 kmh) 16F/16R with PowerTech E Engine Does not include Intelligent Power Management.	-1,567.00
7073		PowrQuad PLUS (19 mph/30 kmh) 16F/16R with PowerTech Plus Engine Optional Auto De-clutch Function. Requires Code 9097. Includes Intelligent Power Management.	In Base Price
6962		AutoQuad PLUS (25 mph/40 kmh) 24F/24R with PowerTech Plus Engine Includes Auto De-Clutch Function. Requires Code 0250 or 0350. Not compatible with Code 0200. Includes Intelligent Power Management.	3,400.00
6935		Infinitely Variable Transmission (25 mph/40 kmh) Requires Code E/H SCV's: Codes 7231, 7232 or 7233. Has CommandARM Console Cab. Not compatible with Code 0200 or 2600. Includes Intelligent Power Management.	8,506.00
7078		CREEPER Transmissions PowrQuad PLUS (19 mph/30 kmh) 16F/16R with PowerTech Plus Engine with Creeper (Additional 12F/12R) Requires Code 7110 - Power Assisted PTO Shifting. Optional Auto De-clutch Function. Requires Code 9097.	2,403.00

7230 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6967		TRANSMISSIONContinued AutoQuad PLUS (25 mph/40 kmh) 24F/24R with PowerTech Plus Engine with Creeper (Additional 12F/12R) Includes Auto De-Clutch Function. Requires Code 7110 - Power Assisted PTO Shifting. Requires Code 0250. Not compatible with Code 0200.	5,682.00
		POWER TAKE-OFF SHAFT	
7102		540/1000 RPM Rear Reversible PTO	In Base Price
7110		3-Speed 540/540E/1000 Rear Reversible PTO with Power Assisted PTO Shifting 540E is an economy mode that allows engine to run at lower RPM and save fuel.	866.00
		REAR AXLES	
3001		Rack and Pinion 3.385 In. (86mm) Diameter by 96 In. Length	In Base Price
3002		Rack and Pinion 3.385 In. (86mm) Diameter by 110.5 In. Length	482.00
3020		Flanged Rear Axle (8x275mm Bolt Circle)	-1,235.00
		REAR ROCKSHAFT AND HITCH	
2500		5100 Lb. Capacity 3-Point Hitch (Category 2) with Telescopic Draft Links and Sway Blocks	In Base Price
2540		8200 Lb. Capacity 3-Point Hitch (Category 3N/2) with Telescopic Draft Links, Secondary Chain Support and Sway Blocks <i>Requires Code 0250 or 0350.</i>	790.00
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
7226		Two Deluxe (3 Detent - 300 Series) Mechanical Selective Control Valves with ISO Breakaway Couplers Not compatible with Code 6935 (IVT Transmission). Not compatible with Premium (0174) and Premium Plus (0179) cab packages.	In Base Price
7231		Two Deluxe (3 Detent - 300 Series) E/H Selective Control Valves with ISO Breakaway Couplers	1,542.00
7232		Three Deluxe (3 Detent - 300 Series) E/H Selective Control Valves with ISO Breakaway Couplers	1,681.00
7233		Four Deluxe (3 Detent - 300 Series) E/H Selective Control Valves with ISO Breakaway Couplers Not compatible with Code 9340.	1,804.00
7236		Three Deluxe (3 Detent - 300 Series) Mechanical Selective Control Valves with ISO Breakaway Couplers Not compatible with Code 6935. Not compatible with Premium (0174) and Premium Plus (0179) cab packages.	1,174.00
		EXHAUST	

7230 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
7453		EXHAUSTContinued Underhood Muffler with Deluxe Corner Post Exhaust	In Base Price
		SEAT SUSPENSION	
7664		Air-Suspended ComfortCommand Seat Armrests, Lumbar support (5-position), Bidirectional (side-to-side and fore-and-aft) attenuation height and weight adjustments, Fore-and-aft adjustment, Swivel adjustment (20 degrees right or 15 degrees left), Operator presence switch, Seat belt with retractor.	In Base Price
		LOADER PACKAGES	
		Loader PREPARATION Package Includes: Mid-Mount Valve and Joystick as specified by code and Narrow Front Roof Header and Glass Roof with Hatch. Note: Loader Mounting Brackets, Hydraulic Hoses, Multi-Coupler and Hood Guard to be ordered with Front Loader (See Ag Sales Manual for details).	
8940		No Loader Package	No Charge
8941		Two Function Mechanical Independent Control Valve Loader Preparation Package Includes: 2-Function Mechanical Joystick with Activated Speed Shifting Buttons (inactive third function rocker switch), 2-Function Mid-mount Independent Control Valve, Narrow Front Roof Header and Glass Roof with Hatch. (Note: Loader Mounting Brackets, Hydraulic Hoses, Multi-Coupler and Hood Guard are ordered with Loader). Not compatible with Codes 0174, 0197, 8942, 8947 or 8948. Refer to Code 8952 in the "Attachments - Order As Desired" section for Loader Preparation Package Option Deducts.	2,609.00
8942		Three Function Mechanical Independent Control Valve Loader Preparation Package Includes: 3-Function Mechanical Joystick with Activated Speed Shifting Buttons, 3-Function Mid-mount Independent Control Valve, Narrow Front Roof Header and Glass Roof with Hatch. (Note: Loader Mounting Brackets, Hydraulic Hoses, Multi-Coupler and Hood Guard are ordered with Loader). Not compatible with Codes 0174, 0179, 8941, 8947 or 8948. Refer to Code 8952 in the "Attachments - Order As Desired" section for Loader Preparation Package Option Deducts.	3,144.00
8947		Two Function Electrical Independent Control Valve Loader Preparation Package Includes: 2-Function Electronic Joystick with Activated Speed Shifting Buttons (inactive third function rocker switch; Activated Speed Shifting not available with IVT transmission), 2-Function Electronic Mid-mount Independent Control Valve, Narrow Front Roof Header and Glass Roof with Hatch. (Note: Loader Mounting Brackets, Hydraulic Hoses, Multi-Coupler and Hood Guard are ordered with Loader). Not compatible with Codes 8941, 8942 or 8948. Refer to Code 8952 in the "Attachments - Order As Desired" section for Loader Preparation Package Option Deducts.	4,092.00
8948		Three Function Electrical Independent Control Valve Loader Preparation Package Includes: 3-Function Electronic Joystick with Activated Speed Shifting Buttons, (Activated Speed Shifting not available with IVT transmission), 3-Function Electronic Mid-mount Independent Control Valve, Narrow Front Roof Header and Glass Roof with Hatch. (Note: Loader Mounting Brackets, Hydraulic Hoses, Multi-Coupler and Hood Guard are ordered with Loader). Not compatible with Codes 8941, 8942 or 8947. Refer to Code 8952 in the "Attachments - Order As Desired" section for Loader Preparation Package Option Deducts.	4,627.00

7230 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIRED	
9075		Customer Gold Key Program: Gold Key Tour Not compatible with Code 9076. This personal guided tour strives to provide you with the unique opportunity to watch your machine during its final stages of manufacturing. This tour is limited by factory daily production allowance levels and may have an increased lead-time. A target tour date will be communicated in advance, but a date will not be firmed up until approximately 6 business days in advance for this tour and this date is subject to change up to the tour date. For more information, visit www.deere.com/goldkey.	No Charge
9076		Gold Key Experience Tour Not compatible with Code 9075. This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
8952		Loader Prep: Loader Preparation Package Option Deducts Allows the opportunity to deduct Glass Roof with Hatch when ordering Loader Preparation Package. Not compatible with Codes 9246. Requires Code 8941, 8942, 8947 or 8948.	-882.00
8830		ComfortGard and ComfortGard Deluxe Cab Options: Vandal Protection Package Includes Lockable Fuel Cap, Lockable Transmission Oil Fill, Lockable Hood and Engine Side Panels.	317.00
8875		Bottom Guard for Fuel Tank	263.00
8900		Fender Extension, 1-Piece Side and Rear Extension (Qty 2)	465.00
9023		Dual Beam Ground Speed Radar Sensor	977.00
9109		Deere/Delco AM/FM Stereo Radio with Weather band, Two Speakers, Clock and Antenna Requires Code 0172.	729.00
9140		Signal Interface Socket 7-Pin Signal Interface Socket allows Implements to Communicate with the Tractor. Complies to ISO Standard 11786.	87.00
9146		Multi Power Outlet Strip Provides 6 Additional 12 Volt Outlets for Permanent or Ignition Key Controlled Power.	64.00
9218		Cup Holder (Right Hand A-Post Mounted)	37.00
9246		Roof Hatch with Glass, Narrow Roof Header	560.00
9024		Lighting / Electrical: 150 Amp Alternator Not compatible with Code 6935.	253.00

7230 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9041		ATTACHMENTS - ORDER AS DESIREDContinued 200 Amp Alternator	282.00
9056		Deluxe Lighting Includes Standard Lights plus H3 Fender Mounted Rear Facing Lights and Rotary Beacon Light.	439.00
9057		Premium Lighting Includes Standard Lights plus H3 Fender Mounted Rear Facing Lights, Rotary Beacon Light, Xenon Beltline Work Lights, and Xenon Roof Mounted Rear Facing Work Lights. Not compatible with Code 0172, Base Cab Package.	2,641.00
9097		Auto De-Clutch Function for PowrQuad Plus Transmissions Allows PowrQuad Plus Transmission Range Shifting by depressing the Auto De-clutch button versus the traditional foot clutch. Requires Transmission Code 7073 or 7078.	228.00
9272		60A Power Harness For Implements Requiring Only a Power Socket. Allows for Field Upgrades to Install Displays and ISOBUS Gateway Controller.	403.00
8841		Front Axle: Front Fenders for MFWD (Rigid) 18.9-In. (480mm) Coverage Width (2)	534.00
8842		Front Fenders for MFWD (Rigid) 21.3-In. (540mm) Coverage Width (2)	573.00
9011		Hitch and Drawbar: Quik-Coupler (Category 3N/2) Requires Code 2540.	1,509.00
9015		Quik-Coupler (Category 2) Requires Code 2500.	1,377.00
9137		Hydraulic Center Link	1,242.00
9340		Power Beyond for Rear SCV's	128.00
9116		Heavy Duty Drawbar with Hammerstrap	352.00
9441		Drawbar with Hammerstrap	263.00
9020		Engine: Cold Start Package I Includes 174Ah battery, Engine Coolant Heater (110V). Not compatible with Code 9021.	306.00
9021		Cold Start Package II Includes 174Ah battery, engine coolant heater (110V), ground fault interrupter, charge pump heater, transmission heater (110V). No transmission heater with IVT Tractors. Not compatible with Code 9020.	479.00
9025		Fuel Heating System (12v)	152.00
9104		Rear Window Defrost	298.00

7230 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
8659		Miscellaneous: Australia, New Zealand; LH Traffic	No Charge
9350		Hydraulic Trailer Brakes	444.00
9608		French Operator's Manual and Decal Kit	No Charge
9660		Spanish Operator's Manual and Decal Kit	No Charge
9988		Tire Preference / Special Handling Codes: No Brand Preference	No Charge
9992		Firestone Brand Only	400.00
9993		Goodyear Brand Only	400.00
9401		Quik-Tatch Front-end Weight Packages: Quik-Tatch Weight Support Less Weights Add 313 Lbs. Front, Subtract 73 Lbs. Rear. Only available in the US, Canada and Mexico.	358.00
9404		Quik-Tatch Weight Support with Four Weights Add 884 Lbs. Front, Subtract 229 Lbs. Rear. Only available in the US, Canada and Mexico.	772.00
9406		Quik-Tatch Weight Support with Six Weights Add 1168 Lbs. Front, Subtract 306 Lbs. Rear. Only available in the US, Canada and Mexico.	998.00
9408		Quik-Tatch Weight Support with Eight Weights Add 1455 Lbs. Front, Subtract 384 Lbs. Rear. Only available in the US, Canada and Mexico.	1,229.00
9410		Quik-Tatch Weight Support with Ten Weights Add 1742 Lbs. Front, Subtract 463 Lbs. Rear. Only available in the US, Canada and Mexico.	1,434.00
9412		Quik-Tatch Weight Support with Twelve Weights Add 2026 Lbs. Front, Subtract 540 Lbs. Rear. Only available in the US, Canada and Mexico.	1,704.00
9414		Quik-Tatch Weight Support with Fourteen Weights Add 2310 Lbs. Front, Subtract 619 Lbs. Rear. Only available in the US, Canada and Mexico.	1,983.00
9418		Quik-Tatch Weight Support with Eighteen Weights Add 2881 Lbs. Front, Subtract 774 Lbs. Rear. Only available in the US, Canada and Mexico.	2,463.00

7230 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	- DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
		Rear Wheel Weights - For Inside/Inner Drive Wheels: Single 75 kg weight available as Field Installed Option Only. Weights shown are for each weight.	
9264		One Pair 205 kg (450 Lb.) Cast Wheel Only	1,250.00
9266		Two Pairs of 205 kg (450 Lb.) Cast Wheel Only Minimum tread spacing is 68 In.	2,498.00
		Rear Wheel Weights - For Outside/Inner Drive Wheels (Cast): Single 75 kg weight available as Field Installed Option Only. Weights shown are for each weight. Requires Code 4900.	
9284		One Pair 205 kg (450 Lb.) Cast Wheel Only	1,250.00
9292		One Pair 75 kg (165 Lb.) and One Pair 205 kg (450 Lb.) Compatible for BOTH Cast and Steel Wheels.	1,802.00
		Rear Wheel Weights - For Outside/Outer Dual Wheels (Steel): Weights shown are for each weight. Not for 34 In. wheels, unless noted.	
9293		One Pair 75 kg (165 Lb.) and One Pair 205 kg (450 Lb.) Not for Code 4900.	1,802.00
		FOR FRONT HITCH EQUIPMENT, CONTACT:	
		Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com	
		REGION 1 EXPORT	
		All Market Segment Codes, Attachment Codes and Attachment for Field Conversion Codes listed below are for tractors being ordered by branches in Region 1 Export Markets outside of North America ONLY.	
9880		Latin America	No Charge
9881		Brazil	No Charge
9882		Australia	No Charge
9883		Argentina	No Charge
9884		South Africa	No Charge
9885		Uruguay	No Charge
9886		Mexico	No Charge

7230 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9887		REGION 1 EXPORTContinued Central America	No Charge
9888		JDIN	No Charge
9889		JD Asia	No Charge
9890		WW Logistics (Other Region 1 Countries)	No Charge
9891		China	No Charge
9053		Region I Export Attachments: Left-Hand Lighting	No Charge
9090		Skid for Duals	152.00
		ATTACHMENTS FOR FIELD CONVERSION	
	RE278980	Electrical: Radar with Dual Beam Sensor Requires AL171547 Attaching Bracket Kit.	See Parts
	AL171547	Radar, Dual Beam Attaching Kit Includes Bracket, Wiring Harness and Installation Hardware. Order RE249206 Radar through Parts. Requires AL178987 Software Installation Download for 6030 and 7030 Premium Cab Series (Includes Performance Monitor Functionality Download).	317.00
	AL173201	Engine: Cold Weather Starting Package (IVT) Includes Coolant Heater, Charge Pump Heater and Mounting Parts. Compatible with IVT Transmission only.	372.00
	AL173200	Cold Weather Starting Package - 110 Volt Includes Coolant Heater, Transmission Heater, Charge Pump Heater and Mounting Parts. Compatible with all transmissions EXCEPT IVT.	469.00
	AL173967	Engine Coolant Heater (110V) Engine Coolant Heater is included in Cold Weather Starting Packages. Compatible with 6020 and 6030 Series.	82.00
	AL173596	Engine Ventilation with Oil Separator Kit Engine oil separator re-extracts the oil particles from the crankcase ventilation system for return back into the engine oil sump.	428.00
	AL158520	Fuel Pre-Heater Kit	148.00
	AL174767	Fenders: Fender Side Extension Dimensions: Length 4.33 In. (110 mm) x Width 0.59 In. (15 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	180.00

7230 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL174768	ATTACHMENTS FOR FIELD CONVERSIONContinued Fender Side Extension Dimensions: Length 4.33 In. (110 mm) x Width 2.36 In. (60 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	180.00
	AL174769	Fender Side Extension Dimensions: Length 7.48 In. (190 mm) x Width 0.79 In. (20 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	200.00
	AL174770	Fender Side Extension Dimensions: Length 7.48 In. (190 mm) x Width 2.56 In. (65 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	200.00
	AL165336	Fender Stop Panel For Models with Turnable MFWD Fenders.	411.00
	AL180095	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	668.00
	AL180097	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	677.00
	AL180099	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	686.00
	AL180101	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	716.00
	AL180103	MFWD Front Fenders, Fixed, 24.4 In. (620 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	725.00
	AL180098	MFWD Front Fenders, Turnable, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180100	MFWD Front Fenders, Turnable, 18.9 In. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180102	MFWD Front Fenders, Turnable, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL159975	Rear Fender Flap for Fender Side Extensions Dimensions: Width 9 In. (229 mm) x Length 24.8 In. (632 mm). Requires Fender Side Extension of 190 x 20 mm. or 190 x 65 mm.	81.00
	AL118241	Guards: Guard, Fuel Tank Bottom, 54.6 US Gal. (207L)	203.00
	AL159939	Guard, Fuel Tank Bottom, 66 US Gal. (250L)	195.00

7230 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL174550	Hitch and Drawbar: Center Link, Hydraulic CAT 3/70 Permits quick and convenient center link adjustment (70 cm/27.5 In.) from the cab through SCV Levers.	1,361.00
	AL204901	Draft Link, Telescoping (Qty. 2)	1,137.00
	AL81724	Drawbar Drop-Down Kit Lowers the height of Drawbar by approximately 3 Inches.	397.00
	RE63112	Quik-Coupler, Category 2	1,008.00
	RE60742	Quik-Coupler, Category 3N/2	1,487.00
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	AL206324	Stabilizer Bar, Automatic (Qty. 1) and Standard Economy Stabilizer Bar (Qty. 1) <i>Not compatible with 7330.</i> Contains attaching parts.	608.00
	AL174568	Stabilizer Bar, Hydraulic (Qty. 1) Additional hardware needed, see field installed instructions. Requires AL201802 Software and dealer calibration to activate feature.	1,950.00
	AL117961	Stabilizer Bar, Mechanical (One) with Attaching Parts May be used with either RH or LH.	298.00
	AL82925	Stabilizer Sway Chains	320.00
	AL78129	Support, Load Control Shaft Secured to the steel frame without left and right hand bore holes. Protects the banding bar from shock loads under extreme draft work. Permits shock loads to be transferred from the lift arms directly to the frame. Not compatible with Code 7330.	See Parts
	AL203674	Hydraulics: E-ICV Control Lever (Joystick) with out CommandARM (on RH Armrest) with Gear Shifting For "Sears" seats. Reference installation instructions for additional information.	1,546.00
	AL176950	Electronic #3 Deluxe 300 Series 3 Function SCV (E-SCV) Contains: #3 E-SCV, Paddle Pod Control Switch and Cover, Mounting Studs, Relays, Fuse, Color Coded Dust Protector and ISO Couplers. Requires AL178179 Software and Dealer Calibration to Activate Feature.	1,242.00
	AL207612	Electronic #3 Super Deluxe 350 Series 3 Function SCV (E-SCV) Reference installation instructions for additional order parts required for installation and compatibility requirements.	944.00
	AL207610	Electronic #4 Super Deluxe 350 Series 3 Function SCV (E-SCV) Reference installation instructions for additional order parts required for installation and compatibility requirements.	1,132.00

7230 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL175231	ATTACHMENTS FOR FIELD CONVERSIONContinued Electronic Control Kit (E-ICV with E-SCV) Required for Tractors equipped with Electronic E-ICV if the tractor is equipped with Electronic SCVs (E-SCV). Order with AL174933 or AL174934. Requires Dealer Performed Calibration through Service Advisor or DTI. Refer to MHM 1111 Installation Instructions.	381.00
	AL175230	Electronic Control Kit (E-ICV with M-SCV) Required for Tractors equipped with Electronic E-ICV if the Tractor is equipped with Mechanical SCVs (M-SCV). Order with AL174933 or AL174944. Requires Dealer Performed AL177920 Software Download for Controller Calibration through Service Advisor. Requires AH224250 Power Module, L169001 Bracket, and AL171919 Harness. Refer to MHM 1111 Installation Instructions for more detailed information.	682.00
	RE228000	Hydraulic Motor Case Drain Allows coupling of the oil return line of a hydraulic motor into a pressure-free circuit. Recommended for usage with Hydraulic Motors that are susceptible to damage if return Coupler flow checks.	174.00
	AL207616	Independent Control Valve, Electronic (E-ICV), 2 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,663.00
	AL207617	Independent Control Valve, Electronic (E-ICV), 3 Function Reference Installation Instructions for also order parts and compatibility requirements.	2,428.00
	AL207614	Independent Control Valve, Mechanical (M-ICV), 2 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,056.00
	AL207615	Independent Control Valve, Mechanical (M-ICV), 3 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,628.00
	AL174410	Joystick, Electronic 3 Function, (Compatible with CommardARM), Non-Shiftable Compatible on tractors above S/N 7230020741. Requires Hydraulic Lines (AL174935), Independent Control Valve (AL174933 or AL174934) and Electrical Control Kit (AL175230 or AL175231). Compatible with 2 or 3 Function Midmount Independent Valves. If equipped with 2 Function E-ICV, the 3rd Function Rocker Switch is inactive.	1,283.00
	AL179418	Joystick, Electronic 3 Function, (Sears Seat without CommandARM), Non-Shiftable Requires Hydraulic Lines (AL174935), Independent Control Valve (AL174933 or AL174934) and Electronic Control Kit (AL175230 or AL175231). Compatible with 2 or 3 Function Midmount ICV. If equipped with 2 Function E-ICV, the 3rd Function Rocker Switch is inactive.	1,341.00
	AL175020	Joystick, Mechanical 2 Function, Non-Shiftable Requires Hydraulic Lines (AL174935) and Mechanical Independent Control Valve (AL204116). Mounts on side of RH Console.	404.00
	AL176245	Joystick, Mechanical 2 Function, Shiftable Controls Rear Mechanical SCVs in the #3 & #4 positions. Compatible with PowrQuad PLUS or AutoQuad PLUS Transmissions only.	527.00
	AL175022	Joystick, Mechanical 2 Function, Shiftable Requires Hydraulic Lines (AL174935) and Mechanical Independent Control Valve (AL204116).	574.00

7230 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL175024	ATTACHMENTS FOR FIELD CONVERSIONContinued Joystick, Mechanical 3 Function, Shiftable Requires Hydraulic Lines (AL174935) and Mechanical Independent Control Valve (AL204117). Not compatible with IVT.	731.00
	AL174935	Lines, Hydraulic, Independent Control Valve, (ICV) Required for AL204116, AL204117, AL174933 or AL174934 Independent Control Valve.	509.00
	AL207607	Mechanical Deluxe Select Control Valve 100 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	504.00
	AL204102	Mechanical Deluxe Select Control Valve 200 Series (2-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	651.00
	AL207609	Mechanical Deluxe Select Control Valve 200 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	675.00
	AL205078	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL207613	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL176243	Position Kit, Position #3, Mechanical SCVs (Premium Cab Tractors)	169.00
	AL176244	Position Kit, Position #4, Mechanical SCVs (Premium Cab Tractors)	244.00
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	237.00
	AL176299	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Tractors Kit contains three Female Couplers and Dust Shields. Connects Pressure, Return and Load Sense Hoses from Implement to Tractor. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176808) 1/2-In. (12.5 mm) for Implement End.	237.00
	AL173904	Trailer Brakes, Hydraulic For Tractors equipped with PFC Hydraulic System. Requires additional components to complete installation. See installation instructions.	471.00
	AL169602	Valve, Shut Off, Electrically Actuated, Loader Boom	625.00
	AL174686	Valve, Shut Off, Electrically Actuated, Loader Mast	421.00
	AL174214	Lighting: Beacon Light for Cab Requires Command Center Calibration to activate feature.	219.00

7230 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL174809	ATTACHMENTS FOR FIELD CONVERSIONContinued Bracket, Belt Line Lights (H3, H4 or Xenon) Forward Facing, LH and RH Brackets are required for Belt Line Lights if not Factory Installed. Kit does not include Lights.	141.00
	AL201586	Extremity Lights Preparation Kit See Parts Catalog and MHM 873 Installation Instructions for additional components.	922.00
	AL174332	Headlights, H4 (2) High/Low Beam Forward Facing Requires Brackets (AL174809) and Command Center Calibration to activate feature. For Tractors with a "nose-up" of more than 1.5 degrees. See Installation Instructions for additional parts.	474.00
	AL205374	Work Light, H3 (1) Rear Facing, Fender Mounted, LH or RH Requires Command Center calibration to activate feature.	86.00
	AL175583	Work Lights, (2) Belt Line Xenon Forward Facing Requires Brackets (AL174809) and Command Center Calibration to activate feature.	1,595.00
	AL205373	Work Lights, H3 (55 Watt) (2) Belt Line or Rear Facing Fender Mounted Can be used for front facing belt line (in the upright or hanging position), or rear facing fender mounted work lights. Requires Command Center calibration to activate feature.	253.00
	AL205372	Work Lights, H3 (55 Watt) (2) Rear Facing or Roof Mounted Requires Command Center Calibration to activate feature. Can be used for rear facing fender mounted worklights or rear facing roof mounted worklights.	270.00
	AL177887	Work Lights, Rear Facing, Xexon HID (2), Cab Roof Mounted, LH and RH Requires Command Center Calibration to Activate Feature. Order L153232 double faced adhesive tape if required.	1,555.00
		Operator Environment:	
	AT173678	3 Inch Seat Belt	See Parts
	RE67015	3-Way Convenience Adapter for Power Strip	See Parts
	AL174997	7-Pin Signal Socket Mount in right-hand Rear "C" Post. Requires Multi-Socket Outlet with 12 Volt 30A Supply (AL174347).	30.00
	AL164673	Ash Tray	See Parts
	AL112070	Beverage Cooler Box Portable, non-electrical. Mounts on the floor in the front right of the cab.	130.00
	AL156731	Bottle Holder, Floor Mounted, Left Side	35.00
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	AL173370	Cigarette Lighter	See Parts
	AL163826	Cup Holder, Right-Hand A-Post Mounted	41.00
	AL174264	Field Office with Refrigerator	787.00
	AL174262	Field Office without Refrigerator	254.00

7230 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL158986	ATTACHMENTS FOR FIELD CONVERSIONContinued Filter Kit, Carbon, with LH and RH Fresh Air and Recirculation	See Parts
	AL175376	Heat Guard/Exhaust Pipe, Stainless Steel	249.00
	AL173569	Instructional Seat with Seat Belt	545.00
	AL151224	Mirror, Inside Rear Mounts behind operator's right shoulder - provides increased Drawbar Visibility.	145.00
	AL80126	Mirror, Telescopic, LH, Manually Adjustable	149.00
	AL80127	Mirror, Telescopic, RH, Manually Adjustable	149.00
	AL157751	Mirrors, Telescopic, LH & RH, Electronically Adjustable	1,457.00
	AL174347	Multi-Socket Outlet with 12 Volt 30A Supply Mounts in right-hand Rear "C" Post. Provides power outlet to operate cell phone, laptop computer, etc. Can be upgraded with 7-Pin Signal Socket (AL174997).	82.00
	AL174215	Power Strip with Six Outlets	70.00
	RE289848	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband Includes audio input jack for MP3 compatible devices.	434.00
	RE289852	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband Includes audio input jack for MP3 compativle devices.	849.00
	AL174263	Refrigerator (Electrical Cooling Compartment)	678.00
	AL201826	Seat Belt with Mounting Parts	109.00
	AL119286	Seat, Swivel, Operators, 180 degrees For Tractors not equipped with CommandARM.	See Parts
	AL179613	Software: Headland Management System 3 PLUS (HMS) Additional Parts and Command Center Activation required to complete installation. Includes Performance Monitor function and Auto MFWD capability. For 6030 Premium and 7030 Premium Series Tractors produced after 01 Nov 2007.	See Parts
	AL180430	Software: Intelligent Power Management - 7230 Premium Cab Refer to MHM1166 Installation Instructions to order AL180430 Software Download from PDC to Complete CommandCenter Activation. For 7230 Premium Cab Tractor Only equipped with 4-valve PowerTech Plus Engine and PowrQuad or AutoQuad Transmission.	See Parts
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE282643	Steering Wheel, Dark Brown Leather	See Parts
	AL174359	Sun Screen, Telescopic (Rollo Blinds) Kit includes (1) Sun Screen with Mounting Hardware. May be used either in Front or Rear Window.	140.00
	AL157620	Sun Visor	88.00

7230 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE263352	ATTACHMENTS FOR FIELD CONVERSIONContinued Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	AL157189	Windshield Washer, Front Requires additional parts available from PDC for Tractors not equipped with RH door.	175.00
	AL174219	Wiper, Rear Window	244.00
	AL176910	Wood-look Interior Trim Kit includes Decorative Covers for the Front Header Console, Front and Rear Headlining.	450.00
		PTO/Front Auxiliary Drive: Front PTOs are no longer available as a field installed option through John Deere. Availability is limited to existing inventory. When inventory is exhausted, please contact Laforge Hitch for your Front PTO and Front Hitch needs.	
		Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com	
	AL160985	Front Auxillary Drive (Crankshaft pulley without Drive Shaft)	704.00
	AL174225	Transmission: Back-up Alarm - PowrQuad PLUS, AutoQuad and IVT Transmissions Requires AL178365 Software Download and Dealer Calibration through CommandCenter or Service Advisor to activate.	496.00
	AL173291	Creeper Kit for 16F/16R PowrQuad PLUS 4-Range (19 mph/30 kmh) Transmission (EPQT) Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL173654) and Diagnostic Software Kit (AL178511) from PDC required for installation.	2,627.00
	AL173288	Creeper Kit for 24F/24R PowrQuad Plus or AutoQuad 6-Range (25 mph/40 kmh) Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL173654) and Diagnostic Software Kit (AL178511) from PDC required for installation.	2,627.00
	AL173654	Creeper, Control Kit Required to complete Creeper installation.	136.00
	AL71345	Vandal Protection: Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts
	AL110170	Lockable Transmission Oil Filler Cap	132.00

7230 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL175118	ATTACHMENTS FOR FIELD CONVERSIONContinued Vandal Protection Field Kit Kit contains Hood and Side Shield Locks. Lockable Fuel Tank Cap. Lockable Transmission Oil Filler Neck.	562.00
	RE300840	Weights: Front Weight Support, 243 Lb. (110 Kg)	542.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg)	282.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00
	R207782	Weight, Wheel, 450 Lb.	664.00
	R180505	Wheel Equipment: Bolts, Round Head Square Short Neck, M16X2X65 Order 24. Bolts, Round Head Square Short Neck, M22X90	See Parts
	K110570	Order 24.	See Falls
	AR182457	Kit, Row Spacing (ZF Axles) 10 Bolt Pattern (335 mm diameter).	1,087.00
	AR190666	One 10 In. Dual Hub Extension	759.00
	AR190668	One 13 In. Dual Hub Extension	844.00
	AR190669	One 15 In. Dual Hub Extension	884.00
	AR194744	One 5 In. Dual Hub Extension	685.00
	R112387	Row Spacing (ZF Axles) 10 Bolt Pattern (335 mm diameter).	See Parts
	R115277	Tread Spacers Order 16.	See Parts
	R116540	Tread Spacers Order 24.	See Parts

7230 ComfortGard Premium Cab Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

7330 ComfortGard Premium Cab Tractor

Equipment for Base Machine

ENGINE: 155 Engine HP (114 kW) [97/68/EC] @ 2100 RPM 127 PTO Horsepower (95 kW) at 2100 RPM 6 Cylinders, John Deere PowerTech Plus Engine 6.8 Liter (414 Cu. In.) Displacement, Tier 3 Emissions Level 2100 Rated Engine Speed High Pressure Common Rail Variable Geometry Turbocharger and Exhaust Gas Recirculation Dual Temp Cooling System PowerCore Air Filtration System with Permanent Pre-Cleaning and Safety Element Underhood Muffler with Deluxe Corner Post Exhaust 66 Gal (250 L) Fuel Tank Capacity Intelligent Power Management TRANSMISSION: 16/16 PowrQuad PLUS; 19 mph (30km/h)

16/16 Powrquad PLUS; 19 mpn (30km/r Electronic LH Reverser Wet Multi-Disk Clutch Park Lock Neutral Safety Start System

STEERING, BRAKES, DIFFERENTIAL: Hydrostatic Steering Wet-Disk Hydraulic Power Brakes Rear Axle Differential Lock

Wet-Disk Hydraulic Power Brakes Rear Axle Differential Lock HYDRAULICS:

Pressure and Flow Compensated (PFC)
29 GPM (110 L/min) Pump Flow at 2100 RPM
Two 300 Series SCV's; Mechanical with ISO Breakaway
Couplers

REAR PTO:
540/1000 RPM, 1-3/8 In. Independent Rear PTO,
Reversible Shaft and PTO Master Shield
Electrohydraulic Activation
Wet Multi-Disk Clutch
Neutral Start Safety System
Seat Activated PTO Warning

ROCKSHAFT, HITCH AND DRAWBAR: Electronic Hitch Category 2, 3-Point Hitch Electrohydraulic Hitch Control Two Rear Fender Hitch Controls 8800 Lb. Lift Capacity Electronic Lower Link Draft Sensing Telescopic Draft Links Category 2 Swinging Drawbar

INSTRUMENTATION:
Tachometer
Speedometer
Hour Meter
Fuel Gauge
Engine Oil Pressure Indicator Light
Coolant Temperature

PTO Engagement
Engine Air Filter Restriction Indicator
Alternator
Directional Indicators
Hazard Switch

CAB OPERATOR STATION:
ComfortGard Cab with Air Conditioning and Heater
Two Panorama Doors
Front Windshield Wiper
Air Suspended ComfortCommand Seat with Seat Belt
Tilt/Telescopic Steering Column
Operational Controls Console Mounted
Floor Mat
Foot Throttle Control
Power Outlet
Pre-Radio Wiring and Speaker Package
Overhead Courtesy Light
Rear View Mirror
Cup Holder

ELECTRICAL:
Key Shutoff
12 Volt Electrical System
12 Volt Battery, 1230 Cold Cranking Amps
120 Amp Alternator
7 Terminal ASAE Outlet Socket

LIGHTS:
Four Front Grille Headlights
Two Belt Line Mounted Lights
Four Front Roof Lights
Two Rear Roof Lights
Four Roof Mounted Flashing
Hazard Lights
Two Rear Fender Tail Lights with
Brake Lights

FRONT AXLE WHEELS AND TIRES:
MFWD
Steel Wheels
Electrohydraulic MFWD Engagement
380/85R28 In. 133A8 R1 Radial Tires

REAR AXLE WHEELS AND TIRES:
Rack and Pinion Axle;
96 In. Width x 3.385 In. (86 mm) Diameter
Two Cast Inner Wheels
Two 18.4R38 In. 149A8 R1 Radial Tires

MISCELLANEOUS: Operator's Manual (English) and Holder SMV Emblem

Available for the United States, Canada, Mexico, Central America, Australia, South Korea, Israel and Egypt Only.

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

7330 ComfortGard Premium Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
1481RW		7330 ComfortGard Premium Cab Tractor	128,348.00
		VALUE PACKAGE CONFIGURATIONS	
0700		No Package	In Base Price
		Order One Code from Each Box in Price Pages.	
		OPERATOR STATION	
0172		Base Cab Package	In Base Price
0173		Deluxe Cab Package Includes RH and LH Manually Adjustable Mirrors, Rear Wiper with Front and Rear Washer, Bottle Holder, Instructional Seat, Sun Visor, and Deere-Delco AM/FM Stereo Radio with Weather Band, Clock and Antenna.	1,899.00
0174		Premium Cab Package Includes RH and LH Electronically Adjustable Mirrors, Automatic Temperature Control, Rear Wiper with Front and Rear Washer, Bottle Holder, Instructional Seat, Sun Visor, and Deere-Delco AM/FM Stereo Radio with Weather Band, Single Compact Disc Player, Clock and Antenna. Requires Electronic SCV's. Not compatible with Code 7226 or 7236, and 8941 or 8942.	3,258.00
0179		Premium Plus Cab Package Includes RH and LH Electronically Adjustable Mirrors, Automatic Temperature Control, Rear Wiper with Front and Rear Washer, Bottle Holder, Instructional Seat, Sun Visor, and Deere-Delco AM/FM Stereo Radio with Weather Band, Single Compact Disc Player, Clock and Antenna, and Hydraulic Cab Suspension. Requires Electronic SCV's. Not compatible with Code 7226 or 7236, and 8941 or 8942.	5,622.00
		AG MANAGEMENT SOLUTIONS	
1006		Less GreenStar Ready Wiring Harness	In Base Price
1005		GreenStar Ready Wiring Harness with Implement Connector Requires StarFire Position Receiver, GreenStar Display, Mobile Processor, PC Data Card and JDOffice Desktop Software. Order these separately from the Ag Management Solutions (AMS) section of the AG Price Pages (Section 10). Not compatible with Code 9218 or 9272.	850.00
1010		GreenStar AutoTrac Ready Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac system. See AMS Price Pages and Ag Sales Manual for detailed information. Not compatible with Code 0200, 9218 or 9272. Not compatible with Code 3011.	4,787.00
		FRONT AXLES	
0200		Adjustable Two Wheel Drive Front Axle (58-84 In.) See Field Attachments for Extension to 98 In Not compatible with Code 6935 or 3011	-8,312.00

See Field Attachments for Extension to 98 In. Not compatible with Code 6935 or 3011.

7330 ComfortGard Premium Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0250		FRONT AXLESContinued Mechanical Front Wheel Drive Axle with Limited Slip Differential	In Base Price
0350		Mechanical Front Wheel Drive Axle with Triple Link Suspension Not compatible with Code 7078, 6966 or 6967.	3,976.00

SINGLE REAR WHEELS AND TIRES

For complete tire and wheel information, refer to the Agricultural Sales Manual.

Two Cast Wheels:

RCI group 45 Size Tires Listed Narrowest to Widest

Use with the proper RCI Group 40 MFWD Front Tire with same tread type

and brand preference. Requires Code 3001 or 3002.

4208 480/80R38 In. 149A8 R1 Radial In Base Price

(18.4R38 In. 149A8 R1 Radial) Available in Goodyear and Firestone.

RCI Group 46 Size Tires Listed Narrowest to Widest

Use with the proper RCI Group 41 MFWD Front Tire with same tread type

and brand preference. Requires Code 3001 or 3002.

4202 320/90R50 In. 147A8 R1W Radial 1,674.00

Available in Goodyear only.

14.9R46 In. 142A8 R1 Radial 918.00 4255

Not compatible with Code 6056. Available in Firestone only.

Available in Goodyear only.

4274 14.9R46 In. 142A8 R1 Radial 918.00

4259 420/80R46 In. 151A8 R1 Radial 1,740.00

Available in Firestone only.

4272 420/80R46 In. 151A8 R1 Radial 1,740.00 Available in Goodyear only.

4244 18.4R42 In. 148A8 R1W Radial 1,980.00 Available in Goodyear only.

480/80R42 In. 151A8 R1 Radial

(18.4R42 In. 151A8 R1 Radial) Available in Goodyear and Firestone.

938.00

480/80R42 In. 151A8 R1W Radial 4214

4211

3,098.00 Available in Michelin only.

7330 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
4205		SINGLE REAR WHEELS AND TIRESContinued 520/85R38 In. 155A8 R1 Radial (20.8R38 In. 155A8 R1 Radial) Available in Goodyear and Firestone.	1,458.00
4216		650/65R38 In. 157A8 R1W Radial Available in Michelin only. Requires Code 9988 and 4900.	4,428.00
		Two Steel Wheels:	
		RCI Group 45 Size Tires Listed Narrowest to Widest Use with the proper RCI Group 40 MFWD Front Tire with same tread type and brand preference.	
4632		480/80R38 In. 149A8 R1 Radial (18.4R38 In. 149A8 R1 Radial) Requires Code 3020. Available in Goodyear and Firestone.	-140.00
		RCI Group 45 Size Tires Listed Narrowest to Widest Use with the proper RCI Group 45 MFWD Front Tire with same tread type and brand preference. Requires Code 3011.	
4633		18.4R38 In. 141A8 R2 Radial Available in Goodyear only.	608.00
		RCI Group 46 Size Tires Listed Narrowest to Widest Use with the proper RCI Group 46 MFWD Front Tire with same tread type and brand preference. Requires Code 3011.	
4602		320/90R50 In. 147A8 R1W Radial Available in Goodyear only.	1,534.00
		DUAL REAR WHEELS AND TIRES	
4900		No Duals	In Base Price
4901		Dual Hubs Only Requires Code 3002 and 0250 or 0350.	1,612.00

7330 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DUAL REAR WHEELS AND TIRESContinued	
		Two Steel Wheels and Hubs:	
		RCI Group 45 Size Tires Listed Narrowest to Widest Requires Code 3002 and 0250 or 0350.	
4908		480/80R38 In. 149A8 R1 Radial (18.4R38 In. 149A8 R1 Radial) Requires Code 4208. Available in Goodyear and Firestone.	5,200.00
		RCI Group 46 Size Tires Listed Narrowest to Widest Requires Code 3002 and 0250 or 0350.	
4902		320/90R50 In. 147A8 R1W Radial Requires Code 4202. Available in Goodyear only.	6,874.00
4955		14.9R46 In. 142A8 R1 Radial Requires Code 4255. Available in Firestone only.	6,108.00
4974		14.9R46 In. *** R1 Radial Requires Code 4274. Available in Goodyear only.	6,244.00
4959		420/80R46 In. 151A8 R1 Radial Requires Code 4259. Available in Firestone only.	6,930.00
4972		420/80R46 In. 151A8 R1 Radial Requires Code 4272. Available in Goodyear only.	6,930.00
4911		480/80R42 In. 151A8 R1 Radial (18.4R42 In. 151A8 R1 Radial) Requires Code 4211. Available in Goodyear and Firestone.	6,148.00
4944		18.4R42 In. 148A8 R1W Radial Requires Code 4244. Available in Goodyear.	7,190.00
4914		480/80R42 In. 151A8 R1W Radial Requires Code 4214. Available in Michelin only.	7,542.00
		FRONT WHEELS AND TIRES	
6055		For Code 0200 (Two Wheel Drive): 11.00-16 In. 12PR F2 Bias Available in Goodyear and Firestone.	-1,874.00

7330 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6053		FRONT WHEELS AND TIRESContinued 14L-16.1 In. 12PR F2 Bias Available in Firestone.	-1,568.00
6056		11.00-20 In. 12PR F2 Bias Available in Titan only.	-1,594.00
		For Code 0250 (Mechanical Front Wheel Drive):	
		RCI Group 40 Size Tires Two Multi-Position Steel Wheels Requires Code 0250 or 0350.	
6210		380/85R28 In. 133A8 R1 Radial Requires Code 4208 or 4632. Available in Goodyear and Firestone.	In Base Price
6174		16.9R26 In. 135A8 R1 Radial Requires Code 4208 or 4632. Available in Firestone.	34.00
		RCI Group 41 Size Tires Two Multi-Position Steel Wheels Requires Code 0250 or 0350.	
6151		320/85R34 In. 133A8 R1 Radial Available in Goodyear only.	624.00
6211		380/85R30 In. 135A8 R1 Radial (14.9R30 In. 135A8 R1 Radial) Available in Goodyear and Firestone.	250.00
6213		380/85R30 In. 135A8 R1W Radial Requires Code 4205 or 4214. Available in Michelin only.	1,644.00
6212		420/85R28 In. 139A8 R1 Radial (16.9R28 In. 139A8 R1 Radial) Requires Code 4205, 4211, 4259 or 4272. Available in Goodyear and Firestone.	528.00
6176		16.9R28 In. 136A8 R1W Radial Requires Code 4244. Available in Goodyear.	818.00
6025		540/65R28 In. 142A8 R1W Radial Requires Code 4216. Available in Michelin only.	3,076.00
		RCI Group 45 Size Tires Listed Narrowest to Widest Requires Code 3011 (High Clearance Rear Drop Axle).	
6005		320/90R46 In. 148A8 R2 Radial Available in Goodyear only.	3,940.00

7330 ComfortGard Premium Cab Tractor

SUGGESTED LIST PRICE USD (\$)	T DESCRIPTION	ATTACHMENT IDENTIFIER	CODE
	FRONT WHEELS AND TIRESContinued		
	RCI Group 46 Size Tires Listed Narrowest to Widest Requires Code 3011 (High Clearance Rear Drop Axle).		
3,026.00	320/90R50 In. 147A8 R1W Radial Available in Goodyear.		6009
	TRANSMISSION		
	All Transmission Options Feature Left Hand Reverser Controls. Transmissions WITHOUT Factory Installed Creepers.		
-1,567.00	PowrQuad PLUS (19 mph/30 kmh) 16F/16R with PowerTech E Engine Does not include Intelligent Power Management.		6973
In Base Price	PowrQuad PLUS (19 mph/30 kmh) 16F/16R with PowerTech Plus Engine Optional Auto De-clutch Function. Requires Code 9097. Includes Intelligent Power Management.		7073
3,159.00	AutoQuad PLUS (25 mph/40 kmh) 20F/20R with PowerTech Plus Engine Includes Auto De-Clutch Function. Requires Code 0250 or Code 0350. Not compatible with Code 0200. Includes Intelligent Power Management.		6961
8,506.00	Infinitely Variable Transmission (25 mph/40 kmh) Requires Code E/H SCV's: Codes 7231, 7232 or 7233. Has CommandARM Console Cab. Not compatible with Code 0200 or 2600. Includes Intelligent Power Management.		6935
2,403.00	CREEPER Transmissions PowrQuad PLUS (19 mph/30 kmh) 16F/16R with PowerTech Plus Engine with Creeper (Additional 12F/12R) Requires Code 7110 - Power Assisted PTO Shifting. Optional Auto De-clutch Function. Requires Code 9097.		7078
5,441.00	AutoQuad PLUS (25 mph/40 kmh) 20F/20R with PowerTech Plus Engine with Creeper (Additional 12F/12R) Includes Auto De-Clutch Function. Requires Code 7110 - Power Assisted PTO Shifting. Requires Code 0250. Not compatible with Code 0200.		6966
	POWER TAKE-OFF SHAFT		
In Base Price	540/1000 RPM Rear Reversible PTO		7102
866.00	3-Speed 540/540E/1000 Rear Reversible PTO with Power Assisted PTO Shifting 540E is an economy mode that allows engine to run at lower RPM and save fuel.		7110

7330 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR AXLES	
3001		Rack and Pinion 3.385 In. (86mm) Diameter by 96 In. Length	In Base Price
3002		Rack and Pinion 3.385 In. (86mm) Diameter by 110.5 In. Length	482.00
3020		Flanged Rear Axle (8x275mm Bolt Circle)	-1,235.00
3011		Hi Crop Drop Axle (60-88 In. Adjustment) Available only with Code 6973, 7073 or 7078. Not compatible with Code 0175, 0176, 0177 or 0178.	8,466.00
		REAR ROCKSHAFT AND HITCH	
2500		8800 Lb. Capacity 3-Point Hitch (Category 2) with Telescopic Draft Links and Sway Blocks	In Base Price
2520		8200 Lb. Capacity 3-Point Hitch (Category 3N/2) with Telescopic Draft Links, Secondary Chain Support and Sway Blocks Requires Code 0250 or 0350.	Same Price
2530		9950 Lb. Capacity 3-Point Hitch (Category 2) with Telescopic Draft Links, Secondary Chain Support and Sway Blocks Requires Code 0250 or 0350. Not compatible with Code 3002.	727.00
2540		9400 Lb. Capacity 3-Point Hitch (Category 3N/2) with Telescopic Draft Links, Secondary Chain Support and Sway Blocks Requires Code 0250 or 0350. Not compatible with Code 3002.	727.00
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
7226		Two Deluxe (3 Detent - 300 Series) Mechanical Selective Control Valves with ISO Breakaway Couplers Not compatible with Code 6935 (IVT Transmission). Not compatible with Premium (0174) and Premium Plus (0179) cab packages.	In Base Price
7231		Two Deluxe (3 Detent - 300 Series) E/H Selective Control Valves with ISO Breakaway Couplers	1,542.00
7232		Three Deluxe (3 Detent - 300 Series) E/H Selective Control Valves with ISO Breakaway Couplers	1,681.00
7233		Four Deluxe (3 Detent - 300 Series) E/H Selective Control Valves with ISO Breakaway Couplers Not compatible with Code 9340. Not compatible with Code 3011.	1,804.00
7236		Three Deluxe (3 Detent - 300 Series) Mechanical Selective Control Valves with ISO Breakaway Couplers Not compatible with Code 6935. Not compatible with Premium (0174) and Premium Plus (0179) cab packages.	1,174.00
		EXHAUST	
7453		Underhood Muffler with Deluxe Corner Post Exhaust	In Base Price

7330 ComfortGard Premium Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SEAT SUSPENSION	
7664		Air-Suspended ComfortCommand Seat Armrests, Lumbar support (5-position), Bidirectional (side-to-side and fore-and-aft) attenuation height and weight adjustments, Fore-and-aft adjustment, Swivel adjustment (20 degrees right or 15 degrees left), Operator presence switch, Seat belt with retractor.	In Base Price
		LOADER PACKAGES	
		Loader PREPARATION Package Includes: Mid-Mount Valve and Joystick as specified by code and Narrow Front Roof Header and Glass Roof with Hatch. Note: Loader Mounting Brackets, Hydraulic Hoses, Multi-Coupler and Hood Guard to be ordered with Front Loader (See Ag Sales Manual for details).	
8940		No Loader Package	No Charge
8941		Two Function Mechanical Independent Control Valve Loader Preparation Package Includes: 2-Function Mechanical Joystick with Activated Speed Shifting Buttons (inactive third function rocker switch), 2-Function Mid-mount Independent Control Valve, Narrow Front Roof Header and Glass Roof with Hatch. (Note: Loader Mounting Brackets, Hydraulic Hoses, Multi-Coupler and Hood Guard are ordered with Loader). Not compatible with Codes 0174, 0197, 8942, 8947 or 8948. Refer to Code 8952 in the "Attachments - Order As Desired" section for Loader Preparation Package Option Deducts.	2,609.00
8942		Three Function Mechanical Independent Control Valve Loader Preparation Package Includes: 3-Function Mechanical Joystick with Activated Speed Shifting Buttons, 3-Function Mid-mount Independent Control Valve, Narrow Front Roof Header and Glass Roof with Hatch. (Note: Loader Mounting Brackets, Hydraulic Hoses, Multi-Coupler and Hood Guard are ordered with Loader). Not compatible with Codes 0174, 0179, 8941, 8947 or 8948. Refer to Code 8952 in the "Attachments - Order As Desired" section for Loader Preparation Package Option Deducts.	3,144.00
8947		Two Function Electrical Independent Control Valve Loader Preparation Package Includes: 2-Function Electronic Joystick with Activated Speed Shifting Buttons (inactive third function rocker switch; Activated Speed Shifting not available with IVT transmission), 2-Function Electronic Mid-mount Independent Control Valve, Narrow Front Roof Header and Glass Roof with Hatch. (Note: Loader Mounting Brackets, Hydraulic Hoses, Multi-Coupler and Hood Guard are ordered with Loader). Not compatible with Codes 8941, 8942 or 8948. Refer to Code 8952 in the "Attachments - Order As Desired" section for Loader Preparation Package Option Deducts.	4,092.00
8948		Three Function Electrical Independent Control Valve Loader Preparation Package Includes: 3-Function Electronic Joystick with Activated Speed Shifting Buttons, (Activated Speed Shifting not available with IVT transmission), 3-Function Electronic Mid-mount Independent Control Valve, Narrow Front Roof Header and Glass Roof with Hatch. (Note: Loader Mounting Brackets, Hydraulic Hoses, Multi-Coupler and Hood Guard are ordered with Loader). Not compatible with Codes 8941, 8942 or 8947. Refer to Code 8952 in the "Attachments - Order As Desired" section for Loader Preparation Package Option Deducts.	4,627.00

ATTACHMENTS - ORDER AS DESIRED

7330 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
9075		Customer Gold Key Program: Gold Key Tour Not compatible with Code 9076. This personal guided tour strives to provide you with the unique opportunity to watch your machine during its final stages of manufacturing. This tour is limited by factory daily production allowance levels and may have an increased lead-time. A target tour date will be communicated in advance, but a date will not be firmed up until approximately 6 business days in advance for this tour and this date is subject to change up to the tour date. For more information, visit www.deere.com/goldkey.	No Charge
9076		Gold Key Experience Tour Not compatible with Code 9075. This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
8952		Loader Prep: Loader Preparation Package Option Deducts Allows the opportunity to deduct Glass Roof with Hatch when ordering Loader Preparation Package. Not compatible with Codes 9246. Requires Code 8941, 8942, 8947 or 8948.	-882.00
8830		ComfortGard and ComfortGard Deluxe Cab Options: Vandal Protection Package Includes Lockable Fuel Cap, Lockable Transmission Oil Fill, Lockable Hood and Engine Side Panels.	317.00
8875		Bottom Guard for Fuel Tank	263.00
8900		Fender Extension, 1-Piece Side and Rear Extension (Qty 2)	465.00
9023		Dual Beam Ground Speed Radar Sensor	977.00
9109		Deere/Delco AM/FM Stereo Radio with Weather band, Two Speakers, Clock and Antenna Requires Code 0172.	729.00
9140		Signal Interface Socket 7-Pin Signal Interface Socket allows Implements to Communicate with the Tractor. Complies to ISO Standard 11786.	87.00
9146		Multi Power Outlet Strip Provides 6 Additional 12 Volt Outlets for Permanent or Ignition Key Controlled Power.	64.00
9218		Cup Holder (Right Hand A-Post Mounted)	37.00
9246		Roof Hatch with Glass, Narrow Roof Header	560.00
8874		Fuel Tank, 83 Gal. (315L)	428.00

7330 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
9024		Lighting / Electrical: 150 Amp Alternator Not compatible with Code 6935.	253.00
9041		200 Amp Alternator	282.00
9056		Deluxe Lighting Includes Standard Lights plus H3 Fender Mounted Rear Facing Lights and Rotary Beacon Light.	439.00
9057		Premium Lighting Includes Standard Lights plus H3 Fender Mounted Rear Facing Lights, Rotary Beacon Light, Xenon Beltline Work Lights, and Xenon Roof Mounted Rear Facing Work Lights. Not compatible with Code 0172, Base Cab Package.	2,641.00
9097		Auto De-Clutch Function for PowrQuad Plus Transmissions Allows PowrQuad Plus Transmission Range Shifting by depressing the Auto De-clutch button versus the traditional foot clutch. Requires Transmission Code 7073 or 7078.	228.00
9272		60A Power Harness For Implements Requiring Only a Power Socket. Allows for Field Upgrades to Install Displays and ISOBUS Gateway Controller.	403.00
8841		Front Axle: Front Fenders for MFWD (Rigid) 18.9-In. (480mm) Coverage Width (2)	534.00
8842		Front Fenders for MFWD (Rigid) 21.3-In. (540mm) Coverage Width (2)	573.00
9011		Hitch and Drawbar: Quik-Coupler (Category 3N/2) Requires Code 2520 or 2540.	1,509.00
9015		Quik-Coupler (Category 2) Requires Code 2500 or 2530.	1,377.00
9137		Hydraulic Center Link	1,242.00
9340		Power Beyond for Rear SCV's	128.00
9441		Drawbar with Hammerstrap	263.00
9020		Engine: Cold Start Package I Includes 174Ah battery, Engine Coolant Heater (110V). Not compatible with Code 9021.	306.00
9021		Cold Start Package II Includes 174Ah battery, engine coolant heater (110V), ground fault interrupter, charge pump heater, transmission heater (110V). No transmission heater with IVT Tractors. Not compatible with Code 9020.	479.00
9025		Fuel Heating System (12v)	152.00

7330 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9104		ATTACHMENTS - ORDER AS DESIREDContinued Rear Window Defrost	298.00
8659		Miscellaneous: Australia, New Zealand; LH Traffic	No Charge
9350		Hydraulic Trailer Brakes	444.00
9608		French Operator's Manual and Decal Kit	No Charge
9660		Spanish Operator's Manual and Decal Kit	No Charge
9988		Tire Preference / Special Handling Codes: No Brand Preference	No Charge
9992		Firestone Brand Only	400.00
9993		Goodyear Brand Only	400.00
9401		Quik-Tatch Front-end Weight Packages: Quik-Tatch Weight Support Less Weights Add 313 Lbs. Front, Subtract 73 Lbs. Rear. Only available in the US, Canada and Mexico.	358.00
9404		Quik-Tatch Weight Support with Four Weights Add 884 Lbs. Front, Subtract 229 Lbs. Rear. Only available in the US, Canada and Mexico.	772.00
9406		Quik-Tatch Weight Support with Six Weights Add 1168 Lbs. Front, Subtract 306 Lbs. Rear. Only available in the US, Canada and Mexico.	998.00
9408		Quik-Tatch Weight Support with Eight Weights Add 1455 Lbs. Front, Subtract 384 Lbs. Rear. Only available in the US, Canada and Mexico.	1,229.00
9410		Quik-Tatch Weight Support with Ten Weights Add 1742 Lbs. Front, Subtract 463 Lbs. Rear. Only available in the US, Canada and Mexico.	1,434.00
9412		Quik-Tatch Weight Support with Twelve Weights Add 2026 Lbs. Front, Subtract 540 Lbs. Rear. Only available in the US, Canada and Mexico.	1,704.00
9414		Quik-Tatch Weight Support with Fourteen Weights Add 2310 Lbs. Front, Subtract 619 Lbs. Rear. Only available in the US, Canada and Mexico.	1,983.00
9418		Quik-Tatch Weight Support with Eighteen Weights Add 2881 Lbs. Front, Subtract 774 Lbs. Rear. Only available in the US, Canada and Mexico.	2,463.00

7330 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
		Rear Wheel Weights - For Inside/Inner Drive Wheels: Single 75 kg weight available as Field Installed Option Only. Weights shown are for each weight.	
9264		One Pair 205 kg (450 Lb.) Cast Wheel Only	1,250.00
9266		Two Pairs of 205 kg (450 Lb.) Cast Wheel Only Minimum tread spacing is 68 In.	2,498.00
		Rear Wheel Weights - For Outside/Inner Drive Wheels (Cast): Single 75 kg weight available as Field Installed Option Only. Weights shown are for each weight. Requires Code 4900.	
9284		One Pair 205 kg (450 Lb.) Cast Wheel Only	1,250.00
9292		One Pair 75 kg (165 Lb.) and One Pair 205 kg (450 Lb.) Compatible for BOTH Cast and Steel Wheels.	1,802.00
		Rear Wheel Weights - For Outside/Outer Dual Wheels (Steel): Weights shown are for each weight. Not for 34 In. wheels, unless noted.	
9293		One Pair 75 kg (165 Lb.) and One Pair 205 kg (450 Lb.) Not for Code 4900.	1,802.00
		FOR FRONT HITCH EQUIPMENT, CONTACT:	
		Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com	
		REGION 1 EXPORT	
		All Market Segment Codes, Attachment Codes and Attachment for Field Conversion Codes listed below are for tractors being ordered by branches in Region 1 Export Markets outside of North America ONLY.	
9880		Latin America	No Charge
9881		Brazil	No Charge
9882		Australia	No Charge
9883		Argentina	No Charge
9884		South Africa	No Charge
9885		Uruguay	No Charge
9886		Mexico	No Charge

7330 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9887		REGION 1 EXPORTContinued Central America	No Charge
9888		JDIN	No Charge
9889		JD Asia	No Charge
9890		WW Logistics (Other Region 1 Countries)	No Charge
9891		China	No Charge
9053		Region I Export Attachments: Left-Hand Lighting	No Charge
9090		Skid for Duals	152.00
		ATTACHMENTS FOR FIELD CONVERSION	
	RE278980	Electrical: Radar with Dual Beam Sensor Requires AL171547 Attaching Bracket Kit.	See Parts
	AL171547	Radar, Dual Beam Attaching Kit Includes Bracket, Wiring Harness and Installation Hardware. Order RE249206 Radar through Parts. Requires AL178987 Software Installation Download for 6030 and 7030 Premium Cab Series (Includes Performance Monitor Functionality Download).	317.00
	AL173201	Engine: Cold Weather Starting Package (IVT) Includes Coolant Heater, Charge Pump Heater and Mounting Parts. Compatible with IVT Transmission only.	372.00
	AL173200	Cold Weather Starting Package - 110 Volt Includes Coolant Heater, Transmission Heater, Charge Pump Heater and Mounting Parts. Compatible with all transmissions EXCEPT IVT.	469.00
	AL173967	Engine Coolant Heater (110V) Engine Coolant Heater is included in Cold Weather Starting Packages. Compatible with 6020 and 6030 Series.	82.00
	AL173596	Engine Ventilation with Oil Separator Kit Engine oil separator re-extracts the oil particles from the crankcase ventilation system for return back into the engine oil sump.	428.00
	AL158520	Fuel Pre-Heater Kit	148.00
	AL174767	Fenders: Fender Side Extension Dimensions: Length 4.33 In. (110 mm) x Width 0.59 In. (15 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	180.00

7330 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL174768	ATTACHMENTS FOR FIELD CONVERSIONContinued Fender Side Extension Dimensions: Length 4.33 In. (110 mm) x Width 2.36 In. (60 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	180.00
	AL174769	Fender Side Extension Dimensions: Length 7.48 In. (190 mm) x Width 0.79 In. (20 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	200.00
	AL174770	Fender Side Extension Dimensions: Length 7.48 In. (190 mm) x Width 2.56 In. (65 mm). Refer to installation instructions for additional hardware needed to complete installation on certain models. See Ag Sales Manual for Compatible Tire Combinations.	200.00
	AL165336	Fender Stop Panel For Models with Turnable MFWD Fenders.	411.00
	AL180095	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	668.00
	AL180097	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	677.00
	AL180099	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	686.00
	AL180101	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	716.00
	AL180103	MFWD Front Fenders, Fixed, 24.4 In. (620 mm) Wide See Ag Sales Manual for Compatible Tire Combinations.	725.00
	AL180098	MFWD Front Fenders, Turnable, 16.5 In. (420 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180100	MFWD Front Fenders, Turnable, 18.9 In. (480 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL180102	MFWD Front Fenders, Turnable, 21.3 In. (540 mm) Wide See Ag Sales Manual for Compatible Tire Combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,216.00
	AL159975	Rear Fender Flap for Fender Side Extensions Dimensions: Width 9 In. (229 mm) x Length 24.8 In. (632 mm). Requires Fender Side Extension of 190 x 20 mm. or 190 x 65 mm.	81.00
	AL159939	Guards: Guard, Fuel Tank Bottom, 66 US Gal. (250L)	195.00
	AL163513	Guard, Fuel Tank Bottom, 81 US Gal. (305L)	209.00

7330 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL174551	Hitch and Drawbar: Center Link, Hydraulic CAT 3/90 Permits quick and convenient center link adjustment (90 cm/35.4 In.) from the cab through SCV Levers.	1,581.00
	RE63112	Quik-Coupler, Category 2	1,008.00
	RE60742	Quik-Coupler, Category 3N/2	1,487.00
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	AL151119	Stabilizer Bar, Mechanical (One) with Attaching Parts May be used with either RH or LH. Not compatible with telescopic draft links. For 7330 only.	298.00
	AL203674	Hydraulics: E-ICV Control Lever (Joystick) with out CommandARM (on RH Armrest) with Gear Shifting For "Sears" seats. Reference installation instructions for additional information.	1,546.00
	AL176950	Electronic #3 Deluxe 300 Series 3 Function SCV (E-SCV) Contains: #3 E-SCV, Paddle Pod Control Switch and Cover, Mounting Studs, Relays, Fuse, Color Coded Dust Protector and ISO Couplers. Requires AL178179 Software and Dealer Calibration to Activate Feature.	1,242.00
	AL207612	Electronic #3 Super Deluxe 350 Series 3 Function SCV (E-SCV) Reference installation instructions for additional order parts required for installation and compatibility requirements.	944.00
	AL207610	Electronic #4 Super Deluxe 350 Series 3 Function SCV (E-SCV) Reference installation instructions for additional order parts required for installation and compatibility requirements.	1,132.00
	AL175231	Electronic Control Kit (E-ICV with E-SCV) Required for Tractors equipped with Electronic E-ICV if the tractor is equipped with Electronic SCVs (E-SCV). Order with AL174933 or AL174934. Requires Dealer Performed Calibration through Service Advisor or DTI. Refer to MHM 1111 Installation Instructions.	381.00
	AL175230	Electronic Control Kit (E-ICV with M-SCV) Required for Tractors equipped with Electronic E-ICV if the Tractor is equipped with Mechanical SCVs (M-SCV). Order with AL174933 or AL174944. Requires Dealer Performed AL177920 Software Download for Controller Calibration through Service Advisor. Requires AH224250 Power Module, L169001 Bracket, and AL171919 Harness. Refer to MHM 1111 Installation Instructions for more detailed information.	682.00
	RE228000	Hydraulic Motor Case Drain Allows coupling of the oil return line of a hydraulic motor into a pressure-free circuit. Recommended for usage with Hydraulic Motors that are susceptible to damage if return Coupler flow checks.	174.00
	AL207616	Independent Control Valve, Electronic (E-ICV), 2 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,663.00

7330 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL207617	ATTACHMENTS FOR FIELD CONVERSIONContinued Independent Control Valve, Electronic (E-ICV), 3 Function Reference Installation Instructions for also order parts and compatibility requirements.	2,428.00
	AL207614	Independent Control Valve, Mechanical (M-ICV), 2 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,056.00
	AL207615	Independent Control Valve, Mechanical (M-ICV), 3 Function Reference Installation Instructions for also order parts and compatibility requirements.	1,628.00
	AL174410	Joystick, Electronic 3 Function, (Compatible with CommardARM), Non-Shiftable Compatible on tractors above S/N 7230020741. Requires Hydraulic Lines (AL174937), Independent Control Valve (AL174933 or AL174934) and Electrical Control Kit (AL175230 or AL175231). Compatible with 2 or 3 Function Midmount Independent Valves. If equipped with 2 Function E-ICV, the 3rd Function Rocker Switch is inactive.	1,283.00
	AL179418	Joystick, Electronic 3 Function, (Sears Seat without CommandARM), Non-Shiftable Requires Hydraulic Lines (AL174937), Independent Control Valve (AL174933 or AL174934) and Electronic Control Kit (AL175230 or AL175231). Compatible with 2 or 3 Function Midmount ICV. If equipped with 2 Function E-ICV, the 3rd Function Rocker Switch is inactive.	1,341.00
	AL175020	Joystick, Mechanical 2 Function, Non-Shiftable Requires Hydraulic Lines (AL174937) and Mechanical Independent Control Valve (AL204116). Mounts on side of RH Console.	404.00
	AL176245	Joystick, Mechanical 2 Function, Shiftable Controls Rear Mechanical SCVs in the #3 & #4 positions. Compatible with PowrQuad PLUS or AutoQuad PLUS Transmissions only.	527.00
	AL175022	Joystick, Mechanical 2 Function, Shiftable Requires Hydraulic Lines (AL174937) and Mechanical Independent Control Valve (AL204116).	574.00
	AL175024	Joystick, Mechanical 3 Function, Shiftable Requires Hydraulic Lines (AL174937) and Mechanical Independent Control Valve (AL204117). Not compatible with IVT.	731.00
	AL174937	Lines, Hydraulic, Independent Control Valve, (ICV) Required for AL1204116, AL204117, AL174933 or AL174934 Independent Control Valve.	575.00
	AL207607	Mechanical Deluxe Select Control Valve 100 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	504.00
	AL204102	Mechanical Deluxe Select Control Valve 200 Series (2-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	651.00
	AL207609	Mechanical Deluxe Select Control Valve 200 Series (No-Detent), Function Kit Includes ISO Couplers Reference Installation Instructions for also order parts and compatibility requirements.	675.00

7330 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL205078	ATTACHMENTS FOR FIELD CONVERSIONContinued Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL207613	Mechanical Super Deluxe Select Control Valve 350 Series (3-Detent), Function Kit Includes ISO Couplers Reference installation instructions MHM1161 also for order parts and compatibility requirements.	805.00
	AL176243	Position Kit, Position #3, Mechanical SCVs (Premium Cab Tractors)	169.00
	AL176244	Position Kit, Position #4, Mechanical SCVs (Premium Cab Tractors)	244.00
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement Kit contains three male Hose Tips and Dust Shields on Attachment Side for Connection of pressure, return and load sense. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176299) 1/2-In. (12.5 mm) for Tractor End.	237.00
	AL176299	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Tractors Kit contains three Female Couplers and Dust Shields. Connects Pressure, Return and Load Sense Hoses from Implement to Tractor. Kit does not contain Hydraulic Hoses. Requires Power Beyond Couplers (AL176808) 1/2-In. (12.5 mm) for Implement End.	237.00
	AL173905	Trailer Brakes, Hydraulic For Tractors equipped with PFC Hydraulic System. Requires additional components to complete installation. See installation instructions.	471.00
	AL169602	Valve, Shut Off, Electrically Actuated, Loader Boom	625.00
	AL174686	Valve, Shut Off, Electrically Actuated, Loader Mast	421.00
	AL174214	Lighting: Beacon Light for Cab Requires Command Center Calibration to activate feature.	219.00
	AL174809	Bracket, Belt Line Lights (H3, H4 or Xenon) Forward Facing, LH and RH Brackets are required for Belt Line Lights if not Factory Installed. Kit does not include Lights.	141.00
	AL201586	Extremity Lights Preparation Kit See Parts Catalog and MHM 873 Installation Instructions for additional components.	922.00
	AL174332	Headlights, H4 (2) High/Low Beam Forward Facing Requires Brackets (AL174809) and Command Center Calibration to activate feature. For Tractors with a "nose-up" of more than 1.5 degrees. See Installation Instructions for additional parts.	474.00
	AL205374	Work Light, H3 (1) Rear Facing, Fender Mounted, LH or RH Requires Command Center calibration to activate feature.	86.00
	AL175583	Work Lights, (2) Belt Line Xenon Forward Facing Requires Brackets (AL174809) and Command Center Calibration to activate feature.	1,595.00

7330 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL205373	ATTACHMENTS FOR FIELD CONVERSIONContinued Work Lights, H3 (55 Watt) (2) Belt Line or Rear Facing Fender Mounted Can be used for front facing belt line (in the upright or hanging position), or rear facing fender mounted work lights. Requires Command Center calibration to activate feature.	253.00
	AL205372	Work Lights, H3 (55 Watt) (2) Rear Facing or Roof Mounted Requires Command Center Calibration to activate feature. Can be used for rear facing fender mounted worklights or rear facing roof mounted worklights.	270.00
	AL177887	Work Lights, Rear Facing, Xexon HID (2), Cab Roof Mounted, LH and RH Requires Command Center Calibration to Activate Feature. Order L153232 double faced adhesive tape if required.	1,555.00
	AT173678	Operator Environment: 3 Inch Seat Belt	See Parts
	RE67015	3-Way Convenience Adapter for Power Strip	See Parts
	AL174997	7-Pin Signal Socket Mount in right-hand Rear "C" Post. Requires Multi-Socket Outlet with 12 Volt 30A Supply (AL174347).	30.00
	AL164673	Ash Tray	See Parts
	AL112070	Beverage Cooler Box Portable, non-electrical. Mounts on the floor in the front right of the cab.	130.00
	AL156731	Bottle Holder, Floor Mounted, Left Side	35.00
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	AL173370	Cigarette Lighter	See Parts
	AL163826	Cup Holder, Right-Hand A-Post Mounted	41.00
	AL174264	Field Office with Refrigerator	787.00
	AL174262	Field Office without Refrigerator	254.00
	AL158986	Filter Kit, Carbon, with LH and RH Fresh Air and Recirculation	See Parts
	AL175376	Heat Guard/Exhaust Pipe, Stainless Steel	249.00
	AL173569	Instructional Seat with Seat Belt	545.00
	AL151224	Mirror, Inside Rear Mounts behind operator's right shoulder - provides increased Drawbar Visibility.	145.00
	AL80126	Mirror, Telescopic, LH, Manually Adjustable	149.00
	AL80127	Mirror, Telescopic, RH, Manually Adjustable	149.00
	AL157751	Mirrors, Telescopic, LH & RH, Electronically Adjustable	1,457.00

7330 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL174347	ATTACHMENTS FOR FIELD CONVERSIONContinued Multi-Socket Outlet with 12 Volt 30A Supply Mounts in right-hand Rear "C" Post. Provides power outlet to operate cell phone, laptop computer, etc. Can be upgraded with 7-Pin Signal Socket (AL174997).	82.00
	AL174215	Power Strip with Six Outlets	70.00
	RE289848	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband Includes audio input jack for MP3 compatible devices.	434.00
	RE289852	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband Includes audio input jack for MP3 compativle devices.	849.00
	AL174263	Refrigerator (Electrical Cooling Compartment)	678.00
	AL201826	Seat Belt with Mounting Parts	109.00
	AL119286	Seat, Swivel, Operators, 180 degrees For Tractors not equipped with CommandARM.	See Parts
	AL179613	Software: Headland Management System 3 PLUS (HMS) Additional Parts and Command Center Activation required to complete installation. Includes Performance Monitor function and Auto MFWD capability. For 6030 Premium and 7030 Premium Series Tractors produced after 01 Nov 2007.	See Parts
	AL180431	Software: Intelligent Power Management - 7330 Premium Cab Refer to MHM1166 Installation Instructions to order AL180431 Software Download from PDC to Complete CommandCenter Activation. For 7330 Premium Cab Tractor Only equipped with 4-valve PowerTech Plus Engine and PowrQuad or AutoQuad Transmission.	See Parts
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE282643	Steering Wheel, Dark Brown Leather	See Parts
	AL174359	Sun Screen, Telescopic (Rollo Blinds) Kit includes (1) Sun Screen with Mounting Hardware. May be used either in Front or Rear Window.	140.00
	AL157620	Sun Visor	88.00
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	AL157189	Windshield Washer, Front Requires additional parts available from PDC for Tractors not equipped with RH door.	175.00
	AL174219	Wiper, Rear Window	244.00
	AL176910	Wood-look Interior Trim Kit includes Decorative Covers for the Front Header Console, Front and Rear Headlining.	450.00

7330 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
		PTO/Front Auxiliary Drive: Front PTOs are no longer available as a field installed option through John Deere. Availability is limited to existing inventory. When inventory is exhausted, please contact Laforge Hitch for your Front PTO and Front Hitch needs.	
		Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com	
	AL160985	Front Auxillary Drive (Crankshaft pulley without Drive Shaft)	704.00
	AL174225	Transmission: Back-up Alarm - PowrQuad PLUS, AutoQuad and IVT Transmissions Requires AL178365 Software Download and Dealer Calibration through CommandCenter or Service Advisor to activate.	496.00
	AL173423	Creeper Kit for 20F/20R AutoQuad PLUS or PowrQuad PLUS 5-Range (25 mph/40kmh) Transmission Additional parts are required to complete installation - see installation instructions. Cab Installation Kit (AL173654) and Diagnostic Software Kit (AL178511) from PDC required for installation.	4,264.00
	AL173654	Creeper, Control Kit Required to complete Creeper installation.	136.00
	AL71345	Vandal Protection: Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts
	AL175118	Vandal Protection Field Kit Kit contains Hood and Side Shield Locks. Lockable Fuel Tank Cap. Lockable Transmission Oil Filler Neck.	562.00
	RE300840	Weights: Front Weight Support, 243 Lb. (110 Kg)	542.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg)	282.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00
	R207782	Weight, Wheel, 450 Lb.	664.00

7330 ComfortGard Premium Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	R180505	Wheel Equipment: Bolts, Round Head Square Short Neck, M16X2X65 <i>Order 24.</i>	See Parts
	R116570	Bolts, Round Head Square Short Neck, M22X90 Order 24.	See Parts
	AR182457	Kit, Row Spacing (ZF Axles) 10 Bolt Pattern (335 mm diameter).	1,087.00
	AR190666	One 10 In. Dual Hub Extension	759.00
	AR190668	One 13 In. Dual Hub Extension	844.00
	AR190669	One 15 In. Dual Hub Extension	884.00
	AR194744	One 5 In. Dual Hub Extension	685.00
	R112387	Row Spacing (ZF Axles) 10 Bolt Pattern (335 mm diameter).	See Parts
	R115277	Tread Spacers Order 16.	See Parts
	R116540	Tread Spacers Order 24.	See Parts

6140R Cab Tractor

Equipment for Base Machine

CommandCenter Display Includes: GreenStar 3 Application Capability ENGINE: John Deere PowerTech PVX Diesel In-line 6-Cylinder Wet-Sleeve Activations Required with High Pressure Common Rail (HPCR)
Fuel System and 24 Valve Head
6.8 L (414 Cu. In.) Displacement
140 Engine hp 97/68/EC @ Rated Speed Access Manager Universal Performance Monitor Display Function Definable by Operator 111 SAE PTO hp @ Rated Speed High Pressure Common Rail OPERATOR PROTECTIVE STRUCTURE ComfortView Cab with Air Conditioning Variable Geometry Turbocharger and and Heater Exhaust Gas Recirculation
Dual Temp Cooling System
PowerCore G2 Air Filtration System with
Permanent Pre-Cleaning and Safety Element One Panorama LH Door One Panorama RH Window Front Windshield Washer and Wiper Air Suspended Seat with Seat Belt Tilt/Telescopic Steering Column Underhood AfterTreatment System with Deluxe Corner Post Exhaust Operational Controls Console Mounted Self Priming and Bleeding Electronic Fuel Pump 80.5~Gal~(305~L) Fuel Tank Capacity Floor Mat Foot Throttle Control Diff Lock Switch Intelligent Power Management AM/FM Stereo Radio with Weatherband, Clock, Two Speakers and Antenna Coat hook TRANSMISSION: 20/20 AutoQuad PLUS ECO; 25 mph (40km/h) Overhead Storage Bin Reduced engine rpm's at max transport speed Electronic LH Reverser Left Hand Storage Bin and Accessory Outlet Overhead Courtesy Light Perma-Clutch II (Hydraulically Engaged Wet Disk Rear View Mirror Clutch) Speed Matching Cup Holder on RH console Sun Visor Park Lock Neutral Safety Start System Right Hand Steps and Hand Rail STEERING, BRAKES, DIFFERENTIAL: **ELECTRICAL:** Hydrostatic Steering Key Shutoff 12 Volt Electrical System 12 Volt Battery, 154 Ah (1230 Cold Wet-Disk Hydraulic Power Brakes Hydraulically-Engaged Rear Axle Differential Lock Cranking Amps) 120 Amp Alternator 3 Pin Accessory Outlet Multi-Power Outlet Sockets Pressure and Flow Compensating Axial Piston Pump 30 GPM (114 L/min) Pump Output 7 Terminal Rear Implement Electrical Outlet Socket 12V Electrical Convenience 26.4 GPM (100 L/min) Flow @ One SCV Three 350 Series SCVs; Mechanical with ISO Outlet on RH Console Breakaway Couplers REAR PTO: LIGHTS: 540/1000 RPM, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield Four Front Grille Headlights Two Front Grille Worklights Electrohydraulic Activation Two Belt Line Mounted Lights Wet Multi-Disk Clutch Four Front Roof Lights Neutral Start Safety System Two Rear Roof Lights Seat Activated PTO Warning Four Roof Mounted Flashing Hazard Lights Two Rear Fender Tail Lights with ROCKSHAFT, HITCH AND DRAWBAR: Electrohydraulic Hitch with Transport Brake Lights Lock and External Remote Controls 3-Point (Category 3/3N) Hitch FRONT AXLE WHEELS AND TIRES: 8,199 Lb Lift Capacity Electronic Lower Link Draft Sensing Steel Wheels Telescopic Draft Links Electrohydraulic MFWD Engagement Sway Blocks Two 380/85R30 In. 135A8 R1 Radial Tires Category 2 Swinging Drawbar with Hammerstrap Secondary Implement Chain Support REAR AXLE WHEELS AND TIRES: Adjustable Center Link with Ball End Rack and Pinion Axle; 100 In. Length x 3.622 In. (92 mm) Diameter INSTRUMENTATION: Two Cast Wheels Dashboard Instrument Panel Includes: Two 480/80R42 In. 151A8 R1 Radial Tires Tachometer MISCELLANEOUS: Speedometer Hour Meter JDLink Capable Fuel Gauge Operator's Manual (English) and Holder Engine Oil Pressure Indicator Light SMV Emblem Coolant Temperature PTO Engagement Engine Air Filter Restriction Indicator Alternator Directional Indicators

Hazard Switch

6140R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE EX-WORKS Waterloo, Iowa	
01A1RW		6140R Cab Tractor	128,370.00
		DESTINATION	
0184		Canada	Same Price
0202		United States	In Base Price
		ODED A TOD STATION	_
2050		Base Cab Includes 1 LH Panorama door, RH Steps,Sun Visor,GS3 CommandCenter Display located on RH console,Front Windshield Washer and Wiper, Manual Temperature Controls, Air Seat, Coat hook,Two 3-Pin Plugs, Overhead Storage Bin, Overhead Reading Light, Rear View Mirror, Multi Power Outlet Strip, 7-pin Signal Interface Socket, and JDLink Capable.	In Base Price
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Not compatible with video.	
2058		Deluxe Cab Includes Base Package Plus: Mirrors RH and LH - Manually Adjustable and Telescopic, Rear Windshield Washer and Wiper, Instructional Seat, and Bottle Holder.	1,880.00
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations and sold separately. Not compatible with video.	
2063		Premium Cab Includes Base Package Plus: RH Openable Door, Roller Blind, GS3 CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Front and Rear Windshield Washer and Wiper, Automatic Temperature Control, Instructional Seat, and Bottle Holder. Requires Electronic SCV's. Not compatible with Code 3325, 3332, and 8276.	4,705.00
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	
2067		Premium Plus Cab Includes Base Package Plus: RH Openable Door, Roller Blind, GS3 CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Front and Rear Windshield Washer and Wiper, Automatic Temperature Control, Deluxe Air Seat, Instructional	9,244.00

6140R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	. DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATIONContinued Seat, Bottle Holder, and Adaptive Hydraulic Cab Suspension Plus. Requires Electronic SCV's. Not compatible with Code 3325 ,3332, and 8276.	
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	
		TRANSMISSION	
		All Transmission Options Feature Left Hand Reverser Controls.	
1437		PowrQuad PLUS (19 mph/30 kmh) 16F/16R Includes Auto De-Clutch Function.	-3,090.00
1461		AutoQuad PLUS ECO (25 mph/40 kmh) 20F/20R Includes Auto De-Clutch Function. Not compatible with Code 6022 (2WD front axle).	In Base Price
1465		AutoQuad PLUS (31 mph/50 kmh) 20F/20R Includes Auto De-Clutch Function. Requires Code 6067 (TLS Plus with brakes), 8756 (hydraulic trailer brakes), & B speed rated rear tires.	Same Price
1551		Infinitely Variable Transmission (25 mph/40 kmh) Requires Code E/H SCV's: Codes 3331 or 3341 and Code 8742 (200 amp alternator). Includes CommandARM Console. Not compatible with Code 6022 (2wd front axle).	8,638.00
1552		Infinitely Variable Transmission (31 mph/50 kmh) Requires Code E/H SCV's: Codes 3331 or 3341 and Code 8742 (200 amp alternator). Includes CommandARM Console. Not compatible with Code 6022 (2wd front axle). Requires Code 6067 (TLS Plus with brakes), 8756 (Hydraulic trailer brakes), & B speed rated rear tires.	8,638.00
		RADIO PACKAGES	
2660		Deluxe Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	In Base Price
2661		Premium Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, CD/MP3 Player, Remote Mounted USB port and Auxiliary Input Jack, Bluetooth Capable including Hands Free External Microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers and External Antenna. Not available for Australia or New Zealand.	345.00
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
3325		Two Deluxe (3 Detent) Mechanical Selective Control Valves with ISO Breakaway Couplers Not compatible with Code 1551 or 1552 (IVT Transmission). Not compatible with Premium (2063) and Premium Plus (2067) cab packages.	-1,193.00
3332		Three Deluxe (3 Detent) Mechanical Selective Control Valves with ISO	In Base Price

6140R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVESContinued Breakaway Couplers Not compatible with Code 1551 or 1552 (IVT Transmission). Not compatible with Premium (2063) and Premium Plus (2067) cab packages.	
3331		Three Deluxe (3 Detent) E/H Selective Control Valves with ISO Breakaway Couplers	1,513.00
3341		Four Deluxe (3 Detent) E/H Selective Control Valves with ISO Breakaway Couplers Not compatible with Code 832J (Power Beyond).	2,367.00
		POWER TAKE-OFF	
3820		540/1000 RPM Rear Reversible PTO Includes 1-3/8 In. shaft.	In Base Price
3831		3-Speed 540/540E/1000 Rear Reversible PTO with Power Assisted PTO Shifting Includes 1-3/8 In. shaft. 540E is an economy mode that allows engine to run at lower RPM and save fuel.	880.00
		REAR ROCKSHAFT AND HITCH	
4033		8,199 Lb.(3719kg) Capacity 3-Point Hitch (Category 3/3N) with Telescopic Draft Links and Sway Blocks	In Base Price
		REAR AXLES	
5052		Rack and Pinion 3.62 In. (92mm) Diameter by 100.4 In. Length	In Base Price
5057		Rack and Pinion 3.62 In. (92mm) Diameter by 110.5 In. Length <i>Includes extremity lights.</i>	489.00
5031		Flanged Rear Axle (275mm Stud Circle Diameter)	-1,272.00
		REAR WHEELS AND TIRES	
		For complete tire and wheel information, refer to the Agricultural Sales Manual.	
		REAR WHEELS AND TIRES (STEEL):	
		A Speed Rated RCI Group 45 Size Tires Listed Narrowest to Widest Use with the proper RCI Group 40 MFWD Front Tire with same tread type and brand preference.	
5300		480/80R38 In. 149A8 R1 Radial in Single Wheel Configuration (18.4R38 In. 149A8 R1 Radial) Requires Code 5031 (Flanged Axle). Requires Code 6370, 6371, 6166, 6168, or 6165. Available in Goodyear and Firestone.	-1,666.00

6140R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRESContinued	
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 40 km/h TRANSMISSIONS:	
		A Speed Rated RCI Group 45 Size Tires Listed Narrowest to Widest Listed Single to Duals	
		Use with the proper RCI Group 40 MFWD Front Tire with same tread type and brand preference.	
5303		480/80R38 In. 149A8 R1 Radial in Single Wheel Configuration (18.4R38 In. 149A8 R1 Radial) Available in Goodyear and Firestone. Requires Code 6370, 6371, 6166, 6168, or 6165.	-1,516.00
		Requires Code 5052 or 5057 (Rack & Pinion).	
5403		480/80R38 In. 149A8 R1 Radial in Dual Wheel Configuration (18.4R38 In. 149A8 R1 Radial) Available in Goodyear and Firestone. Requires Code 6370, 6371, 6166, 6168, or 6165.	3,798.00
		Requires Code 5057 (Rack & Pinion).	
		A Speed Rated RCI Group 46 Size Tires Listed Narrowest to Widest Listed Single to Duals	
		Use with the proper RCI Group 41 MFWD Front Tire with same tread type and brand preference.	
5310		320/90R50 In. 147A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 6375, 6166, 6168, or 6165. Requires Code 5052 or 5057 (Rack & Pinion).	230.00
5410		320/90R50 In. 147A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 6375, 6166, 6168, or 6165. Requires Code 5057 (Rack & Pinion).	7,310.00
5311		14.9R46 In. 142A8 R1 Radial in Single Wheel Configuration Available in Firestone only. Requires Code 6376, 6166, 6168, or 6165. Requires Code 5052 or 5057 (Rack & Pinion).	-480.00
5411		14.9R46 In. 142A8 R1 Radial in Dual Wheel Configuration Available in Firestone only. Requires Code 6376, 6166, 6168, or 6165. Requires Code 5057 (Rack & Pinion).	5,994.00
5312		14.9R46 In. 142A8 R1 Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 6375, 6376, 6166, 6168, or 6165. Requires Code 5052 or 5057 (Rack & Pinion).	-408.00
5412		14.9R46 In. 142A8 R1 Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 6375, 6376, 6166, 6168, or 6165. Requires Code 5057 (Rack & Pinion).	5,994.00
5313		420/80R46 In. 151A8 R1 Radial in Single Wheel Configuration Available in Firestone and Goodyear. Requires Code 6378, 6376, 6166, 6168, or 6165. Requires Code 5052 or 5057 (Rack & Pinion).	312.00
5413		420/80R46 In. 151A8 R1 Radial in Dual Wheel Configuration Available in Firestone and Goodyear. Requires Code 6378, 6376, 6166, 6168, or 6165. Requires Code 5057 (Rack & Pinion).	7,434.00

6140R Cab Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5315		REAR WHEELS AND TIRESContinued 18.4R42 In. 148A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 6379, 6166, 6168, or 6165. Requires Code 5052 or 5057 (Rack & Pinion).	558.00
5415		18.4R42 In. 148A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 6379, 6166, 6168, or 6165. Requires Code 5057 (Rack & Pinion).	7,966.00
5316		480/80R42 In. 151A8 R1 Radial in Single Wheel Configuration (18.4R42 In. 151A8 R1 Radial) Available in Goodyear and Firestone. Requires Code 6378, 6376,6375, 6166, 6168, or 6165. Requires Code 5057 (Rack & Pinion).	In Base Price
5416		480/80R42 In. 151A8 R1 Radial in Dual Wheel Configuration (18.4R42 In. 151A8 R1 Radial) Available in Goodyear and Firestone. Requires Code 6378, 6376,6375, 6166, 6168, or 6165. Requires Code 5057 (Rack & Pinion).	6,850.00
5317		480/80R42 In. 151A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Code 6377, 6166, 6168, or 6165. Requires Code 5052 or 5057 (Rack & Pinion).	660.00
5417		480/80R42 In. 151A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires Code 6377, 6166, 6168, or 6165. Requires Code 5057 (Rack & Pinion).	7,778.00
5318		520/85R38 In. 155A8 R1 Radial in Single Wheel Configuration (20.8R38 In. 155A8 R1 Radial) Available in Goodyear and Firestone. Requires Code 6378, 6376, 6166, 6168, or 6165. Requires Code 5052 or 5057 (Rack & Pinion).	14.00
5319		650/65R38 In. 157A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Code 6380, 6166, 6168, or 6165. Requires Code 5052 or 5057 (Rack & Pinion).	2,060.00
5320		18.4R42 In. 148A8 R2 Radial (480/80R42 151A8 R2 Radial) in Single Wheel Configuration Available in Goodyear only. Requires Code 6381. Requires Code 5052 or 5057 (Rack & Pinion).	250.00
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 31 km/h TRANSMISSIONS:	
		B Speed Rated RCI Group 46 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 41 MFWD Front Tire with same tread type and brand preference. Requires Code 6067 (TLS Plus w/Brakes), 1465 or 1552 (50K transmission).	
5321		480/80R42 In. 151B R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 6378, 6376, or 6375. Requires Code 5052 or 5057 (Rack & Pinion Axle).	Same Price
5421		480/80R42 In. 151B R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 6378, 6376, or 6375. Requires Code 5057 (Rack & Pinion Axle).	6,850.00

6140R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5322		REAR WHEELS AND TIRESContinued 650/65R38 In. 157B R1W Radial in Single Wheel Configuration Available Michelin only. Requires Code 6380. Requires Code 5052 or 5057 (Rack & Pinion Axle).	2,060.00
8501		Dual Hubs Dual Hubs Only Requires Code 5056, 5057 or 5049 (Rack and Pinion).	1,692.00
		FRONT AXLES	
6022		Adjustable Two Wheel Drive Front Axle (62.8 ln86.8 ln.) See Field Attachments for Extension to 98 In. Not compatible with Code 1461, 1465, 1551, or 1552 (IVT).	-8,194.00
6043		Mechanical Front Wheel Drive Axle with Limited Slip Differential	In Base Price
6063		Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS	3,920.00
6067		Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS with Heavy Duty Front Brakes Required for Code 1465 and 1552 (50K transmission).	5,327.00
		FRONT WHEELS AND TIRES	
		TWO STEEL 2WD WHEELS: Requires Code 6022 (Two Wheel Drive):	
6165		11.00-16 In. 12PR F2 Bias Available in Goodyear & Firestone.	-2,234.00
6166		11.00-20 In. 12PR F2 Bias Available in Titan only.	-1,938.00
6168		14L-16.1 ln. 12PR F2 Bias Available in Firestone.	-1,914.00
		MECHANICAL FRONT WHEEL DRIVE (MFWD) AXLE (Codes 6043, 6063, or 6067):	
		RCI Group 40 Size Tires Two Multi-Position Steel Wheels Requires Code 6043, 6063, or 6067.	
6370		380/85R28 In. 133A8 R1 Radial Available in Goodyear and Firestone.	-268.00
6371		16.9R26 In. 135A8 R1 Radial Available in Firestone.	-238.00

6140R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		RCI Group 41 Size Tires Two Multi-Position Steel Wheels Requires Code 6043, 6063, or 6067.	
6375		320/85R34 In. 133A8 R1 Radial Available in Goodyear only.	388.00
6376		380/85R30 In. 135A8 R1 Radial Available in Goodyear and Firestone.	In Base Price
6377		380/85R30 In. 135A8 R1W Radial Available in Michelin only.	1,362.00
6378		420/85R28 In. 139A8 R1 Radial Available in Goodyear and Firestone.	288.00
6379		16.9R28 In. 136A8 R1W Radial Available in Goodyear.	592.00
6380		540/65R28 In. 142A8 R1W Radial Available in Michelin only.	1,892.00
6381		16.9R28 In. 136A8 R2 Radial Available in Goodyear only.	686.00
		TIRE PREFERENCE CODES	
5999		No Brand Preference	In Base Price
5901		Firestone Brand Only	400.00
5902		Goodyear Brand Only	400.00
5903		Michelin Brand Only	800.00
5904		Continental Only	400.00
		OPERATOR'S MANUAL	
0409		English Operator's Manual	In Base Price
0413		French Operator's Manual	Same Price
0437		Spanish Operator's Manual	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8061		Ag Management Solutions: JDLink Ultimate Promotion - 1 Year Subscription Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features this includes machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	1,430.00

6140R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8062		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued JDLink Ultimate Promotion - 3 Year Subscription Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features this includes machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	2,630.00
8064		GreenStar Ready Wiring Harness with Implement Connector Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information.	806.00
8067		GreenStar AutoTrac Ready Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Not compatible with Code 6022 (2WD).	4,537.00
878S		ComfortView Cab Options: Cup Holder (Right Hand A-Post Mounted)	34.00
0703		Cup Holder (Night Hand A-F ost woulded)	34.00
878T		Panorama Glass Roof Requires Code 873A or 873C (Lighting Package), and Code 8276 (Roller Blind). Note: Base and Deluxe Cab Packages ordered with Panorama Roof do not include a Sun Visor.	591.00
8276		Front and Rear Roller Blind	286.00
878U		Dual Beam Ground Speed Radar Sensor	901.00
8307		Bottom Guard for Fuel Tank	76.00
873A		Lighting Packages: Deluxe Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights 2 HB3 Halogen Rear roof mounted adjustable worklights 2 HB3 Halogen Side roof mounted fixed worklights 2 HB3 Rear fender mounted adjustable worklights 1 Beacon light Includes base lighting less 2 inner rear roof work lights. Only available with 878T (Panorama Roof).	1,747.00
873C		Premium Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights 2 Xenon Halogen Rear roof mounted adjustable worklights 2 HB3 Halogen Side roof mounted fixed worklights 2 HB3 Rear fender mounted adjustable worklights 1 Beacon light Includes base lighting less 2 inner rear roof work lights. Only available with 878T (Panorama Roof).	2,674.00

6140R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
873F		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Deluxe Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 HB3 Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light.	2,182.00
873E		Premium Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 Xenon Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light. Loader Ready Packages: Loader Ready Package Includes: Mid-Mount Valve and Joystick as specified by code, loader	3,109.00
		mounting brackets, hydraulics hoses, single point half coupler and hood guard.	
834B		2-Function Mechanical Independent Control Valve Loader Ready Package Includes: 2-Function Mechanical Joystick with Activated Speed Shifting Buttons and inactive rocker switch, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, H-Series Loader Mounting Frame, and Hood Guard. Note: Panorama Roof (Code 878T) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Not compatible with Code 1551 (IVT) or 1552 (IVT). Loader mounting frames not compatible with H340 Loader.	4,506.00
834A		3-Function Mechanical Independent Control Valve Loader Ready Package Includes: 3-Function Mechanical Joystick with Activated Speed Shifting Buttons and activated rocker switch, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, H-Series Loader Mounting Frame, and Hood Guard. Note: Panorama Roof (Code 878T) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Not compatible with Code 1551 or 1552 (IVT). Loader mounting frames not compatible with H340 Loader.	4,942.00
834O		2-Function Electrical Independent Control Valve Loader Ready Package Includes: 2-Function Electronic Joystick with Activated Speed Shifting Buttons (Activated Speed Shifting buttons not available with IVT transmission) and inactive rocker switch, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point coupler, H- Series Loader Mounting Frame, and Hood Guard. Note: Panorama Roof (Code 878T) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Loader mounting frames not compatible with H340 Loader.	4,975.00
834P		3-Function Electrical Independent Control Valve Loader Ready Package Includes: 3-Function Electronic Joystick with Activated Speed Shifting Buttons (Activated Speed Shifting Buttons not available with IVT transmission) and activated rocker switch, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point coupler, H-Series Loader Mounting Frame, and Hood Guard. Note: Panorama Roof (Code 878T) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Loader mounting frames not compatible with H340 Loader.	5,610.00

6140R Cab Tractor

CODE	ATTACHMEN ^T IDENTIFIER	T DESCRIPTION SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	SUGGESTED LIST PRICE USD (\$)
8002		Chassis: Toolbox	76.00
8011		Front Fenders for MFWD (Rigid) 18.9-In. (480mm) Coverage Width (2) or 21.3-In. (540mm) Coverage Width (2). Dependent on front tire width. Fenders not compatible with Code 6203 with 60 In. Tread Spacing. See Ag Sales Manual for Loader Fender Compatibility.	542.00
8012		Turnable Front Fenders for MFWD 18.9-In. (480mm) Coverage Width (2) or 21.3-In. (540mm) Coverage Width (2). Dependent on front tire width. Fender stop panel included. See Ag Sales Manual for Loader Fender Compatibility	843.00
8020		Fender Extension, 1-Piece Side and Rear Extension (Qty 2) <i>Includes Rear PTO Switch.</i>	618.00
8756		Hydraulic Trailer Brakes Includes rear tractor line coupler. Required for 50k transmission.	410.00
8448		Hitch and Drawbar: Quik-Coupler (Category 3N/3)	1,393.00
8428		Easy Guide Hydraulic Center Link (Category 3)	1,696.00
832J		Power Beyond for Rear SCV's	118.00
8300		Engine: Cold Start Package I Includes 174Ah battery, Engine Coolant Heater (110V), and Rear Window Defrost. Not compatible with Code 8301.	585.00
8301		Cold Start Package II Includes 174Ah battery, engine coolant heater (110V), Ground Fault Interrupter, Charge Pump Heater, Transmission Heater (110V), and Rear Window Defrost. No transmission heater with IVT Tractors. Not compatible with Code 8300.	743.00
8304		Fuel Heating System (12v)	140.00
8742		200 Amp Alternator Required for IVT transmissions.	260.00
8955		Quik-Tatch Front-End Weight Packages: Quik-Tatch Weight Support Less Weights Add 313 Lbs. Front, Subtract 73 Lbs. Rear.	339.00
8964		Quik-Tatch Weight Support with Four Weights Add 884 Lbs. Front, Subtract 229 Lbs. Rear.	772.00
8956		Quik-Tatch Weight Support with Six Weights Add 1168 Lbs. Front, Subtract 306 Lbs. Rear.	997.00

6140R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8957		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Quik-Tatch Weight Support with Eight Weights Add 1455 Lbs. Front, Subtract 384 Lbs. Rear.	1,229.00
8958		Quik-Tatch Weight Support with Ten Weights Add 1742 Lbs. Front, Subtract 463 Lbs. Rear.	1,434.00
8959		Quik-Tatch Weight Support with Twelve Weights Add 2026 Lbs. Front, Subtract 540 Lbs. Rear.	1,687.00
8960		Quik-Tatch Weight Support with Fourteen Weights Add 2310 Lbs. Front, Subtract 619 Lbs. Rear.	1,819.00
8962		Quik-Tatch Weight Support with Eighteen Weights Add 2881 Lbs. Front, Subtract 774 Lbs. Rear.	2,239.00
		Rear Wheel Weights - For Inside/Inner Drive Wheels: Single 75 kg weight available as Field Installed Option Only. Weights shown are for each weight.	
8974		One Pair 205 kg (450 Lb.) Cast Wheel Only	1,136.00
8973		Two Pairs of 205 kg (450 Lb.) Cast Wheel Only Minimum tread spacing is 64 In. 64 In. tread spacing is not compatible with cab suspension, and radar sensors.	2,272.00
		Rear Wheel Weights - For Outside/Inner Drive Wheels (Cast): Single 75 kg weight available as Field Installed Option Only. Weights shown are for each weight. Not compatible with Code 8501 (Duals).	
8975		One Pair 205 kg (450 Lb.) Cast Wheel Only	1,136.00
8976		One Pair 75 kg (165 Lb.) and One Pair 205 kg (450 Lb.) Compatible for BOTH Cast and Steel Wheels.	1,638.00
		Rear Wheel Weights - For Outside/Outer Dual Wheels (Steel): Weights shown are for each weight. Not for 34 In. wheels, unless noted. Compatible with Code 8501 (Duals).	
8980		One Pair 75 kg (165 Lb.) and One Pair 205 kg (450 Lb.)	1,638.00
		ATTACHMENTS - ORDER AS DESIRED	
9075		Customer Gold Key Program: Gold Key Tour Not compatible with Code 9076. This personal guided tour strives to provide you with the unique opportunity to watch your machine during its final stages of manufacturing. This tour is limited by factory daily production allowance levels and may have an increased lead-time. A target tour date will be communicated in advance, but a date will not be firmed up until approximately 6 business days in advance for this tour and this date is subject to change up to the tour date. For more information, visit www.deere.com/goldkey.	No Charge

6140R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9076		ATTACHMENTS - ORDER AS DESIREDContinued Gold Key Experience Tour Not compatible with Code 9075. This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
8550		Export Attachments: Skid for Duals	152.00
		FOR FRONT HITCH EQUIPMENT, CONTACT: Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com	
		ATTACHMENTS FOR FIELD CONVERSION	
	AL207716	Electrical: Battery Cut-Off Switch (4 Cyl.)	604.00
	BL15059	Fenders: Base Support Kit, Pivot Also order MFWD front fender kit in corresponding width and size.	756.00
	BL15060	Base Support Kit, Rigid Also order MFWD front fender kit in corresponding width and size.	256.00
	BL15018	Fender side extension, 7.9 in. (200mm) wide	412.00
	BL15019	Fender side extension, 9.8 in. (250mm) wide	242.00
	BL15062	MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,166.00
	BL15064	MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,175.00
	BL15066	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,184.00
	BL15068	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,214.00
	BL15070	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,223.00

6140R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15044	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide, (1895mm) Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,253.00
	BL15061	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for compatible tire combinations.	668.00
	BL15063	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for compatible tire combinations.	677.00
	BL15065	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for compatible tire combinations.	686.00
	BL15067	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for compatible tire combinations.	716.00
	BL15069	MFWD Front Fenders, Fixed, 24.4 In. (620 mm) Wide See Ag Sales Manual for compatible tire combinations.	725.00
	AL151119	Hitch and Drawbar: Stabilizer Bar, Mechanical (One) with Attaching Parts	298.00
	AL203673	Hydraulics: E-ICV Control Lever (Joystick) with out CommandARM (on RH Armrest) with Gear Shifting Compatible with Grammer seat, without CommandArm, with gear shifting.	1,546.00
	AL203674	E-ICV Control Lever (Joystick) with out CommandARM (on RH Armrest) with Gear Shifting Compatible with Sears seat, without CommandArm, with gear shifting.	1,546.00
	AL204806	E-ICV Upgrade Kit To convert from 2 sections to 3 sections Also order software AL209347 through PDC.	679.00
	AL204811	Electronic #3 Super Deluxe 350 Series 3-Function SCV (E-SCV)	944.00
	AL204812	Electronic #4 Super Deluxe 350 Series 3-Function SCV (E-SCV)	1,132.00
	AL174410	Joystick, Electronic 3 Function, (Compatible with CommardARM), Non-Shiftable Compatible w/ Sears seat, w/ CommandArm, non-shiftable.	1,283.00
	AL174227	Joystick, Electronic 3 Function, (Grammer Seat without CommardARM), Non-Shiftable Compatible w/ Grammer seat, w/o CommandArm, non-shiftable.	1,341.00
	AL179418	Joystick, Electronic 3 Function, (Sears Seat without CommandARM), Non-Shiftable Compatible w/ Sears seat, w/o CommandArm, non-shiftable.	1,341.00
	AL204805	M-ICV Upgrade Kit To convert from 2 sections to 3 sections Also order software AL209347 through PDC.	1,904.00
	AL204803	M-ICV, 2-Sections	1,056.00
	AL204804	M-ICV, 3-Sections	1,628.00

6140R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL204807	ATTACHMENTS FOR FIELD CONVERSIONContinued Mechanical Deluxe Select Control Valve 100 Series	504.00
	AL204808	Mechanical Deluxe Select Control Valve 200 Series	651.00
	AL204810	Mechanical Deluxe Select Control Valve 350 Series	805.00
	AL205878	Position Kit, Position #3 & #4, Mechanical SCVs	380.00
	AL205876	Position Kit, Position #3, Mechanical SCVs	169.00
	AL205877	Position Kit, Position #4, Mechanical SCVs	244.00
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement	237.00
	AL176299	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Tractors	237.00
	AL205916	Lighting: (1) H3 Work Light Installed on beacon light support.	131.00
	AL204761	(2) HB3 Work Lights, Beltline Hanging Mounted Not compatible with front loader installation due to component interference.	253.00
	AL204760	(2) HB3 Work Lights, Beltline Upright Mounted	253.00
	AL204759	(2) HB3 Work Lights, Rear Fender Mounted If a back-up alarm is equipped on the RH fender, also order: 1 x AL206710 console 8 x 19M7162 cap screw 8 x 24M7055 washer 2 x 14M7298 flanged nut	175.00
		If extra-wide vehicle lighting is equipped (LH & RH fender), also order: 4 x 19M7865 flanged screw 2 x L204515 bracket	
		If extra-wide vehicle lighting and back-up alarm are equipped, also order: 1 x AL209527 console 6 x 19M7162 cap screw 6 x 24M7055 washer 4 x 19M7865 flanged screw 1 x 204515 bracket	
	AL205912	(2) HB3 Work Lights, Roof Mounted, Front or Rear	270.00
	AL205913	(2) HB3 Work Lights, Roof Mounted, Front or Rear Possible mounting positions on the FRONT roof are: right and left inner or mid position Possible mounting positions on the REAR roof are: right and left inner or outer position	270.00
	AL204758	Beacon Light, LH	219.00
	BL15022	Beacon Light, RH	219.00
	AL205881	Head Lights H4 on Beltline For RH + LH Traffic (ECE & SAE)	474.00

6140R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15035	ATTACHMENTS FOR FIELD CONVERSIONContinued Head Lights H4 on Beltline For LH-Traffic (ECE).	475.00
	AL205915	Xenon Work Lights Roof-mounted, adjustable front at mid position or rear at inner position.	1,555.00
	AL203919	Operator Environment: 3-Terminal Socket	72.00
	AL204297	Backrest Extension, Telescopic	135.00
	AL205886	Cooling Box Floor mounted to A-post, RH.	130.00
	AL208653	Electrically Telescoping Mirror, RH/LH	See Parts
	AL174262	Field Office without Refrigerator	254.00
	BL15028	Fridge For tractors without Field Office.	678.00
	BL15029	Fridge For tractors with Field Office.	725.00
	AL204298	Instructional Seat	545.00
	BL15043	Manually Telescoping Mirror RH	See Parts
	AL205891	Rear Window, Heatable	425.00
	AL205883	Remote Switch, PTO For tractors w/o CommandArm also order AL177389. For tractors w/ CommandArm also order RE223554. Also order software kit AL210796.	135.00
	BL15041	Seat Air Suspended, High Spec MSG95AL DynamicDampeningSystem 741 with CommandArm.	2,943.00
	BL15039	Seat Air Suspended, High Spec MSG95AL DynamicDampeningSystem 741 w/o CommandArm.	2,943.00
	BL15037	Seat Air Suspended, Low Spec MSG95GL731	1,280.00
	BL15038	Seat Air Suspended, Mid Spec MSG95AL741 w/ OPS	1,709.00
	BL15040	Seat Air Suspended, Mid Spec MSG95AL741 w/ OPS, w/ CommandArm.	1,709.00
	AL205893	Sun Shade Compatible in front and rear.	165.00
	AL208658	Wiper/Washer, Rear	215.00

6140R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL208644	ATTACHMENTS FOR FIELD CONVERSIONContinued iTEC (former HMS) Also requires software kit AL209824.	26.00
	AL174225	Transmission: Back-up Alarm - PowrQuad PLUS, AutoQuad and IVT Transmissions	496.00
	AL71345	Vandal Protection: Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts
	AL110170	Lockable Transmission Oil Filler Cap	132.00
	AL157298	Weights: Front Shield Protecting the frame end.	53.00

6140R Cab Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

6150R Cab Tractor

Equipment for Base Machine

CommandCenter Display Includes: GreenStar 3 Application Capability ENGINE: John Deere PowerTech PVX Diesel In-line 6-Cylinder Wet-Sleeve Activations Required with High Pressure Common Rail (HPCR)
Fuel System and 24 Valve Head
6.8 L (414 Cu. In.) Displacement
150 Engine hp 97/68/EC @ Rated Speed Access Manager Universal Performance Monitor Display Function Definable by Operator 120 SAE PTO hp @ Rated Speed High Pressure Common Rail OPERATOR PROTECTIVE STRUCTURE ComfortView Cab with Air Conditioning Variable Geometry Turbocharger and and Heater Exhaust Gas Recirculation
Dual Temp Cooling System
PowerCore G2 Air Filtration System with
Permanent Pre-Cleaning and Safety Element One Panorama LH Door One Panorama RH Window Front Windshield Washer and Wiper Air Suspended Seat with Seat Belt Tilt/Telescopic Steering Column Underhood AfterTreatment System with Deluxe Corner Post Exhaust Operational Controls Console Mounted Self Priming and Bleeding Electronic Fuel Pump 80.5~Gal~(305~L) Fuel Tank Capacity Floor Mat Foot Throttle Control Diff Lock Switch Intelligent Power Management AM/FM Stereo Radio with Weatherband, Clock, Two Speakers and Antenna Coat hook TRANSMISSION: 20/20 AutoQuad PLUS ECO; 25 mph (40km/h) Overhead Storage Bin Reduced engine rpm's at max transport speed Electronic LH Reverser Left Hand Storage Bin and Accessory Outlet Perma-Clutch II (Hydraulically Engaged Wet Disk Clutch) Overhead Courtesy Light Rear View Mirror Cup Holder on RH console Speed Matching Sun Visor Park Lock Neutral Safety Start System Right Hand Steps and Hand Rail STEERING, BRAKES, DIFFERENTIAL: **ELECTRICAL:** Hydrostatic Steering Key Shutoff 12 Volt Electrical System 12 Volt Battery, 154 Ah (1230 Cold Wet-Disk Hydraulic Power Brakes Hydraulically-Engaged Rear Axle Differential Lock Cranking Amps) 120 Amp Alternator 3 Pin Accessory Outlet Multi-Power Outlet Sockets Pressure and Flow Compensating Axial Piston Pump 30 GPM (114 L/min) Pump Output 7 Terminal Rear Implement Electrical Outlet Socket 12V Electrical Convenience 26.4 GPM (100 L/min) Flow @ One SCV Three 350 Series SCVs; Mechanical with ISO Breakaway Couplers Outlet on RH Console REAR PTO: LIGHTS: 540/1000 RPM, 1-3/8 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield Four Front Grille Headlights Two Front Grille Worklights Electrohydraulic Activation Two Belt Line Mounted Lights Wet Multi-Disk Clutch Four Front Roof Lights Neutral Start Safety System Two Rear Roof Lights Seat Activated PTO Warning Four Roof Mounted Flashing Hazard Lights Two Rear Fender Tail Lights with ROCKSHAFT, HITCH AND DRAWBAR: Electrohydraulic Hitch with Transport Brake Lights Lock and External Remote Controls 3-Point (Category 3/3N) Hitch FRONT AXLE WHEELS AND TIRES: 9,193 Lb Lift Capacity Electronic Lower Link Draft Sensing Steel Wheels Telescopic Draft Links Electrohydraulic MFWD Engagement Sway Blocks Two 380/85R30 In. 135A8 R1 Radial Tires Category 2 Swinging Drawbar with Hammerstrap Secondary Implement Chain Support REAR AXLE WHEELS AND TIRES: Adjustable Center Link with Ball End Rack and Pinion Axle; 100 In. Length x 3.622 In. (92 mm) Diameter INSTRUMENTATION: Two Cast Wheels Dashboard Instrument Panel Includes: Two 480/80R42 In. 151A8 R1 Radial Tires Tachometer MISCELLANEOUS: Speedometer Hour Meter JDLink Capable Fuel Gauge Operator's Manual (English) and Holder Engine Oil Pressure Indicator Light SMV Emblem Coolant Temperature PTO Engagement Engine Air Filter Restriction Indicator Alternator Directional Indicators Hazard Switch

6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
01C1RW		6150R Cab Tractor	135,634.00
		DESTINATION	
0184		Canada	Same Price
0202		United States	In Base Price
		OPERATOR STATION	
2050		Base Cab Includes 1 LH Panorama door, RH Steps,Sun Visor,GS3 CommandCenter Display located on RH console,Front Windshield Washer and Wiper, Manual Temperature Controls, Air Seat, Coat hook,Two 3-Pin Plugs, Overhead Storage Bin, Overhead Reading Light, Rear View Mirror, Multi Power Outlet Strip, 7-pin Signal Interface Socket, and JDLink Capable.	In Base Price
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Not compatible with video.	
2058		Deluxe Cab Includes Base Package Plus: Mirrors RH and LH - Manually Adjustable and Telescopic, Rear Windshield Washer and Wiper, Instructional Seat, and Bottle Holder.	1,880.00
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations and sold separately. Not compatible with video.	
2063		Premium Cab Includes Base Package Plus: RH Openable Door, Roller Blind, GS3 CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Front and Rear Windshield Washer and Wiper, Automatic Temperature Control, Instructional Seat, and Bottle Holder. Requires Electronic SCV's. Not compatible with Code 3325, 3332, and 8276.	4,705.00
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	
2067		Premium Plus Cab Includes Base Package Plus: RH Openable Door, Roller Blind, GS3 CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Front and Rear Windshield Washer and Wiper, Automatic Temperature Control, Deluxe Air Seat, Instructional	9,244.00

6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATIONContinued Seat, Bottle Holder, and Adaptive Hydraulic Cab Suspension Plus. Requires Electronic SCV's. Not compatible with Code 3325,3332, and 8276.	
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	
		TRANSMISSION	
		All Transmission Options Feature Left Hand Reverser Controls.	
1437		PowrQuad PLUS (19 mph/30 kmh) 16F/16R Includes Auto De-Clutch Function.	-3,090.00
1461		AutoQuad PLUS ECO (25 mph/40 kmh) 20F/20R Includes Auto De-Clutch Function. Not compatible with Code 6022 (2WD front axle).	In Base Price
1465		AutoQuad PLUS (31 mph/50 kmh) 20F/20R Includes Auto De-Clutch Function. Requires Code 6067 (TLS Plus with brakes), 8756 (hydraulic trailer brakes), & B speed rated rear tires.	Same Price
1551		Infinitely Variable Transmission (25 mph/40 kmh) Requires Code E/H SCV's: Codes 3331 or 3341 and Code 8742 (200 amp alternator). Includes CommandARM Console. Not compatible with Code 6022 (2wd front axle).	8,638.00
1552		Infinitely Variable Transmission (31 mph/50 kmh) Requires Code E/H SCV's: Codes 3331 or 3341 and Code 8742 (200 amp alternator). Includes CommandARM Console. Not compatible with Code 6022 (2wd front axle). Requires Code 6067 (TLS Plus with brakes), 8756 (Hydraulic trailer brakes), & B speed rated rear tires.	8,638.00
		RADIO PACKAGES	
2660		Deluxe Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	In Base Price
2661		Premium Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, CD/MP3 Player, Remote Mounted USB port and Auxiliary Input Jack, Bluetooth Capable including Hands Free External Microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers and External Antenna. Not available for Australia or New Zealand.	345.00
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
3325		Two Deluxe (3 Detent) Mechanical Selective Control Valves with ISO Breakaway Couplers Not compatible with Code 1551 or 1552 (IVT Transmission). Not compatible with Premium (2063) and Premium Plus (2067) cab packages.	-1,193.00
3332		Three Deluxe (3 Detent) Mechanical Selective Control Valves with ISO	In Base Price

6150R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVESContinued Breakaway Couplers Not compatible with Code 1551 or 1552 (IVT Transmission). Not compatible with Premium (2063) and Premium Plus (2067) cab packages.	
3331		Three Deluxe (3 Detent) E/H Selective Control Valves with ISO Breakaway Couplers	1,513.00
3341		Four Deluxe (3 Detent) E/H Selective Control Valves with ISO Breakaway Couplers Not compatible with Code 832J (Power Beyond). Not compatible with Code 5028 (High Crop Drop Axle).	2,367.00
		POWER TAKE-OFF	
3820		540/1000 RPM Rear Reversible PTO Includes 1-3/8 In. shaft.	In Base Price
3831		3-Speed 540/540E/1000 Rear Reversible PTO with Power Assisted PTO Shifting Includes 1-3/8 In. shaft. 540E is an economy mode that allows engine to run at lower RPM and save fuel.	880.00
		REAR ROCKSHAFT AND HITCH	
4034		9,193 Lb.(4170kg) Capacity 3-Point Hitch (Category 3/3N) with Telescopic Draft Links and Sway Blocks	In Base Price
		REAR AXLES	
5052		Rack and Pinion 3.62 In. (92mm) Diameter by 100.4 In. Length	In Base Price
5057		Rack and Pinion 3.62 In. (92mm) Diameter by 110.5 In. Length <i>Includes extremity lights</i> .	489.00
		REAR WHEELS AND TIRES	
		For complete tire and wheel information, refer to the Agricultural Sales Manual.	
		REAR WHEELS AND TIRES (STEEL):	
		A Speed Rated RCI Group 45 Size Tires Listed Narrowest to Widest Use with the proper RCI Group 45 MFWD Front Tire with same tread type and brand preference. Requires Code 5028 (High Crop Drop Axle).	

-882.00

18.4R38 In. 141A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 6389. Requires Code 5028 (High Crop Drop Axle).

5301

6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRESContinued	
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 40 km/h TRANSMISSIONS:	
		A Speed Rated RCI Group 46 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 41 MFWD Front Tire with same tread type and brand preference.	
5310		320/90R50 In. 147A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 6375, 6166, 6168, or 6165. Requires Code 5052 or 5057 (Rack & Pinion).	230.00
5410		320/90R50 In. 147A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 6375, 6166, 6168, or 6165. Requires Code 5057 (Rack & Pinion).	7,310.00
5311		14.9R46 In. 142A8 R1 Radial in Single Wheel Configuration Available in Firestone only. Requires Code 6376, 6166, 6168, or 6165. Requires Code 5052 or 5057 (Rack & Pinion).	-480.00
5411		14.9R46 In. 142A8 R1 Radial in Dual Wheel Configuration Available in Firestone only. Requires Code 6376, 6166, 6168, or 6165. Requires Code 5057 (Rack & Pinion).	5,994.00
5312		14.9R46 In. 142A8 R1 Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 6375, 6376, 6166, 6168, or 6165. Requires Code 5052 or 5057 (Rack & Pinion).	-408.00
5412		14.9R46 In. 142A8 R1 Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 6375, 6376, 6166, 6168, or 6165. Requires Code 5057 (Rack & Pinion).	5,994.00
5313		420/80R46 In. 151A8 R1 Radial in Single Wheel Configuration Available in Firestone and Goodyear. Requires Code 6378, 6376, 6166, 6168, or 6165. Requires Code 5052 or 5057 (Rack & Pinion).	312.00
5413		420/80R46 In. 151A8 R1 Radial in Dual Wheel Configuration Available in Firestone and Goodyear. Requires Code 6378, 6376, 6166, 6168, or 6165. Requires Code 5057 (Rack & Pinion).	7,434.00
5315		18.4R42 In. 148A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 6379, 6166, 6168, or 6165. Requires Code 5052 or 5057 (Rack & Pinion).	558.00
5415		18.4R42 In. 148A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 6379, 6166, 6168, or 6165. Requires Code 5057 (Rack & Pinion).	7,966.00
5316		480/80R42 In. 151A8 R1 Radial in Single Wheel Configuration (18.4R42 In. 151A8 R1 Radial) Available in Goodyear and Firestone. Requires Code 6378, 6376,6375, 6166, 6168, or 6165. Requires Code 5057 (Rack & Pinion).	In Base Price
5416		480/80R42 In. 151A8 R1 Radial in Dual Wheel Configuration (18.4R42 In. 151A8 R1 Radial) Available in Goodyear and Firestone. Requires Code 6378, 6376,6375, 6166, 6168, or 6165. Requires Code 5057 (Rack & Pinion).	6,850.00

6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5317		REAR WHEELS AND TIRESContinued 480/80R42 In. 151A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Code 6377, 6166, 6168, or 6165. Requires Code 5052 or 5057 (Rack & Pinion).	660.00
5417		480/80R42 In. 151A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires Code 6377, 6166, 6168, or 6165. Requires Code 5057 (Rack & Pinion).	7,778.00
5318		520/85R38 In. 155A8 R1 Radial in Single Wheel Configuration (20.8R38 In. 155A8 R1 Radial) Available in Goodyear and Firestone. Requires Code 6378, 6376, 6166, 6168, or 6165. Requires Code 5052 or 5057 (Rack & Pinion).	14.00
5319		650/65R38 In. 157A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Code 6380, 6166, 6168, or 6165. Requires Code 5052 or 5057 (Rack & Pinion).	2,060.00
5320		18.4R42 In. 148A8 R2 Radial (480/80R42 151A8 R2 Radial) in Single Wheel Configuration Available in Goodyear only. Requires Code 6381. Requires Code 5052 or 5057 (Rack & Pinion).	250.00
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 31 km/h TRANSMISSIONS:	
		A Speed Rated RCI Group 46 Size Tires Listed Narrowest to Widest Use with the proper RCI Group 46 MFWD Front Tire with same tread type and brand preference. Requires Code 5028 (High Crop Drop Axle).	
5302		320/90R50 In. 147A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 6390. Requires Code 5028 (High Crop Drop Axle).	90.00
		A Speed Rated RCI Group 47 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 42 MFWD Front Tire with same tread type and brand preference.	
5100		320/90R54 In. 149A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	2,216.00
5500		320/90R54 In. 149A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 5057,5056 or 5049 (Rack & Pinion).	10,962.00
5101		380/90R50 In. 151A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	616.00
5501		380/90R50 In. 151A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 5057,5056 or 5049 (Rack & Pinion).	8,082.00

6150R Cab Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5103		REAR WHEELS AND TIRESContinued 480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	878.00
5503		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion).	8,566.00
5143		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Firestone. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	878.00
5543		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057,5056 or 5049 (Rack & Pinion).	8,566.00
5104		480/80R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	2,400.00
5504		480/80R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires Code 5057, 5056, or 5049 (Rack and Pinion).	11,538.00
5105		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	784.00
5505		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion).	8,418.00
5145		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Firestone. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	784.00
5545		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057,5056 or 5049 (Rack & Pinion).	8,418.00
5106		520/85R42 In. 157A8 R1W Radial in Single Wheel Configuration Available in Firestone & Goodyear. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	2,156.00
5506		520/85R42 In. 157A8 R1W Radial in Dual Wheel Configuration Available in Firestone & Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion).	11,162.00
5108		520/85R42 In. 157A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	2,816.00
5508		520/85R42 In. 157A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 5057,5056 or 5049 (Rack & Pinion).	12,482.00
5109		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Michelin & Goodyear. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	3,770.00

6150R Cab Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5509		REAR WHEELS AND TIRESContinued 620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Michelin & Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion).	14,390.00
5149		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Firestone. Requires Code 5052,5053, 5057, 5056, or 5049 (Rack and Pinion).	3,770.00
5549		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057,5056 or 5049 (Rack & Pinion).	14,390.00
5110		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Michelin & Goodyear. Requires Code 5052,5053, 5057, 5056, or 5049 (Rack and Pinion).	5,162.00
5510		710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Michelin, & Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion).	17,154.00
5140		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Firestone. Requires Code 5052,5053, 5057, 5056, or 5049 (Rack and Pinion).	5,162.00
5540		710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057,5056 or 5049 (Rack & Pinion).	17,154.00
		B Speed Rated RCI Group 46 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 41 MFWD Front Tire with same tread type and brand preference. Requires Code 6067 (TLS Plus w/Brakes), 1465 or 1552 (50K transmission).	
5321		480/80R42 In. 151B R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 6378, 6376, or 6375. Requires Code 5052 or 5057 (Rack & Pinion Axle).	Same Price
5421		480/80R42 In. 151B R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 6378, 6376, or 6375. Requires Code 5057 (Rack & Pinion Axle).	6,850.00
5322		650/65R38 In. 157B R1W Radial in Single Wheel Configuration Available Michelin only. Requires Code 6380. Requires Code 5052 or 5057 (Rack & Pinion Axle).	2,060.00
		B Speed Rated RCI Group 47 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 42 MFWD Front Tire with same tread type and brand preference. Requires Code 6067 (TLS Plus w/Brakes), 1465 or 1552 (50K transmission).	
5113		480/80R46 In. 158B R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5052, 5057, 5053, 5056, or 5049 (Rack & Pinion Axle).	1,410.00

6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5513		REAR WHEELS AND TIRESContinued 480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5057, 5056, or 5049 (Rack & Pinion Axle).	9,630.00
5115		480/80R46 In. 158B R1 Radial in Single Wheel Configuration Available in Firestone. Requires Code 5052, 5057, 5053, 5056, or 5049 (Rack & Pinion Axle).	1,410.00
5515		480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057, 5056, or 5049 (Rack & Pinion Axle).	9,630.00
5116		710/70R38 In. 171B R1W Radial in Single Wheel Configuration Available in Goodyear or Michelin. Requires Code 5052, 5057, 5053, 5056, or 5049 (Rack & Pinion Axle).	5,942.00
8501		Dual Hubs Dual Hubs Only Requires Code 5056, 5057 or 5049 (Rack and Pinion).	1,692.00
		FRONT AXLES	
6022		Adjustable Two Wheel Drive Front Axle (62.8 In86.8 In.) See Field Attachments for Extension to 98 In. Not compatible with Code 1461, 1465, 1551, or 1552 (IVT) and Code 5028 (High Crop Drop Axle).	-8,194.00
6043		Mechanical Front Wheel Drive Axle with Limited Slip Differential	In Base Price
6063		Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS	3,920.00
6067		Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS with Heavy Duty Front Brakes Required for Code 1465 and 1552 (50K transmission).	5,327.00
		FRONT WHEELS AND TIRES	
		TWO STEEL 2WD WHEELS: Requires Code 6022 (Two Wheel Drive):	
6165		11.00-16 ln. 12PR F2 Bias Available in Goodyear & Firestone.	-2,234.00
6166		11.00-20 In. 12PR F2 Bias Available in Titan only.	-1,938.00
6168		14L-16.1 In. 12PR F2 Bias Available in Firestone.	-1,914.00

6150R Cab Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		MECHANICAL FRONT WHEEL DRIVE (MFWD) AXLE (Codes 6043, 6063, or 6067):	
		RCI Group 41 Size Tires Two Multi-Position Steel Wheels Requires Code 6043, 6063, or 6067.	
6375		320/85R34 In. 133A8 R1 Radial Available in Goodyear only.	388.00
6376		380/85R30 In. 135A8 R1 Radial Available in Goodyear and Firestone.	In Base Price
6377		380/85R30 In. 135A8 R1W Radial Available in Michelin only.	1,362.00
6378		420/85R28 In. 139A8 R1 Radial Available in Goodyear and Firestone.	288.00
6379		16.9R28 In. 136A8 R1W Radial Available in Goodyear.	592.00
6380		540/65R28 In. 142A8 R1W Radial Available in Michelin only.	1,892.00
6381		16.9R28 In. 136A8 R2 Radial Available in Goodyear only.	686.00
		RCI Group 42 Size Tires Two Multi-Position Steel Wheels Requires Code 6043, 6063, or 6067.	
6106		320/85R38 In. 143A8 R1W Radial Available in Goodyear only.	1,248.00
6107		380/85R34 In. 137A8 R1 Radial Available in Firestone & Goodyear.	656.00
6108		380/85R34 In. 137A8 R1W Radial Available in Michelin only.	2,050.00
6100		420/90R30 In. 142A8 R1 Radial Available in Firestone & Goodyear.	372.00
6101		420/90R30 In. 147A8 R1W Radial Available in Michelin & Firestone.	1,426.00
6102		16.9R30 In. 144A8 R1W Radial Available in Firestone & Goodyear.	1,006.00
6103		16.9R30 In. 141A8 R2 Radial (420/90R30 142A8 R2 Radial) Available in Goodyear only.	1,102.00
6104		480/70R30 In. 152A8 R1W Radial Available in Firestone & Goodyear.	670.00

6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6110		FRONT WHEELS AND TIRESContinued 600/65R28 In. 154A8 R1W Radial Available in Michelin & Goodyear.	3,354.00
		RCI Group 45 Size Tires Two Multi-Position Steel Wheels Requires Code 5028 (High Crop Drop Axle).	
6389		320/90R46 In. 148A8 R2 Radial Available in Goodyear only.	3,880.00
		RCI Group 46 Size Tires Two Multi-Position Steel Wheels Requires Code 5028 (High Crop Drop Axle).	
6390		320/90R50 In. 147A8 R1W Radial <i>Available in Goodyear.</i>	2,916.00
		TIRE PREFERENCE CODES	
5999		No Brand Preference	In Base Price
5901		Firestone Brand Only	400.00
5902		Goodyear Brand Only	400.00
5903		Michelin Brand Only	800.00
5904		Continental Only	400.00
		OPERATOR'S MANUAL	
0409		English Operator's Manual	In Base Price
0413		French Operator's Manual	Same Price
0437		Spanish Operator's Manual	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8061		Ag Management Solutions: JDLink Ultimate Promotion - 1 Year Subscription Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features this includes machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	1,430.00

6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8062		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued JDLink Ultimate Promotion - 3 Year Subscription Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features this includes machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	2,630.00
8064		GreenStar Ready Wiring Harness with Implement Connector Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information.	806.00
8067		GreenStar AutoTrac Ready Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Not compatible with Code 6022 (2WD) or 5028 (High Crop Drop Axle).	4,537.00
878S		ComfortView Cab Options: Cup Holder (Right Hand A-Post Mounted)	34.00
878T		Panorama Glass Roof Requires Code 873A or 873C (Lighting Package), and Code 8276 (Roller Blind). Note: Base and Deluxe Cab Packages ordered with Panorama Roof do not include a Sun Visor.	591.00
8276		Front and Rear Roller Blind	286.00
878U		Dual Beam Ground Speed Radar Sensor	901.00
8307		Bottom Guard for Fuel Tank	76.00
873A		Lighting Packages: Deluxe Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights 2 HB3 Halogen Rear roof mounted adjustable worklights 2 HB3 Halogen Side roof mounted fixed worklights 2 HB3 Rear fender mounted adjustable worklights 1 Beacon light Includes base lighting less 2 inner rear roof work lights. Only available with 878T (Panorama Roof).	1,747.00
873C		Premium Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights 2 Xenon Halogen Rear roof mounted adjustable worklights 2 HB3 Halogen Side roof mounted fixed worklights 2 HB3 Rear fender mounted adjustable worklights 1 Beacon light Includes base lighting less 2 inner rear roof work lights. Only available with 878T (Panorama Roof).	2,674.00

6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
873F		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Deluxe Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 HB3 Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light.	2,182.00
873E		Premium Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 Xenon Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light. Loader Ready Packages: Loader Ready Package Includes: Mid-Mount Valve and Joystick as specified by code, loader	3,109.00
		mounting brackets, hydraulics hoses, single point half coupler and hood guard.	
834B		2-Function Mechanical Independent Control Valve Loader Ready Package Includes: 2-Function Mechanical Joystick with Activated Speed Shifting Buttons and inactive rocker switch, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, H-Series Loader Mounting Frame, and Hood Guard. Note: Panorama Roof (Code 878T) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Not compatible with Code 1551 (IVT) or 1552 (IVT). Loader mounting frames not compatible with H340 Loader.	4,506.00
834A		3-Function Mechanical Independent Control Valve Loader Ready Package Includes: 3-Function Mechanical Joystick with Activated Speed Shifting Buttons and activated rocker switch, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, H-Series Loader Mounting Frame, and Hood Guard. Note: Panorama Roof (Code 878T) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Not compatible with Code 1551 or 1552 (IVT). Loader mounting frames not compatible with H340 Loader.	4,942.00
834O		2-Function Electrical Independent Control Valve Loader Ready Package Includes: 2-Function Electronic Joystick with Activated Speed Shifting Buttons (Activated Speed Shifting buttons not available with IVT transmission) and inactive rocker switch, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point coupler, H- Series Loader Mounting Frame, and Hood Guard. Note: Panorama Roof (Code 878T) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Loader mounting frames not compatible with H340 Loader.	4,975.00
834P		3-Function Electrical Independent Control Valve Loader Ready Package Includes: 3-Function Electronic Joystick with Activated Speed Shifting Buttons (Activated Speed Shifting Buttons not available with IVT transmission) and activated rocker switch, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point coupler, H-Series Loader Mounting Frame, and Hood Guard. Note: Panorama Roof (Code 878T) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Loader mounting frames not compatible with H340 Loader.	5,610.00

6150R Cab Tractor

CODE	ATTACHMEN [*] IDENTIFIER	T DESCRIPTION SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	SUGGESTED LIST PRICE USD (\$)
8002		Chassis: Toolbox	76.00
8011		Front Fenders for MFWD (Rigid) 18.9-In. (480mm) Coverage Width (2) or 21.3-In. (540mm) Coverage Width (2). Dependent on front tire width. Fenders not compatible with Code 6203 with 60 In. Tread Spacing. See Ag Sales Manual for Loader Fender Compatibility.	542.00
8012		Turnable Front Fenders for MFWD 18.9-In. (480mm) Coverage Width (2) or 21.3-In. (540mm) Coverage Width (2). Dependent on front tire width. Fender stop panel included. See Ag Sales Manual for Loader Fender Compatibility	843.00
8020		Fender Extension, 1-Piece Side and Rear Extension (Qty 2) <i>Includes Rear PTO Switch.</i>	618.00
8756		Hydraulic Trailer Brakes Includes rear tractor line coupler. Required for 50k transmission.	410.00
8448		Hitch and Drawbar: Quik-Coupler (Category 3N/3)	1,393.00
8428		Easy Guide Hydraulic Center Link (Category 3)	1,696.00
832J		Power Beyond for Rear SCV's	118.00
8300		Engine: Cold Start Package I Includes 174Ah battery, Engine Coolant Heater (110V), and Rear Window Defrost. Not compatible with Code 8301.	585.00
8301		Cold Start Package II Includes 174Ah battery, engine coolant heater (110V), Ground Fault Interrupter, Charge Pump Heater, Transmission Heater (110V), and Rear Window Defrost. No transmission heater with IVT Tractors. Not compatible with Code 8300.	743.00
8304		Fuel Heating System (12v)	140.00
8742		200 Amp Alternator Required for IVT transmissions.	260.00
8955		Quik-Tatch Front-End Weight Packages: Quik-Tatch Weight Support Less Weights Add 313 Lbs. Front, Subtract 73 Lbs. Rear.	339.00
8964		Quik-Tatch Weight Support with Four Weights Add 884 Lbs. Front, Subtract 229 Lbs. Rear.	772.00
8956		Quik-Tatch Weight Support with Six Weights Add 1168 Lbs. Front, Subtract 306 Lbs. Rear.	997.00

6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8957		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Quik-Tatch Weight Support with Eight Weights Add 1455 Lbs. Front, Subtract 384 Lbs. Rear.	1,229.00
8958		Quik-Tatch Weight Support with Ten Weights Add 1742 Lbs. Front, Subtract 463 Lbs. Rear.	1,434.00
8959		Quik-Tatch Weight Support with Twelve Weights Add 2026 Lbs. Front, Subtract 540 Lbs. Rear.	1,687.00
8960		Quik-Tatch Weight Support with Fourteen Weights Add 2310 Lbs. Front, Subtract 619 Lbs. Rear.	1,819.00
8962		Quik-Tatch Weight Support with Eighteen Weights Add 2881 Lbs. Front, Subtract 774 Lbs. Rear.	2,239.00
		Rear Wheel Weights - For Inside/Inner Drive Wheels: Single 75 kg weight available as Field Installed Option Only. Weights shown are for each weight.	
8974		One Pair 205 kg (450 Lb.) Cast Wheel Only	1,136.00
8973		Two Pairs of 205 kg (450 Lb.) Cast Wheel Only Minimum tread spacing is 64 In. 64 In. tread spacing is not compatible with cab suspension, and radar sensors.	2,272.00
		Rear Wheel Weights - For Outside/Inner Drive Wheels (Cast): Single 75 kg weight available as Field Installed Option Only. Weights shown are for each weight. Not compatible with Code 8501 (Duals).	
8975		One Pair 205 kg (450 Lb.) Cast Wheel Only	1,136.00
8976		One Pair 75 kg (165 Lb.) and One Pair 205 kg (450 Lb.) Compatible for BOTH Cast and Steel Wheels.	1,638.00
		Rear Wheel Weights - For Outside/Outer Dual Wheels (Steel): Weights shown are for each weight. Not for 34 In. wheels, unless noted. Compatible with Code 8501 (Duals).	
8980		One Pair 75 kg (165 Lb.) and One Pair 205 kg (450 Lb.)	1,638.00
		ATTACHMENTS - ORDER AS DESIRED	
9075		Customer Gold Key Program: Gold Key Tour Not compatible with Code 9076. This personal guided tour strives to provide you with the unique opportunity to watch your machine during its final stages of manufacturing. This tour is limited by factory daily production allowance levels and may have an increased lead-time. A target tour date will be communicated in advance, but a date will not be firmed up until approximately 6 business days in advance for this tour and this date is subject to change up to the tour date. For more information, visit www.deere.com/goldkey.	No Charge

6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9076		ATTACHMENTS - ORDER AS DESIREDContinued Gold Key Experience Tour Not compatible with Code 9075. This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
8550		Export Attachments: Skid for Duals	152.00
		FOR FRONT HITCH EQUIPMENT, CONTACT: Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com	
		ATTACHMENTS FOR FIELD CONVERSION	
	AL207716	Electrical: Battery Cut-Off Switch (4 Cyl.)	604.00
	BL15059	Fenders: Base Support Kit, Pivot Also order MFWD front fender kit in corresponding width and size.	756.00
	BL15060	Base Support Kit, Rigid Also order MFWD front fender kit in corresponding width and size.	256.00
	BL15018	Fender side extension, 7.9 in. (200mm) wide	412.00
	BL15019	Fender side extension, 9.8 in. (250mm) wide	242.00
	BL15062	MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,166.00
	BL15064	MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,175.00
	BL15066	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,184.00
	BL15068	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,214.00
	BL15070	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,223.00

6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15044	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide, (1895mm) Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,253.00
	BL15061	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for compatible tire combinations.	668.00
	BL15063	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for compatible tire combinations.	677.00
	BL15065	MFWD Front Fenders, Fixed, 18.9 ln. (480 mm) Wide See Ag Sales Manual for compatible tire combinations.	686.00
	BL15067	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for compatible tire combinations.	716.00
	BL15069	MFWD Front Fenders, Fixed, 24.4 In. (620 mm) Wide See Ag Sales Manual for compatible tire combinations.	725.00
	AL151119	Hitch and Drawbar: Stabilizer Bar, Mechanical (One) with Attaching Parts	298.00
	AL203673	Hydraulics: E-ICV Control Lever (Joystick) with out CommandARM (on RH Armrest) with Gear Shifting Compatible with Grammer seat, without CommandArm, with gear shifting.	1,546.00
	AL203674	E-ICV Control Lever (Joystick) with out CommandARM (on RH Armrest) with Gear Shifting Compatible with Sears seat, without CommandArm, with gear shifting.	1,546.00
	AL204806	E-ICV Upgrade Kit To convert from 2 sections to 3 sections Also order software AL209347 through PDC.	679.00
	AL204811	Electronic #3 Super Deluxe 350 Series 3-Function SCV (E-SCV)	944.00
	AL204812	Electronic #4 Super Deluxe 350 Series 3-Function SCV (E-SCV)	1,132.00
	AL174410	Joystick, Electronic 3 Function, (Compatible with CommardARM), Non-Shiftable Compatible w/ Sears seat, w/ CommandArm, non-shiftable.	1,283.00
	AL174227	Joystick, Electronic 3 Function, (Grammer Seat without CommardARM), Non-Shiftable Compatible w/ Grammer seat, w/o CommandArm, non-shiftable.	1,341.00
	AL179418	Joystick, Electronic 3 Function, (Sears Seat without CommandARM), Non-Shiftable Compatible w/ Sears seat, w/o CommandArm, non-shiftable.	1,341.00
	AL204805	M-ICV Upgrade Kit To convert from 2 sections to 3 sections Also order software AL209347 through PDC.	1,904.00
	AL204803	M-ICV, 2-Sections	1,056.00
	AL204804	M-ICV, 3-Sections	1,628.00

6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL204807	ATTACHMENTS FOR FIELD CONVERSIONContinued Mechanical Deluxe Select Control Valve 100 Series	504.00
	AL204808	Mechanical Deluxe Select Control Valve 200 Series	651.00
	AL204810	Mechanical Deluxe Select Control Valve 350 Series	805.00
	AL205878	Position Kit, Position #3 & #4, Mechanical SCVs	380.00
	AL205876	Position Kit, Position #3, Mechanical SCVs	169.00
	AL205877	Position Kit, Position #4, Mechanical SCVs	244.00
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement	237.00
	AL176299	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Tractors	237.00
	AL205916	Lighting: (1) H3 Work Light Installed on beacon light support.	131.00
	AL204761	(2) HB3 Work Lights, Beltline Hanging Mounted Not compatible with front loader installation due to component interference.	253.00
	AL204760	(2) HB3 Work Lights, Beltline Upright Mounted	253.00
	AL204759	(2) HB3 Work Lights, Rear Fender Mounted If a back-up alarm is equipped on the RH fender, also order: 1 x AL206710 console 8 x 19M7162 cap screw 8 x 24M7055 washer 2 x 14M7298 flanged nut	175.00
		If extra-wide vehicle lighting is equipped (LH & RH fender), also order: 4 x 19M7865 flanged screw 2 x L204515 bracket	
		If extra-wide vehicle lighting and back-up alarm are equipped, also order: 1 x AL209527 console 6 x 19M7162 cap screw 6 x 24M7055 washer 4 x 19M7865 flanged screw 1 x 204515 bracket	
	AL205912	(2) HB3 Work Lights, Roof Mounted, Front or Rear	270.00
	AL205913	(2) HB3 Work Lights, Roof Mounted, Front or Rear Possible mounting positions on the FRONT roof are: right and left inner or mid position Possible mounting positions on the REAR roof are: right and left inner or outer position	270.00
	AL204758	Beacon Light, LH	219.00
	BL15022	Beacon Light, RH	219.00
	AL205881	Head Lights H4 on Beltline For RH + LH Traffic (ECE & SAE)	474.00

6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15035	ATTACHMENTS FOR FIELD CONVERSIONContinued Head Lights H4 on Beltline For LH-Traffic (ECE).	475.00
	AL205915	Xenon Work Lights Roof-mounted, adjustable front at mid position or rear at inner position.	1,555.00
	AL203919	Operator Environment: 3-Terminal Socket	72.00
	AL204297	Backrest Extension, Telescopic	135.00
	AL205886	Cooling Box Floor mounted to A-post, RH.	130.00
	AL208653	Electrically Telescoping Mirror, RH/LH	See Parts
	AL174262	Field Office without Refrigerator	254.00
	BL15028	Fridge For tractors without Field Office.	678.00
	BL15029	Fridge For tractors with Field Office.	725.00
	AL204298	Instructional Seat	545.00
	BL15043	Manually Telescoping Mirror RH	See Parts
	AL205891	Rear Window, Heatable	425.00
	AL205883	Remote Switch, PTO For tractors w/o CommandArm also order AL177389. For tractors w/ CommandArm also order RE223554. Also order software kit AL210796.	135.00
	BL15041	Seat Air Suspended, High Spec MSG95AL DynamicDampeningSystem 741 with CommandArm.	2,943.00
	BL15039	Seat Air Suspended, High Spec MSG95AL DynamicDampeningSystem 741 w/o CommandArm.	2,943.00
	BL15037	Seat Air Suspended, Low Spec MSG95GL731	1,280.00
	BL15038	Seat Air Suspended, Mid Spec MSG95AL741 w/ OPS	1,709.00
	BL15040	Seat Air Suspended, Mid Spec MSG95AL741 w/ OPS, w/ CommandArm.	1,709.00
	AL205893	Sun Shade Compatible in front and rear.	165.00
	AL208658	Wiper/Washer, Rear	215.00

6150R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL208644	ATTACHMENTS FOR FIELD CONVERSIONContinued iTEC (former HMS) Also requires software kit AL209824.	26.00
	AL174225	Transmission: Back-up Alarm - PowrQuad PLUS, AutoQuad and IVT Transmissions	496.00
	AL71345	Vandal Protection: Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts
	AL110170	Lockable Transmission Oil Filler Cap	132.00
	AL157298	Weights: Front Shield Protecting the frame end.	53.00

6170R Cab Tractor

Equipment for Base Machine

ENGINE:	GreenStar 3 Application Capability
John Deere PowerTech PVX Diesel	Activations Required
In-line 6-Cylinder Wet-Sleeve	Access Manager
with High Pressure Common Rail (HPCR)	Universal Performance Monitor
Fuel System and 24 Valve Head	Display Function Definable by Operator
6.8 L (414 Cu. In.) Displacement	ODEDAROD DROWEGETIE GERLIGHTIDE
170 Engine hp 97/68/EC @ Rated Speed	OPERATOR PROTECTIVE STRUCTURE
140 SAE PTO hp @ Rated Speed High Pressure Common Rail	ComfortView Cab with Air Conditioning and Heater
Variable Geometry Turbocharger and	One Panorama LH Door
Exhaust Gas Recirculation	One Panorama RH Window
Dual Temp Cooling System	Front Windshield Washer and Wiper
PowerCore G2 Air Filtration System with	Air Suspended Seat with Seat Belt
Permanent Pre-Cleaning and Safety Element	Tilt/Telescopic Steering Column
Underhood AfterTreatment System	Operational Controls Console Mounted
with Deluxe Corner Post Exhaust Self Priming and Bleeding Electronic Fuel Pump	Floor Mat Foot Throttle Control
95.1 Gal (360 L) Fuel Tank Capacity	Diff Lock Switch
Intelligent Power Management	AM/FM Stereo Radio with Weatherband,
	Clock, Two Speakers and Antenna
TRANSMISSION:	Coat hook
20/20 AutoQuad PLUS ECO; 25 mph (40km/h)	Overhead Storage Bin
Reduced engine rpm's at max transport speed	Left Hand Storage Bin and Accessory Outlet
Electronic LH Reverser	Overhead Courtesy Light
Perma-Clutch II (Hydraulically Engaged	Rear View Mirror
Wet Disk Clutch) Speed Matching	Cup Holder on RH console Sun Visor
Park Lock	Right Hand Steps and Hand Rail
Neutral Safety Start System	regio nara pospo ana nara nari
	ELECTRICAL:
STEERING, BRAKES, DIFFERENTIAL:	Key Shutoff
Hydrostatic Steering	12 Volt Electrical System
Wet-Disk Hydraulic Power Brakes Hydraulically-Engaged Rear Axle Differential Lock	12 Volt Battery, 154 Ah (1230 Cold Cranking Amps)
HYDRAULICS:	120 Amp Alternator
Pressure and Flow Compensating Axial	3 Pin Accessory Outlet
Piston Pump	Multi-Power Outlet Sockets
41 GPM (155 L/min) Pump Output	7 Terminal Rear Implement
26.4 GPM (100 L/min) Flow @ One SCV	Electrical Outlet Socket
Three 350 Series SCVs; Mechanical with ISO	12V Electrical Convenience
Breakaway Couplers	Outlet on RH Console
REAR PTO:	LIGHTS:
540/1000 RPM, 1-3/8 In. Independent Rear PTO,	Four Front Grille Headlights
Reversible Shaft and PTO Master Shield	Two Front Grille Worklights
Electrohydraulic Activation	Two Belt Line Mounted Lights
Wet Multi-Disk Clutch	Four Front Roof Lights
Neutral Start Safety System Seat Activated PTO Warning	Two Rear Roof Lights Four Roof Mounted Flashing
beat Activated 110 Walling	Hazard Lights
ROCKSHAFT, HITCH AND DRAWBAR:	Two Rear Fender Tail Lights with
Electrohydraulic Hitch with Transport	Brake Lights
Lock and External Remote Controls	
3-Point (Category 3/3N) Hitch	FRONT AXLE WHEELS AND TIRES:
10,697 Lb Lift Capacity	MFWD
Electronic Lower Link Draft Sensing Telescopic Draft Links	Steel Wheels Electrohydraulic MFWD Engagement
Sway Blocks	Two 420/90R30 In. 142A8 R1 Radial Tires
Category 2 Swinging Drawbar with Hammerstrap	
Secondary Implement Chain Support	REAR AXLE WHEELS AND TIRES:
Adjustable Center Link with Ball End	Rack and Pinion Axle;
INSTRUMENTATION:	100.4 In. Length x 3.937 In. (100 mm) Diameter Two Cast Wheels
Dashboard Instrument Panel Includes:	Two 480/80R46 In. 158A8 R1 Radial Tires
Tachometer	Iwo 100/00kito iii. 130kito kii kaalai iiieb
Speedometer	MISCELLANEOUS:
Hour Meter	JDLink Capable
Fuel Gauge	Operator's Manual (English) and Holder
Engine Oil Pressure Indicator Light	SMV Emblem
Coolant Temperature PTO Engagement	
Engine Air Filter Restriction Indicator	
Alternator	
Directional Indicators	
Hazard Switch	
CommandCenter Display Includes:	

6170R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
01D1RW		6170R Cab Tractor	145,755.00
		DESTINATION	
0184		Canada	Same Price
0202		United States	In Base Price
		OPERATOR STATION	
2050		Base Cab Includes 1 LH Panorama door, RH Steps,Sun Visor,GS3 CommandCenter Display located on RH console,Front Windshield Washer and Wiper, Manual Temperature Controls, Air Seat, Coat hook,Two 3-Pin Plugs, Overhead Storage Bin, Overhead Reading Light, Rear View Mirror, Multi Power Outlet Strip, 7-pin Signal Interface Socket, and JDLink Capable.	In Base Price
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Not compatible with video.	
2058		Deluxe Cab Includes Base Package Plus: Mirrors RH and LH - Manually Adjustable and Telescopic, Rear Windshield Washer and Wiper, Instructional Seat, and Bottle Holder.	1,825.00
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations and sold separately. Not compatible with video.	
2063		Premium Cab Includes Base Package Plus: RH Openable Door, Roller Blind, GS3 CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Front and Rear Windshield Washer and Wiper, Automatic Temperature Control, Instructional Seat, and Bottle Holder. Requires Electronic SCV's. Not compatible with Code 3325, 3332, and 8276.	4,568.00
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	
2067		Premium Plus Cab Includes Base Package Plus: RH Openable Door, Roller Blind, GS3 CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Front and Rear Windshield Washer and Wiper, Automatic Temperature Control, Deluxe Air Seat, Instructional	8,975.00

6170R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	. DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATIONContinued Seat, Bottle Holder, and Adaptive Hydraulic Cab Suspension Plus. Requires Electronic SCV's. Not compatible with Code 3325 ,3332, and 8276.	
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	
		TRANSMISSION	
		All Transmission Options Feature Left Hand Reverser Controls.	
1437		PowrQuad PLUS (19 mph/30 kmh) 16F/16R Includes Auto De-Clutch Function.	-3,000.00
1461		AutoQuad PLUS ECO (25 mph/40 kmh) 20F/20R Includes Auto De-Clutch Function. Not compatible with Code 6022 (2WD front axle).	In Base Price
1465		AutoQuad PLUS (31 mph/50 kmh) 20F/20R Includes Auto De-Clutch Function. Requires Code 6067 (TLS Plus with brakes), 8756 (hydraulic trailer brakes), & B speed rated rear tires.	Same Price
1551		Infinitely Variable Transmission (25 mph/40 kmh) Requires Code E/H SCV's: Codes 3331 or 3341 and Code 8742 (200 amp alternator). Includes CommandARM Console. Not compatible with Code 6022 (2wd front axle).	8,386.00
1552		Infinitely Variable Transmission (31 mph/50 kmh) Requires Code E/H SCV's: Codes 3331 or 3341 and Code 8742 (200 amp alternator). Includes CommandARM Console. Not compatible with Code 6022 (2wd front axle). Requires Code 6067 (TLS Plus with brakes), 8756 (Hydraulic trailer brakes), & B speed rated rear tires.	8,386.00
		RADIO PACKAGES	
2660		Deluxe Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	In Base Price
2661		Premium Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, CD/MP3 Player, Remote Mounted USB port and Auxiliary Input Jack, Bluetooth Capable including Hands Free External Microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers and External Antenna. Not available for Australia or New Zealand.	345.00
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
3325		Two Deluxe (3 Detent) Mechanical Selective Control Valves with ISO Breakaway Couplers Not compatible with Code 1551 or 1552 (IVT Transmission). Not compatible with Premium (2063) and Premium Plus (2067) cab packages.	-1,158.00
3332		Three Deluxe (3 Detent) Mechanical Selective Control Valves with ISO	In Base Price

6170R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVESContinued Breakaway Couplers Not compatible with Code 1551 or 1552 (IVT Transmission). Not compatible with Premium (2063) and Premium Plus (2067) cab packages.	
3331		Three Deluxe (3 Detent) E/H Selective Control Valves with ISO Breakaway Couplers	1,469.00
3341		Four Deluxe (3 Detent) E/H Selective Control Valves with ISO Breakaway Couplers Not compatible with Code 832J (Power Beyond).	2,298.00
		POWER TAKE-OFF	
3820		540/1000 RPM Rear Reversible PTO Includes 1-3/8 In. shaft.	In Base Price
3831		3-Speed 540/540E/1000 Rear Reversible PTO with Power Assisted PTO Shifting Includes 1-3/8 In. shaft. 540E is an economy mode that allows engine to run at lower RPM and save fuel.	854.00
3832		3-Speed 540E/1000/1000E Rear Reversible PTO with Power Assisted PTO Shifting Includes 1-3/8 In. shaft. 540E & 1000E are economy modes that allows engine to run at lower RPM and save fuel.	854.00
		REAR ROCKSHAFT AND HITCH	
4036		10,697 Lb.(4852kg) Capacity 3-Point Hitch (Category 3/3N) with Telescopic Draft Links and Sway Blocks	In Base Price
		REAR AXLES	
5053		Rack and Pinion 3.94 In. (100mm) Diameter by 100.4 In. Length	In Base Price
5056		Rack and Pinion 3.94 In. (100mm) Diameter by 110.5 In. Length <i>Includes extremity lights</i> .	475.00
5049		Rack and Pinion 3.94 In. (100mm) Diameter by 118.5 In. Length <i>Includes extremity lights</i> .	701.00
		REAR WHEELS AND TIRES	

For complete tire and wheel information, refer to the Agricultural Sales Manual.

6170R Cab Tractor

CODE	ATTACHMEN IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRESContinued	
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 40 km/h TRANSMISSIONS:	
		A Speed Rated RCI Group 47 Size Tires Listed Narrowest to Widest Listed Single to Duals	
		Use with the proper RCI Group 42 MFWD Front Tire with same tread type and brand preference.	
5100		320/90R54 In. 149A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	1,292.00
5500		320/90R54 In. 149A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 5057,5056 or 5049 (Rack & Pinion).	9,602.00
5101		380/90R50 In. 151A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	-246.00
5501		380/90R50 In. 151A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 5057,5056 or 5049 (Rack & Pinion).	6,886.00
5102		18.4R46 In. 155A8 R2 Radial (480/80R46 158A8 R2) in Single Wheel Configuration Available in Goodyear only. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	420.00
5502		18.4R46 In. 155A8 R2 Radial (480/80R46 158A8 R2) in Dual Wheel Configuration Available in Goodyear only. Requires Code 5057,5056 or 5049 (Rack & Pinion).	8,158.00
5103		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	In Base Price
5503		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion).	7,318.00
5143		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Firestone. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	Same Price
5543		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057,5056 or 5049 (Rack & Pinion).	7,318.00
5104		480/80R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	1,449.00
5504		480/80R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires Code 5057, 5056, or 5049 (Rack and Pinion).	9,843.00

6170R Cab Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5105		REAR WHEELS AND TIRESContinued 520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	-84.00
5505		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion).	7,190.00
5145		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Firestone. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	-84.00
5545		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057,5056 or 5049 (Rack & Pinion).	7,190.00
5106		520/85R42 In. 157A8 R1W Radial in Single Wheel Configuration Available in Firestone & Goodyear. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	1,224.00
5506		520/85R42 In. 157A8 R1W Radial in Dual Wheel Configuration Available in Firestone & Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion).	9,806.00
5108		520/85R42 In. 157A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	1,852.00
5508		520/85R42 In. 157A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 5057,5056 or 5049 (Rack & Pinion).	11,062.00
5109		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Michelin & Goodyear. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	2,760.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Michelin & Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion).	12,878.00
5149		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Firestone. Requires Code 5052,5053, 5057, 5056, or 5049 (Rack and Pinion).	2,760.00
5549		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057,5056 or 5049 (Rack & Pinion).	12,878.00
5110		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Michelin & Goodyear. Requires Code 5052,5053, 5057, 5056, or 5049 (Rack and Pinion).	4,082.00
5510		710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Michelin, & Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion).	15,502.00
5140		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Firestone. Requires Code 5052,5053, 5057, 5056, or 5049 (Rack and Pinion).	4,082.00

6170R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5540		REAR WHEELS AND TIRESContinued 710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057,5056 or 5049 (Rack & Pinion).	15,502.00
		A Speed Rated RCI Group 48 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 43 MFWD Front Tire with same tread type and brand preference. Requires Code 6043, 6063, or 6067.	
5200		380/90R54 In. 152A8 R1W Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	1,650.00
5600		380/90R54 In. 152A8 R1W Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5056 or 5049 (Rack & Pinion).	10,318.00
5201		480/80R50 In. 159A8 R1W Radial in Single Wheel Configuration Available in Firestone & Goodyear. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	1,486.00
5601		480/80R50 In. 159A8 R1W Radial in Dual Wheel Configuration Available in Firestone & Goodyear. Requires Code 5056 or 5049 (Rack & Pinion).	10,350.00
5231		480/80R50 In. 159A8 R1W Radial in Single Wheel Configuration Available in Michelin. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	1,859.00
5631		480/80R50 In. 159A8 R1W Radial in Dual Wheel Configuration Available in Michelin. Requires Code 5056 or 5049 (Rack & Pinion).	10,723.00
5203		520/85R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Michelin, or Continental. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	1,310.00
5222		650/85R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Goodyear, Michelin, or Continental. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	3,904.00
5206		710/70R42 In. 168A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	4,424.00
5207		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	5,115.00
5237		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	4,742.00

6170R Cab Tractor

ATTACH CODE IDENTIFI		SUGGESTED LIST PRICE USD (\$)
	REAR WHEELS AND TIRESContinued	
	REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 31 km/h TRANSMISSIONS:	
	B Speed Rated RCI Group 47 Size Tires Listed Narrowest to Widest Listed Single to Duals	
	Use with the proper RCI Group 42 MFWD Front Tire with same tread type and brand preference. Requires Code 6067 (TLS Plus w/Brakes), 1465 or 1552 (50K transmission).	
5113	480/80R46 In. 158B R1 Radial in Single Wheel Configuration Available in Goodyear.	508.00
	Requires Code 5052, 5057, 5053, 5056, or 5049 (Rack & Pinion Axle).	
5513	480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5057, 5056, or 5049 (Rack & Pinion Axle).	8,334.00
5115	480/80R46 In. 158B R1 Radial in Single Wheel Configuration Available in Firestone.	508.00
	Requires Code 5052, 5057, 5053, 5056, or 5049 (Rack & Pinion Axle).	
5515	480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057, 5056, or 5049 (Rack & Pinion Axle).	8,334.00
5116	710/70R38 In. 171B R1W Radial in Single Wheel Configuration Available in Goodyear or Michelin. Requires Code 5052, 5057, 5053, 5056, or 5049 (Rack & Pinion Axle).	4,826.00
	B Speed Rated RCI Group 48 Size Tires Listed Narrowest to Widest	
	Listed Single to Duals Use with the proper RCI Group 43 MFWD Front Tire with same tread type and brand preference. Requires Code 6067 (TLS Plus w/Brakes), 1465 or 1552 (50K transmission).	
5210	480/80R50 In. 159B R1W Radial in Single Wheel Configuration Available in Firestone or Goodyear.	1,486.00
	Requires Code 5053, 5056, or 5049 (Rack & Pinion Axle).	
5610	480/80R50 In. 159B R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Requires Code 5056 or 5049 (Rack & Pinion Axle).	10,350.00
5211	650/85R38 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear. Requires Code 5053, 5056, or 5049 (Rack & Pinion Axle).	4,410.00
5213	710/70R42 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Code 5053, 5056, or 5049 (Rack & Pinion Axle).	5,351.00
8501	Dual Hubs Dual Hubs Only Requires Code 5056, 5057 or 5049 (Rack and Pinion).	1,692.00

6170R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6022		FRONT AXLES Adjustable Two Wheel Drive Front Axle (62.8 In86.8 In.) See Field Attachments for Extension to 98 In. Not compatible with Code 1461, 1465, 1551, or 1552 (IVT).	-8,194.00
6043		Mechanical Front Wheel Drive Axle with Limited Slip Differential	In Base Price
6063		Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS	3,920.00
6067		Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS with Heavy Duty Front Brakes Required for Code 1465 and 1552 (50K transmission).	5,327.00
		FRONT WHEELS AND TIRES	
		TWO STEEL 2WD WHEELS: Requires Code 6022 (Two Wheel Drive):	
6165		11.00-16 In. 12PR F2 Bias Available in Goodyear & Firestone.	-2,478.00
6166		11.00-20 In. 12PR F2 Bias Available in Titan only.	-2,198.00
6168		14L-16.1 In. 12PR F2 Bias Available in Firestone.	-2,172.00
		MECHANICAL FRONT WHEEL DRIVE (MFWD) AXLE (Codes 6043, 6063, or 6067):	
		RCI Group 42 Size Tires Two Multi-Position Steel Wheels Requires Code 6043, 6063, or 6067.	
6106		320/85R38 In. 143A8 R1W Radial Available in Goodyear only.	832.00
6107		380/85R34 In. 137A8 R1 Radial Available in Firestone & Goodyear.	276.00
6108		380/85R34 In. 137A8 R1W Radial Available in Michelin only.	1,603.00
6100		420/90R30 In. 142A8 R1 Radial Available in Firestone & Goodyear.	In Base Price
6101		420/90R30 In. 147A8 R1W Radial Available in Michelin & Firestone.	1,377.00
6102		16.9R30 In. 144A8 R1W Radial Available in Firestone & Goodyear.	604.00
6103		16.9R30 In. 141A8 R2 Radial (420/90R30 142A8 R2 Radial) Available in Goodyear only.	696.00

6170R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6104		FRONT WHEELS AND TIRESContinued 480/70R30 In. 152A8 R1W Radial Available in Firestone & Goodyear.	284.00
6110		600/65R28 In. 154A8 R1W Radial Available in Michelin & Goodyear.	2,844.00
		RCI Group 43 Size Tires Two Multi-Position Steel Wheels Requires Code 6043, 6063, or 6067.	
6201		380/80R38 In. 142A8 R1W Radial Available in Firestone, Goodyear, or Michelin.	1,360.00
6203		420/85R34 In. 147A8 R1W Radial Available in Firestone & Goodyear.	1,304.00
6204		480/70R34 In. 143A8 R1W Radial Available in Continental.	1,236.00
6205		480/70R34 In. 155A8 R1W Radial Available in Firestone & Goodyear.	2,108.00
6206		480/70R34 In. 146A8 R1W Radial Available in Michelin.	2,255.00
		TIRE PREFERENCE CODES	
5999		No Brand Preference	In Base Price
5901		Firestone Brand Only	400.00
5902		Goodyear Brand Only	400.00
5903		Michelin Brand Only	800.00
5904		Continental Only	400.00
		OPERATOR'S MANUAL	
0409		English Operator's Manual	In Base Price
0413		French Operator's Manual	Same Price
0437		Spanish Operator's Manual	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8061		Ag Management Solutions: JDLink Ultimate Promotion - 1 Year Subscription Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features this includes machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	1,430.00

6170R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8062		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued JDLink Ultimate Promotion - 3 Year Subscription Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features this includes machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	2,630.00
8064		GreenStar Ready Wiring Harness with Implement Connector Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information.	806.00
8067		GreenStar AutoTrac Ready Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Not compatible with Code 6022 (2WD).	4,537.00
878S		ComfortView Cab Options: Cup Holder (Right Hand A-Post Mounted)	33.00
878T		Panorama Glass Roof Requires Code 873A or 873C (Lighting Package), and Code 8276 (Roller Blind). Note: Base and Deluxe Cab Packages ordered with Panorama Roof do not include a Sun Visor.	574.00
8276		Front and Rear Roller Blind	278.00
878U		Dual Beam Ground Speed Radar Sensor	875.00
8307		Bottom Guard for Fuel Tank	74.00
8310		Fuel Tank, 107 Gal. (405L) Reduces ground clearance by 80 mm.	384.00
873A		Lighting Packages: Deluxe Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights 2 HB3 Halogen Rear roof mounted adjustable worklights 2 HB3 Halogen Side roof mounted fixed worklights 2 HB3 Rear fender mounted adjustable worklights 1 Beacon light Includes base lighting less 2 inner rear roof work lights. Only available with 878T (Panorama Roof).	1,696.00
873C		Premium Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights 2 Xenon Halogen Rear roof mounted adjustable worklights 2 HB3 Halogen Side roof mounted fixed worklights 2 HB3 Rear fender mounted adjustable worklights 1 Beacon light Includes base lighting less 2 inner rear roof work lights. Only available with 878T (Panorama Roof).	2,596.00

6170R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
873F		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Deluxe Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 HB3 Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light.	2,118.00
873E		Premium Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 Xenon Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light. Loader Ready Packages: Loader Ready Package Includes: Mid-Mount Valve and Joystick as specified by code, loader	3,018.00
834B		mounting brackets, hydraulics hoses, single point half coupler and hood guard. 2-Function Mechanical Independent Control Valve Loader Ready Package Includes: 2-Function Mechanical Joystick with Activated Speed Shifting Buttons and inactive rocker switch, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, H-Series Loader Mounting Frame, and Hood Guard. Note: Panorama Roof (Code 878T) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended.	4,375.00
834A		Not compatible with Code 1551 (IVT), 1552 (IVT), or H380 Loader. 3-Function Mechanical Independent Control Valve Loader Ready Package Includes: 3-Function Mechanical Joystick with Activated Speed Shifting Buttons and activated rocker switch, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, H-Series Loader Mounting Frame, and Hood Guard. Note: Panorama Roof (Code 878T) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Not compatible with Code 1551 or 1552 (IVT).	4,798.00
8340		2-Function Electrical Independent Control Valve Loader Ready Package Includes: 2-Function Electronic Joystick with Activated Speed Shifting Buttons (Activated Speed Shifting buttons not available with IVT transmission) and inactive rocker switch, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point coupler, H- Series Loader Mounting Frame, and Hood Guard. Note: Panorama Roof (Code 878T) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Not compatible with H380 Loader.	4,830.00
834P		3-Function Electrical Independent Control Valve Loader Ready Package Includes: 3-Function Electronic Joystick with Activated Speed Shifting Buttons (Activated Speed Shifting buttons not available with IVT transmission) and activated rocker switch, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point coupler, H-Series Loader Mounting Frame, and Hood Guard. Note: Panorama Roof (Code 878T) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended.	5,447.00
8002		Chassis: Toolbox	74.00

6170R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8011		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Front Fenders for MFWD (Rigid) 18.9-In. (480mm) Coverage Width (2) or 21.3-In. (540mm) Coverage Width (2). Dependent on front tire width. Fenders not compatible with Code 6203 with 60 In. Tread Spacing. See Ag Sales Manual for Loader Fender Compatibility.	526.00
8012		Turnable Front Fenders for MFWD 18.9-In. (480mm) Coverage Width (2) or 21.3-In. (540mm) Coverage Width (2). Dependent on front tire width. Fender stop panel included. See Ag Sales Manual for Loader Fender Compatibility	818.00
8020		Fender Extension, 1-Piece Side and Rear Extension (Qty 2) <i>Includes Rear PTO Switch.</i>	600.00
8756		Hydraulic Trailer Brakes Includes rear tractor line coupler. Required for 50k transmission.	398.00
8448		Hitch and Drawbar: Quik-Coupler (Category 3N/3)	1,352.00
8428		Easy Guide Hydraulic Center Link (Category 3)	1,647.00
832J		Power Beyond for Rear SCV's	115.00
8300		Engine: Cold Start Package I Includes 174Ah battery, Engine Coolant Heater (110V), and Rear Window Defrost. Not compatible with Code 8301.	568.00
8301		Cold Start Package II Includes 174Ah battery, engine coolant heater (110V), Ground Fault Interrupter, Charge Pump Heater, Transmission Heater (110V), and Rear Window Defrost. No transmission heater with IVT Tractors. Not compatible with Code 8300.	721.00
8304		Fuel Heating System (12v)	136.00
8742		200 Amp Alternator Required for IVT transmissions.	252.00
8955		Quik-Tatch Front-End Weight Packages: Quik-Tatch Weight Support Less Weights Add 313 Lbs. Front, Subtract 73 Lbs. Rear.	308.00
8964		Quik-Tatch Weight Support with Four Weights Add 884 Lbs. Front, Subtract 229 Lbs. Rear.	702.00
8956		Quik-Tatch Weight Support with Six Weights Add 1168 Lbs. Front, Subtract 306 Lbs. Rear.	907.00
8957		Quik-Tatch Weight Support with Eight Weights Add 1455 Lbs. Front, Subtract 384 Lbs. Rear.	1,117.00
8958		Quik-Tatch Weight Support with Ten Weights Add 1742 Lbs. Front, Subtract 463 Lbs. Rear.	1,304.00

6170R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8959		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Quik-Tatch Weight Support with Twelve Weights Add 2026 Lbs. Front, Subtract 540 Lbs. Rear.	1,534.00
8960		Quik-Tatch Weight Support with Fourteen Weights Add 2310 Lbs. Front, Subtract 619 Lbs. Rear.	1,654.00
8962		Quik-Tatch Weight Support with Eighteen Weights Add 2881 Lbs. Front, Subtract 774 Lbs. Rear.	2,035.00
		Rear Wheel Weights - For Inside/Inner Drive Wheels: Single 75 kg weight available as Field Installed Option Only. Weights shown are for each weight.	
8974		One Pair 205 kg (450 Lb.) Cast Wheel Only	1,033.00
8973		Two Pairs of 205 kg (450 Lb.) Cast Wheel Only Minimum tread spacing is 64 In. 64 In. tread spacing is not compatible with cab suspension, and radar sensors.	2,065.00
		Rear Wheel Weights - For Outside/Inner Drive Wheels (Cast): Single 75 kg weight available as Field Installed Option Only. Weights shown are for each weight. Not compatible with Code 8501 (Duals).	
8975		One Pair 205 kg (450 Lb.) Cast Wheel Only	1,033.00
8976		One Pair 75 kg (165 Lb.) and One Pair 205 kg (450 Lb.) Compatible for BOTH Cast and Steel Wheels.	1,489.00
		Rear Wheel Weights - For Outside/Outer Dual Wheels (Steel): Weights shown are for each weight. Not for 34 In. wheels, unless noted. Compatible with Code 8501 (Duals).	
8980		One Pair 75 kg (165 Lb.) and One Pair 205 kg (450 Lb.)	1,489.00
		ATTACHMENTS - ORDER AS DESIRED	
9075		Customer Gold Key Program: Gold Key Tour Not compatible with Code 9076. This personal guided tour strives to provide you with the unique opportunity to watch your machine during its final stages of manufacturing. This tour is limited by factory daily production allowance levels and may have an increased lead-time. A target tour date will be communicated in advance, but a date will not be firmed up until approximately 6 business days in advance for this tour and this date is subject to change up to the tour date. For more information, visit www.deere.com/goldkey.	No Charge

6170R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9076		ATTACHMENTS - ORDER AS DESIREDContinued Gold Key Experience Tour Not compatible with Code 9075. This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
8550		Export Attachments: Skid for Duals	148.00
		FOR FRONT HITCH EQUIPMENT, CONTACT: Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com	
		ATTACHMENTS FOR FIELD CONVERSION	
	AL207716	Electrical: Battery Cut-Off Switch (4 Cyl.)	604.00
	AL204831	Radar, Dual Beam Attaching Kit Also order software AL210912, bracket L206405 (without stabilizer), bracket L208808 (with stabilizer) and radar sensor.	317.00
	BL15012	Engine: Fuel Heater	156.00
	BL15059	Fenders: Base Support Kit, Pivot Also order MFWD front fender kit in corresponding width and size.	756.00
	BL15060	Base Support Kit, Rigid Also order MFWD front fender kit in corresponding width and size.	256.00
	BL15018	Fender side extension, 7.9 in. (200mm) wide	412.00
	BL15019	Fender side extension, 9.8 in. (250mm) wide	242.00
	BL15062	MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,166.00
	BL15064	MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,175.00
	BL15066	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,184.00

6170R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15068	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,214.00
	BL15070	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,223.00
	BL15044	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide, (1895mm) Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,253.00
	BL15061	MFWD Front Fenders, Fixed, 14.5 ln. (370 mm) Wide See Ag Sales Manual for compatible tire combinations.	668.00
	BL15063	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for compatible tire combinations.	677.00
	BL15065	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for compatible tire combinations.	686.00
	BL15067	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for compatible tire combinations.	716.00
	BL15069	MFWD Front Fenders, Fixed, 24.4 In. (620 mm) Wide See Ag Sales Manual for compatible tire combinations.	725.00
	AL208650	Guards: Fender Mud Guard For Tractors without suspended cab.	108.00
	AL204818	Fuel Tank Bottom Guard 107 US Gal. (405L)	243.00
	BL15090	Hitch and Drawbar: Center Link, Hydraulic	1,821.00
	BL15032	Hydraulic Stabilizer Also order software AL209297.	1,950.00
	BL15091	LH Automatic Stabilizer, ECO RH, with Suspended Cab	608.00
	AL151119	Stabilizer Bar, Mechanical (One) with Attaching Parts	298.00
	AL207879	Hydraulics: Additional Oil Reservoir Increases the excisting oil capacity by 28 liters.	699.00
	AL203673	E-ICV Control Lever (Joystick) with out CommandARM (on RH Armrest) with Gear Shifting Compatible with Grammer seat, without CommandArm, with gear shifting.	1,546.00
	AL203674	E-ICV Control Lever (Joystick) with out CommandARM (on RH Armrest) with Gear Shifting Compatible with Sears seat, without CommandArm, with gear shifting.	1,546.00

6170R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL204806	ATTACHMENTS FOR FIELD CONVERSIONContinued E-ICV Upgrade Kit To convert from 2 sections to 3 sections Also order software AL209347 through PDC.	679.00
	AL204811	Electronic #3 Super Deluxe 350 Series 3-Function SCV (E-SCV)	944.00
	AL204812	Electronic #4 Super Deluxe 350 Series 3-Function SCV (E-SCV)	1,132.00
	AL205873	Joystick for M-ICV 2-function, diverter + gear-shifting.	574.00
	AL205871	Joystick for M-ICV, 2-Function	527.00
	AL174410	Joystick, Electronic 3 Function, (Compatible with CommardARM), Non-Shiftable Compatible w/ Sears seat, w/ CommandArm, non-shiftable.	1,283.00
	AL174227	Joystick, Electronic 3 Function, (Grammer Seat without CommardARM), Non-Shiftable Compatible w/ Grammer seat, w/o CommandArm, non-shiftable.	1,341.00
	AL179418	Joystick, Electronic 3 Function, (Sears Seat without CommandARM), Non-Shiftable Compatible w/ Sears seat, w/o CommandArm, non-shiftable.	1,341.00
	AL204805	M-ICV Upgrade Kit To convert from 2 sections to 3 sections Also order software AL209347 through PDC.	1,904.00
	AL204803	M-ICV, 2-Sections	1,056.00
	AL204804	M-ICV, 3-Sections	1,628.00
	AL204807	Mechanical Deluxe Select Control Valve 100 Series	504.00
	AL204808	Mechanical Deluxe Select Control Valve 200 Series	651.00
	AL204810	Mechanical Deluxe Select Control Valve 350 Series	805.00
	AL206269	Oil Line Kit and Mounting Parts for 2/3 Section E-ICV or M-ICV Basic Kit	248.00
	AL205878	Position Kit, Position #3 & #4, Mechanical SCVs	380.00
	AL205876	Position Kit, Position #3, Mechanical SCVs	169.00
	AL205877	Position Kit, Position #4, Mechanical SCVs	244.00
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement	237.00
	AL176299	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Tractors	237.00
	AL205916	Lighting: (1) H3 Work Light Installed on beacon light support.	131.00

6170R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL204761	ATTACHMENTS FOR FIELD CONVERSIONContinued (2) HB3 Work Lights, Beltline Hanging Mounted Not compatible with front loader installation due to component interference.	253.00
	AL204760	(2) HB3 Work Lights, Beltline Upright Mounted	253.00
	AL204759	(2) HB3 Work Lights, Rear Fender Mounted If a back-up alarm is equipped on the RH fender, also order: 1 x AL206710 console 8 x 19M7162 cap screw 8 x 24M7055 washer 2 x 14M7298 flanged nut	175.00
		If extra-wide vehicle lighting is equipped (LH & RH fender), also order: 4 x 19M7865 flanged screw 2 x L204515 bracket	
		If extra-wide vehicle lighting and back-up alarm are equipped, also order: 1 x AL209527 console 6 x 19M7162 cap screw 6 x 24M7055 washer 4 x 19M7865 flanged screw 1 x 204515 bracket	
	AL205912	(2) HB3 Work Lights, Roof Mounted, Front or Rear	270.00
	AL205913	(2) HB3 Work Lights, Roof Mounted, Front or Rear Possible mounting positions on the FRONT roof are: right and left inner or mid position Possible mounting positions on the REAR roof are: right and left inner or outer position	270.00
	AL204758	Beacon Light, LH	219.00
	BL15022	Beacon Light, RH	219.00
	AL205881	Head Lights H4 on Beltline For RH + LH Traffic (ECE & SAE)	474.00
	BL15035	Head Lights H4 on Beltline For LH-Traffic (ECE).	475.00
	AL205915	Xenon Work Lights Roof-mounted, adjustable front at mid position or rear at inner position.	1,555.00
	AL204829	Miscellaneous: Tool Box Reference installation instructions MHM1519.	243.00
	AL203919	Operator Environment: 3-Terminal Socket	72.00
	AL204297	Backrest Extension, Telescopic	135.00
	AL205885	Bottle Holder at A-post	41.00
	AL207633	Bottle Holder, Floor Mounted, LH	35.00

6170R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL205886	ATTACHMENTS FOR FIELD CONVERSIONContinued Cooling Box Floor mounted to A-post, RH.	130.00
	AL208653	Electrically Telescoping Mirror, RH/LH	See Parts
	AL174262	Field Office without Refrigerator	254.00
	BL15028	Fridge For tractors without Field Office.	678.00
	BL15029	Fridge For tractors with Field Office.	725.00
	AL204298	Instructional Seat	545.00
	BL15043	Manually Telescoping Mirror RH	See Parts
	AL205891	Rear Window, Heatable	425.00
	AL205883	Remote Switch, PTO For tractors w/o CommandArm also order AL177389. For tractors w/ CommandArm also order RE223554. Also order software kit AL210796.	135.00
	BL15041	Seat Air Suspended, High Spec MSG95AL DynamicDampeningSystem 741 with CommandArm.	2,943.00
	BL15039	Seat Air Suspended, High Spec MSG95AL DynamicDampeningSystem 741 w/o CommandArm.	2,943.00
	BL15037	Seat Air Suspended, Low Spec MSG95GL731	1,280.00
	BL15038	Seat Air Suspended, Mid Spec MSG95AL741 w/ OPS	1,709.00
	BL15040	Seat Air Suspended, Mid Spec MSG95AL741 w/ OPS, w/ CommandArm.	1,709.00
	AL205893	Sun Shade Compatible in front and rear.	165.00
	AL208658	Wiper/Washer, Rear	215.00
	AL208644	iTEC (former HMS) Also requires software kit AL209824.	26.00
	AL174225	Transmission: Back-up Alarm - PowrQuad PLUS, AutoQuad and IVT Transmissions	496.00
	AL71345	Vandal Protection: Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts

6170R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL110170	ATTACHMENTS FOR FIELD CONVERSIONContinued Lockable Transmission Oil Filler Cap	132.00
	AL157298	Weights: Front Shield Protecting the frame end.	53.00

6190R Cab Tractor

Equipment for Base Machine

ENGINE:	Hazard Switch
John Deere PowerTech PSX Diesel	CommandCenter Display Includes:
In-line 6-Cylinder Wet-Sleeve	GreenStar 3 Application Capability
with High Pressure Common Rail (HPCR)	Activations Required
Fuel System and 24 Valve Head	Access Manager
6.8 L (414 Cu. In.) Displacement	Universal Performance Monitor
190 Engine hp 97/68/EC @ Rated Speed	Display Function Definable by Operator
157 SAE PTO hp @ Rated Speed	
High Pressure Common Rail	OPERATOR PROTECTIVE STRUCTURE
Variable Geometry Turbocharger and	ComfortView Cab with Air Conditioning
Exhaust Gas Recirculation	and Heater
Dual Temp Cooling System	One Panorama LH Door
PowerCore G2 Air Filtration System with	One Panorama RH Window
Permanent Pre-Cleaning and Safety Element	Front Windshield Washer and Wiper
Underhood AfterTreatment System with	Air Suspended Seat with Seat Belt
Deluxe Corner Post Exhaust	Tilt/Telescopic Steering Column
Self Priming and Bleeding Electronic Fuel Pump	Operational Controls Console Mounted
95.1 Gal (360 L) Fuel Tank Capacity	Floor Mat
Intelligent Power Management	Foot Throttle Control
	Diff Lock Switch
TRANSMISSION:	AM/FM Stereo Radio with Weatherband,
20/20 AutoQuad PLUS ECO; 25 mph (40km/h)	Clock, Two Speakers and Antenna
Reduced engine rpm's at max transport speed	Coat hook
Electronic LH Reverser	Overhead Storage Bin
Perma-Clutch II (Hydraulically Engaged	Left Hand Storage Bin and Accessory Outlet
Wet Disk Clutch)	Overhead Courtesy Light
Speed Matching	Rear View Mirror
Park Lock	Cup Holder on RH console
Neutral Safety Start System	Sun Visor
	Right Hand Steps and Hand Rail
STEERING, BRAKES, DIFFERENTIAL:	
Hydrostatic Steering	ELECTRICAL:
Wet-Disk Hydraulic Power Brakes	Key Engine Shutoff
Hydraulically-Engaged Rear Axle	12 Volt Electrical System
Differential Lock	12 Volt Battery, 154 Ah (1230 Cold
	Cranking Amps)
HYDRAULICS:	120 Amp Alternator
Pressure and Flow Compensating Axial	3 Pin Accessory Outlet
Piston Pump	Multi-Power Outlet Sockets
41 GPM (155 L/min) Pump Output	7 Terminal Rear Implement Electrical
26.4 GPM (100 L/min) Flow @ One SCV	Outlet Socket
Three 350 Series SCVs; Mechanical with ISO	12V Electrical Convenience Outlet
Breakaway Couplers	on RH Console
DELD DEC.	T T 077770 .
REAR PTO:	LIGHTS:
540/1000 RPM, 1-3/8 In. and 1-3/4 In.	Four Front Grill Headlights
Independent Rear PTO, Reversible Shaft	Two Front Grill Worklights
and PTO Master Shield	Two Belt Line Mounted Lights
Electrohydraulic Activation	Four Front Roof Lights
Wet Multi-Disk Clutch	Two Rear Roof Lights
Neutral Start Safety System	Four Roof Mounted Flashing
Seat Activated PTO Warning	Hazard Lights
	Two Rear Fender Tail Lights with
ROCKSHAFT, HITCH AND DRAWBAR:	Brake Lights
Electrohydraulic Hitch with Transport	TRANS AND THEFT & AND THEFT
Lock and External Remote Controls	FRONT AXLE WHEELS AND TIRES:
3-Point (Category 3/3N) Hitch	MFWD
10,697 Lb Lift Capacity	Steel Wheels
Electronic Lower Link Draft Sensing	Electrohydraulic MFWD Engagement
Telescopic Draft Links	Two 420/90R30 In. 142A8 R1 Radial Tires
Sway Blocks Category 3 Swinging Drawbar with Hammerstrap	DEAD AVIE MITERIC AND TIDEC.
Secondary Implement Chain Support	REAR AXLE WHEELS AND TIRES: Rack and Pinion Axle;
Adjustable Center Link with Ball End	100.4 In. Length x 3.937 In. (100 mm) Diameter
Adjustable Center Link with Ball End	Two Cast Wheels
INSTRUMENTATION:	Two 480/80R46 In. 158A8 R1 Radial Tires
Dashboard Instrument Panel Includes:	IWO 100/00KTO III. IJOMO KI KAUIAI IIIES
	MICCELL AMECIE:
Tachometer Speedometer	MISCELLANEOUS: JDLink Capable
Hour Meter	
Fuel Gauge	Operator's Manual (English) and Holder SMV Emblem
Engine Oil Pressure Indicator Light	OLIA THINTEH
Coolant Temperature	
PTO Engagement	
Engine Air Filter Restriction Indicator	
Alternator	
111001114001	

Directional Indicators

6190R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
01E1RW		6190R Cab Tractor	153,548.00
		DESTINATION	
0184		Canada	Same Price
0202		United States	In Base Price
		OPERATOR STATION	
2050		Base Cab Includes 1 LH Panorama door, RH Steps,Sun Visor,GS3 CommandCenter Display located on RH console,Front Windshield Washer and Wiper, Manual Temperature Controls, Air Seat, Coat hook,Two 3-Pin Plugs, Overhead Storage Bin, Overhead Reading Light, Rear View Mirror, Multi Power Outlet Strip, 7-pin Signal Interface Socket, and JDLink Capable.	In Base Price
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Not compatible with video.	
2058		Deluxe Cab Includes Base Package Plus: Mirrors RH and LH - Manually Adjustable and Telescopic, Rear Windshield Washer and Wiper, Instructional Seat, and Bottle Holder.	1,825.00
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations and sold separately. Not compatible with video.	
2063		Premium Cab Includes Base Package Plus: RH Openable Door, Roller Blind, GS3 CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Front and Rear Windshield Washer and Wiper, Automatic Temperature Control, Instructional Seat, and Bottle Holder. Requires Electronic SCV's. Not compatible with Code 3325, 3332, and 8276.	4,568.00
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	
2067		Premium Plus Cab Includes Base Package Plus: RH Openable Door, Roller Blind, GS3 CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Front and Rear Windshield Washer and Wiper, Automatic Temperature Control, Deluxe Air Seat, Instructional	8,975.00

6190R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	. DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATIONContinued Seat, Bottle Holder, and Adaptive Hydraulic Cab Suspension Plus. Requires Electronic SCV's. Not compatible with Code 3325 ,3332, and 8276.	
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	
		TRANSMISSION	
		All Transmission Options Feature Left Hand Reverser Controls.	
1437		PowrQuad PLUS (19 mph/30 kmh) 16F/16R Includes Auto De-Clutch Function.	-3,000.00
1461		AutoQuad PLUS ECO (25 mph/40 kmh) 20F/20R Includes Auto De-Clutch Function. Not compatible with Code 6022 (2WD front axle).	In Base Price
1465		AutoQuad PLUS (31 mph/50 kmh) 20F/20R Includes Auto De-Clutch Function. Requires Code 6067 (TLS Plus with brakes), 8756 (hydraulic trailer brakes), & B speed rated rear tires.	Same Price
1551		Infinitely Variable Transmission (25 mph/40 kmh) Requires Code E/H SCV's: Codes 3331 or 3341 and Code 8742 (200 amp alternator). Includes CommandARM Console. Not compatible with Code 6022 (2wd front axle).	8,386.00
1552		Infinitely Variable Transmission (31 mph/50 kmh) Requires Code E/H SCV's: Codes 3331 or 3341 and Code 8742 (200 amp alternator). Includes CommandARM Console. Not compatible with Code 6022 (2wd front axle). Requires Code 6067 (TLS Plus with brakes), 8756 (Hydraulic trailer brakes), & B speed rated rear tires.	8,386.00
		RADIO PACKAGES	
2660		Deluxe Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	In Base Price
2661		Premium Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, CD/MP3 Player, Remote Mounted USB port and Auxiliary Input Jack, Bluetooth Capable including Hands Free External Microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers and External Antenna. Not available for Australia or New Zealand.	345.00
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
3325		Two Deluxe (3 Detent) Mechanical Selective Control Valves with ISO Breakaway Couplers Not compatible with Code 1551 or 1552 (IVT Transmission). Not compatible with Premium (2063) and Premium Plus (2067) cab packages.	-1,158.00
3332		Three Deluxe (3 Detent) Mechanical Selective Control Valves with ISO	In Base Price

6190R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVESContinued Breakaway Couplers Not compatible with Code 1551 or 1552 (IVT Transmission). Not compatible with Premium (2063) and Premium Plus (2067) cab packages.	
3331		Three Deluxe (3 Detent) E/H Selective Control Valves with ISO Breakaway Couplers	1,469.00
3341		Four Deluxe (3 Detent) E/H Selective Control Valves with ISO Breakaway Couplers Not compatible with Code 832J (Power Beyond).	2,298.00
		POWER TAKE-OFF	
3820		540/1000 RPM Rear Reversible PTO Includes 1-3/4 In. & 1-3/8 In. shafts.	In Base Price
3831		3-Speed 540/540E/1000 Rear Reversible PTO with Power Assisted PTO Shifting Includes 1-3/4 In. & 1-3/8 In. shafts. 540E is an economy mode that allows engine to run at lower RPM and save fuel.	854.00
3832		3-Speed 540E/1000/1000E Rear Reversible PTO with Power Assisted PTO Shifting Includes 1-3/4 In. & 1-3/8 In. shafts. 540E & 1000E are economy modes that allows engine to run at lower RPM and save fuel.	854.00
		REAR ROCKSHAFT AND HITCH	
4036		10,697 Lb.(4852kg) Capacity 3-Point Hitch (Category 3/3N) with Telescopic Draft Links and Sway Blocks	In Base Price
		REAR AXLES	
5053		Rack and Pinion 3.94 In. (100mm) Diameter by 100.4 In. Length	In Base Price
5056		Rack and Pinion 3.94 In. (100mm) Diameter by 110.5 In. Length <i>Includes extremity lights</i> .	475.00
5049		Rack and Pinion 3.94 In. (100mm) Diameter by 118.5 In. Length <i>Includes extremity lights</i> .	701.00
		REAR WHEELS AND TIRES	

For complete tire and wheel information, refer to the Agricultural Sales Manual.

6190R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRESContinued	
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 40 km/h TRANSMISSIONS:	
		A Speed Rated RCI Group 47 Size Tires Listed Narrowest to Widest Listed Single to Duals	
		Use with the proper RCI Group 42 MFWD Front Tire with same tread type and brand preference.	
5100		320/90R54 In. 149A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	1,292.00
5500		320/90R54 In. 149A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 5057,5056 or 5049 (Rack & Pinion).	9,602.00
5101		380/90R50 In. 151A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	-246.00
5501		380/90R50 In. 151A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only.	6,886.00
		Requires Code 5057,5056 or 5049 (Rack & Pinion).	
5102		18.4R46 In. 155A8 R2 Radial (480/80R46 158A8 R2) in Single Wheel Configuration Available in Goodyear only. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	420.00
5502		18.4R46 In. 155A8 R2 Radial (480/80R46 158A8 R2) in Dual Wheel Configuration Available in Goodyear only. Requires Code 5057,5056 or 5049 (Rack & Pinion).	8,158.00
5103		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	In Base Price
5503		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion).	7,318.00
5143		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Firestone.	Same Price
FF.40		Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	7 240 00
5543		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057,5056 or 5049 (Rack & Pinion).	7,318.00
5104		480/80R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	1,449.00
5504		480/80R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires Code 5057, 5056, or 5049 (Rack and Pinion).	9,843.00

6190R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5105		REAR WHEELS AND TIRESContinued 520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	-84.00
5505		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion).	7,190.00
5145		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Firestone. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	-84.00
5545		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057,5056 or 5049 (Rack & Pinion).	7,190.00
5106		520/85R42 In. 157A8 R1W Radial in Single Wheel Configuration Available in Firestone & Goodyear. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	1,224.00
5506		520/85R42 In. 157A8 R1W Radial in Dual Wheel Configuration Available in Firestone & Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion).	9,806.00
5108		520/85R42 In. 157A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	1,852.00
5508		520/85R42 In. 157A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 5057,5056 or 5049 (Rack & Pinion).	11,062.00
5109		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Michelin & Goodyear. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	2,760.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Michelin & Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion).	12,878.00
5149		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Firestone. Requires Code 5052,5053, 5057, 5056, or 5049 (Rack and Pinion).	2,760.00
5549		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057,5056 or 5049 (Rack & Pinion).	12,878.00
5110		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Michelin & Goodyear. Requires Code 5052,5053, 5057, 5056, or 5049 (Rack and Pinion).	4,082.00
5510		710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Michelin, & Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion).	15,502.00
5140		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Firestone. Requires Code 5052,5053, 5057, 5056, or 5049 (Rack and Pinion).	4,082.00

6190R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5540		REAR WHEELS AND TIRESContinued 710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057,5056 or 5049 (Rack & Pinion).	15,502.00
		A Speed Rated RCI Group 48 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 43 MFWD Front Tire with same tread type and brand preference. Requires Code 6043, 6063, or 6067.	
5200		380/90R54 In. 152A8 R1W Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	1,650.00
5600		380/90R54 In. 152A8 R1W Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5056 or 5049 (Rack & Pinion).	10,318.00
5201		480/80R50 In. 159A8 R1W Radial in Single Wheel Configuration Available in Firestone & Goodyear. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	1,486.00
5601		480/80R50 In. 159A8 R1W Radial in Dual Wheel Configuration Available in Firestone & Goodyear. Requires Code 5056 or 5049 (Rack & Pinion).	10,350.00
5231		480/80R50 In. 159A8 R1W Radial in Single Wheel Configuration Available in Michelin. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	1,859.00
5631		480/80R50 In. 159A8 R1W Radial in Dual Wheel Configuration Available in Michelin. Requires Code 5056 or 5049 (Rack & Pinion).	10,723.00
5203		520/85R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Michelin, or Continental. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	1,310.00
5222		650/85R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Goodyear, Michelin, or Continental. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	3,904.00
5206		710/70R42 In. 168A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	4,424.00
5207		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	5,115.00
5237		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	4,742.00

6190R Cab Tractor

CODE	ATTACHMEN'	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRESContinued	
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 31 km/h TRANSMISSIONS:	
		B Speed Rated RCI Group 47 Size Tires Listed Narrowest to Widest Listed Single to Duals	
		Use with the proper RCI Group 42 MFWD Front Tire with same tread type and brand preference. Requires Code 6067 (TLS Plus w/Brakes), 1465 or 1552 (50K transmission).	
5440			500.00
5113		480/80R46 In. 158B R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5052, 5057, 5053, 5056, or 5049 (Rack & Pinion Axle).	508.00
5513		480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Goodyear.	8,334.00
		Requires Code 5057, 5056, or 5049 (Rack & Pinion Axle).	
5115		480/80R46 In. 158B R1 Radial in Single Wheel Configuration Available in Firestone.	508.00
		Requires Code 5052, 5057, 5053, 5056, or 5049 (Rack & Pinion Axle).	
5515		480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057, 5056, or 5049 (Rack & Pinion Axle).	8,334.00
5116		710/70R38 In. 171B R1W Radial in Single Wheel Configuration	4,826.00
3110		Available in Goodyear or Michelin. Requires Code 5052, 5057, 5053, 5056, or 5049 (Rack & Pinion Axle).	4,020.00
		B Speed Rated RCI Group 48 Size Tires	
		Listed Narrowest to Widest Listed Single to Duals	
		Use with the proper RCI Group 43 MFWD Front Tire with same tread type and brand preference. Requires Code 6067 (TLS Plus w/Brakes), 1465 or 1552 (50K transmission).	
5040			4 400 00
5210		480/80R50 In. 159B R1W Radial in Single Wheel Configuration Available in Firestone or Goodyear. Requires Code 5053, 5056, or 5049 (Rack & Pinion Axle).	1,486.00
5610		480/80R50 In. 159B R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Respires Code 5056 or 5040 (Back & Binion Ava.)	10,350.00
		Requires Code 5056 or 5049 (Rack & Pinion Axle).	
5211		650/85R38 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear. Requires Code 5053, 5056, or 5049 (Rack & Pinion Axle).	4,410.00
5213		710/70R42 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin only.	5,351.00
		Requires Code 5053, 5056, or 5049 (Rack & Pinion Axle).	
		Dual Hubs	
8501		Dual Hubs Only Requires Code 5056, 5057 or 5049 (Rack and Pinion).	1,692.00

6190R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6022		FRONT AXLES Adjustable Two Wheel Drive Front Axle (62.8 In86.8 In.) See Field Attachments for Extension to 98 In. Not compatible with Code 1461, 1465, 1551, or 1552 (IVT).	-8,194.00
6043		Mechanical Front Wheel Drive Axle with Limited Slip Differential	In Base Price
6063		Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS	3,920.00
6067		Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS with Heavy Duty Front Brakes Required for Code 1465 and 1552 (50K transmission).	5,327.00
		FRONT WHEELS AND TIRES	
		TWO STEEL 2WD WHEELS: Requires Code 6022 (Two Wheel Drive):	
6165		11.00-16 In. 12PR F2 Bias Available in Goodyear & Firestone.	-2,478.00
6166		11.00-20 In. 12PR F2 Bias Available in Titan only.	-2,198.00
6168		14L-16.1 In. 12PR F2 Bias Available in Firestone.	-2,172.00
		MECHANICAL FRONT WHEEL DRIVE (MFWD) AXLE (Codes 6043, 6063, or 6067):	
		RCI Group 42 Size Tires Two Multi-Position Steel Wheels Requires Code 6043, 6063, or 6067.	
6106		320/85R38 In. 143A8 R1W Radial Available in Goodyear only.	832.00
6107		380/85R34 In. 137A8 R1 Radial Available in Firestone & Goodyear.	276.00
6108		380/85R34 In. 137A8 R1W Radial Available in Michelin only.	1,603.00
6100		420/90R30 In. 142A8 R1 Radial Available in Firestone & Goodyear.	In Base Price
6101		420/90R30 In. 147A8 R1W Radial Available in Michelin & Firestone.	1,377.00
6102		16.9R30 In. 144A8 R1W Radial Available in Firestone & Goodyear.	604.00
6103		16.9R30 In. 141A8 R2 Radial (420/90R30 142A8 R2 Radial) Available in Goodyear only.	696.00

6190R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6104		FRONT WHEELS AND TIRESContinued 480/70R30 In. 152A8 R1W Radial Available in Firestone & Goodyear.	284.00
6110		600/65R28 In. 154A8 R1W Radial Available in Michelin & Goodyear.	2,844.00
		RCI Group 43 Size Tires Two Multi-Position Steel Wheels Requires Code 6043, 6063, or 6067.	
6201		380/80R38 In. 142A8 R1W Radial Available in Firestone, Goodyear, or Michelin.	1,360.00
6203		420/85R34 In. 147A8 R1W Radial Available in Firestone & Goodyear.	1,304.00
6204		480/70R34 In. 143A8 R1W Radial Available in Continental.	1,236.00
6205		480/70R34 In. 155A8 R1W Radial Available in Firestone & Goodyear.	2,108.00
6206		480/70R34 In. 146A8 R1W Radial Available in Michelin.	2,255.00
		TIRE PREFERENCE CODES	
5999		No Brand Preference	In Base Price
5901		Firestone Brand Only	400.00
5902		Goodyear Brand Only	400.00
5903		Michelin Brand Only	800.00
5904		Continental Only	400.00
		OPERATOR'S MANUAL	
0409		English Operator's Manual	In Base Price
0413		French Operator's Manual	Same Price
0437		Spanish Operator's Manual	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8061		Ag Management Solutions: JDLink Ultimate Promotion - 1 Year Subscription Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and I year subscription to JDLink Ultimate service. In addition to JDLink Select features this includes machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	1,430.00

6190R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8062		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued JDLink Ultimate Promotion - 3 Year Subscription Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features this includes machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	2,630.00
8064		GreenStar Ready Wiring Harness with Implement Connector Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information.	806.00
8067		GreenStar AutoTrac Ready Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Not compatible with Code 6022 (2WD).	4,537.00
878S		ComfortView Cab Options: Cup Holder (Right Hand A-Post Mounted)	33.00
878T		Panorama Glass Roof Requires Code 873A or 873C (Lighting Package), and Code 8276 (Roller Blind). Note: Base and Deluxe Cab Packages ordered with Panorama Roof do not include a Sun Visor.	574.00
8276		Front and Rear Roller Blind	278.00
878U		Dual Beam Ground Speed Radar Sensor	875.00
8307		Bottom Guard for Fuel Tank	74.00
8310		Fuel Tank, 107 Gal. (405L) Reduces ground clearance by 80 mm.	384.00
873A		Lighting Packages: Deluxe Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights 2 HB3 Halogen Rear roof mounted adjustable worklights 2 HB3 Halogen Side roof mounted fixed worklights 2 HB3 Rear fender mounted adjustable worklights 1 Beacon light Includes base lighting less 2 inner rear roof work lights. Only available with 878T (Panorama Roof).	1,696.00
873C		Premium Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights 2 Xenon Halogen Rear roof mounted adjustable worklights 2 HB3 Halogen Side roof mounted fixed worklights 2 HB3 Rear fender mounted adjustable worklights 1 Beacon light Includes base lighting less 2 inner rear roof work lights. Only available with 878T (Panorama Roof).	2,596.00

6190R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
873F		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Deluxe Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 HB3 Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light.	2,118.00
873E		Premium Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 Xenon Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light. Loader Ready Packages: Loader Ready Package Includes: Mid-Mount Valve and Joystick as specified by code, loader	3,018.00
834B		mounting brackets, hydraulics hoses, single point half coupler and hood guard. 2-Function Mechanical Independent Control Valve Loader Ready Package Includes: 2-Function Mechanical Joystick with Activated Speed Shifting Buttons and inactive rocker switch, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, H-Series Loader Mounting Frame, and Hood Guard. Note: Panorama Roof (Code 878T) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended.	4,375.00
834A		Not compatible with Code 1551 (IVT), 1552 (IVT), or H380 Loader. 3-Function Mechanical Independent Control Valve Loader Ready Package Includes: 3-Function Mechanical Joystick with Activated Speed Shifting Buttons and activated rocker switch, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, H-Series Loader Mounting Frame, and Hood Guard. Note: Panorama Roof (Code 878T) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Not compatible with Code 1551 or 1552 (IVT).	4,798.00
8340		2-Function Electrical Independent Control Valve Loader Ready Package Includes: 2-Function Electronic Joystick with Activated Speed Shifting Buttons (Activated Speed Shifting buttons not available with IVT transmission) and inactive rocker switch, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point coupler, H- Series Loader Mounting Frame, and Hood Guard. Note: Panorama Roof (Code 878T) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Not compatible with H380 Loader.	4,830.00
834P		3-Function Electrical Independent Control Valve Loader Ready Package Includes: 3-Function Electronic Joystick with Activated Speed Shifting Buttons (Activated Speed Shifting buttons not available with IVT transmission) and activated rocker switch, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point coupler, H-Series Loader Mounting Frame, and Hood Guard. Note: Panorama Roof (Code 878T) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended.	5,447.00
8002		Chassis: Toolbox	74.00

6190R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8011		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Front Fenders for MFWD (Rigid) 18.9-In. (480mm) Coverage Width (2) or 21.3-In. (540mm) Coverage Width (2). Dependent on front tire width. Fenders not compatible with Code 6203 with 60 In. Tread Spacing. See Ag Sales Manual for Loader Fender Compatibility.	526.00
8012		Turnable Front Fenders for MFWD 18.9-In. (480mm) Coverage Width (2) or 21.3-In. (540mm) Coverage Width (2). Dependent on front tire width. Fender stop panel included. See Ag Sales Manual for Loader Fender Compatibility	818.00
8020		Fender Extension, 1-Piece Side and Rear Extension (Qty 2) <i>Includes Rear PTO Switch.</i>	600.00
8756		Hydraulic Trailer Brakes Includes rear tractor line coupler. Required for 50k transmission.	398.00
8448		Hitch and Drawbar: Quik-Coupler (Category 3N/3)	1,352.00
8428		Easy Guide Hydraulic Center Link (Category 3)	1,647.00
832J		Power Beyond for Rear SCV's	115.00
8300		Engine: Cold Start Package I Includes 174Ah battery, Engine Coolant Heater (110V), and Rear Window Defrost. Not compatible with Code 8301.	568.00
8301		Cold Start Package II Includes 174Ah battery, engine coolant heater (110V), Ground Fault Interrupter, Charge Pump Heater, Transmission Heater (110V), and Rear Window Defrost. No transmission heater with IVT Tractors. Not compatible with Code 8300.	721.00
8304		Fuel Heating System (12v)	136.00
8742		200 Amp Alternator Required for IVT transmissions.	252.00
8955		Quik-Tatch Front-End Weight Packages: Quik-Tatch Weight Support Less Weights Add 313 Lbs. Front, Subtract 73 Lbs. Rear.	308.00
8964		Quik-Tatch Weight Support with Four Weights Add 884 Lbs. Front, Subtract 229 Lbs. Rear.	702.00
8956		Quik-Tatch Weight Support with Six Weights Add 1168 Lbs. Front, Subtract 306 Lbs. Rear.	907.00
8957		Quik-Tatch Weight Support with Eight Weights Add 1455 Lbs. Front, Subtract 384 Lbs. Rear.	1,117.00
8958		Quik-Tatch Weight Support with Ten Weights Add 1742 Lbs. Front, Subtract 463 Lbs. Rear.	1,304.00

6190R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8959		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Quik-Tatch Weight Support with Twelve Weights Add 2026 Lbs. Front, Subtract 540 Lbs. Rear.	1,534.00
8960		Quik-Tatch Weight Support with Fourteen Weights Add 2310 Lbs. Front, Subtract 619 Lbs. Rear.	1,654.00
8962		Quik-Tatch Weight Support with Eighteen Weights Add 2881 Lbs. Front, Subtract 774 Lbs. Rear.	2,035.00
		Rear Wheel Weights - For Inside/Inner Drive Wheels: Single 75 kg weight available as Field Installed Option Only. Weights shown are for each weight.	
8974		One Pair 205 kg (450 Lb.) Cast Wheel Only	1,033.00
8973		Two Pairs of 205 kg (450 Lb.) Cast Wheel Only Minimum tread spacing is 64 In. 64 In. tread spacing is not compatible with cab suspension, and radar sensors.	2,065.00
		Rear Wheel Weights - For Outside/Inner Drive Wheels (Cast): Single 75 kg weight available as Field Installed Option Only. Weights shown are for each weight. Not compatible with Code 8501 (Duals).	
8975		One Pair 205 kg (450 Lb.) Cast Wheel Only	1,033.00
8976		One Pair 75 kg (165 Lb.) and One Pair 205 kg (450 Lb.) Compatible for BOTH Cast and Steel Wheels.	1,489.00
		Rear Wheel Weights - For Outside/Outer Dual Wheels (Steel): Weights shown are for each weight. Not for 34 In. wheels, unless noted. Compatible with Code 8501 (Duals).	
8980		One Pair 75 kg (165 Lb.) and One Pair 205 kg (450 Lb.)	1,489.00
		ATTACHMENTS - ORDER AS DESIRED	
9075		Customer Gold Key Program: Gold Key Tour Not compatible with Code 9076. This personal guided tour strives to provide you with the unique opportunity to watch your machine during its final stages of manufacturing. This tour is limited by factory daily production allowance levels and may have an increased lead-time. A target tour date will be communicated in advance, but a date will not be firmed up until approximately 6 business days in advance for this tour and this date is subject to change up to the tour date. For more information, visit www.deere.com/goldkey.	No Charge

6190R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
9076		ATTACHMENTS - ORDER AS DESIREDContinued Gold Key Experience Tour Not compatible with Code 9075. This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
8550		Export Attachments: Skid for Duals	148.00
		FOR FRONT HITCH EQUIPMENT, CONTACT: Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com	
		ATTACHMENTS FOR FIELD CONVERSION	
	AL207716	Electrical: Battery Cut-Off Switch (4 Cyl.)	604.00
	AL204831	Radar, Dual Beam Attaching Kit Also order software AL210912, bracket L206405 (without stabilizer), bracket L208808 (with stabilizer) and radar sensor.	317.00
	BL15012	Engine: Fuel Heater	156.00
	BL15059	Fenders: Base Support Kit, Pivot Also order MFWD front fender kit in corresponding width and size.	756.00
	BL15060	Base Support Kit, Rigid Also order MFWD front fender kit in corresponding width and size.	256.00
	BL15018	Fender side extension, 7.9 in. (200mm) wide	412.00
	BL15019	Fender side extension, 9.8 in. (250mm) wide	242.00
	BL15062	MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,166.00
	BL15064	MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,175.00
	BL15066	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,184.00

6190R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15068	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,214.00
	BL15070	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,223.00
	BL15044	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide, (1895mm) Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,253.00
	BL15061	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for compatible tire combinations.	668.00
	BL15063	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for compatible tire combinations.	677.00
	BL15065	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for compatible tire combinations.	686.00
	BL15067	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for compatible tire combinations.	716.00
	BL15069	MFWD Front Fenders, Fixed, 24.4 In. (620 mm) Wide See Ag Sales Manual for compatible tire combinations.	725.00
	AL208650	Guards: Fender Mud Guard For Tractors without suspended cab.	108.00
	AL204818	Fuel Tank Bottom Guard 107 US Gal. (405L)	243.00
	BL15090	Hitch and Drawbar: Center Link, Hydraulic	1,821.00
	BL15032	Hydraulic Stabilizer Also order software AL209297.	1,950.00
	BL15091	LH Automatic Stabilizer, ECO RH, with Suspended Cab	608.00
	AL151119	Stabilizer Bar, Mechanical (One) with Attaching Parts	298.00
	AL207879	Hydraulics: Additional Oil Reservoir Increases the excisting oil capacity by 28 liters.	699.00
	AL203673	E-ICV Control Lever (Joystick) with out CommandARM (on RH Armrest) with Gear Shifting Compatible with Grammer seat, without CommandArm, with gear shifting.	1,546.00
	AL203674	E-ICV Control Lever (Joystick) with out CommandARM (on RH Armrest) with Gear Shifting Compatible with Sears seat, without CommandArm, with gear shifting.	1,546.00

6190R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL204806	ATTACHMENTS FOR FIELD CONVERSIONContinued E-ICV Upgrade Kit To convert from 2 sections to 3 sections Also order software AL209347 through PDC.	679.00
	AL204811	Electronic #3 Super Deluxe 350 Series 3-Function SCV (E-SCV)	944.00
	AL204812	Electronic #4 Super Deluxe 350 Series 3-Function SCV (E-SCV)	1,132.00
	AL205873	Joystick for M-ICV 2-function, diverter + gear-shifting.	574.00
	AL205871	Joystick for M-ICV, 2-Function	527.00
	AL174410	Joystick, Electronic 3 Function, (Compatible with CommardARM), Non-Shiftable Compatible w/ Sears seat, w/ CommandArm, non-shiftable.	1,283.00
	AL174227	Joystick, Electronic 3 Function, (Grammer Seat without CommardARM), Non-Shiftable Compatible w/ Grammer seat, w/o CommandArm, non-shiftable.	1,341.00
	AL179418	Joystick, Electronic 3 Function, (Sears Seat without CommandARM), Non-Shiftable Compatible w/ Sears seat, w/o CommandArm, non-shiftable.	1,341.00
	AL204805	M-ICV Upgrade Kit To convert from 2 sections to 3 sections Also order software AL209347 through PDC.	1,904.00
	AL204803	M-ICV, 2-Sections	1,056.00
	AL204804	M-ICV, 3-Sections	1,628.00
	AL204807	Mechanical Deluxe Select Control Valve 100 Series	504.00
	AL204808	Mechanical Deluxe Select Control Valve 200 Series	651.00
	AL204810	Mechanical Deluxe Select Control Valve 350 Series	805.00
	AL206269	Oil Line Kit and Mounting Parts for 2/3 Section E-ICV or M-ICV Basic Kit	248.00
	AL205878	Position Kit, Position #3 & #4, Mechanical SCVs	380.00
	AL205876	Position Kit, Position #3, Mechanical SCVs	169.00
	AL205877	Position Kit, Position #4, Mechanical SCVs	244.00
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement	237.00
	AL176299	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Tractors	237.00
	AL205916	Lighting: (1) H3 Work Light Installed on beacon light support.	131.00

6190R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL204761	ATTACHMENTS FOR FIELD CONVERSIONContinued (2) HB3 Work Lights, Beltline Hanging Mounted Not compatible with front loader installation due to component interference.	253.00
	AL204760	(2) HB3 Work Lights, Beltline Upright Mounted	253.00
	AL204759	(2) HB3 Work Lights, Rear Fender Mounted If a back-up alarm is equipped on the RH fender, also order: 1 x AL206710 console 8 x 19M7162 cap screw 8 x 24M7055 washer 2 x 14M7298 flanged nut	175.00
		If extra-wide vehicle lighting is equipped (LH & RH fender), also order: 4 x 19M7865 flanged screw 2 x L204515 bracket	
		If extra-wide vehicle lighting and back-up alarm are equipped, also order: 1 x AL209527 console 6 x 19M7162 cap screw 6 x 24M7055 washer 4 x 19M7865 flanged screw 1 x 204515 bracket	
	AL205912	(2) HB3 Work Lights, Roof Mounted, Front or Rear	270.00
	AL205913	(2) HB3 Work Lights, Roof Mounted, Front or Rear Possible mounting positions on the FRONT roof are: right and left inner or mid position Possible mounting positions on the REAR roof are: right and left inner or outer position	270.00
	AL204758	Beacon Light, LH	219.00
	BL15022	Beacon Light, RH	219.00
	AL205881	Head Lights H4 on Beltline For RH + LH Traffic (ECE & SAE)	474.00
	BL15035	Head Lights H4 on Beltline For LH-Traffic (ECE).	475.00
	AL205915	Xenon Work Lights Roof-mounted, adjustable front at mid position or rear at inner position.	1,555.00
	AL204829	Miscellaneous: Tool Box Reference installation instructions MHM1519.	243.00
	AL203919	Operator Environment: 3-Terminal Socket	72.00
	AL204297	Backrest Extension, Telescopic	135.00
	AL205885	Bottle Holder at A-post	41.00
	AL207633	Bottle Holder, Floor Mounted, LH	35.00

6190R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL205886	ATTACHMENTS FOR FIELD CONVERSIONContinued Cooling Box Floor mounted to A-post, RH.	130.00
	AL208653	Electrically Telescoping Mirror, RH/LH	See Parts
	AL174262	Field Office without Refrigerator	254.00
	BL15028	Fridge For tractors without Field Office.	678.00
	BL15029	Fridge For tractors with Field Office.	725.00
	AL204298	Instructional Seat	545.00
	BL15043	Manually Telescoping Mirror RH	See Parts
	AL205891	Rear Window, Heatable	425.00
	AL205883	Remote Switch, PTO For tractors w/o CommandArm also order AL177389. For tractors w/ CommandArm also order RE223554. Also order software kit AL210796.	135.00
	BL15041	Seat Air Suspended, High Spec MSG95AL DynamicDampeningSystem 741 with CommandArm.	2,943.00
	BL15039	Seat Air Suspended, High Spec MSG95AL DynamicDampeningSystem 741 w/o CommandArm.	2,943.00
	BL15037	Seat Air Suspended, Low Spec MSG95GL731	1,280.00
	BL15038	Seat Air Suspended, Mid Spec MSG95AL741 w/ OPS	1,709.00
	BL15040	Seat Air Suspended, Mid Spec MSG95AL741 w/ OPS, w/ CommandArm.	1,709.00
	AL205893	Sun Shade Compatible in front and rear.	165.00
	AL208658	Wiper/Washer, Rear	215.00
	AL208644	iTEC (former HMS) Also requires software kit AL209824.	26.00
	AL174225	Transmission: Back-up Alarm - PowrQuad PLUS, AutoQuad and IVT Transmissions	496.00
	AL71345	Vandal Protection: Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts

6190R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL110170	ATTACHMENTS FOR FIELD CONVERSIONContinued Lockable Transmission Oil Filler Cap	132.00
	AL157298	Weights: Front Shield Protecting the frame end.	53.00

6210R Cab Tractor

Equipment for Base Machine

GreenStar 3 Application Capability ENGINE: John Deere PowerTech PSX Diesel Activations Required In-line 6-Cylinder Wet-Sleeve Access Manager with High Pressure Common Rail (HPCR)
Fuel System and 24 Valve Head
6.8 L (414 Cu. In.) Displacement
210 Engine hp 97/68/EC @ Rated Speed Universal Performance Monitor Display Function Definable by Operator OPERATOR PROTECTIVE STRUCTURE 175 SAE PTO hp @ Rated Speed High Pressure Common Rail ComfortView Cab with Air Conditioning and Heater Variable Geometry Turbocharger and One Panorama LH Door Exhaust Gas Recirculation
Dual Temp Cooling System
PowerCore G2 Air Filtration System with
Permanent Pre-Cleaning and Safety Element One Panorama RH Window Front Windshield Washer and Wiper Air Suspended Seat with Seat Belt Tilt/Telescopic Steering Column Underhood AfterTreatment System with Operational Controls Console Mounted Floor Mat
Foot Throttle Control
Diff Lock Switch Deluxe Corner Post Exhaust Self Priming and Bleeding Electronic Fuel Pump 95.1 Gal (360 L) Fuel Tank Capacity Intelligent Power Management AM/FM Stereo Radio with Weatherband, TRANSMISSION: Clock, Two Speakers and Antenna 20/20 AutoQuad PLUS ECO; 25 mph (40km/h) Coat. hook Reduced engine rpm's at max transport speed Overhead Storage Bin Left Hand Storage Bin and Accessory Outlet Electronic LH Reverser Perma-Clutch II (Hydraulically Engaged Overhead Courtesy Light Wet Disk Clutch) Rear View Mirror Cup Holder on RH console Speed Matching Park Lock Sun Visor Neutral Safety Start System Right Hand Steps and Hand Rail STEERING, BRAKES, DIFFERENTIAL: ELECTRICAL: Key Engine Shutoff
12 Volt Electrical System Hydrostatic Steering Wet-Disk Hydraulic Power Brakes 12 Volt Battery, 154 Ah (1230 Cold Cranking Amps) Hydraulically-Engaged Rear Axle Differential Lock HYDRAULICS: 120 Amp Alternator Pressure and Flow Compensating Axial 3 Pin Accessory Outlet Multi-Power Outlet Sockets Piston Pump 41 GPM (155 L/min) Pump Output 7 Terminal Rear Implement 26.4 GPM (100 L/min) Flow @ One SCV Electrical Outlet Socket Three 350 Series SCVs; Mechanical with ISO 12V Electrical Convenience Outlet on RH Console Breakaway Couplers REAR PTO: LIGHTS: 540/1000 RPM, 1-3/8 In. and 1-3/4 In. Independent Rear PTO, Reversible Shaft and PTO Master Shield Four Front Grille Headlights Two Front Grille Worklights Two Belt Line Mounted Lights Electrohydraulic Activation Wet Multi-Disk Clutch Four Front Roof Lights Neutral Start Safety System Two Rear Roof Lights Seat Activated PTO Warning Four Roof Mounted Flashing Hazard Lights Two Rear Fender Tail Lights with ROCKSHAFT, HITCH AND DRAWBAR: Electrohydraulic Hitch with Transport Brake Lights Lock and External Remote Controls 3-Point (Category 3/3N) Hitch FRONT AXLE WHEELS AND TIRES: 12,213 Lb Lift Capacity Electronic Lower Link Draft Sensing Steel Wheels Telescopic Draft Links Electrohydraulic MFWD Engagement Two 420/90R30 In. 142A8 R1 Radial Tires Sway Blocks Category 3 Swinging Drawbar with Hammerstrap Secondary Implement Chain Support REAR AXLE WHEELS AND TIRES: Adjustable Center Link with Ball End Rack and Pinion Axle; 100.4 In. Length x 3.937 In. (100 mm) Diameter INSTRUMENTATION: Two Cast Wheels Dashboard Instrument Panel Includes: Two 480/80R46 In. 158A8 R1 Radial Tires Tachometer Speedometer MISCELLANEOUS: JDLink Capable Hour Meter Fuel Gauge Operator's Manual (English) and Holder Engine Oil Pressure Indicator Light SMV Emblem Coolant Temperature PTO Engagement Engine Air Filter Restriction Indicator Alternator Directional Indicators Hazard Switch CommandCenter Display Includes:

6210R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
01F1RW		6210R Cab Tractor	161,342.00
		DESTINATION	
0184		Canada	Same Price
0202		United States	In Base Price
		OPERATOR STATION	
2050		Base Cab Includes 1 LH Panorama door, RH Steps,Sun Visor,GS3 CommandCenter Display located on RH console,Front Windshield Washer and Wiper, Manual Temperature Controls, Air Seat, Coat hook,Two 3-Pin Plugs, Overhead Storage Bin, Overhead Reading Light, Rear View Mirror, Multi Power Outlet Strip, 7-pin Signal Interface Socket, and JDLink Capable.	In Base Price
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Not compatible with video.	
2058		Deluxe Cab Includes Base Package Plus: Mirrors RH and LH - Manually Adjustable and Telescopic, Rear Windshield Washer and Wiper, Instructional Seat, and Bottle Holder.	1,825.00
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations and sold separately. Not compatible with video.	
2063		Premium Cab Includes Base Package Plus: RH Openable Door, Roller Blind, GS3 CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Front and Rear Windshield Washer and Wiper, Automatic Temperature Control, Instructional Seat, and Bottle Holder. Requires Electronic SCV's. Not compatible with Code 3325, 3332, and 8276.	4,568.00
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	
2067		Premium Plus Cab Includes Base Package Plus: RH Openable Door, Roller Blind, GS3 CommandCenter Touch Display located on RH console, Mirrors RH and LH - Electrically Adjustable, Front and Rear Windshield Washer and Wiper, Automatic Temperature Control, Deluxe Air Seat, Instructional	8,975.00

6210R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATIONContinued Seat, Bottle Holder, and Adaptive Hydraulic Cab Suspension Plus. Requires Electronic SCV's. Not compatible with Code 3325,3332, and 8276.	
		Note: For AutoTrac or GreenStar Ready, must order Code 8064 or 8067 in the Attachments - Order As Desired section of the price page.	
		Note: GS3 CommandCenter Touchscreen includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Compatible with video input.	
		TRANSMISSION	
		All Transmission Options Feature Left Hand Reverser Controls.	
1437		PowrQuad PLUS (19 mph/30 kmh) 16F/16R Includes Auto De-Clutch Function.	-3,000.00
1461		AutoQuad PLUS ECO (25 mph/40 kmh) 20F/20R Includes Auto De-Clutch Function. Not compatible with Code 6022 (2WD front axle).	In Base Price
1465		AutoQuad PLUS (31 mph/50 kmh) 20F/20R Includes Auto De-Clutch Function. Requires Code 6067 (TLS Plus with brakes), 8756 (hydraulic trailer brakes), & B speed rated rear tires.	Same Price
1551		Infinitely Variable Transmission (25 mph/40 kmh) Requires Code E/H SCV's: Codes 3331 or 3341 and Code 8742 (200 amp alternator). Includes CommandARM Console. Not compatible with Code 6022 (2wd front axle).	8,386.00
1552		Infinitely Variable Transmission (31 mph/50 kmh) Requires Code E/H SCV's: Codes 3331 or 3341 and Code 8742 (200 amp alternator). Includes CommandARM Console. Not compatible with Code 6022 (2wd front axle). Requires Code 6067 (TLS Plus with brakes), 8756 (Hydraulic trailer brakes), & B speed rated rear tires.	8,386.00
		RADIO PACKAGES	
2660		Deluxe Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, Remote Mounted Auxiliary Input Jack, Two Speakers and External Antenna.	In Base Price
2661		Premium Radio Includes: Remote Radio Controls on RH console, AM/FM Stereo, Weatherband, CD/MP3 Player, Remote Mounted USB port and Auxiliary Input Jack, Bluetooth Capable including Hands Free External Microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers and External Antenna. Not available for Australia or New Zealand.	345.00
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVES	
3325		Two Deluxe (3 Detent) Mechanical Selective Control Valves with ISO Breakaway Couplers Not compatible with Code 1551 or 1552 (IVT Transmission). Not compatible with Premium (2063) and Premium Plus (2067) cab packages.	-1,158.00
3332		Three Deluxe (3 Detent) Mechanical Selective Control Valves with ISO	In Base Price

6210R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR-MOUNTED REMOTE CYLINDER CONTROL VALVESContinued Breakaway Couplers Not compatible with Code 1551 or 1552 (IVT Transmission). Not compatible with Premium (2063) and Premium Plus (2067) cab packages.	
3331		Three Deluxe (3 Detent) E/H Selective Control Valves with ISO Breakaway Couplers	1,469.00
3341		Four Deluxe (3 Detent) E/H Selective Control Valves with ISO Breakaway Couplers Not compatible with Code 832J (Power Beyond).	2,298.00
		POWER TAKE-OFF	
3820		540/1000 RPM Rear Reversible PTO Includes 1-3/4 In. & 1-3/8 In. shafts.	In Base Price
3831		3-Speed 540/540E/1000 Rear Reversible PTO with Power Assisted PTO Shifting Includes 1-3/4 In. & 1-3/8 In. shafts. 540E is an economy mode that allows engine to run at lower RPM and save fuel.	854.00
3832		3-Speed 540E/1000/1000E Rear Reversible PTO with Power Assisted PTO Shifting Includes 1-3/4 In. & 1-3/8 In. shafts. 540E & 1000E are economy modes that allows engine to run at lower RPM and save fuel.	854.00
		REAR ROCKSHAFT AND HITCH	
4037		12,213 Lb. (5540kg) Capacity 3-Point Hitch (Category 3/3N) with Telescopic Draft Links and Sway Blocks	In Base Price
		REAR AXLES	
5053		Rack and Pinion 3.94 In. (100mm) Diameter by 100.4 In. Length	In Base Price
5056		Rack and Pinion 3.94 In. (100mm) Diameter by 110.5 In. Length <i>Includes extremity lights</i> .	475.00
5049		Rack and Pinion 3.94 In. (100mm) Diameter by 118.5 In. Length <i>Includes extremity lights</i> .	701.00
		REAR WHEELS AND TIRES	

For complete tire and wheel information, refer to the Agricultural Sales Manual.

6210R Cab Tractor

CODE	ATTACHMEN'	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRESContinued	
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 40 km/h TRANSMISSIONS:	
		A Speed Rated RCI Group 47 Size Tires Listed Narrowest to Widest Listed Single to Duals	
		Use with the proper RCI Group 42 MFWD Front Tire with same tread type and brand preference.	
5100		320/90R54 In. 149A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	1,292.00
5500		320/90R54 In. 149A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 5057,5056 or 5049 (Rack & Pinion).	9,602.00
5101		380/90R50 In. 151A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	-246.00
5501		380/90R50 In. 151A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 5057,5056 or 5049 (Rack & Pinion).	6,886.00
5102		18.4R46 In. 155A8 R2 Radial (480/80R46 158A8 R2) in Single Wheel Configuration Available in Goodyear only. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	420.00
5502		18.4R46 In. 155A8 R2 Radial (480/80R46 158A8 R2) in Dual Wheel Configuration Available in Goodyear only. Requires Code 5057,5056 or 5049 (Rack & Pinion).	8,158.00
5103		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	In Base Price
5503		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion).	7,318.00
5143		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Firestone. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	Same Price
5543		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057,5056 or 5049 (Rack & Pinion).	7,318.00
5104		480/80R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	1,449.00
5504		480/80R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires Code 5057, 5056, or 5049 (Rack and Pinion).	9,843.00

6210R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5105		REAR WHEELS AND TIRESContinued 520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	-84.00
5505		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion).	7,190.00
5145		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Firestone. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	-84.00
5545		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057,5056 or 5049 (Rack & Pinion).	7,190.00
5106		520/85R42 In. 157A8 R1W Radial in Single Wheel Configuration Available in Firestone & Goodyear. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	1,224.00
5506		520/85R42 In. 157A8 R1W Radial in Dual Wheel Configuration Available in Firestone & Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion).	9,806.00
5108		520/85R42 In. 157A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	1,852.00
5508		520/85R42 In. 157A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires Code 5057,5056 or 5049 (Rack & Pinion).	11,062.00
5109		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Michelin & Goodyear. Requires Code 5052, 5053, 5057, 5056, or 5049 (Rack and Pinion).	2,760.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Michelin & Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion).	12,878.00
5149		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Firestone. Requires Code 5052,5053, 5057, 5056, or 5049 (Rack and Pinion).	2,760.00
5549		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057,5056 or 5049 (Rack & Pinion).	12,878.00
5110		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Michelin & Goodyear. Requires Code 5052,5053, 5057, 5056, or 5049 (Rack and Pinion).	4,082.00
5510		710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Michelin, & Goodyear. Requires Code 5057,5056 or 5049 (Rack & Pinion).	15,502.00
5140		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Firestone. Requires Code 5052,5053, 5057, 5056, or 5049 (Rack and Pinion).	4,082.00

6210R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5540		REAR WHEELS AND TIRESContinued 710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057,5056 or 5049 (Rack & Pinion).	15,502.00
		A Speed Rated RCI Group 48 Size Tires Listed Narrowest to Widest Listed Single to Duals Use with the proper RCI Group 43 MFWD Front Tire with same tread type and brand preference. Requires Code 6043, 6063, or 6067.	
5200		380/90R54 In. 152A8 R1W Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	1,650.00
5600		380/90R54 In. 152A8 R1W Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5056 or 5049 (Rack & Pinion).	10,318.00
5201		480/80R50 In. 159A8 R1W Radial in Single Wheel Configuration Available in Firestone & Goodyear. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	1,486.00
5601		480/80R50 In. 159A8 R1W Radial in Dual Wheel Configuration Available in Firestone & Goodyear. Requires Code 5056 or 5049 (Rack & Pinion).	10,350.00
5231		480/80R50 In. 159A8 R1W Radial in Single Wheel Configuration Available in Michelin. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	1,859.00
5631		480/80R50 In. 159A8 R1W Radial in Dual Wheel Configuration Available in Michelin. Requires Code 5056 or 5049 (Rack & Pinion).	10,723.00
5203		520/85R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Michelin, or Continental. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	1,310.00
5222		650/85R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Goodyear, Michelin, or Continental. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	3,904.00
5206		710/70R42 In. 168A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	4,424.00
5207		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	5,115.00
5237		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Goodyear. Requires Code 5053, 5056, or 5049 (Rack and Pinion).	4,742.00

6210R Cab Tractor

ATTACH CODE IDENTIFI		SUGGESTED LIST PRICE USD (\$)
	REAR WHEELS AND TIRESContinued	
	REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL) FOR 31 km/h TRANSMISSIONS:	
	B Speed Rated RCI Group 47 Size Tires Listed Narrowest to Widest Listed Single to Duals	
	Use with the proper RCI Group 42 MFWD Front Tire with same tread type and brand preference. Requires Code 6067 (TLS Plus w/Brakes), 1465 or 1552 (50K transmission).	
5113	480/80R46 In. 158B R1 Radial in Single Wheel Configuration Available in Goodyear.	508.00
	Requires Code 5052, 5057, 5053, 5056, or 5049 (Rack & Pinion Axle).	
5513	480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Goodyear. Requires Code 5057, 5056, or 5049 (Rack & Pinion Axle).	8,334.00
5115	480/80R46 In. 158B R1 Radial in Single Wheel Configuration Available in Firestone.	508.00
	Requires Code 5052, 5057, 5053, 5056, or 5049 (Rack & Pinion Axle).	
5515	480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Firestone. Requires Code 5057, 5056, or 5049 (Rack & Pinion Axle).	8,334.00
5116	710/70R38 In. 171B R1W Radial in Single Wheel Configuration Available in Goodyear or Michelin. Requires Code 5052, 5057, 5053, 5056, or 5049 (Rack & Pinion Axle).	4,826.00
	B Speed Rated RCI Group 48 Size Tires Listed Narrowest to Widest	
	Listed Single to Duals Use with the proper RCI Group 43 MFWD Front Tire with same tread type and brand preference. Requires Code 6067 (TLS Plus w/Brakes), 1465 or 1552 (50K transmission).	
5210	480/80R50 In. 159B R1W Radial in Single Wheel Configuration Available in Firestone or Goodyear.	1,486.00
	Requires Code 5053, 5056, or 5049 (Rack & Pinion Axle).	
5610	480/80R50 In. 159B R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Requires Code 5056 or 5049 (Rack & Pinion Axle).	10,350.00
5211	650/85R38 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear. Requires Code 5053, 5056, or 5049 (Rack & Pinion Axle).	4,410.00
5213	710/70R42 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Code 5053, 5056, or 5049 (Rack & Pinion Axle).	5,351.00
8501	Dual Hubs Dual Hubs Only Requires Code 5056, 5057 or 5049 (Rack and Pinion).	1,692.00

6210R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT AXLES	
6043		Mechanical Front Wheel Drive Axle with Limited Slip Differential	In Base Price
6063		Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS	3,920.00
6067		Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS with Heavy Duty Front Brakes Required for Code 1465 and 1552 (50K transmission).	5,327.00
		FRONT WHEELS AND TIRES	
		MECHANICAL FRONT WHEEL DRIVE (MFWD) AXLE (Codes 6043, 6063, or 6067):	
		RCI Group 42 Size Tires Two Multi-Position Steel Wheels Requires Code 6043, 6063, or 6067.	
6106		320/85R38 In. 143A8 R1W Radial Available in Goodyear only.	832.00
6107		380/85R34 In. 137A8 R1 Radial Available in Firestone & Goodyear.	276.00
6108		380/85R34 In. 137A8 R1W Radial Available in Michelin only.	1,603.00
6100		420/90R30 In. 142A8 R1 Radial Available in Firestone & Goodyear.	In Base Price
6101		420/90R30 In. 147A8 R1W Radial Available in Michelin & Firestone.	1,377.00
6102		16.9R30 In. 144A8 R1W Radial Available in Firestone & Goodyear.	604.00
6103		16.9R30 In. 141A8 R2 Radial (420/90R30 142A8 R2 Radial) Available in Goodyear only.	696.00
6104		480/70R30 In. 152A8 R1W Radial Available in Firestone & Goodyear.	284.00
6110		600/65R28 In. 154A8 R1W Radial Available in Michelin & Goodyear.	2,844.00
		RCI Group 43 Size Tires Two Multi-Position Steel Wheels Requires Code 6043, 6063, or 6067.	
6201		380/80R38 In. 142A8 R1W Radial Available in Firestone, Goodyear, or Michelin.	1,360.00
6203		420/85R34 In. 147A8 R1W Radial Available in Firestone & Goodyear.	1,304.00

6210R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6204		FRONT WHEELS AND TIRESContinued 480/70R34 In. 143A8 R1W Radial Available in Continental.	1,236.00
6205		480/70R34 In. 155A8 R1W Radial Available in Firestone & Goodyear.	2,108.00
6206		480/70R34 In. 146A8 R1W Radial Available in Michelin.	2,255.00
		TIRE PREFERENCE CODES	
5999		No Brand Preference	In Base Price
5901		Firestone Brand Only	400.00
5902		Goodyear Brand Only	400.00
5903		Michelin Brand Only	800.00
5904		Continental Only	400.00
		OPERATOR'S MANUAL	
0409		English Operator's Manual	In Base Price
0413		French Operator's Manual	Same Price
0437		Spanish Operator's Manual	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8061		Ag Management Solutions: JDLink Ultimate Promotion - 1 Year Subscription Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and I year subscription to JDLink Ultimate service. In addition to JDLink Select features this includes machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	1,430.00
8062		JDLink Ultimate Promotion - 3 Year Subscription Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features this includes machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	2,630.00
8064		GreenStar Ready Wiring Harness with Implement Connector Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information.	806.00

6210R Cab Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8067		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued GreenStar AutoTrac Ready Wiring Harness and Components with Plug and Play Includes factory installation of GreenStar wiring harness with Implement Connector, tractor-specific components for GreenStar AutoTrac. Requires additional components for a fully functional GreenStar AutoTrac System. See Ag Sales Manual and AMS Price Pages for detailed information. Not compatible with Code 6022 (2WD).	4,537.00
878S		ComfortView Cab Options: Cup Holder (Right Hand A-Post Mounted)	33.00
878T		Panorama Glass Roof Requires Code 873A or 873C (Lighting Package), and Code 8276 (Roller Blind). Note: Base and Deluxe Cab Packages ordered with Panorama Roof do not include a Sun Visor.	574.00
8276		Front and Rear Roller Blind	278.00
878U		Dual Beam Ground Speed Radar Sensor	875.00
8307		Bottom Guard for Fuel Tank	74.00
8310		Fuel Tank, 107 Gal. (405L) Reduces ground clearance by 80 mm.	384.00
873A		Lighting Packages: Deluxe Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights 2 HB3 Halogen Rear roof mounted adjustable worklights 2 HB3 Halogen Side roof mounted fixed worklights 2 HB3 Rear fender mounted adjustable worklights 1 Beacon light Includes base lighting less 2 inner rear roof work lights. Only available with 878T (Panorama Roof).	1,696.00
873C		Premium Panorama Roof Light Package 2 Xenon Front roof mounted adjustable worklights 2 Xenon Halogen Rear roof mounted adjustable worklights 2 HB3 Halogen Side roof mounted fixed worklights 2 HB3 Rear fender mounted adjustable worklights 1 Beacon light Includes base lighting less 2 inner rear roof work lights. Only available with 878T (Panorama Roof).	2,596.00
873F		Deluxe Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 HB3 Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light.	2,118.00
873E		Premium Light Package 2 Xenon Front roof mounted adjustable worklights. 2 HB3 Halogen Front roof mounted adjustable worklights. 2 Xenon Rear roof mounted adjustable worklights. 2 HB3 Halogen Side roof mounted fixed worklights. 2 HB3 Rear fender mounted adjustable worklights. 1 Beacon light.	3,018.00

6210R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
		Loader Ready Packages: Loader Ready Package Includes: Mid-Mount Valve and Joystick as specified by code, loader mounting brackets, hydraulics hoses, single point half coupler and hood guard.	
834B		2-Function Mechanical Independent Control Valve Loader Ready Package Includes: 2-Function Mechanical Joystick with Activated Speed Shifting Buttons and inactive rocker switch, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, H-Series Loader Mounting Frame, and Hood Guard.	4,375.00
		Note: Panorama Roof (Code 878T) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Not compatible with Code 1551 (IVT), 1552 (IVT), or H380 Loader.	
834A		3-Function Mechanical Independent Control Valve Loader Ready Package Includes: 3-Function Mechanical Joystick with Activated Speed Shifting Buttons and activated rocker switch, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point half coupler, H-Series Loader Mounting Frame, and Hood Guard.	4,798.00
		Note: Panorama Roof (Code 878T) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Not compatible with Code 1551 or 1552 (IVT).	
834O		2-Function Electrical Independent Control Valve Loader Ready Package Includes: 2-Function Electronic Joystick with Activated Speed Shifting Buttons (Activated Speed Shifting buttons not available with IVT transmission) and inactive rocker switch, 4-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point coupler, H- Series Loader Mounting Frame, and Hood Guard.	4,830.00
		Note: Panorama Roof (Code 878T) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended. Not compatible with H380 Loader.	
834P		3-Function Electrical Independent Control Valve Loader Ready Package Includes: 3-Function Electronic Joystick with Activated Speed Shifting Buttons (Activated Speed Shifting buttons not available with IVT transmission) and activated rocker switch, 6-hydraulic hoses from mid-mount tractor valve to loader mounting frame, attached single point coupler, H-Series Loader Mounting Frame, and Hood Guard.	5,447.00
		Note: Panorama Roof (Code 878T) recommended for improved visibility. Loader component of single point is ordered with loader. Front weight support is recommended.	
8002		Chassis: Toolbox	74.00
8011		Front Fenders for MFWD (Rigid) 18.9-In. (480mm) Coverage Width (2) or 21.3-In. (540mm) Coverage Width (2). Dependent on front tire width. Fenders not compatible with Code 6203 with 60 In. Tread Spacing. See Ag Sales Manual for Loader Fender Compatibility.	526.00
8012		Turnable Front Fenders for MFWD 18.9-In. (480mm) Coverage Width (2) or 21.3-In. (540mm) Coverage Width (2). Dependent on front tire width. Fender stop panel included. See Ag Sales Manual for Loader Fender Compatibility	818.00
8020		Fender Extension, 1-Piece Side and Rear Extension (Qty 2) Includes Rear PTO Switch.	600.00

6210R Cab Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8756		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Hydraulic Trailer Brakes Includes rear tractor line coupler. Required for 50k transmission.	398.00
8448		Hitch and Drawbar: Quik-Coupler (Category 3N/3)	1,352.00
8428		Easy Guide Hydraulic Center Link (Category 3)	1,647.00
832J		Power Beyond for Rear SCV's	115.00
8300		Engine: Cold Start Package I Includes 174Ah battery, Engine Coolant Heater (110V), and Rear Window Defrost. Not compatible with Code 8301.	568.00
8301		Cold Start Package II Includes 174Ah battery, engine coolant heater (110V), Ground Fault Interrupter, Charge Pump Heater, Transmission Heater (110V), and Rear Window Defrost. No transmission heater with IVT Tractors. Not compatible with Code 8300.	721.00
8304		Fuel Heating System (12v)	136.00
8742		200 Amp Alternator Required for IVT transmissions.	252.00
8955		Quik-Tatch Front-End Weight Packages: Quik-Tatch Weight Support Less Weights Add 313 Lbs. Front, Subtract 73 Lbs. Rear.	308.00
8964		Quik-Tatch Weight Support with Four Weights Add 884 Lbs. Front, Subtract 229 Lbs. Rear.	702.00
8956		Quik-Tatch Weight Support with Six Weights Add 1168 Lbs. Front, Subtract 306 Lbs. Rear.	907.00
8957		Quik-Tatch Weight Support with Eight Weights Add 1455 Lbs. Front, Subtract 384 Lbs. Rear.	1,117.00
8958		Quik-Tatch Weight Support with Ten Weights Add 1742 Lbs. Front, Subtract 463 Lbs. Rear.	1,304.00
8959		Quik-Tatch Weight Support with Twelve Weights Add 2026 Lbs. Front, Subtract 540 Lbs. Rear.	1,534.00
8960		Quik-Tatch Weight Support with Fourteen Weights Add 2310 Lbs. Front, Subtract 619 Lbs. Rear.	1,654.00
8962		Quik-Tatch Weight Support with Eighteen Weights Add 2881 Lbs. Front, Subtract 774 Lbs. Rear.	2,035.00

6210R Cab Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
		Rear Wheel Weights - For Inside/Inner Drive Wheels: Single 75 kg weight available as Field Installed Option Only. Weights shown are for each weight.	
8974		One Pair 205 kg (450 Lb.) Cast Wheel Only	1,033.00
8973		Two Pairs of 205 kg (450 Lb.) Cast Wheel Only Minimum tread spacing is 64 In. 64 In. tread spacing is not compatible with cab suspension, and radar sensors.	2,065.00
		Rear Wheel Weights - For Outside/Inner Drive Wheels (Cast): Single 75 kg weight available as Field Installed Option Only. Weights shown are for each weight. Not compatible with Code 8501 (Duals).	
8975		One Pair 205 kg (450 Lb.) Cast Wheel Only	1,033.00
8976		One Pair 75 kg (165 Lb.) and One Pair 205 kg (450 Lb.) Compatible for BOTH Cast and Steel Wheels.	1,489.00
		Rear Wheel Weights - For Outside/Outer Dual Wheels (Steel): Weights shown are for each weight. Not for 34 In. wheels, unless noted. Compatible with Code 8501 (Duals).	
8980		One Pair 75 kg (165 Lb.) and One Pair 205 kg (450 Lb.)	1,489.00
		ATTACHMENTS - ORDER AS DESIRED	
9075		Customer Gold Key Program: Gold Key Tour Not compatible with Code 9076. This personal guided tour strives to provide you with the unique opportunity to watch your machine during its final stages of manufacturing. This tour is limited by factory daily production allowance levels and may have an increased lead-time. A target tour date will be communicated in advance, but a date will not be firmed up until approximately 6 business days in advance for this tour and this date is subject to change up to the tour date. For more information, visit www.deere.com/goldkey.	No Charge
9076		Gold Key Experience Tour Not compatible with Code 9075. This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
8550		Export Attachments: Skid for Duals	148.00

FOR FRONT HITCH EQUIPMENT, CONTACT:

6210R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FOR FRONT HITCH EQUIPMENT, CONTACT:Continued Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com	
		ATTACHMENTS FOR FIELD CONVERSION	
	AL207716	Electrical: Battery Cut-Off Switch (4 Cyl.)	604.00
	AL204831	Radar, Dual Beam Attaching Kit Also order software AL210912, bracket L206405 (without stabilizer), bracket L208808 (with stabilizer) and radar sensor.	317.00
	BL15012	Engine: Fuel Heater	156.00
	BL15059	Fenders: Base Support Kit, Pivot Also order MFWD front fender kit in corresponding width and size.	756.00
	BL15060	Base Support Kit, Rigid Also order MFWD front fender kit in corresponding width and size.	256.00
	BL15018	Fender side extension, 7.9 in. (200mm) wide	412.00
	BL15019	Fender side extension, 9.8 in. (250mm) wide	242.00
	BL15062	MFWD Front Fender, Turnable, 14.5 in. (370mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,166.00
	BL15064	MFWD Front Fender, Turnable, 16.5 in. (420mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,175.00
	BL15066	MFWD Front Fender, Turnable, 18.9 in. (480mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,184.00
	BL15068	MFWD Front Fender, Turnable, 21.3 in. (540mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,214.00
	BL15070	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,223.00
	BL15044	MFWD Front Fender, Turnable, 24.4 in. (620mm) Wide, (1895mm) Long See Ag Sales Manual for compatible tire combinations. Not recommended for Loader Usage, Fender/Loader interference may occur.	1,253.00
	BL15061	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide See Ag Sales Manual for compatible tire combinations.	668.00

6210R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BL15063	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide See Ag Sales Manual for compatible tire combinations.	677.00
	BL15065	MFWD Front Fenders, Fixed, 18.9 In. (480 mm) Wide See Ag Sales Manual for compatible tire combinations.	686.00
	BL15067	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide See Ag Sales Manual for compatible tire combinations.	716.00
	BL15069	MFWD Front Fenders, Fixed, 24.4 In. (620 mm) Wide See Ag Sales Manual for compatible tire combinations.	725.00
	AL208650	Guards: Fender Mud Guard For Tractors without suspended cab.	108.00
	AL204818	Fuel Tank Bottom Guard 107 US Gal. (405L)	243.00
		Wak and Bandan	
	BL15090	Hitch and Drawbar: Center Link, Hydraulic	1,821.00
	BL15032	Hydraulic Stabilizer Also order software AL209297.	1,950.00
	BL15091	LH Automatic Stabilizer, ECO RH, with Suspended Cab	608.00
	AL151119	Stabilizer Bar, Mechanical (One) with Attaching Parts	298.00
	AL207879	Hydraulics: Additional Oil Reservoir Increases the excisting oil capacity by 28 liters.	699.00
	AL203673	E-ICV Control Lever (Joystick) with out CommandARM (on RH Armrest) with Gear Shifting Compatible with Grammer seat, without CommandArm, with gear shifting.	1,546.00
	AL203674	E-ICV Control Lever (Joystick) with out CommandARM (on RH Armrest) with Gear Shifting Compatible with Sears seat, without CommandArm, with gear shifting.	1,546.00
	AL204806	E-ICV Upgrade Kit To convert from 2 sections to 3 sections Also order software AL209347 through PDC.	679.00
	AL204811	Electronic #3 Super Deluxe 350 Series 3-Function SCV (E-SCV)	944.00
	AL204812	Electronic #4 Super Deluxe 350 Series 3-Function SCV (E-SCV)	1,132.00
	AL205873	Joystick for M-ICV 2-function, diverter + gear-shifting.	574.00
	AL205871	Joystick for M-ICV, 2-Function	527.00
	AL174410	Joystick, Electronic 3 Function, (Compatible with CommardARM), Non-Shiftable Compatible w/ Sears seat, w/ CommandArm, non-shiftable.	1,283.00

6210R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL174227	ATTACHMENTS FOR FIELD CONVERSIONContinued Joystick, Electronic 3 Function, (Grammer Seat without CommardARM), Non-Shiftable Compatible w/ Grammer seat, w/o CommandArm, non-shiftable.	1,341.00
	AL179418	Joystick, Electronic 3 Function, (Sears Seat without CommandARM), Non-Shiftable Compatible w/ Sears seat, w/o CommandArm, non-shiftable.	1,341.00
	AL204805	M-ICV Upgrade Kit To convert from 2 sections to 3 sections Also order software AL209347 through PDC.	1,904.00
	AL204803	M-ICV, 2-Sections	1,056.00
	AL204804	M-ICV, 3-Sections	1,628.00
	AL204807	Mechanical Deluxe Select Control Valve 100 Series	504.00
	AL204808	Mechanical Deluxe Select Control Valve 200 Series	651.00
	AL204810	Mechanical Deluxe Select Control Valve 350 Series	805.00
	AL206269	Oil Line Kit and Mounting Parts for 2/3 Section E-ICV or M-ICV Basic Kit	248.00
	AL205878	Position Kit, Position #3 & #4, Mechanical SCVs	380.00
	AL205876	Position Kit, Position #3, Mechanical SCVs	169.00
	AL205877	Position Kit, Position #4, Mechanical SCVs	244.00
	AL176808	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Implement	237.00
	AL176299	Power Beyond Coupler, 1/2-Inch (12.5 mm) Coupler for Tractors	237.00
	AL205916	Lighting: (1) H3 Work Light Installed on beacon light support.	131.00
	AL204761	(2) HB3 Work Lights, Beltline Hanging Mounted Not compatible with front loader installation due to component interference.	253.00
	AL204760	(2) HB3 Work Lights, Beltline Upright Mounted	253.00

6210R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL204759	ATTACHMENTS FOR FIELD CONVERSIONContinued (2) HB3 Work Lights, Rear Fender Mounted If a back-up alarm is equipped on the RH fender, also order: 1 x AL206710 console 8 x 19M7162 cap screw 8 x 24M7055 washer 2 x 14M7298 flanged nut If extra-wide vehicle lighting is equipped (LH & RH fender), also order: 4 x 19M7865 flanged screw 2 x L204515 bracket If extra-wide vehicle lighting and back-up alarm are equipped, also order: 1 x AL209527 console 6 x 19M7162 cap screw 6 x 24M7055 washer 4 x 19M7865 flanged screw 1 x 204515 bracket	175.00
	AL205912	(2) HB3 Work Lights, Roof Mounted, Front or Rear	270.00
	AL205913	(2) HB3 Work Lights, Roof Mounted, Front or Rear Possible mounting positions on the FRONT roof are: right and left inner or mid position Possible mounting positions on the REAR roof are: right and left inner or outer position	270.00
	AL204758	Beacon Light, LH	219.00
	BL15022	Beacon Light, RH	219.00
	AL205881	Head Lights H4 on Beltline For RH + LH Traffic (ECE & SAE)	474.00
	BL15035	Head Lights H4 on Beltline For LH-Traffic (ECE).	475.00
	AL205915	Xenon Work Lights Roof-mounted, adjustable front at mid position or rear at inner position.	1,555.00
	AL204829	Miscellaneous: Tool Box Reference installation instructions MHM1519.	243.00
	AL203919	Operator Environment: 3-Terminal Socket	72.00
	AL204297	Backrest Extension, Telescopic	135.00
	AL205885	Bottle Holder at A-post	41.00
	AL207633	Bottle Holder, Floor Mounted, LH	35.00
	AL205886	Cooling Box Floor mounted to A-post, RH.	130.00
	AL208653	Electrically Telescoping Mirror, RH/LH	See Parts

6210R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL174262	ATTACHMENTS FOR FIELD CONVERSIONContinued Field Office without Refrigerator	254.00
	BL15028	Fridge For tractors without Field Office.	678.00
	BL15029	Fridge For tractors with Field Office.	725.00
	AL204298	Instructional Seat	545.00
	BL15043	Manually Telescoping Mirror RH	See Parts
	AL205891	Rear Window, Heatable	425.00
	AL205883	Remote Switch, PTO For tractors w/o CommandArm also order AL177389. For tractors w/ CommandArm also order RE223554. Also order software kit AL210796.	135.00
	BL15041	Seat Air Suspended, High Spec MSG95AL DynamicDampeningSystem 741 with CommandArm.	2,943.00
	BL15039	Seat Air Suspended, High Spec MSG95AL DynamicDampeningSystem 741 w/o CommandArm.	2,943.00
	BL15037	Seat Air Suspended, Low Spec MSG95GL731	1,280.00
	BL15038	Seat Air Suspended, Mid Spec MSG95AL741 w/ OPS	1,709.00
	BL15040	Seat Air Suspended, Mid Spec MSG95AL741 w/ OPS, w/ CommandArm.	1,709.00
	AL205893	Sun Shade Compatible in front and rear.	165.00
	AL208658	Wiper/Washer, Rear	215.00
	AL208644	iTEC (former HMS) Also requires software kit AL209824.	26.00
	AL174225	Transmission: Back-up Alarm - PowrQuad PLUS, AutoQuad and IVT Transmissions	496.00
	AL71345	Vandal Protection: Door Locks - Custom Key Includes Lockable Door Handles (2). Key is different than that used to start Tractor.	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts
	AL110170	Lockable Transmission Oil Filler Cap	132.00

6210R Cab Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL157298	Weights: Front Shield Protecting the frame end.	53.00

7200R Tractor

Equipment for Base Machine

ENGINE:	Engine Coolant Temperature Gauge
John Deere PowerTech Diesel	Fuel Level Gauge with
In-line 6-Cylinder Wet-Sleeve	Low Fuel Warning Signal
with High Pressure Common Rail (HPCR)	Engine RPM Indicator
Fuel System and 24 Valve Head 200 Engine hp 97/68/EC @ Rated Speed	Status Indicators for MFWD Differential Lock
165 SAE PTO hp @ Rated Speed	Rear PTO Speed
Air to Air Intercooled	CommandCenter Display includes:
Automatic Shutdown System	GreenStar 3 Application Capability
Dry Type Air Cleaner with Safety Element	Video Capability with Tractor Function
and Dirt Aspiration System	Activated Triggers
Filt Hood Enclosure with Side Panels	AutoTrac and Swath Control Pro
Viscous Fan	Activations Required
Electric Fuel Shutoff	Access Manager
Electric Thermal Assist Starting Aid	Universal Performance Monitor
Coolant Conditioner Additive	Display Function Definable by Operator
Coolant Recovery System	% Slip
Fuel Filter and Pre-Filter	Ground Speed
Fuel Water Separator with Sensor	PTO Speed
Self Priming and Bleeding Electronic Fuel Pump	Engine Hours
503 L (133 US Gal.) Fuel Tank	Hydraulic Settings
B2 Biodiesel from the Factory Lockable Fuel Cap	Hitch Settings
Engine Oil Filter	Hitch Slip Command Productivity
Electronic Injection and Governor Control	Efficiency
Bicceronic injection and dovernor control	Area
TRANSMISSION:	Adjustable PTO Modulation
40k (25mph) AutoQuad PLUS Eco with	Implement Width
20 Forward/20 Reverse Speeds and Left Hand	Service Hours
Reverser	Voltage
Reduced engine rpm's at max transport speed	Fuel Consumption Rate
Perma-Clutch II (Hydraulically Engaged	Temperatures
Wet-Disk Clutch)	Time of Day
Speed Matching	Ambient Temperature
Park Lock	Set and Adjust Time and Flow of
Neutral Safety Start System	Individual Selective Control Valves
OMDEDING DRAKEG DIDEEDENMIAI.	ITEC Tractor and Implement Function Control
STEERING, BRAKES DIFFERENTIAL:	T are series as a st
Load-Sensing Hydraulic Power Steering Wet-Disk Hydraulic Power Brakes	Languages:
Filt/Telescoping Memory Steering Wheel	For a complete list of languages refer to the Aq Sales Manual
Hydraulically-Engaged Rear Differential	Ag bales Mandal
Lock	OPERATOR PROTECTIVE STRUCTURE:
200.1	Deluxe CommandView II Cab
HYDRAULICS:	Tilt/Telescoping Memory Steering Wheel
Pressure and Flow Compensating Axial	Comfort Command Seat with
32 GPM (121 L/min) Pump Output	Air Suspension, Swivel
32 GPM (121 L/min) Flow @ One SCV	Fore-Aft Lateral Attenuation
85L of Take Out Oil	Lumbar Support
Three Electrohydraulic Remote Selective	Backrest Adjustment
Control Valves with Push/Pull	Integrated CommandCenter Display
ISO Breakaway Couplers and	Swing-Out Rear Window (30 Degrees)
High Pressure Relief Levers	Tinted Glass
	Air Conditioner and Heater
REAR PTO:	Two Speed and Intermittent Front Wiper
Independent 1000 RPM, 45 mm	and Rear Wiper
(1-3/4 In.) 20 Spline PTO Safety Start System	Front and Rear Windshield Washer Pull Down Front Sun Visor
Seat-Activated PTO Warning	Rear Under Seat Storage
Adjustable Engagement Modulation	Folding Instructional Seat
a de la compagnitation de la c	Left Hand Storage
ROCKSHAFT, HITCH AND DRAWBAR:	Right and Left Outside Mirrors
Electrohydraulic Hitch with Transport	Radio and Speakers
Lock and External Remote Control Switch	Inside Cab Mounted Rear View Mirror
Dual Cylinder Rear Hitch	Passive Noise Reduction System
3-Point (Category 3/3N) Hitch	Backlit Right Hand Console Controls
Fixed Length Draft Links Arms	with Adjustable Brightness
Category 3 Adjustable Drawbar	
Secondary Implement Chain Support	ELECTRICAL:
Sway Blocks with	Key Engine Shutoff
Tapered Wedge Adjustment	12V Electrical System
Hitch Dampening	Two 925 CCA** 12V Batteries
Center Link Adjustment Handle	Two 12V Electrical Convenience Outlet
TNOTDIMENTATION:	Two 12V Electrical 3-Pin Outlet
INSTRUMENTATION:	with Adapter Battery Boost Terminal
Corner Post Digital Instrument Panel includes: Engine Oil Pressure Gauge	Battery Boost Terminal 200 Amp Alternator
Distric Off ITCDDate Daage	200 IND ATCCTHROOT

7200R Tractor

Continued

SmartCircuit Current Load Monitoring
System with Fuse Panel
7-Terminal Rear Implement Electrical
Outlet Socket
Integrated ISO Radar Connector
StarFire ITC or Radar Speed
Input Harness
ServiceADVISOR Data Port

LIGHTS:

Six Front Grill Mounted Lights Ten Cab Roof Mounted Lights Two Rear Fender Flood Lights Extremity, Brake, Turning, and Hazard Lights

AXLE, WHEELS AND TIRES: 1150 MFWD Front Axle with Limited Slip Differential and Driveline Shield Rear Axle and Wheels and Tires

AG MANAGEMENT SOLUTIONS: Integrated Plug-In for GreenStar Display Deluxe StarFire Receiver Bracket
GreenStar Ready harness with Implement
Circuit Gateway and Integrated
GreenStar Display Plug-In
Connector (ISO 11783 Compatible)
AutoTrac Ready Components:
Wiring, SSU, Front WheelAngle Sensor and Electro-Hydraulic
Steering Valve
Right Side Convenience Step

MISCELLANEOUS: Horn PTO Master Shield Tool Box Operator's Manual

**Cold Cranking Amperes

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Waterloo, Iowa

7600RW 7200R Tractor 170,712.00

DESTINATION

A Code must be chosen for each Tractor ordered.

North America

0184 Canada 1,209.00
Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink

Ultimate Promotion - 3 Year Subscription.

Requires Code 8332 (6.8L) Stage 3b/IT-4 Compliant Engine.

Country Specific Base Equipment Includes:

Code 2055 Deluxe CommandView II Cab with RH Console.

Code 7200 Standard Lighting.

Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler.

Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0185		DESTINATIONContinued Costa Rica Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0189		El Salvador Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 15848 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0191		Guatemala Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0193		Honduras Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0195		DESTINATIONContinued Mexico Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0196		Nicaragua Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0202		United States Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8332 (6.8L) Stage 3b/IT-4 Compliant Engine. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4030 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	1,209.00
0016		AFRICA Egypt Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0029		DESTINATIONContinued Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0035		Morocco Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0036		Mozambique Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0054		Zambia Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5In. (3012mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	
0078		ASIA Israel Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less AutoTrac Activation. Requires Code 1885 JDLink Capable. Requires Code 8332 (6.8L) Stage 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 5045 3-15/16 In. (100 mm) Dia x 100.4 In. (2550 mm) Length Rear Axle. Code 5109 620/70R42 In. 160A8 RIW Radial Single Rear Wheels and Tires. Code 6104 480/70R30 In. 152A8 RIW Radial Front Single Wheels and Tires.	Same Price
0090		Mongolia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 (6.8L) Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5049 100 mm (3 15/16 in.) Diameter x 3012 mm (118.5 in.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0083		Korea, Republic of Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less AutoTrac Activation. Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0098		Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less AutoTrac Activation. Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033-5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5045 3-15/16 In. (100 mm) Dia x 100.4 In. (2550 mm) Length Rear Axle. Code 5103 480/80R46 In. 158A8 R1 Radial Single Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0102		DESTINATIONContinued Taiwan Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less AutoTrac Activation. Requires Code 1885 JDLink Capable. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5045 3-15/16 In. (100 mm) Dia x 100.4 In. (2550 mm) Length Rear Axle. Code 5103 480/80R46 In. 158A8 R1 Radial Single Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0213		South America Chile Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0214		Colombia Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmissioin Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0215		Ecuador Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price

7200R Tractor

Continued

CODE	IDENTIFIER	DESCRIPTION	LIST PRICE USD (\$)
0217		DESTINATIONContinued Paraguay Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0218		Peru Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0220		Uruguay Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0500		VALUE PACKAGE CONFIGURATIONS No Package Order one Code from each box in the Price Pages.	In Base Price
0510		Command Quad Premium Package Includes Codes 2061 or 2062, 1823 or 1826, 1500 or 1501, 7202, 2661 or 2662, 3240 or 3260.	-500.00
0511		AutoPowr IVT Transmission Premium Package Includes Codes 2061 or 2062, 1823 or 1826, 1550 or 1551 or 1552 or 1553, 7202, 2661 or 2662, 3240 or 3260.	-1,500.00
0512		iPackage AutoPowr IVT Includes Codes 2061 or 2062, 1833, 1823 or 1826, 1846, 1847, 1848, or 1849, 1837 or 1838, 1887 or 1888 or 1889, 1550 or 1551 or 1552 or 1553, 7202, 2661 or 2662, 3240 or 3260.	-2,000.00

OPERATOR STATION

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2051		OPERATOR STATIONContinued CommandView II Cab with RH Console Includes: ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. CommandCenter Display located on RH console. Front Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Remote radio controls located on RH console. Not Compatible with IVT or CommandQuad Transmissions. Folding Instructional Seat.	-1,114.00
2055		Deluxe CommandView II Cab with RH Console Includes: ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. CommandCenter Display located on RH console. Front and Rear Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Remote radio controls located on RH console Front Pull Down Sun Shade. Right and Left Outside Mirrors (Manual Adjustment). Power Strip with Convenience Plug Adapter. Folding Instructional Seat. Right Hand Steps. Not Compatible with IVT or CommandQuad Transmissions.	In Base Price
2060		Deluxe CommandView II Cab with RH Console and Active Seat Includes: Active Seat with Fore-Aft and Lateral Attenuation and Lumbar Support CommandCenter Display located on RH console. Front and Rear Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Front Pull Down Sun Shade. Right and Left Outside Mirrors (Electrically Adjustable). Power Strip with Convenience Plug Adapter. Folding Instructional Seat. Remote radio controls located on RH console. Not Compatible with IVT or CommandQuad Transmissions. Right Hand Steps.	2,867.00
2050		CommandView II Cab Includes: ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest controls with Integrated CommandCenter Display. Remote Radio Controls located on CommandARM. Front Windshield Washer and Wiper. Manual Temperature Controls located in cab roof. Not compatible with PowrQuad or AutoQuad transmissions. Folding Instructional Seat.	-1,621.00
2059		Deluxe CommandView II Cab Includes: ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on CommandARM. Front and Rear Windshield Washer and Wiper. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Right and Left Outside Mirrors (Manual Adjustment). Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. Not Compatible with PowrQuad or AutoQuad Transmissions. Right Hand Steps.	777.00

7200R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2061		OPERATOR STATIONContinued Premium CommandView II Cab with Active Seat Includes: Active Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on CommandARM. Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Right and Left Outside Mirrors (Electrically Adjustable). Folding Instructional Seat. Not Compatible with PowrQuad or AutoQuad Transmissions. Folding Instructional Seat. Right Hand Steps.	3,644.00
2062		Premium CommandView II Cab with Cab Suspension Includes: Cab Suspension ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on CommandARM. Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Right and Left Outside Mirrors (Electrically Adjustable). Folding Instructional Seat. Not Compatible with PowrQuad or AutoQuad Transmissions. Right Hand Steps.	4,272.00
		DISPLAY	
		When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is	

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac and Swath Control Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

GS3 CommandCenter, 7" Color Display

Includes Access Manager user lockout software.

1821

With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro and Pivot Pro will function on the CommandCenter display with activations sold separately.

In Base Price

1,260.00

Does not include a cornerpost bracket for mounting an additional GreenStar Display.

 $GS3\ Command Center\ is\ not\ compatible\ with\ video.$

Touchscreen GS3 CommandCenter 7" Color Display, Video Capable Includes Access Manager user lockout software, and video capability.

With a StarFire Receiver installed, the display is capable of operating manual guidance.

AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with

One video camera input pre-wired in the cab. Connector located on the outside rear of the cab. Video software can be configured in the CommandCenter using Tractor function activated triggers.

16 May 2012 US & Canada 2-Tractors-05900- 10

7200R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DISPLAYContinued See Parts for available cameras.	
		Does not include a cornerpost bracket for mounting an additional GreenStar Display.	

GS3 CommandCenter 7" Color Display with GreenStar 3 2630 Display

5,895.00

Includes Access Manager user lockout software.
Includes GreenStar 3 Display 2630, harness, and A-post mounting bracket installed on

cornerpost.

Includes GreenStar 3 Display 2630 Operator's manual with the language translation to match the Tractor Operator's manual language translation.

Note: When a GreenStar 3 Display 2630 is connected at the cornerpost, all GreenStar.

Note: When a GreenStar 3 Display 2630 is connected at the cornerpost, all GreenStar applications must be run on the cornerpost display. Warranty on GreenStar 3 Display 2630 will be handled by AMS and will carry normal AMS warranty terms.

With a Starfire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro and Pivot Pro will function on the CommandCenter display with activations sold separately.

GS3 CommandCenter is not compatible with video.

Touchscreen GS3 CommandCenter 7" Color Display, Video Capable with

7,160.00

GreenStar 3 2630 Display

1825

1826

Includes Access Manager user lockout software, and video capability. Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed on cornerpost.

Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.

The GS3 CommandCenter is pre-wired with one video input in the cab. Connector located on the outside rear of cab. Video software can be configured in the CommandCenter using tractor function activated triggers. In addition, the GreenStar 3 2630 Display has the capability of one video input. Requires camera and harnessing for video capabilities. See Attachments for harnessing at GreenStar Harnesses in the AMS Price Pages and Ag Sales Manual for list of compatible cameras.

When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the cornerpost display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.

RECEIVER

StarFire 3000 Position Receivers can be ordered in two configurations:

-SF1 World Solution, a no-charge differential correction signal that provides non-row-crop accuracy.

-SF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.com.

-RTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for configurations.

In addition, each StarFire 3000 receiver is capable of utilizing the free Wide Area Augmentation System (WAAS) signal.

GPS serial port information (NMEA) is available through a StarFire 3000 SF1 World Solution or StarFire 3000 SF2 Ready receiver when it is connected to a GreenStar System, or when it has a valid SF2 license or RTK activation being used with a non-Deere system.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

7200R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1835		RECEIVERContinued Less StarFire 3000 Receiver Tractor includes deluxe receiver mounting bracket only.	In Base Price
		When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.	
1837		StarFire 3000 Receiver - SF1 World Solution with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.	2,695.00
		Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 receiver can be upgraded to SF2 capabilities.	
1838		StarFire 3000 Position Receiver - SF2 Ready with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.	4,695.00
		A StarFire 3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available through StellarSupport.com or by calling the AMS Customer Call Center.	
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS	

Other activations sold separately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac and Swath Control Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact Stellar Support to activate AutoTrac and/or iTEC Pro on the GreenStar 3 2630 Display, referencing Tractor COMAR order number.

Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on activations will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

	price pages for appropriate ordering codes.	
1845	Less AutoTrac Activation - GS3	In Base Price
1846	AutoTrac SF1 Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) for AutoTrac functionality. See AMS sales manual and price pages for detailed information.	3,000.00
1847	AutoTrac SF2 Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires SF2 Subscription sold seperately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	6,500.00
1848	AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630	5,500.00

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONSContinued Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See AMS sales manual and price pages for detailed information.	
1849		AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. Also requires SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	9,000.00
		MACHINE CONNECTIVITY	_
		Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system. Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine Hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features this includes: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features this includes: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability.	1,200.00
		Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service.	

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	
		ACTIVECOMMAND STEERING	
1833		John Deere ActiveCommand Steering (ACS) Not compatible with Codes 1430, 1431, or 1451.	3,209.00
1834		Less John Deere ActiveCommand Steering (ACS)	In Base Price
		TRANSMISSION	
1430		PowrQuad PLUS 19 mph (30 km/h) 16F/16R with Left Hand Reverser Control Includes Hand Declutch feature on range lever. Requires RH Console Cab.	-2,225.00
1451		AutoQuad PLUS Eco 25 mph (40 km/h) 20F/20R with Left Hand Reverser Control and Field Cruise Includes Hand Declutch feature on range lever. Requires RH Console Cab.	In Base Price
1500		CommandQuad Eco 25 mph (40 km/h) 20F/20R with Left Hand Reverser Control and Efficiency Manager Requires CommandARM Cab.	4,018.00
1501		CommandQuad Eco 31 mph (50 km/h) 20F/20R with Left Hand Reverser Control and Efficiency Manager Requires CommandARM Cab. Requires Air or Hydraulic trailer brakes, TLS Plus with front brakes, front fenders. Requires Symbol B (31 mph) Front and Rear Tires, ordered from the tire section in this price list.	4,018.00
1550		AutoPowr IVT Transmission 25 mph (40 km/h) with Right Hand Reverser Control and Field Cruise Requires CommandARM Cab. Not compatible with Code 6020.	8,700.00
1551		AutoPowr IVT Transmission 25 mph (40 km/h) with Left Hand Reverser Control and Field Cruise Requires CommandARM Cab. Not compatible with Code 6020.	9,217.00
1553		AutoPowr IVT Transmission 31 mph (50 km/h) with Right Hand Reverser Control and Field Cruise Requires Air or Hydraulic trailer brakes, TLS Plus with front brakes, front fenders. Requires Symbol B (31 mph/50K) Front and Rear Tires, ordered from the tire section in this price list. Not compatible with Code 6020.	8,700.00
1552		AutoPowr IVT Transmission 31 mph (50 km/h) with Left Hand Reverser Control and Field Cruise Requires Air or Hydraulic trailer brakes, TLS Plus with front brakes, front fenders. Requires Symbol B (31 mph) Front and Rear Tires, ordered from the tire section in this price list. Not compatible with Code 6020.	9,217.00

7200R Tractor

			SUGGESTED
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	LIST PRICE USD (\$)
7200		LIGHTSContinued Standard Lighting Six Front Grill Mounted Lights: Two 65 W Low Beam Driving Lights, two 65 W High Beam Driving Lights and two Front Corner Facing Halogen Work Lights. Ten Cab Roof Mounted Lights: Two Rear and four Side Facing 65 W Flood lights and four Corner Facing Amber Lights. Two Rear Fender Mounted Flood Lights and two Rear Turn Signal and Brake Lights. Two Folding Extremity Lights.	In Base Price
7201		Deluxe Lighting Includes Standard Lights plus two adjustable front roof 65W halogen floodlights, two front belt-line work lights, and rotary beacon light.	789.00
7202		Premium Lighting Includes Deluxe Lights, and additionally in the front grill screen, two front corner HID lights replace two front halogen lights and one HID light and one 65W halogen flood light are added. Two rear fender lights are replaced with HID lights.	3,442.00
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers.	-673.00
2660		Deluxe Radio Package AM/FM Stereo with Clock, Remote Controls. Auxiliary Input Jack located on front of Radio. Four Speakers and External Antenna.	In Base Price
2661		Premium Radio Package with XM Radio AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls. USB port on front of radio face. Auxiliary Input Jacks located in right hand storage console and on radio face. BlueTooth capable including microphone. Integrated BlueTooth Phone Book connection through CommandCenter. XM Satellite capable including Satellite Antenna (Subscription Required). Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display.	345.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls. Auxiliary Input Jack located in right hand storage console and on radio. BlueTooth capable including microphone. Integrated BlueTooth Phone Book connection through CommandCenter. Four Speakers, Subwoofer, and External Antenna.	242.00
		REMOTE SELECTIVE CONTROL VALVES	
3331		Three Deluxe Rear Remote Selective Control Valves with Electro-Hyraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers EHSCVs are mounted on right hand console with PowrQuad PLUS or AutoQuad PLUS Transmissions (Codes 1430, 1431 or 1451), and included in the CommandARM with CommandQuad and IVT (Codes 1500, 1501, 1550, 1551, 1552, or 1553).	In Base Price
3341		Four Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers EHSCVs are mounted on right hand console with PowrQuad PLUS or AutoQuad PLUS Transmissions (Codes 1430, 1431 or 1451), and included in the CommandARM with CommandQuad and IVT (Codes 1500, 1501, 1550, 1551, 1552, or 1553).	1,875.00

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
3351		REMOTE SELECTIVE CONTROL VALVESContinued Five Deluxe Rear Remote Selective Control Valves with Electro-Hydraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers Not compatible with PowrQuad PLUS or AutoQuad PLUS Transmissions (Codes 1430, 1431 or 1451). Included in the CommandARM with CommandQuad and IVT (Codes 1500, 1501, 1550, 1551, 1552, or 1553).	3,752.00
3361		Six Deluxe Rear Remote Selective Control Valves with Electro-Hydraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers Not compatible with PowrQuad PLUS or AutoQuad PLUS Transmissions (Codes 1430, 1431 or 1451). Included in the CommandARM with CommandQuad and IVT (Codes 1500, 1501, 1550, 1551, 1552, or 1553). Requires Option Code 841K. Not Compatible with Option Codes 8910, 8410, 8411, 834L, and 834M.	5,627.00
		REAR POWER TAKE OFF	
3810		1-3/4 In. (45mm) 1000 rpm PTO (20 Spline) Option is never compatible with 1-3/8 In. (35mm) 540 (6 Spline) / 1000 (21 Spline) rpm PTO.	In Base Price
3820		1-3/4 In. (45mm) 1000 rpm PTO (20 Spline), 1-3/8 In. (35mm) 540 (6 Spline) / 1000 (21 Spline) rpm PTO with Shifting at the rear of the Tractor	1,510.00
3830		1-3/8 In. (35mm) 540 Economy rpm (6 Spline) / 1000 (21 Spline) / 1000 Economy (21 Spline) rpm PTO 1-3/4 In. (45mm) 1000 (20 Spline) rpm PTO Electronicly Shiftable in Cab. One-Piece Reversible 1-3/8 In. Shaft and Single Side 1-3/4 Shaft Economy speed at 1730 engine rpm.	2,360.00
3831		1-3/8 In. (35mm) 540 (6 Spline) / 540 Economy (6 Spline) rpm / 1000 (21 Spline) rpm PTO. 1-3/4 In.(45mm) 1000 (20 Spline) rpm PTO. Electronicly Shiftable in Cab, One-Piece Reversible 1-3/8 In. Shaft and Single Side 1-3/4 Shaft Economy speed at 1730 engine rpm.	2,360.00
		DRAWBAR AND TRAILER HITCH	
4320		Category 3 Adjustable Swing Drawbar for use with a 38 mm Pin Does not include clevis. For clevis, order Code 8435.	In Base Price
4323		Category 3 Drawbar, High Vertical Load (10,000 Lb. Capacity) with Clevis and 1.50 In. (38 mm) Pin	1,019.00
		HITCH, COUPLER, AND STABILIZER	
4000		Less 3-Point Hitch Requires Code 3331.	-5,390.00
4033		5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler Includes solid, non-adjustable draft links and sway blocks.	In Base Price
4034		6,894 kg (15,200 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler Includes solid, non-adjustable draft links and sway blocks.	1,217.00

7200R Tractor

		Continued	
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		HYDRAULIC PUMP	
3230		32 gpm / 121 L/Min. Hydraulic Pump (45cc)	In Base Price
3240		43 gpm / 163 L/Min. Hydraulic Pump (63cc)	899.00
3260		59 gpm / 223 L/Min. Hydraulic Pump (85cc)	2,062.00
		REAR AXLES	
5045		3-15/16 In. (100 mm) Dia x 100.4 In. (2550 mm) Length Not compatible with duals.	-319.00
5047		3-15/16 In. (100 mm) Dia x 110.5 In. (2808 mm) Length <i>Requires Code 873A</i> .	-157.00
5049		3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length	In Base Price
		WHEELS AND HUBS	
5090		Steel Wheels and Cast Hubs Requires Code 5045, 5047, 5049.	In Base Price
5091		Cast Wheels with Single Taper Hubs Requires Code 5045, 5047, 5049, 5059, 5061.	260.00
		REAR WHEELS & TIRES (Single and Dual Configurations)	
		The models will be installed as listed. The company reserves the right to substitute another model without written notice. For complete tire and wheel information, refer to the Agricultural Sales Manual or individual tire manufacturer's handbook. Some tire sizes and/or brands are excluded from manufacturer warranty when used in specialty applications (e.g. use on Scraper Tractors). Please refer to the tire manufacturer's handbook for specific warranty guidelines. Overloading of tires is prohibited.	

REAR WHEELS AND TIRES FOR 40 km/h TRANSMISSIONS:

A8 Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) Listed Narrowest to Widest **Listed Singles to Duals**

For MFWD, use with any A8 Speed Rated RCI Group 42 Front Tire with same brand

For tractors equipped with heavy ballast, duals are recommended to avoid overloading tires.

	Mixing of RI and RIW tread types between Front and Rear Tires is Permitted.	
5100	320/90R54 In. 149A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-8,016.00
5500	320/90R54 In. 149A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	2,284.00
5101	380/90R50 In. 151A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-9,374.00

7200R Tractor

CODE	ATTACHMENTIDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5501		REAR WHEELS & TIRES (Single and Dual Configurations)Continued 380/90R50 In. 151A8 R1W Radial Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-432.00
5102		480/80R46 In. 158A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-7,834.00
5502		480/80R46 In. 158A8 R2 Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6103.	2,648.00
5103		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Firestone or Goodyear.	-9,158.00
5503		480/80R46 In. 158A8 R1 Radial in Dual Configuration Available in Firestone or Goodyear.	In Base Price
5104		480/80R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-7,499.00
5504		480/80R46 In. 158A8 R1W Radial in Dual Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	2,735.00
5105		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Firestone or Goodyear.	-9,222.00
5505		520/85R42 In. 157A8 R1 Radial in Dual Configuration Available in Firestone or Goodyear.	-128.00
5106		520/85R42 In. 157A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, or Michelin.	-7,914.00
5506		520/85R42 In. 157A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear, or Michelin.	2,488.00
5108		520/85R42 In. 157A8 R2 Radial in Single Wheel Configuration Available in Firestone or Goodyear.	-7,286.00
5508		520/85R42 In. 157A8 R2 Radial in Dual Configuration Available in Firestone or Goodyear.	3,744.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Configuration Available in Firestone, Michelin, or Goodyear.	5,560.00
5123		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear or Michelin.	-6,378.00
5132		650/65R42 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-5,223.00
5124		650/65R42 In. 170A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-5,144.00

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)	
5110		Continued 710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear.	-5,066.00
5510		710/70R38 In. 166A8 R1W Radial in Dual Configuration Available in Firestone, Michelin, or Goodyear.	8,184.00
5117		IF 710/70R38 178A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-4,462.00
		A8 Speed Rated RCI Group 48 Size Tires (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals Use with any A8 Speed Rated RCI Group 43 Front Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
5200		380/90R54 In. 152A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Not compatible with Code 5090. Requires No Brand Preference Code 5999.	-7,658.00
5600		380/90R54 In. 152A8 R1W Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Not compatible with Code 5090.	3,000.00
5201		480/80R50 In. 159A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas/Continental, Titan or Michelin. Mitas/Continental available in US and Canada only.	-7,642.00
5601		480/80R50 In. 159A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear, Mitas/Continental, Michelin or Titan. Not compatible with Code 5090. Mitas/Continental available in US and Canada only.	3,032.00
5202		IF 480/80R50 166A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-5,838.00
5602		IF 480/80R50 166A8 R1W Radial in Dual Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	6,640.00
5203		520/85R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Michelin or Mitas/Continental. Mitas/Continental available in US and Canada only.	-7,848.00
5603		520/85R46 In. 158A8 R1W Radial in Dual Configuration Available in Firestone, Michelin, Mitas/Continental, or Goodyear. Mitas/Continental available in US and Canada only.	2,620.00
5204		520/85R46 In. 158A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires Front Tire Code 6206. Requires No Brand Preference Code 5999.	-7,600.00

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5604		REAR WHEELS & TIRES (Single and Dual Configurations)Continued 520/85R46 In. 158A8 R2 Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Compatible Front Tire Code 6206.	3,116.00
5205		620/70R46 In. 167A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-5,976.00
5605		620/70R46 In. 167A8 R1W Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	6,364.00
5222		650/85R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin, Goodyear, or Mitas/Continental. Mitas/Continental available in US and Canada only.	-5,244.00
5622		650/85R38 In. 173A8 R1W Radial in Dual Configuration Available in Goodyear, Michelin, or Mitas/Continental. Mitas/Continental available in US and Canada only.	7,828.00
5218		IF 650/85R38 In. 179A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Front Tire Code 6214. Requires No Brand Preference Code 5999.	-2,815.00
5618		IF 650/85R38 In. 179A8 R1W Radial in Dual Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	12,103.00
5206		710/70R42 In. 168A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-4,714.00
5606		710/70R42 In. 168A8 R1W Radial in Dual Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Not compatible with Code 5090.	8,888.00
5207		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Goodyear, Michelin, or Mitas/Continental. Mitas/Continental available in US and Canada only.	-4,396.00
5607		710/70R42 In. 173A8 R1W Radial in Dual Configuration Available in Michelin, Goodyear, or Mitas/Continental. Not compatible with Code 5090. Mitas/Continental available in US and Canada only.	9,524.00
5219		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin. Requires Front Tire Code 6214.	-2,708.00
5619		IF 710/70R42 In. 179A8 R1W Radial in Dual Configuration Available in Michelin or Firestone. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	12,900.00

7200R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)	
5209		Continued 800/70R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear.	-4,120.00
5220		IF 800/70R38 In. 179A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Front Tire Code 6214. Requires No Brand Preference Code 5999.	-1,312.00
		REAR WHEELS AND TIRES FOR 50 km/h TRANSMISSIONS:	
		B Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals For use with any B Rated RCI Group 42 Front Tire with same tread type and brand preference.	
5513		480/80R46 In. 158B R1 Radial in Dual Configuration Available in Firestone or Goodyear.	1,016.00
5116		710/70R38 In. 166B R1W Radial in Single Wheel Configuration <i>Available in Michelin or Goodyear</i> .	-4,322.00
		B Speed Rated RCI Group 48 Size Tire (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals Use with any B Speed Rated RCI Group 43 Front Tire with same tread type and brand preference.	
5610		480/80R50 In. 159B R1W Radial in Dual Configuration Available in Firestone or Goodyear.	3,876.00
5211		650/85R38 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear.	-4,738.00
5215		IF 650/85R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Code 6215.	-2,815.00
5213		710/70R42 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-3,577.00
5216		IF 710/70R42 In. 179B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Code 6215.	-2,125.00
5217		IF 800/70R38 In. 179B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-729.00
		FRONT AXLES	

-16,880.00

Two Wheel Drive Adjustable Width 60-88 In. (1524-2235 mm)

6020

7200R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT AXLESContinued Does not include any Auto Trac Ready components. Requires Code 1845 - Less Auto Trac Activation. Not compatible with IVT transmissions: 1550, 1551, 1553, 1552; Group 44/49 Tires, or Loader Ready Code 8910. Requires Code 1834 Less ACS.	
6043		1150 Series Mechanical Front Wheel Drive Axle with Driveline Shield and Limited Slip Differential Not compatible with Group 44/49 Tires.	In Base Price
6060		1300 Series Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS (TLS +), Driveline Shield and Limited Slip Differential	8,616.00
6061		1300 Series Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS (TLS+), Driveline Shield, Hydraulic On/Off Differential Lock and Wet Disk Front Brakes Required for 31 mph (50 km/h) Transmissions (Code 1501, 1552 or 1553). Compatible with 19 mph (30 km/h) or 25 mph (40 km/h) Transmissions (Code 1430, 1431, 1451, 1500, 1550, and 1551).	10,112.00

FRONT WHEELS AND TIRES

For complete tire and wheel information refer to the Agricultural Sales Manual or individual

tire manufacturer's handbook.

For loader compatibility information, refer to the Agricultural Sales Manual.

Some tire sizes and/or brands are excluded from manufacturer warranty when used in

specialty applications (e.g. use on scraper tractors).

Please refer to the tire manufacturer's handbook for specific warranty guidelines.

Overloading of tires is prohibited.

Two Steel 2WD Wheels with:

2WD Front Tires are not compatible with Group 49 Rear Tires.

6165 11.00-16 ln. 12PR F2 -2,442.00

Available in Goodyear only. Not compatible with Front Loaders. Requires No Brand Preference Code 5999.

6166 11.00-20 In. 12PR F2 -2,236.00

Available in Titan only.

Requires No Brand Preference Code 5999.

Requires Group 48 Rear Tires.

6168 14L-16.1 ln. 12PR F2 -1,744.00

Available in Firestone only.

Restricted to 15 mph (25 km/h) when used with Front Loaders.

Extended lead time tire; may affect Tractor delivery date.

Requires No Brand Preference Code 5999.

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		MECHANICAL FRONT WEHEEL DRIVE (MFWD) AXLE Eight Position Steel MFWD Wheels with:	
		A8 Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest Use with any A8 Speed Rated RCI Group 47 Rear Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
6106		320/85R38 In. 143A8 R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Extended lead time tire; may affect Tractor delivery date.	832.00
6107		380/85R34 In. 137A8 R1 Radial Available in Firestone or Goodyear.	276.00
6108		380/85R34 In. 137A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	1,813.00
6100		420/90R30 In. 142A8 R1 Radial Available in Firestone or Goodyear.	In Base Price
6101		420/90R30 In. 147A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	620.00
6102		420/90R30 In. 145A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999.	604.00
6103		420/90R30 In. 142A8 R2 Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Extended lead time tire; may affect Tractor delivery date.	696.00
6131		480/70R30 In. 152A8 R1W Radial Available in Firestone or Goodyear.	284.00
6119		540/65R30 In. 143A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	2,605.00
6109		600/65R28 In. 147A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999. For use with 64 In. or wider tread setting.	2,348.00
6132		600/65R28 In. 154A8 R1W Radial Available in Michelin and Goodyear. For use with 64 In. or wider tread setting.	2,844.00

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		A8 Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest Use with any A8 Speed Rated RCI Group 48 Rear Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
6200		320/80R42 In. 141A8 R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999.	1,358.00
6201		380/80R38 In. 142A8 R1W Radial Available in Firestone, Goodyear, Mitas/Continental, Michelin or Titan. Mitas/Continental available in US and Canada only.	1,360.00
6202		IF 380/80R38 In. 149A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Standard, non-Increased Flexion rear tires.	2,270.00
6203		420/85R34 In. 147A8 R1W Radial Available in Firestone, Goodyear, Mitas/Continental or Titan. Mitas/Continental available in US and Canada only.	1,304.00
6205		480/70R34 In. 155A8 R1W Radial Available in Firestone or Goodyear.	2,108.00
6217		IF 420/85R34 152A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Standard, non-Increased Flexion rear tires.	2,568.00
6204		480/70R34 In. 143A8 R1W Radial Available in Michelin and Mitas/Continental. Mitas/Continental available in US and Canada only.	1,236.00
6206		480/70R34 In. 146A8 R2 Radial Available in Goodyear only. Requires No Brand Preference Code 5999.	1,100.00
6207		540/65R34 In. 148A8 R1W Radial Available in Michelin or Goodyear.	1,312.00
6208		600/70R30 In. 152A8 R1W Radial Available in Firestone, Goodyear or Michelin.	2,512.00
6214		IF 600/70R30 In. 159A8 R1W Radial Requires Code 1550 or 1551. Requires Rear Tire Code: 5603, 5619, 5219, 5618, 5218, 5220 or 5203. Available in Michelin and Firestone. Requires No Brand Preference Code 5999.	3,451.00

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		Eight Position B Speed Rated Steel MFWD Wheels for 31 mph (50 km/h) Transmissions:	
		B Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest	
		Use with any B Speed Rated RCI Group 47 Rear Tire with same tread type and brand preference.	
6111		380/85R34 137B R1 Available in Goodyear or Firestone.	276.00
6123		480/70R30 152B R1W Available in Goodyear only. Requires No Brand Preference Code 5999.	284.00
6113		600/65R28 In. 147B R1W Radial	2.856.00
0113		Available in Michelin or Goodyear. Use with 1780 mm (70 In.) or wider tread settings.	2,830.00
		B Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Use with any B Speed Rated RCI Group 48 Rear Tire with same tread type and brand	
		preference. Requires Code 5037.	
6209		420/85R34 In. 147B R1W Radial Available in Firestone or Goodyear.	2,042.00
6212		600/70R30 In. 152B R1W Radial Available in Michelin and Goodyear For use with 70 In. (1780 mm) or wider tread setting.	2,512.00
6210		540/65R34 ln. 148B R1W Radial Available in Michelin and Goodyear.	1,312.00
6215		IF 600/70R30 In. 159B R1W Increased Flexion Radial Available in Michelin only. Requires No Brand Preference Code 5999.	3,451.00
		TIRE PREFERENCE CODES	
		If only one brand is available in any tire code, the Tire Preference Code 5999 must be chosen below to avoid extra charges. You will still get the one brand stated in the tire code description.	
5999		No Brand Preference Mitas/Continental brand tires available in US and Canada only.	No Charge
5901		Firestone Brand Only	600.00
5902		Goodyear Brand Only	600.00
5903		Michelin Brand Only	1,000.00
5904		Mitas/Continental Brand Only Mitas/Continental brand tires available in US and Canada only.	600.00

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR'S MANUALS, LABELS AND COMMANDCENTER	
0409		English	In Base Price
0437		Spanish	Same Price
0413		French	Same Price
		ATTACHMENTS - ORDER AS DESIRED	
9076		Customer Gold Key Program: Gold Key Experience Not compatible with Code 9075. This new option will provide your customer with more flexibility to schedule their Gold Key Experience Tour of a product similar to their purchase. Customers can choose a date that fits their schedule and allows them to arrange travel in advance. This experience will provide your customer with the same irreplaceable opportunity of a personal tour of our World Class facility, with the exception of seeing their machine on the day of their tour. This tour will be scheduled in advance with your customer#s input and will occur during an eight week period (4 weeks prior to or 4 weeks after the machine#s expected warehouse date). There is more availability and flexibility for this option to accommodate your customer#s needs. Upon selection of this option, the factory will contact you to schedule a tour date.	No Charge
8242		Operator Station and Electrical: Radar with Dual Beam Sensor	880.00
8725		Rotary Beacon Light Required to add Rotary Beacon Light to Standard Lighting Package.	332.00
8227		Outside Mirrors, Telescoping, Heated, Electrically Adjustable, RH and LH Required to upgrade from Right and Left Hand Manual Adjust Mirrors.	957.00
8228		Outside Mirrors, Telescoping, Heated, Electrically Adjustable, RH and LH Required to upgrade from RH and LH Electrically Adjusting Mirrors.	532.00
8782		Backup Alarm	176.00
8251		Antenna Mount and Wiring for Business Band (2-Way) Radio	127.00
8288		Foot Operated Speed Control	297.00
8720		Loader and Driving Light Package Provides two road lights mounted higher on the cab posts for use when front mounted equipment obstruct grill mounted front lights.	206.00
8210		Leather Trim Includes heated leather seat, leather wrapped steering wheel and rear window decal.	1,623.00
8010		Chassis: Fenders, Deluxe Pivoting Front for MFWD - 18.7 In. (480 mm) Wide Recommended for use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire width. Code 8010 or 8011 is required for 50km/h (31mph) Tractors. Not compatible with Code 8011.	1,233.00

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8011		ATTACHMENTS - ORDER AS DESIREDContinued Fenders, Deluxe Pivoting Front for MFWD - 24.4 ln. (620 mm) Wide Recommended for use with 18.4 ln. (480 mm) to 23.6 ln. (600 mm) tire width. Not compatible with Code 8010. If Code 8910 Loader Ready is selected the fenders will be stationary and loader compatible. Code 8010 or 8011 is required for 31 mph (50 km/h) Tractors.	1,233.00
8020		Fenders, Full Coverage Rear - 100 In. (2.55 m) Width Includes hitch control switch on both fenders.	1,349.00
8021		Fender, Extra Width Rear Extensions - 108 In. (2.75 M) Width Provides coverage for up to 800 mm section width tires. Not compatible with Code 8020.	1,599.00
8291		Left Hand Step Mud Guard In base on Tractors with Group 49 Rear Tires. Option on Tractors with Group 47 and Group 48 Rear Tires.	96.00
8910		Loader Ready Three Function Electronic - Independent Control Valve Includes: 3-Function Electronic Joystick with activated speed shifting buttons (Activated Speed Shifting Buttons not available with IVT Transmissions), 6-Hydraulic hoses from mid-mount Tractor valve to attached single point half coupler, Loader Mounting Frame, and Hood Guard (Requires front weight support). Not compatible with Mid Mount SCV's or Front Hitch. If fenders are desired, please select Code 8011 which will become stationary loader fenders compatible with Loaders. Does not include right side convenience step.	7,265.00
8751		Trailer Brake, Dual Line Air Includes compressor, tank, control valve, and couplers. Not compatible with Code 8756 or 8752. For dual line air and hydraulic brakes, order Code 8752. Code 8751, 8756, or 8752 is required for 31 mph (50 km/h) Tractors.	5,066.00
8756		Trailer Brake, Hydraulic Includes rear tractor line coupler. Not compatible with Code 8751 or 8752. For dual line air and hydraulic brakes, order Code 8752. Code 8751, 8756, or 8752 is required for 31 mph (50 km/h) Tractors.	542.00
8752		Trailer Brakes, Dual Line Air and Hydraulic Includes Code 8751 and 8756. Code 8751, 8756, or 8752 is required for 31 mph (50 km/h) Tractors.	5,609.00
8433		Hitch and Drawbar: Less Drawbar Requires Code 4311, 4313, 4314, or 4315.	-160.00
8428		Hydraulic Rear Center Link Requires Code 8020.	1,107.00
841G		Front Hitch Ready Includes a front casting that will accommodate but does not include a Front Hitch and Front PTO. Includes 1 set of Hydraulic Oil lines to connect the Front Hitch and Mid-Mount SCV on a Pivot Beam Axle and 3 sets of Hydraulic Lines on TLS front axles. Not compatible with 8407, 8408, 8410, 8409, 8411.	2,535.00

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8407		ATTACHMENTS - ORDER AS DESIREDContinued Deluxe Front Hitch with 5200 Kg (11,450 lb.) max lift capacity at hitch balls 3150 Kg (6,944 lb.) ISO lift Capacity Less Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes Zero Front Auxiliary Couplers Not compatible with 841G, 832G, 834B, 834C, 834L, or 834M. Requires Code 841K or 841L. Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 1 Mid-Mount SCV for hitch raise and lower.	3,903.00
8408		Deluxe Front Hitch with 5200 Kg (11,450 lb.) max lift capacity at hitch balls 3150 Kg (6,944 lb.) ISO lift capacity Less Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes One Front Auxiliary Coupler Not compatible with 841G, 832G, 834B, 834C, 834L, and 834M Requires Code 841K or 841L. Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 2 Mid-Mount SCV's; Hitch Raise and Lower, 1 Aux Coupler.	5,032.00
8410		Deluxe Front Hitch with 5200 Kg (11,450 lb.) max lift capacity at hitch balls. - 3150 Kg (6,944 lb.) ISO lift capacity. - Less Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes Two Front Auxiliary Couplers Not compatible with 841G, 832G, 834B, 834C, 834L, and 834M Requires Code 841K or 841L. Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 3 Mid-Mount SCV's; Hitch Raise and Lower, 2 Aux Couplers.	6,161.00
8409		Premium Front Hitch with 5200 Kg (11,450 lb.) max lift capacity at the hitch balls. - 3150 Kg (6,944 lb.) ISO lift capacity. - Includes Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes One Front Auxiliary Coupler Not Compatible with 841G, 832G, 834B, 834C, 834L, and 834M Requires Code 841k or 841L Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 2 Mid-Mount SCV's; Hitch Raise and Lower, 1 Aux Coupler.	5,973.00
8411		Premium Front Hitch with 5200 kg (11,450 lb.) max lift capacity at the hitch balls 3150 Kg (6,944 lb.) ISO lift capacity Includes Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes Two Front Auxiliary Couplers Not compatible with 841G, 832G, 834B, 834C, 834L, and 834M. Requires Code 841k or 841L. Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 3 Mid-Mount SCV's; Hitch Raise and Lower, 2 Aux Couplers.	7,102.00
841K		Auxilary CommandArm Mounted SCV Controls Highly recommended when Codes 8407, 8408, 8409, 8410, or 8411 are selected with Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065.	1,154.00
841L		Joystick Control Required when Codes 8407, 8408, 8409, 8410, or 8411 are selected with Codes 2051, 2053, 2055, 2058, 2060, or 2064.	1,166.00

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8435		ATTACHMENTS - ORDER AS DESIREDContinued Drawbar Clevis, Cat. 3 with 1.5 In. (38 mm) Pin Requires Code 4320.	231.00
832G		Hydraulics: Auxiliary Hydraulic Connections Includes (2) motor return 1/2" couplers, (1) flat face sump 3/8" coupler, (1) 1/2" power beyond pressure, (1) load sense 1/4" coupler.	840.00
834B		Mid-Mount EH Valve Stack with 2-Function Paddle Pot Control Provides two additional SCVs. Float position included on all Mid-Mount valves. Includes two sets of Mid-Mount valve couplers. Not compatible with Front Hitch or Loader Ready Package. Not compatible with AutoQuad or PowrQuad Transmissions.	2,437.00
834C		Mid-Mount EH Valve Stack with 2-Function Joystick Control Provides two additional SCVs. Float position capable on only 1 Mid-Mount valve. Includes two sets of Mid-Mount valve couplers. Not compatible with Front Hitch or Loader Ready Package.	3,190.00
834L		Mid-Mount EH Valve Stack with 3-Function Paddle Pot Control Provides three additional SCVs. Float position included on all Mid-Mount valves. Includes three sets of Mid-Mount valve couplers. Not compatible with Front Hitch or Loader Ready Package. Not compatible with 6 Rear SCV's. Not compatible with AutoQuad or PowrQuad Transmissions	3,566.00
834M		Mid-Mount EH Valve Stack with 3-Function Joystick Control Provides Three Additional SCVs Float position capable on only 1 Mid-Mount valve. Includes three sets of Mid-Mount valve couplers. Not compatible with Front Hitch or Loader Ready Package. Not compatible with 6 Rear SCV's.	4,319.00
8380		Front PTO: PTO, Independent Front with 1-3/8 In. 21-Spline, 1000rpm Clockwise-Rotating Shaft as Viewed from Front (Type 2) Requires Code 8407, 8408, 8409, 8410, 8411.	7,268.00
8381		PTO, Independent Front with 1-3/4 In. 20-Spline, 1000rpm Clockwise-Rotating Shaft as Viewed from Front (Type 3) Requires Code 8407, 8408, 8409, 8410, 8411.	7,268.00
8302		Engine: Heater, Engine Block 110V	53.00
8304		Heater, Cold Weather Auxiliary Package, 110V Includes Ground Fault Interrupter, Engine Block Heater, Charge Pump Heater and Transmission Hydraulic Oil Heater (Transmission Heater is only available on PQ, AQ, and CQ Transmissions).	451.00

7200R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8306		ATTACHMENTS - ORDER AS DESIREDContinued Fuel/Water Separator, Severe Duty Required with Code 8330, Stage 2 Compliant Diesel Engine. In addition to water separator in base equipment.	549.00
		Available as an option with Code 8332 and 8336, iT4/3b Compliant Diesel Engines.	
8220		Intelligent Power Management Provides up to an additional 30 Engine hp in non-stationary rear PTO and transport applications. Not compatible with Code 8330.	2,944.00
8330		John Deere PowerTech 6.8 L (414 cu. In.) 6 Cyl/ Stage 2 Compliant Diesel Engine Requires Code 8306, Severe Duty Fuel/Water Separator.	-9,091.00
8332		John Deere PowerTech PSX 6.8 L (414 cu. In.) 6 Cyl iT4/Stage 3b Compliant Diesel Engine	Same Price
8955		Quik-Tatch Weights: Weight, Front Support - Less Weights	314.00
8956		Weight, Front Support with Four Suitcase Weights Not compatible with Front Loaders.	795.00
8957		Weight, Front Support with Eight Suitcase Weights Not compatible with Front Loaders.	1,327.00
8958		Weight, Front Support with Twelve Suitcase Weights Not compatible with Front Loaders.	1,862.00
8959		Weight, Front Support with Sixteen Suitcase Weights Not compatible with Front Loaders.	2,397.00
8962		Weight, Front Support with Twenty Suitcase Weights Not compatible with Front Loaders.	3,055.00
8963		Weight, Front Support with Twenty Four Suitcase Weights Not compatible with Front Loaders.	3,467.00
		Rear Wheel Weights - For Inside/Inner Wheels (Steel): Weights shown are for each weight.	
8970		One pair 165 Lb. (75 kg) Starter Weights and One Pair 450 Lb. (205 kg) Weights	1,720.00
8971		One pair 165 Lb. (75 kg) Starter Weights and Two Pair 450 Lb. (205 kg) Weights Minimum tread setting may be restricted due to tire size selected. Refer to the Agricultural Sales Manual for additional information. Not compatible with 5010 or 5093.	2,928.00
		Rear Wheel Weights - For Outside Drive Wheels (Steel): Weights shown are for each weight.	
8972		One pair 165 Lb. (75 kg) Starter Weights and One Pair 450 Lb. (205 kg) Weights Not compatible with duals or Code 5090.	1,720.00

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8973		ATTACHMENTS - ORDER AS DESIREDContinued One pair 165 Lb. (75 kg) Starter Weights and Two Pair 450 Lb. (205 kg) Weights Not compatible with duals or Code 5090.	2,928.00
		Rear Wheel Weights - For Inside/Inner Drive Wheels (Cast) Weights shown are for each weight.	
8974		One Pair 450 Lb. (205 kg)	1,208.00
8975		One pair 165 Lb. (75 kg) Starter Weights and One Pair 450 Lb. (205 kg) Weights	1,720.00
8976		Two Pair 450 Lb. (205 kg) Minimum tread setting may be restricted due to tire size selected. Refer to sales manual for additional information. Not available from factory with 520 section width tires or narrower.	2,416.00
8977		One Pair 1400 Lb. (635 kg) Requires Code 3902 and tires with load rating above 151 Load Index.	3,460.00
		Rear Wheel Weights - For Outside Drive Wheels (Cast): Weights shown are for each weight.	
8978		One pair 165 Lb. (75 kg) Starter Weights and One Pair 450 Lb. (205 kg) Weights Not compatible with duals.	1,720.00
8979		One Pair 165 Lb. (75 kg) Starter Weights and Two Pair 450 Lb. (205 kg) Weights Not compatible with duals.	2,928.00
		Rear Wheel Weights - For Outside/Outer Dual Wheels: Weights shown are for each weight.	
8980		One Pair 165 Lb. (75 Kg) Starter Weights and One Pair 450 Lb. (205 Kg) Weights	1,720.00
8981		One Pair 165 Lb. (75 Kg) Starter Weights and Two Pair 450 Lb. (205 Kg) Weights Based on the tire width option ordered, some 450 lb. wheel weights may be shipped on a separate pallet and require dealer installation.	2,928.00
8935		1200 kg (2645 lb.) Ballast Package with Rear Duals: Front Weight Support with 12 Front Suitcase Weights and One Pair 75 kg (165 lb.) with One Pair of 205 kg (450 lb.) Inside/Inner Rear Wheel Weights and no Outside/Outer Dual Rear Wheel Weights	3,582.00
8936		2254 kg (4970 lb.) Ballast Package with Rear Duals: Front Weight Support with 16 Front Suitcase Weights and One Pair of 635 kg (1400 lb.) Inside/Inner Rear Wheel Weights and One Pair 75 kg (165 lb.) Outside/Outer Dual Rear Wheel Weights	6,593.00
8937		3832 kg (8449 lb.) Ballast Package with Rear Duals: Front Weight Support with 24 Front Suitcase Weights and One Pair of 635 kg (1400 lb.) Inside/Inner Rear Wheel Weights and One Pair 75 kg (165 lb.) and Three Pair 205 kg (450 lb.) Outside/Outer Dual Rear Wheel Weights	10,551.00

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
8785		Miscellaneous: Chock Block Holder	129.00
878K		Export Tools	378.00
8550		Skid for Duals	130.00
		ATTACHMENTS FOR FIELD CONVERSION	
	RE320685	Brakes: Air Trailer Brake Kit	3,660.00
	RE324753	Air Trailer Brake Kit - AQ/PQ Pump Drive Kit	271.00
	RE320684	Hydraulic Trailer Brake Kit	610.00
	RE343415	Manifold Trailer Brakes NA	287.00
	RE58827	Electrical: 9-Pin Connector Implement Feedback Required for Touch-Set Depth Control.	132.00
	RE324685	Battery Disconnect Switch	174.00
	RE322555	Front Implement CAN Communication Connector	125.00
	RE325911	Heater, Cold Weather Auxiliary Package, 110V Contains block heater and hydraulic pump heater. Compatible on 6.8L IVT.	414.00
	RE325909	Heater, Cold Weather Auxiliary Package, 110V Contains block heater, transmission heater and hydraulic pump heater. Compatible on 6.8L PQ, AQ, and CQ Transmissions.	497.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE21519	Implement Switch with 10 Ft. Harness	168.00
	RE324687	Mounting Parts for Radar with Dual Beam Sensor Compatible with IVT Transmissions. Must order radar separately.	145.00
	RE324688	Mounting Parts for Radar with Dual Beam Sensor Compatible with PQT Transmissions. Must order radar separately.	176.00
	RE278980	Radar with Dual Beam Sensor	See Parts
	RE278984	Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE278982	ATTACHMENTS FOR FIELD CONVERSIONContinued Radar, Dual Beam Sensor	See Parts
	RE337169	Transmission Backup Alarm	295.00
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	26.00
	RE315284	Engine: Fuel/Water Separator Kit, Severe Duty Compatible with 6.8L. Also order W54363 and hardware for loader.	647.00
	RE323950	Fenders: Fenders, Deluxe Pivoting Front for MFWD - 18.7 In. (480 mm) Wide Kit does not contain fender support rods. Rods are dependent on front tire size. Please reference installation instructions for further information.	1,356.00
	RE323949	Fenders, Deluxe Pivoting Front for MFWD - 24.4 In. (620 mm) Wide Kit does not contain fender support rods. Rods are dependent on front tire size. Please reference installation instructions for further information.	1,356.00
	RE324406	Fenders, Extra Width Rear Fender Extensions	276.00
	RE318606	Fenders, Full Coverage Rear 2.55 meter (100 In. Width)	500.00
	RE329076	Front Hitch Hydraulic Mid-Mount Valves: Front Hitch Valve (100 ml.) Compatible on all Tractors that are front hitch ready with TLS. If additional valves are not required, also order (2) RE305393.	1,943.00
	RE329075	Front Hitch Valve (100 ml.) Compatible on all IVT Tractors that are front hitch ready without TLS. If additional valves are not required, also order (2) RE305393.	1,943.00
	RE329074	Front Hitch Valve (100 ml.) Compatible on AQ, PQ, CQ transmissions that are front hitch ready without TLS. If additional valves are not required, also order (2) RE305393.	1,943.00
	RE329078	Second SCV for Front Hitch (140 ml.) Compatible on all Tractors that are front hitch ready with TLS. If additional valves are not required, order (1) RE322693.	1,199.00
	RE329077	Second SCV for Front Hitch (140 ml.) Compatible on all Tractors that are front hitch ready with MFWD. If additional valves are not required, order (1) RE322693.	1,199.00
	RE329080	Third SCV for Front Hitch (140 ml.) Compatible on all Tractors that are front hitch ready with TLS.	1,199.00
	RE329079	Third SCV for Front Hitch (140 ml.) Compatible on all Tractors that are front hitch ready with MFWD.	1,199.00

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE324072	Guards: Guards, Undercarriage Crop Shield Protects transmission and wiring harness.	139.00
	RE326620	Hitch and Drawbar: 3-in-1 Hitch Rails	1,244.00
	RE326580	Carrier to Ground Engaging, Hitch Conversion Kit Converts Codes 8407, 8408, 8410 from carrier to ground engaging.	2,601.00
	RE330569	Drawbar Kit, Cat. 3 High Vertical Load (10,000 Lb. Capacity)	1,202.00
	RE333545	Forced Steering Hitch Kit	1,346.00
	RE327692	Front Hitch Chain Hooks	196.00
	RE326447	Front Hitch Ready - Add Carrier Hitch	4,721.00
	RE326450	Front Hitch Ready - Add Ground Engaging Hitch Converts Code 841G, from front hitch ready to ground engaging.	5,576.00
	RE326626	Pick-Up Hitch Kit (Long) For use with Sway Blocks.	4,571.00
	RE326624	Pick-Up Hitch Kit (Short) For use with stabilizer.	4,359.00
	RE330573	Rear Hitch Hydraulic Center Link	1,267.00
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N)	1,529.00
	RE333036	Stabilizer Bracket Shield Hitch Kit	155.00
	RE326622	Wagon Hitch Auto Coupler Requires RE326620 3-in-1 Hitch Rail Kit.	1,152.00
	RE327558	Hydraulics: 4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers	1,445.00
	RE327559	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers	1,445.00
		Not compatible with PowrQuad PLUS or AutoQuad PLUS Transmission Codes 1430, 1431, or 1451.	
		Included in the CommandArm with CommandQuad and IVT Codes 1500, 1501, 1550, 1551, 1552, or 1553.	
	RE327560	6th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers	1,909.00
		Not compatible with PowrQuad PLUS or AutoQuad PLUS Transmission Codes 1430, 1431, or 1451. Included in the CommandArm with CommandOuad and IVT Codes 1500, 1501, 1550, 1551.	
		Included in the CommandArm with CommandQuad and IVT Codes 1500, 1501, 1550, 1551, 1552, or 1553.	
	RE315307	Auxiliary Hydraulic Reservoir	883.00

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE327561	ATTACHMENTS FOR FIELD CONVERSIONContinued Hydraulic Motor Return Kit with Case Drain	164.00
	RE300468	Hydraulic Motor Return Kit without Case Drain For case drain, order case drain kit separately.	106.00
	RE328941	Implement Single Lever Control Lift Assist Kit	84.00
	RE333857	Mid-Mount EHCV 2 or 3 Function EH Single Lever Control (Joystick) and Mounting Parts for RH Console Not compatible with IVT Transmissions. Only compatible with RH Console.	1,760.00
	RE333856	Mid-Mount EHCV 2 or 3 Function EH Single Lever Control (Joystick) and Mounting Parts for RH Console with Speed Shifting Compatible with AQT, PQT, CQT, and RH Console.	2,277.00
	RE333854	Mid-Mount EHSCV 2 or 3 Function EH Single Lever Control (Joystick) and Mounting Parts for Command Arm with Speed Shifting Compatible with AQT, PQT, CQT, and CommandARM.	2,795.00
	RE300467	Power Beyond Coupler Kit	436.00
	AR272536	Rear EHSCV Single Lever Control (Joystick) and Mounting Parts for CommandArm Compatible with IVT Transmission. Compatible with all CQT's except in Region 4.	1,563.00
	RE334683	Lighting: Auxiliary Driving / Loader Light Kit	227.00
	RE334627	Front HID Light Kit	1,788.00
	RE326320	Lights, Two Roof-Mounted 65W Halogen Front Flood Lights	140.00
	RE334623	Rotary Beacon Light Kit	382.00
	RE329083	Loader Auxiliary Mid-Mount Valves: First & Second Remote (100 ml.) w/ AQ, PQ, CQ, without TLS If additional valves are not required, order (1) RE322693.	2,534.00
	RE329084	First & Second Remote (100 ml.) with AutoPowr / IVT, without TLS If additional valves are not required, order (1) RE322693.	2,534.00
	RE329085	First & Second Remote (100 ml.) with TLS If additional valves are not required, order (1) RE322693.	2,069.00
	RE329086	Third Remote (140 ml.) If additional valves are not required, order (1) RE322693.	1,137.00
	RE67016	Operator Environment: 3-Pin Adaptor for Power Strip	See Parts
	RE67015	3-Way Convenience Adapter for Power Strip	See Parts
	RE317435	Accessory Mounting Bracket	110.00

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE269615	ATTACHMENTS FOR FIELD CONVERSIONContinued Antenna Mount and Wiring for Business Band Radio	140.00
	RE275532	Ash Tray	See Parts
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	RE323407	External Mirrors, Electrically Adjustable RH and LH Conversion Kit	594.00
	RE293499	External Mirrors, Electrically Telescoping and Heated Mirror Heads	1,696.00
	RE323405	External Mirrors, Manually Adjustable RH and LH	265.00
	RE321017	Foot-Operated Speed Control	125.00
	RE68495	Power Strip with Six Outlets	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit	295.00
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE326509	Step Kit, Right Hand Step	362.00
	RE324084	Step Mud Guard, LH	106.00
	RE261504	Sun Shade, Front Pull Down	See Parts
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	RE269618	Windshield Wiper with Washer, Rear	193.00
	RE326849	PTO: Front PTO Common Mounting Parts Also order R325433 for 9.0L or R325432 for 6.8L.	1,141.00
	RE302017	Independent Front PTO with 1-3/4 In. 20-Spline, 1000 RPM Clockwise-Rotating Shaft as Viewed from Front (Type 3)	See Parts
	RE323421	Independent Front PTO with 1-3/8 In. 21-Spline, 1000 RPM Clockwise-Rotating Shaft as Viewed from Front (Type 2)	See Parts
	RE302014	Independent Front PTO with 1-3/8 In. 6-Spline, 1000 RPM Counter Clockwise-Rotating Shaft as Viewed from Front (Type 1)	See Parts
	RE331560	SCV Parts: Paddle Pot Pod, Common Parts Only compatible on Tractors with CommandARM. Order single paddle potentiometer separately. See instructions RE331562 for more information.	95.00

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE331559	ATTACHMENTS FOR FIELD CONVERSIONContinued Single Paddle Potentiometer Order decals and levers separately. See instructions RE331561 for more information.	See Parts
	RE298885	Software Downloads: Intelligent Power Management Provides up to an additional 30 Engine hp for non-stationary rear PTO and transport applications. Download through Service Advisor's software delivery system. Includes instruction and download only. See Ag Sales Manual for ground speed specifications.	See Parts
	RE305729	Language Group for CommandCenter - English, Croatian, Serbian, Slovenian, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305727	Language Group for CommandCenter - English, Danish, Swedish, Finish, Norwegian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305726	Language Group for CommandCenter - English, Estonian, Latvian, Lithuanian, Polish, Russian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305725	Language Group for CommandCenter - English, French, Dutch, Icelandic, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305730	Language Group for CommandCenter - English, Greek, Turkish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305731	Language Group for CommandCenter - English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305728	Language Group for CommandCenter on IVT/AutoPowr Tractors - English, Hungarian, Czech, Slovak, Romanian, Bulgarian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	BPF10312	Non-John Deere Guidance Compatibility Activation - AutoFarm/Novariant Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10313	Non-John Deere Guidance Compatibility Activation - Hemisphere/Outback Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00

7200R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BPF10433	ATTACHMENTS FOR FIELD CONVERSIONContinued Non-John Deere Guidance Compatibility Activation - Leica Geosystems Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10311	Non-John Deere Guidance Compatibility Activation - Raven Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10363	Non-John Deere Guidance Compatibility Activation - Trimble Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AL113121	Weights: Centerlink Kit for Hitch Mounting 900 or 1150 kg Large Weights	207.00
	RE326583	Front Hitch Ready Weight Support	774.00
	R288797	Standard Front Weight Support	375.00
	AL172542	Weight, 1150 kg Large Front Mounted	3,585.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R167151	Weight, Inner Wheel, 1400 Lb.	1,903.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg)	282.00
	RFR207782	Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights)	2,658.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00
	R207782	Weight, Wheel, 450 Lb.	664.00
	AR190666	Wheel Equipment: One 10 In. Dual Hub Extension For use with standard duty 6 bolt wheel hubs.	759.00
	AR190668	One 13 In. Dual Hub Extension For use with standard duty 6 bolt wheel hubs.	844.00
	AR190669	One 15 In. Dual Hub Extension For use with standard duty 6 bolt wheel hubs.	884.00
	AR194744	One 5 In. Dual Hub Extension For use with standard duty 6 bolt wheel hubs.	685.00
	RE267658	Three Meter Front Wheel Spacer Not compatible with Tractors equipped with front brakes.	3,063.00

7200R Tractor

7200R Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

7215R Tractor

Equipment for Base Machine

```
ENGINE:
                                                                   Engine Oil Pressure Gauge
John Deere PowerTech Diesel
In-line 6-Cylinder Wet-Sleeve
with High Pressure Common Rail (HPCR)
Fuel System and 24 Valve Head
215 Engine hp 97/68/EC @ Rated Speed
178 SAE PTO hp @ Rated Speed
                                                                   Engine Coolant Temperature Gauge
                                                                   Fuel Level Gauge with
Low Fuel Warning Signal
                                                                   Engine RPM Indicator
                                                                   Status Indicators for MFWD
                                                                     Differential Lock
Air to Air Intercooled
Automatic Shutdown System
                                                                     Rear PTO Speed
                                                                CommandCenter Display includes:
GreenStar 3 Application Capability
Dry Type Air Cleaner with Safety Element
                                                                   Video Capability with Tractor Function
   and Dirt Aspiration System
Tilt Hood Enclosure with Side Panels
                                                                     Activated Triggers
                                                                   AutoTrac and Swath Control Pro
Viscous Fan
Electric Fuel Shutoff
                                                                     Activations Required
Electric Thermal Assist Starting Aid Coolant Conditioner Additive
                                                                   Access Manager
                                                                   Universal Performance Monitor
                                                                   Display Function Definable by Operator
Coolant Recovery System Fuel Filter and Pre-Filter
                                                                      % Slip
Fuel Water Separator with Sensor
Self Priming and Bleeding Electronic Fuel Pump
503 L (133 US Gal.) Fuel Tank
B2 Biodiesel from the Factory
                                                                     Ground Speed
PTO Speed
                                                                     Engine Hours
Hydraulic Settings
Lockable Fuel Cap
Engine Oil Filter
                                                                     Hitch Settings
Hitch Slip Command
Electronic Injection and Governor Control
                                                                     Productivity
                                                                     Efficiency
TRANSMISSION:
                                                                     Area
40k (25mph) AutoQuad PLUS Eco with
                                                                     Adjustable PTO Modulation
                                                                     Implement Width
  20 Forward/20 Reverse Speeds and Left Hand
                                                                     Service Hours
Reverser
Reduced engine rpm's at max transport speed
Perma-Clutch II (Hydraulically Engaged
                                                                     Voltage
                                                                     Fuel Consumption Rate
  Wet-Disk Clutch)
                                                                     Temperatures
Speed Matching
                                                                     Time of Day
                                                                     Ambient Temperature
Park Lock
                                                                   Set and Adjust Time and Flow of
Neutral Safety Start System
                                                                     Individual Selective Control Valves
STEERING, BRAKES DIFFERENTIAL:
                                                                   ITEC Tractor and Implement Function Control
Load-Sensing Hydraulic Power Steering
Wet-Disk Hydraulic Power Brakes
                                                                Languages:
Tilt/Telescoping Memory Steering Wheel
                                                                     For a complete list of languages refer to the
Hydraulically-Engaged Rear Differential
                                                                     Ag Sales Manual
  Lock
                                                                OPERATOR PROTECTIVE STRUCTURE:
HYDRAULICS:
                                                                Deluxe CommandView II Cab
Pressure and Flow Compensating Axial
                                                                   Tilt/Telescoping Memory Steering Wheel
  Piston Pump
                                                                   Comfort Command Seat with
32 GPM (121 L/min) Pump Output
                                                                     Air Suspension, Swivel
32 GPM (121 L/min) Flow @ One SCV
                                                                     Fore-Aft Lateral Attenuation
85L of Take Out Oil
                                                                     Lumbar Support
Three Electrohydraulic Remote Selective
                                                                     Backrest Adjustment
  Control Valves with Push/Pull
                                                                   Integrated CommandCenter Display
   ISO Breakaway Couplers and
                                                                   Swing-Out Rear Window (30 Degrees)
  High Pressure Relief Levers
                                                                   Tinted Glass
                                                                   Air Conditioner and Heater
                                                                   Two Speed and Intermittent Front Wiper
Independent 1000 RPM, 45 mm
                                                                     and Rear Wiper
  (1-3/4 \text{ In.}) 20 Spline
                                                                   Front and Rear Windshield Washer
PTO Safety Start System
                                                                   Pull Down Front Sun Visor
Seat-Activated PTO Warning
                                                                   Rear Under Seat Storage
Adjustable Engagement Modulation
                                                                   Folding Instructional Seat
                                                                   Left Hand Storage
ROCKSHAFT, HITCH AND DRAWBAR:
                                                                   Right and Left Outside Mirrors
Electrohydraulic Hitch with Transport
                                                                   Radio and Speakers
  Lock and External Remote Control Switch
                                                                   Inside Cab Mounted Rear View Mirror
Dual Cylinder Rear Hitch
                                                                   Passive Noise Reduction System
3-Point (Category 3/3N) Hitch
Fixed Length Draft Links Arms
                                                                Backlit Right Hand Console Controls
                                                                   with Adjustable Brightness
Category 3 Adjustable Drawbar
Secondary Implement Chain Support
                                                                ELECTRICAL:
Sway Blocks with
                                                                Key Engine Shutoff
                                                                Two 12V Electrical System
Two 12V Electrical Convenience Outlet
Two 12V Electrical 3-Pin Outlet
  Tapered Wedge Adjustment
Hitch Dampening
Center Link Adjustment Handle
INSTRUMENTATION:
                                                                   with Adapter
Corner Post Digital Instrument Panel includes:
                                                                Battery Boost Terminal
```

7215R Tractor

Continued

200 Amp Alternator SmartCircuit Current Load Monitoring System with Fuse Panel 7-Terminal Rear Implement Electrical Outlet Socket Integrated ISO Radar Connector StarFire ITC or Radar Speed Input Harness ServiceADVISOR Data Port

LIGHTS:

Six Front Grill Mounted Lights Ten Cab Roof Mounted Lights Two Rear Fender Flood Lights Extremity, Brake, Turning, and Hazard Lights

AXLE, WHEELS AND TIRES: 1150 MFWD Front Axle with Limited Slip Differential and Driveline Shield Rear Axle and Wheels and Tires

AG MANAGEMENT SOLUTIONS:

Integrated Plug-In for GreenStar Display

Deluxe StarFire Receiver Bracket GreenStar Ready harness with Implement Circuit Gateway and Integrated GreenStar Display Plug-In Connector (ISO 11783 Compatible) AutoTrac Ready Components: Wiring, SSU, Front Wheel-Angle Sensor and Electro-Hydraulic Steering Valve Right Side Convenience Step

MISCELLANEOUS: Horn PTO Master Shield Tool Box Operator's Manual

**Cold Cranking Amperes

ATTACHMENT CODE **IDENTIFIER** DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Waterloo, Iowa

7610RW 7215R Tractor 177,496.00

DESTINATION

A Code must be chosen for each Tractor ordered.

North America

0184 1.209.00 Canada

Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription.

Requires Code 8332 (6.8L) Stage 3b/IT-4 Compliant Engine.

Country Specific Base Equipment Includes:

Code 2055 Deluxe CommandView II Cab with RH Console.

Code 7200 Standard Lighting.

Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler.

Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle.

Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires.

Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0185		DESTINATIONContinued Costa Rica Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0189		El Salvador Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0191		Guatemala Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0193		Honduras Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0195		DESTINATIONContinued Mexico Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0196		Nicaragua Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0202		United States Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8332 (6.8L) Stage 3b/TT-4 Compliant Engine. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	1,209.00
0016		AFRICA Egypt Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0029		DESTINATIONContinued Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0035		Morocco Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0036		Mozambique Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0054		Zambia Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5In. (3012mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	
0078		ASIA Israel Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less AutoTrac Activation. Requires Code 1885 JDLink Capable. Requires Code 8332 (6.8L) Stage 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 5045 3-15/16 In. (100 mm) Dia x 100.4 In. (2550 mm) Length Rear Axle. Code 5109 620/70R42 In. 160A8 RIW Radial Single Rear Wheels and Tires. Code 6104 480/70R30 In. 152A8 RIW Radial Front Single Wheels and Tires.	Same Price
0090		Mongolia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 (6.8L) Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5049 100 mm (3 15/16 in.) Diameter x 3012 mm (118.5 in.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0083		Korea, Republic of Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less AutoTrac Activation. Requires Code 1885 JDLink Capable. Requires Code 8300 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0098		Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less AutoTrac Activation. Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033- 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5045 3-15/16 In. (100 mm) Dia x 100.4 In. (2550 mm) Length Rear Axle. Code 5103 480/80R46 In. 158A8 R1 Radial Single Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0102		DESTINATIONContinued Taiwan Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less AutoTrac Activation. Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5045 3-15/16 In. (100 mm) Dia x 100.4 In. (2550 mm) Length Rear Axle. Code 5103 480/80R46 In. 158A8 R1 Radial Single Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0213		South America Chile Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0214		Colombia Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmissioin Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0215		Ecuador Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price

7215R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	LIST PRICE USD (\$)
0217		DESTINATIONContinued Paraguay Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0218		Peru Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0220		Uruguay Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0500		VALUE PACKAGE CONFIGURATIONS No Package Order one Code from each box in the Price Pages.	In Base Price
0510		Command Quad Premium Package Includes Codes 2061 or 2062, 1823 or 1826, 1500 or 1501, 7202, 2661 or 2662, 3240 or 3260.	-500.00
0511		AutoPowr IVT Transmission Premium Package Includes Codes 2061 or 2062, 1823 or 1826, 1550 or 1551 or 1552 or 1553, 7202, 2661 or 2662, 3240 or 3260.	-1,500.00
0512		iPackage AutoPowr IVT Includes Codes 2061 or 2062, 1833, 1823 or 1826, 1846, 1847, 1848, or 1849, 1837 or 1838, 1887 or 1888 or 1889, 1550 or 1551 or 1552 or 1553, 7202, 2661 or 2662, 3240 or 3260.	-2,000.00

OPERATOR STATION

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2051		OPERATOR STATIONContinued CommandView II Cab with RH Console Includes: ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. CommandCenter Display located on RH console. Front Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Remote radio controls located on RH console. Not Compatible with IVT or CommandQuad Transmissions. Folding Instructional Seat.	-1,114.00
2055		Deluxe CommandView II Cab with RH Console Includes: ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. CommandCenter Display located on RH console. Front and Rear Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Remote radio controls located on RH console Front Pull Down Sun Shade. Right and Left Outside Mirrors (Manual Adjustment). Power Strip with Convenience Plug Adapter. Folding Instructional Seat. Right Hand Steps. Not Compatible with IVT or CommandQuad Transmissions.	In Base Price
2060		Deluxe CommandView II Cab with RH Console and Active Seat Includes: Active Seat with Fore-Aft and Lateral Attenuation and Lumbar Support CommandCenter Display located on RH console. Front and Rear Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Front Pull Down Sun Shade. Right and Left Outside Mirrors (Electrically Adjustable). Power Strip with Convenience Plug Adapter. Folding Instructional Seat. Remote radio controls located on RH console. Not Compatible with IVT or CommandQuad Transmissions. Right Hand Steps.	2,867.00
2050		CommandView II Cab Includes: ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest controls with Integrated CommandCenter Display. Remote Radio Controls located on CommandARM. Front Windshield Washer and Wiper. Manual Temperature Controls located in cab roof. Not compatible with PowrQuad or AutoQuad transmissions. Folding Instructional Seat.	-1,621.00
2059		Deluxe CommandView II Cab Includes: ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on CommandARM. Front and Rear Windshield Washer and Wiper. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Right and Left Outside Mirrors (Manual Adjustment). Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. Not Compatible with PowrQuad or AutoQuad Transmissions. Right Hand Steps.	777.00

7215R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2061		OPERATOR STATIONContinued Premium CommandView II Cab with Active Seat Includes: Active Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on CommandARM. Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Right and Left Outside Mirrors (Electrically Adjustable). Folding Instructional Seat. Not Compatible with PowrQuad or AutoQuad Transmissions. Folding Instructional Seat. Right Hand Steps.	3,644.00
2062		Premium CommandView II Cab with Cab Suspension Includes: Cab Suspension ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on CommandARM. Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Right and Left Outside Mirrors (Electrically Adjustable). Folding Instructional Seat. Not Compatible with PowrQuad or AutoQuad Transmissions. Right Hand Steps.	4,272.00
		DISPLAY	
		When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac and Swath Control Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional GreenStar Display,	

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac and Swath Control Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

GS3 CommandCenter, 7" Color Display

1821

In Base Price

Includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro and Pivot Pro will function on the CommandCenter display with activations sold separately.

Does not include a cornerpost bracket for mounting an additional GreenStar Display.

 $GS3\ Command Center\ is\ not\ compatible\ with\ video.$

1823 Touchscreen GS3 CommandCenter 7" Color Display, Video Capable

1,260.00

Includes Access Manager user lockout software, and video capability.
With a StarFire Receiver installed, the display is capable of operating manual guidance.

AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold sengrately

One video camera input pre-wired in the cab. Connector located on the outside rear of the cab. Video software can be configured in the CommandCenter using Tractor function activated triggers.

7215R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DISPLAYContinued See Parts for available cameras.	
		Does not include a cornerpost bracket for mounting an additional GreenStar Display.	

GS3 CommandCenter 7" Color Display with GreenStar 3 2630 Display

5,895.00

Includes Access Manager user lockout software.

Includes GreenStar 3 Display 2630, harness, and A-post mounting bracket installed on cornerpost.

Includes GreenStar 3 Display 2630 Operator's manual with the language translation to match the Tractor Operator's manual language translation.

Note: When a GreenStar 3 Display 2630 is connected at the cornerpost, all GreenStar

applications must be run on the cornerpost display. Warranty on GreenStar 3 Display 2630 will be handled by AMS and will carry normal AMS warranty terms.

With a Starfire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro and Pivot Pro will function on the CommandCenter display with activations sold separately.

GS3 CommandCenter is not compatible with video.

Touchscreen GS3 CommandCenter 7" Color Display, Video Capable with GreenStar 3 2630 Display

7,160.00

Includes Access Manager user lockout software, and video capability.
Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed on cornerpost.

Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.

The GS3 CommandCenter is pre-wired with one video input in the cab. Connector located on the outside rear of cab. Video software can be configured in the CommandCenter using tractor function activated triggers. In addition, the GreenStar 3 2630 Display has the capability of one video input. Requires camera and harnessing for video capabilities. See Attachments for harnessing at GreenStar Harnesses in the AMS Price Pages and Ag Sales Manual for list of compatible cameras.

When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the cornerpost display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.

RECEIVER

1825

1826

StarFire 3000 Position Receivers can be ordered in two configurations:

-SF1 World Solution, a no-charge differential correction signal that provides non-row-crop accuracy.

-SF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.com.

-RTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for configurations.

In addition, each StarFire 3000 receiver is capable of utilizing the free Wide Area Augmentation System (WAAS) signal.

GPS serial port information (NMEA) is available through a StarFire 3000 SF1 World Solution or StarFire 3000 SF2 Ready receiver when it is connected to a GreenStar System, or when it has a valid SF2 license or RTK activation being used with a non-Deere system.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

7215R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1835		RECEIVERContinued Less StarFire 3000 Receiver Tractor includes deluxe receiver mounting bracket only. When installing a StarFire Receiver with Original Shroud, order conversion bracket through	In Base Price
1837		parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver. StarFire 3000 Receiver - SF1 World Solution with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.	2,695.00
		Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 receiver can be upgraded to SF2 capabilities.	
1838		StarFire 3000 Position Receiver - SF2 Ready with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.	4,695.00
		A StarFire 3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available through StellarSupport.com or by calling the AMS Customer Call Center.	
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS	

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold separately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac and Swath Control Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact Stellar Support to activate AutoTrac and/or iTEC Pro on the GreenStar 3 2630 Display, referencing Tractor COMAR order number.

Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on activations will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1845	Less AutoTrac Activation - GS3	In Base Price
1846	AutoTrac SF1 Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) for AutoTrac functionality. See AMS sales manual and price pages for detailed information.	3,000.00
1847	AutoTrac SF2 Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires SF2 Subscription sold seperately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	6,500.00
1848	AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630	5,500.00

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONSContinued Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See AMS sales manual and price pages for detailed information.	
1849		AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. Also requires SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	9,000.00
		MACHINE CONNECTIVITY	
		Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system. Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine Hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features this includes: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features this includes: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability.	1,200.00
		Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service.	

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	
		ACTIVECOMMAND STEERING	
1833		John Deere ActiveCommand Steering (ACS) Not compatible with Codes 1430, 1431, or 1451.	3,209.00
1834		Less John Deere ActiveCommand Steering (ACS)	In Base Price
		TRANSMISSION	
1430		PowrQuad PLUS 19 mph (30 km/h) 16F/16R with Left Hand Reverser Control Includes Hand Declutch feature on range lever. Requires RH Console Cab.	-2,225.00
1451		AutoQuad PLUS Eco 25 mph (40 km/h) 20F/20R with Left Hand Reverser Control and Field Cruise Includes Hand Declutch feature on range lever. Requires RH Console Cab.	In Base Price
1500		CommandQuad Eco 25 mph (40 km/h) 20F/20R with Left Hand Reverser Control and Efficiency Manager Requires CommandARM Cab.	4,018.00
1501		CommandQuad Eco 31 mph (50 km/h) 20F/20R with Left Hand Reverser Control and Efficiency Manager Requires CommandARM Cab. Requires Air or Hydraulic trailer brakes, TLS Plus with front brakes, front fenders. Requires Symbol B (31 mph) Front and Rear Tires, ordered from the tire section in this price list.	4,018.00
1550		AutoPowr IVT Transmission 25 mph (40 km/h) with Right Hand Reverser Control and Field Cruise Requires CommandARM Cab. Not compatible with Code 6020.	8,700.00
1551		AutoPowr IVT Transmission 25 mph (40 km/h) with Left Hand Reverser Control and Field Cruise Requires CommandARM Cab. Not compatible with Code 6020.	9,217.00
1553		AutoPowr IVT Transmission 31 mph (50 km/h) with Right Hand Reverser Control and Field Cruise Requires Air or Hydraulic trailer brakes, TLS Plus with front brakes, front fenders. Requires Symbol B (31 mph/50K) Front and Rear Tires, ordered from the tire section in this price list. Not compatible with Code 6020.	8,700.00
1552		AutoPowr IVT Transmission 31 mph (50 km/h) with Left Hand Reverser Control and Field Cruise Requires Air or Hydraulic trailer brakes, TLS Plus with front brakes, front fenders. Requires Symbol B (31 mph) Front and Rear Tires, ordered from the tire section in this price list. Not compatible with Code 6020.	9,217.00

7215R Tractor

			SUGGESTED
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	LIST PRICE USD (\$)
7200		LIGHTSContinued Standard Lighting Six Front Grill Mounted Lights: Two 65 W Low Beam Driving Lights, two 65 W High Beam Driving Lights and two Front Corner Facing Halogen Work Lights. Ten Cab Roof Mounted Lights: Two Rear and four Side Facing 65 W Flood lights and four Corner Facing Amber Lights. Two Rear Fender Mounted Flood Lights and two Rear Turn Signal and Brake Lights. Two Folding Extremity Lights.	In Base Price
7201		Deluxe Lighting Includes Standard Lights plus two adjustable front roof 65W halogen floodlights, two front belt-line work lights, and rotary beacon light.	789.00
7202		Premium Lighting Includes Deluxe Lights, and additionally in the front grill screen, two front corner HID lights replace two front halogen lights and one HID light and one 65W halogen flood light are added. Two rear fender lights are replaced with HID lights.	3,442.00
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers.	-673.00
2660		Deluxe Radio Package AM/FM Stereo with Clock, Remote Controls. Auxiliary Input Jack located on front of Radio. Four Speakers and External Antenna.	In Base Price
2661		Premium Radio Package with XM Radio AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls. USB port on front of radio face. Auxiliary Input Jacks located in right hand storage console and on radio face. BlueTooth capable including microphone. Integrated BlueTooth Phone Book connection through CommandCenter. XM Satellite capable including Satellite Antenna (Subscription Required). Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display.	345.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls. Auxiliary Input Jack located in right hand storage console and on radio. BlueTooth capable including microphone. Integrated BlueTooth Phone Book connection through CommandCenter. Four Speakers, Subwoofer, and External Antenna.	242.00
		REMOTE SELECTIVE CONTROL VALVES	
3331		Three Deluxe Rear Remote Selective Control Valves with Electro-Hyraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers EHSCVs are mounted on right hand console with PowrQuad PLUS or AutoQuad PLUS Transmissions (Codes 1430, 1431 or 1451), and included in the CommandARM with CommandQuad and IVT (Codes 1500, 1501, 1550, 1551, 1552, or 1553).	In Base Price
3341		Four Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers EHSCVs are mounted on right hand console with PowrQuad PLUS or AutoQuad PLUS Transmissions (Codes 1430, 1431 or 1451), and included in the CommandARM with CommandQuad and IVT (Codes 1500, 1501, 1550, 1551, 1552, or 1553).	1,875.00

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
3351		REMOTE SELECTIVE CONTROL VALVESContinued Five Deluxe Rear Remote Selective Control Valves with Electro-Hydraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers Not compatible with PowrQuad PLUS or AutoQuad PLUS Transmissions (Codes 1430, 1431 or 1451). Included in the CommandARM with CommandQuad and IVT (Codes 1500, 1501, 1550, 1551, 1552, or 1553).	3,752.00
3361		Six Deluxe Rear Remote Selective Control Valves with Electro-Hydraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers Not compatible with PowrQuad PLUS or AutoQuad PLUS Transmissions (Codes 1430, 1431 or 1451). Included in the CommandARM with CommandQuad and IVT (Codes 1500, 1501, 1550, 1551, 1552, or 1553). Requires Option Code 841K. Not Compatible with Option Codes 8910, 8410, 8411, 834L, and 834M.	5,627.00
		REAR POWER TAKE OFF	
3810		1-3/4 In. (45mm) 1000 rpm PTO (20 Spline) Option is never compatible with 1-3/8 In. (35mm) 540 (6 Spline) / 1000 (21 Spline) rpm PTO.	In Base Price
3820		1-3/4 In. (45mm) 1000 rpm PTO (20 Spline), 1-3/8 In. (35mm) 540 (6 Spline) / 1000 (21 Spline) rpm PTO with Shifting at the rear of the Tractor	1,510.00
3830		1-3/8 In. (35mm) 540 Economy rpm (6 Spline) / 1000 (21 Spline) / 1000 Economy (21 Spline) rpm PTO 1-3/4 In. (45mm) 1000 (20 Spline) rpm PTO Electronicly Shiftable in Cab. One-Piece Reversible 1-3/8 In. Shaft and Single Side 1-3/4 Shaft Economy speed at 1730 engine rpm.	2,360.00
3831		1-3/8 In. (35mm) 540 (6 Spline) / 540 Economy (6 Spline) rpm / 1000 (21 Spline) rpm PTO. 1-3/4 In.(45mm) 1000 (20 Spline) rpm PTO. Electronicly Shiftable in Cab, One-Piece Reversible 1-3/8 In. Shaft and Single Side 1-3/4 Shaft Economy speed at 1730 engine rpm.	2,360.00
		DRAWBAR AND TRAILER HITCH	
4320		Category 3 Adjustable Swing Drawbar for use with a 38 mm Pin Does not include clevis. For clevis, order Code 8435.	In Base Price
4323		Category 3 Drawbar, High Vertical Load (10,000 Lb. Capacity) with Clevis and 1.50 In. (38 mm) Pin	1,019.00
		HITCH, COUPLER, AND STABILIZER	
4000		Less 3-Point Hitch Requires Code 3331.	-5,390.00
4033		5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler Includes solid, non-adjustable draft links and sway blocks.	In Base Price
4034		6,894 kg (15,200 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler Includes solid, non-adjustable draft links and sway blocks.	1,217.00

7215R Tractor

Continued

		Continued	
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		HYDRAULIC PUMP	
3230		32 gpm / 121 L/Min. Hydraulic Pump (45cc)	In Base Price
3240		43 gpm / 163 L/Min. Hydraulic Pump (63cc)	899.00
3260		59 gpm / 223 L/Min. Hydraulic Pump (85cc)	2,062.00
		REAR AXLES	
5045		3-15/16 In. (100 mm) Dia x 100.4 In. (2550 mm) Length Not compatible with duals.	-319.00
5047		3-15/16 In. (100 mm) Dia x 110.5 In. (2808 mm) Length <i>Requires Code 873A</i> .	-157.00
5049		3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length	In Base Price
		WHEELS AND HUBS	
5090		Steel Wheels and Cast Hubs Requires Code 5045, 5047, 5049.	In Base Price
5091		Cast Wheels with Single Taper Hubs Requires Code 5045, 5047, 5049, 5059, 5061.	260.00
		REAR WHEELS & TIRES (Single and Dual Configurations)	
		The models will be installed as listed. The company reserves the right to substitute another model without written notice. For complete tire and wheel information, refer to the Agricultural Sales Manual or individual tire manufacturer's handbook.	

Some tire sizes and/or brands are excluded from manufacturer warranty when used in specialty applications (e.g. use on Scraper Tractors). Please refer to the tire manufacturer's handbook for specific warranty guidelines.

Overloading of tires is prohibited.

REAR WHEELS AND TIRES FOR 40 km/h TRANSMISSIONS:

A8 Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals

For MFWD, use with any A8 Speed Rated RCI Group 42 Front Tire with same brand preference.

For tractors equipped with heavy ballast, duals are recommended to avoid overloading tires.

	Mixing of R1 and R1W tread types between Front and Rear Tires is Permitted.	
5100	320/90R54 In. 149A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-8,016.00
5500	320/90R54 In. 149A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	2,284.00
5101	380/90R50 In. 151A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-9,374.00

7215R Tractor

CODE	ATTACHMENTIDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5501		REAR WHEELS & TIRES (Single and Dual Configurations)Continued 380/90R50 In. 151A8 R1W Radial Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-432.00
5102		480/80R46 In. 158A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-7,834.00
5502		480/80R46 In. 158A8 R2 Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6103.	2,648.00
5103		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Firestone or Goodyear.	-9,158.00
5503		480/80R46 In. 158A8 R1 Radial in Dual Configuration Available in Firestone or Goodyear.	In Base Price
5104		480/80R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-7,499.00
5504		480/80R46 In. 158A8 R1W Radial in Dual Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	2,735.00
5105		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Firestone or Goodyear.	-9,222.00
5505		520/85R42 In. 157A8 R1 Radial in Dual Configuration Available in Firestone or Goodyear.	-128.00
5106		520/85R42 In. 157A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, or Michelin.	-7,914.00
5506		520/85R42 In. 157A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear, or Michelin.	2,488.00
5108		520/85R42 In. 157A8 R2 Radial in Single Wheel Configuration Available in Firestone or Goodyear.	-7,286.00
5508		520/85R42 In. 157A8 R2 Radial in Dual Configuration Available in Firestone or Goodyear.	3,744.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Configuration Available in Firestone, Michelin, or Goodyear.	5,560.00
5123		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear or Michelin.	-6,378.00
5132		650/65R42 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-5,223.00
5124		650/65R42 In. 170A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-5,144.00

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)Continued	
5110		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear.	-5,066.00
5117		IF 710/70R38 178A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-4,462.00
5510		710/70R38 In. 166A8 R1W Radial in Dual Configuration Available in Firestone, Michelin, or Goodyear.	8,184.00
		A8 Speed Rated RCI Group 48 Size Tires (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals Use with any A8 Speed Rated RCI Group 43 Front Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
5200		380/90R54 In. 152A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Not compatible with Code 5090. Requires No Brand Preference Code 5999.	-7,658.00
5600		380/90R54 In. 152A8 R1W Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Not compatible with Code 5090.	3,000.00
5201		480/80R50 In. 159A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas/Continental, Titan or Michelin. Mitas/Continental available in US and Canada only.	-7,642.00
5601		480/80R50 In. 159A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear, Mitas/Continental, Michelin or Titan. Not compatible with Code 5090. Mitas/Continental available in US and Canada only.	3,032.00
5202		IF 480/80R50 166A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-5,838.00
5602		IF 480/80R50 166A8 R1W Radial in Dual Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	6,640.00
5203		520/85R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Michelin or Mitas/Continental. Mitas/Continental available in US and Canada only.	-7,848.00
5603		520/85R46 In. 158A8 R1W Radial in Dual Configuration Available in Firestone, Michelin, Mitas/Continental, or Goodyear. Mitas/Continental available in US and Canada only.	2,620.00
5204		520/85R46 In. 158A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires Front Tire Code 6206. Requires No Brand Preference Code 5999.	-7,600.00

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5604		REAR WHEELS & TIRES (Single and Dual Configurations)Continued 520/85R46 In. 158A8 R2 Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Compatible Front Tire Code 6206.	3,116.00
5205		620/70R46 In. 167A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-5,976.00
5605		620/70R46 In. 167A8 R1W Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	6,364.00
5222		650/85R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin, Goodyear, or Mitas/Continental. Mitas/Continental available in US and Canada only.	-5,244.00
5622		650/85R38 In. 173A8 R1W Radial in Dual Configuration Available in Goodyear, Michelin, or Mitas/Continental. Mitas/Continental available in US and Canada only.	7,828.00
5218		IF 650/85R38 In. 179A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Front Tire Code 6214. Requires No Brand Preference Code 5999.	-2,815.00
5618		IF 650/85R38 In. 179A8 R1W Radial in Dual Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	12,103.00
5206		710/70R42 In. 168A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-4,714.00
5606		710/70R42 In. 168A8 R1W Radial in Dual Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Not compatible with Code 5090.	8,888.00
5207		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Goodyear, Michelin, or Mitas/Continental. Mitas/Continental available in US and Canada only.	-4,396.00
5607		710/70R42 In. 173A8 R1W Radial in Dual Configuration Available in Michelin, Goodyear, or Mitas/Continental. Not compatible with Code 5090. Mitas/Continental available in US and Canada only.	9,524.00
5219		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin. Requires Front Tire Code 6214.	-2,708.00
5619		IF 710/70R42 In. 179A8 R1W Radial in Dual Configuration Available in Michelin or Firestone. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	12,900.00

7215R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)	
5209		Continued 800/70R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear.	-4,120.00
5220		IF 800/70R38 In. 179A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Front Tire Code 6214. Requires No Brand Preference Code 5999.	-1,312.00
		REAR WHEELS AND TIRES FOR 50 km/h TRANSMISSIONS:	
		B Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals For use with any B Rated RCI Group 42 Front Tire with same tread type and brand preference.	
5513		480/80R46 In. 158B R1 Radial in Dual Configuration Available in Firestone or Goodyear.	1,016.00
5116		710/70R38 In. 166B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear.	-4,322.00
		B Speed Rated RCI Group 48 Size Tire (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals Use with any B Speed Rated RCI Group 43 Front Tire with same tread type and brand preference.	
5610		480/80R50 In. 159B R1W Radial in Dual Configuration Available in Firestone or Goodyear.	3,876.00
5211		650/85R38 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear.	-4,738.00
5215		IF 650/85R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Code 6215.	-2,815.00
5213		710/70R42 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-3,577.00
5216		IF 710/70R42 In. 179B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Code 6215.	-2,125.00
5217		IF 800/70R38 In. 179B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-729.00

FRONT AXLES

6043

1150 Series Mechanical Front Wheel Drive Axle with Driveline Shield and

In Base Price

7215R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT AXLESContinued Limited Slip Differential Not compatible with Group 44/49 Tires.	
6060		1300 Series Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS (TLS +), Driveline Shield and Limited Slip Differential	8,616.00
6061		1300 Series Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS (TLS+), Driveline Shield, Hydraulic On/Off Differential Lock and Wet Disk Front Brakes Required for 31 mph (50 km/h) Transmissions (Code 1501, 1552 or 1553). Compatible with 19 mph (30 km/h) or 25 mph (40 km/h) Transmissions (Code 1430, 1431, 1451, 1500, 1550, and 1551).	10,112.00

FRONT WHEELS AND TIRES

For complete tire and wheel information refer to the Agricultural Sales Manual or individual tire manufacturer's handbook.

For loader compatibility information, refer to the Agricultural Sales Manual.

Some tire sizes and/or brands are excluded from manufacturer warranty when used in

specialty applications (e.g. use on scraper tractors).

Please refer to the tire manufacturer's handbook for specific warranty guidelines.

Overloading of tires is prohibited.

MECHANICAL FRONT WEHEEL DRIVE (MFWD) AXLE Eight Position Steel MFWD Wheels with:

A8 Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest

Use with any A8 Speed Rated RCI Group 47 Rear Tire with same brand preference.

Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.

	Mixing of RI and RIW tread types between Front and Rear Tires is permitted.	
6106	320/85R38 In. 143A8 R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Extended lead time tire; may affect Tractor delivery date.	832.00
6107	380/85R34 In. 137A8 R1 Radial Available in Firestone or Goodyear.	276.00
6108	380/85R34 In. 137A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	1,813.00
6100	420/90R30 In. 142A8 R1 Radial Available in Firestone or Goodyear.	In Base Price
6101	420/90R30 In. 147A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	620.00
6102	420/90R30 In. 145A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999.	604.00
6103	420/90R30 ln. 142A8 R2 Radial Available in Goodyear only. Requires No Brand Preference Code 5999.	696.00

Extended lead time tire; may affect Tractor delivery date.

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6131		FRONT WHEELS AND TIRESContinued 480/70R30 In. 152A8 R1W Radial Available in Firestone or Goodyear.	284.00
6119		540/65R30 In. 143A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	2,605.00
6109		600/65R28 In. 147A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999. For use with 64 In. or wider tread setting.	2,348.00
6132		600/65R28 In. 154A8 R1W Radial Available in Michelin and Goodyear. For use with 64 In. or wider tread setting.	2,844.00
		A8 Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest Use with any A8 Speed Rated RCI Group 48 Rear Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
6200		320/80R42 In. 141A8 R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999.	1,358.00
6201		380/80R38 ln. 142A8 R1W Radial Available in Firestone, Goodyear, Mitas/Continental, Michelin or Titan. Mitas/Continental available in US and Canada only.	1,360.00
6202		IF 380/80R38 In. 149A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Standard, non-Increased Flexion rear tires.	2,270.00
6203		420/85R34 In. 147A8 R1W Radial Available in Firestone, Goodyear, Mitas/Continental or Titan. Mitas/Continental available in US and Canada only.	1,304.00
6205		480/70R34 In. 155A8 R1W Radial Available in Firestone or Goodyear.	2,108.00
6217		IF 420/85R34 152A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Standard, non-Increased Flexion rear tires.	2,568.00
6204		480/70R34 In. 143A8 R1W Radial Available in Michelin and Mitas/Continental. Mitas/Continental available in US and Canada only.	1,236.00
6206		480/70R34 In. 146A8 R2 Radial Available in Goodyear only. Requires No Brand Preference Code 5999.	1,100.00
6207		540/65R34 In. 148A8 R1W Radial Available in Michelin or Goodyear.	1,312.00

7215R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6208		FRONT WHEELS AND TIRESContinued 600/70R30 In. 152A8 R1W Radial Available in Firestone, Goodyear or Michelin.	2,512.00
6214		IF 600/70R30 In. 159A8 R1W Radial Requires Code 1550 or 1551. Requires Rear Tire Code: 5603, 5619, 5219, 5618, 5218, 5220 or 5203. Available in Michelin and Firestone. Requires No Brand Preference Code 5999.	3,451.00
		Eight Position B Speed Rated Steel MFWD Wheels for 31 mph (50 km/h) Transmissions:	
		B Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest Use with any B Speed Rated RCI Group 47 Rear Tire with same tread type and brand preference.	
6111		380/85R34 137B R1 Available in Goodyear or Firestone.	276.00
6123		480/70R30 152B R1W Available in Goodyear only. Requires No Brand Preference Code 5999.	284.00
6113		600/65R28 In. 147B R1W Radial Available in Michelin or Goodyear. Use with 1780 mm (70 In.) or wider tread settings.	2,856.00
		B Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Use with any B Speed Rated RCI Group 48 Rear Tire with same tread type and brand preference. Requires Code 5037.	
6209		420/85R34 In. 147B R1W Radial Available in Firestone or Goodyear.	2,042.00
6212		600/70R30 In. 152B R1W Radial Available in Michelin and Goodyear For use with 70 In. (1780 mm) or wider tread setting.	2,512.00
6210		540/65R34 In. 148B R1W Radial Available in Michelin and Goodyear.	1,312.00
6215		IF 600/70R30 In. 159B R1W Increased Flexion Radial Available in Michelin only. Requires No Brand Preference Code 5999.	3,451.00
		TIRE PREFERENCE CODES	
		If only one brand is available in any tire code, the Tire Preference Code 5999 must be chosen	

If only one brand is available in any tire code, the Tire Preference Code 5999 must be chosen below to avoid extra charges. You will still get the one brand stated in the tire code description.

5999 No Brand Preference No Charge

Mitas/Continental brand tires available in US and Canada only.

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5901		TIRE PREFERENCE CODESContinued Firestone Brand Only	600.00
5902		Goodyear Brand Only	600.00
5903		Michelin Brand Only	1,000.00
5904		Mitas/Continental Brand Only Mitas/Continental brand tires available in US and Canada only.	600.00
		OPERATOR'S MANUALS, LABELS AND COMMANDCENTER	
0409		English	In Base Price
0437		Spanish	Same Price
0413		French	Same Price
9076		Customer Gold Key Program: Gold Key Experience Not compatible with Code 9075. This new option will provide your customer with more flexibility to schedule their Gold Key Experience Tour of a product similar to their purchase. Customers can choose a date that fits their schedule and allows them to arrange travel in advance. This experience will provide your customer with the same irreplaceable opportunity of a personal tour of our World Class facility, with the exception of seeing their machine on the day of their tour. This tour will be scheduled in advance with your customer#s input and will occur during an eight week period (4 weeks prior to or 4 weeks after the machine#s expected warehouse date). There is more availability and flexibility for this option to accommodate your customer#s needs. Upon selection of this option, the factory will contact you to schedule a tour date.	No Charge
8242		Operator Station and Electrical: Radar with Dual Beam Sensor	880.00
8725		Rotary Beacon Light Required to add Rotary Beacon Light to Standard Lighting Package.	332.00
8227		Outside Mirrors, Telescoping, Heated, Electrically Adjustable, RH and LH Required to upgrade from Right and Left Hand Manual Adjust Mirrors.	957.00
8228		Outside Mirrors, Telescoping, Heated, Electrically Adjustable, RH and LH Required to upgrade from RH and LH Electrically Adjusting Mirrors.	532.00
8782		Backup Alarm	176.00
8251		Antenna Mount and Wiring for Business Band (2-Way) Radio	127.00
8288		Foot Operated Speed Control	297.00
8720		Loader and Driving Light Package Provides two road lights mounted higher on the cab posts for use when front mounted equipment obstruct grill mounted front lights.	206.00

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8210		ATTACHMENTS - ORDER AS DESIREDContinued Leather Trim Includes heated leather seat, leather wrapped steering wheel and rear window decal.	1,623.00
8010		Chassis: Fenders, Deluxe Pivoting Front for MFWD - 18.7 In. (480 mm) Wide Recommended for use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire width. Code 8010 or 8011 is required for 50km/h (31mph) Tractors. Not compatible with Code 8011.	1,233.00
8011		Fenders, Deluxe Pivoting Front for MFWD - 24.4 In. (620 mm) Wide Recommended for use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire width. Not compatible with Code 8010. If Code 8910 Loader Ready is selected the fenders will be stationary and loader compatible. Code 8010 or 8011 is required for 31 mph (50 km/h) Tractors.	1,233.00
8020		Fenders, Full Coverage Rear - 100 In. (2.55 m) Width Includes hitch control switch on both fenders.	1,349.00
8021		Fender, Extra Width Rear Extensions - 108 In. (2.75 M) Width Provides coverage for up to 800 mm section width tires. Not compatible with Code 8020.	1,599.00
8291		Left Hand Step Mud Guard In base on Tractors with Group 49 Rear Tires. Option on Tractors with Group 47 and Group 48 Rear Tires.	96.00
8910		Loader Ready Three Function Electronic - Independent Control Valve Includes: 3-Function Electronic Joystick with activated speed shifting buttons (Activated Speed Shifting Buttons not available with IVT Transmissions), 6-Hydraulic hoses from mid-mount Tractor valve to attached single point half coupler, Loader Mounting Frame, and Hood Guard (Requires front weight support). Not compatible with Mid Mount SCV's or Front Hitch. If fenders are desired, please select Code 8011 which will become stationary loader fenders compatible with Loaders. Does not include right side convenience step.	7,265.00
8751		Trailer Brake, Dual Line Air Includes compressor, tank, control valve, and couplers. Not compatible with Code 8756 or 8752. For dual line air and hydraulic brakes, order Code 8752. Code 8751, 8756, or 8752 is required for 31 mph (50 km/h) Tractors.	5,066.00
8756		Trailer Brake, Hydraulic Includes rear tractor line coupler. Not compatible with Code 8751 or 8752. For dual line air and hydraulic brakes, order Code 8752. Code 8751, 8756, or 8752 is required for 31 mph (50 km/h) Tractors.	542.00
8752		Trailer Brakes, Dual Line Air and Hydraulic Includes Code 8751 and 8756. Code 8751, 8756, or 8752 is required for 31 mph (50 km/h) Tractors.	5,609.00
8433		Hitch and Drawbar: Less Drawbar Requires Code 4311, 4313, 4314, or 4315.	-160.00
8428		Hydraulic Rear Center Link Requires Code 8020.	1,107.00

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
841G		ATTACHMENTS - ORDER AS DESIREDContinued Front Hitch Ready Includes a front casting that will accommodate but does not include a Front Hitch and Front PTO. Includes 1 set of Hydraulic Oil lines to connect the Front Hitch and Mid-Mount SCV on a Place Page And a god 3 sets of Hydraulic Lines on TLS front exten	2,535.00
		Pivot Beam Axle and 3 sets of Hydraulic Lines on TLS front axles. Not compatible with 8407, 8408, 8410, 8409, 8411.	
8407		Deluxe Front Hitch with 5200 Kg (11,450 lb.) max lift capacity at hitch balls. - 3150 Kg (6,944 lb.) ISO lift Capacity. - Less Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes Zero Front Auxiliary Couplers Not compatible with 841G, 832G, 834B, 834C, 834L, or 834M. Requires Code 841K or 841L. Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 1 Mid-Mount SCV for hitch raise and lower.	3,903.00
8408		Deluxe Front Hitch with 5200 Kg (11,450 lb.) max lift capacity at hitch balls. - 3150 Kg (6,944 lb.) ISO lift capacity. - Less Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes One Front Auxiliary Coupler Not compatible with 841G, 832G, 834B, 834C, 834L, and 834M Requires Code 841K or 841L. Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 2 Mid-Mount SCV's; Hitch Raise and Lower, 1 Aux Coupler.	5,032.00
8410		Deluxe Front Hitch with 5200 Kg (11,450 lb.) max lift capacity at hitch balls. - 3150 Kg (6,944 lb.) ISO lift capacity. - Less Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes Two Front Auxiliary Couplers Not compatible with 841G, 832G, 834B, 834C, 834L, and 834M Requires Code 841K or 841L. Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 3 Mid-Mount SCV's; Hitch Raise and Lower, 2 Aux Couplers.	6,161.00
8409		Premium Front Hitch with 5200 Kg (11,450 lb.) max lift capacity at the hitch balls. - 3150 Kg (6,944 lb.) ISO lift capacity. - Includes Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes One Front Auxiliary Coupler Not Compatible with 841G, 832G, 834B, 834C, 834L, and 834M Requires Code 841k or 841L Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 2 Mid-Mount SCV's; Hitch Raise and Lower, 1 Aux Coupler.	5,973.00
8411		Premium Front Hitch with 5200 kg (11,450 lb.) max lift capacity at the hitch balls 3150 Kg (6,944 lb.) ISO lift capacity Includes Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes Two Front Auxiliary Couplers Not compatible with 841G, 832G, 834B, 834C, 834L, and 834M. Requires Code 841k or 841L. Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 3 Mid-Mount SCV's; Hitch Raise and Lower, 2 Aux Couplers.	7,102.00

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
841K		ATTACHMENTS - ORDER AS DESIREDContinued Auxilary CommandArm Mounted SCV Controls Highly recommended when Codes 8407, 8408, 8409, 8410, or 8411 are selected with Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065.	1,154.00
841L		Joystick Control Required when Codes 8407, 8408, 8409, 8410, or 8411 are selected with Codes 2051, 2053, 2055, 2058, 2060, or 2064.	1,166.00
8435		Drawbar Clevis, Cat. 3 with 1.5 In. (38 mm) Pin Requires Code 4320.	231.00
832G		Hydraulics: Auxiliary Hydraulic Connections Includes (2) motor return 1/2" couplers, (1) flat face sump 3/8" coupler, (1) 1/2" power beyond pressure, (1) load sense 1/4" coupler.	840.00
834B		Mid-Mount EH Valve Stack with 2-Function Paddle Pot Control Provides two additional SCVs. Float position included on all Mid-Mount valves. Includes two sets of Mid-Mount valve couplers. Not compatible with Front Hitch or Loader Ready Package. Not compatible with AutoQuad or PowrQuad Transmissions.	2,437.00
834C		Mid-Mount EH Valve Stack with 2-Function Joystick Control Provides two additional SCVs. Float position capable on only 1 Mid-Mount valve. Includes two sets of Mid-Mount valve couplers. Not compatible with Front Hitch or Loader Ready Package.	3,190.00
834L		Mid-Mount EH Valve Stack with 3-Function Paddle Pot Control Provides three additional SCVs. Float position included on all Mid-Mount valves. Includes three sets of Mid-Mount valve couplers. Not compatible with Front Hitch or Loader Ready Package. Not compatible with 6 Rear SCV's. Not compatible with AutoQuad or PowrQuad Transmissions	3,566.00
834M		Mid-Mount EH Valve Stack with 3-Function Joystick Control Provides Three Additional SCVs Float position capable on only 1 Mid-Mount valve. Includes three sets of Mid-Mount valve couplers. Not compatible with Front Hitch or Loader Ready Package. Not compatible with 6 Rear SCV's.	4,319.00
8380		Front PTO: PTO, Independent Front with 1-3/8 In. 21-Spline, 1000rpm Clockwise-Rotating Shaft as Viewed from Front (Type 2) Requires Code 8407, 8408, 8409, 8410, 8411.	7,268.00
8381		PTO, Independent Front with 1-3/4 In. 20-Spline, 1000rpm Clockwise-Rotating Shaft as Viewed from Front (Type 3) Requires Code 8407, 8408, 8409, 8410, 8411.	7,268.00
8302		Engine: Heater, Engine Block 110V	53.00

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8304		ATTACHMENTS - ORDER AS DESIREDContinued Heater, Cold Weather Auxiliary Package, 110V Includes Ground Fault Interrupter, Engine Block Heater, Charge Pump Heater and Transmission Hydraulic Oil Heater (Transmission Heater is only available on PQ, AQ, and CQ Transmissions).	451.00
8306		Fuel/Water Separator, Severe Duty Required with Code 8330, Stage 2 Compliant Diesel Engine. In addition to water separator in base equipment.	549.00
		Available as an option with Code 8332 and 8336, iT4/3b Compliant Diesel Engines.	
8220		Intelligent Power Management Provides up to an additional 30 Engine hp in non-stationary rear PTO and transport applications. Not compatible with Code 8330.	2,944.00
8330		John Deere PowerTech 6.8 L (414 cu. ln.) 6 Cyl/ Stage 2 Compliant Diesel Engine Requires Code 8306, Severe Duty Fuel/Water Separator.	-9,091.00
8332		John Deere PowerTech PSX 6.8 L (414 cu. In.) 6 Cyl iT4/Stage 3b Compliant Diesel Engine	Same Price
8955		Quik-Tatch Weights: Weight, Front Support - Less Weights	314.00
8956		Weight, Front Support with Four Suitcase Weights Not compatible with Front Loaders.	795.00
8957		Weight, Front Support with Eight Suitcase Weights Not compatible with Front Loaders.	1,327.00
8958		Weight, Front Support with Twelve Suitcase Weights Not compatible with Front Loaders.	1,862.00
8959		Weight, Front Support with Sixteen Suitcase Weights Not compatible with Front Loaders.	2,397.00
8962		Weight, Front Support with Twenty Suitcase Weights Not compatible with Front Loaders.	3,055.00
8963		Weight, Front Support with Twenty Four Suitcase Weights Not compatible with Front Loaders.	3,467.00
		Rear Wheel Weights - For Inside/Inner Wheels (Steel): Weights shown are for each weight.	
8970		One pair 165 Lb. (75 kg) Starter Weights and One Pair 450 Lb. (205 kg) Weights	1,720.00
8971		One pair 165 Lb. (75 kg) Starter Weights and Two Pair 450 Lb. (205 kg) Weights Minimum tread setting may be restricted due to tire size selected. Refer to the Agricultural Sales Manual for additional information. Not compatible with 5010 or 5093.	2,928.00

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
		Rear Wheel Weights - For Outside Drive Wheels (Steel): Weights shown are for each weight.	
8972		One pair 165 Lb. (75 kg) Starter Weights and One Pair 450 Lb. (205 kg) Weights <i>Not compatible with duals or Code 5090.</i>	1,720.00
8973		One pair 165 Lb. (75 kg) Starter Weights and Two Pair 450 Lb. (205 kg) Weights <i>Not compatible with duals or Code 5090.</i>	2,928.00
		Rear Wheel Weights - For Inside/Inner Drive Wheels (Cast) Weights shown are for each weight.	
8974		One Pair 450 Lb. (205 kg)	1,208.00
8975		One pair 165 Lb. (75 kg) Starter Weights and One Pair 450 Lb. (205 kg) Weights	1,720.00
8976		Two Pair 450 Lb. (205 kg) Minimum tread setting may be restricted due to tire size selected. Refer to sales manual for additional information. Not available from factory with 520 section width tires or narrower.	2,416.00
8977		One Pair 1400 Lb. (635 kg) Requires Code 3902 and tires with load rating above 151 Load Index.	3,460.00
		Rear Wheel Weights - For Outside Drive Wheels (Cast): Weights shown are for each weight.	
8978		One pair 165 Lb. (75 kg) Starter Weights and One Pair 450 Lb. (205 kg) Weights Not compatible with duals.	1,720.00
8979		One Pair 165 Lb. (75 kg) Starter Weights and Two Pair 450 Lb. (205 kg) Weights Not compatible with duals.	2,928.00
		Rear Wheel Weights - For Outside/Outer Dual Wheels: Weights shown are for each weight.	
8980		One Pair 165 Lb. (75 Kg) Starter Weights and One Pair 450 Lb. (205 Kg) Weights	1,720.00
8981		One Pair 165 Lb. (75 Kg) Starter Weights and Two Pair 450 Lb. (205 Kg) Weights Based on the tire width option ordered, some 450 lb. wheel weights may be shipped on a separate pallet and require dealer installation.	2,928.00
8935		1200 kg (2645 lb.) Ballast Package with Rear Duals: Front Weight Support with 12 Front Suitcase Weights and One Pair 75 kg (165 lb.) with One Pair of 205 kg (450 lb.) Inside/Inner Rear Wheel Weights and no Outside/Outer Dual Rear Wheel Weights	3,582.00
8936		2254 kg (4970 lb.) Ballast Package with Rear Duals: Front Weight Support with 16 Front Suitcase Weights and One Pair of 635 kg (1400 lb.) Inside/Inner Rear Wheel Weights and One Pair 75 kg (165 lb.) Outside/Outer Dual Rear Wheel Weights	6,593.00

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
8937		3832 kg (8449 lb.) Ballast Package with Rear Duals: Front Weight Support with 24 Front Suitcase Weights and One Pair of 635 kg (1400 lb.) Inside/Inner Rear Wheel Weights and One Pair 75 kg (165 lb.) and Three Pair 205 kg (450 lb.) Outside/Outer Dual Rear Wheel Weights	10,551.00
8785		Miscellaneous: Chock Block Holder	129.00
878K		Export Tools	378.00
8550		Skid for Duals	130.00
		ATTACHMENTS FOR FIELD CONVERSION	
	RE320685	Brakes: Air Trailer Brake Kit	3,660.00
			,
	RE324753	Air Trailer Brake Kit - AQ/PQ Pump Drive Kit	271.00
	RE320684	Hydraulic Trailer Brake Kit	610.00
	RE343415	Manifold Trailer Brakes NA	287.00
	RE58827	Electrical: 9-Pin Connector Implement Feedback Required for Touch-Set Depth Control.	132.00
	RE324685	Battery Disconnect Switch	174.00
	RE322555	Front Implement CAN Communication Connector	125.00
	RE325911	Heater, Cold Weather Auxiliary Package, 110V Contains block heater and hydraulic pump heater. Compatible on 6.8L IVT.	414.00
	RE325909	Heater, Cold Weather Auxiliary Package, 110V Contains block heater, transmission heater and hydraulic pump heater. Compatible on 6.8L PQ, AQ, and CQ Transmissions.	497.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE21519	Implement Switch with 10 Ft. Harness	168.00
	RE324687	Mounting Parts for Radar with Dual Beam Sensor Compatible with IVT Transmissions. Must order radar separately.	145.00
	RE324688	Mounting Parts for Radar with Dual Beam Sensor Compatible with PQT Transmissions. Must order radar separately.	176.00
	RE278980	Radar with Dual Beam Sensor	See Parts

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE278984	ATTACHMENTS FOR FIELD CONVERSIONContinued Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts
	RE337169	Transmission Backup Alarm	295.00
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	26.00
	RE315284	Engine: Fuel/Water Separator Kit, Severe Duty Compatible with 6.8L. Also order W54363 and hardware for loader.	647.00
	RE323950	Fenders: Fenders, Deluxe Pivoting Front for MFWD - 18.7 In. (480 mm) Wide Kit does not contain fender support rods. Rods are dependent on front tire size. Please reference installation instructions for further information.	1,356.00
	RE323949	Fenders, Deluxe Pivoting Front for MFWD - 24.4 In. (620 mm) Wide Kit does not contain fender support rods. Rods are dependent on front tire size. Please reference installation instructions for further information.	1,356.00
	RE324406	Fenders, Extra Width Rear Fender Extensions	276.00
	RE318606	Fenders, Full Coverage Rear 2.55 meter (100 In. Width)	500.00
	RE329076	Front Hitch Hydraulic Mid-Mount Valves: Front Hitch Valve (100 ml.) Compatible on all Tractors that are front hitch ready with TLS. If additional valves are not required, also order (2) RE305393.	1,943.00
	RE329075	Front Hitch Valve (100 ml.) Compatible on all IVT Tractors that are front hitch ready without TLS. If additional valves are not required, also order (2) RE305393.	1,943.00
	RE329074	Front Hitch Valve (100 ml.) Compatible on AQ, PQ, CQ transmissions that are front hitch ready without TLS. If additional valves are not required, also order (2) RE305393.	1,943.00
	RE329078	Second SCV for Front Hitch (140 ml.) Compatible on all Tractors that are front hitch ready with TLS. If additional valves are not required, order (1) RE322693.	1,199.00
	RE329077	Second SCV for Front Hitch (140 ml.) Compatible on all Tractors that are front hitch ready with MFWD. If additional valves are not required, order (1) RE322693.	1,199.00
	RE329080	Third SCV for Front Hitch (140 ml.) Compatible on all Tractors that are front hitch ready with TLS.	1,199.00
	RE329079	Third SCV for Front Hitch (140 ml.) Compatible on all Tractors that are front hitch ready with MFWD.	1,199.00

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE324072	Guards: Guards, Undercarriage Crop Shield Protects transmission and wiring harness.	139.00
	RE326620	Hitch and Drawbar: 3-in-1 Hitch Rails	1,244.00
	RE326580	Carrier to Ground Engaging, Hitch Conversion Kit Converts Codes 8407, 8408, 8410 from carrier to ground engaging.	2,601.00
	RE330569	Drawbar Kit, Cat. 3 High Vertical Load (10,000 Lb. Capacity)	1,202.00
	RE333545	Forced Steering Hitch Kit	1,346.00
	RE327692	Front Hitch Chain Hooks	196.00
	RE326447	Front Hitch Ready - Add Carrier Hitch	4,721.00
	RE326450	Front Hitch Ready - Add Ground Engaging Hitch Converts Code 841G, from front hitch ready to ground engaging.	5,576.00
	RE326626	Pick-Up Hitch Kit (Long) For use with Sway Blocks.	4,571.00
	RE326624	Pick-Up Hitch Kit (Short) For use with stabilizer.	4,359.00
	RE330573	Rear Hitch Hydraulic Center Link	1,267.00
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N)	1,529.00
	RE333036	Stabilizer Bracket Shield Hitch Kit	155.00
	RE326622	Wagon Hitch Auto Coupler Requires RE326620 3-in-1 Hitch Rail Kit.	1,152.00
	RE327558	Hydraulics: 4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers	1,445.00
	RE327559	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers	1,445.00
		Not compatible with PowrQuad PLUS or AutoQuad PLUS Transmission Codes 1430, 1431, or 1451.	
		Included in the CommandArm with CommandQuad and IVT Codes 1500, 1501, 1550, 1551, 1552, or 1553.	
	RE327560	6th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers	1,909.00
		Not compatible with PowrQuad PLUS or AutoQuad PLUS Transmission Codes 1430, 1431, or 1451. Included in the CommandArm with CommandOuad and IVT Codes 1500, 1501, 1550, 1551.	
		Included in the CommandArm with CommandQuad and IVT Codes 1500, 1501, 1550, 1551, 1552, or 1553.	
	RE315307	Auxiliary Hydraulic Reservoir	883.00

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE327561	ATTACHMENTS FOR FIELD CONVERSIONContinued Hydraulic Motor Return Kit with Case Drain	164.00
	RE300468	Hydraulic Motor Return Kit without Case Drain For case drain, order case drain kit separately.	106.00
	RE328941	Implement Single Lever Control Lift Assist Kit	84.00
	RE333857	Mid-Mount EHCV 2 or 3 Function EH Single Lever Control (Joystick) and Mounting Parts for RH Console Not compatible with IVT Transmissions. Only compatible with RH Console.	1,760.00
	RE333856	Mid-Mount EHCV 2 or 3 Function EH Single Lever Control (Joystick) and Mounting Parts for RH Console with Speed Shifting Compatible with AQT, PQT, CQT, and RH Console.	2,277.00
	RE333854	Mid-Mount EHSCV 2 or 3 Function EH Single Lever Control (Joystick) and Mounting Parts for Command Arm with Speed Shifting Compatible with AQT, PQT, CQT, and CommandARM.	2,795.00
	RE300467	Power Beyond Coupler Kit	436.00
	AR272536	Rear EHSCV Single Lever Control (Joystick) and Mounting Parts for CommandArm Compatible with IVT Transmission. Compatible with all CQT's except in Region 4.	1,563.00
	RE334683	Lighting: Auxiliary Driving / Loader Light Kit	227.00
	RE334627	Front HID Light Kit	1,788.00
	RE326320	Lights, Two Roof-Mounted 65W Halogen Front Flood Lights	140.00
	RE334623	Rotary Beacon Light Kit	382.00
	RE329083	Loader Auxiliary Mid-Mount Valves: First & Second Remote (100 ml.) w/ AQ, PQ, CQ, without TLS If additional valves are not required, order (1) RE322693.	2,534.00
	RE329084	First & Second Remote (100 ml.) with AutoPowr / IVT, without TLS If additional valves are not required, order (1) RE322693.	2,534.00
	RE329085	First & Second Remote (100 ml.) with TLS If additional valves are not required, order (1) RE322693.	2,069.00
	RE329086	Third Remote (140 ml.) If additional valves are not required, order (1) RE322693.	1,137.00
	RE67016	Operator Environment: 3-Pin Adaptor for Power Strip	See Parts
	RE67015	3-Way Convenience Adapter for Power Strip	See Parts
	RE317435	Accessory Mounting Bracket	110.00

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE269615	ATTACHMENTS FOR FIELD CONVERSIONContinued Antenna Mount and Wiring for Business Band Radio	140.00
	RE275532	Ash Tray	See Parts
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	RE323407	External Mirrors, Electrically Adjustable RH and LH Conversion Kit	594.00
	RE293499	External Mirrors, Electrically Telescoping and Heated Mirror Heads	1,696.00
	RE323405	External Mirrors, Manually Adjustable RH and LH	265.00
	RE321017	Foot-Operated Speed Control	125.00
	RE68495	Power Strip with Six Outlets	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit	295.00
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE326509	Step Kit, Right Hand Step	362.00
	RE324084	Step Mud Guard, LH	106.00
	RE261504	Sun Shade, Front Pull Down	See Parts
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	RE269618	Windshield Wiper with Washer, Rear	193.00
	RE326849	PTO: Front PTO Common Mounting Parts Also order R325433 for 9.0L or R325432 for 6.8L.	1,141.00
	RE302017	Independent Front PTO with 1-3/4 In. 20-Spline, 1000 RPM Clockwise-Rotating Shaft as Viewed from Front (Type 3)	See Parts
	RE323421	Independent Front PTO with 1-3/8 In. 21-Spline, 1000 RPM Clockwise-Rotating Shaft as Viewed from Front (Type 2)	See Parts
	RE302014	Independent Front PTO with 1-3/8 In. 6-Spline, 1000 RPM Counter Clockwise-Rotating Shaft as Viewed from Front (Type 1)	See Parts
	RE331560	SCV Parts: Paddle Pot Pod, Common Parts Only compatible on Tractors with CommandARM. Order single paddle potentiometer separately. See instructions RE331562 for more information.	95.00

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
JUDE	RE331559	ATTACHMENTS FOR FIELD CONVERSIONContinued Single Paddle Potentiometer	See Parts
		Order decals and levers separately. See instructions RE331561 for more information.	
	RE298885	Software Downloads: Intelligent Power Management Provides up to an additional 30 Engine hp for non-stationary rear PTO and transport applications. Download through Service Advisor's software delivery system. Includes instruction and download only. See Ag Sales Manual for ground speed specifications.	See Parts
	RE305729	Language Group for CommandCenter - English, Croatian, Serbian, Slovenian, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305727	Language Group for CommandCenter - English, Danish, Swedish, Finish, Norwegian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305726	Language Group for CommandCenter - English, Estonian, Latvian, Lithuanian, Polish, Russian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305725	Language Group for CommandCenter - English, French, Dutch, Icelandic, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305730	Language Group for CommandCenter - English, Greek, Turkish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305731	Language Group for CommandCenter - English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305728	Language Group for CommandCenter on IVT/AutoPowr Tractors - English, Hungarian, Czech, Slovak, Romanian, Bulgarian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	BPF10312	Non-John Deere Guidance Compatibility Activation - AutoFarm/Novariant Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10313	Non-John Deere Guidance Compatibility Activation - Hemisphere/Outback Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00

7215R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BPF10433	ATTACHMENTS FOR FIELD CONVERSIONContinued Non-John Deere Guidance Compatibility Activation - Leica Geosystems Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10311	Non-John Deere Guidance Compatibility Activation - Raven Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10363	Non-John Deere Guidance Compatibility Activation - Trimble Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AL113121	Weights: Centerlink Kit for Hitch Mounting 900 or 1150 kg Large Weights	207.00
	RE326583	Front Hitch Ready Weight Support	774.00
	R288797	Standard Front Weight Support	375.00
	AL172542	Weight, 1150 kg Large Front Mounted	3,585.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R167151	Weight, Inner Wheel, 1400 Lb.	1,903.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg)	282.00
	RFR207782	Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights)	2,658.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00
	R207782	Weight, Wheel, 450 Lb.	664.00
	AR190666	Wheel Equipment: One 10 In. Dual Hub Extension For use with standard duty 6 bolt wheel hubs.	759.00
	AR190668	One 13 In. Dual Hub Extension For use with standard duty 6 bolt wheel hubs.	844.00
	AR190669	One 15 In. Dual Hub Extension For use with standard duty 6 bolt wheel hubs.	884.00
	AR194744	One 5 In. Dual Hub Extension For use with standard duty 6 bolt wheel hubs.	685.00
	RE267658	Three Meter Front Wheel Spacer Not compatible with Tractors equipped with front brakes.	3,063.00

7215R TractorContinued

7230R Tractor

Equipment for Base Machine

```
ENGINE:
                                                                   Engine Oil Pressure Gauge
John Deere PowerTech Diesel
In-line 6-Cylinder Wet-Sleeve
with High Pressure Common Rail (HPCR)
Fuel System and 24 Valve Head
230 Engine hp 97/68/EC @ Rated Speed
189 SAE PTO hp @ Rated Speed
                                                                   Engine Coolant Temperature Gauge
                                                                   Fuel Level Gauge with
Low Fuel Warning Signal
                                                                   Engine RPM Indicator
                                                                   Status Indicators for MFWD
                                                                     Differential Lock
Air to Air Intercooled
Automatic Shutdown System
                                                                     Rear PTO Speed
                                                                CommandCenter Display includes:
GreenStar 3 Application Capability
Dry Type Air Cleaner with Safety Element
                                                                   Video Capability with Tractor Function
   and Dirt Aspiration System
Tilt Hood Enclosure with Side Panels
                                                                     Activated Triggers
                                                                   AutoTrac and Swath Control Pro
Viscous Fan
Electric Fuel Shutoff
                                                                     Activations Required
Electric Thermal Assist Starting Aid Coolant Conditioner Additive
                                                                   Access Manager
                                                                   Universal Performance Monitor
                                                                   Display Function Definable by Operator
Coolant Recovery System Fuel Filter and Pre-Filter
                                                                      % Slip
Fuel Water Separator with Sensor
Self Priming and Bleeding Electronic Fuel Pump
503 L (133 US Gal.) Fuel Tank
B2 Biodiesel from the Factory
                                                                     Ground Speed
PTO Speed
                                                                     Engine Hours
Hydraulic Settings
Lockable Fuel Cap
Engine Oil Filter
                                                                     Hitch Settings
Hitch Slip Command
Electronic Injection and Governor Control
                                                                     Productivity
                                                                     Efficiency
TRANSMISSION:
                                                                     Area
40k (25mph) AutoQuad PLUS Eco with
                                                                     Adjustable PTO Modulation
                                                                     Implement Width
  20 Forward/20 Reverse Speeds and Left Hand
                                                                     Service Hours
Reverser
Reduced engine rpm's at max transport speed
Perma-Clutch II (Hydraulically Engaged
                                                                     Voltage
                                                                     Fuel Consumption Rate
  Wet-Disk Clutch)
                                                                     Temperatures
Speed Matching
                                                                     Time of Day
                                                                     Ambient Temperature
Park Lock
                                                                   Set and Adjust Time and Flow of
Neutral Safety Start System
                                                                     Individual Selective Control Valves
STEERING, BRAKES DIFFERENTIAL:
                                                                   ITEC Tractor and Implement Function Control
Load-Sensing Hydraulic Power Steering
Wet-Disk Hydraulic Power Brakes
                                                                Languages:
Tilt/Telescoping Memory Steering Wheel
                                                                     For a complete list of languages refer to the
Hydraulically-Engaged Rear Differential
                                                                     Ag Sales Manual
  Lock
                                                                OPERATOR PROTECTIVE STRUCTURE:
                                                                Deluxe CommandView II Cab
HYDRAULICS:
Pressure and Flow Compensating Axial
                                                                   Tilt/Telescoping Memory Steering Wheel
  Piston Pump
                                                                   Comfort Command Seat with
32 GPM (121 L/min) Pump Output
                                                                     Air Suspension, Swivel
32 GPM (121 L/min) Flow @ One SCV
                                                                     Fore-Aft Lateral Attenuation
85L of Take Out Oil
                                                                     Lumbar Support
Three Electrohydraulic Remote Selective
                                                                     Backrest Adjustment
  Control Valves with Push/Pull
                                                                   Integrated CommandCenter Display
   ISO Breakaway Couplers and
                                                                   Swing-Out Rear Window (30 Degrees)
  High Pressure Relief Levers
                                                                   Tinted Glass
                                                                   Air Conditioner and Heater
                                                                   Two Speed and Intermittent Front Wiper
Independent 1000 RPM, 45 mm
                                                                     and Rear Wiper
  (1-3/4 \text{ In.}) 20 Spline
                                                                   Front and Rear Windshield Washer
PTO Safety Start System
                                                                   Pull Down Front Sun Visor
Seat-Activated PTO Warning
                                                                   Rear Under Seat Storage
Adjustable Engagement Modulation
                                                                   Folding Instructional Seat
                                                                   Left Hand Storage
ROCKSHAFT, HITCH AND DRAWBAR:
                                                                   Right and Left Outside Mirrors
Electrohydraulic Hitch with Transport
                                                                   Radio and Speakers
  Lock and External Remote Control Switch
                                                                   Inside Cab Mounted Rear View Mirror
Dual Cylinder Rear Hitch
                                                                   Passive Noise Reduction System
3-Point (Category 3/3N) Hitch
Fixed Length Draft Links Arms
                                                                Backlit Right Hand Console Controls
                                                                   with Adjustable Brightness
Category 3 Adjustable Drawbar
Secondary Implement Chain Support
                                                                ELECTRICAL:
Sway Blocks with
                                                                Key Engine Shutoff
                                                                Two 12V Electrical System
Two 12V Electrical Convenience Outlet
Two 12V Electrical 3-Pin Outlet
  Tapered Wedge Adjustment
Hitch Dampening
Center Link Adjustment Handle
INSTRUMENTATION:
                                                                   with Adapter
Corner Post Digital Instrument Panel includes:
                                                                Battery Boost Terminal
```

7230R Tractor

Continued

200 Amp Alternator
SmartCircuit Current Load Monitoring
System with Fuse Panel
7-Terminal Rear Implement Electrical
Outlet Socket
Integrated ISO Radar Connector
StarFire ITC or Radar Speed
Input Harness
ServiceADVISOR Data Port

LIGHTS:

Six Front Grill Mounted Lights
Ten Cab Roof Mounted Lights
Two Rear Fender Flood Lights
Extremity, Brake, Turning, and Hazard
Lights

AXLE, WHEELS AND TIRES: 1300 MFWD Front Axle with Limited Slip Differential and Driveline Shield Rear Axle and Wheels and Tires

AG MANAGEMENT SOLUTIONS:

Integrated Plug-In for GreenStar Display

Deluxe StarFire Receiver Bracket
GreenStar Ready harness with Implement
Circuit Gateway and Integrated
GreenStar Display Plug-In
Connector (ISO 11783 Compatible)
AutoTrac Ready Components:
Wiring, SSU, Front WheelAngle Sensor and Electro-Hydraulic
Steering Valve
Right Side Convenience Step

MISCELLANEOUS: Horn PTO Master Shield Tool Box Operator's Manual

**Cold Cranking Amperes

ATTACHMENT CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Waterloo, Iowa

7620RW 7230R Tractor 185,891.00

DESTINATION

A Code must be chosen for each Tractor ordered.

North America

0184 Canada 1,209.00

Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription.

Requires Code 8336 (9.0L) Stage 3b/IT-4 Compliant Engine.

Country Specific Base Equipment Includes:

Code 2055 Deluxe CommandView II Cab w/RH Console.

Code 7200 Standard Lighting.

Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler.

Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle.

Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0185		DESTINATIONContinued Costa Rica Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0189		El Salvador Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0191		Guatemala Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0193		Honduras Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price

7230R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0195		DESTINATIONContinued Mexico Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0196		Nicaragua Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0202		United States Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8336 (9.0L) Stage 3b/IT-4 Compliant Engine. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	1,209.00
0016		AFRICA Egypt Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0029		DESTINATIONContinued Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0035		Morocco Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0036		Mozambique Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0054		Zambia Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5In. (3012mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	
0078		ASIA Israel Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less AutoTrac Activation. Requires Code 1885 JDLink Capable. Requires Code 8336 (9.0L) Stage 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 5045 3-15/16 In. (100 mm) Dia x 100.4 In. (2550 mm) Length Rear Axle. Code 5109 620/70R42 In. 160A8 RIW Radial Single Rear Wheels and Tires. Code 6104 480/70R30 In. 152A8 RIW Radial Front Single Wheels and Tires.	Same Price
0090		Mongolia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 (6.8L) Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5049 100 mm (3 15/16 in.) Diameter x 3012 mm (118.5 in.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0083		Korea, Republic of Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less AutoTrac Activation. Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0098		Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less AutoTrac Activation. Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033- 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5045 3-15/16 In. (100 mm) Dia x 100.4 In. (2550 mm) Length Rear Axle. Code 5103 480/80R46 In. 158A8 R1 Radial Single Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0102		Taiwan Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less AutoTrac Activation. Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 7200 Standard Lighting. Code 4033 - 5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5045 3-15/16 In. (100 mm) Dia x 100.4 In. (2550 mm) Length Rear Axle. Code 5103 480/80R46 In. 158A8 R1 Radial Single Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0213		South America Chile Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0214		Colombia Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmissioin Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0215		Ecuador Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0217		Paraguay Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0218		Peru Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2055 Deluxe CommandView II Cab w/RH Console. Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0220		Uruguay Requires Code 1885 JDLink Capable. Requires Code 8330 (6.8L) Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Requires Transmission Code 1500, 1550 or 1551. Country Specific Base Equipment Includes: Code 2050 CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 5,443kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38 mm Pin. Code 5049 3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Radial Dual Rear Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Radial Front Single Wheels and Tires.	Same Price
0500		VALUE PACKAGE CONFIGURATIONS No Package Order one Code from each box in the Price Pages.	In Base Price
0510		Command Quad Premium Package Includes Codes 2061 or 2062, 1823 or 1826, 1500 or 1501, 7202, 2661 or 2662, 3240 or 3260.	-500.00
0511		AutoPowr IVT Transmission Premium Package Includes Codes 2061 or 2062, 1823 or 1826, 1550 or 1551 or 1552 or 1553, 7202, 2661 or 2662, 3240 or 3260.	-1,500.00
0512		iPackage AutoPowr IVT Includes Codes 2061 or 2062, 1833, 1823 or 1826, 1846, 1847, 1848, or 1849, 1837 or 1838, 1887 or 1888 or 1889, 1550 or 1551 or 1552 or 1553, 7202, 2661 or 2662, 3240 or 3260.	-2,000.00
		OPERATOR STATION	

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2051		OPERATOR STATIONContinued CommandView II Cab with RH Console Includes: ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. CommandCenter Display located on RH console. Front Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Remote radio controls located on RH console. Not Compatible with IVT or CommandQuad Transmissions. Folding Instructional Seat.	-1,114.00
2055		Deluxe CommandView II Cab with RH Console Includes: ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. CommandCenter Display located on RH console. Front and Rear Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Remote radio controls located on RH console Front Pull Down Sun Shade. Right and Left Outside Mirrors (Manual Adjustment). Power Strip with Convenience Plug Adapter. Folding Instructional Seat. Right Hand Steps. Not Compatible with IVT or CommandQuad Transmissions.	In Base Price
2060		Deluxe CommandView II Cab with RH Console and Active Seat Includes: Active Seat with Fore-Aft and Lateral Attenuation and Lumbar Support CommandCenter Display located on RH console. Front and Rear Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Front Pull Down Sun Shade. Right and Left Outside Mirrors (Electrically Adjustable). Power Strip with Convenience Plug Adapter. Folding Instructional Seat. Remote radio controls located on RH console. Not Compatible with IVT or CommandQuad Transmissions. Right Hand Steps.	2,867.00
2050		CommandView II Cab Includes: ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest controls with Integrated CommandCenter Display. Remote Radio Controls located on CommandARM. Front Windshield Washer and Wiper. Manual Temperature Controls located in cab roof. Not compatible with PowrQuad or AutoQuad transmissions. Folding Instructional Seat.	-1,621.00
2059		Deluxe CommandView II Cab Includes: ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on CommandARM. Front and Rear Windshield Washer and Wiper. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Right and Left Outside Mirrors (Manual Adjustment). Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. Not Compatible with PowrQuad or AutoQuad Transmissions. Right Hand Steps.	777.00

7230R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2061		OPERATOR STATIONContinued Premium CommandView II Cab with Active Seat Includes: Active Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on CommandARM. Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Right and Left Outside Mirrors (Electrically Adjustable). Folding Instructional Seat. Not Compatible with PowrQuad or AutoQuad Transmissions. Folding Instructional Seat. Right Hand Steps.	3,644.00
2062		Premium CommandView II Cab with Cab Suspension Includes: Cab Suspension ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on CommandARM. Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Right and Left Outside Mirrors (Electrically Adjustable). Folding Instructional Seat. Not Compatible with PowrQuad or AutoQuad Transmissions. Right Hand Steps.	4,272.00
		DISPLAY	
		When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac and Swath Control Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online	

Configurator and Ag Sales Manual for more information.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

GS3 CommandCenter, 7" Color Display

1821

Includes Access Manager user lockout software.

With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro and Pivot Pro will function on the CommandCenter display with activations sold separately.

In Base Price

1,260.00

Does not include a cornerpost bracket for mounting an additional GreenStar Display.

GS3 CommandCenter is not compatible with video.

Touchscreen GS3 CommandCenter 7" Color Display, Video Capable 1823 Includes Access Manager user lockout software, and video capability.

With a StarFire Receiver installed, the display is capable of operating manual guidance.

AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with

One video camera input pre-wired in the cab. Connector located on the outside rear of the cab. Video software can be configured in the CommandCenter using Tractor function activated triggers.

7230R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DISPLAYContinued See Parts for available cameras.	
		Does not include a cornerpost bracket for mounting an additional GreenStar Display.	
1825		GS3 CommandCenter 7" Color Display with GreenStar 3 2630 Display Includes Access Manager user lockout software. Includes GreenStar 3 Display 2630, harness, and A-post mounting bracket installed on cornerpost.	5,895.00
		Includes GreenStar 3 Display 2630 Operator's manual with the language translation to match the Tractor Operator's manual language translation. Note: When a GreenStar 3 Display 2630 is connected at the cornerpost, all GreenStar applications must be run on the cornerpost display. Warranty on GreenStar 3 Display 2630 will be handled by AMS and will carry normal AMS warranty terms.	
		With a Starfire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro and Pivot Pro will function on the CommandCenter display with activations sold separately.	
		GS3 CommandCenter is not compatible with video.	
1826		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable with GreenStar 3 2630 Display Includes Access Manager user lockout software, and video capability. Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed on cornerpost.	7,160.00

Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.

The GS3 CommandCenter is pre-wired with one video input in the cab. Connector located on the outside rear of cab. Video software can be configured in the CommandCenter using tractor function activated triggers. In addition, the GreenStar 3 2630 Display has the capability of one video input. Requires camera and harnessing for video capabilities. See Attachments for harnessing at GreenStar Harnesses in the AMS Price Pages and Ag Sales Manual for list of compatible cameras.

When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the cornerpost display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.

RECEIVER

StarFire 3000 Position Receivers can be ordered in two configurations:

-SF1 World Solution, a no-charge differential correction signal that provides non-row-crop accuracy.

-SF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.com.

-RTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for configurations.

In addition, each StarFire 3000 receiver is capable of utilizing the free Wide Area Augmentation System (WAAS) signal.

GPS serial port information (NMEA) is available through a StarFire 3000 SF1 World Solution or StarFire 3000 SF2 Ready receiver when it is connected to a GreenStar System, or when it has a valid SF2 license or RTK activation being used with a non-Deere system.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

7230R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1835		RECEIVERContinued Less StarFire 3000 Receiver Tractor includes deluxe receiver mounting bracket only.	In Base Price
		When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.	
1837		StarFire 3000 Receiver - SF1 World Solution with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.	2,695.00
		Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 receiver can be upgraded to SF2 capabilities.	
1838		StarFire 3000 Position Receiver - SF2 Ready with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.	4,695.00
		A StarFire 3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available through StellarSupport.com or by calling the AMS Customer Call Center.	
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS	

Other activations sold separately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac and Swath Control Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact Stellar Support to activate AutoTrac and/or iTEC Pro on the GreenStar 3 2630 Display, referencing Tractor COMAR order number.

Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on activations will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1845	Less AutoTrac Activation - GS3	In Base Price
1846	AutoTrac SF1 Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) for AutoTrac functionality. See AMS sales manual and price pages for detailed information.	3,000.00
1847	AutoTrac SF2 Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires SF2 Subscription sold seperately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	6,500.00
1848	AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630	5,500.00

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONSContinued Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See AMS sales manual and price pages for detailed information.	
1849		AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. Also requires SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	9,000.00
		MACHINE CONNECTIVITY	_
		Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system. Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine Hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features this includes: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features this includes: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability.	1,200.00
		Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service.	

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	
		ACTIVECOMMAND STEERING	
1833		John Deere ActiveCommand Steering (ACS) Not compatible with Codes 1430, 1431, or 1451.	3,209.00
1834		Less John Deere ActiveCommand Steering (ACS)	In Base Price
		TRANSMISSION	
1430		PowrQuad PLUS 19 mph (30 km/h) 16F/16R with Left Hand Reverser Control Includes Hand Declutch feature on range lever. Requires RH Console Cab.	-2,225.00
1451		AutoQuad PLUS Eco 25 mph (40 km/h) 20F/20R with Left Hand Reverser Control and Field Cruise Includes Hand Declutch feature on range lever. Requires RH Console Cab.	In Base Price
1500		CommandQuad Eco 25 mph (40 km/h) 20F/20R with Left Hand Reverser Control and Efficiency Manager Requires CommandARM Cab.	4,018.00
1501		CommandQuad Eco 31 mph (50 km/h) 20F/20R with Left Hand Reverser Control and Efficiency Manager Requires CommandARM Cab. Requires Air or Hydraulic trailer brakes, TLS Plus with front brakes, front fenders. Requires Symbol B (31 mph) Front and Rear Tires, ordered from the tire section in this price list.	4,018.00
1550		AutoPowr IVT Transmission 25 mph (40 km/h) with Right Hand Reverser Control and Field Cruise Requires CommandARM Cab. Not compatible with Code 6020.	8,700.00
1551		AutoPowr IVT Transmission 25 mph (40 km/h) with Left Hand Reverser Control and Field Cruise Requires CommandARM Cab. Not compatible with Code 6020.	9,217.00
1553		AutoPowr IVT Transmission 31 mph (50 km/h) with Right Hand Reverser Control and Field Cruise Requires Air or Hydraulic trailer brakes, TLS Plus with front brakes, front fenders. Requires Symbol B (31 mph/50K) Front and Rear Tires, ordered from the tire section in this price list. Not compatible with Code 6020.	8,700.00
1552		AutoPowr IVT Transmission 31 mph (50 km/h) with Left Hand Reverser Control and Field Cruise Requires Air or Hydraulic trailer brakes, TLS Plus with front brakes, front fenders. Requires Symbol B (31 mph) Front and Rear Tires, ordered from the tire section in this price list. Not compatible with Code 6020.	9,217.00

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
7200		LIGHTSContinued Standard Lighting Six Front Grill Mounted Lights: Two 65 W Low Beam Driving Lights, two 65 W High Beam Driving Lights and two Front Corner Facing Halogen Work Lights. Ten Cab Roof Mounted Lights: Two Rear and four Side Facing 65 W Flood lights and four Corner Facing Amber Lights. Two Rear Fender Mounted Flood Lights and two Rear Turn Signal and Brake Lights. Two Folding Extremity Lights.	In Base Price
7201		Deluxe Lighting Includes Standard Lights plus two adjustable front roof 65W halogen floodlights, two front belt-line work lights, and rotary beacon light.	789.00
7202		Premium Lighting Includes Deluxe Lights, and additionally in the front grill screen, two front corner HID lights replace two front halogen lights and one HID light and one 65W halogen flood light are added. Two rear fender lights are replaced with HID lights.	3,442.00
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers.	-673.00
2660		Deluxe Radio Package AM/FM Stereo with Clock, Remote Controls. Auxiliary Input Jack located on front of Radio. Four Speakers and External Antenna.	In Base Price
2661		Premium Radio Package with XM Radio AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls. USB port on front of radio face. Auxiliary Input Jacks located in right hand storage console and on radio face. BlueTooth capable including microphone. Integrated BlueTooth Phone Book connection through CommandCenter. XM Satellite capable including Satellite Antenna (Subscription Required). Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display.	345.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls. Auxiliary Input Jack located in right hand storage console and on radio. BlueTooth capable including microphone. Integrated BlueTooth Phone Book connection through CommandCenter. Four Speakers, Subwoofer, and External Antenna.	242.00
		REMOTE SELECTIVE CONTROL VALVES	
3331		Three Deluxe Rear Remote Selective Control Valves with Electro-Hyraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers EHSCVs are mounted on right hand console with PowrQuad PLUS or AutoQuad PLUS Transmissions (Codes 1430, 1431 or 1451), and included in the CommandARM with CommandQuad and IVT (Codes 1500, 1501, 1550, 1551, 1552, or 1553).	In Base Price
3341		Four Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers EHSCVs are mounted on right hand console with PowrQuad PLUS or AutoQuad PLUS Transmissions (Codes 1430, 1431 or 1451), and included in the CommandARM with CommandQuad and IVT (Codes 1500, 1501, 1550, 1551, 1552, or 1553).	1,875.00

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
3351		REMOTE SELECTIVE CONTROL VALVESContinued Five Deluxe Rear Remote Selective Control Valves with Electro-Hydraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers Not compatible with PowrQuad PLUS or AutoQuad PLUS Transmissions (Codes 1430, 1431 or 1451). Included in the CommandARM with CommandQuad and IVT (Codes 1500, 1501, 1550, 1551, 1552, or 1553).	3,752.00
3361		Six Deluxe Rear Remote Selective Control Valves with Electro-Hydraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers Not compatible with PowrQuad PLUS or AutoQuad PLUS Transmissions (Codes 1430, 1431 or 1451). Included in the CommandARM with CommandQuad and IVT (Codes 1500, 1501, 1550, 1551, 1552, or 1553). Requires Option Code 841K. Not Compatible with Option Codes 8910, 8410, 8411, 834L, and 834M.	5,627.00
		REAR POWER TAKE OFF	
3810		1-3/4 In. (45mm) 1000 rpm PTO (20 Spline) Option is never compatible with 1-3/8 In. (35mm) 540 (6 Spline) / 1000 (21 Spline) rpm PTO.	In Base Price
3820		1-3/4 In. (45mm) 1000 rpm PTO (20 Spline), 1-3/8 In. (35mm) 540 (6 Spline) / 1000 (21 Spline) rpm PTO with Shifting at the rear of the Tractor	1,510.00
3830		1-3/8 In. (35mm) 540 Economy rpm (6 Spline) / 1000 (21 Spline) / 1000 Economy (21 Spline) rpm PTO 1-3/4 In. (45mm) 1000 (20 Spline) rpm PTO Electronicly Shiftable in Cab. One-Piece Reversible 1-3/8 In. Shaft and Single Side 1-3/4 Shaft Economy speed at 1730 engine rpm.	2,360.00
3831		1-3/8 In. (35mm) 540 (6 Spline) / 540 Economy (6 Spline) rpm / 1000 (21 Spline) rpm PTO. 1-3/4 In.(45mm) 1000 (20 Spline) rpm PTO. Electronicly Shiftable in Cab, One-Piece Reversible 1-3/8 In. Shaft and Single Side 1-3/4 Shaft Economy speed at 1730 engine rpm.	2,360.00
		DRAWBAR AND TRAILER HITCH	
4320		Category 3 Adjustable Swing Drawbar for use with a 38 mm Pin Does not include clevis. For clevis, order Code 8435.	In Base Price
4323		Category 3 Drawbar, High Vertical Load (10,000 Lb. Capacity) with Clevis and 1.50 In. (38 mm) Pin	1,019.00
		HITCH, COUPLER, AND STABILIZER	
4000		Less 3-Point Hitch Requires Code 3331.	-5,390.00
4033		5,443 kg (12,000 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler Includes solid, non-adjustable draft links and sway blocks.	In Base Price
4034		6,894 kg (15,200 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler Includes solid, non-adjustable draft links and sway blocks.	1,217.00

7230R Tractor

		Continued	
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		HYDRAULIC PUMP	
3230		32 gpm / 121 L/Min. Hydraulic Pump (45cc)	In Base Price
3240		43 gpm / 163 L/Min. Hydraulic Pump (63cc)	899.00
3260		59 gpm / 223 L/Min. Hydraulic Pump (85cc)	2,062.00
		REAR AXLES	
5045		3-15/16 In. (100 mm) Dia x 100.4 In. (2550 mm) Length Not compatible with duals.	-319.00
5047		3-15/16 In. (100 mm) Dia x 110.5 In. (2808 mm) Length <i>Requires Code 873A</i> .	-157.00
5049		3-15/16 In. (100 mm) Dia x 118.5 In. (3012 mm) Length	In Base Price
		WHEELS AND HUBS	
5090		Steel Wheels and Cast Hubs Requires Code 5045, 5047, 5049.	In Base Price
5091		Cast Wheels with Single Taper Hubs Requires Code 5045, 5047, 5049, 5059, 5061.	260.00
		REAR WHEELS & TIRES (Single and Dual Configurations)	
		The models will be installed as listed. The company reserves the right to substitute another model without written notice. For complete tire and wheel information, refer to the Agricultural Sales Manual or individual tire manufacturer's handbook. Some tire sizes and/or brands are excluded from manufacturer warranty when used in specialty applications (e.g. use on Scraper Tractors). Please refer to the tire manufacturer's handbook for specific warranty guidelines. Overloading of tires is prohibited.	

REAR WHEELS AND TIRES FOR 40 km/h TRANSMISSIONS:

A8 Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) Listed Narrowest to Widest **Listed Singles to Duals**

For MFWD, use with any A8 Speed Rated RCI Group 42 Front Tire with same brand preference.
For tractors equipped with heavy ballast, duals are recommended to avoid overloading tires.

	Mixing of R1 and R1W tread types between Front and Rear Tires is Permitted.	
5100	320/90R54 In. 149A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-8,016.00
5500	320/90R54 In. 149A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	2,284.00
5101	380/90R50 In. 151A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-9,374.00

7230R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5504		REAR WHEELS & TIRES (Single and Dual Configurations)Continued	400.00
5501		380/90R50 In. 151A8 R1W Radial Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-432.00
5102		480/80R46 In. 158A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-7,834.00
5502		480/80R46 In. 158A8 R2 Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6103.	2,648.00
5103		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Firestone or Goodyear.	-9,158.00
5503		480/80R46 In. 158A8 R1 Radial in Dual Configuration Available in Firestone or Goodyear.	In Base Price
5104		480/80R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-7,499.00
5504		480/80R46 In. 158A8 R1W Radial in Dual Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	2,735.00
5105		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Firestone or Goodyear.	-9,222.00
5505		520/85R42 In. 157A8 R1 Radial in Dual Configuration Available in Firestone or Goodyear.	-128.00
5106		520/85R42 In. 157A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, or Michelin.	-7,914.00
5506		520/85R42 In. 157A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear, or Michelin.	2,488.00
5108		520/85R42 In. 157A8 R2 Radial in Single Wheel Configuration Available in Firestone or Goodyear.	-7,286.00
5508		520/85R42 In. 157A8 R2 Radial in Dual Configuration Available in Firestone or Goodyear.	3,744.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Configuration Available in Firestone, Michelin, or Goodyear.	5,560.00
5123		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear or Michelin.	-6,378.00
5132		650/65R42 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-5,223.00
5124		650/65R42 In. 170A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-5,144.00

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)	
5110		Continued 710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear.	-5,066.00
5510		710/70R38 In. 166A8 R1W Radial in Dual Configuration Available in Firestone, Michelin, or Goodyear.	8,184.00
5117		IF 710/70R38 178A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-4,462.00
		A8 Speed Rated RCI Group 48 Size Tires (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals Use with any A8 Speed Rated RCI Group 43 Front Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
5200		380/90R54 In. 152A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Not compatible with Code 5090. Requires No Brand Preference Code 5999.	-7,658.00
5600		380/90R54 In. 152A8 R1W Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Not compatible with Code 5090.	3,000.00
5201		480/80R50 In. 159A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas/Continental, Titan or Michelin. Mitas/Continental available in US and Canada only.	-7,642.00
5601		480/80R50 In. 159A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear, Mitas/Continental, Michelin or Titan. Not compatible with Code 5090. Mitas/Continental available in US and Canada only.	3,032.00
5202		IF 480/80R50 166A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-5,838.00
5602		IF 480/80R50 166A8 R1W Radial in Dual Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	6,640.00
5203		520/85R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Michelin or Mitas/Continental. Mitas/Continental available in US and Canada only.	-7,848.00
5603		520/85R46 In. 158A8 R1W Radial in Dual Configuration Available in Firestone, Michelin, Mitas/Continental, or Goodyear. Mitas/Continental available in US and Canada only.	2,620.00
5204		520/85R46 In. 158A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires Front Tire Code 6206. Requires No Brand Preference Code 5999.	-7,600.00

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5604		REAR WHEELS & TIRES (Single and Dual Configurations)Continued 520/85R46 In. 158A8 R2 Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Compatible Front Tire Code 6206.	3,116.00
5205		620/70R46 In. 167A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-5,976.00
5605		620/70R46 In. 167A8 R1W Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	6,364.00
5222		650/85R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin, Goodyear, or Mitas/Continental. Mitas/Continental available in US and Canada only.	-5,244.00
5622		650/85R38 In. 173A8 R1W Radial in Dual Configuration Available in Goodyear, Michelin, or Mitas/Continental. Mitas/Continental available in US and Canada only.	7,828.00
5218		IF 650/85R38 In. 179A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Front Tire Code 6214. Requires No Brand Preference Code 5999.	-2,815.00
5618		IF 650/85R38 In. 179A8 R1W Radial in Dual Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	12,103.00
5206		710/70R42 In. 168A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-4,714.00
5606		710/70R42 In. 168A8 R1W Radial in Dual Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Not compatible with Code 5090.	8,888.00
5207		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Goodyear, Michelin, or Mitas/Continental. Mitas/Continental available in US and Canada only.	-4,396.00
5607		710/70R42 In. 173A8 R1W Radial in Dual Configuration Available in Michelin, Goodyear, or Mitas/Continental. Not compatible with Code 5090. Mitas/Continental available in US and Canada only.	9,524.00
5219		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin. Requires Front Tire Code 6214.	-2,708.00
5619		IF 710/70R42 In. 179A8 R1W Radial in Dual Configuration Available in Michelin or Firestone. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	12,900.00

7230R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)	
5209		Continued 800/70R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear.	-4,120.00
5220		IF 800/70R38 In. 179A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Front Tire Code 6214. Requires No Brand Preference Code 5999.	-1,312.00
		REAR WHEELS AND TIRES FOR 50 km/h TRANSMISSIONS:	
		B Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals For use with any B Rated RCI Group 42 Front Tire with same tread type and brand preference.	
5513		480/80R46 In. 158B R1 Radial in Dual Configuration Available in Firestone or Goodyear.	1,016.00
5116		710/70R38 In. 166B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear.	-4,322.00
		B Speed Rated RCI Group 48 Size Tire (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals Use with any B Speed Rated RCI Group 43 Front Tire with same tread type and brand preference.	
5610		480/80R50 In. 159B R1W Radial in Dual Configuration Available in Firestone or Goodyear.	3,876.00
5211		650/85R38 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear.	-4,738.00
5215		IF 650/85R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Code 6215.	-2,815.00
5213		710/70R42 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-3,577.00
5216		IF 710/70R42 In. 179B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Code 6215.	-2,125.00
5217		IF 800/70R38 In. 179B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-729.00

FRONT AXLES

6040

1300 Series Mechanical Front Wheel Drive Axle with Driveline Shield and

In Base Price

7230R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT AXLESContinued Limited Slip Differential	
6060		1300 Series Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS (TLS +), Driveline Shield and Limited Slip Differential	6,791.00
6061		1300 Series Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS (TLS+), Driveline Shield, Hydraulic On/Off Differential Lock and Wet Disk Front Brakes Required for 31 mph (50 km/h) Transmissions (Code 1501, 1552 or 1553). Compatible with 19 mph (30 km/h) or 25 mph (40 km/h) Transmissions (Code 1430, 1431, 1451, 1500, 1550, and 1551).	8,286.00

FRONT WHEELS AND TIRES

For complete tire and wheel information refer to the Agricultural Sales Manual or individual

tire manufacturer's handbook.

For loader compatibility information, refer to the Agricultural Sales Manual.

Some tire sizes and/or brands are excluded from manufacturer warranty when used in

specialty applications (e.g. use on scraper tractors).

Please refer to the tire manufacturer's handbook for specific warranty guidelines.

Overloading of tires is prohibited.

MECHANICAL FRONT WEHEEL DRIVE (MFWD) AXLE Eight Position Steel MFWD Wheels with:

A8 Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) **Listed Narrowest to Widest**

Use with any A8 Speed Rated RCI Group 47 Rear Tire with same brand preference.

	Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
6106	320/85R38 In. 143A8 R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Extended lead time tire; may affect Tractor delivery date.	832.00
6107	380/85R34 In. 137A8 R1 Radial Available in Firestone or Goodyear.	276.00
6108	380/85R34 In. 137A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	1,813.00
6100	420/90R30 In. 142A8 R1 Radial Available in Firestone or Goodyear.	In Base Price
6101	420/90R30 In. 147A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	620.00
6102	420/90R30 In. 145A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999.	604.00
6103	420/90R30 In. 142A8 R2 Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Extended lead time tire; may affect Tractor delivery date.	696.00

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6131		FRONT WHEELS AND TIRESContinued 480/70R30 In. 152A8 R1W Radial Available in Firestone or Goodyear.	284.00
6119		540/65R30 In. 143A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	2,605.00
6109		600/65R28 In. 147A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999. For use with 64 In. or wider tread setting.	2,348.00
6132		600/65R28 In. 154A8 R1W Radial Available in Michelin and Goodyear. For use with 64 In. or wider tread setting.	2,844.00
		A8 Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest Use with any A8 Speed Rated RCI Group 48 Rear Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
6200		320/80R42 In. 141A8 R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999.	1,358.00
6201		380/80R38 In. 142A8 R1W Radial Available in Firestone, Goodyear, Mitas/Continental, Michelin or Titan. Mitas/Continental available in US and Canada only.	1,360.00
6202		IF 380/80R38 In. 149A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Standard, non-Increased Flexion rear tires.	2,270.00
6203		420/85R34 In. 147A8 R1W Radial Available in Firestone, Goodyear, Mitas/Continental or Titan. Mitas/Continental available in US and Canada only.	1,304.00
6205		480/70R34 In. 155A8 R1W Radial Available in Firestone or Goodyear.	2,108.00
6217		IF 420/85R34 152A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Standard, non-Increased Flexion rear tires.	2,568.00
6204		480/70R34 In. 143A8 R1W Radial Available in Michelin and Mitas/Continental. Mitas/Continental available in US and Canada only.	1,236.00
6206		480/70R34 In. 146A8 R2 Radial Available in Goodyear only. Requires No Brand Preference Code 5999.	1,100.00
6207		540/65R34 In. 148A8 R1W Radial Available in Michelin or Goodyear.	1,312.00

7230R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6208		FRONT WHEELS AND TIRESContinued 600/70R30 In. 152A8 R1W Radial Available in Firestone, Goodyear or Michelin.	2,512.00
6214		IF 600/70R30 In. 159A8 R1W Radial Requires Code 1550 or 1551. Requires Rear Tire Code: 5603, 5619, 5219, 5618, 5218, 5220 or 5203. Available in Michelin and Firestone. Requires No Brand Preference Code 5999.	3,451.00
		Eight Position B Speed Rated Steel MFWD Wheels for 31 mph (50 km/h) Transmissions:	
		B Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest Use with any B Speed Rated RCI Group 47 Rear Tire with same tread type and brand preference.	
6111		380/85R34 137B R1 Available in Goodyear or Firestone.	276.00
6123		480/70R30 152B R1W Available in Goodyear only. Requires No Brand Preference Code 5999.	284.00
6113		600/65R28 In. 147B R1W Radial Available in Michelin or Goodyear. Use with 1780 mm (70 In.) or wider tread settings.	2,856.00
		B Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Use with any B Speed Rated RCI Group 48 Rear Tire with same tread type and brand preference. Requires Code 5037.	
6209		420/85R34 In. 147B R1W Radial Available in Firestone or Goodyear.	2,042.00
6212		600/70R30 In. 152B R1W Radial Available in Michelin and Goodyear For use with 70 In. (1780 mm) or wider tread setting.	2,512.00
6210		540/65R34 In. 148B R1W Radial Available in Michelin and Goodyear.	1,312.00
6215		IF 600/70R30 In. 159B R1W Increased Flexion Radial Available in Michelin only. Requires No Brand Preference Code 5999.	3,451.00
		TIRE PREFERENCE CODES	
		If only one hand is qualitable in any time and the Time Professores Code 5000 must be abosen	

If only one brand is available in any tire code, the Tire Preference Code 5999 must be chosen below to avoid extra charges. You will still get the one brand stated in the tire code description.

5999 No Brand Preference No Charge Mitas/Continental brand tires available in US and Canada only.

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5901		TIRE PREFERENCE CODESContinued Firestone Brand Only	600.00
5902		Goodyear Brand Only	600.00
5903		Michelin Brand Only	1,000.00
5904		Mitas/Continental Brand Only Mitas/Continental brand tires available in US and Canada only.	600.00
		OPERATOR'S MANUALS, LABELS AND COMMANDCENTER	
0409		English	In Base Price
0437		Spanish	Same Price
0413		French	Same Price
9076		Customer Gold Key Program: Gold Key Experience Not compatible with Code 9075. This new option will provide your customer with more flexibility to schedule their Gold Key Experience Tour of a product similar to their purchase. Customers can choose a date that fits their schedule and allows them to arrange travel in advance. This experience will provide your customer with the same irreplaceable opportunity of a personal tour of our World Class facility, with the exception of seeing their machine on the day of their tour. This tour will be scheduled in advance with your customer#s input and will occur during an eight week period (4 weeks prior to or 4 weeks after the machine#s expected warehouse date). There is more availability and flexibility for this option to accommodate your customer#s needs. Upon selection of this option, the factory will contact you to schedule a tour date.	No Charge
8242		Operator Station and Electrical: Radar with Dual Beam Sensor	880.00
8725		Rotary Beacon Light Required to add Rotary Beacon Light to Standard Lighting Package.	332.00
8227		Outside Mirrors, Telescoping, Heated, Electrically Adjustable, RH and LH Required to upgrade from Right and Left Hand Manual Adjust Mirrors.	957.00
8228		Outside Mirrors, Telescoping, Heated, Electrically Adjustable, RH and LH Required to upgrade from RH and LH Electrically Adjusting Mirrors.	532.00
8782		Backup Alarm	176.00
8251		Antenna Mount and Wiring for Business Band (2-Way) Radio	127.00
8288		Foot Operated Speed Control	297.00
8720		Loader and Driving Light Package Provides two road lights mounted higher on the cab posts for use when front mounted equipment obstruct grill mounted front lights.	206.00

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8210		ATTACHMENTS - ORDER AS DESIREDContinued Leather Trim Includes heated leather seat, leather wrapped steering wheel and rear window decal.	1,623.00
8010		Chassis: Fenders, Deluxe Pivoting Front for MFWD - 18.7 In. (480 mm) Wide Recommended for use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire width. Code 8010 or 8011 is required for 50km/h (31mph) Tractors. Not compatible with Code 8011.	1,233.00
8011		Fenders, Deluxe Pivoting Front for MFWD - 24.4 ln. (620 mm) Wide Recommended for use with 18.4 ln. (480 mm) to 23.6 ln. (600 mm) tire width. Not compatible with Code 8010. If Code 8910 Loader Ready is selected the fenders will be stationary and loader compatible. Code 8010 or 8011 is required for 31 mph (50 km/h) Tractors.	1,233.00
8020		Fenders, Full Coverage Rear - 100 In. (2.55 m) Width Includes hitch control switch on both fenders.	1,349.00
8021		Fender, Extra Width Rear Extensions - 108 In. (2.75 M) Width Provides coverage for up to 800 mm section width tires. Not compatible with Code 8020.	1,599.00
8291		Left Hand Step Mud Guard In base on Tractors with Group 49 Rear Tires. Option on Tractors with Group 47 and Group 48 Rear Tires.	96.00
8910		Loader Ready Three Function Electronic - Independent Control Valve Includes: 3-Function Electronic Joystick with activated speed shifting buttons (Activated Speed Shifting Buttons not available with IVT Transmissions), 6-Hydraulic hoses from mid-mount Tractor valve to attached single point half coupler, Loader Mounting Frame, and Hood Guard (Requires front weight support). Not compatible with Mid Mount SCV's or Front Hitch. If fenders are desired, please select Code 8011 which will become stationary loader fenders compatible with Loaders. Does not include right side convenience step.	7,265.00
8751		Trailer Brake, Dual Line Air Includes compressor, tank, control valve, and couplers. Not compatible with Code 8756 or 8752. For dual line air and hydraulic brakes, order Code 8752. Code 8751, 8756, or 8752 is required for 31 mph (50 km/h) Tractors.	5,066.00
8756		Trailer Brake, Hydraulic Includes rear tractor line coupler. Not compatible with Code 8751 or 8752. For dual line air and hydraulic brakes, order Code 8752. Code 8751, 8756, or 8752 is required for 31 mph (50 km/h) Tractors.	542.00
8752		Trailer Brakes, Dual Line Air and Hydraulic Includes Code 8751 and 8756. Code 8751, 8756, or 8752 is required for 31 mph (50 km/h) Tractors.	5,609.00
8433		Hitch and Drawbar: Less Drawbar Requires Code 4311, 4313, 4314, or 4315.	-160.00
8428		Hydraulic Rear Center Link Requires Code 8020.	1,107.00

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
841G		ATTACHMENTS - ORDER AS DESIREDContinued Front Hitch Ready Includes a front casting that will accommodate but does not include a Front Hitch and Front	2,535.00
		PTO. Includes 1 set of Hydraulic Oil lines to connect the Front Hitch and Mid-Mount SCV on a Pivot Beam Axle and 3 sets of Hydraulic Lines on TLS front axles. Not compatible with 8407, 8408, 8410, 8409, 8411.	
8407		Deluxe Front Hitch with 5200 Kg (11,450 lb.) max lift capacity at hitch balls. - 3150 Kg (6,944 lb.) ISO lift Capacity. - Less Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes Zero Front Auxiliary Couplers Not compatible with 841G, 832G, 834B, 834C, 834L, or 834M. Requires Code 841K or 841L. Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 1 Mid-Mount SCV for hitch raise and lower.	3,903.00
8408		Deluxe Front Hitch with 5200 Kg (11,450 lb.) max lift capacity at hitch balls 3150 Kg (6,944 lb.) ISO lift capacity Less Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes One Front Auxiliary Coupler Not compatible with 841G, 832G, 834B, 834C, 834L, and 834M Requires Code 841K or 841L. Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 2 Mid-Mount SCV's; Hitch Raise and Lower, 1 Aux Coupler.	5,032.00
8410		Deluxe Front Hitch with 5200 Kg (11,450 lb.) max lift capacity at hitch balls. - 3150 Kg (6,944 lb.) ISO lift capacity. - Less Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes Two Front Auxiliary Couplers Not compatible with 841G, 832G, 834B, 834C, 834L, and 834M Requires Code 841K or 841L. Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 3 Mid-Mount SCV's; Hitch Raise and Lower, 2 Aux Couplers.	6,161.00
8409		Premium Front Hitch with 5200 Kg (11,450 lb.) max lift capacity at the hitch balls. - 3150 Kg (6,944 lb.) ISO lift capacity. - Includes Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes One Front Auxiliary Coupler Not Compatible with 841G, 832G, 834B, 834C, 834L, and 834M Requires Code 841k or 841L Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 2 Mid-Mount SCV's; Hitch Raise and Lower, 1 Aux Coupler.	5,973.00
8411		Premium Front Hitch with 5200 kg (11,450 lb.) max lift capacity at the hitch balls. - 3150 Kg (6,944 lb.) ISO lift capacity. - Includes Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes Two Front Auxiliary Couplers Not compatible with 841G, 832G, 834B, 834C, 834L, and 834M. Requires Code 841k or 841L. Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 3 Mid-Mount SCV's; Hitch Raise and Lower, 2 Aux Couplers.	7,102.00

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
841K		ATTACHMENTS - ORDER AS DESIREDContinued Auxilary CommandArm Mounted SCV Controls Highly recommended when Codes 8407, 8408, 8409, 8410, or 8411 are selected with Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065.	1,154.00
841L		Joystick Control Required when Codes 8407, 8408, 8409, 8410, or 8411 are selected with Codes 2051, 2053, 2055, 2058, 2060, or 2064.	1,166.00
8435		Drawbar Clevis, Cat. 3 with 1.5 In. (38 mm) Pin Requires Code 4320.	231.00
832G		Hydraulics: Auxiliary Hydraulic Connections Includes (2) motor return 1/2" couplers, (1) flat face sump 3/8" coupler, (1) 1/2" power beyond pressure, (1) load sense 1/4" coupler.	840.00
834B		Mid-Mount EH Valve Stack with 2-Function Paddle Pot Control Provides two additional SCVs. Float position included on all Mid-Mount valves. Includes two sets of Mid-Mount valve couplers. Not compatible with Front Hitch or Loader Ready Package. Not compatible with AutoQuad or PowrQuad Transmissions.	2,437.00
834C		Mid-Mount EH Valve Stack with 2-Function Joystick Control Provides two additional SCVs. Float position capable on only 1 Mid-Mount valve. Includes two sets of Mid-Mount valve couplers. Not compatible with Front Hitch or Loader Ready Package.	3,190.00
834L		Mid-Mount EH Valve Stack with 3-Function Paddle Pot Control Provides three additional SCVs. Float position included on all Mid-Mount valves. Includes three sets of Mid-Mount valve couplers. Not compatible with Front Hitch or Loader Ready Package. Not compatible with 6 Rear SCV's. Not compatible with AutoQuad or PowrQuad Transmissions	3,566.00
834M		Mid-Mount EH Valve Stack with 3-Function Joystick Control Provides Three Additional SCVs Float position capable on only 1 Mid-Mount valve. Includes three sets of Mid-Mount valve couplers. Not compatible with Front Hitch or Loader Ready Package. Not compatible with 6 Rear SCV's.	4,319.00
8380		Front PTO: PTO, Independent Front with 1-3/8 In. 21-Spline, 1000rpm Clockwise-Rotating Shaft as Viewed from Front (Type 2) Requires Code 8407, 8408, 8409, 8410, 8411.	7,268.00
8381		PTO, Independent Front with 1-3/4 In. 20-Spline, 1000rpm Clockwise-Rotating Shaft as Viewed from Front (Type 3) Requires Code 8407, 8408, 8409, 8410, 8411.	7,268.00
8302		Engine: Heater, Engine Block 110V	53.00

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8336		ATTACHMENTS - ORDER AS DESIREDContinued John Deere PowerTech PVX 9.0 L (549 cu. In.) 6 Cyl IT4 / Stage 3b Compliant Diesel Engine	Same Price
8300		Cold Weather Start Kit Factory installation of Block Heater (110V) and Ether Aid Canister and Switch.	426.00
8301		Heater, Cold Weather Auxiliary Package, 110V Includes Ether Aid Canister and Switch, Ground Fault Interrupter, Engine Block Heater, Charge Pump Heater and Transmission Hydraulic Oil Heater (Transmission Heater is only available on PQ, AQ, and CQ Transmissions).	521.00
8306		Fuel/Water Separator, Severe Duty Required with Code 8330, Stage 2 Compliant Diesel Engine. In addition to water separator in base equipment.	549.00
		Available as an option with Code 8332 and 8336, iT4/3b Compliant Diesel Engines.	
8220		Intelligent Power Management Provides up to an additional 30 Engine hp in non-stationary rear PTO and transport applications. Not compatible with Code 8330.	2,944.00
8330		John Deere PowerTech 6.8 L (414 cu. ln.) 6 Cyl/ Stage 2 Compliant Diesel Engine Requires Code 8306, Severe Duty Fuel/Water Separator.	-11,688.00
		Quik-Tatch Weights:	
8955		Weight, Front Support - Less Weights	314.00
8956		Weight, Front Support with Four Suitcase Weights Not compatible with Front Loaders.	795.00
8957		Weight, Front Support with Eight Suitcase Weights Not compatible with Front Loaders.	1,327.00
8958		Weight, Front Support with Twelve Suitcase Weights Not compatible with Front Loaders.	1,862.00
8959		Weight, Front Support with Sixteen Suitcase Weights Not compatible with Front Loaders.	2,397.00
8962		Weight, Front Support with Twenty Suitcase Weights Not compatible with Front Loaders.	3,055.00
8963		Weight, Front Support with Twenty Four Suitcase Weights Not compatible with Front Loaders.	3,467.00
		Rear Wheel Weights - For Inside/Inner Wheels (Steel): Weights shown are for each weight.	
8970		One pair 165 Lb. (75 kg) Starter Weights and One Pair 450 Lb. (205 kg) Weights	1,720.00
8971		One pair 165 Lb. (75 kg) Starter Weights and Two Pair 450 Lb. (205 kg) Weights Minimum tread setting may be restricted due to tire size selected. Refer to the Agricultural Sales Manual for additional information. Not compatible with 5010 or 5093.	2,928.00

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
		Rear Wheel Weights - For Outside Drive Wheels (Steel): Weights shown are for each weight.	
8972		One pair 165 Lb. (75 kg) Starter Weights and One Pair 450 Lb. (205 kg) Weights <i>Not compatible with duals or Code 5090.</i>	1,720.00
8973		One pair 165 Lb. (75 kg) Starter Weights and Two Pair 450 Lb. (205 kg) Weights <i>Not compatible with duals or Code 5090.</i>	2,928.00
		Rear Wheel Weights - For Inside/Inner Drive Wheels (Cast) Weights shown are for each weight.	
8974		One Pair 450 Lb. (205 kg)	1,208.00
8975		One pair 165 Lb. (75 kg) Starter Weights and One Pair 450 Lb. (205 kg) Weights	1,720.00
8976		Two Pair 450 Lb. (205 kg) Minimum tread setting may be restricted due to tire size selected. Refer to sales manual for additional information. Not available from factory with 520 section width tires or narrower.	2,416.00
8977		One Pair 1400 Lb. (635 kg) Requires Code 3902 and tires with load rating above 151 Load Index.	3,460.00
		Rear Wheel Weights - For Outside Drive Wheels (Cast): Weights shown are for each weight.	
8978		One pair 165 Lb. (75 kg) Starter Weights and One Pair 450 Lb. (205 kg) Weights Not compatible with duals.	1,720.00
8979		One Pair 165 Lb. (75 kg) Starter Weights and Two Pair 450 Lb. (205 kg) Weights Not compatible with duals.	2,928.00
		Rear Wheel Weights - For Outside/Outer Dual Wheels: Weights shown are for each weight.	
8980		One Pair 165 Lb. (75 Kg) Starter Weights and One Pair 450 Lb. (205 Kg) Weights	1,720.00
8981		One Pair 165 Lb. (75 Kg) Starter Weights and Two Pair 450 Lb. (205 Kg) Weights Based on the tire width option ordered, some 450 lb. wheel weights may be shipped on a separate pallet and require dealer installation.	2,928.00
8935		1200 kg (2645 lb.) Ballast Package with Rear Duals: Front Weight Support with 12 Front Suitcase Weights and One Pair 75 kg (165 lb.) with One Pair of 205 kg (450 lb.) Inside/Inner Rear Wheel Weights and no Outside/Outer Dual Rear Wheel Weights	3,582.00
8936		2254 kg (4970 lb.) Ballast Package with Rear Duals: Front Weight Support with 16 Front Suitcase Weights and One Pair of 635 kg (1400 lb.) Inside/Inner Rear Wheel Weights and One Pair 75 kg (165 lb.) Outside/Outer Dual Rear Wheel Weights	6,593.00

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
8937		3832 kg (8449 lb.) Ballast Package with Rear Duals: Front Weight Support with 24 Front Suitcase Weights and One Pair of 635 kg (1400 lb.) Inside/Inner Rear Wheel Weights and One Pair 75 kg (165 lb.) and Three Pair 205 kg (450 lb.) Outside/Outer Dual Rear Wheel Weights	10,551.00
8785		Miscellaneous: Chock Block Holder	129.00
878K		Export Tools	378.00
8550		Skid for Duals	130.00
		ATTACHMENTS FOR FIELD CONVERSION	
	RE320685	Brakes: Air Trailer Brake Kit	3,660.00
			,
	RE324753	Air Trailer Brake Kit - AQ/PQ Pump Drive Kit	271.00
	RE320684	Hydraulic Trailer Brake Kit	610.00
	RE343415	Manifold Trailer Brakes NA	287.00
	RE58827	Electrical: 9-Pin Connector Implement Feedback Required for Touch-Set Depth Control.	132.00
	RE324685	Battery Disconnect Switch	174.00
	RE322555	Front Implement CAN Communication Connector	125.00
	RE325915	Heater, Cold Weather Auxiliary Package, 110V Contains block heater, ether aid canister and hydraulic pump heater. Compatible on 9.0L IVT.	502.00
	RE325913	Heater, Cold Weather Auxiliary Package, 110V Contains block heater, transmission heater, ether aid canister and hydraulic pump heater. Compatible on 9.0L PQ, AQ, and CQ Transmissions.	570.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE21519	Implement Switch with 10 Ft. Harness	168.00
	RE324687	Mounting Parts for Radar with Dual Beam Sensor Compatible with IVT Transmissions. Must order radar separately.	145.00
	RE324688	Mounting Parts for Radar with Dual Beam Sensor Compatible with PQT Transmissions. Must order radar separately.	176.00
	RE278980	Radar with Dual Beam Sensor	See Parts

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE278984	ATTACHMENTS FOR FIELD CONVERSIONContinued Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts
	RE337169	Transmission Backup Alarm	295.00
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	26.00
	RE325917	Engine: Cold Weather Starting Package Includes Switch and Ether Aid Canister. Only compatible with 9.0L.	120.00
	RE315285	Fuel/Water Separator Kit, Severe Duty Compatible with 9.0L. Also order W54363 and hardware for loader.	647.00
	RE323950	Fenders: Fenders, Deluxe Pivoting Front for MFWD - 18.7 In. (480 mm) Wide Kit does not contain fender support rods. Rods are dependent on front tire size. Please reference installation instructions for further information.	1,356.00
	RE323949	Fenders, Deluxe Pivoting Front for MFWD - 24.4 In. (620 mm) Wide Kit does not contain fender support rods. Rods are dependent on front tire size. Please reference installation instructions for further information.	1,356.00
	RE324406	Fenders, Extra Width Rear Fender Extensions	276.00
	RE318606	Fenders, Full Coverage Rear 2.55 meter (100 In. Width)	500.00
	RE329076	Front Hitch Hydraulic Mid-Mount Valves: Front Hitch Valve (100 ml.) Compatible on all Tractors that are front hitch ready with TLS. If additional valves are not required, also order (2) RE305393.	1,943.00
	RE329075	Front Hitch Valve (100 ml.) Compatible on all IVT Tractors that are front hitch ready without TLS. If additional valves are not required, also order (2) RE305393.	1,943.00
	RE329074	Front Hitch Valve (100 ml.) Compatible on AQ, PQ, CQ transmissions that are front hitch ready without TLS. If additional valves are not required, also order (2) RE305393.	1,943.00
	RE329078	Second SCV for Front Hitch (140 ml.) Compatible on all Tractors that are front hitch ready with TLS. If additional valves are not required, order (1) RE322693.	1,199.00
	RE329077	Second SCV for Front Hitch (140 ml.) Compatible on all Tractors that are front hitch ready with MFWD. If additional valves are not required, order (1) RE322693.	1,199.00
	RE329080	Third SCV for Front Hitch (140 ml.) Compatible on all Tractors that are front hitch ready with TLS.	1,199.00

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE329079	ATTACHMENTS FOR FIELD CONVERSIONContinued Third SCV for Front Hitch (140 ml.) Compatible on all Tractors that are front hitch ready with MFWD.	1,199.00
	RE324072	Guards: Guards, Undercarriage Crop Shield Protects transmission and wiring harness.	139.00
	RE326620	Hitch and Drawbar: 3-in-1 Hitch Rails	1,244.00
	RE326580	Carrier to Ground Engaging, Hitch Conversion Kit Converts Codes 8407, 8408, 8410 from carrier to ground engaging.	2,601.00
	RE330569	Drawbar Kit, Cat. 3 High Vertical Load (10,000 Lb. Capacity)	1,202.00
	RE333545	Forced Steering Hitch Kit	1,346.00
	RE327692	Front Hitch Chain Hooks	196.00
	RE326447	Front Hitch Ready - Add Carrier Hitch	4,721.00
	RE326450	Front Hitch Ready - Add Ground Engaging Hitch Converts Code 841G, from front hitch ready to ground engaging.	5,576.00
	RE326626	Pick-Up Hitch Kit (Long) For use with Sway Blocks.	4,571.00
	RE326624	Pick-Up Hitch Kit (Short) For use with stabilizer.	4,359.00
	RE330573	Rear Hitch Hydraulic Center Link	1,267.00
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N)	1,529.00
	RE333036	Stabilizer Bracket Shield Hitch Kit	155.00
	RE326622	Wagon Hitch Auto Coupler Requires RE326620 3-in-1 Hitch Rail Kit.	1,152.00
	RE327558	Hydraulics: 4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers	1,445.00
	RE327559	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers Not compatible with PowrQuad PLUS or AutoQuad PLUS Transmission Codes 1430, 1431, or 1451. Included in the CommandArm with CommandQuad and IVT Codes 1500, 1501, 1550, 1551, 1552, or 1553.	1,445.00

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE327560	ATTACHMENTS FOR FIELD CONVERSIONContinued 6th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers Not compatible with PowrQuad PLUS or AutoQuad PLUS Transmission Codes 1430, 1431, or 1451. Included in the CommandArm with CommandQuad and IVT Codes 1500, 1501, 1550, 1551, 1552, or 1553.	1,909.00
	RE315307	Auxiliary Hydraulic Reservoir	883.00
	RE327561	Hydraulic Motor Return Kit with Case Drain	164.00
	RE300468	Hydraulic Motor Return Kit without Case Drain For case drain, order case drain kit separately.	106.00
	RE328941	Implement Single Lever Control Lift Assist Kit	84.00
	RE333857	Mid-Mount EHCV 2 or 3 Function EH Single Lever Control (Joystick) and Mounting Parts for RH Console Not compatible with IVT Transmissions. Only compatible with RH Console.	1,760.00
	RE333856	Mid-Mount EHCV 2 or 3 Function EH Single Lever Control (Joystick) and Mounting Parts for RH Console with Speed Shifting Compatible with AQT, PQT, CQT, and RH Console.	2,277.00
	RE333854	Mid-Mount EHSCV 2 or 3 Function EH Single Lever Control (Joystick) and Mounting Parts for Command Arm with Speed Shifting Compatible with AQT, PQT, CQT, and CommandARM.	2,795.00
	RE300467	Power Beyond Coupler Kit	436.00
	AR272536	Rear EHSCV Single Lever Control (Joystick) and Mounting Parts for CommandArm Compatible with IVT Transmission. Compatible with all CQT's except in Region 4.	1,563.00
	RE334683	Lighting: Auxiliary Driving / Loader Light Kit	227.00
	RE334627	Front HID Light Kit	1,788.00
	RE326320	Lights, Two Roof-Mounted 65W Halogen Front Flood Lights	140.00
	RE334623	Rotary Beacon Light Kit	382.00
	RE329083	Loader Auxiliary Mid-Mount Valves: First & Second Remote (100 ml.) w/ AQ, PQ, CQ, without TLS If additional valves are not required, order (1) RE322693.	2,534.00
	RE329084	First & Second Remote (100 ml.) with AutoPowr / IVT, without TLS If additional valves are not required, order (1) RE322693.	2,534.00
	RE329085	First & Second Remote (100 ml.) with TLS If additional valves are not required, order (1) RE322693.	2,069.00
	RE329086	Third Remote (140 ml.) If additional valves are not required, order (1) RE322693.	1,137.00

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE67016	Operator Environment: 3-Pin Adaptor for Power Strip	See Parts
	RE67015	3-Way Convenience Adapter for Power Strip	See Parts
	RE317435	Accessory Mounting Bracket	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00
	RE275532	Ash Tray	See Parts
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	RE323407	External Mirrors, Electrically Adjustable RH and LH Conversion Kit	594.00
	RE293499	External Mirrors, Electrically Telescoping and Heated Mirror Heads	1,696.00
	RE323405	External Mirrors, Manually Adjustable RH and LH	265.00
	RE321017	Foot-Operated Speed Control	125.00
	RE68495	Power Strip with Six Outlets	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit	295.00
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE326509	Step Kit, Right Hand Step	362.00
	RE324084	Step Mud Guard, LH	106.00
	RE261504	Sun Shade, Front Pull Down	See Parts
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	RE269618	Windshield Wiper with Washer, Rear	193.00
	RE326849	PTO: Front PTO Common Mounting Parts Also order R325433 for 9.0L or R325432 for 6.8L.	1,141.00
	RE302017	Independent Front PTO with 1-3/4 In. 20-Spline, 1000 RPM Clockwise-Rotating Shaft as Viewed from Front (Type 3)	See Parts
	RE323421	Independent Front PTO with 1-3/8 In. 21-Spline, 1000 RPM Clockwise-Rotating Shaft as Viewed from Front (Type 2)	See Parts
	RE302014	Independent Front PTO with 1-3/8 In. 6-Spline, 1000 RPM Counter Clockwise-Rotating Shaft as Viewed from Front (Type 1)	See Parts

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE331560	SCV Parts: Paddle Pot Pod, Common Parts Only compatible on Tractors with CommandARM. Order single paddle potentiometer separately. See instructions RE331562 for more information.	95.00
	RE331559	Single Paddle Potentiometer Order decals and levers separately. See instructions RE331561 for more information.	See Parts
	RE298885	Software Downloads: Intelligent Power Management Provides up to an additional 30 Engine hp for non-stationary rear PTO and transport applications. Download through Service Advisor's software delivery system. Includes instruction and download only. See Ag Sales Manual for ground speed specifications.	See Parts
	RE305729	Language Group for CommandCenter - English, Croatian, Serbian, Slovenian, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305727	Language Group for CommandCenter - English, Danish, Swedish, Finish, Norwegian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305726	Language Group for CommandCenter - English, Estonian, Latvian, Lithuanian, Polish, Russian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305725	Language Group for CommandCenter - English, French, Dutch, Icelandic, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305730	Language Group for CommandCenter - English, Greek, Turkish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305731	Language Group for CommandCenter - English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305728	Language Group for CommandCenter on IVT/AutoPowr Tractors - English, Hungarian, Czech, Slovak, Romanian, Bulgarian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BPF10312	ATTACHMENTS FOR FIELD CONVERSIONContinued Non-John Deere Guidance Compatibility Activation - AutoFarm/Novariant Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10313	Non-John Deere Guidance Compatibility Activation - Hemisphere/Outback Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10433	Non-John Deere Guidance Compatibility Activation - Leica Geosystems Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10311	Non-John Deere Guidance Compatibility Activation - Raven Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10363	Non-John Deere Guidance Compatibility Activation - Trimble Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AL113121	Weights: Centerlink Kit for Hitch Mounting 900 or 1150 kg Large Weights	207.00
	RE326583	Front Hitch Ready Weight Support	774.00
	R288797	Standard Front Weight Support	375.00
	AL172542	Weight, 1150 kg Large Front Mounted	3,585.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R167151	Weight, Inner Wheel, 1400 Lb.	1,903.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg)	282.00
	RFR207782	Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights)	2,658.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00
	R207782	Weight, Wheel, 450 Lb.	664.00
	AR190666	Wheel Equipment: One 10 In. Dual Hub Extension For use with standard duty 6 bolt wheel hubs.	759.00
	AR190668	One 13 In. Dual Hub Extension For use with standard duty 6 bolt wheel hubs.	844.00

7230R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AR190669	ATTACHMENTS FOR FIELD CONVERSIONContinued One 15 In. Dual Hub Extension For use with standard duty 6 bolt wheel hubs.	884.00
	AR194744	One 5 In. Dual Hub Extension For use with standard duty 6 bolt wheel hubs.	685.00
	RE267658	Three Meter Front Wheel Spacer Not compatible with Tractors equipped with front brakes.	3,063.00

7260R Tractor

Equipment for Base Machine

```
ENGINE:
                                                                 Engine Oil Pressure Gauge
John Deere PowerTech Diesel
In-line 6-Cylinder Wet-Sleeve
with High Pressure Common Rail (HPCR)
Fuel System and 24 Valve Head
260 Engine hp 97/68/EC @ Rated Speed
215 SAE PTO hp @ Rated Speed
                                                                 Engine Coolant Temperature Gauge
                                                                 Fuel Level Gauge with
Low Fuel Warning Signal
                                                                 Engine RPM Indicator
                                                                 Status Indicators for MFWD
                                                                   Differential Lock
Air to Air Intercooled
Automatic Shutdown System
                                                                   Rear PTO Speed
                                                              CommandCenter Display includes:
GreenStar 3 Application Capability
Dry Type Air Cleaner with Safety Element
                                                                 Video Capability with Tractor Function
  and Dirt Aspiration System
Tilt Hood Enclosure with Side Panels
                                                                   Activated Triggers
                                                                 AutoTrac and Swath Control Pro
Viscous Fan
Electric Fuel Shutoff
                                                                   Activations Required
Electric Thermal Assist Starting Aid Coolant Conditioner Additive
                                                                 Access Manager
                                                                 Universal Performance Monitor
                                                                 Display Function Definable by Operator
Coolant Recovery System Fuel Filter and Pre-Filter
                                                                    % Slip
Fuel Water Separator with Sensor
Self Priming and Bleeding Electronic Fuel Pump
                                                                   Ground Speed
PTO Speed
530 L (140 US Gal.) Fuel Tank
B2 Biodiesel from the Factory
                                                                   Engine Hours
Hydraulic Settings
Lockable Fuel Cap
Engine Oil Filter
                                                                   Hitch Settings
Hitch Slip Command
Electronic Injection and Governor Control
                                                                   Productivity
                                                                   Efficiency
TRANSMISSION:
                                                                   Area
40k (25mph) AutoQuad PLUS Eco with
                                                                   Adjustable PTO Modulation
                                                                   Implement Width
  20 Forward/20 Reverse Speeds and Left Hand
                                                                   Service Hours
Reverser
Reduced engine rpm's at max transport speed Perma-Clutch II (Hydraulically Engaged
                                                                   Voltage
                                                                   Fuel Consumption Rate
  Wet-Disk Clutch)
                                                                   Temperatures
Speed Matching
                                                                   Time of Day
                                                                   Ambient Temperature
Park Lock
                                                                 Set and Adjust Time and Flow of
Neutral Safety Start System
                                                                   Individual Selective Control Valves
STEERING, BRAKES DIFFERENTIAL:
                                                                 ITEC Tractor and Implement Function Control
Load-Sensing Hydraulic Power Steering
Wet-Disk Hydraulic Power Brakes
                                                              Languages:
Tilt/Telescoping Memory Steering Wheel
                                                                   For a complete list of languages refer to the
Hydraulically-Engaged Rear Differential
                                                                   Ag Sales Manual
  Lock
                                                              OPERATOR PROTECTIVE STRUCTURE:
HYDRAULICS:
                                                              Deluxe CommandView II Cab
                                                                 Tilt/Telescoping Memory Steering Wheel
Pressure and Flow Compensating Axial
  Piston Pump
                                                                 Comfort Command Seat with
45 GPM (174 L/min) Pump Output
                                                                   Air Suspension, Swivel
35 GPM (132 L/min) Flow @ One SCV
                                                                   Fore-Aft Lateral Attenuation
65L of Take Out Oil
                                                                   Lumbar Support
Three Electrohydraulic Remote Selective
                                                                   Backrest Adjustment with
  Control Valves with Push/Pull
                                                                   Intergrated CommandARM Controls
  ISO Breakaway Couplers and
                                                                 Adjustable Position CommandARM with
  High Pressure Relief Levers
                                                                   Integrated CommandCenter Display
                                                                 Swing-Out Rear Window (30 Degrees)
                                                                 Tinted Glass
Independent 1000 RPM, 45 mm
                                                                 Air Conditioner and Heater
  (1-3/4 \text{ In.}) 20 Spline
                                                                Two Speed and Intermittent Front Wiper
PTO Safety Start System
                                                                   and Rear Wiper
Seat-Activated PTO Warning
                                                                 Front and Rear Windshield Washer
Adjustable Engagement Modulation
                                                                 Pull Down Front Sun Visor
                                                                 Rear Under Seat Storage
ROCKSHAFT, HITCH AND DRAWBAR:
                                                                 Folding Instructional Seat
                                                                 Left Hand Storage
Electrohydraulic Hitch with Transport
  Lock and External Remote Control Switch
                                                                 Two Beverage Holders
Dual Cylinder Rear Hitch
                                                                 Right and Left Outside Mirrors
3-Point (Category 3/3N) Hitch
Fixed Length Draft Links Arms
                                                                 Less Radio and Speakers
                                                                 Includes Wiring Harness for Radio
Category 3 Adjustable Drawbar
                                                                   and Speakers
Secondary Implement Chain Support
                                                                 Inside Cab Mounted Rear View Mirror
Sway Blocks with
                                                                 Passive Noise Reduction System
  Tapered Wedge Adjustment
                                                              Backlit Right Hand Console Controls
Hitch Dampening
                                                                 with Adjustable Brightness
Center Link Adjustment Handle
                                                              ELECTRICAL:
INSTRUMENTATION:
                                                              Key Engine Shutoff
                                                              12V Electrical System
Corner Post Digital Instrument Panel includes:
```

7260R Tractor

Continued

Two 925 CCA** 12V Batteries
Two 12V Electrical Convenience Outlet
Two 12V Electrical 3-Pin Outlet
with Adapter
Battery Boost Terminal
200 Amp Alternator
SmartCircuit Current Load Monitoring
System with Fuse Panel
7-Terminal Rear Implement Electrical
Outlet Socket
Integrated ISO Radar Connector
StarFire ITC or Radar Speed
Input Harness
ServiceADVISOR Data Port

LIGHTS:

Six Front Grill Mounted Lights Ten Cab Roof Mounted Lights Two Rear Fender Flood Lights Extremity, Brake, Turning, and Hazard Lights

AXLE, WHEELS AND TIRES: 1300 MFWD Front Axle with Limited Slip Differential and Driveline Shield Rear Axle and Wheels and Tires AG MANAGEMENT SOLUTIONS:
Integrated Plug-In for GreenStar Display
Deluxe StarFire Receiver Bracket
GreenStar Ready harness with Implement
Circuit Gateway and Integrated
GreenStar Display Plug-In
Connector (ISO 11783 Compatible)
AutoTrac Ready Components:
Wiring, SSU, Front WheelAngle Sensor and Electro-Hydraulic
Steering Valve
Right Side Convenience Step

MISCELLANEOUS: Horn PTO Master Shield Tool Box Operator's Manual

**Cold Cranking Amperes

ATTACHMENT CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

1.209.00

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Waterloo, Iowa

7630RW 7260R Tractor 217,581.00

DESTINATION

A Code must be chosen for each Tractor ordered.

North America

0184 Canada

Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription.

Requires Code 8336 (9.0L) Stage 3b/IT-4 Compliant Engine.

Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab.

Code 7200 Standard Lighting.

Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38mm Pin.

Code 4034 - 6,894 kg (15,200 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler.

Code 5066 110 mm (4.33 In) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5601 480/80R50 In. 159A8 RIW Radial Rear Dual Wheels and Tires. Code 6203 420/85R34 In. 147A8 RIW Radial Front Single Wheels and Tires.

7260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0202		DESTINATIONContinued United States Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8336 (9.0L) Stage 3b/IT-4 Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38mm Pin. Code 4034 - 6,894 kg (15,200 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 5066 -110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5001 480/80R50 In. 159A8 RIW Radial Rear Dual Wheels and Tires. Code 6203 420/85R34 In. 147A8 RIW Radial Front Single Wheels and Tires.	1,209.00
0078		ASIA Israel Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less AutoTrac Activation Requires Code 1885 JDLink Capable. Requires Code 8336 (9.0L) Stage 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38mm Pin. Code 4034 - 6,895 kg (15,200 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 5045 3-15/16 In. (100 mm) Diameter x 100.4 In. (2550 mm) Length Rear Axle. Code 5133 650/65R42 In. 158A8 RIW Radial Single Rear Wheels and Tires. Code 6110 600/65R28 In. 154A8 RIW Radial Front Single Wheels and Tires.	Same Price
		VALUE PACKAGE CONFIGURATIONS	
0500		No Package Order one Code from each box in the Price Pages.	In Base Price
0511		AutoPowr IVT Transmission Premium Package Includes Codes 2061 or 2062, 1823 or 1826, 1550 or 1551 or 1552 or 1553, 7202, 2661 or 2662, 3240 or 3260.	-1,500.00
0512		iPackage AutoPowr IVT Includes Codes 2061 or 2062, 1833, 1823 or 1826, 1846, 1847, 1848, or 1849, 1837 or 1838, 1887 or 1888 or 1889, 1550 or 1551 or 1552 or 1553, 7202, 2661 or 2662, 3240 or 3260.	-2,000.00
		OPERATOR STATION	
2050		CommandView II Cab Includes: ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest controls with Integrated CommandCenter Display. Remote Radio Controls located on CommandARM. Front Windshield Washer and Wiper. Manual Temperature Controls located in cab roof. Not compatible with PowrQuad or AutoQuad transmissions. Folding Instructional Seat.	-4,398.00
2059		Deluxe CommandView II Cab Includes: ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter	In Base Price

7260R Tractor

Continued

SUGGESTED
ATTACHMENT LIST PRICE
CODE IDENTIFIER DESCRIPTION USD (\$)

OPERATOR STATION ...Continued...

Display. Remote Radio Controls Located on CommandARM.

Front and Rear Windshield Washer and Wiper.

Automatic Temperature Control with controls located on CommandARM.

Front Pull Down Sun Shade.

Right and Left Outside Mirrors (Manual Adjustment).

Power Strip with Convenience Plug Adapter.

Programmable Egress Lighting. Folding Instructional Seat.

Not Compatible with PowrQuad or AutoQuad Transmissions.

Right Hand Steps.

2061 Premium CommandView II Cab with Active Seat

867.00

Includes:

Active Seat with Fore-Aft and Lateral Attenuation and Lumbar Support.

Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter

Display.

Remote Radio Controls Located on CommandARM. Front and Rear Windshield Wiper and Washer.

Automatic Temperature Control with controls located on CommandARM.

Front Pull Down Sun Shade.

Power Strip with Convenience Plug Adapter.

Programmable Egress Lighting.

Right and Left Outside Mirrors (Electrically Adjustable).

Folding Instructional Seat.

Not Compatible with PowrQuad or AutoQuad Transmissions.

Folding Instructional Seat.

Right Hand Steps.

2062 Premium CommandView II Cab with Cab Suspension

1,495.00

Includes:

Cab Suspension

ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter

Display.

Remote Radio Controls Located on CommandARM. Front and Rear Windshield Wiper and Washer.

Automatic Temperature Control with controls located on CommandARM.

Front Pull Down Sun Shade.

Power Strip with Convenience Plug Adapter.

Programmable Egress Lighting.

Right and Left Outside Mirrors (Electrically Adjustable).

Folding Instructional Seat.

Not Compatible with PowrQuad or AutoQuad Transmissions.

Right Hand Steps.

DISPLAY

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac and Swath Control Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

GS3 CommandCenter, 7" Color Display

1821

In Base Price

Includes Access Manager user lockout software.

With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro and Pivot Pro will function on the CommandCenter display with activations sold separately.

Does not include a cornerpost bracket for mounting an additional GreenStar Display.

7260R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DISPLAYContinued	
		GS3 CommandCenter is not compatible with video.	
1823		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable Includes Access Manager user lockout software, and video capability. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. One video camera input pre-wired in the cab. Connector located on the outside rear of the cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. See Parts for available cameras.	1,260.00
		Does not include a cornerpost bracket for mounting an additional GreenStar Display.	
1825		GS3 CommandCenter 7" Color Display with GreenStar 3 2630 Display Includes Access Manager user lockout software. Includes GreenStar 3 Display 2630, harness, and A-post mounting bracket installed on cornerpost. Includes GreenStar 3 Display 2630 Operator's manual with the language translation to match the Tractor Operator's manual language translation. Note: When a GreenStar 3 Display 2630 is connected at the cornerpost, all GreenStar applications must be run on the cornerpost display. Warranty on GreenStar 3 Display 2630 will be handled by AMS and will carry normal AMS warranty terms. With a Starfire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro and Pivot Pro will function on the CommandCenter display with activations sold separately. GS3 CommandCenter is not compatible with video.	5,895.00
1826		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable with GreenStar 3 2630 Display Includes Access Manager user lockout software, and video capability. Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed on cornerpost. Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation. The GS3 CommandCenter is pre-wired with one video input in the cab. Connector located on the outside rear of cab. Video software can be configured in the CommandCenter using tractor function activated triggers. In addition, the GreenStar 3 2630 Display has the capability of one video input. Requires camera and harnessing for video capabilities. See Attachments for harnessing at GreenStar Harnesses in the AMS Price Pages and Ag Sales Manual for list of compatible cameras. When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the cornerpost display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	7,160.00

RECEIVER

StarFire 3000 Position Receivers can be ordered in two configurations:
-SF1 World Solution, a no-charge differential correction signal that provides non-row-crop

-SF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting

-RTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for configurations.

7260R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RECEIVERContinued In addition, each StarFire 3000 receiver is capable of utilizing the free Wide Area Augmentation System (WAAS) signal.	
		GPS serial port information (NMEA) is available through a StarFire 3000 SF1 World Solution or StarFire 3000 SF2 Ready receiver when it is connected to a GreenStar System, or when it has a valid SF2 license or RTK activation being used with a non-Deere system.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1835		Less StarFire 3000 Receiver Tractor includes deluxe receiver mounting bracket only.	In Base Price
		When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.	
1837		StarFire 3000 Receiver - SF1 World Solution with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.	2,695.00
		Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 receiver can be upgraded to SF2 capabilities.	
1838		StarFire 3000 Position Receiver - SF2 Ready with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.	4,695.00
		A StarFire 3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available through StellarSupport.com or by calling the AMS Customer Call Center.	
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS	

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold separately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac and Swath Control Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact Stellar Support to activate AutoTrac and/or iTEC Pro on the GreenStar 3 2630 Display, referencing Tractor COMAR order number.

Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on activations will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1845 Less AutoTrac Activation - GS3 In Base Price

1846 AutoTrac SF1 Activation - GS3 3,000.00

7260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONSContinued Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) for AutoTrac functionality. See AMS sales manual and price pages for detailed information.	
1847		AutoTrac SF2 Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires SF2 Subscription sold seperately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	6,500.00
1848		AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See AMS sales manual and price pages for detailed information.	5,500.00
1849		AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. Also requires SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	9,000.00
		MACHINE CONNECTIVITY	
		Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine Hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features this includes: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately.	2,400.00

7260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued In addition to JDLink Select features this includes: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability.	1,200.00
		Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	
		ACTIVECOMMAND STEERING	
1833		John Deere ActiveCommand Steering (ACS) Not compatible with Codes 1430, 1431, or 1451.	3,209.00
1834		Less John Deere ActiveCommand Steering (ACS)	In Base Price
		TRANSMISSION	
1550		AutoPowr IVT Transmission 25 mph (40 km/h) with Right Hand Reverser Control and Field Cruise Requires CommandARM Cab. Not compatible with Code 6020.	In Base Price
1551		AutoPowr IVT Transmission 25 mph (40 km/h) with Left Hand Reverser Control and Field Cruise Requires CommandARM Cab. Not compatible with Code 6020.	2,518.00
1553		AutoPowr IVT Transmission 31 mph (50 km/h) with Right Hand Reverser Control and Field Cruise Requires Air or Hydraulic trailer brakes, TLS Plus with front brakes, front fenders. Requires Symbol B (31 mph/50K) Front and Rear Tires, ordered from the tire section in this price list. Not compatible with Code 6020.	Same Price
1552		AutoPowr IVT Transmission 31 mph (50 km/h) with Left Hand Reverser Control and Field Cruise Requires Air or Hydraulic trailer brakes, TLS Plus with front brakes, front fenders. Requires Symbol B (31 mph) Front and Rear Tires, ordered from the tire section in this price list. Not compatible with Code 6020.	2,518.00
		LIGHTS	
7200		Standard Lighting Six Front Grill Mounted Lights: Two 65 W Low Beam Driving Lights, two 65 W High Beam Driving Lights and two Front Corner Facing Halogen Work Lights. Ten Cab Roof Mounted Lights: Two Rear and four Side Facing 65 W Flood lights and four Corner Facing Amber Lights. Two Rear Fender Mounted Flood Lights and two Rear Turn Signal and Brake Lights. Two Folding Extremity Lights.	In Base Price
7201		Deluxe Lighting	789.00

7260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		LIGHTSContinued Includes Standard Lights plus two adjustable front roof 65W halogen floodlights, two front belt-line work lights, and rotary beacon light.	
7202		Premium Lighting Includes Deluxe Lights, and additionally in the front grill screen, two front corner HID lights replace two front halogen lights and one HID light and one 65W halogen flood light are added. Two rear fender lights are replaced with HID lights.	3,442.00
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers.	-673.00
2660		Deluxe Radio Package AM/FM Stereo with Clock, Remote Controls. Auxiliary Input Jack located on front of Radio. Four Speakers and External Antenna.	In Base Price
2661		Premium Radio Package with XM Radio AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls.	345.00
		USB port on front of radio face. Auxiliary Input Jacks located in right hand storage console and on radio face. BlueTooth capable including microphone. Integrated BlueTooth Phone Book connection through CommandCenter. XM Satellite capable including Satellite Antenna (Subscription Required). Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured	
2662		on the CommandCenter Display. Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls. Auxiliary Input Jack located in right hand storage console and on radio. BlueTooth capable including microphone. Integrated BlueTooth Phone Book connection through CommandCenter. Four Speakers, Subwoofer, and External Antenna.	242.00
		REMOTE SELECTIVE CONTROL VALVES	
3331		Three Deluxe Rear Remote Selective Control Valves with Electro-Hyraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers EHSCVs are mounted on right hand console with PowrQuad PLUS or AutoQuad PLUS Transmissions (Codes 1430, 1431 or 1451), and included in the CommandARM with CommandQuad and IVT (Codes 1500, 1501, 1550, 1551, 1552, or 1553).	In Base Price
3341		Four Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers EHSCVs are mounted on right hand console with PowrQuad PLUS or AutoQuad PLUS Transmissions (Codes 1430, 1431 or 1451), and included in the CommandARM with CommandQuad and IVT (Codes 1500, 1501, 1550, 1551, 1552, or 1553).	1,875.00
3351		Five Deluxe Rear Remote Selective Control Valves with Electro-Hydraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers Not compatible with PowrQuad PLUS or AutoQuad PLUS Transmissions (Codes 1430, 1431 or 1451). Included in the CommandARM with CommandQuad and IVT (Codes 1500, 1501, 1550, 1551, 1552, or 1553).	3,752.00
3361		Six Deluxe Rear Remote Selective Control Valves with Electro-Hydraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers	5,627.00

7260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REMOTE SELECTIVE CONTROL VALVESContinued Not compatible with PowrQuad PLUS or AutoQuad PLUS Transmissions (Codes 1430, 1431 or 1451).	
		Included in the CommandARM with CommandQuad and IVT (Codes 1500, 1501, 1550, 1551, 1552, or 1553). Requires Option Code 841K.	
		Not Compatible with Option Codes 8910, 8410, 8411, 834L, and 834M.	
		REAR POWER TAKE OFF	
3810		1-3/4 In. (45mm) 1000 rpm PTO (20 Spline) Option is never compatible with 1-3/8 In. (35mm) 540 (6 Spline) / 1000 (21 Spline) rpm PTO.	In Base Price
3820		1-3/4 In. (45mm) 1000 rpm PTO (20 Spline), 1-3/8 In. (35mm) 540 (6 Spline) / 1000 (21 Spline) rpm PTO with Shifting at the rear of the Tractor	1,510.00
3830		1-3/8 In. (35mm) 540 Economy rpm (6 Spline) / 1000 (21 Spline) / 1000 Economy (21 Spline) rpm PTO 1-3/4 In. (45mm) 1000 (20 Spline) rpm PTO	2,360.00
		Electronicly Shiftable in Cab. One-Piece Reversible 1-3/8 In. Shaft and Single Side 1-3/4 Shaft Economy speed at 1730 engine rpm.	
3831		1-3/8 In. (35mm) 540 (6 Spline) / 540 Economy (6 Spline) rpm / 1000 (21 Spline) rpm PTO. 1-3/4 In.(45mm) 1000 (20 Spline) rpm PTO.	2,360.00
		Electronicly Shiftable in Cab, One-Piece Reversible 1-3/8 In. Shaft and Single Side 1-3/4 Shaft Economy speed at 1730 engine rpm.	
		DRAWBAR AND TRAILER HITCH	
4320		Category 3 Adjustable Swing Drawbar for use with a 38 mm Pin Does not include clevis. For clevis, order Code 8435.	In Base Price
4323		Category 3 Drawbar, High Vertical Load (10,000 Lb. Capacity) with Clevis and 1.50 ln. (38 mm) Pin	1,019.00
		HITCH, COUPLER, AND STABILIZER	
4000		Less 3-Point Hitch Requires Code 3331.	-6,607.00
4034		6,894 kg (15,200 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler <i>Includes solid, non-adjustable draft links and sway blocks.</i>	In Base Price
4045		7,847 kg (17,300 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler Includes solid, non-adjustable draft links and sway blocks.	913.00
		HYDRAULIC PUMP	
3240		43 gpm / 163 L/Min. Hydraulic Pump (63cc)	In Base Price
3260		59 gpm / 223 L/Min. Hydraulic Pump (85cc)	1,162.00
		REAR AXLES	

7260R Tractor

Continued

SUGGESTED LIST PRICE USD (\$)	T DESCRIPTION	ATTACHMENT E IDENTIFIER	CODE
-455.00	REAR AXLESContinued 4.33 In. (110 mm) Dia x 100.4 In. (2550 mm) Length Not compatible with duals. Requires Code 4036, 4031, 4041 or 4034. Not compatible with Code 5090.		5065
In Base Price	4.33 In. (110 mm) Dia x 118.5 In. (3012 mm) Length Requires Code 4036, 4031, 4041 or 4034. Not compatible with Code 5090.		5066
-455.00	4.72 In. (120 mm) Dia x 100.4 In. (2550 mm) Length Not compatible with duals. Requires Code 4042, 4043, 4044, 4045. Not compatible with Code 5090.		5052
559.00	4.72 In. (120 mm) Dia x 118.5 In. (3012 mm) Length Requires Code 4042, 4043, 4044, 4045. Not compatible with Code 5090.		5042
	WHEELS AND HUBS		
In Base Price	Cast Wheels with Double Taper Hubs		5092

REAR WHEELS & TIRES (Single and Dual Configurations)

The models will be installed as listed. The company reserves the right to substitute another model without written notice.

For complete tire and wheel information, refer to the Agricultural Sales Manual or individual tire manufacturer's handbook.

Some tire sizes and/or brands are excluded from manufacturer warranty when used in specialty applications (e.g. use on Scraper Tractors). Please refer to the tire manufacturer's handbook for specific warranty guidelines.

Overloading of tires is prohibited.

REAR WHEELS AND TIRES FOR 40 km/h TRANSMISSIONS:

A8 Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) Listed Narrowest to Widest

Listed Singles to Duals

Available in Firestone or Goodyear.

For MFWD, use with any A8 Speed Rated RCI Group 42 Front Tire with same brand preference.

	For tractors equipped with heavy ballast, duals are recommended to avoid overloading tire Mixing of R1 and R1W tread types between Front and Rear Tires is Permitted.	S.
5500	320/90R54 In. 149A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-748.00
5501	380/90R50 In. 151A8 R1W Radial Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-3,464.00
5502	480/80R46 In. 158A8 R2 Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6103.	-384.00
5103	480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration	-12,190.00

7260R Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)	
5503		Continued 480/80R46 In. 158A8 R1 Radial in Dual Configuration Available in Firestone or Goodyear.	-3,032.00
5104		480/80R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-10,531.00
5504		480/80R46 In. 158A8 R1W Radial in Dual Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-297.00
5105		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Firestone or Goodyear.	-12,254.00
5505		520/85R42 In. 157A8 R1 Radial in Dual Configuration Available in Firestone or Goodyear.	-3,160.00
5106		520/85R42 In. 157A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, or Michelin.	-10,946.00
5506		520/85R42 In. 157A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear, or Michelin.	-544.00
5108		520/85R42 In. 157A8 R2 Radial in Single Wheel Configuration Available in Firestone or Goodyear.	-10,318.00
5508		520/85R42 In. 157A8 R2 Radial in Dual Configuration Available in Firestone or Goodyear.	712.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Configuration Available in Firestone, Michelin, or Goodyear.	2,528.00
5123		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear or Michelin.	-9,410.00
5132		650/65R42 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-8,255.00
5124		650/65R42 In. 170A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-8,176.00
5110		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear.	-8,098.00
5510		710/70R38 In. 166A8 R1W Radial in Dual Configuration Available in Firestone, Michelin, or Goodyear.	5,152.00
5117		IF 710/70R38 178A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-7,494.00

7260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)Continued	
		A8 Speed Rated RCI Group 48 Size Tires (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals Use with any A8 Speed Rated RCI Group 43 Front Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
5600		380/90R54 In. 152A8 R1W Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Not compatible with Code 5090.	-32.00
5201		480/80R50 In. 159A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas/Continental, Titan or Michelin. Mitas/Continental available in US and Canada only.	-10,676.00
5601		480/80R50 In. 159A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear, Mitas/Continental, Michelin or Titan. Not compatible with Code 5090. Mitas/Continental available in US and Canada only.	In Base Price
5202		IF 480/80R50 166A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-8,870.00
5602		IF 480/80R50 166A8 R1W Radial in Dual Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	3,608.00
5203		520/85R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Michelin or Mitas/Continental. Mitas/Continental availabe in US and Canada only.	-10,880.00
5603		520/85R46 In. 158A8 R1W Radial in Dual Configuration Available in Firestone, Michelin, Mitas/Continental, or Goodyear. Mitas/Continental available in US and Canada only.	-412.00
5204		520/85R46 In. 158A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires Front Tire Code 6206. Requires No Brand Preference Code 5999.	-10,632.00
5604		520/85R46 In. 158A8 R2 Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Compatible Front Tire Code 6206.	84.00
5205		620/70R46 In. 167A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-9,008.00
5605		620/70R46 In. 167A8 R1W Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	3,332.00
5222		650/85R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin, Goodyear, or Mitas/Continental. Mitas/Continental available in US and Canada only.	-8,276.00

7260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)	
5622		Continued 650/85R38 In. 173A8 R1W Radial in Dual Configuration Available in Goodyear, Michelin, or Mitas/Continental. Mitas/Continental available in US and Canada only.	4,796.00
5218		IF 650/85R38 In. 179A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Front Tire Code 6214. Requires No Brand Preference Code 5999.	-5,847.00
5618		IF 650/85R38 In. 179A8 R1W Radial in Dual Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	9,071.00
5206		710/70R42 In. 168A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-7,746.00
5606		710/70R42 In. 168A8 R1W Radial in Dual Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Not compatible with Code 5090.	5,856.00
5207		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Goodyear, Michelin, or Mitas/Continental. Mitas/Continental available in US and Canada only.	-7,428.00
5607		710/70R42 In. 173A8 R1W Radial in Dual Configuration Available in Michelin, Goodyear, or Mitas/Continental. Not compatible with Code 5090. Mitas/Continental available in US and Canada only.	6,492.00
5219		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin. Requires Front Tire Code 6214.	-5,740.00
5619		IF 710/70R42 In. 179A8 R1W Radial in Dual Configuration Available in Michelin or Firestone. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	9,868.00
5209		800/70R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear.	-7,152.00
5609		800/70R38 In. 173A8 R1W Radial in Dual Configuration Available In Firestone, Michelin, or Goodyear. Includes two 10 In. Axle Extensions.	7,044.00
5220		IF 800/70R38 In. 179A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Front Tire Code 6214. Requires No Brand Preference Code 5999.	-4,344.00
5620		IF 800/70R38 In. 179A8 R1W Radial in Dual Configuration Available In Michelin or Firestone. Requires Front Tire Code 6214. Includes two 10 In. Axle Extensions. Requires No Brand Preference Code 5999.	12,660.00

7260R Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)Continued	
		A8 Speed Rated RCI Group 49 Size Tires (85.5 In./2172 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals Use with any A8 Speed Rated RCI Group 44 Front Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
5450		480/95R50 164A8 R1W in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	5,096.00
5351		710/75R42 175D R1W in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-3,436.00
5352		IF710/75R42 176D R1W in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6302.	-3,171.00
		REAR WHEELS AND TIRES FOR 50 km/h TRANSMISSIONS:	
		B Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals For use with any B Rated RCI Group 42 Front Tire with same tread type and brand preference.	
5513		480/80R46 In. 158B R1 Radial in Dual Configuration Available in Firestone or Goodyear.	-2,016.00
5116		710/70R38 In. 166B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear.	-7,354.00
		B Speed Rated RCI Group 48 Size Tire (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals Use with any B Speed Rated RCI Group 43 Front Tire with same tread type and brand preference.	
5610		480/80R50 In. 159B R1W Radial in Dual Configuration Available in Firestone or Goodyear.	844.00
5211		650/85R38 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear.	-7,770.00
5215		IF 650/85R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Code 6215.	-5,847.00
5213		710/70R42 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-6,609.00

7260R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)	
5216		Continued IF 710/70R42 In. 179B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Code 6215.	-5,157.00
5217		IF 800/70R38 In. 179B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-3,761.00
		B Speed Rated RCI Group 49 Size Tires (85.5 In./2172 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals Use with any B Speed Rated RCI Group 44 Front Tire with same brand preference.	
5453		480/95R50 164B R1W in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	5,936.00
5354		710/75R42 In. 175D R1W in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-3,436.00
5355		IF710/75R42 In. 178D R1W in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Code 6307.	-2,645.00
		FRONT AXLES	
6040		1300 Series Mechanical Front Wheel Drive Axle with Driveline Shield and Limited Slip Differential	In Base Price
6060		1300 Series Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS (TLS +), Driveline Shield and Limited Slip Differential	6,791.00
6061		1300 Series Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS (TLS+), Driveline Shield, Hydraulic On/Off Differential Lock and Wet Disk Front Brakes Required for 31 mph (50 km/h) Transmissions (Code 1501, 1552 or 1553). Compatible with 19 mph (30 km/h) or 25 mph (40 km/h) Transmissions (Code 1430, 1431, 1451, 1500, 1550, and 1551).	8,286.00

FRONT WHEELS AND TIRES

For complete tire and wheel information refer to the Agricultural Sales Manual or individual tire manufacturer's handbook.

For loader compatibility information, refer to the Agricultural Sales Manual. Some tire sizes and/or brands are excluded from manufacturer warranty when used in specialty applications (e.g. use on scraper tractors).

Please refer to the tire manufacturer's handbook for specific warranty guidelines.

Overloading of tires is prohibited.

7260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		MECHANICAL FRONT WEHEEL DRIVE (MFWD) AXLE Eight Position Steel MFWD Wheels with:	
		A8 Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest Use with any A8 Speed Rated RCI Group 47 Rear Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
6106		320/85R38 In. 143A8 R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Extended lead time tire; may affect Tractor delivery date.	-472.00
6107		380/85R34 In. 137A8 R1 Radial Available in Firestone or Goodyear.	-1,028.00
6108		380/85R34 In. 137A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	509.00
6100		420/90R30 In. 142A8 R1 Radial Available in Firestone or Goodyear.	-1,304.00
6101		420/90R30 In. 147A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	-684.00
6102		420/90R30 In. 145A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999.	-700.00
6103		420/90R30 In. 142A8 R2 Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Extended lead time tire; may affect Tractor delivery date.	-608.00
6131		480/70R30 In. 152A8 R1W Radial Available in Firestone or Goodyear.	-1,020.00
6119		540/65R30 In. 143A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	1,301.00
6109		600/65R28 In. 147A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999. For use with 64 In. or wider tread setting.	1,044.00
6132		600/65R28 In. 154A8 R1W Radial Available in Michelin and Goodyear. For use with 64 In. or wider tread setting.	1,540.00

7260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		A8 Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest Use with any A8 Speed Rated RCI Group 48 Rear Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
6200		320/80R42 In. 141A8 R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999.	54.00
6201		380/80R38 In. 142A8 R1W Radial Available in Firestone, Goodyear, Mitas/Continental, Michelin or Titan. Mitas/Continental available in US and Canada only.	56.00
6202		IF 380/80R38 In. 149A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Standard, non-Increased Flexion rear tires.	966.00
6203		420/85R34 In. 147A8 R1W Radial Available in Firestone, Goodyear, Mitas/Continental or Titan. Mitas/Continental available in US and Canada only.	In Base Price
6205		480/70R34 In. 155A8 R1W Radial Available in Firestone or Goodyear.	804.00
6217		IF 420/85R34 152A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Standard, non-Increased Flexion rear tires.	4,880.00
6204		480/70R34 In. 143A8 R1W Radial Available in Michelin and Mitas/Continental. Mitas/Continental available in US and Canada only.	-68.00
6206		480/70R34 In. 146A8 R2 Radial Available in Goodyear only. Requires No Brand Preference Code 5999.	-204.00
6207		540/65R34 In. 148A8 R1W Radial Available in Michelin or Goodyear.	8.00
6208		600/70R30 In. 152A8 R1W Radial Available in Firestone, Goodyear or Michelin.	1,208.00
6214		IF 600/70R30 In. 159A8 R1W Radial Requires Code 1550 or 1551. Requires Rear Tire Code: 5603, 5619, 5219, 5618, 5218, 5220 or 5203. Available in Michelin and Firestone. Requires No Brand Preference Code 5999.	2,147.00

7260R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		A8 Speed Rated RCI Group 44 Size Tires (66 In./1676 mm Diameter) Listed Narrowest to Widest Use with any A8 Speed Rated RCI Group 49 Rear Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
6303		380/80R42 In. 150A8 R1W Available in Goodyear only. Requires No Brand Preference Code 5999.	654.00
6304		420/85R38 In. 149A8 R1W Available in Goodyear only. Requires No Brand Preference Code 5999.	1,320.00
6300		540/75R34 In. 157A8 R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999. For use with 2080 or 2182 mm tread spacing with Code 6042. For use with 1979, 2080 or 2182 mm tread spacing with Code 6060 or 6061.	472.00
6301		620/75R30 In. 163D R1W Available in Goodyear only. Requires No Brand Preference Code 5999.	1,396.00
6302		IF620/75R30 In. 164D R1W Available in Michelin only. Requires No Brand Preference Code 5999.	2,780.00
		Eight Position B Speed Rated Steel MFWD Wheels for 31 mph (50 km/h) Transmissions:	
		B Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest Use with any B Speed Rated RCI Group 47 Rear Tire with same tread type and brand preference.	
6111		380/85R34 137B R1 Available in Goodyear or Firestone.	-1,028.00
6123		480/70R30 152B R1W Available in Goodyear only. Requires No Brand Preference Code 5999.	-1,020.00
6113		600/65R28 In. 147B R1W Radial Available in Michelin or Goodyear. Use with 1780 mm (70 In.) or wider tread settings.	1,552.00
		B Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Use with any B Speed Rated RCI Group 48 Rear Tire with same tread type and brand preference. Requires Code 5037.	
6209		420/85R34 In. 147B R1W Radial Available in Firestone or Goodyear.	738.00

7260R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6212		FRONT WHEELS AND TIRESContinued 600/70R30 In. 152B R1W Radial Available in Michelin and Goodyear For use with 70 In. (1780 mm) or wider tread setting.	1,208.00
6210		540/65R34 In. 148B R1W Radial Available in Michelin and Goodyear.	8.00
6215		IF 600/70R30 In. 159B R1W Increased Flexion Radial Available in Michelin only. Requires No Brand Preference Code 5999.	2,147.00
		B Speed Rated RCI Group 44 Size Tires (66 In J1676 mm Diameter) Use with any B Speed Rated RCI Group 49 Rear Tire with same tread type and brand preference. Requires Code 5037.	
6305		420/85R38 IN. 149B R1W Available in Goodyear only. Requires No Brand Preference Code 5999.	1,740.00
6306		620/75R30 In. 163D R1W Available in Goodyear only. Requires No Brand Preference Code 5999.	1,396.00
6307		IF620/75R30 In. 164D R1W Available in Michelin only. Requires No Brand Preference Code 5999.	2,780.00
		TIRE PREFERENCE CODES	
		If only one brand is available in any tire code, the Tire Preference Code 5999 must be chosen below to avoid extra charges. You will still get the one brand stated in the tire code description.	
5999		No Brand Preference Mitas/Continental brand tires available in US and Canada only.	No Charge
5901		Firestone Brand Only	600.00
5902		Goodyear Brand Only	600.00
5903		Michelin Brand Only	1,000.00
5904		Mitas/Continental Brand Only Mitas/Continental brand tires available in US and Canada only.	600.00
		OPERATOR'S MANUALS, LABELS AND COMMANDCENTER	
0409		English	In Base Price
0437		Spanish	Same Price
0413		French	Same Price

ATTACHMENTS - ORDER AS DESIRED

7260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
9076		Customer Gold Key Program: Gold Key Experience Not compatible with Code 9075. This new option will provide your customer with more flexibility to schedule their Gold Key Experience Tour of a product similar to their purchase. Customers can choose a date that fits their schedule and allows them to arrange travel in advance. This experience will provide your customer with the same irreplaceable opportunity of a personal tour of our World Class facility, with the exception of seeing their machine on the day of their tour. This tour will be scheduled in advance with your customer#s input and will occur during an eight week period (4 weeks prior to or 4 weeks after the machine#s expected warehouse date). There is more availability and flexibility for this option to accommodate your customer#s needs. Upon selection of this option, the factory will contact you to schedule a tour date.	No Charge
8242		Operator Station and Electrical: Radar with Dual Beam Sensor	880.00
8725		Rotary Beacon Light Required to add Rotary Beacon Light to Standard Lighting Package.	332.00
8227		Outside Mirrors, Telescoping, Heated, Electrically Adjustable, RH and LH Required to upgrade from Right and Left Hand Manual Adjust Mirrors.	957.00
8228		Outside Mirrors, Telescoping, Heated, Electrically Adjustable, RH and LH Required to upgrade from RH and LH Electrically Adjusting Mirrors.	532.00
8782		Backup Alarm	176.00
8251		Antenna Mount and Wiring for Business Band (2-Way) Radio	127.00
8288		Foot Operated Speed Control	297.00
8720		Loader and Driving Light Package Provides two road lights mounted higher on the cab posts for use when front mounted equipment obstruct grill mounted front lights.	206.00
8210		Leather Trim Includes heated leather seat, leather wrapped steering wheel and rear window decal.	1,623.00
8010		Chassis: Fenders, Deluxe Pivoting Front for MFWD - 18.7 In. (480 mm) Wide Recommended for use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire width. Code 8010 or 8011 is required for 50km/h (31mph) Tractors. Not compatible with Code 8011.	1,233.00
8011		Fenders, Deluxe Pivoting Front for MFWD - 24.4 In. (620 mm) Wide Recommended for use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire width. Not compatible with Code 8010. If Code 8910 Loader Ready is selected the fenders will be stationary and loader compatible. Code 8010 or 8011 is required for 31 mph (50 km/h) Tractors.	1,233.00
8020		Fenders, Full Coverage Rear - 100 In. (2.55 m) Width Includes hitch control switch on both fenders.	1,349.00
8021		Fender, Extra Width Rear Extensions - 108 In. (2.75 M) Width Provides coverage for up to 800 mm section width tires. Not compatible with Code 8020.	1,599.00

7260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8291		ATTACHMENTS - ORDER AS DESIREDContinued Left Hand Step Mud Guard In base on Tractors with Group 49 Rear Tires. Option on Tractors with Group 47 and Group 48 Rear Tires.	96.00
8910		Loader Ready Three Function Electronic - Independent Control Valve Includes: 3-Function Electronic Joystick with activated speed shifting buttons (Activated Speed Shifting Buttons not available with IVT Transmissions), 6-Hydraulic hoses from mid-mount Tractor valve to attached single point half coupler, Loader Mounting Frame, and Hood Guard (Requires front weight support). Not compatible with Mid Mount SCV's or Front Hitch. If fenders are desired, please select Code 8011 which will become stationary loader fenders compatible with Loaders. Does not include right side convenience step.	7,265.00
8751		Trailer Brake, Dual Line Air Includes compressor, tank, control valve, and couplers. Not compatible with Code 8756 or 8752. For dual line air and hydraulic brakes, order Code 8752. Code 8751, 8756, or 8752 is required for 31 mph (50 km/h) Tractors.	5,066.00
8756		Trailer Brake, Hydraulic Includes rear tractor line coupler. Not compatible with Code 8751 or 8752. For dual line air and hydraulic brakes, order Code 8752. Code 8751, 8756, or 8752 is required for 31 mph (50 km/h) Tractors.	542.00
8752		Trailer Brakes, Dual Line Air and Hydraulic Includes Code 8751 and 8756. Code 8751, 8756, or 8752 is required for 31 mph (50 km/h) Tractors.	5,609.00
8433		Hitch and Drawbar: Less Drawbar Requires Code 4311, 4313, 4314, or 4315.	-160.00
8428		Hydraulic Rear Center Link Requires Code 8020.	1,107.00
841G		Front Hitch Ready Includes a front casting that will accommodate but does not include a Front Hitch and Front PTO. Includes 1 set of Hydraulic Oil lines to connect the Front Hitch and Mid-Mount SCV on a Pivot Beam Axle and 3 sets of Hydraulic Lines on TLS front axles. Not compatible with 8407, 8408, 8410, 8409, 8411.	2,535.00
8407		Deluxe Front Hitch with 5200 Kg (11,450 lb.) max lift capacity at hitch balls. - 3150 Kg (6,944 lb.) ISO lift Capacity. - Less Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes Zero Front Auxiliary Couplers Not compatible with 841G, 832G, 834B, 834C, 834L, or 834M. Requires Code 841K or 841L. Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 1 Mid-Mount SCV for hitch raise and lower.	3,903.00

7260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8408		ATTACHMENTS - ORDER AS DESIREDContinued Deluxe Front Hitch with 5200 Kg (11,450 lb.) max lift capacity at hitch balls 3150 Kg (6,944 lb.) ISO lift capacity Less Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes One Front Auxiliary Coupler Not compatible with 841G, 832G, 834B, 834C, 834L, and 834M Requires Code 841K or 841L. Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 2 Mid-Mount SCV's; Hitch Raise and Lower, 1 Aux Coupler.	5,032.00
8410		Deluxe Front Hitch with 5200 Kg (11,450 lb.) max lift capacity at hitch balls. - 3150 Kg (6,944 lb.) ISO lift capacity. - Less Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes Two Front Auxiliary Couplers Not compatible with 841G, 832G, 834B, 834C, 834L, and 834M Requires Code 841K or 841L. Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 3 Mid-Mount SCV's; Hitch Raise and Lower, 2 Aux Couplers.	6,161.00
8409		Premium Front Hitch with 5200 Kg (11,450 lb.) max lift capacity at the hitch balls. - 3150 Kg (6,944 lb.) ISO lift capacity. - Includes Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes One Front Auxiliary Coupler Not Compatible with 841G, 832G, 834B, 834C, 834L, and 834M Requires Code 841k or 841L Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 2 Mid-Mount SCV's; Hitch Raise and Lower, 1 Aux Coupler.	5,973.00
8411		Premium Front Hitch with 5200 kg (11,450 lb.) max lift capacity at the hitch balls 3150 Kg (6,944 lb.) ISO lift capacity Includes Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes Two Front Auxiliary Couplers Not compatible with 841G, 832G, 834B, 834C, 834L, and 834M. Requires Code 841k or 841L. Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 3 Mid-Mount SCV's; Hitch Raise and Lower, 2 Aux Couplers.	7,102.00
841K		Auxilary CommandArm Mounted SCV Controls Highly recommended when Codes 8407, 8408, 8409, 8410, or 8411 are selected with Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065.	1,154.00
841L		Joystick Control Required when Codes 8407, 8408, 8409, 8410, or 8411 are selected with Codes 2051, 2053, 2055, 2058, 2060, or 2064.	1,166.00
8435		Drawbar Clevis, Cat. 3 with 1.5 In. (38 mm) Pin Requires Code 4320.	231.00
832G		Hydraulics: Auxiliary Hydraulic Connections Includes (2) motor return 1/2" couplers, (1) flat face sump 3/8" coupler, (1) 1/2" power beyond pressure, (1) load sense 1/4" coupler.	840.00

7260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
834B		ATTACHMENTS - ORDER AS DESIREDContinued Mid-Mount EH Valve Stack with 2-Function Paddle Pot Control Provides two additional SCVs. Float position included on all Mid-Mount valves. Includes two sets of Mid-Mount valve couplers. Not compatible with Front Hitch or Loader Ready Package. Not compatible with AutoQuad or PowrQuad Transmissions.	2,437.00
834C		Mid-Mount EH Valve Stack with 2-Function Joystick Control Provides two additional SCVs. Float position capable on only 1 Mid-Mount valve. Includes two sets of Mid-Mount valve couplers. Not compatible with Front Hitch or Loader Ready Package.	3,190.00
834L		Mid-Mount EH Valve Stack with 3-Function Paddle Pot Control Provides three additional SCVs. Float position included on all Mid-Mount valves. Includes three sets of Mid-Mount valve couplers. Not compatible with Front Hitch or Loader Ready Package. Not compatible with 6 Rear SCV's. Not compatible with AutoQuad or PowrQuad Transmissions	3,566.00
834M		Mid-Mount EH Valve Stack with 3-Function Joystick Control Provides Three Additional SCVs Float position capable on only 1 Mid-Mount valve. Includes three sets of Mid-Mount valve couplers. Not compatible with Front Hitch or Loader Ready Package. Not compatible with 6 Rear SCV's.	4,319.00
8380		Front PTO: PTO, Independent Front with 1-3/8 In. 21-Spline, 1000rpm Clockwise-Rotating Shaft as Viewed from Front (Type 2) Requires Code 8407, 8408, 8409, 8410, 8411.	7,268.00
8381		PTO, Independent Front with 1-3/4 In. 20-Spline, 1000rpm Clockwise-Rotating Shaft as Viewed from Front (Type 3) Requires Code 8407, 8408, 8409, 8410, 8411.	7,268.00
8302		Engine: Heater, Engine Block 110V	53.00
8336		John Deere PowerTech PVX 9.0 L (549 cu. In.) 6 Cyl IT4 / Stage 3b Compliant Diesel Engine	Same Price
8300		Cold Weather Start Kit Factory installation of Block Heater (110V) and Ether Aid Canister and Switch.	426.00
8301		Heater, Cold Weather Auxiliary Package, 110V Includes Ether Aid Canister and Switch, Ground Fault Interrupter, Engine Block Heater, Charge Pump Heater and Transmission Hydraulic Oil Heater (Transmission Heater is only available on PQ, AQ, and CQ Transmissions).	521.00
8306		Fuel/Water Separator, Severe Duty Available as an option with Code 8332 and 8336, iT4/3b Compliant Diesel Engines.	549.00
8220		Intelligent Power Management Provides up to an additional 30 Engine hp in non-stationary rear PTO and transport applications. Not compatible with Code 8330.	2,944.00

7260R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
8955		Quik-Tatch Weights: Weight, Front Support - Less Weights	314.00
8956		Weight, Front Support with Four Suitcase Weights Not compatible with Front Loaders.	795.00
8957		Weight, Front Support with Eight Suitcase Weights Not compatible with Front Loaders.	1,327.00
8958		Weight, Front Support with Twelve Suitcase Weights Not compatible with Front Loaders.	1,862.00
8959		Weight, Front Support with Sixteen Suitcase Weights Not compatible with Front Loaders.	2,397.00
8962		Weight, Front Support with Twenty Suitcase Weights Not compatible with Front Loaders.	3,055.00
8963		Weight, Front Support with Twenty Four Suitcase Weights Not compatible with Front Loaders.	3,467.00
		Rear Wheel Weights - For Inside/Inner Wheels (Steel): Weights shown are for each weight.	
8970		One pair 165 Lb. (75 kg) Starter Weights and One Pair 450 Lb. (205 kg) Weights	1,720.00
		Rear Wheel Weights - For Outside Drive Wheels (Steel): Weights shown are for each weight.	
8972		One pair 165 Lb. (75 kg) Starter Weights and One Pair 450 Lb. (205 kg) Weights Not compatible with duals or Code 5090.	1,720.00
8973		One pair 165 Lb. (75 kg) Starter Weights and Two Pair 450 Lb. (205 kg) Weights Not compatible with duals or Code 5090.	2,928.00
		Rear Wheel Weights - For Inside/Inner Drive Wheels (Cast) Weights shown are for each weight.	
8974		One Pair 450 Lb. (205 kg)	1,208.00
8975		One pair 165 Lb. (75 kg) Starter Weights and One Pair 450 Lb. (205 kg) Weights	1,720.00
8976		Two Pair 450 Lb. (205 kg) Minimum tread setting may be restricted due to tire size selected. Refer to sales manual for additional information. Not available from factory with 520 section width tires or narrower.	2,416.00
8977		One Pair 1400 Lb. (635 kg) Requires Code 3902 and tires with load rating above 151 Load Index.	3,460.00

7260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
		Rear Wheel Weights - For Outside Drive Wheels (Cast): Weights shown are for each weight.	
8978		One pair 165 Lb. (75 kg) Starter Weights and One Pair 450 Lb. (205 kg) Weights Not compatible with duals.	1,720.00
8979		One Pair 165 Lb. (75 kg) Starter Weights and Two Pair 450 Lb. (205 kg) Weights Not compatible with duals.	2,928.00
		Rear Wheel Weights - For Outside/Outer Dual Wheels: Weights shown are for each weight.	
8980		One Pair 165 Lb. (75 Kg) Starter Weights and One Pair 450 Lb. (205 Kg) Weights	1,720.00
8981		One Pair 165 Lb. (75 Kg) Starter Weights and Two Pair 450 Lb. (205 Kg) Weights Based on the tire width option ordered, some 450 lb. wheel weights may be shipped on a separate pallet and require dealer installation.	2,928.00
8935		1200 kg (2645 lb.) Ballast Package with Rear Duals: Front Weight Support with 12 Front Suitcase Weights and One Pair 75 kg (165 lb.) with One Pair of 205 kg (450 lb.) Inside/Inner Rear Wheel Weights and no Outside/Outer Dual Rear Wheel Weights	3,582.00
8936		2254 kg (4970 lb.) Ballast Package with Rear Duals: Front Weight Support with 16 Front Suitcase Weights and One Pair of 635 kg (1400 lb.) Inside/Inner Rear Wheel Weights and One Pair 75 kg (165 lb.) Outside/Outer Dual Rear Wheel Weights	6,593.00
8937		3832 kg (8449 lb.) Ballast Package with Rear Duals: Front Weight Support with 24 Front Suitcase Weights and One Pair of 635 kg (1400 lb.) Inside/Inner Rear Wheel Weights and One Pair 75 kg (165 lb.) and Three Pair 205 kg (450 lb.) Outside/Outer Dual Rear Wheel Weights	10,551.00
8785		Miscellaneous: Chock Block Holder	129.00
878K		Export Tools	378.00
8550		Skid for Duals	130.00
		ATTACHMENTS FOR FIELD CONVERSION	
	RE320685	Brakes: Air Trailer Brake Kit	3,660.00
	RE324753	Air Trailer Brake Kit - AQ/PQ Pump Drive Kit	271.00
	RE320684	Hydraulic Trailer Brake Kit	610.00

7260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE343415	ATTACHMENTS FOR FIELD CONVERSIONContinued Manifold Trailer Brakes NA	287.00
	RE58827	Electrical: 9-Pin Connector Implement Feedback Required for Touch-Set Depth Control.	132.00
	RE324685	Battery Disconnect Switch	174.00
	RE322555	Front Implement CAN Communication Connector	125.00
	RE325915	Heater, Cold Weather Auxiliary Package, 110V Contains block heater, ether aid canister and hydraulic pump heater. Compatible on 9.0L IVT.	502.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE21519	Implement Switch with 10 Ft. Harness	168.00
	RE324687	Mounting Parts for Radar with Dual Beam Sensor Compatible with IVT Transmissions. Must order radar separately.	145.00
	RE278980	Radar with Dual Beam Sensor	See Parts
	RE278984	Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts
	RE337169	Transmission Backup Alarm	295.00
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	26.00
	RE325917	Engine: Cold Weather Starting Package Includes Switch and Ether Aid Canister. Only compatible with 9.0L.	120.00
	RE315285	Fuel/Water Separator Kit, Severe Duty Compatible with 9.0L. Also order W54363 and hardware for loader.	647.00
	RE323950	Fenders: Fenders, Deluxe Pivoting Front for MFWD - 18.7 In. (480 mm) Wide Kit does not contain fender support rods. Rods are dependent on front tire size. Please reference installation instructions for further information.	1,356.00
	RE323949	Fenders, Deluxe Pivoting Front for MFWD - 24.4 In. (620 mm) Wide Kit does not contain fender support rods. Rods are dependent on front tire size. Please reference installation instructions for further information.	1,356.00
	RE324406	Fenders, Extra Width Rear Fender Extensions	276.00

7260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE318606	ATTACHMENTS FOR FIELD CONVERSIONContinued Fenders, Full Coverage Rear 2.55 meter (100 ln. Width)	500.00
	RE329076	Front Hitch Hydraulic Mid-Mount Valves: Front Hitch Valve (100 ml.) Compatible on all Tractors that are front hitch ready with TLS. If additional valves are not required, also order (2) RE305393.	1,943.00
	RE329075	Front Hitch Valve (100 ml.) Compatible on all IVT Tractors that are front hitch ready without TLS. If additional valves are not required, also order (2) RE305393.	1,943.00
	RE329074	Front Hitch Valve (100 ml.) Compatible on AQ, PQ, CQ transmissions that are front hitch ready without TLS. If additional valves are not required, also order (2) RE305393.	1,943.00
	RE329078	Second SCV for Front Hitch (140 ml.) Compatible on all Tractors that are front hitch ready with TLS. If additional valves are not required, order (1) RE322693.	1,199.00
	RE329077	Second SCV for Front Hitch (140 ml.) Compatible on all Tractors that are front hitch ready with MFWD. If additional valves are not required, order (1) RE322693.	1,199.00
	RE329080	Third SCV for Front Hitch (140 ml.) Compatible on all Tractors that are front hitch ready with TLS.	1,199.00
	RE329079	Third SCV for Front Hitch (140 ml.) Compatible on all Tractors that are front hitch ready with MFWD.	1,199.00
	RE324072	Guards: Guards, Undercarriage Crop Shield Protects transmission and wiring harness.	139.00
	RE326620	Hitch and Drawbar: 3-in-1 Hitch Rails	1,244.00
	RE326580	Carrier to Ground Engaging, Hitch Conversion Kit Converts Codes 8407, 8408, 8410 from carrier to ground engaging.	2,601.00
	RE330569	Drawbar Kit, Cat. 3 High Vertical Load (10,000 Lb. Capacity)	1,202.00
	RE333545	Forced Steering Hitch Kit	1,346.00
	RE327692	Front Hitch Chain Hooks	196.00
	RE326447	Front Hitch Ready - Add Carrier Hitch	4,721.00
	RE326450	Front Hitch Ready - Add Ground Engaging Hitch Converts Code 841G, from front hitch ready to ground engaging.	5,576.00
	RE326626	Pick-Up Hitch Kit (Long) For use with Sway Blocks.	4,571.00
	RE326624	Pick-Up Hitch Kit (Short) For use with stabilizer.	4,359.00

7260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE330573	ATTACHMENTS FOR FIELD CONVERSIONContinued Rear Hitch Hydraulic Center Link	1,267.00
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N)	1,529.00
	RE333036	Stabilizer Bracket Shield Hitch Kit	155.00
	RE326622	Wagon Hitch Auto Coupler Requires RE326620 3-in-1 Hitch Rail Kit.	1,152.00
	RE327558	Hydraulics: 4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers	1,445.00
	RE327559	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers Not compatible with PowrQuad PLUS or AutoQuad PLUS Transmission Codes 1430, 1431, or 1451. Included in the CommandArm with CommandQuad and IVT Codes 1500, 1501, 1550, 1551, 1552, or 1553.	1,445.00
	RE327560	6th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers Not compatible with PowrQuad PLUS or AutoQuad PLUS Transmission Codes 1430, 1431, or 1451. Included in the CommandArm with CommandQuad and IVT Codes 1500, 1501, 1550, 1551, 1552, or 1553.	1,909.00
	RE315307	Auxiliary Hydraulic Reservoir	883.00
	RE327561	Hydraulic Motor Return Kit with Case Drain	164.00
	RE300468	Hydraulic Motor Return Kit without Case Drain For case drain, order case drain kit separately.	106.00
	RE328941	Implement Single Lever Control Lift Assist Kit	84.00
	RE333857	Mid-Mount EHCV 2 or 3 Function EH Single Lever Control (Joystick) and Mounting Parts for RH Console Not compatible with IVT Transmissions. Only compatible with RH Console.	1,760.00
	RE333856	Mid-Mount EHCV 2 or 3 Function EH Single Lever Control (Joystick) and Mounting Parts for RH Console with Speed Shifting Compatible with AQT, PQT, CQT, and RH Console.	2,277.00
	RE333854	Mid-Mount EHSCV 2 or 3 Function EH Single Lever Control (Joystick) and Mounting Parts for Command Arm with Speed Shifting Compatible with AQT, PQT, CQT, and CommandARM.	2,795.00
	RE300467	Power Beyond Coupler Kit	436.00
	AR272536	Rear EHSCV Single Lever Control (Joystick) and Mounting Parts for CommandArm Compatible with IVT Transmission. Compatible with all CQT's except in Region 4.	1,563.00
	RE334683	Lighting: Auxiliary Driving / Loader Light Kit	227.00

7260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE334627	ATTACHMENTS FOR FIELD CONVERSIONContinued Front HID Light Kit	1,788.00
	RE326320	Lights, Two Roof-Mounted 65W Halogen Front Flood Lights	140.00
	RE334623	Rotary Beacon Light Kit	382.00
	RE329083	Loader Auxiliary Mid-Mount Valves: First & Second Remote (100 ml.) w/ AQ, PQ, CQ, without TLS If additional valves are not required, order (1) RE322693.	2,534.00
	RE329084	First & Second Remote (100 ml.) with AutoPowr / IVT, without TLS If additional valves are not required, order (1) RE322693.	2,534.00
	RE329085	First & Second Remote (100 ml.) with TLS If additional valves are not required, order (1) RE322693.	2,069.00
	RE329086	Third Remote (140 ml.) If additional valves are not required, order (1) RE322693.	1,137.00
		Operator Environment:	
	RE67016	3-Pin Adaptor for Power Strip	See Parts
	RE67015	3-Way Convenience Adapter for Power Strip	See Parts
	RE317435	Accessory Mounting Bracket	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00
	RE275532	Ash Tray	See Parts
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	RE323407	External Mirrors, Electrically Adjustable RH and LH Conversion Kit	594.00
	RE293499	External Mirrors, Electrically Telescoping and Heated Mirror Heads	1,696.00
	RE323405	External Mirrors, Manually Adjustable RH and LH	265.00
	RE321017	Foot-Operated Speed Control	125.00
	RE68495	Power Strip with Six Outlets	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit	295.00
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE326509	Step Kit, Right Hand Step	362.00
	RE324084	Step Mud Guard, LH	106.00
	RE261504	Sun Shade, Front Pull Down	See Parts

7260R Tractor


	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
F	RE263352	ATTACHMENTS FOR FIELD CONVERSIONContinued Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
F	RE269618	Windshield Wiper with Washer, Rear	193.00
F	RE326849	PTO: Front PTO Common Mounting Parts Also order R325433 for 9.0L or R325432 for 6.8L.	1,141.00
F		Independent Front PTO with 1-3/4 In. 20-Spline, 1000 RPM Clockwise-Rotating Shaft as Viewed from Front (Type 3)	See Parts
F	RE323421	Independent Front PTO with 1-3/8 In. 21-Spline, 1000 RPM Clockwise-Rotating Shaft as Viewed from Front (Type 2)	See Parts
F	RE302014	Independent Front PTO with 1-3/8 In. 6-Spline, 1000 RPM Counter Clockwise-Rotating Shaft as Viewed from Front (Type 1)	See Parts
F	RE331560	SCV Parts: Paddle Pot Pod, Common Parts Only compatible on Tractors with CommandARM. Order single paddle potentiometer separately. See instructions RE331562 for more information.	95.00
F		Single Paddle Potentiometer Order decals and levers separately. See instructions RE331561 for more information.	See Parts
F		Software Downloads: Intelligent Power Management Provides up to an additional 30 Engine hp for non-stationary rear PTO and transport applications. Download through Service Advisor's software delivery system. Includes instruction and download only. See Ag Sales Manual for ground speed specifications.	See Parts
F		Language Group for CommandCenter - English, Croatian, Serbian, Slovenian, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
F		Language Group for CommandCenter - English, Danish, Swedish, Finish, Norwegian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
F		Language Group for CommandCenter - English, Estonian, Latvian, Lithuanian, Polish, Russian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts

7260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE305725	ATTACHMENTS FOR FIELD CONVERSIONContinued Language Group for CommandCenter - English, French, Dutch, Icelandic, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305730	Language Group for CommandCenter - English, Greek, Turkish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305731	Language Group for CommandCenter - English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305728	Language Group for CommandCenter on IVT/AutoPowr Tractors - English, Hungarian, Czech, Slovak, Romanian, Bulgarian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	BPF10312	Non-John Deere Guidance Compatibility Activation - AutoFarm/Novariant Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10313	Non-John Deere Guidance Compatibility Activation - Hemisphere/Outback Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10433	Non-John Deere Guidance Compatibility Activation - Leica Geosystems Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10311	Non-John Deere Guidance Compatibility Activation - Raven Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10363	Non-John Deere Guidance Compatibility Activation - Trimble Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AL113121	Weights: Centerlink Kit for Hitch Mounting 900 or 1150 kg Large Weights	207.00
	RE326583	Front Hitch Ready Weight Support	774.00
	R288797	Standard Front Weight Support	375.00
	AL172542	Weight, 1150 kg Large Front Mounted	3,585.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00

7260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	R167151	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Inner Wheel, 1400 Lb.	1,903.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg)	282.00
	RFR207782	Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights)	2,658.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00
	R207782	Weight, Wheel, 450 Lb.	664.00
	AR190666	Wheel Equipment: One 10 In. Dual Hub Extension For use with standard duty 6 bolt wheel hubs.	759.00
	AR190668	One 13 In. Dual Hub Extension For use with standard duty 6 bolt wheel hubs.	844.00
	AR190669	One 15 In. Dual Hub Extension For use with standard duty 6 bolt wheel hubs.	884.00
	AR194744	One 5 In. Dual Hub Extension For use with standard duty 6 bolt wheel hubs.	685.00
	RE267658	Three Meter Front Wheel Spacer Not compatible with Tractors equipped with front brakes.	3,063.00



7280R Tractor

Equipment for Base Machine

ENGINE:	Differential Lock
John Deere PowerTech Diesel	Rear PTO Speed
In-line 6-Cylinder Wet-Sleeve	CommandCenter Display includes:
with High Pressure Common Rail (HPCR)	GreenStar 3 Application Capability
Fuel System and 24 Valve Head 280 Engine hp 97/68/EC @ Rated Speed	Video Capability with Tractor Function
230 SAE PTO hp @ Rated Speed	Activated Triggers AutoTrac and Swath Control Pro
Air to Air Intercooled	Activations Required
Automatic Shutdown System	Access Manager
Dry Type Air Cleaner with Safety Element	Universal Performance Monitor
and Dirt Aspiration System	Display Function Definable by Operator
Tilt Hood Enclosure with Side Panels	% Slip
Viscous Fan	Ground Speed
Electric Fuel Shutoff	PTO Speed
Electric Thermal Assist Starting Aid	Engine Hours
Coolant Conditioner Additive	Hydraulic Settings
Coolant Recovery System	Hitch Settings
Fuel Filter and Pre-Filter Fuel Water Separator with Sensor	Hitch Slip Command Productivity
Self Priming and Bleeding Electronic Fuel Pump	Efficiency
530 L (140 US Gal.) Fuel Tank	Area
B2 Biodiesel from the Factory	Adjustable PTO Modulation
Lockable Fuel Cap	Implement Width
Engine Oil Filter	Service Hours
Electronic Injection and Governor Control	Voltage
	Fuel Consumption Rate
TRANSMISSION:	Temperatures
40k (25mph) AutoPowr IVT with	Time of Day
Reduced engine rpm's at max transport speed	Ambient Temperature
Neutral Safety Start System	Set and Adjust Time and Flow of
STEERING, BRAKES DIFFERENTIAL:	Individual Selective Control Valves
Load-Sensing Hydraulic Power Steering	ITEC Tractor and Implement Function Control
Wet-Disk Hydraulic Power Brakes	Languages:
Filt/Telescoping Memory Steering Wheel	For a complete list of languages refer to the
Hydraulically-Engaged Rear Differential	Ag Sales Manual
Lock	
	OPERATOR PROTECTIVE STRUCTURE:
HYDRAULICS:	Deluxe CommandView II Cab
Pressure and Flow Compensating Axial	Tilt/Telescoping Memory Steering Wheel
Piston Pump	Comfort Command Seat with
45 GPM (174 L/min) Pump Output	Air Suspension, Swivel
35 GPM (132 L/min) Flow @ One SCV 65L of Take Out Oil	Fore-Aft Lateral Attenuation
Three Electrohydraulic Remote Selective	Lumbar Support Backrest Adjustment with
Control Valves with Push/Pull	Intergrated CommandARM Controls
ISO Breakaway Couplers and	Adjustable Position CommandARM with
High Pressure Relief Levers	Integrated CommandCenter Display
	Swing-Out Rear Window (30 Degrees)
REAR PTO:	Tinted Glass
Independent 1000 RPM, 45 mm	Air Conditioner and Heater
(1-3/4 In.) 20 Spline	Two Speed and Intermittent Front Wiper
PTO Safety Start System	and Rear Wiper
Seat-Activated PTO Warning	Front and Rear Windshield Washer
Adjustable Engagement Modulation	Pull Down Front Sun Visor
ROCKSHAFT, HITCH AND DRAWBAR:	Rear Under Seat Storage Folding Instructional Seat
Electrohydraulic Hitch with Transport	Left Hand Storage
Lock and External Remote Control Switch	Two Beverage Holders
Dual Cylinder Rear Hitch	Right and Left Outside Mirrors
3-Point (Category 3/3N) Hitch	Less Radio and Speakers
Fixed Length Draft Links Arms	Includes Wiring Harness for Radio
Category 3 Adjustable Drawbar	and Speakers
Secondary Implement Chain Support	Inside Cab Mounted Rear View Mirror
Sway Blocks with	Passive Noise Reduction System
Tapered Wedge Adjustment	Backlit Right Hand Console Controls
Hitch Dampening	with Adjustable Brightness
Center Link Adjustment Handle	ELECTRICAL:
INSTRUMENTATION:	Key Engine Shutoff
Corner Post Digital Instrument Panel includes:	12V Electrical System
Engine Oil Pressure Gauge	Two 925 CCA** 12V Batteries
Engine Coolant Temperature Gauge	Two 12V Electrical Convenience Outlet
Fuel Level Gauge with	Two 12V Electrical 3-Pin Outlet
Low Fuel Warning Signal	with Adapter
Engine RPM Indicator	Battery Boost Terminal
Status Indicators for MFWD	200 Amp Alternator

7280R Tractor

Continued

SmartCircuit Current Load Monitoring
System with Fuse Panel
7-Terminal Rear Implement Electrical
Outlet Socket
Integrated ISO Radar Connector
StarFire ITC or Radar Speed
Input Harness
ServiceADVISOR Data Port

LIGHTS:

Six Front Grill Mounted Lights Ten Cab Roof Mounted Lights Two Rear Fender Flood Lights Extremity, Brake, Turning, and Hazard Lights

AXLE, WHEELS AND TIRES: 1300 MFWD Front Axle with Limited Slip Differential and Driveline Shield Rear Axle and Wheels and Tires

AG MANAGEMENT SOLUTIONS: Integrated Plug-In for GreenStar Display Deluxe StarFire Receiver Bracket
GreenStar Ready harness with Implement
Circuit Gateway and Integrated
GreenStar Display Plug-In
Connector (ISO 11783 Compatible)
AutoTrac Ready Components:
Wiring, SSU, Front WheelAngle Sensor and Electro-Hydraulic
Steering Valve
Right Side Convenience Step

MISCELLANEOUS: Horn PTO Master Shield Tool Box Operator's Manual

**Cold Cranking Amperes

ATTACHMENT CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Waterloo, Iowa

7640RW 7280R Tractor 227,690.00

DESTINATION

A Code must be chosen for each Tractor ordered.

North America

0184 Canada 1,209.00
Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink

Ultimate Promotion - 3 Year Subscription.

Requires Code 8336 (9.0L) Stage 3b/IT-4 Compliant Engine.

Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab.

Code 7200 Standard Lighting.

Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38mm Pin.

Code 4034 - 6,894 kg (15,200 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler.

Code 5066 110 mm (4.33 In) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5601 480/80R50 In. 159A8 R1W Radial Rear Dual Wheels and Tires. Code 6203 420/85R34 In. 147A8 R1W Radial Front Single Wheels and Tires.

7280R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0202		DESTINATIONContinued United States Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8336 (9.0L) Stage 3b/IT-4 Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38mm Pin. Code 4034 - 6,894 kg (15,200 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 5066 -110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5601 480/80R50 In. 159A8 RIW Radial Rear Dual Wheels and Tires. Code 6203 420/85R34 In. 147A8 RIW Radial Front Single Wheels and Tires.	1,209.00
0078		ASIA Israel Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter. Requires Code 1835 Less StarFire 3000 Receiver. Requires Code 1845 Less AutoTrac Activation Requires Code 1885 JDLink Capable. Requires Code 8336 (9.0L) Stage 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4320 Category 3, Adjustable Swing Drawbar for use with a 38mm Pin. Code 4034 - 6,895 kg (15,200 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler. Code 5045 3-15/16 In. (100 mm) Diameter x 100.4 In. (2550 mm) Length Rear Axle. Code 5133 650/65R42 In. 158A8 RIW Radial Single Rear Wheels and Tires. Code 6110 600/65R28 In. 154A8 RIW Radial Front Single Wheels and Tires.	Same Price
		VALUE PACKAGE CONFIGURATIONS	
0500		No Package Order one Code from each box in the Price Pages.	In Base Price
0511		AutoPowr IVT Transmission Premium Package Includes Codes 2061 or 2062, 1823 or 1826, 1550 or 1551 or 1552 or 1553, 7202, 2661 or 2662, 3240 or 3260.	-1,500.00
0512		iPackage AutoPowr IVT Includes Codes 2061 or 2062, 1833, 1823 or 1826, 1846, 1847, 1848, or 1849, 1837 or 1838, 1887 or 1888 or 1889, 1550 or 1551 or 1552 or 1553, 7202, 2661 or 2662, 3240 or 3260.	-2,000.00
		OPERATOR STATION	
2050		CommandView II Cab Includes: ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest controls with Integrated CommandCenter Display. Remote Radio Controls located on CommandARM. Front Windshield Washer and Wiper. Manual Temperature Controls located in cab roof. Not compatible with PowrQuad or AutoQuad transmissions. Folding Instructional Seat.	-4,398.00
2059		Deluxe CommandView II Cab Includes: ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter	In Base Price

7280R Tractor

Continued

SUGGESTED **ATTACHMENT** LIST PRICE CODE **DESCRIPTION IDENTIFIER** USD (\$)

OPERATOR STATION ... Continued...

Display. Remote Radio Controls Located on CommandARM.

Front and Rear Windshield Washer and Wiper.

Automatic Temperature Control with controls located on CommandARM.

Front Pull Down Sun Shade.

Right and Left Outside Mirrors (Manual Adjustment).

Power Strip with Convenience Plug Adapter.

Programmable Egress Lighting. Folding Instructional Seat.

Not Compatible with PowrQuad or AutoQuad Transmissions.

Right Hand Steps.

2061 Premium CommandView II Cab with Active Seat

Active Seat with Fore-Aft and Lateral Attenuation and Lumbar Support.

Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter

Display.

Remote Radio Controls Located on CommandARM. Front and Rear Windshield Wiper and Washer.

Automatic Temperature Control with controls located on CommandARM.

Front Pull Down Sun Shade.

Power Strip with Convenience Plug Adapter.

Programmable Egress Lighting.

Right and Left Outside Mirrors (Electrically Adjustable).

Folding Instructional Seat.

Not Compatible with PowrQuad or AutoQuad Transmissions.

Folding Instructional Seat.

Right Hand Steps.

2062 Premium CommandView II Cab with Cab Suspension

Includes:

Cab Suspension

ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support.

Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter

Display.

Remote Radio Controls Located on CommandARM.

Front and Rear Windshield Wiper and Washer.

Automatic Temperature Control with controls located on CommandARM.

Front Pull Down Sun Shade.

Power Strip with Convenience Plug Adapter.

Programmable Egress Lighting.

Right and Left Outside Mirrors (Electrically Adjustable).

Folding Instructional Seat.

Not Compatible with PowrQuad or AutoQuad Transmissions.

Right Hand Steps.

DISPLAY

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac and Swath Control Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1821 GS3 CommandCenter, 7" Color Display

Includes Access Manager user lockout software.

With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro and Pivot Pro will function on the CommandCenter display with activations sold separately.

Does not include a cornerpost bracket for mounting an additional GreenStar Display.

In Base Price

867.00

1,495.00

7280R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DISPLAYContinued	
		GS3 CommandCenter is not compatible with video.	
1823		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable Includes Access Manager user lockout software, and video capability. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. One video camera input pre-wired in the cab. Connector located on the outside rear of the cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. See Parts for available cameras.	1,260.00
		Does not include a cornerpost bracket for mounting an additional GreenStar Display.	
1825		GS3 CommandCenter 7" Color Display with GreenStar 3 2630 Display Includes Access Manager user lockout software. Includes GreenStar 3 Display 2630, harness, and A-post mounting bracket installed on cornerpost. Includes GreenStar 3 Display 2630 Operator's manual with the language translation to match the Tractor Operator's manual language translation.	5,895.00
		Note: When a GreenStar 3 Display 2630 is connected at the cornerpost, all GreenStar applications must be run on the cornerpost display. Warranty on GreenStar 3 Display 2630 will be handled by AMS and will carry normal AMS warranty terms. With a Starfire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro and Pivot Pro will function on the CommandCenter display with activations sold separately. GS3 CommandCenter is not compatible with video.	
1826		•	7 160 00
1020		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable with GreenStar 3 2630 Display Includes Access Manager user lockout software, and video capability. Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed on cornerpost. Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation. The GS3 CommandCenter is pre-wired with one video input in the cab. Connector located on the outside rear of cab. Video software can be configured in the CommandCenter using tractor function activated triggers. In addition, the GreenStar 3 2630 Display has the capability of one video input. Requires camera and harnessing for video capabilities. See Attachments for harnessing at GreenStar Harnesses in the AMS Price Pages and Ag Sales Manual for list of compatible cameras. When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the cornerpost display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	7,160.00

RECEIVER

StarFire 3000 Position Receivers can be ordered in two configurations:
-SF1 World Solution, a no-charge differential correction signal that provides non-row-crop

-SF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting

-RTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual for configurations.

7280R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RECEIVERContinued In addition, each StarFire 3000 receiver is capable of utilizing the free Wide Area Augmentation System (WAAS) signal.	
		GPS serial port information (NMEA) is available through a StarFire 3000 SF1 World Solution or StarFire 3000 SF2 Ready receiver when it is connected to a GreenStar System, or when it has a valid SF2 license or RTK activation being used with a non-Deere system.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1835		Less StarFire 3000 Receiver Tractor includes deluxe receiver mounting bracket only.	In Base Price
		When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.	
1837		StarFire 3000 Receiver - SF1 World Solution with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.	2,695.00
		Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 receiver can be upgraded to SF2 capabilities.	
1838		StarFire 3000 Position Receiver - SF2 Ready with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.	4,695.00
		A StarFire 3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available through StellarSupport.com or by calling the AMS Customer Call Center.	
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS	

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold separately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac and Swath Control Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact Stellar Support to activate AutoTrac and/or iTEC Pro on the GreenStar 3 2630 Display, referencing Tractor COMAR order number.

Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on activations will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1845 Less AutoTrac Activation - GS3 In Base Price

1846 AutoTrac SF1 Activation - GS3 3,000.00

7280R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONSContinued Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) for AutoTrac functionality. See AMS sales manual and price pages for detailed information.	
1847		AutoTrac SF2 Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires SF2 Subscription sold seperately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	6,500.00
1848		AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See AMS sales manual and price pages for detailed information.	5,500.00
1849		AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. Also requires SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	9,000.00
		MACHINE CONNECTIVITY	
		Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine Hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features this includes: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately.	2,400.00

7280R Tractor

CODE	ATTACHMENT IDENTIFIER	- DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued In addition to JDLink Select features this includes: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability.	1,200.00
		Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	
		ACTIVECOMMAND STEERING	
1833		John Deere ActiveCommand Steering (ACS) Not compatible with Codes 1430, 1431, or 1451.	3,209.00
1834		Less John Deere ActiveCommand Steering (ACS)	In Base Price
		TRANSMISSION	
1550		AutoPowr IVT Transmission 25 mph (40 km/h) with Right Hand Reverser Control and Field Cruise Requires CommandARM Cab. Not compatible with Code 6020.	In Base Price
1551		AutoPowr IVT Transmission 25 mph (40 km/h) with Left Hand Reverser Control and Field Cruise Requires CommandARM Cab. Not compatible with Code 6020.	2,518.00
1553		AutoPowr IVT Transmission 31 mph (50 km/h) with Right Hand Reverser Control and Field Cruise Requires Air or Hydraulic trailer brakes, TLS Plus with front brakes, front fenders. Requires Symbol B (31 mph/50K) Front and Rear Tires, ordered from the tire section in this price list. Not compatible with Code 6020.	Same Price
1552		AutoPowr IVT Transmission 31 mph (50 km/h) with Left Hand Reverser Control and Field Cruise Requires Air or Hydraulic trailer brakes, TLS Plus with front brakes, front fenders. Requires Symbol B (31 mph) Front and Rear Tires, ordered from the tire section in this price list. Not compatible with Code 6020.	2,518.00
		LIGHTS	
7200		Standard Lighting Six Front Grill Mounted Lights: Two 65 W Low Beam Driving Lights, two 65 W High Beam Driving Lights and two Front Corner Facing Halogen Work Lights. Ten Cab Roof Mounted Lights: Two Rear and four Side Facing 65 W Flood lights and four Corner Facing Amber Lights. Two Rear Fender Mounted Flood Lights and two Rear Turn Signal and Brake Lights. Two Folding Extremity Lights.	In Base Price
7201		Deluxe Lighting	789.00

7280R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
7202		LIGHTSContinued Includes Standard Lights plus two adjustable front roof 65W halogen floodlights, two front belt-line work lights, and rotary beacon light. Premium Lighting Includes Deluxe Lights, and additionally in the front grill screen, two front corner HID lights	3,442.00
		replace two front halogen lights and one HID light and one 65W halogen flood light are added. Two rear fender lights are replaced with HID lights.	
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers.	-673.00
2660		Deluxe Radio Package AM/FM Stereo with Clock, Remote Controls. Auxiliary Input Jack located on front of Radio. Four Speakers and External Antenna.	In Base Price
2661		Premium Radio Package with XM Radio AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls. USB port on front of radio face.	345.00
		Auxiliary Input Jacks located in right hand storage console and on radio face. BlueTooth capable including microphone. Integrated BlueTooth Phone Book connection through CommandCenter. XM Satellite capable including Satellite Antenna (Subscription Required).	
		Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display.	
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls. Auxiliary Input Jack located in right hand storage console and on radio. BlueTooth capable including microphone. Integrated BlueTooth Phone Book connection through CommandCenter. Four Speakers, Subwoofer, and External Antenna.	242.00
		REMOTE SELECTIVE CONTROL VALVES	
3331		Three Deluxe Rear Remote Selective Control Valves with Electro-Hyraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers EHSCVs are mounted on right hand console with PowrQuad PLUS or AutoQuad PLUS Transmissions (Codes 1430, 1431 or 1451), and included in the CommandARM with CommandQuad and IVT (Codes 1500, 1501, 1550, 1551, 1552, or 1553).	In Base Price
3341		Four Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers EHSCVs are mounted on right hand console with PowrQuad PLUS or AutoQuad PLUS Transmissions (Codes 1430, 1431 or 1451), and included in the CommandARM with CommandQuad and IVT (Codes 1500, 1501, 1550, 1551, 1552, or 1553).	1,875.00
3351		Five Deluxe Rear Remote Selective Control Valves with Electro-Hydraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers Not compatible with PowrQuad PLUS or AutoQuad PLUS Transmissions (Codes 1430, 1431 or 1451). Included in the CommandARM with CommandQuad and IVT (Codes 1500, 1501, 1550, 1551, 1552, or 1553).	3,752.00
3361		Six Deluxe Rear Remote Selective Control Valves with Electro-Hydraulic Controls, Push/Pull Breakaway Couplers and High Pressure Relief Levers	5,627.00

7280R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REMOTE SELECTIVE CONTROL VALVESContinued Not compatible with PowrQuad PLUS or AutoQuad PLUS Transmissions (Codes 1430, 1431 or 1451).	
		Included in the CommandARM with CommandQuad and IVT (Codes 1500, 1501, 1550, 1551, 1552, or 1553). Requires Option Code 841K.	
		Not Compatible with Option Codes 8910, 8410, 8411, 834L, and 834M.	
		REAR POWER TAKE OFF	
3810		1-3/4 In. (45mm) 1000 rpm PTO (20 Spline) Option is never compatible with 1-3/8 In. (35mm) 540 (6 Spline) / 1000 (21 Spline) rpm PTO.	In Base Price
3820		1-3/4 In. (45mm) 1000 rpm PTO (20 Spline), 1-3/8 In. (35mm) 540 (6 Spline) / 1000 (21 Spline) rpm PTO with Shifting at the rear of the Tractor	1,510.00
3830		1-3/8 In. (35mm) 540 Economy rpm (6 Spline) / 1000 (21 Spline) / 1000 Economy (21 Spline) rpm PTO 1-3/4 In. (45mm) 1000 (20 Spline) rpm PTO	2,360.00
		Electronicly Shiftable in Cab. One-Piece Reversible 1-3/8 In. Shaft and Single Side 1-3/4 Shaft <i>Economy speed at 1730 engine rpm</i> .	
3831		1-3/8 In. (35mm) 540 (6 Spline) / 540 Economy (6 Spline) rpm / 1000 (21 Spline) rpm PTO. 1-3/4 In.(45mm) 1000 (20 Spline) rpm PTO.	2,360.00
		Electronicly Shiftable in Cab, One-Piece Reversible 1-3/8 In. Shaft and Single Side 1-3/4 Shaft <i>Economy speed at 1730 engine rpm</i> .	
		DRAWBAR AND TRAILER HITCH	
4320		Category 3 Adjustable Swing Drawbar for use with a 38 mm Pin Does not include clevis. For clevis, order Code 8435.	In Base Price
4323		Category 3 Drawbar, High Vertical Load (10,000 Lb. Capacity) with Clevis and 1.50 ln. (38 mm) Pin	1,019.00
		HITCH, COUPLER, AND STABILIZER	
4000		Less 3-Point Hitch Requires Code 3331.	-6,607.00
4034		6,894 kg (15,200 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler Includes solid, non-adjustable draft links and sway blocks.	In Base Price
4045		7,847 kg (17,300 Lb.) Capacity 3-Point Hitch (Cat. 3/3N) with Quik-Coupler <i>Includes solid, non-adjustable draft links and sway blocks.</i>	913.00
		HYDRAULIC PUMP	
3240		43 gpm / 163 L/Min. Hydraulic Pump (63cc)	In Base Price
3260		59 gpm / 223 L/Min. Hydraulic Pump (85cc)	1,162.00
		REAR AXLES	

7280R Tractor

Continued

SUGGESTED LIST PRICE USD (\$)	T DESCRIPTION	ATTACHMEN DDE IDENTIFIER
-455.00	REAR AXLESContinued 4.33 In. (110 mm) Dia x 100.4 In. (2550 mm) Length Not compatible with duals. Requires Code 4036, 4031, 4041 or 4034. Not compatible with Code 5090.	55
In Base Price	4.33 In. (110 mm) Dia x 118.5 In. (3012 mm) Length Requires Code 4036, 4031, 4041 or 4034. Not compatible with Code 5090.	66
-455.00	4.72 In. (120 mm) Dia x 100.4 In. (2550 mm) Length Not compatible with duals. Requires Code 4042, 4043, 4044, 4045. Not compatible with Code 5090.	52
559.00	4.72 In. (120 mm) Dia x 118.5 In. (3012 mm) Length Requires Code 4042, 4043, 4044, 4045. Not compatible with Code 5090.	2
	WHEELS AND HUBS	
In Base Price	Cast Wheels with Double Taper Hubs	12

REAR WHEELS & TIRES (Single and Dual Configurations)

The models will be installed as listed. The company reserves the right to substitute another model without written notice.

For complete tire and wheel information, refer to the Agricultural Sales Manual or individual tire manufacturer's handbook.

Some tire sizes and/or brands are excluded from manufacturer warranty when used in specialty applications (e.g. use on Scraper Tractors). Please refer to the tire manufacturer's handbook for specific warranty guidelines.

Overloading of tires is prohibited.

REAR WHEELS AND TIRES FOR 40 km/h TRANSMISSIONS:

A8 Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) Listed Narrowest to Widest

Listed Singles to Duals

Available in Firestone or Goodyear.

For MFWD, use with any A8 Speed Rated RCI Group 42 Front Tire with same brand

preference.

For tractors equipped with heavy ballast, duals are recommended to avoid overloading tires.

	Mixing of R1 and R1W tread types between Front and Rear Tires is Permitted.	3.
5500	320/90R54 In. 149A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-748.00
5501	380/90R50 In. 151A8 R1W Radial Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-3,464.00
5502	480/80R46 In. 158A8 R2 Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6103.	-384.00
5103	480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration	-12,190.00

7280R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)Continued	
5503		480/80R46 In. 158A8 R1 Radial in Dual Configuration Available in Firestone or Goodyear.	-3,032.00
5104		480/80R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-10,531.00
5504		480/80R46 In. 158A8 R1W Radial in Dual Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-297.00
5505		520/85R42 In. 157A8 R1 Radial in Dual Configuration Available in Firestone or Goodyear.	-3,160.00
5506		520/85R42 In. 157A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear, or Michelin.	-544.00
5508		520/85R42 In. 157A8 R2 Radial in Dual Configuration Available in Firestone or Goodyear.	712.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Configuration Available in Firestone, Michelin, or Goodyear.	2,528.00
5123		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear or Michelin.	-9,410.00
5132		650/65R42 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-8,255.00
5124		650/65R42 In. 170A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-8,176.00
5110		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear.	-8,098.00
5510		710/70R38 In. 166A8 R1W Radial in Dual Configuration Available in Firestone, Michelin, or Goodyear.	5,152.00
5117		IF 710/70R38 178A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-7,494.00
		A8 Speed Rated RCI Group 48 Size Tires (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals Use with any A8 Speed Rated RCI Group 43 Front Tire with same brand preference. Mixing of RI and RIW tread types between Front and Rear Tires is permitted.	
5600		380/90R54 In. 152A8 R1W Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Not compatible with Code 5090.	-32.00

7280R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5201		REAR WHEELS & TIRES (Single and Dual Configurations)Continued 480/80R50 In. 159A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas/Continental, Titan or Michelin. Mitas/Continental available in US and Canada only.	-10,676.00
5601		480/80R50 In. 159A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear, Mitas/Continental, Michelin or Titan. Not compatible with Code 5090. Mitas/Continental available in US and Canada only.	In Base Price
5202		IF 480/80R50 166A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-8,870.00
5602		IF 480/80R50 166A8 R1W Radial in Dual Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	3,608.00
5203		520/85R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Michelin or Mitas/Continental. Mitas/Continental avaialbe in US and Canada only.	-10,880.00
5603		520/85R46 In. 158A8 R1W Radial in Dual Configuration Available in Firestone, Michelin, Mitas/Continental, or Goodyear. Mitas/Continental available in US and Canada only.	-412.00
5204		520/85R46 In. 158A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires Front Tire Code 6206. Requires No Brand Preference Code 5999.	-10,632.00
5604		520/85R46 In. 158A8 R2 Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Compatible Front Tire Code 6206.	84.00
5205		620/70R46 In. 167A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-9,008.00
5605		620/70R46 In. 167A8 R1W Radial in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	3,332.00
5222		650/85R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin, Goodyear, or Mitas/Continental. Mitas/Continental available in US and Canada only.	-8,276.00
5622		650/85R38 In. 173A8 R1W Radial in Dual Configuration Available in Goodyear, Michelin, or Mitas/Continental. Mitas/Continental available in US and Canada only.	4,796.00
5218		IF 650/85R38 In. 179A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Front Tire Code 6214. Requires No Brand Preference Code 5999.	-5,847.00
5618		IF 650/85R38 In. 179A8 R1W Radial in Dual Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	9,071.00

7280R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5206		REAR WHEELS & TIRES (Single and Dual Configurations)Continued 710/70R42 In. 168A8 R1W Radial in Single Wheel Configuration	-7,746.00
3200		Available in Firestone only. Requires No Brand Preference Code 5999.	-7,740.00
5606		710/70R42 In. 168A8 R1W Radial in Dual Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Not compatible with Code 5090.	5,856.00
5207		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Goodyear, Michelin, or Mitas/Continental. Mitas/Continental available in US and Canada only.	-7,428.00
5607		710/70R42 In. 173A8 R1W Radial in Dual Configuration Available in Michelin, Goodyear, or Mitas/Continental. Not compatible with Code 5090. Mitas/Continental available in US and Canada only.	6,492.00
5219		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin. Requires Front Tire Code 6214.	-5,740.00
5619		IF 710/70R42 In. 179A8 R1W Radial in Dual Configuration Available in Michelin or Firestone. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	9,868.00
5209		800/70R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear.	-7,152.00
5609		800/70R38 In. 173A8 R1W Radial in Dual Configuration Available In Firestone, Michelin, or Goodyear. Includes two 10 In. Axle Extensions.	7,044.00
5220		IF 800/70R38 In. 179A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires Front Tire Code 6214. Requires No Brand Preference Code 5999.	-4,344.00
5620		IF 800/70R38 In. 179A8 R1W Radial in Dual Configuration Available In Michelin or Firestone. Requires Front Tire Code 6214. Includes two 10 In. Axle Extensions. Requires No Brand Preference Code 5999.	12,660.00
		A8 Speed Rated RCI Group 49 Size Tires (85.5 In./2172 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals Use with any A8 Speed Rated RCI Group 44 Front Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
5450		480/95R50 164A8 R1W in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	5,096.00
5351		710/75R42 175D R1W in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-3,436.00

7280R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5352		REAR WHEELS & TIRES (Single and Dual Configurations)Continued IF710/75R42 176D R1W in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6302.	-3,171.00
		REAR WHEELS AND TIRES FOR 50 km/h TRANSMISSIONS:	
		B Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals For use with any B Rated RCI Group 42 Front Tire with same tread type and brand preference.	
5513		480/80R46 In. 158B R1 Radial in Dual Configuration Available in Firestone or Goodyear.	-2,016.00
5116		710/70R38 In. 166B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear.	-7,354.00
		B Speed Rated RCI Group 48 Size Tire (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals Use with any B Speed Rated RCI Group 43 Front Tire with same tread type and brand preference.	
5610		480/80R50 In. 159B R1W Radial in Dual Configuration Available in Firestone or Goodyear.	844.00
5211		650/85R38 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear.	-7,770.00
5215		IF 650/85R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Code 6215.	-5,847.00
5213		710/70R42 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-6,609.00
5216		IF 710/70R42 In. 179B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Code 6215.	-5,157.00
5217		IF 800/70R38 In. 179B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-3,761.00

7280R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS & TIRES (Single and Dual Configurations)Continued	
		B Speed Rated RCI Group 49 Size Tires (85.5 In./2172 mm Diameter) Listed Narrowest to Widest Listed Singles to Duals Use with any B Speed Rated RCI Group 44 Front Tire with same brand preference.	
5453		480/95R50 164B R1W in Dual Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	5,936.00
5354		710/75R42 In. 175D R1W in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-3,436.00
5355		IF710/75R42 In. 178D R1W in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Code 6307.	-2,645.00
		FRONT AXLES	
6040		1300 Series Mechanical Front Wheel Drive Axle with Driveline Shield and Limited Slip Differential	In Base Price
6060		1300 Series Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS (TLS +), Driveline Shield and Limited Slip Differential	6,791.00
6061		1300 Series Mechanical Front Wheel Drive Axle with Triple Link Suspension PLUS (TLS+), Driveline Shield, Hydraulic On/Off Differential Lock and Wet Disk Front Brakes Required for 31 mph (50 km/h) Transmissions (Code 1501, 1552 or 1553). Compatible with 19 mph (30 km/h) or 25 mph (40 km/h) Transmissions (Code 1430, 1431, 1451, 1500, 1550, and 1551).	8,286.00

FRONT WHEELS AND TIRES

For complete tire and wheel information refer to the Agricultural Sales Manual or individual tire manufacturer's handbook.

For loader compatibility information, refer to the Agricultural Sales Manual.

Some tire sizes and/or brands are excluded from manufacturer warranty when used in

specialty applications (e.g. use on scraper tractors).

Please refer to the tire manufacturer's handbook for specific warranty guidelines.

Overloading of tires is prohibited.

7280R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		MECHANICAL FRONT WEHEEL DRIVE (MFWD) AXLE Eight Position Steel MFWD Wheels with:	
		A8 Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest Use with any A8 Speed Rated RCI Group 47 Rear Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
6106		320/85R38 In. 143A8 R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Extended lead time tire; may affect Tractor delivery date.	-472.00
6107		380/85R34 In. 137A8 R1 Radial Available in Firestone or Goodyear.	-1,028.00
6108		380/85R34 In. 137A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	509.00
6100		420/90R30 In. 142A8 R1 Radial Available in Firestone or Goodyear.	-1,304.00
6101		420/90R30 In. 147A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	-684.00
6102		420/90R30 In. 145A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999.	-700.00
6103		420/90R30 In. 142A8 R2 Radial Available in Goodyear only. Requires No Brand Preference Code 5999. Extended lead time tire; may affect Tractor delivery date.	-608.00
6131		480/70R30 In. 152A8 R1W Radial Available in Firestone or Goodyear.	-1,020.00
6119		540/65R30 In. 143A8 R1W Radial Available in Michelin only. Requires No Brand Preference Code 5999.	1,301.00
6109		600/65R28 In. 147A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999. For use with 64 In. or wider tread setting.	1,044.00
6132		600/65R28 In. 154A8 R1W Radial Available in Michelin and Goodyear. For use with 64 In. or wider tread setting.	1,540.00

7280R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRES Continued	
		A8 Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest Use with any A8 Speed Rated RCI Group 48 Rear Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
6200		320/80R42 In. 141A8 R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999.	54.00
6201		380/80R38 In. 142A8 R1W Radial Available in Firestone, Goodyear, Mitas/Continental, Michelin or Titan. Mitas/Continental available in US and Canada only.	56.00
6202		IF 380/80R38 In. 149A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Standard, non-Increased Flexion rear tires.	966.00
6203		420/85R34 In. 147A8 R1W Radial Available in Firestone, Goodyear, Mitas/Continental or Titan. Mitas/Continental available in US and Canada only.	In Base Price
6205		480/70R34 In. 155A8 R1W Radial Available in Firestone or Goodyear.	804.00
6217		IF 420/85R34 152A8 R1W Radial Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Standard, non-Increased Flexion rear tires.	4,880.00
6204		480/70R34 In. 143A8 R1W Radial Available in Michelin and Mitas/Continental. Mitas/Continental available in US and Canada only.	-68.00
6206		480/70R34 In. 146A8 R2 Radial Available in Goodyear only. Requires No Brand Preference Code 5999.	-204.00
6207		540/65R34 In. 148A8 R1W Radial Available in Michelin or Goodyear.	8.00
6208		600/70R30 In. 152A8 R1W Radial Available in Firestone, Goodyear or Michelin.	1,208.00
6214		IF 600/70R30 In. 159A8 R1W Radial Requires Code 1550 or 1551. Requires Rear Tire Code: 5603, 5619, 5219, 5618, 5218, 5220 or 5203. Available in Michelin and Firestone. Requires No Brand Preference Code 5999.	2,147.00

7280R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		A8 Speed Rated RCI Group 44 Size Tires (66 In./1676 mm Diameter) Listed Narrowest to Widest Use with any A8 Speed Rated RCI Group 49 Rear Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
6303		380/80R42 In. 150A8 R1W Available in Goodyear only. Requires No Brand Preference Code 5999.	654.00
6304		420/85R38 In. 149A8 R1W Available in Goodyear only. Requires No Brand Preference Code 5999.	1,320.00
6300		540/75R34 In. 157A8 R1W Radial Available in Goodyear only. Requires No Brand Preference Code 5999. For use with 2080 or 2182 mm tread spacing with Code 6042. For use with 1979, 2080 or 2182 mm tread spacing with Code 6060 or 6061.	472.00
6301		620/75R30 In. 163D R1W Available in Goodyear only. Requires No Brand Preference Code 5999.	1,396.00
6302		IF620/75R30 In. 164D R1W Available in Michelin only. Requires No Brand Preference Code 5999.	2,780.00
		Eight Position B Speed Rated Steel MFWD Wheels for 31 mph (50 km/h) Transmissions:	
		B Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest Use with any B Speed Rated RCI Group 47 Rear Tire with same tread type and brand preference.	
6111		380/85R34 137B R1 Available in Goodyear or Firestone.	-1,028.00
6123		480/70R30 152B R1W Available in Goodyear only. Requires No Brand Preference Code 5999.	-1,020.00
6113		600/65R28 In. 147B R1W Radial Available in Michelin or Goodyear. Use with 1780 mm (70 In.) or wider tread settings.	1,552.00
		B Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Use with any B Speed Rated RCI Group 48 Rear Tire with same tread type and brand preference. Requires Code 5037.	
6209		420/85R34 In. 147B R1W Radial Available in Firestone or Goodyear.	738.00

7280R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6212		FRONT WHEELS AND TIRESContinued 600/70R30 In. 152B R1W Radial Available in Michelin and Goodyear For use with 70 In. (1780 mm) or wider tread setting.	1,208.00
6210		540/65R34 In. 148B R1W Radial Available in Michelin and Goodyear.	8.00
6215		IF 600/70R30 In. 159B R1W Increased Flexion Radial Available in Michelin only. Requires No Brand Preference Code 5999.	2,147.00
		B Speed Rated RCI Group 44 Size Tires (66 In./1676 mm Diameter) Use with any B Speed Rated RCI Group 49 Rear Tire with same tread type and brand preference. Requires Code 5037.	
6305		420/85R38 IN. 149B R1W Available in Goodyear only. Requires No Brand Preference Code 5999.	1,740.00
6306		620/75R30 ln. 163D R1W Available in Goodyear only. Requires No Brand Preference Code 5999.	1,396.00
6307		IF620/75R30 In. 164D R1W Available in Michelin only. Requires No Brand Preference Code 5999.	2,780.00
		TIRE PREFERENCE CODES	
		If only one brand is available in any tire code, the Tire Preference Code 5999 must be chosen below to avoid extra charges. You will still get the one brand stated in the tire code description.	
5999		No Brand Preference Mitas/Continental brand tires available in US and Canada only.	No Charge
5901		Firestone Brand Only	600.00
5902		Goodyear Brand Only	600.00
5903		Michelin Brand Only	1,000.00
5904		Mitas/Continental Brand Only Mitas/Continental brand tires available in US and Canada only.	600.00
		OPERATOR'S MANUALS, LABELS AND COMMANDCENTER	
0409		English	In Base Price
0437		Spanish	Same Price
0413		French	Same Price

ATTACHMENTS - ORDER AS DESIRED

7280R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
9076		Customer Gold Key Program: Gold Key Experience Not compatible with Code 9075. This new option will provide your customer with more flexibility to schedule their Gold Key Experience Tour of a product similar to their purchase. Customers can choose a date that fits their schedule and allows them to arrange travel in advance. This experience will provide your customer with the same irreplaceable opportunity of a personal tour of our World Class facility, with the exception of seeing their machine on the day of their tour. This tour will be scheduled in advance with your customer#s input and will occur during an eight week period (4 weeks prior to or 4 weeks after the machine#s expected warehouse date). There is more availability and flexibility for this option to accommodate your customer#s needs. Upon selection of this option, the factory will contact you to schedule a tour date.	No Charge
8242		Operator Station and Electrical: Radar with Dual Beam Sensor	880.00
8725		Rotary Beacon Light Required to add Rotary Beacon Light to Standard Lighting Package.	332.00
8227		Outside Mirrors, Telescoping, Heated, Electrically Adjustable, RH and LH Required to upgrade from Right and Left Hand Manual Adjust Mirrors.	957.00
8228		Outside Mirrors, Telescoping, Heated, Electrically Adjustable, RH and LH Required to upgrade from RH and LH Electrically Adjusting Mirrors.	532.00
8782		Backup Alarm	176.00
8251		Antenna Mount and Wiring for Business Band (2-Way) Radio	127.00
8288		Foot Operated Speed Control	297.00
8720		Loader and Driving Light Package Provides two road lights mounted higher on the cab posts for use when front mounted equipment obstruct grill mounted front lights.	206.00
8210		Leather Trim Includes heated leather seat, leather wrapped steering wheel and rear window decal.	1,623.00
8010		Chassis: Fenders, Deluxe Pivoting Front for MFWD - 18.7 In. (480 mm) Wide Recommended for use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire width. Code 8010 or 8011 is required for 50km/h (31mph) Tractors. Not compatible with Code 8011.	1,233.00
8011		Fenders, Deluxe Pivoting Front for MFWD - 24.4 In. (620 mm) Wide Recommended for use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire width. Not compatible with Code 8010. If Code 8910 Loader Ready is selected the fenders will be stationary and loader compatible. Code 8010 or 8011 is required for 31 mph (50 km/h) Tractors.	1,233.00
8020		Fenders, Full Coverage Rear - 100 In. (2.55 m) Width Includes hitch control switch on both fenders.	1,349.00
8021		Fender, Extra Width Rear Extensions - 108 In. (2.75 M) Width Provides coverage for up to 800 mm section width tires. Not compatible with Code 8020.	1,599.00

7280R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8291		ATTACHMENTS - ORDER AS DESIREDContinued Left Hand Step Mud Guard In base on Tractors with Group 49 Rear Tires. Option on Tractors with Group 47 and Group 48 Rear Tires.	96.00
8910		Loader Ready Three Function Electronic - Independent Control Valve Includes: 3-Function Electronic Joystick with activated speed shifting buttons (Activated Speed Shifting Buttons not available with IVT Transmissions), 6-Hydraulic hoses from mid-mount Tractor valve to attached single point half coupler, Loader Mounting Frame, and Hood Guard (Requires front weight support). Not compatible with Mid Mount SCV's or Front Hitch. If fenders are desired, please select Code 8011 which will become stationary loader fenders compatible with Loaders. Does not include right side convenience step.	7,265.00
8751		Trailer Brake, Dual Line Air Includes compressor, tank, control valve, and couplers. Not compatible with Code 8756 or 8752. For dual line air and hydraulic brakes, order Code 8752. Code 8751, 8756, or 8752 is required for 31 mph (50 km/h) Tractors.	5,066.00
8756		Trailer Brake, Hydraulic Includes rear tractor line coupler. Not compatible with Code 8751 or 8752. For dual line air and hydraulic brakes, order Code 8752. Code 8751, 8756, or 8752 is required for 31 mph (50 km/h) Tractors.	542.00
8752		Trailer Brakes, Dual Line Air and Hydraulic Includes Code 8751 and 8756. Code 8751, 8756, or 8752 is required for 31 mph (50 km/h) Tractors.	5,609.00
8433		Hitch and Drawbar: Less Drawbar Requires Code 4311, 4313, 4314, or 4315.	-160.00
8428		Hydraulic Rear Center Link Requires Code 8020.	1,107.00
841G		Front Hitch Ready Includes a front casting that will accommodate but does not include a Front Hitch and Front PTO. Includes 1 set of Hydraulic Oil lines to connect the Front Hitch and Mid-Mount SCV on a Pivot Beam Axle and 3 sets of Hydraulic Lines on TLS front axles. Not compatible with 8407, 8408, 8410, 8409, 8411.	2,535.00
8407		Deluxe Front Hitch with 5200 Kg (11,450 lb.) max lift capacity at hitch balls. - 3150 Kg (6,944 lb.) ISO lift Capacity. - Less Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes Zero Front Auxiliary Couplers Not compatible with 841G, 832G, 834B, 834C, 834L, or 834M. Requires Code 841K or 841L. Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 1 Mid-Mount SCV for hitch raise and lower.	3,903.00

7280R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8408		ATTACHMENTS - ORDER AS DESIREDContinued Deluxe Front Hitch with 5200 Kg (11,450 lb.) max lift capacity at hitch balls 3150 Kg (6,944 lb.) ISO lift capacity Less Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes One Front Auxiliary Coupler Not compatible with 841G, 832G, 834B, 834C, 834L, and 834M Requires Code 841K or 841L. Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 2 Mid-Mount SCV's; Hitch Raise and Lower, 1 Aux Coupler.	5,032.00
8410		Deluxe Front Hitch with 5200 Kg (11,450 lb.) max lift capacity at hitch balls. - 3150 Kg (6,944 lb.) ISO lift capacity. - Less Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes Two Front Auxiliary Couplers Not compatible with 841G, 832G, 834B, 834C, 834L, and 834M Requires Code 841K or 841L. Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 3 Mid-Mount SCV's; Hitch Raise and Lower, 2 Aux Couplers.	6,161.00
8409		Premium Front Hitch with 5200 Kg (11,450 lb.) max lift capacity at the hitch balls. - 3150 Kg (6,944 lb.) ISO lift capacity. - Includes Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes One Front Auxiliary Coupler Not Compatible with 841G, 832G, 834B, 834C, 834L, and 834M Requires Code 841k or 841L Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 2 Mid-Mount SCV's; Hitch Raise and Lower, 1 Aux Coupler.	5,973.00
8411		Premium Front Hitch with 5200 kg (11,450 lb.) max lift capacity at the hitch balls 3150 Kg (6,944 lb.) ISO lift capacity Includes Pushbar (Hitch Raise/Lower hard plumbed to Mid-Mount Valve) - Includes Two Front Auxiliary Couplers Not compatible with 841G, 832G, 834B, 834C, 834L, and 834M. Requires Code 841k or 841L. Codes 2051, 2053, 2055, 2058, 2060, and 2064 require option 841L. Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065 are highly recommended to select option 841K. Includes 3 Mid-Mount SCV's; Hitch Raise and Lower, 2 Aux Couplers.	7,102.00
841K		Auxilary CommandArm Mounted SCV Controls Highly recommended when Codes 8407, 8408, 8409, 8410, or 8411 are selected with Codes 2050, 2052, 2059, 2057, 2061, 2063, 2062, or 2065.	1,154.00
841L		Joystick Control Required when Codes 8407, 8408, 8409, 8410, or 8411 are selected with Codes 2051, 2053, 2055, 2058, 2060, or 2064.	1,166.00
8435		Drawbar Clevis, Cat. 3 with 1.5 In. (38 mm) Pin Requires Code 4320.	231.00
832G		Hydraulics: Auxiliary Hydraulic Connections Includes (2) motor return 1/2" couplers, (1) flat face sump 3/8" coupler, (1) 1/2" power beyond pressure, (1) load sense 1/4" coupler.	840.00

7280R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
834B		ATTACHMENTS - ORDER AS DESIREDContinued Mid-Mount EH Valve Stack with 2-Function Paddle Pot Control Provides two additional SCVs. Float position included on all Mid-Mount valves. Includes two sets of Mid-Mount valve couplers. Not compatible with Front Hitch or Loader Ready Package. Not compatible with AutoQuad or PowrQuad Transmissions.	2,437.00
834C		Mid-Mount EH Valve Stack with 2-Function Joystick Control Provides two additional SCVs. Float position capable on only 1 Mid-Mount valve. Includes two sets of Mid-Mount valve couplers. Not compatible with Front Hitch or Loader Ready Package.	3,190.00
834L		Mid-Mount EH Valve Stack with 3-Function Paddle Pot Control Provides three additional SCVs. Float position included on all Mid-Mount valves. Includes three sets of Mid-Mount valve couplers. Not compatible with Front Hitch or Loader Ready Package. Not compatible with 6 Rear SCV's. Not compatible with AutoQuad or PowrQuad Transmissions	3,566.00
834M		Mid-Mount EH Valve Stack with 3-Function Joystick Control Provides Three Additional SCVs Float position capable on only 1 Mid-Mount valve. Includes three sets of Mid-Mount valve couplers. Not compatible with Front Hitch or Loader Ready Package. Not compatible with 6 Rear SCV's.	4,319.00
8380		Front PTO: PTO, Independent Front with 1-3/8 In. 21-Spline, 1000rpm Clockwise-Rotating Shaft as Viewed from Front (Type 2) Requires Code 8407, 8408, 8409, 8410, 8411.	7,268.00
8381		PTO, Independent Front with 1-3/4 In. 20-Spline, 1000rpm Clockwise-Rotating Shaft as Viewed from Front (Type 3) Requires Code 8407, 8408, 8409, 8410, 8411.	7,268.00
8302		Engine: Heater, Engine Block 110V	53.00
8336		John Deere PowerTech PVX 9.0 L (549 cu. In.) 6 Cyl IT4 / Stage 3b Compliant Diesel Engine	Same Price
8300		Cold Weather Start Kit Factory installation of Block Heater (110V) and Ether Aid Canister and Switch.	426.00
8301		Heater, Cold Weather Auxiliary Package, 110V Includes Ether Aid Canister and Switch, Ground Fault Interrupter, Engine Block Heater, Charge Pump Heater and Transmission Hydraulic Oil Heater (Transmission Heater is only available on PQ, AQ, and CQ Transmissions).	521.00
8306		Fuel/Water Separator, Severe Duty Available as an option with Code 8332 and 8336, iT4/3b Compliant Diesel Engines.	549.00
8220		Intelligent Power Management Provides up to an additional 30 Engine hp in non-stationary rear PTO and transport applications. Not compatible with Code 8330.	2,944.00

7280R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
8955		Quik-Tatch Weights: Weight, Front Support - Less Weights	314.00
8956		Weight, Front Support with Four Suitcase Weights Not compatible with Front Loaders.	795.00
8957		Weight, Front Support with Eight Suitcase Weights Not compatible with Front Loaders.	1,327.00
8958		Weight, Front Support with Twelve Suitcase Weights Not compatible with Front Loaders.	1,862.00
8959		Weight, Front Support with Sixteen Suitcase Weights Not compatible with Front Loaders.	2,397.00
8962		Weight, Front Support with Twenty Suitcase Weights Not compatible with Front Loaders.	3,055.00
8963		Weight, Front Support with Twenty Four Suitcase Weights Not compatible with Front Loaders.	3,467.00
		Rear Wheel Weights - For Inside/Inner Wheels (Steel): Weights shown are for each weight.	
8970		One pair 165 Lb. (75 kg) Starter Weights and One Pair 450 Lb. (205 kg) Weights	1,720.00
		Rear Wheel Weights - For Outside Drive Wheels (Steel): Weights shown are for each weight.	
8972		One pair 165 Lb. (75 kg) Starter Weights and One Pair 450 Lb. (205 kg) Weights <i>Not compatible with duals or Code 5090.</i>	1,720.00
8973		One pair 165 Lb. (75 kg) Starter Weights and Two Pair 450 Lb. (205 kg) Weights <i>Not compatible with duals or Code 5090.</i>	2,928.00
		Rear Wheel Weights - For Inside/Inner Drive Wheels (Cast) Weights shown are for each weight.	
8974		One Pair 450 Lb. (205 kg)	1,208.00
8975		One pair 165 Lb. (75 kg) Starter Weights and One Pair 450 Lb. (205 kg) Weights	1,720.00
8976		Two Pair 450 Lb. (205 kg) Minimum tread setting may be restricted due to tire size selected. Refer to sales manual for additional information. Not available from factory with 520 section width tires or narrower.	2,416.00
8977		One Pair 1400 Lb. (635 kg) Requires Code 3902 and tires with load rating above 151 Load Index.	3,460.00

7280R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
		Rear Wheel Weights - For Outside Drive Wheels (Cast): Weights shown are for each weight.	
8978		One pair 165 Lb. (75 kg) Starter Weights and One Pair 450 Lb. (205 kg) Weights Not compatible with duals.	1,720.00
8979		One Pair 165 Lb. (75 kg) Starter Weights and Two Pair 450 Lb. (205 kg) Weights Not compatible with duals.	2,928.00
		Rear Wheel Weights - For Outside/Outer Dual Wheels: Weights shown are for each weight.	
8980		One Pair 165 Lb. (75 Kg) Starter Weights and One Pair 450 Lb. (205 Kg) Weights	1,720.00
8981		One Pair 165 Lb. (75 Kg) Starter Weights and Two Pair 450 Lb. (205 Kg) Weights Based on the tire width option ordered, some 450 lb. wheel weights may be shipped on a separate pallet and require dealer installation.	2,928.00
8935		1200 kg (2645 lb.) Ballast Package with Rear Duals: Front Weight Support with 12 Front Suitcase Weights and One Pair 75 kg (165 lb.) with One Pair of 205 kg (450 lb.) Inside/Inner Rear Wheel Weights and no Outside/Outer Dual Rear Wheel Weights	3,582.00
8936		2254 kg (4970 lb.) Ballast Package with Rear Duals: Front Weight Support with 16 Front Suitcase Weights and One Pair of 635 kg (1400 lb.) Inside/Inner Rear Wheel Weights and One Pair 75 kg (165 lb.) Outside/Outer Dual Rear Wheel Weights	6,593.00
8937		3832 kg (8449 lb.) Ballast Package with Rear Duals: Front Weight Support with 24 Front Suitcase Weights and One Pair of 635 kg (1400 lb.) Inside/Inner Rear Wheel Weights and One Pair 75 kg (165 lb.) and Three Pair 205 kg (450 lb.) Outside/Outer Dual Rear Wheel Weights	10,551.00
8785		Miscellaneous: Chock Block Holder	129.00
878K		Export Tools	378.00
8550		Skid for Duals	130.00
		ATTACHMENTS FOR FIELD CONVERSION	
	RE320685	Brakes: Air Trailer Brake Kit	3,660.00
	RE324753	Air Trailer Brake Kit - AQ/PQ Pump Drive Kit	271.00
	RE320684	Hydraulic Trailer Brake Kit	610.00

7280R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE343415	ATTACHMENTS FOR FIELD CONVERSIONContinued Manifold Trailer Brakes NA	287.00
	RE58827	Electrical: 9-Pin Connector Implement Feedback Required for Touch-Set Depth Control.	132.00
	RE324685	Battery Disconnect Switch	174.00
	RE322555	Front Implement CAN Communication Connector	125.00
	RE325915	Heater, Cold Weather Auxiliary Package, 110V Contains block heater, ether aid canister and hydraulic pump heater. Compatible on 9.0L IVT.	502.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE21519	Implement Switch with 10 Ft. Harness	168.00
	RE324687	Mounting Parts for Radar with Dual Beam Sensor Compatible with IVT Transmissions. Must order radar separately.	145.00
	RE278980	Radar with Dual Beam Sensor	See Parts
	RE278984	Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts
	RE337169	Transmission Backup Alarm	295.00
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	26.00
	RE325917	Engine: Cold Weather Starting Package Includes Switch and Ether Aid Canister. Only compatible with 9.0L.	120.00
	RE315285	Fuel/Water Separator Kit, Severe Duty Compatible with 9.0L. Also order W54363 and hardware for loader.	647.00
	RE323950	Fenders: Fenders, Deluxe Pivoting Front for MFWD - 18.7 In. (480 mm) Wide Kit does not contain fender support rods. Rods are dependent on front tire size. Please reference installation instructions for further information.	1,356.00
	RE323949	Fenders, Deluxe Pivoting Front for MFWD - 24.4 ln. (620 mm) Wide Kit does not contain fender support rods. Rods are dependent on front tire size. Please reference installation instructions for further information.	1,356.00
	RE324406	Fenders, Extra Width Rear Fender Extensions	276.00

7280R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE318606	ATTACHMENTS FOR FIELD CONVERSIONContinued Fenders, Full Coverage Rear 2.55 meter (100 In. Width)	500.00
	RE329076	Front Hitch Hydraulic Mid-Mount Valves: Front Hitch Valve (100 ml.) Compatible on all Tractors that are front hitch ready with TLS. If additional valves are not required, also order (2) RE305393.	1,943.00
	RE329075	Front Hitch Valve (100 ml.) Compatible on all IVT Tractors that are front hitch ready without TLS. If additional valves are not required, also order (2) RE305393.	1,943.00
	RE329074	Front Hitch Valve (100 ml.) Compatible on AQ, PQ, CQ transmissions that are front hitch ready without TLS. If additional valves are not required, also order (2) RE305393.	1,943.00
	RE329078	Second SCV for Front Hitch (140 ml.) Compatible on all Tractors that are front hitch ready with TLS. If additional valves are not required, order (1) RE322693.	1,199.00
	RE329077	Second SCV for Front Hitch (140 ml.) Compatible on all Tractors that are front hitch ready with MFWD. If additional valves are not required, order (1) RE322693.	1,199.00
	RE329080	Third SCV for Front Hitch (140 ml.) Compatible on all Tractors that are front hitch ready with TLS.	1,199.00
	RE329079	Third SCV for Front Hitch (140 ml.) Compatible on all Tractors that are front hitch ready with MFWD.	1,199.00
	RE324072	Guards: Guards, Undercarriage Crop Shield Protects transmission and wiring harness.	139.00
	RE326620	Hitch and Drawbar: 3-in-1 Hitch Rails	1,244.00
	RE326580	Carrier to Ground Engaging, Hitch Conversion Kit Converts Codes 8407, 8408, 8410 from carrier to ground engaging.	2,601.00
	RE330569	Drawbar Kit, Cat. 3 High Vertical Load (10,000 Lb. Capacity)	1,202.00
	RE333545	Forced Steering Hitch Kit	1,346.00
	RE327692	Front Hitch Chain Hooks	196.00
	RE326447	Front Hitch Ready - Add Carrier Hitch	4,721.00
	RE326450	Front Hitch Ready - Add Ground Engaging Hitch Converts Code 841G, from front hitch ready to ground engaging.	5,576.00
	RE326626	Pick-Up Hitch Kit (Long) For use with Sway Blocks.	4,571.00
	RE326624	Pick-Up Hitch Kit (Short) For use with stabilizer.	4,359.00

7280R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	(.,
	RE330573	Rear Hitch Hydraulic Center Link	1,267.00
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N)	1,529.00
	RE333036	Stabilizer Bracket Shield Hitch Kit	155.00
	RE326622	Wagon Hitch Auto Coupler Requires RE326620 3-in-1 Hitch Rail Kit.	1,152.00
	RE327558	Hydraulics: 4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers	1,445.00
	RE327559	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with	1,445.00
		High Pressure Relief Levers Not compatible with PowrQuad PLUS or AutoQuad PLUS Transmission Codes 1430, 1431, or	
		1451. Included in the CommandArm with CommandQuad and IVT Codes 1500, 1501, 1550, 1551, 1552, or 1553.	
	RE327560	6th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with	1,909.00
		High Pressure Relief Levers Not compatible with PowrQuad PLUS or AutoQuad PLUS Transmission Codes 1430, 1431, or	,
		1451. Included in the CommandArm with CommandQuad and IVT Codes 1500, 1501, 1550, 1551, 1552, or 1553.	
	RE315307	Auxiliary Hydraulic Reservoir	883.00
	RE327561	Hydraulic Motor Return Kit with Case Drain	164.00
	RE300468	Hydraulic Motor Return Kit without Case Drain For case drain, order case drain kit separately.	106.00
	RE328941	Implement Single Lever Control Lift Assist Kit	84.00
	RE333857	Mid-Mount EHCV 2 or 3 Function EH Single Lever Control (Joystick) and Mounting Parts for RH Console Not compatible with IVT Transmissions. Only compatible with RH Console.	1,760.00
	RE333856	Mid-Mount EHCV 2 or 3 Function EH Single Lever Control (Joystick) and Mounting Parts for RH Console with Speed Shifting Compatible with AQT, PQT, CQT, and RH Console.	2,277.00
	RE333854	Mid-Mount EHSCV 2 or 3 Function EH Single Lever Control (Joystick) and Mounting Parts for Command Arm with Speed Shifting Compatible with AQT, PQT, CQT, and CommandARM.	2,795.00
	RE300467	Power Beyond Coupler Kit	436.00
	AR272536	Rear EHSCV Single Lever Control (Joystick) and Mounting Parts for CommandArm Compatible with IVT Transmission. Compatible with all CQT's except in Region 4.	1,563.00
	RE334683	Lighting: Auxiliary Driving / Loader Light Kit	227.00

7280R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE334627	ATTACHMENTS FOR FIELD CONVERSIONContinued Front HID Light Kit	1,788.00
	RE326320	Lights, Two Roof-Mounted 65W Halogen Front Flood Lights	140.00
	RE334623	Rotary Beacon Light Kit	382.00
	RE329083	Loader Auxiliary Mid-Mount Valves: First & Second Remote (100 ml.) w/ AQ, PQ, CQ, without TLS If additional valves are not required, order (1) RE322693.	2,534.00
	RE329084	First & Second Remote (100 ml.) with AutoPowr / IVT, without TLS If additional valves are not required, order (1) RE322693.	2,534.00
	RE329085	First & Second Remote (100 ml.) with TLS If additional valves are not required, order (1) RE322693.	2,069.00
	RE329086	Third Remote (140 ml.) If additional valves are not required, order (1) RE322693.	1,137.00
		Operator Environment:	
	RE67016	3-Pin Adaptor for Power Strip	See Parts
	RE67015	3-Way Convenience Adapter for Power Strip	See Parts
	RE317435	Accessory Mounting Bracket	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00
	RE275532	Ash Tray	See Parts
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	RE323407	External Mirrors, Electrically Adjustable RH and LH Conversion Kit	594.00
	RE293499	External Mirrors, Electrically Telescoping and Heated Mirror Heads	1,696.00
	RE323405	External Mirrors, Manually Adjustable RH and LH	265.00
	RE321017	Foot-Operated Speed Control	125.00
	RE68495	Power Strip with Six Outlets	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit	295.00
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE326509	Step Kit, Right Hand Step	362.00
	RE324084	Step Mud Guard, LH	106.00
	RE261504	Sun Shade, Front Pull Down	See Parts

7280R Tractor


	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
F	RE263352	ATTACHMENTS FOR FIELD CONVERSIONContinued Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
F	RE269618	Windshield Wiper with Washer, Rear	193.00
F	RE326849	PTO: Front PTO Common Mounting Parts Also order R325433 for 9.0L or R325432 for 6.8L.	1,141.00
F		Independent Front PTO with 1-3/4 In. 20-Spline, 1000 RPM Clockwise-Rotating Shaft as Viewed from Front (Type 3)	See Parts
F	RE323421	Independent Front PTO with 1-3/8 In. 21-Spline, 1000 RPM Clockwise-Rotating Shaft as Viewed from Front (Type 2)	See Parts
F	RE302014	Independent Front PTO with 1-3/8 In. 6-Spline, 1000 RPM Counter Clockwise-Rotating Shaft as Viewed from Front (Type 1)	See Parts
F	RE331560	SCV Parts: Paddle Pot Pod, Common Parts Only compatible on Tractors with CommandARM. Order single paddle potentiometer separately. See instructions RE331562 for more information.	95.00
F		Single Paddle Potentiometer Order decals and levers separately. See instructions RE331561 for more information.	See Parts
F		Software Downloads: Intelligent Power Management Provides up to an additional 30 Engine hp for non-stationary rear PTO and transport applications. Download through Service Advisor's software delivery system. Includes instruction and download only. See Ag Sales Manual for ground speed specifications.	See Parts
F		Language Group for CommandCenter - English, Croatian, Serbian, Slovenian, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
F		Language Group for CommandCenter - English, Danish, Swedish, Finish, Norwegian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
F		Language Group for CommandCenter - English, Estonian, Latvian, Lithuanian, Polish, Russian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts

7280R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE305725	ATTACHMENTS FOR FIELD CONVERSIONContinued Language Group for CommandCenter - English, French, Dutch, Icelandic, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305730	Language Group for CommandCenter - English, Greek, Turkish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305731	Language Group for CommandCenter - English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305728	Language Group for CommandCenter on IVT/AutoPowr Tractors - English, Hungarian, Czech, Slovak, Romanian, Bulgarian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	BPF10312	Non-John Deere Guidance Compatibility Activation - AutoFarm/Novariant Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10313	Non-John Deere Guidance Compatibility Activation - Hemisphere/Outback Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10433	Non-John Deere Guidance Compatibility Activation - Leica Geosystems Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10311	Non-John Deere Guidance Compatibility Activation - Raven Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10363	Non-John Deere Guidance Compatibility Activation - Trimble Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AL113121	Weights: Centerlink Kit for Hitch Mounting 900 or 1150 kg Large Weights	207.00
	RE326583	Front Hitch Ready Weight Support	774.00
	R288797	Standard Front Weight Support	375.00
	AL172542	Weight, 1150 kg Large Front Mounted	3,585.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00

7280R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	R167151	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Inner Wheel, 1400 Lb.	1,903.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg)	282.00
	RFR207782	Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights)	2,658.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00
	R207782	Weight, Wheel, 450 Lb.	664.00
	AR190666	Wheel Equipment: One 10 In. Dual Hub Extension For use with standard duty 6 bolt wheel hubs.	759.00
	AR190668	One 13 In. Dual Hub Extension For use with standard duty 6 bolt wheel hubs.	844.00
	AR190669	One 15 In. Dual Hub Extension For use with standard duty 6 bolt wheel hubs.	884.00
	AR194744	One 5 In. Dual Hub Extension For use with standard duty 6 bolt wheel hubs.	685.00
	RE267658	Three Meter Front Wheel Spacer Not compatible with Tractors equipped with front brakes.	3,063.00



8235R Tractor

Equipment for Base Machine

```
Fuel Level Gauge with
Low Fuel Warning Signal
ENGINE:
John Deere PowerTech Diesel
   In-line 6-Cylinder Wet-Sleeve
                                                                     Engine RPM Indicator
with High Pressure Common Rail (HPCR)
Fuel System and 24 Valve Head
9.0 L (549 Cu. In.) Displacement
235 Engine Hp (173 kW) 97/68/EC @ Rated Speed
192 SAE PTO hp (143 kW) @ Rated Speed
Air to Air Intercooled
Automatic Shutdown System
                                                                  Status Indicator for:
                                                                     MFWD
                                                                     Differential Lock
                                                                     Rear PTO Speed
                                                                  CommandCenter Display Includes:
GreenStar 3 Application Capability
Automatic Shutdown System
                                                                     Video Capability, with Tractor Function
Dry Type Air Cleaner with Safety Element
                                                                       Activated Triggers
  and Dirt Aspiration System
                                                                     AutoTrac and Swath Control Pro
Tilt Hood Enclosure
                                                                       Activation Required
VariCool Fan Drive System
Electric Fuel Shutoff
Engine Coolant Conditioner Additive
Engine Coolant Recovery System
Dual Stage Fuel Filtration System with
                                                                     Access Manager
                                                                     Universal Performance Monitor
                                                                  Display Functions Definable By Operator:
                                                                     % Slip
                                                                     Ground Speed
Fuel Water Separator with Sensor
Self-Priming and Bleeding Electronic
                                                                     PTO Speed
                                                                     Engine Hours
Fuel Pump
680 L (180 U.S. Gal.) Fuel Tank Capacity
with Lockable Fuel Cap
Top-loading Vertical Engine Oil Filter
Electronic Injection and Governor Control
Field Cruise Control
                                                                     Hydraulic Settings
Hitch Settings
                                                                     Hitch Slip Command
Productivity
                                                                     Efficiency
                                                                     Area
                                                                     Adjustable PTO Modulation
                                                                     Implement Width
TRANSMISSION:
                                                                     Service Hours
Powershift.
   16 Forward/5 Reverse Speeds
                                                                     Voltage
   Hydraulically-Engaged Wet-Disk Clutch
                                                                     Fuel Consumption Rate
   Park Lock
                                                                     Temperatures
                                                                    Time of Day
Ambient Temperature
Neutral Safety Start System
                                                                  Command Control System with:
STEERING, BRAKES DIFFERENTIAL:
Load-Sensing Hydraulic Power Steering
                                                                     Automatic Powershift
Wet-Disk Hydraulic Power Brakes
                                                                     Set and Adjust Time and Flow of
Hydraulically-Engaged Differential Lock
                                                                       Individual Selective Control Valves
                                                                  iTEC End of Row Functions
HYDRAULICS:
                                                                  Languages:
Pressure Flow Compensating
Axial Piston Pump
                                                                     For a complete list of languages, refer to the Ag
                                                                     Sales Manual
63 cc Displacement 166.6 lpm (44 gpm)
   Pump Output
                                                                  OPERATOR PROTECTIVE STRUCTURE:
132 lpm (35 gpm) Flow @ One SCV
L (gal) Oil Take Out Capacity @
                                                                  Deluxe CommandView II Cab
                                                                     Tilt/Telescoping Memory Steering Wheel
  Max Flow Rate
                                                                     Comfort Command Seat with
50 L (13 Gal.) Take-Out Capacity
                                                                       Air Suspension, Swivel
                                                                       Fore-Aft Lateral Attenuation,
Four Electrohydraulic Remote Selective
   Control Valves with Push/Pull
                                                                       Lumbar Support
  ISO Breakaway Couplers and
High Pressure Release Levers
                                                                       Backrest Adjustment with
                                                                       Integrated CommandARM Controls
                                                                     Adjustable Position CommandARM with
                                                                       Integrated CommandCenter Display
Independent 1000 RPM, 45 mm
                                                                     Swing-Out Rear Window (30 Degrees)
   (1-3/4 \text{ In.}) 20 Spline
                                                                     Tinted Glass
PTO Safety Start System
                                                                     Air Conditioner and Heater
Seat-Activated PTO Warning
                                                                     Two Speed and Intermittent Front Wiper
                                                                       and Rear Wiper
ROCKSHAFT, HITCH AND DRAWBAR:
                                                                     Front and Rear Windshield Washer
Dual Cylinder Electrohydraulic Rear
                                                                     Pull Down Front Sun Visor
   3-Point Hitch, Category 3/3N
                                                                     Rear Under Seat Storage
   Solid Draft Links with External
                                                                     Folding Instructional Seat
   Remote Raise/Lower Switch
                                                                     Left Hand Storage
   Sway Blocks with Tapered Wedge Adjustment
                                                                     Two Beverage Holders
   Electro/Hydraulic Hitch Dampening
                                                                     Right and Left Outside Mirrors
   Center Link Adjustment Handle
                                                                     Less Radio and Speakers
   Transport Lock
                                                                     Includes Wiring Harness for Radio and Speakers
Adjustable Swinging Drawbar
                                                                     Inside Cab Mounted Rear View Mirror
Cat. 3 Drawbar with Clevis
                                                                     Passive Noise Reduction System
   and 1.5 In. Pin
                                                                  Backlit Right Hand Console Controls
                                                                     with Adjustable Brightness
INSTRUMENTATION:
                                                                  Step, Left Hand Convenience
Corner Post Digital Instrument Panel
   Includes:
                                                                  ELECTRICAL:
   Engine Oil Pressure Gauge
                                                                  Key Engine Shutoff
   Engine Coolant Temperature Gauge
                                                                  12V Electrical System
```

8235R Tractor

Continued

Two 925 CCA 12V Batteries
Two 12V Electrical Convenience Outlet
Two 12V Electrical 3-Pin Outlet
with Adapter
Battery Boost Terminal
200 Amp Alternator
SmartCircuit Current Load Monitoring
System with Fuse Panel
7-Terminal Rear Implement Electrical
Outlet Socket
Integrated ISO Radar Connector
StarFire ITC or Radar Speed
Input Harness
ServiceADVISOR Data Port

LIGHTS:

0011

Six Front Grill Mounted Lights
Ten Cab Roof Mounted Lights
Two Rear Fender Flood Lights
Extremity, Brake, Turning, and Hazard
Lights

AXLES, WHEELS AND TIRES: 1300 MFWD Front Axle with Limited Slip Differential and Driveline Shield Rear Axle and Wheels and Tires AG MANAGEMENT SOLUTIONS:
Integrated Plug-In for GreenStar Display
Deluxe StarFire Receiver Bracket
GreenStar Ready harness with Implement
Circuit Gateway and Integrated
GreenStar Display Plug-In
Connector (ISO 11783 Compatible)
AutoTrac Ready Components:
Wiring, SSU, Front WheelAngle Sensor and Electro-Hydraulic
Steering Valve

MISCELLANEOUS: Enclosed Chain Storage Box Horn PTO Master Shield Tool Box Operator's Manual Lockable Fuel Cap

* Manufacturer's Rating **Cold Cranking Amperes

ATTACHMENT CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Waterloo, Iowa

7500RW 8235R Tractor 197,126.00

DESTINATION

A Code must be chosen for each Tractor ordered.

AFRICA

Chad Same Price

Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable.

Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab.

Code 7200 Standard Lighting.

Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires.

Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0014		DESTINATIONContinued Democratic Republic of Congo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 ln. 15848 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 ln. 142A8 R1 Front Single Wheels and Tires.	Same Price
0019		Ethiopia Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln.) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 ln. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 ln. 142A8 R1 Front Single Wheels and Tires.	Same Price
0020		Gabon Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0026		Kenya Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0029		DESTINATIONContinued Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln.) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0050		Tanzania Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0016		Egypt Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 ln. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 ln. 142A8 R1 Front Single Wheels and Tires.	Same Price
0072		ASIA China (People's Republic of China) Requires Code Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0078		DESTINATIONContinued Israel Requires Code 1885 JDLink Capable. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 6,169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 - 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 - 480/80R46 ln. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 - 420/90R30 ln. 142A8 R1 Front Single Wheels and Tires.	Same Price
0102		Taiwan Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0104		Thailand Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0109		Vietnam Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION DESTINATIONContinued	SUGGESTED LIST PRICE USD (\$)
0183		NORTH AMERICA Belize Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires.	Same Price
0184		Canada Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Ultimate Promotion 3 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6,169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8366 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0191		Guatemala Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0193		Honduras Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	. DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0195		DESTINATIONContinued Mexico Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0196		Nicaragua Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0197		Panama Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 ln. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 ln. 142A8 R1 Front Single Wheels and Tires.	Same Price
0202		United States Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Ultimate Promotion 3 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6,169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	1,209.00
0210		SOUTH AMERICA Argentina Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0213		DESTINATIONContinued Chile Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0214		Colombia Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 RI Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 RI Front Single Wheels and Tires.	Same Price
0215		Ecuador Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0217		Paraguay Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0218		Peru Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price

8235R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0220		DESTINATIONContinued Uruguay Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0221		Venezuela Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price

VALUE PACKAGE CONFIGURATIONS

	VALUE FACKAGE CONFIGURATIONS	
0500	No Package Order one Code from each box in the Price Pages.	In Base Price
0501	Deluxe 1300 Package Includes Codes: 2059, 1833 or 1834, 1490, 1550 or 1551, 7201, 2661 or 2662, 3341 or 3351 or 3361, 3810 or 3821, 4032 or 4034, 4322, 3260, 5042, 6040 or 6041, 8288, 8251, 832G, 8010 or 8011.	-500.00
0502	Premium PST 1300 or 1500 Package Includes Codes: 2061, 1833 or 1834, 1490, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810 or 3821, 4032 or 4034, 4322, 3260, 5042, 6040, 6041 or 6042, 8251, 832G, 8010 or 8011.	-500.00
0503	Premium PST ILS Package Includes Codes: 2061, 1833 or 1834, 1490, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810 or 3821, 4032 or 4034, 4322, 3260, 5042, 6060 or 6061, 8288, 8251, 832G, 8010 or 8011.	-1,000.00
0504	Premium IVT 1300 Package Includes Codes: 2061, 1833 or 1834, 1550 or 1551, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810 or 3821, 4032 or 4034, 4322, 3260, 5042, 6040 or 6041, 8288, 8251, 832G, 8010 or 8011.	-1,000.00
0505	Premium IVT 1500 or ILS Package Includes Codes: 2061, 1833 or 1834, 1550 or 1551 or 1552 or 1553, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810 or 3821, 4032 or 4034, 4322, 3260, 5042, 6042 or 6060 or 6061, 8288, 8251, 832G, 8010 or 8011.	-1,500.00
0506	iPackage PST Includes Codes: 2061, 1826, 1837 or 1838, 1848 or 1849, 1889 or 1887 or 1888, 1833, 1490, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810 or 3821, 4034 or 4032, 4322, 3260, 5042, 6060 or 6061, 8288, 8251, 832G, 8010 or 8011.	-1,500.00
0507	iPackage IVT Includes Codes: 2061, 1826, 1837 or 1838, 1848 or 1849, 1889 or 1887 or 1888, 1833, 1550 or 1551 or 1552 or 1553, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810 or 3821, 4034 or 4032, 4322, 3260, 5042, 6060 or 6061, 8288, 8251, 832G, 8010 or 8011.	-2,000.00

8235R Tractor

Continued

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

VALUE PACKAGE CONFIGURATIONS ... Continued...

OPERATOR STATION 2050 CommandView II Cab -1,980.00 Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest controls with Integrated CommandCenter Display. Folding Instructional Seat. Remote Radio Controls located on CommandARM. Front Windshield Washer and Wiper. SMV Emblem. Manual Temperature Controls located in cab roof. See Attachments Section for ordering information on additional field attachments. 2059 Deluxe CommandView II Cab In Base Price Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Remote Radio Controls located on CommandARM. Front and Rear Windshield Washer and Wiper. SMV Emblem. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Right and Left Outside Mirrors (Manual Adjustment). Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. See Attachments Section for ordering information on additional field attachments. 2061 Premium CommandView II Cab with Active Seat 3,469.00 Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on CommandARM. Front and Rear Windshield Wiper and Washer. SMV Emblem Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Right and Left Outside Electrically Adjustable Mirrors. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. Active Seat. See Attachments Section for ordering information on additional field attachments.

DISPLAY

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

GS3 CommandCenter, 7" Color Display

1821

Includes Access Manager user lockout software.

With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately.

In Base Price

8235R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DISPLAYContinued	
		Does not include a cornerpost bracket for mounting an additional GreenStar Display.	
1823		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable Includes Access Manager user lockout software, and video capability. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. One video camera input pre-wired in the cab. Connector located on the outside rear of the cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. See Parts for available cameras.	1,260.00
		Does not include a cornerpost bracket for mounting an additional GreenStar Display.	
1825		GS3 CommandCenter 7" Color Display with GreenStar 3 2630 Display Includes Access Manager user lockout software. Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed on cornerpost. Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.	6,086.00
		When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the 2630 Display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	
1826		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable with GreenStar 3 2630 Display Includes Access Manager user lockout software, and video capability. Includes GreenStar 3 2630 Display, harness and A-post mounting bracket installed on cornerpost.	7,351.00
		Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.	
		The GS3 CommandCenter is pre-wired with one video input in the cab. Connector located on the outside rear of cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. In addition, the GreenStar 3 2630 Display has the capability of one video input. Requires camera and harnessing for video capabilities. See Attachments for harnessing at GreenStar Harnesses in the AMS Price Pages and Ag Sales Manual for list of compatible cameras.	
		When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the 2630 display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	

RECEIVER

StarFire 3000 Position Receivers can be ordered in two configurations:

 $\hbox{\it -SF1 World Solution, a no-charge differential correction signal that provides non-row-crop} \ accuracy.$

-SF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.com.

-RTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual.

GNSS serial port information (NMEA) is available through a StarFire 3000.

Option availability limited by specific geographical regions. Please refer to region specific

8235R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RECEIVERContinued price pages for appropriate ordering codes.	
1835		Less StarFire 3000 Receiver Tractor includes deluxe receiver mounting bracket only.	In Base Price
		When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.	
1837		StarFire 3000 Receiver - SF1 with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms. Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for	2,695.00
		non-row-crop accuracy. StarFire 3000 receiver can be upgraded to SF2 capabilities.	
1838		StarFire 3000 Receiver - SF2 Ready with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.	4,695.00
		A StarFire3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available through StellarSupport.com or by calling the AMS Customer Call Center.	

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold seperately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, all GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact Stellar Support to activate AMS Software Activations, referencing the Tractor order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1845	Less AutoTrac Activation - GS3	In Base Price
1846	AutoTrac SF1 Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) for AutoTrac functionality. See AMS sales manual and price pages for detailed information.	3,000.00
1847	AutoTrac SF2 Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires SF2 Subscription sold seperately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	6,500.00

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONSContinued	
1848		AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See AMS sales manual and price pages for detailed information.	5,500.00
1849		AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. Also requires SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	9,000.00
		MACHINE CONNECTIVITY	
		Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability.	1,200.00

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	
		ACTIVECOMMAND STEERING	
1833		John Deere ActiveCommand Steering (ACS) Includes cab-mounted gyro, tactile feedback unit in steering column, and steering control unit for variable ratio steering and dynamic road-wheel offset control.	3,209.00
1834		Less John Deere ActiveCommand Steering (ACS)	In Base Price
		TRANSMISSION	
1490		16F/5R Speed PowerShift Transmission 42 km/h (26 mph) 5R is only available through John Deere dealer programming in some geographic regions.	In Base Price
1550		AutoPowr IVT Transmission 42 km/h (26 mph) with Right Hand Reverser Controls	12,083.00
1551		AutoPowr IVT Transmission 42 km/h (26 mph) with Left Hand Reverser Controls	12,953.00
1553		AutoPowr IVT Transmission 50 km/h (31 mph) with Right Hand Reverser Controls Requires 120 mm diameter Rear Axle Codes; Front Axle Code 6061; Front Fender Code 8010 or 8011; Trailer Brake Code 8751, 8752, or 8756, and Symbol B (50 km/h) Front and Rear Tires.	12,083.00
1552		AutoPowr IVT Transmission 50 km/h (31 mph) with Left Hand Reverser Controls Requires 120 mm diameter Rear Axle Codes; Front Axle Code 6061; Front Fender Code 8010 or 8011; Trailer Brake Code 8751, 8752, or 8756, and Symbol B (50 km/h) Front and Rear Tires.	12,953.00
		LIGHTS	
7200		Standard Lighting Six Front Grill Mounted Lights: two 65W low beam driving lights, two 65W high beam driving lights and two front corner facing halogen work lights. Ten Cab Roof Mounted Lights: Two rear and four side facing 65W flood lights and four corner facing amber lights. Two rear fender mounted flood lights and two rear turn signal and brake lights. Two folding extremity lights.	In Base Price
7201		Deluxe Lighting Includes Standard Lights plus two adjustable front roof 65W halogen floodlights, two front belt-line flood lights, and rotary beacon light.	789.00
7202		Premium Lighting Includes Deluxe Lights, and additionally in the front grill screen, two front corner HID lights replace two front halogen lights and one HID light and one 65W halogen flood light are added. Two rear fender lights are replaced with HID lights.	3,442.00

8235R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	. DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RADIO	
2650		Less Radio and Speakers Includes wiring harness only for Radio and Speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack located on front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio For U.S. and Canada Markets only. AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter,XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display.	1,015.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna.	912.00
		REMOTE SELECTIVE CONTROL VALVES	
3331		Three Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	-1,875.00
3341		Four Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	In Base Price
3351		Five Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	1,876.00
3361		Six Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers Includes Auxiliary CommandArm Mounted SCV Controls. Only available on Model Year 2012 Tractors.	3,753.00
		POWER TAKE OFF	
3810		45 mm (1-3/4 ln.) 1000 rpm PTO (20 Spline)	In Base Price
3820		45 mm (1-3/4 ln.) 1000 rpm (20 Spline), Capable of 35 mm (1-3/8 ln.) 540 (6 Spline) / 1000 (21 Spline) rpm PTO To field convert to 35 mm (1-3/8 ln.) 540/1000 rpm PTO, kit RE272736 will be required. 35 mm (1-3/8 ln.) 540 rpm PTO portion of this option is not compatible with Cat. 4 Drawbar.	1,924.00
3821		45 mm (1-3/4 ln.) 1000 rpm (20 Spline) with 35 mm (1-3/8 ln.) 540 (6 Spline) / 1000 (21 Spline) rpm PTO	2,448.00

REAR HITCH

Advertised Hitch Lift Capacity is the amount of force that is sustained through the entire range of lift, measured at 610 mm behind the hitch point. This is measured with the rear hitch centerlink connected to the upper hole. See Operators Manual for more information.

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR HITCHContinued Maximum Lift Capacity is noted as well. This is the maximum force achieved during lift, directly at the hitch point.	
4000		Less 3-Point Hitch Requires Code 3331 Three Remote Selective Control Valves. If 4 and/or 5 remote cylinder control valves are required, order field installed kit RE301321 (4th Remote Cylinder Control Valve) and/or RE301501 (5th Remote Cylinder Control Valve). Not compatible with Code 841H Front Hitch.	-5,922.00
4033		6169 kg (13,600 Lbs.) Capacity 3-Point Hitch (Cat 3/3N) with Sway Blocks and Quick Coupler 8,679 kg (19,134 Lbs.)Maximum Lift Capacity.	In Base Price
4034		7983 kg (17,600 Lbs.) Capacity Hitch (Cat 3/3N) with Sway Blocks and Quick Coupler 11,214 kg (24,724 lb)Maximum Lift Capacity. Requires 120 mm Diameter Rear Axle.	1,211.00
4032		8,482 kg (18,700 Lbs.) Lift Capacity Hitch (Cat 4N/3) Hitch with Sway Blocks and Quick Coupler 11,933 kg (26,307 Lbs.) Maximum Lift Capacity. Requires Group 48 Rear Tires. Requires 120mm Diameter Rear Axle.	2,545.00
		DRAWBAR AND TRAILER HITCH	
4320		Cat. 3 Adjustable Swinging Drawbar with 38 mm (1.5 ln.) Pin 1,837 kg (4,050 lb.) - 2,700 kg (6,000 lb.) Maximum Vertical Load dependent on Drawbar position.	In Base Price
4321		Cat. 4 Adjustable Swinging Drawbar with 50 mm (2 ln.) Pin 2,245 kg (4,950 Lb.) Maximum Vertical Load. Use of 540 RPM PTO Shaft is not recommended due to interference during turns.	261.00
4322		Cat. 4 Adjustable Swinging Drawbar with 50 mm (2 In.) Pin with Heavy Duty Support 4990 kg (11,000 Lb.) Maximum Vertical Load. Use of 540 RPM PTO Shaft is not recommended due to interference during turns.	817.00
		HYDRAULIC PUMP	
3240		166.5 lpm (44 gpm) 63 cc Hydraulic Pump Displacement Not compatible with Codes 6042 1500 MFWD, 6060 ILS, or 6061 ILS with brakes.	In Base Price
3260		227.1 lpm (60 gpm) 85 cc Hydraulic Pump Displacement	1,266.00
		REAR AXLES	
5040		110 mm (4.33 ln.) Diameter x 3010 mm (118.5 ln.) Length Not compatible with Group 48 Tires.	In Base Price
5041		110 mm (4.33 In.) Diameter x 3010 mm (118.5 In.) Length with Double Taper Wheel Hubs	252.00
5042		120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Length with Double Taper Wheel Hubs	559.00
5043		120 mm (4.72 ln.) Diameter x 2438 mm (96 ln.) Length with Double Taper Wheel Hubs	-455.00

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)	
		For complete tire and wheel information, refer to the Agricultural Sales Manual or individual tire manufacturer's handbook. Some tire sizes and/or brands are excluded from manufacturer warranty when used in specialty applications (e.g. use on Scraper Tractors). Please refer to the tire manufacturer's handbook for specific warranty guidelines. Overloading of tires is prohibited.	
		A8 Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) Listed Narrowest to Widest Listed Singles, to Duals, to Triples (if offered) Use with any RCI Group 42 OR 43 Front Tire with same brand preference. Four step front and rear tire combinations, as example group 44/48, 43/47 are acceptable with ILS (Code 6060 or 6061) and 1500 MFWD (Code 6042) axles only. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted. Mixing of Increased Flexion (IF) and non-Increased Flexion tires is not permitted unless otherwise noted.	
5500		320/90R54 In. 149A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	2,430.00
5700		320/90R54 In. 149A8 R1W Radial in Triple Wheel Configuration Available in Goodyear. Requires No Brand Preference Code 5999. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. 20 In. spacing only. Includes two 15 In. Axle Extensions. Extended lead time tire; may affect Tractor delivery date.	15,788.00
5501		380/90R50 In. 151A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-462.00
5701		380/90R50 In. 151A8 R1W Radial in Triple Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. 20 In. spacing only. Includes two 15 In. Axle Extensions.	11,540.00
5102		480/80R46 In. 158A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6103. Not compatible with ILS Code 6060 or 6061. Not compatible with 635 kg (1400 lb.) inner wheel weights.	-6,144.00
5502		480/80R46 In. 158A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6103. Not compatible with ILS Code 6060 or 6061.	2,648.00

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5702		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED) Continued 480/80R46 In. 158A8 R2 Radial in Triple Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. Requires Front Tire Code 6103. Not compatible with ILS Code 6060 or 6061. 30 In. spacing only. Includes two 15 In. and two 10 In. Axle Extensions.	16,190.00
5103		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Firestone or Goodyear.	-7,468.00
5503		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Firestone or Goodyear.	In Base Price
5703		480/80R46 In. 158A8 R1 Radial in Triple Wheel Configuration Available in Firestone or Goodyear. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. 30 In. spacing only. Includes two 15 In. and two 10 In. Axle Extensions.	12,218.00
5104		480/80R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-5,720.00
5504		480/80R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	3,496.00
5704		480/80R46 In. 158A8 R1W Radial in Triple Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. 30 In. spacing only. Includes two 15 In. and two 10 In. Axle Extensions.	15,042.00
5105		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Firestone or Goodyear.	-7,552.00
5505		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Firestone or Goodyear.	-148.00
5521		520/85R42 In. 157A8 R1 Radial in Heavy Duty Dual Wheel Configuration Available in Firestone or Goodyear. Severe Duty Dual Wheel with thicker discs.	242.00
5106		520/85R42 In. 157A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, or Michelin.	-5,572.00
5506		520/85R42 In. 157A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, or Michelin.	3,812.00
5522		520/85R42 In. 157A8 R1W Radial in Heavy Duty Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	4,202.00

8235R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5108		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued 520/85R42 In. 157A8 R2 Radial in Single Wheel Configuration Available in Firestone or Goodyear. Required Front Tire Code is 6103 with 1300 MFWD Axle Code 6040. Not compatible with ILS Codes 6060 or 6061.	-6,834.00
5508		520/85R42 In. 157A8 R2 Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Required Front Tire Code is 6103 with 1300 MFWD Axle Code 6040. Not compatible with ILS Codes 6060 or 6061.	1,288.00
5109		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear.	-4,708.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Michelin, or Goodyear.	5,540.00
5110		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear.	-3,386.00
5510		710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Michelin, or Goodyear.	8,174.00
5117		IF 710/70R38 178A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-2,782.00
5517		IF 710/70R38 178A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	9,522.00
		A8 Speed Rated RCI Group 48 Size Tires (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles, to Duals, to Triples (if offered) Use with any RCI Group 43 or 44 Front Tire with same brand preference. Four step front and rear tire combinations, as example group 44/48, 43/47 are acceptable with ILS (Code 6060 or 6061) and 1500 MFWD (Code 6042) axles only. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted. Mixing of Increased Flexion (IF) and non-Increased Flexion tires is not permitted unless otherwise noted.	
5600		380/90R54 In. 152A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	3,150.00
5201		480/80R50 In. 159A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Titan, Mitas/Continental, or Michelin.	-5,982.00
5601		480/80R50 In. 159A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, Titan, Mitas/Continental, or Michelin.	3,002.00
5720		480/80R50 In. 159A8 R1W Radial in Triple Wheel Configuration Available in Firestone, Goodyear, Titan, Mitas/Continental, or Michelin. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. 30 In. spacing only. Includes two 15 In. and two 10 In. Axle Extensions.	16,736.00

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5202		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued IF 480/80R50 166A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Firestone brand, Standard non-Increased Flexion Front Tire Codes 6201, 6601, 6203, and 6603.	-4,178.00
5602		IF 480/80R50 166A8 R1W Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Firestone brand, Standard non-Increased Flexion Front Tire Codes 6201, 6601, 6203, and 6603.	6,730.00
5203		520/85R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, Mitas/Continental, or Goodyear.	-6,158.00
5603		520/85R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Michelin, Mitas/Continental, or Goodyear.	2,620.00
5204		520/85R46 In. 158A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6206 Single or 6606 Front Dual Tires.	-5,910.00
5604		520/85R46 In. 158A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Compatible Front Tire Code 6206 Single Tire or 6606 Front Dual Tires.	3,116.00
5205		620/70R46 In. 167A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-4,286.00
5605		620/70R46 In. 167A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	6,364.00
5218		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	-1,046.00
5618		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	12,854.00
5206		710/70R42 In. 168A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-4,152.00
5606		710/70R42 In. 168A8 R1W Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	6,652.00
5207		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin, Goodyear, or Mitas/Continental.	-3,156.00
5607		710/70R42 In. 173A8 R1W Radial in Dual Wheel Configuration Available in Michelin, Goodyear, or Mitas/Continental.	8,644.00

8235R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5219		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin.	-1,038.00
5619		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Firestone or Michelin.	12,880.00
5209		800/70R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear.	-2,440.00
5609		800/70R38 In. 173A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Michelin, or Goodyear. Includes two 10 In. Axle Extensions.	9,796.00
5220		IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	1,040.00
5620		IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Includes two 10 In. Axle Extensions.	17,026.00
		REAR WHEELS AND TIRES FOR 31 MPH (50 KM/H) TRANSMISSION (CODE 1552 OR 1153):	
		B Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) Listed Narrowest to Widest Listed Singles, to Duals, to Triples (if offered) For use with any B Rated RCI Group 42 Front Tire with same tread type and brand preference.	
5513		480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Firestone or Goodyear.	1,072.00
5114		650/75R38 In. 169B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear.	-2,206.00
5116		710/70R38 In. 166B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear.	-2,850.00
		B Speed Rated RCI Group 48 Size Tire (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles, to Duals, to Triples (if offered) For use with any B Rated RCI Group 43 Front Tire with same tread type and brand preference.	
5610		480/80R50 In. 159B R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear.	4,074.00
5211		650/85R38 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear.	-3,030.00
5215		IF 650/85R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-510.00

8235R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5213		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued 710/70R42 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-1,282.00
5216		IF 710/70R42 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	170.00
5217		IF 800/70R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	1,576.00
		FRONT AXLES	
6020		Two Wheel Drive Adjustable Width 1524-2235 mm (60 - 88 ln.) Does not include AutoTrac Ready Components. AutoTrac operation requires AutoTrac universal. See AMS Price Pages. Requires Code 1845 No AutoTrac Activation. Requires Code 1834 Less ACS. Not compatible with IVT Codes 1550, 1551, 1553 and 1552. Requires Rear Hitch Codes 4000 or 4033.	-18,705.00
6040		1300 Series Mechanical Front Wheel Drive - Group 47 Rear/Group 42 Front Requires front tires with a load index rating of 141 or greater.	In Base Price
6041		1300 Series Mechanical Front Wheel Drive - Group 48 Rear/Group 43 Front Requires front tires with a load index rating of 141 or greater.	Same Price
6042		1500 Series Mechanical Front Wheel Drive with Hydraulic Differential Lock and Dual Tire Capability Requires Code 3260: 227 lpm (60 gpm) Hydraulic Pump. Single front tires require a load index rating of 143 or greater. Axle is compatible with duals. Compatible with either Group 42/43 Front and 47 Rear tires or 43/44 Front and 48 Rear Tires where allowed by model. See tire listings.	6,051.00
6060		John Deere Independent Link Suspension with Hydraulic Differential Lock, Fully Enclosed Driveline and Dual Tire Capability Requires Code 3260: 227 lpm (60 gpm) Hydraulic Pump. Single front tires require a load index rating of 145 or greater. Compatible with either Group 42/43 Front and 47 Rear tires or 43/44 Front and 48 Rear Tires where allowed by model. See tire listings.	15,448.00
6061		John Deere Independent Link Suspension with Hydraulic Differential Lock, Wet Multi-Disk Brakes, Fully Enclosed Driveline, and Dual Tire Capability Requires Code 3260: 227 lpm (60 gpm) Hydraulic Pump. Single front tires require a load index rating of 145 or greater. Compatible with either Group 42/43 Front and 47 Rear tires or 43/44 Front and 48 Rear Tires where allowed by model. See tire listings.	17,469.00

FRONT WHEELS AND TIRES

For complete tire and wheel information, refer to the Agricultural Sales Manual or individual

tire manufacturer's handbook.

Some tire sizes and/or brands are excluded from manufacturer warranty when used in specialty applications (e.g. used on Scraper Tractors). Please refer to the tire manufacturer's handbook for specific warranty guidelines. Overloading of tires is prohibited.

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		FRONT WHEELS FOR TWO WHEEL DRIVE	
6160		Two Steel 2WD Wheels with: 11.00-24 In. 12PR F2 Bias in Single Wheel Configuration Available in Goodyear. Requires any RCI Group 47 Rear Tire.	-1,746.00
6161		16.5L-16.1 In. 8PR F2 Bias in Single Wheel Configuration Available in Firestone or Goodyear. Recommended use with any RCI Group 47 Rear Tire.	-1,990.00
		FRONT WHEELS AND TIRES FOR 40 km/h TRANSMISSIONS: FRONT TIRES FOR 1300 SERIES (CODE 6040 OR 6041), 1500 SERIES (CODE 6042), OR INDEPENDENT LINK SUSPENSION (ILS) (CODE 6060 OR 6061) AXLES	
		Eight Position Wheels for 1300 Series Only	
		A8 Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as Noted) Use with any RCI Group 47 Rear Tire with same brand preference. Mixing of RI and RIW tread types between Front and Rear Tires is permitted. Mixing of Increased Flexion (IF) and non-Increased Flexion Tires is not permitted unless otherwise noted.	
6100		420/90R30 In. 142A8 R1 Radial in Single Wheel Configuration Available in Firestone or Goodyear.	In Base Price
6101		420/90R30 In. 147A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	1,674.00
6102		420/90R30 In. 145A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	618.00
6103		420/90R30 In. 142A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Code 5102, 5502, 5508, or 5702 Rear Tires.	694.00
6104		480/70R30 In. 152A8 R1W Radial in Single Wheel Configuration Available in Firestone or Goodyear.	282.00
		Eight Position Wheels for 1300 Series or ILS Axle with:	
		A8 Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Use with any RCI Group 47 Rear Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted. All Front Dual Configurations require Code 6060 ILS or 6061 ILS with Brake Front Axle.	
6106		320/85R38 In. 143A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Not compatible with 6060 or 6061 ILS Axle.	682.00

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6506		FRONT WHEELS AND TIRESContinued 320/85R38 In. 143A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	8,193.00
6507		380/85R34 In. 137A8 R1 Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Available to use with Rear Tire Code 5501 or 5701. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	7,377.00
6116		380/85R34 145A8 R1 Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	1,034.00
6508		380/85R34 In. 137A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	9,961.00
6109		600/65R28 In. 147A8 R1W Radial in Single Wheel Configuration Available in Goodyear, Firestone and Michelin. For use with 1780 mm (70 In.) or wider tread settings.	2,346.00
		Eight Position Wheels for 1300 Series Axle only with: A8 Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Use with any RCI Group 48 Rear Tire with same brand preference.	
6200		320/80R42 In. 141A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	1,344.00
6201		380/80R38 In. 142A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Titan, Mitas/Continental, or Michelin.	1,358.00
		Eight Position Wheels for 1300 Series, 1500 Series, or ILS Axle with:	
		A8 Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Use with any RCI Group 47 or 48 Rear Tire with same tread type and brand preference. Four step front and rear tire combinations, as example 44/48, 43/47 are acceptable with ILS (Codes 6060 or 6061) and 1500 MFWD (Code 6042) axles only. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted. Mixing of Increased Flexion (IF) and non-Increased Flexion Tires is not permitted unless otherwise noted. All Front Dual Configurations require Code 6042 1500 MFWD, 6060 ILS, or 6061 ILS with Brake Front Axle.	
6600		320/80R42 In. 141A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	9,517.00
6601		380/80R38 In. 142A8 R1W Radial in Dual Wheel Configuration Available in Michelin, Firestone, Titan, Mitas/Continental, or Goodyear. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	9,545.00

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6202		FRONT WHEELS AND TIRESContinued IF 380/80R38 149A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Standard, non-Increased Flexion rear tires.	2,268.00
6203		420/85R34 In. 147A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas/Continental, or Titan.	1,302.00
6603		420/85R34 In. 147A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, Mitas/Continental, or Titan. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	9,433.00
6217		IF 420/85R34 152A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Standard, non-Increased Flexion rear tires.	2,566.00
6216		480/70R34 In. 143A8 R1W Radial in Single Wheel Configuration Available in Mitas/Continental only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Sales Manual or Operators Manual.	1,234.00
6616		480/70R34 In. 143A8 R1W Radial in Dual Wheel Configuration Available in Mitas/Continental only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Sales Manual or Operators Manual. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	9,297.00
6204		480/70R34 In. 146A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Sales Manual or Operators Manual.	2,552.00
6604		480/70R34 In. 146A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Sales Manual or Operators Manual. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	11,261.00
6205		480/70R34 In. 155A8 R1W Radial in Single Wheel Configuration Available in Firestone or Goodyear. Tread setting restrictions apply, see Sales Manual or Operators Manual.	2,106.00
6605		480/70R34 In. 155A8 R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Tread setting restrictions apply, see Sales Manual or Operators Manual. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	11,041.00
6206		480/70R34 In. 146A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999 and Rear Tire Code 5204 or 5604. Tread setting restrictions apply, see Sales Manual or Operators Manual. For use with 1829 mm (72 In.) or wider tread settings only.	1,098.00
6606		480/70R34 In. 146A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999 and Rear Tire Code 5204 or 5604. Tread setting restrictions apply, see Sales Manual or Operators Manual. For use with 1829 mm (72 In.) or wider tread settings only. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	9,025.00

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6207		FRONT WHEELS AND TIRESContinued 540/65R34 In. 152A8 R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear. For 1300 or ILS: For use with 1679 mm (66 In.) or wider tread spacing. For 1500: For use with 1829 mm (72 In.) or wider tread spacing.	1,598.00
6208		600/70R30 In. 152A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas/Continental, Trelleborg, or Michelin. For 1300 or ILS: For use with 1780 mm (70 In.) or wider tread spacing. For 1500: For use with 1829 mm (72 In.) or wider tread spacing.	1,204.00
6214		IF 600/70R30 In. 159A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin. Not compatible with 1300 Front Axle. For ILS: For use with 1780 mm (70 In.) or wider tread spacing. For 1500: For use with 1829 mm (72 In.) or wider tread spacing.	2,866.00
		FRONT WHEELS AND TIRES WITH 1500 AXLE (CODE 6042)OR INDEPENDENT LINK SUSPENSION (ILS) (CODE 6060 OR 6061)	
		Steel MFWD or ILS 8 Position Wheels with:	
		A8 Speed Rated RCI Group 44 Size Tires (66 In./1676 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Use with any RCI Group 48 Rear Tire with same tread type and brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
6300		540/75R34 In. 157A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. For use with 2080 or 2182 mm tread spacing with Code 6042. For use with 1979, 2080 or 2182 mm tread spacing with Code 6060 or 6061.	1,772.00
6301		620/75R30 In. 163A8 R1W Radial In Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. For use with 2182 mm tread spacing with Code 6042. For use with 2080 or 2182 mm tread spacing with Code 6060 or 6061.	2,698.00
		FRONT WHEELS AND TIRES for 50 km/h TRANSMISSION (CODE 1552 OR 1553) AND INDEPENDENT LINK SUSPENSION (CODE 6061):	
		Eight Position Wheels for ILS Axle Code 6061 with:	
		B Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) For use with any B Rated RCI Group 47 Rear Tire with same brand preference. Requires Code 6061.	
6511		380/85R34 In. 137B R1 Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Requires Code 5513 Rear Tire. Requires Code 6061 ILS Front Axle with Brakes. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	7,913.00
6113		600/65R28 In. 147B R1W Radial In Single Wheel Configuration Available in Michelin or Goodyear. Use with 1780 mm (70 In.) or wider tread settings.	3,390.00

8235R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		Eight Position Wheels for ILS Axle Code 6061 with:	
		B Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) For use with any B Rated RCI Group 48 Rear Tire with same brand preference. Requires Code 6061. Mixing of Increased Flexion (IF) and non-Increased Flexion tires is not permitted unless otherwise noted.	
6209		420/85R34 In. 147B R1W Radial In Single Tire Configuration Available in Firestone or Goodyear. Requires Rear Tire Code 5610.	2,070.00
6609		420/85R34 In. 147B R1W Radial In Dual Tire Configuration Available in Firestone or Goodyear. Requires Rear Tire Code 5610. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	10,433.00
6210		540/65R34 In. 152B R1W Radial In Single Tire Configuration Available in Michelin or Goodyear. Use with 1780 mm (70 In.) or wider tread settings.	2,642.00
6212		600/70R30 In. 152B R1W Radial In Single Tire Configuration Available in Michelin or Goodyear. Use with 1780 mm (70 In.) or wider tread settings.	3,046.00
6215		IF 600/70R30 In. 159B R1W Increased Flexion Radial in Single Tire Configuration Available in Michelin only. Requires No Brand Preference Code 5999. For use with 1780 mm (70in.) or wider tire tread.	4,074.00
		TIRE PREFERENCE CODES	
		If only one brand is available in any tire code, the Tire Preference Code 5999 must be chosen below to avoid extra charges. You will still get the one brand stated in the tire code description.	
5999		No Brand Preference Matching front and rear tire brands will be installed on Tractor unless notified by factory. Mitas/Continental brand tires available in US and Canada only.	No Charge
5901		Firestone Brand Only	800.00
5902		Goodyear Brand Only	800.00
5903		Michelin Brand Only	1,200.00
5904		Mitas/Continental Brand Only Mitas/Continental brand tires available in US and Canada only.	800.00
		OPERATOR'S MANUAL AND LABELS	
0409		English	In Base Price
0437		Spanish	Same Price

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0413		OPERATOR'S MANUAL AND LABELSContinued French	Same Price
0416		Hebrew Operator's Manual and Non-Text Labels	Same Price
0426		Mandarin (Chinese)	Same Price
0401		Arabic	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8288		Operator Station and Electrical: Foot Operated Speed Control	323.00
8242		Radar, Dual Beam Sensor	887.00
8210		Leather Trim Package For CommandView II, Deluxe CommandView II, and Premium CommandView II cabs. Includes heated leather seat, leather instructional set, leather wrapped steering wheel and rear window decal.	1,623.00
8227		Outside Mirrors, Telescoping, Heated, Electrically Adjustable RH and LH Required to upgrade from Right and Left Hand Manual Adjust Mirrors.	957.00
8228		Outside Mirrors, Telescoping, Heated, Electrically Adjustable RH and LH Required to upgrade from RH and LH Electrically Adjusting Mirrors.	532.00
8251		Antenna Mount and Wiring for Business Band (2-Way) Radio	127.00
8725		Rotary Warning Beacon Required to add Rotary Beacon Light to Standard Lighting Package.	336.00
8720		Loader/Driving Light Package Only available on Model Year 2012 Tractors. Provide two road lights mounted higher on the cab posts for use when front mounted equipment obstruct grill mounted front lights.	206.00
832G		Hydraulics: Auxiliary Hydraulic Connections Includes (2) motor return couplers, (1) flat face sump coupler, (1) power beyond pressure coupler and (1) load sense coupler. Suitable for use with most planting and seeding equipment.	840.00
8010		Chassis: Fenders, Deluxe Pivoting Front for MFWD or ILS - 480 mm (18.9 ln.) Wide Recommended for use with 290 mm (12.4 ln.) to 420 mm (16.9 ln.) tire widths. Code 8010 or 8011 is required for 50 km/h (31 mph) Tractors. Not compatible with Code 8011 Fenders, Deluxe Pivoting Front for MFWD or ILS - 620 mm (24.4 ln.) wide.	1,244.00
8011		Fenders, Deluxe Pivoting Front for MFWD or ILS - 620 mm (24.4 ln.) Wide Recommended for use with 480 mm (18.9 ln.) to 620 mm (244 ln.) tire widths. Not for use with front dual tire combinations. Code 8010 or 8011 is required for 50 km/h (31 mph) Tractors. Not compatible with option Code 8010 Fender, Deluxe Pivoting Front for MFWD or ILS - 480 mm (18.9 ln.) Wide.	1,457.00

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8020		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Fenders, Full Coverage Rear 2.55 m (100 ln.) Width Includes hitch control switch on both fenders. Not compatible with Code 8021 Fenders, Extra Width Coverage Rear 2.75 m (108 In.) Width.	1,222.00
8751		Trailer Brake, Air Dual Line System Includes compressor, tank, control valves and 2 line couplers. Not compatible with Code 8756 Hydraulic Trailer Brakes. If Air and Hydraulic Trailer Brakes are required, order Code 8752 Trailer Brakes, Air Dual Line and Hydraulic.	6,358.00
8752		Trailer Brake, Air Dual Line and Hydraulic Includes rear Tractor line hydraulic coupler. Includes compressor, tank, control valves and couplers. Not compatible with Codes 8751 or 8756.	7,147.00
8756		Trailer Brake, Hydraulic Includes rear Tractor line hydraulic coupler. Not compatible with Code 8751 Trailer Brake, Air Dual Line or Code 8752 Trailer Brake, Air Dual Line and Hydraulic.	789.00
8380		Front Implement: PTO, Independent Front with 35 mm (1-3/8 In) 21-Spline, 1000 rpm Clockwise-Rotating Shaft as Viewed from Front (Type 2) Only available on Model Year 2012 Tractors. For Code 8336 IT4/ Stage IIIB Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6060 or 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490.	7,268.00
8381		PTO, Independent Front with 45 mm (1-3/4 ln) 20-Spline, 1000 rpm Clockwise-Rotating Shaft as Viewed from Front (Type 3) Only available on Model Year 2012 Tractors. For Code 8336 IT4/ Stage IIIB Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6060 or 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490.	7,268.00
8382		PTO, Independent Front with 35 mm (1-3/8 ln) 6-Spline, 1000 rpm, Counter-Clockwise Rotating Shaft as Viewed from Front (Type 1) For Code 8336 IT4/ Stage IIIB Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6060 or 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490. Available in Australia and New Zealand. Requires Destination Code 0230 Australia or Code 0237 New Zealand.	7,268.00
8383		PTO, Independent Front with 35 mm (1-3/8 ln) 21-Spline, 1000 rpm Clockwise-Rotating Shaft as Viewed from Front (Type 2) Only available on Model Year 2012 Tractors. For Code 8334 Stage II Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490.	7,268.00

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8384		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued PTO, Independent Front with 45 mm (1-3/4 ln) 20-Spline, 1000 rpm Clockwise-Rotating Shaft as Viewed from Front (Type 3) Only available on Model Year 2012 Tractors. For Code 8334 Stage II Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490.	7,268.00
838A		PTO, Independent Front with 35 mm (1-3/8 ln) 6-Spline, 1000 rpm, Counter-Clockwise Rotating Shaft as Viewed from Front (Type 1) Only available on Model Year 2012 Tractors. For Code 8334 Stage II Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490. Available in Australia and New Zealand. Requires Destination Code 0230 Australia or Code 0237 New Zealand.	7,268.00
8411		Front Hitch with Folding Draft Links, Cat. 3N Ground Engaging Hitch, 5,200 kg (11,450 lb.) Maximum Lift Capacity at Hitch Balls 3175 kg (7000 lb) ISO Lift Capacity Only available on Model Year 2012 Tractors. Includes Front Hitch Valve. Requires Independent Link Suspension (Code 6060 or 6061) Compatible with 3, 4, 5, or 6 Rear SCV's. Includes Auxiliary CommandArm Mounted SCV Controls.	7,090.00
835H		Two Front Remote Selective Control Outlets with Push/Pull Breakaway Couplers and Factory Installed Plumbing to Rear Remote Selective Control Valves Three and Four Only available on Model Year 2012 Tractors. Front SCV hoses can be disconnected for rear SCV use. Requires Code 8411 Front Hitch. Requires Code 8020 Full Coverage Rear Fender Extensions to provide remote hitch lift controls for rear hitch.	1,656.00
8300		Engine: Cold Weather Start Kit Factory installation of Block Heater (110V) and Ether Aid Canister and Switch.	136.00
8306		Fuel/Water Separator, Severe Duty In addition to water separator in base equipment.	556.00
8220		Intelligent Power Management Provides up to an additional 35 engine hp for non-stationary rear PTO or transport speeds above 23 km/h (14.3 mph). Not compatible with Stage II Emission compliant engine.	3,254.00
8336		John Deere PowerTech PSX 9.0 L (549 cu. In.) 6 Cyl IT4 / Stage 3b Compliant Diesel Engine	Same Price
8334		John Deere PowerTech 9.0 L (549 cu. In.) 6 Cyl Stage 2 Compliant Diesel Engine Only available on Model Year 2012 Tractors. Not available with the 8360R.	-11,688.00
8550		Skid for Duals For Tractors shipping outside of the United States and Canada.	124.00

8235R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Ballast Packages:	
8930		728 kg (1620 lb.) Ballast Package with Rear Duals: Front Weight Support with No Front Suitcase Weights and One Pair 75 kg (165 lb.) with One Pair of 205 kg (450 lb.) Inside/Inner Rear Wheel Weights and no Outside/Outer Dual Rear Wheel Weights 1300 Axle: 144 Lb./hp with 37/63 Front/Rear Weight Split and require single front tires with load index of 141 or greater. Not compatible with any other factory installed front or rear weight code.	2,268.00
8955		Quik-Tatch Weights: Weight, Front Support - Less Weights Support weighs 390 Lb. (180 kg). 1300 Axle requires single front tires with load index of 141 or greater. 1500 Axle requires single front tires with load index of 143 or greater or front duals. ILS requires single front tires with load index of 145 or greater or front duals. Includes Tow Point.	501.00
8956		Weight, Front Support with Four Suitcase Weights 1300 Axle requires single front tires with load index of 143 or greater. 1500 Axle requires single front tires with load index of 145 or greater or front duals. ILS requires single front tires with load index of 146 or greater or front duals.	1,036.00
8957		Weight, Front Support with Eight Suitcase Weights 1300 Axle requires single front tires with load index of 145 or greater. 1500 Axle requires single front tires with load index of 146 or greater or front duals. ILS requires single front tires with load index of 148 or greater or front duals.	1,571.00
8958		Weight, Front Support with Twelve Suitcase Weights 1300 Axle requires single front tires with load index of 146 or greater. 1500 Axle requires single front tires with load index of 148 or greater or front duals. ILS requires single front tires with load index of 150 or greater or front duals.	2,106.00
8959		Weight, Front Support with Sixteen Suitcase Weights 1300 Axle requires single front tires with load index of 148 or greater. 1500 Axle requires single front tires with load index of 150 or greater or front duals. ILS requires single front tires with load index of 151 or greater or front duals.	2,641.00
8960		Weight, Front Support with Twenty-Two Suitcase Weights 1300 Axle requires single front tires with load index of 150 or greater. 1500 Axle requires single front tires with load index of 152 or greater or front duals. ILS requires single front tires with load index of 153 or greater or front duals.	3,361.00
		Rear Wheel Weights - For Inside/Inner Wheels (Cast): Weights shown are for each weight.	
8970		One Pair 205 kg (450 lb.)	1,189.00
8971		Two Pair 205 kg (450 lb.) Based on the tire width option ordered, some 450 lb. wheel weights may be shipped on a separate pallet and require dealer installation.	2,382.00
8972		One Pair 635 kg (1400 lb.) Requires tire with load rating above 151 Load Index.	3,428.00

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
		Rear Wheel Weights - For Outside/Inner Wheels (Cast): Weights shown are for each weight.	
8978		One Pair 75 kg (165 lb.) Starter Weights and One Pair 205 kg (450 lb.) Weight for the Outside of Single Rear Wheel For outside of drive wheel on rear singles only.	1,717.00
		Rear Wheel Weights - For Outside/Outer Dual Wheels: Weights shown are for each weight.	
8973		One Pair 75 kg (165 lb.) Starter Weights and One Pair 205 kg (450 lb.) Weights for Outer Rear Dual For outside outer dual only. Not compatible with Triples.	1,717.00
8974		One Pair 75 kg (165 lb.) Starter Weights and Two Pair 205 kg (450 lb.) Weights Requires rear duals. Not compatible with rear triples.	2,907.00
8975		One Pair 75 kg (165 lb.) Starter Weights and Three Pair 205 kg (450 lb.) Weights Requires rear duals. Not compatible with rear triples.	3,983.00
		ATTACHMENTS - ORDER AS DESIRED	
9076		Customer Gold Key Program: Gold Key Experience Not compatible with Code 9075. This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE58827	Electrical: 9-Pin Connector Implement Feedback Required for Electrohydraulic Implement Depth Control (EHDC).	132.00
	RE339514	Battery Disconnect Switch, Wheel	150.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE21519	Implement Switch with 10 Ft. Harness	168.00
	AR245564	Mounting Kit for Radar with Dual Beam Sensor Requires Dual Beam Radar (RE249206).	228.00
	RE278980	Radar with Dual Beam Sensor Requires mounting kit AR245564.	See Parts

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE325025	ATTACHMENTS FOR FIELD CONVERSIONContinued iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	26.00
	RE323008	Engine: Cold Weather Starting Package	94.00
	RE227949	Engine Block Heater (110V)	See Parts
	RE524692	Engine Block Heater (220V)	See Parts
	RE321571	Fuel/Water Separator Kit, Severe Duty In addition to water separator in base equipment.	627.00
	RE260608	Fenders: Fenders, Deluxe Pivoting Front for 1300 Series MFWD - 18.7 In. (480 mm) Wide Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths. Compatible with 1300 Series MFWD front axle only.	1,368.00
	RE260609	Fenders, Deluxe Pivoting Front for 1300 Series MFWD - 24.4 In. (620 mm) Wide Recommended use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Compatible with 1300 Series MFWD front axle only.	1,603.00
	RE308214	Fenders, Deluxe Pivoting Front for 1500 Series MFWD - 18.7 In. (480 mm) Wide Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths. Compatible with 1500 Series MFWD front axle only.	1,368.00
	RE308215	Fenders, Deluxe Pivoting Front for 1500 Series MFWD - 24.4 In. (620 mm) Wide Recommended use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Compatible with 1500 Series MFWD front axle only.	1,603.00
	RE236667	Fenders, Deluxe Pivoting Front for Independent Link Suspension - 18.7 In. (480 mm) Wide Also order 2 pieces of R186578. Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths.	1,368.00
	RE236670	Fenders, Deluxe Pivoting Front for Independent Link Suspension - 24.4 In. (620 mm) Wide Also order 2 pieces of R186578. Recommended for use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Not for use with front dual tire combinations.	1,603.00
	RE324406	Fenders, Extra Width Rear Fender Extensions For use with 800 mm wide rear tires. Requires Full Coverage Rear Fenders (RE318606) for installation.	276.00
	RE318606	Fenders, Full Coverage Rear 2.55 meter (100 In. Width) <i>Included in Code 9083</i> .	500.00
	R177682	Hitch and Drawbar: Center Link Bracket Retains the center link when not in use.	See Parts

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AR211154	ATTACHMENTS FOR FIELD CONVERSIONContinued Drawbar Heavy Duty Support for use with Cat. 4 Drawbar (11,000 Lb. Vertical Load Capacity) Requires Cat. 4 Drawbar. Increases vertical load capacity to 11,000 Lb. (4990 kg.). Cat. 4 Drawbar is not compatible with PTO Codes 2418 or 2420 or with field installed 1-3/8 540 rpm PTO.	809.00
	AR211153	Drawbar, Cat. 4 with 2 In. Pin and Heavy Duty Support (11,000 Lb. Vertical Load Capacity) Cat. 4 Drawbar is not compatible with PTO Codes 3820 or 3821 or with field installed 1-3/8 540 rpm PTO.	1,873.00
	RE327692	Front Hitch Chain Hooks	196.00
	RE301735	Hitch Kit, 3-in-1 Rails Compatible with Type 2 PTO.	817.00
	RE301736	Hitch Kit, 3-in-1 Rails Compatible with Type 3 PTO.	1,368.00
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N)	1,529.00
	RE327558	Hydraulics: 4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,445.00
	RE343865	4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	2,466.00
	RE327559	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,445.00
	RE343866	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	2,546.00
	RE327560	6th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R334695) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,909.00

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE315727	ATTACHMENTS FOR FIELD CONVERSIONContinued Auxiliary Hydraulic Oil Take-Out Pump and Reservoir Provides an additional 11 gallon (42 liters) capacity for large, single acting cylinders used for application where a large hydraulic oil flow in a short period of time is needed.	1,935.00
	RE323828	Auxiliary Hydraulic Oil Take-Out Pump and Reservoir	1,935.00
	RE222721	Auxiliary Sump Coupler Kit (Flush Face Coupler Style) Required to connect Tractor sump to case drains on Seeding Equipment.	129.00
	RE333976	Front SCV Plumbing Kit Routes SCV function from the rear to the front.	1,822.00
	AR114664	Hydraulic Motor Return, Multiple/Auxiliary Hitch Coupler/ Sump Return Kit For use with Hydraulic Motor Returns, Hitch Valve with Lift Assist Wheels or Motor Drains/Sump Returns or grapple valve.	193.00
	RE337305	Hydraulic Trailer Brake Kit Provides single line connection to hydraulic braking systems. Works with or without power beyond couplers.	750.00
	RE221284	Low Stand-By Pressure Control Kit Prevents main pump activation during engine start up in certain hydraulic configurations using power beyond.	980.00
	RE281166	Power Beyond Coupler Kit Kit includes load sense, pressure and return couplers.	756.00
	AR272536	Rear EHSCV Single Lever Control (Joystick) and Mounting Parts for CommandArm Attaches to CommandArm. Requires (R301762) Software download to activate function - See Parts.	1,563.00
	RE308937	Lighting: Auxiliary Driving / Loader Light Kit Includes headlights, wiring harness, brackets and mounting hardware.	236.00
	RE269641	Lights, Field Vision Xenon HID Rear Fender Light Requires (2) for conversion.	See Parts
	RE298933	Lights, Two Roof-Mounted 65W Halogen Front Flood Lights	140.00
	RE325694	Rotary Beacon Light Kit	371.00
	AR320123	Miscellaneous: Single Line Coupler Parts for Air Trailer Brakes	581.00
	RE67015	Operator Environment: 3-Way Convenience Adapter for Power Strip	See Parts
	RE317435	Accessory Mounting Bracket Provides mounting location for additional monitors.	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE275532	ATTACHMENTS FOR FIELD CONVERSIONContinued Ash Tray Fits in existing cup holder.	See Parts
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	RE323407	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	594.00
	RE293499	External Mirrors, Electrically Telescoping and Heated Mirror Heads For converting the heads on electric mirrors to telescoping and heated.	1,696.00
	RE323405	External Mirrors, Manually Adjustable RH and LH	265.00
	RE321017	Foot-Operated Speed Control For use with PST or IVT transmissions. Order Floor Mat separate through Parts.	125.00
	RE68495	Power Strip with Six Outlets	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	295.00
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE284180	Step Kit, Left Hand Convenience Platform	See Parts
	RE261504	Sun Shade, Front Pull Down	See Parts
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	RE324993	Touchscreen GS3 CommandCenter 7" Color Display, Video Capable	1,260.00
	RE269618	Windshield Wiper with Washer, Rear	193.00
	RE272736	PTO: Conversion Kit from 1-3/4 In. 1000 rpm to 1-3/8 In. 540/1000 rpm PTO Conversion for Tractor equipped with Code 3820. 1-3/8 In. 540 rpm PTO is NOT compatible with Cat. 4 Drawbar.	476.00
	RE331560	SCV Parts: Paddle Pot Pod, Common Parts Only compatible on Tractors with CommandARM. Order single paddle potentiometer separately. See instructions RE331562 for more information. Compatible on 8R above SN 053100 and 8RT above SN 907100.	95.00
	RE331559	Single Paddle Potentiometer Order decals and levers separately. See instructions RE331561 for more information.	See Parts

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	. ,
	RE298885	Software Downloads: Intelligent Power Management Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305729	Language Group for CommandCenter - English, Croatian, Serbian, Slovenian, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305727	Language Group for CommandCenter - English, Danish, Swedish, Finish, Norwegian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305726	Language Group for CommandCenter - English, Estonian, Latvian, Lithuanian, Polish, Russian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305725	Language Group for CommandCenter - English, French, Dutch, Icelandic, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305730	Language Group for CommandCenter - English, Greek, Turkish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE308728	Language Group for CommandCenter - English, Hungarian, Czech, Slovak, Romanian, Bulgarian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305731	Language Group for CommandCenter - English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	BPF10312	Non-John Deere Guidance Compatibility Activation - AutoFarm/Novariant Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10313	Non-John Deere Guidance Compatibility Activation - Hemisphere/Outback Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10433	Non-John Deere Guidance Compatibility Activation - Leica Geosystems Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00

8235R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BPF10311	ATTACHMENTS FOR FIELD CONVERSIONContinued Non-John Deere Guidance Compatibility Activation - Raven Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10363	Non-John Deere Guidance Compatibility Activation - Trimble Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	RE224298	Transmission: Transmission Backup Alarm	405.00
	RE323009	Transmission Hydraulic Oil Heater (110 Volts)	342.00
	RE323010	Transmission Hydraulic Oil Heater (220 Volts)	446.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	R127764	Weights: Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R242154	Weight, Front Support, 390 Lb. (180 kg) Requires (6) 19M9141 Cap Screws and (6) 24M7242 Washers for installation - See Parts. Holds up to 22 Quick-Tatch Weights.	844.00
	R167151	Weight, Inner Wheel, 1400 Lb.	1,903.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg)	282.00
	RFR207782	Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights)	2,658.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00
	R207782	Weight, Wheel, 450 Lb.	664.00
	RE324389	Wheel Equipment: Front Wheel Dual Extensions Compatible with ILS or 1500 front axles.	2,538.00
	AR190666	One 10 In. Dual Hub Extension	759.00
	AR190668	One 13 In. Dual Hub Extension	844.00
	AR190669	One 15 In. Dual Hub Extension	884.00
	AR194744	One 5 In. Dual Hub Extension	685.00
	RE267658	Three Meter Front Wheel Spacer Not compatible with Tractors equipped with front brakes.	3,063.00

8260R Tractor

Equipment for Base Machine

ENGINE:	Fuel Level Gauge with
John Deere PowerTech Diesel	Low Fuel Warning Signal
In-line 6-Cylinder Wet-Sleeve	Engine RPM Indicator
with High Pressure Common Rail (HPCR)	Status Indicator for:
Fuel System and 24 Valve Head	MFWD
9.0 L (549 Cu. In.) Displacement	Differential Lock
260 Engine Hp (191 kW) 97/68/EC @ Rated Speed	Rear PTO Speed
216 SAE PTO hp (161 kW) @ Rated Speed	CommandCenter Display Includes:
Air to Air Intercooled	GreenStar 3 Application Capability
Automatic Shutdown System	Video Capability, with Tractor Function
Dry Type Air Cleaner with Safety Element	Activated Triggers
and Dirt Aspiration System	AutoTrac and Swath Control Pro
Tilt Hood Enclosure	Activation Required
VariCool Fan Drive System	Access Manager
Electric Fuel Shutoff	Universal Performance Monitor
Engine Coolant Conditioner Additive	Display Functions Definable By Operator:
Engine Coolant Recovery System	% Slip
Dual Stage Fuel Filtration System with	Ground Speed
Fuel Water Separator with Sensor	PTO Speed
Self-Priming and Bleeding Electronic	Engine Hours
Fuel Pump	Hydraulic Settings
680 L (180 U.S. Gal.) Fuel Tank Capacity	Hitch Settings
with Lockable Fuel Cap	Hitch Slip Command
Top-loading Vertical Engine Oil Filter	Productivity
Electronic Injection and Governor Control	Efficiency
Field Cruise Control	Area
TD A NOME COLON.	Adjustable PTO Modulation
TRANSMISSION: Powershift	Implement Width Service Hours
16 Forward/5 Reverse Speeds	Voltage
Hydraulically-Engaged Wet-Disk Clutch	Fuel Consumption Rate
Park Lock	Temperatures
Neutral Safety Start System	Time of Day
nederal bareer bears by beem	Ambient Temperature
STEERING, BRAKES DIFFERENTIAL:	Command Control System with:
Load-Sensing Hydraulic Power Steering	Automatic Powershift
Wet-Disk Hydraulic Power Brakes	Set and Adjust Time and Flow of
Hydraulically-Engaged Differential Lock	Individual Selective Control Valves
	iTEC End of Row Functions
HYDRAULICS:	Languages:
Pressure Flow Compensating	For a complete list of languages, refer to the Ag
Axial Piston Pump	Sales Manual
63 cc Displacement 166.6 lpm (44 gpm)	
Pump Output	OPERATOR PROTECTIVE STRUCTURE:
132 lpm (35 gpm) Flow @ One SCV	Deluxe CommandView II Cab
L (gal) Oil Take Out Capacity @	Tilt/Telescoping Memory Steering Wheel
Max Flow Rate	Comfort Command Seat with
50 L (13 Gal.) Take-Out Capacity	Air Suspension, Swivel
Four Electrohydraulic Remote Selective	Fore-Aft Lateral Attenuation,
Control Valves with Push/Pull	Lumbar Support
ISO Breakaway Couplers and	Backrest Adjustment with
High Pressure Release Levers	Integrated CommandARM Controls
PTO:	Adjustable Position CommandARM with
Independent 1000 RPM, 45 mm	Integrated CommandCenter Display Swing-Out Rear Window (30 Degrees)
(1-3/4 In.) 20 Spline	Tinted Glass
PTO Safety Start System	Air Conditioner and Heater
Seat-Activated PTO Warning	Two Speed and Intermittent Front Wiper
beat herivated fro warning	and Rear Wiper
ROCKSHAFT, HITCH AND DRAWBAR:	Front and Rear Windshield Washer
Dual Cylinder Electrohydraulic Rear	Pull Down Front Sun Visor
3-Point Hitch, Category 3/3N	Rear Under Seat Storage
Solid Draft Links with External	Folding Instructional Seat
Remote Raise/Lower Switch	Left Hand Storage
Sway Blocks with Tapered Wedge Adjustment	Two Beverage Holders
Electro/Hydraulic Hitch Dampening	Right and Left Outside Mirrors
Center Link Adjustment Handle	Less Radio and Speakers
Transport Lock	Includes Wiring Harness for Radio and Speakers
Adjustable Swinging Drawbar	Inside Cab Mounted Rear View Mirror
Cat. 3 Drawbar with Clevis	Passive Noise Reduction System
and 1.5 In. Pin	Backlit Right Hand Console Controls
T. T. C. T.	with Adjustable Brightness
INSTRUMENTATION:	Step, Left Hand Convenience
Corner Post Digital Instrument Panel	ELECTRICAL.
Includes:	ELECTRICAL:
Engine Coolant Temperature Gauge	Key Engine Shutoff
Engine Coolant Temperature Gauge	12V Electrical System

8260R Tractor

Continued

Two 925 CCA 12V Batteries
Two 12V Electrical Convenience Outlet
Two 12V Electrical 3-Pin Outlet
with Adapter
Battery Boost Terminal
200 Amp Alternator
SmartCircuit Current Load Monitoring
System with Fuse Panel
7-Terminal Rear Implement Electrical
Outlet Socket
Integrated ISO Radar Connector
StarFire ITC or Radar Speed
Input Harness

LIGHTS:

0011

Six Front Grill Mounted Lights Ten Cab Roof Mounted Lights Two Rear Fender Flood Lights Extremity, Brake, Turning, and Hazard Lights

AXLES, WHEELS AND TIRES: 1300 MFWD Front Axle with Limited Slip Differential Rear Axle and Wheels and Tires

AG MANAGEMENT SOLUTIONS:

ServiceADVISOR Data Port

Integrated Plug-In for GreenStar Display Deluxe StarFire Receiver Bracket GreenStar Ready harness with Implement Circuit Gateway and Integrated GreenStar Display Plug-In Connector (ISO 11783 Compatible) AutoTrac Ready Components:
Wiring, SSU, Front Wheel-Angle Sensor and Electro-Hydraulic Steering Valve

MISCELLANEOUS: Enclosed Chain Storage Box Horn PTO Master Shield Tool Box Operator's Manual Lockable Fuel Cap

* Manufacturer's Rating **Cold Cranking Amperes

ATTACHMENT CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Waterloo, Iowa

7510RW 8260R Tractor 212,861.00

DESTINATION

A Code must be chosen for each Tractor ordered.

AFRICA

Chad
Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter,

Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable.

Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab.

Code 7200 Standard Lighting.

Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.

16 May 2012 US & Canada 2-Tractors-06500- 2

Same Price

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0014		DESTINATIONContinued Democratic Republic of Congo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0019		Ethiopia Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 ln. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 ln. 142A8 R1 Front Single Wheels and Tires.	Same Price
0020		Gabon Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0026		Kenya Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price

8260R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	. DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	(.,
0029		Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0036		Mozambique Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 ln. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 ln. 142A8 R1 Front Single Wheels and Tires.	Same Price
0050		Tanzania Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 ln. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 ln. 142A8 R1 Front Single Wheels and Tires.	Same Price
0016		Egypt Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0054		Zambia Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 ln. 158A8 R1 Rear Dual Wheels and Tires.	Same Price

Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0055		DESTINATIONContinued Zimbabwe Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 ln. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 ln. 142A8 R1 Front Single Wheels and Tires.	Same Price
0072		ASIA China (People's Republic of China) Requires Code Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 ln. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 ln. 142A8 R1 Front Single Wheels and Tires.	Same Price
0078		Israel Requires Code 1885 JDLink Capable. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 6,169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 - 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 - 480/80R46 ln. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 - 420/90R30 ln. 142A8 R1 Front Single Wheels and Tires.	Same Price
0090		Mongolia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0094		DESTINATIONContinued Philippines Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0098		Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires either Code 8955 Front Weight Support or Code 8969 Front Tow Point. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2057 Deluxe CommandView II Cab. Code 7203 Standard Lighting. Code 4035 6,804 kg (15,000 Lbs.) Lift Capacity Hitch (Cat 3/3N) with Convertible Cat. 3 Ball/Hook Style Ends and Sway Blocks. Code 5044 110 mm (4.33 In.) Diameter x 2438 mm (96 In) Length with Double Taper Wheel Hubs. Code 5198 620/70R42 In. 160A8 R1W Single Rear Wheels and Tires. Code 6159 480/70R30 In. 152A8 R1W Single Front Wheels and Tires.	Same Price
0102		Taiwan Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0104		Thailand Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0109		DESTINATIONContinued Vietnam Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0183		NORTH AMERICA Belize Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0184		Canada Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Ultimate Promotion 3 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6,169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0191		Guatemala Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0193		DESTINATIONContinued Honduras Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 ln. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0196		Nicaragua Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 ln. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 ln. 142A8 R1 Front Single Wheels and Tires.	Same Price
0197		Panama Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 ln. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 ln. 142A8 R1 Front Single Wheels and Tires.	Same Price
0202		United States Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Ultimate Promotion 3 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6,169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 ln. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 ln. 142A8 R1 Front Single Wheels and Tires.	1,209.00

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	
0210		SOUTH AMERICA Argentina Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0212		Brazil Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0213		Chile Requires Code 1885 JDLink Capable.	Same Price
		Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	
0214		Colombia Requires Code 1885 JDLink Capable.	Same Price
		Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	
0215		Ecuador Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine.	Same Price
		Requires Code 8334 Stage 2 Compitant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle.	
		Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0217		DESTINATIONContinued Paraguay Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0218		Peru Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 RI Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 RI Front Single Wheels and Tires.	Same Price
0220		Uruguay Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0221		Venezuela Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
		VALUE PACKAGE CONFIGURATIONS	
0500		No Package Order one Code from each box in the Price Pages.	In Base Price
0501		Deluxe 1300 Package Includes Codes: 2059, 1833 or 1834, 1490, 1550 or 1551, 7201, 2661 or 2662, 3341 or 3351 or 3361, 3810 or 3821, 4032 or 4034, 4322, 3260, 5042, 6040 or 6041, 8288, 8251, 832G, 8010 or 8011.	-500.00
0502		Premium PST 1300 or 1500 Package <i>Includes Codes: 2061, 1833 or 1834, 1490, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810 or 3821, 4032 or 4034, 4322, 3260, 5042, 6040, 6041 or 6042, 8251, 832G, 8010 or 8011.</i>	-500.00

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0503		VALUE PACKAGE CONFIGURATIONSContinued Premium PST ILS Package Includes Codes: 2061, 1833 or 1834, 1490, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810 or 3821, 4032 or 4034, 4322, 3260, 5042, 6060 or 6061, 8288, 8251, 832G, 8010 or 8011.	-1,000.00
0504		Premium IVT 1300 Package Includes Codes: 2061, 1833 or 1834, 1550 or 1551, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810 or 3821, 4032 or 4034, 4322, 3260, 5042, 6040 or 6041, 8288, 8251, 832G, 8010 or 8011.	-1,000.00
0505		Premium IVT 1500 or ILS Package Includes Codes: 2061, 1833 or 1834, 1550 or 1551 or 1552 or 1553, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810 or 3821, 4032 or 4034, 4322, 3260, 5042, 6042 or 6060 or 6061, 8288, 8251, 832G, 8010 or 8011.	-1,500.00
0506		iPackage PST Includes Codes: 2061, 1826, 1837 or 1838, 1848 or 1849, 1889 or 1887 or 1888, 1833, 1490, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810 or 3821, 4034 or 4032, 4322, 3260, 5042, 6060 or 6061, 8288, 8251, 832G, 8010 or 8011.	-1,500.00
0507		iPackage IVT Includes Codes: 2061, 1826, 1837 or 1838, 1848 or 1849, 1889 or 1887 or 1888, 1833, 1550 or 1551 or 1552 or 1553, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810 or 3821, 4034 or 4032, 4322, 3260, 5042, 6060 or 6061, 8288, 8251, 832G, 8010 or 8011.	-2,000.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest controls with Integrated CommandCenter Display. Folding Instructional Seat. Remote Radio Controls located on CommandARM. Front Windshield Washer and Wiper. SMV Emblem. Manual Temperature Controls located in cab roof. See Attachments Section for ordering information on additional field attachments.	-1,980.00
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on CommandARM. Front and Rear Windshield Washer and Wiper. SMV Emblem. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Right and Left Outside Mirrors (Manual Adjustment). Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. See Attachments Section for ordering information on additional field attachments.	In Base Price
2061		Premium CommandView II Cab with Active Seat Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on CommandARM. Front and Rear Windshield Wiper and Washer. SMV Emblem. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Right and Left Outside Electrically Adjustable Mirrors.	3,469.00

8260R Tractor

Continued

SUGGESTED **ATTACHMENT** LIST PRICE **DESCRIPTION** USD (\$) CODE **IDENTIFIER**

OPERATOR STATION ...Continued...

Power Strip with Convenience Plug Adapter. Programmable Egress Lighting.

Folding Instructional Seat.

Active Seat.

See Attachments Section for ordering information on additional field attachments.

DISPLAY

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1821 GS3 CommandCenter, 7" Color Display In Base Price

Includes Access Manager user lockout software.

With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately.

Does not include a cornerpost bracket for mounting an additional GreenStar Display.

Touchscreen GS3 CommandCenter 7" Color Display, Video Capable 1823 1,260.00

Includes Access Manager user lockout software, and video capability.

With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately.

One video camera input pre-wired in the cab. Connector located on the outside rear of the cab.

Video software can be configured in the CommandCenter using Tractor function activated triggers.

See Parts for available cameras.

Does not include a cornerpost bracket for mounting an additional GreenStar Display.

GS3 CommandCenter 7" Color Display with GreenStar 3 2630 Display 6,086.00 1825

Includes Access Manager user lockout software.

Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed on

cornerpost.

Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.

When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the 2630 Display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.

7.351.00

1826

Touchscreen GS3 CommandCenter 7" Color Display, Video Capable with GreenStar 3 2630 Display

Includes Access Manager user lockout software, and video capability.

Includes GreenStar 3 2630 Display, harness and A-post mounting bracket installed on cornerpost.

Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.

The GS3 CommandCenter is pre-wired with one video input in the cab. Connector located on the outside rear of cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. In addition, the GreenStar 3 2630 Display has the capability of one video input. Requires camera and harnessing for video capabilities. See

8260R Tractor

Continued

SUGGESTED ATTACHMENT LIST PRICE CODE IDENTIFIER DESCRIPTION USD (\$)

DISPLAY ...Continued...

Attachments for harnessing at GreenStar Harnesses in the AMS Price Pages and Ag Sales Manual for list of compatible cameras.

When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the 2630 display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.

RECEIVER

StarFire 3000 Position Receivers can be ordered in two configurations:

-SF1 World Solution, a no-charge differential correction signal that provides non-row-crop accuracy.

-SF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.com.

-RTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual.

GNSS serial port information (NMEA) is available through a StarFire 3000.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1835 Less StarFire 3000 Receiver In Base Price

Tractor includes deluxe receiver mounting bracket only.

When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.

1837 StarFire 3000 Receiver - SF1 with Deluxe Shroud 2,695.00

Tractor includes deluxe receiver mounting bracket only.

StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.

Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 receiver can be upgraded to SF2 capabilities.

1838 StarFire 3000 Receiver - SF2 Ready with Deluxe Shroud 4,695.00

Tractor includes deluxe receiver mounting bracket only.
StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation.
Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.

A StarFire3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available through StellarSupport.com or by calling the AMS Customer Call Center.

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold seperately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONSContinued standalone GreenStar Display, all GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.	
		Dealer/Distributor required to contact Stellar Support to activate AMS Software Activations, referencing the Tractor order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1845		Less AutoTrac Activation - GS3	In Base Price
1846		AutoTrac SF1 Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) for AutoTrac functionality. See AMS sales manual and price pages for detailed information.	3,000.00
1847		AutoTrac SF2 Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires SF2 Subscription sold seperately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	6,500.00
1848		AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See AMS sales manual and price pages for detailed information.	5,500.00
1849		AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. Also requires SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	9,000.00
		MACHINE CONNECTIVITY	
		Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink	1,000.00

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued Ultimate subscription (no hardware changes required).	
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability.	1,200.00
		Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	
		ACTIVECOMMAND STEERING	
1833		John Deere ActiveCommand Steering (ACS) Includes cab-mounted gyro, tactile feedback unit in steering column, and steering control unit for variable ratio steering and dynamic road-wheel offset control.	3,209.00
1834		Less John Deere ActiveCommand Steering (ACS)	In Base Price
		TRANSMISSION	
1490		16F/5R Speed PowerShift Transmission 42 km/h (26 mph) 5R is only available through John Deere dealer programming in some geographic regions.	In Base Price
1550		AutoPowr IVT Transmission 42 km/h (26 mph) with Right Hand Reverser Controls	12,083.00
1551		AutoPowr IVT Transmission 42 km/h (26 mph) with Left Hand Reverser Controls	12,953.00
1553		AutoPowr IVT Transmission 50 km/h (31 mph) with Right Hand Reverser Controls Requires 120 mm diameter Rear Axle Codes; Front Axle Code 6061; Front Fender Code 8010 or 8011; Trailer Brake Code 8751, 8752, or 8756, and Symbol B (50 km/h) Front and Rear Tires.	12,083.00
1552		AutoPowr IVT Transmission 50 km/h (31 mph) with Left Hand Reverser Controls Requires 120 mm diameter Rear Axle Codes; Front Axle Code 6061; Front Fender Code 8010 or 8011; Trailer Brake Code 8751, 8752, or 8756, and Symbol B (50 km/h) Front and Rear Tires.	12,953.00

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRANSMISSIONContinued	
		LIGHTS	
7200		Standard Lighting Six Front Grill Mounted Lights: two 65W low beam driving lights, two 65W high beam driving lights and two front corner facing halogen work lights. Ten Cab Roof Mounted Lights: Two rear and four side facing 65W flood lights and four corner facing amber lights. Two rear fender mounted flood lights and two rear turn signal and brake lights.	In Base Price
7201		Two folding extremity lights. Deluxe Lighting Includes Standard Lights plus two adjustable front roof 65W halogen floodlights, two front belt-line flood lights, and rotary beacon light.	789.00
7202		Premium Lighting Includes Deluxe Lights, and additionally in the front grill screen, two front corner HID lights replace two front halogen lights and one HID light and one 65W halogen flood light are added. Two rear fender lights are replaced with HID lights.	3,442.00
		RADIO	
2650		Less Radio and Speakers Includes wiring harness only for Radio and Speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack located on front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio For U.S. and Canada Markets only. AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter,XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display.	1,015.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna.	912.00
		REMOTE SELECTIVE CONTROL VALVES	
3331		Three Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	-1,875.00
3341		Four Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	In Base Price
3351		Five Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	1,876.00
3361		Six Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	3,753.00

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REMOTE SELECTIVE CONTROL VALVESContinued Includes Auxiliary CommandArm Mounted SCV Controls. Only available on Model Year 2012 Tractors.	
		POWER TAKE OFF	
3810		45 mm (1-3/4 ln.) 1000 rpm PTO (20 Spline)	In Base Price
3820		45 mm (1-3/4 ln.) 1000 rpm (20 Spline), Capable of 35 mm (1-3/8 ln.) 540 (6 Spline) / 1000 (21 Spline) rpm PTO To field convert to 35 mm (1-3/8 ln.) 540/1000 rpm PTO, kit RE272736 will be required. 35 mm (1-3/8 ln.) 540 rpm PTO portion of this option is not compatible with Cat. 4 Drawbar.	1,924.00
3821		45 mm (1-3/4 In.) 1000 rpm (20 Spline) with 35 mm (1-3/8 In.) 540 (6 Spline) / 1000 (21 Spline) rpm PTO 35 mm (1-3/8 In.) 540 rpm PTO portion of this option is not compatible with Cat. 4 Drawbar.	2,448.00
		REAR HITCH	
		Advertised Hitch Lift Capacity is the amount of force that is sustained through the entire range of lift, measured at 610 mm behind the hitch point. This is measured with the rear hitch centerlink connected to the upper hole. See Operators Manual for more information. Maximum Lift Capacity is noted as well. This is the maximum force achieved during lift, directly at the hitch point.	
4000		Less 3-Point Hitch Requires Code 3331 Three Remote Selective Control Valves. If 4 and/or 5 remote cylinder control valves are required, order field installed kit RE301321 (4th Remote Cylinder Control Valve) and/or RE301501 (5th Remote Cylinder Control Valve). Not compatible with Code 841H Front Hitch.	-5,922.00
4033		6169 kg (13,600 Lbs.) Capacity 3-Point Hitch (Cat 3/3N) with Sway Blocks and Quick Coupler 8,679 kg (19,134 Lbs.)Maximum Lift Capacity.	In Base Price
4034		7983 kg (17,600 Lbs.) Capacity Hitch (Cat 3/3N) with Sway Blocks and Quick Coupler 11,214 kg (24,724 lb)Maximum Lift Capacity. Requires 120 mm Diameter Rear Axle.	1,211.00
4032		8,482 kg (18,700 Lbs.) Lift Capacity Hitch (Cat 4N/3) Hitch with Sway Blocks and Quick Coupler 11,933 kg (26,307 Lbs.) Maximum Lift Capacity. Requires Group 48 Rear Tires. Requires 120mm Diameter Rear Axle.	2,545.00
		DRAWBAR AND TRAILER HITCH	
4320		Cat. 3 Adjustable Swinging Drawbar with 38 mm (1.5 ln.) Pin 1,837 kg (4,050 lb.) - 2,700 kg (6,000 lb.) Maximum Vertical Load dependent on Drawbar position.	In Base Price
4321		Cat. 4 Adjustable Swinging Drawbar with 50 mm (2 ln.) Pin 2,245 kg (4,950 Lb.) Maximum Vertical Load. Use of 540 RPM PTO Shaft is not recommended due to interference during turns.	261.00
4322		Cat. 4 Adjustable Swinging Drawbar with 50 mm (2 In.) Pin with Heavy Duty Support 4990 kg (11,000 Lb.) Maximum Vertical Load. Use of 540 RPM PTO Shaft is not recommended due to interference during turns.	817.00

8260R Tractor

			SUGGESTED
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	LIST PRICE USD (\$)
		DRAWBAR AND TRAILER HITCHContinued	
		HYDRAULIC PUMP	
3240		166.5 lpm (44 gpm) 63 cc Hydraulic Pump Displacement Not compatible with Codes 6042 1500 MFWD, 6060 ILS, or 6061 ILS with brakes.	In Base Price
3260		227.1 lpm (60 gpm) 85 cc Hydraulic Pump Displacement	1,266.00
		REAR AXLES	
5040		110 mm (4.33 ln.) Diameter x 3010 mm (118.5 ln.) Length Not compatible with Group 48 Tires.	In Base Price
5041		110 mm (4.33 In.) Diameter x 3010 mm (118.5 In.) Length with Double Taper Wheel Hubs	252.00
5042		120 mm (4.72 ln.) Diameter x 3010 mm (118.5 ln.) Length with Double Taper Wheel Hubs	559.00
5043		120 mm (4.72 ln.) Diameter x 2438 mm (96 ln.) Length with Double Taper Wheel Hubs	-455.00
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED) For complete tire and wheel information, refer to the Agricultural Sales Manual or individual tire manufacturer's handbook. Some tire sizes and/or brands are excluded from manufacturer warranty when used in specialty applications (e.g. use on Scraper Tractors). Please refer to the tire manufacturer's handbook for specific warranty guidelines. Overloading of tires is prohibited.	
		A8 Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) Listed Narrowest to Widest Listed Singles, to Duals, to Triples (if offered) Use with any RCI Group 42 OR 43 Front Tire with same brand preference. Four step front and rear tire combinations, as example group 44/48, 43/47 are acceptable with ILS (Code 6060 or 6061) and 1500 MFWD (Code 6042) axles only. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted. Mixing of Increased Flexion (IF) and non-Increased Flexion tires is not permitted unless otherwise noted.	
5500		320/90R54 In. 149A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	2,430.00
5700		320/90R54 In. 149A8 R1W Radial in Triple Wheel Configuration Available in Goodyear. Requires No Brand Preference Code 5999. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. 20 In. spacing only. Includes two 15 In. Axle Extensions. Extended lead time tire; may affect Tractor delivery date.	15,788.00
5501		380/90R50 In. 151A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-462.00

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5701		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued 380/90R50 In. 151A8 R1W Radial in Triple Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. 20 In. spacing only. Includes two 15 In. Axle Extensions.	11,540.00
5502		480/80R46 In. 158A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6103. Not compatible with ILS Code 6060 or 6061.	2,648.00
5702		480/80R46 In. 158A8 R2 Radial in Triple Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. Requires Front Tire Code 6103. Not compatible with ILS Code 6060 or 6061. 30 In. spacing only. Includes two 15 In. and two 10 In. Axle Extensions.	16,190.00
5103		480/80R46 In. 158A8 R1 Radial in Single Wheel Configuration Available in Firestone or Goodyear.	-7,468.00
5503		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Firestone or Goodyear.	In Base Price
5703		480/80R46 In. 158A8 R1 Radial in Triple Wheel Configuration Available in Firestone or Goodyear. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. 30 In. spacing only. Includes two 15 In. and two 10 In. Axle Extensions.	12,218.00
5104		480/80R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-5,720.00
5504		480/80R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	3,496.00
5704		480/80R46 In. 158A8 R1W Radial in Triple Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. 30 In. spacing only. Includes two 15 In. and two 10 In. Axle Extensions.	15,042.00
5105		520/85R42 In. 157A8 R1 Radial in Single Wheel Configuration Available in Firestone or Goodyear.	-7,552.00
5505		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Firestone or Goodyear.	-148.00
5521		520/85R42 In. 157A8 R1 Radial in Heavy Duty Dual Wheel Configuration Available in Firestone or Goodyear. Severe Duty Dual Wheel with thicker discs.	242.00

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5106		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued 520/85R42 In. 157A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, or Michelin.	-5,572.00
5506		520/85R42 In. 157A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, or Michelin.	3,812.00
5522		520/85R42 In. 157A8 R1W Radial in Heavy Duty Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	4,202.00
5108		520/85R42 In. 157A8 R2 Radial in Single Wheel Configuration Available in Firestone or Goodyear. Required Front Tire Code is 6103 with 1300 MFWD Axle Code 6040. Not compatible with ILS Codes 6060 or 6061.	-6,834.00
5508		520/85R42 In. 157A8 R2 Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Required Front Tire Code is 6103 with 1300 MFWD Axle Code 6040. Not compatible with ILS Codes 6060 or 6061.	1,288.00
5109		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear.	-4,708.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Michelin, or Goodyear.	5,540.00
5110		710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear.	-3,386.00
5510		710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Michelin, or Goodyear.	8,174.00
5117		IF 710/70R38 178A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-2,782.00
5517		IF 710/70R38 178A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	9,522.00
		A8 Speed Rated RCI Group 48 Size Tires (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles, to Duals, to Triples (if offered) Use with any RCI Group 43 or 44 Front Tire with same brand preference. Four step front and rear tire combinations, as example group 44/48, 43/47 are acceptable with ILS (Code 6060 or 6061) and 1500 MFWD (Code 6042) axles only. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted. Mixing of Increased Flexion (IF) and non-Increased Flexion tires is not permitted unless otherwise noted.	
5600		380/90R54 In. 152A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	3,150.00
5201		480/80R50 In. 159A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Titan, Mitas/Continental, or Michelin.	-5,982.00

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5601		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued 480/80R50 In. 159A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, Titan, Mitas/Continental, or Michelin.	3,002.00
5720		480/80R50 In. 159A8 R1W Radial in Triple Wheel Configuration Available in Firestone, Goodyear, Titan, Mitas/Continental, or Michelin. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. 30 In. spacing only. Includes two 15 In. and two 10 In. Axle Extensions.	16,736.00
5202		IF 480/80R50 166A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Firestone brand, Standard non-Increased Flexion Front Tire Codes 6201, 6601, 6203, and 6603.	-4,178.00
5602		IF 480/80R50 166A8 R1W Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Firestone brand, Standard non-Increased Flexion Front Tire Codes 6201, 6601, 6203, and 6603.	6,730.00
5203		520/85R46 In. 158A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, Mitas/Continental, or Goodyear.	-6,158.00
5603		520/85R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Michelin, Mitas/Continental, or Goodyear.	2,620.00
5204		520/85R46 In. 158A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6206 Single or 6606 Front Dual Tires.	-5,910.00
5604		520/85R46 In. 158A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Compatible Front Tire Code 6206 Single Tire or 6606 Front Dual Tires.	3,116.00
5205		620/70R46 In. 167A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-4,286.00
5605		620/70R46 In. 167A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	6,364.00
5218		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	-1,046.00
5618		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	12,854.00
5206		710/70R42 In. 168A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-4,152.00

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5606		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued 710/70R42 In. 168A8 R1W Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	6,652.00
5207		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin, Goodyear, or Mitas/Continental.	-3,156.00
5607		710/70R42 In. 173A8 R1W Radial in Dual Wheel Configuration Available in Michelin, Goodyear, or Mitas/Continental.	8,644.00
5219		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin.	-1,038.00
5619		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Firestone or Michelin.	12,880.00
5209		800/70R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear.	-2,440.00
5609		800/70R38 In. 173A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Michelin, or Goodyear. Includes two 10 In. Axle Extensions.	9,796.00
5220		IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	1,040.00
5620		IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Includes two 10 In. Axle Extensions.	17,026.00
		REAR WHEELS AND TIRES FOR 31 MPH (50 KM/H) TRANSMISSION (CODE 1552 OR 1153):	
		B Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) Listed Narrowest to Widest Listed Singles, to Duals, to Triples (if offered) For use with any B Rated RCI Group 42 Front Tire with same tread type and brand preference.	
5513		480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Firestone or Goodyear.	1,072.00
5114		650/75R38 In. 169B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear.	-2,206.00
5116		710/70R38 In. 166B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear.	-2,850.00

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued	
		B Speed Rated RCI Group 48 Size Tire (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles, to Duals, to Triples (if offered) For use with any B Rated RCI Group 43 Front Tire with same tread type and brand preference.	
5610		480/80R50 In. 159B R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear.	4,074.00
5211		650/85R38 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear.	-3,030.00
5215		IF 650/85R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-510.00
5213		710/70R42 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-1,282.00
5216		IF 710/70R42 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	170.00
5217		IF 800/70R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	1,576.00
		FRONT AXLES	
6040		1300 Series Mechanical Front Wheel Drive - Group 47 Rear/Group 42 Front Requires front tires with a load index rating of 141 or greater.	In Base Price
6041		1300 Series Mechanical Front Wheel Drive - Group 48 Rear/Group 43 Front Requires front tires with a load index rating of 141 or greater.	Same Price
6042		1500 Series Mechanical Front Wheel Drive with Hydraulic Differential Lock and Dual Tire Capability Requires Code 3260: 227 lpm (60 gpm) Hydraulic Pump. Single front tires require a load index rating of 143 or greater. Axle is compatible with duals. Compatible with either Group 42/43 Front and 47 Rear tires or 43/44 Front and 48 Rear Tires where allowed by model. See tire listings.	6,051.00
6060		John Deere Independent Link Suspension with Hydraulic Differential Lock, Fully Enclosed Driveline and Dual Tire Capability Requires Code 3260: 227 lpm (60 gpm) Hydraulic Pump. Single front tires require a load index rating of 145 or greater. Compatible with either Group 42/43 Front and 47 Rear tires or 43/44 Front and 48 Rear Tires where allowed by model. See tire listings.	15,448.00

8260R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6061		FRONT AXLESContinued John Deere Independent Link Suspension with Hydraulic Differential Lock, Wet Multi-Disk Brakes, Fully Enclosed Driveline, and Dual Tire Capability Requires Code 3260: 227 lpm (60 gpm) Hydraulic Pump. Single front tires require a load index rating of 145 or greater. Compatible with either Group 42/43 Front and 47 Rear tires or 43/44 Front and 48 Rear Tires where allowed by model. See tire listings.	17,469.00

FRONT WHEELS AND TIRES

For complete tire and wheel information, refer to the Agricultural Sales Manual or individual tire manufacturer's handbook.

Some tire sizes and/or brands are excluded from manufacturer warranty when used in specialty applications (e.g. used on Sevener Tractors). Places refer to the fire manufacturer's

specialty applications (e.g. used on Scraper Tractors). Please refer to the tire manufacturer's handbook for specific warranty guidelines.

Overloading of tires is prohibited.

FRONT WHEELS AND TIRES FOR 40 km/h TRANSMISSIONS: FRONT TIRES FOR 1300 SERIES (CODE 6040 OR 6041), 1500 SERIES (CODE 6042), OR INDEPENDENT LINK SUSPENSION (ILS) (CODE 6060 OR 6061) AXLES

Eight Position Wheels for 1300 Series Only

A8 Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as Noted)

Use with any RCI Group 47 Rear Tire with same brand preference.

Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.

Mixing of Increased Flexion (1F) and non-Increased Flexion Tires is not permitted unless

6100	420/90R30 In. 142A8 R1 Radial in Single Wheel Configuration Available in Firestone or Goodyear.	In Base Price
6101	420/90R30 In. 147A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	1,674.00
6102	420/90R30 In. 145A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	618.00
6103	420/90R30 In. 142A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Code 5102, 5502, 5508, or 5702 Rear Tires.	694.00
6104	480/70R30 In. 152A8 R1W Radial in Single Wheel Configuration Available in Firestone or Goodyear.	282.00

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		Eight Position Wheels for 1300 Series or ILS Axle with:	
		A8 Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Use with any RCI Group 47 Rear Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted. All Front Dual Configurations require Code 6060 ILS or 6061 ILS with Brake Front Axle.	
6106		320/85R38 In. 143A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Not compatible with 6060 or 6061 ILS Axle.	682.00
6506		320/85R38 In. 143A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	8,193.00
6507		380/85R34 In. 137A8 R1 Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Available to use with Rear Tire Code 5501 or 5701. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	7,377.00
6116		380/85R34 145A8 R1 Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	1,034.00
6508		380/85R34 In. 137A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	9,961.00
6109		600/65R28 In. 147A8 R1W Radial in Single Wheel Configuration Available in Goodyear, Firestone and Michelin. For use with 1780 mm (70 In.) or wider tread settings.	2,346.00
		Eight Position Wheels for 1300 Series Axle only with:	
		A8 Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Use with any RCI Group 48 Rear Tire with same brand preference.	
6200		320/80R42 In. 141A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	1,344.00
6201		380/80R38 In. 142A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Titan, Mitas/Continental, or Michelin.	1,358.00

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		Eight Position Wheels for 1300 Series, 1500 Series, or ILS Axle with:	
		A8 Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Use with any RCI Group 47 or 48 Rear Tire with same tread type and brand preference. Four step front and rear tire combinations, as example 44/48, 43/47 are acceptable with ILS (Codes 6060 or 6061) and 1500 MFWD (Code 6042) axles only. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted. Mixing of Increased Flexion (IF) and non-Increased Flexion Tires is not permitted unless otherwise noted. All Front Dual Configurations require Code 6042 1500 MFWD, 6060 ILS, or 6061 ILS with Brake Front Axle.	
6600		320/80R42 In. 141A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	9,517.00
6601		380/80R38 In. 142A8 R1W Radial in Dual Wheel Configuration Available in Michelin, Firestone, Titan, Mitas/Continental, or Goodyear. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	9,545.00
6202		IF 380/80R38 149A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Standard, non-Increased Flexion rear tires.	2,268.00
6203		420/85R34 In. 147A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas/Continental, or Titan.	1,302.00
6603		420/85R34 In. 147A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, Mitas/Continental, or Titan. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	9,433.00
6217		IF 420/85R34 152A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Standard, non-Increased Flexion rear tires.	2,566.00
6216		480/70R34 In. 143A8 R1W Radial in Single Wheel Configuration Available in Mitas/Continental only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Sales Manual or Operators Manual.	1,234.00
6616		480/70R34 In. 143A8 R1W Radial in Dual Wheel Configuration Available in Mitas/Continental only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Sales Manual or Operators Manual. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	9,297.00
6204		480/70R34 In. 146A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Sales Manual or Operators Manual.	2,552.00
6604		480/70R34 In. 146A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Sales Manual or Operators Manual. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	11,261.00

8260R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6205		FRONT WHEELS AND TIRESContinued 480/70R34 In. 155A8 R1W Radial in Single Wheel Configuration Available in Firestone or Goodyear. Tread setting restrictions apply, see Sales Manual or Operators Manual.	2,106.00
6605		480/70R34 In. 155A8 R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Tread setting restrictions apply, see Sales Manual or Operators Manual. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	11,041.00
6206		480/70R34 In. 146A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999 and Rear Tire Code 5204 or 5604. Tread setting restrictions apply, see Sales Manual or Operators Manual. For use with 1829 mm (72 In.) or wider tread settings only.	1,098.00
6606		480/70R34 In. 146A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999 and Rear Tire Code 5204 or 5604. Tread setting restrictions apply, see Sales Manual or Operators Manual. For use with 1829 mm (72 In.) or wider tread settings only. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	9,025.00
6207		540/65R34 In. 152A8 R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear. For 1300 or ILS: For use with 1679 mm (66 In.) or wider tread spacing. For 1500: For use with 1829 mm (72 In.) or wider tread spacing.	1,598.00
6208		600/70R30 In. 152A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas/Continental, Trelleborg, or Michelin. For 1300 or ILS: For use with 1780 mm (70 In.) or wider tread spacing. For 1500: For use with 1829 mm (72 In.) or wider tread spacing.	1,204.00
6214		IF 600/70R30 In. 159A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin. Not compatible with 1300 Front Axle. For ILS: For use with 1780 mm (70 In.) or wider tread spacing. For 1500: For use with 1829 mm (72 In.) or wider tread spacing.	2,866.00
		FRONT WHEELS AND TIRES WITH 1500 AXLE (CODE 6042)OR INDEPENDENT LINK SUSPENSION (ILS) (CODE 6060 OR 6061)	
		Steel MFWD or ILS 8 Position Wheels with:	
		A8 Speed Rated RCI Group 44 Size Tires (66 In./1676 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Use with any RCI Group 48 Rear Tire with same tread type and brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
6300		540/75R34 In. 157A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. For use with 2080 or 2182 mm tread spacing with Code 6042. For use with 1979, 2080 or 2182 mm tread spacing with Code 6060 or 6061.	1,772.00
6301		620/75R30 In. 163A8 R1W Radial In Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. For use with 2182 mm tread spacing with Code 6042. For use with 2080 or 2182 mm tread spacing with Code 6060 or 6061.	2,698.00

8260R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		FRONT WHEELS AND TIRES for 50 km/h TRANSMISSION (CODE 1552 OR 1553)	
		AND INDEPENDENT LINK SUSPENSION (CODE 6061):	
		Eight Position Wheels for ILS Axle Code 6061 with:	
		B Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) For use with any B Rated RCI Group 47 Rear Tire with same brand preference. Requires Code 6061.	
6511		380/85R34 In. 137B R1 Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Requires Code 5513 Rear Tire. Requires Code 6061 ILS Front Axle with Brakes.	7,913.00
		Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	
6113		600/65R28 In. 147B R1W Radial In Single Wheel Configuration Available in Michelin or Goodyear. Use with 1780 mm (70 In.) or wider tread settings.	3,390.00
		Eight Position Wheels for ILS Axle Code 6061 with:	
		B Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) For use with any B Rated RCI Group 48 Rear Tire with same brand preference. Requires Code 6061. Mixing of Increased Flexion (IF) and non-Increased Flexion tires is not permitted unless otherwise noted.	
6209		420/85R34 In. 147B R1W Radial In Single Tire Configuration Available in Firestone or Goodyear. Requires Rear Tire Code 5610.	2,070.00
6609		420/85R34 In. 147B R1W Radial In Dual Tire Configuration Available in Firestone or Goodyear. Requires Rear Tire Code 5610. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	10,433.00
6210		540/65R34 In. 152B R1W Radial In Single Tire Configuration Available in Michelin or Goodyear. Use with 1780 mm (70 In.) or wider tread settings.	2,642.00
6212		600/70R30 In. 152B R1W Radial In Single Tire Configuration Available in Michelin or Goodyear. Use with 1780 mm (70 In.) or wider tread settings.	3,046.00
6215		IF 600/70R30 In. 159B R1W Increased Flexion Radial in Single Tire Configuration Available in Michelin only. Requires No Brand Preference Code 5999. For use with 1780 mm (70in.) or wider tire tread.	4,074.00

TIRE PREFERENCE CODES

If only one brand is available in any tire code, the Tire Preference Code 5999 must be chosen below to avoid extra charges. You will still get the one brand stated in the tire code description.

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5999		TIRE PREFERENCE CODESContinued No Brand Preference Matching front and rear tire brands will be installed on Tractor unless notified by factory. Mitas/Continental brand tires available in US and Canada only.	No Charge
5901		Firestone Brand Only	800.00
5902		Goodyear Brand Only	800.00
5903		Michelin Brand Only	1,200.00
5904		Mitas/Continental Brand Only Mitas/Continental brand tires available in US and Canada only.	800.00
		OPERATOR'S MANUAL AND LABELS	
0403		Bulgarian	Same Price
0409		English	In Base Price
0413		French	Same Price
0416		Hebrew Operator's Manual and Non-Text Labels	Same Price
0426		Mandarin (Chinese)	Same Price
0401		Arabic	Same Price
0437		Spanish	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8288		Operator Station and Electrical: Foot Operated Speed Control	323.00
8242		Radar, Dual Beam Sensor	887.00
8210		Leather Trim Package For CommandView II, Deluxe CommandView II, and Premium CommandView II cabs. Includes heated leather seat, leather instructional set, leather wrapped steering wheel and rear window decal.	1,623.00
8227		Outside Mirrors, Telescoping, Heated, Electrically Adjustable RH and LH Required to upgrade from Right and Left Hand Manual Adjust Mirrors.	957.00
8228		Outside Mirrors, Telescoping, Heated, Electrically Adjustable RH and LH Required to upgrade from RH and LH Electrically Adjusting Mirrors.	532.00
8251		Antenna Mount and Wiring for Business Band (2-Way) Radio	127.00
8725		Rotary Warning Beacon Required to add Rotary Beacon Light to Standard Lighting Package.	336.00

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8720		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Loader/Driving Light Package Only available on Model Year 2012 Tractors. Provide two road lights mounted higher on the cab posts for use when front mounted equipment obstruct grill mounted front lights.	206.00
832G		Hydraulics: Auxiliary Hydraulic Connections Includes (2) motor return couplers, (1) flat face sump coupler, (1) power beyond pressure coupler and (1) load sense coupler. Suitable for use with most planting and seeding equipment.	840.00
8010		Chassis: Fenders, Deluxe Pivoting Front for MFWD or ILS - 480 mm (18.9 ln.) Wide Recommended for use with 290 mm (12.4 ln.) to 420 mm (16.9 ln.) tire widths. Code 8010 or 8011 is required for 50 km/h (31 mph) Tractors. Not compatible with Code 8011 Fenders, Deluxe Pivoting Front for MFWD or ILS - 620 mm (24.4 ln.) wide.	1,244.00
8011		Fenders, Deluxe Pivoting Front for MFWD or ILS - 620 mm (24.4 ln.) Wide Recommended for use with 480 mm (18.9 ln.) to 620 mm (244 ln.) tire widths. Not for use with front dual tire combinations. Code 8010 or 8011 is required for 50 km/h (31 mph) Tractors. Not compatible with option Code 8010 Fender, Deluxe Pivoting Front for MFWD or ILS - 480 mm (18.9 ln.) Wide.	1,457.00
8020		Fenders, Full Coverage Rear 2.55 m (100 ln.) Width Includes hitch control switch on both fenders. Not compatible with Code 8021 Fenders, Extra Width Coverage Rear 2.75 m (108 In.) Width.	1,222.00
8751		Trailer Brake, Air Dual Line System Includes compressor, tank, control valves and 2 line couplers. Not compatible with Code 8756 Hydraulic Trailer Brakes. If Air and Hydraulic Trailer Brakes are required, order Code 8752 Trailer Brakes, Air Dual Line and Hydraulic.	6,358.00
8752		Trailer Brake, Air Dual Line and Hydraulic Includes rear Tractor line hydraulic coupler. Includes compressor, tank, control valves and couplers. Not compatible with Codes 8751 or 8756.	7,147.00
8756		Trailer Brake, Hydraulic Includes rear Tractor line hydraulic coupler. Not compatible with Code 8751 Trailer Brake, Air Dual Line or Code 8752 Trailer Brake, Air Dual Line and Hydraulic.	789.00
8380		Front Implement: PTO, Independent Front with 35 mm (1-3/8 In) 21-Spline, 1000 rpm Clockwise-Rotating Shaft as Viewed from Front (Type 2) Only available on Model Year 2012 Tractors. For Code 8336 IT4/ Stage IIIB Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6060 or 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490.	7,268.00

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8381		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued PTO, Independent Front with 45 mm (1-3/4 ln) 20-Spline, 1000 rpm Clockwise-Rotating Shaft as Viewed from Front (Type 3) Only available on Model Year 2012 Tractors. For Code 8336 IT4/ Stage IIIB Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6060 or 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490.	7,268.00
8382		PTO, Independent Front with 35 mm (1-3/8 In) 6-Spline, 1000 rpm, Counter-Clockwise Rotating Shaft as Viewed from Front (Type 1) For Code 8336 IT4/ Stage IIIB Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6060 or 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490. Available in Australia and New Zealand. Requires Destination Code 0230 Australia or Code 0237 New Zealand.	7,268.00
8383		PTO, Independent Front with 35 mm (1-3/8 In) 21-Spline, 1000 rpm Clockwise-Rotating Shaft as Viewed from Front (Type 2) Only available on Model Year 2012 Tractors. For Code 8334 Stage II Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490.	7,268.00
8384		PTO, Independent Front with 45 mm (1-3/4 ln) 20-Spline, 1000 rpm Clockwise-Rotating Shaft as Viewed from Front (Type 3) Only available on Model Year 2012 Tractors. For Code 8334 Stage II Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490.	7,268.00
838A		PTO, Independent Front with 35 mm (1-3/8 ln) 6-Spline, 1000 rpm, Counter-Clockwise Rotating Shaft as Viewed from Front (Type 1) Only available on Model Year 2012 Tractors. For Code 8334 Stage II Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490. Available in Australia and New Zealand. Requires Destination Code 0230 Australia or Code 0237 New Zealand.	7,268.00
8411		Front Hitch with Folding Draft Links, Cat. 3N Ground Engaging Hitch, 5,200 kg (11,450 lb.) Maximum Lift Capacity at Hitch Balls 3175 kg (7000 lb) ISO Lift Capacity Only available on Model Year 2012 Tractors. Includes Front Hitch Valve. Requires Independent Link Suspension (Code 6060 or 6061) Compatible with 3, 4, 5, or 6 Rear SCV's. Includes Auxiliary CommandArm Mounted SCV Controls.	7,090.00
835H		Two Front Remote Selective Control Outlets with Push/Pull Breakaway Couplers and Factory Installed Plumbing to Rear Remote Selective Control Valves Three and Four Only available on Model Year 2012 Tractors. Front SCV hoses can be disconnected for rear SCV use. Requires Code 8411 Front Hitch. Requires Code 8020 Full Coverage Rear Fender Extensions to provide remote hitch lift controls for rear hitch.	1,656.00

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8300		Engine: Cold Weather Start Kit Factory installation of Block Heater (110V) and Ether Aid Canister and Switch.	136.00
8306		Fuel/Water Separator, Severe Duty In addition to water separator in base equipment.	556.00
8220		Intelligent Power Management Provides up to an additional 35 engine hp for non-stationary rear PTO or transport speeds above 23 km/h (14.3 mph). Not compatible with Stage II Emission compliant engine.	3,254.00
8336		John Deere PowerTech PSX 9.0 L (549 cu. In.) 6 Cyl IT4 / Stage 3b Compliant Diesel Engine	Same Price
8334		John Deere PowerTech 9.0 L (549 cu. In.) 6 Cyl Stage 2 Compliant Diesel Engine Only available on Model Year 2012 Tractors. Not available with the 8360R.	-11,688.00
8550		Skid for Duals For Tractors shipping outside of the United States and Canada.	124.00
		Ballast Packages:	
8930		728 kg (1620 lb.) Ballast Package with Rear Duals: Front Weight Support with No Front Suitcase Weights and One Pair 75 kg (165 lb.) with One Pair of 205 kg (450 lb.) Inside/Inner Rear Wheel Weights and no Outside/Outer Dual Rear Wheel Weights 1300 Axle: 129 Lb./hp with 37/63 Front/Rear Weight Split and require single front tires with load index of 141 or greater. 1500 Axle: 132 Lb./hp with 39/61 Front/Rear Weight Split and require single front tires with load index of 143 or greater. ILS Axle: 135 Lb./hp with 40/60 Front/Rear Weight Split and require single front tires with load index of 145 or greater. Not compatible with any other factory installed front or rear weight code.	2,268.00
8955		Quik-Tatch Weights: Weight, Front Support - Less Weights Support weighs 390 Lb. (180 kg). 1300 Axle requires single front tires with load index of 141 or greater. 1500 Axle requires single front tires with load index of 143 or greater or front duals. ILS requires single front tires with load index of 145 or greater or front duals. Includes Tow Point.	501.00
8956		Weight, Front Support with Four Suitcase Weights 1300 Axle requires single front tires with load index of 143 or greater. 1500 Axle requires single front tires with load index of 145 or greater or front duals. ILS requires single front tires with load index of 146 or greater or front duals.	1,036.00
8957		Weight, Front Support with Eight Suitcase Weights 1300 Axle requires single front tires with load index of 145 or greater. 1500 Axle requires single front tires with load index of 146 or greater or front duals. ILS requires single front tires with load index of 148 or greater or front duals.	1,571.00

8260R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8958		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Weight, Front Support with Twelve Suitcase Weights 1300 Axle requires single front tires with load index of 146 or greater. 1500 Axle requires single front tires with load index of 148 or greater or front duals. ILS requires single front tires with load index of 150 or greater or front duals.	2,106.00
8959		Weight, Front Support with Sixteen Suitcase Weights 1300 Axle requires single front tires with load index of 148 or greater. 1500 Axle requires single front tires with load index of 150 or greater or front duals. ILS requires single front tires with load index of 151 or greater or front duals.	2,641.00
8960		Weight, Front Support with Twenty-Two Suitcase Weights 1300 Axle requires single front tires with load index of 150 or greater. 1500 Axle requires single front tires with load index of 152 or greater or front duals. ILS requires single front tires with load index of 153 or greater or front duals.	3,361.00
		Rear Wheel Weights - For Inside/Inner Wheels (Cast): Weights shown are for each weight.	
8970		One Pair 205 kg (450 lb.)	1,189.00
8971		Two Pair 205 kg (450 lb.) Based on the tire width option ordered, some 450 lb. wheel weights may be shipped on a separate pallet and require dealer installation.	2,382.00
8972		One Pair 635 kg (1400 lb.) Requires tire with load rating above 151 Load Index.	3,428.00
		Rear Wheel Weights - For Outside/Inner Wheels (Cast): Weights shown are for each weight.	
8978		One Pair 75 kg (165 lb.) Starter Weights and One Pair 205 kg (450 lb.) Weight for the Outside of Single Rear Wheel For outside of drive wheel on rear singles only.	1,717.00
		Rear Wheel Weights - For Outside/Outer Dual Wheels: Weights shown are for each weight.	
8973		One Pair 75 kg (165 lb.) Starter Weights and One Pair 205 kg (450 lb.) Weights for Outer Rear Dual For outside outer dual only. Not compatible with Triples.	1,717.00
8974		One Pair 75 kg (165 lb.) Starter Weights and Two Pair 205 kg (450 lb.) Weights Requires rear duals. Not compatible with rear triples.	2,907.00
8975		One Pair 75 kg (165 lb.) Starter Weights and Three Pair 205 kg (450 lb.) Weights Requires rear duals. Not compatible with rear triples.	3,983.00

ATTACHMENTS - ORDER AS DESIRED

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
9076		Customer Gold Key Program: Gold Key Experience Not compatible with Code 9075. This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE58827	Electrical: 9-Pin Connector Implement Feedback Required for Electrohydraulic Implement Depth Control (EHDC).	132.00
	RE339514	Battery Disconnect Switch, Wheel	150.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE21519	Implement Switch with 10 Ft. Harness	168.00
	AR245564	Mounting Kit for Radar with Dual Beam Sensor Requires Dual Beam Radar (RE249206).	228.00
	RE278980	Radar with Dual Beam Sensor Requires mounting kit AR245564.	See Parts
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	26.00
	RE323008	Engine: Cold Weather Starting Package	94.00
	RE227949	Engine Block Heater (110V)	See Parts
	RE524692	Engine Block Heater (220V)	See Parts
	RE321571	Fuel/Water Separator Kit, Severe Duty In addition to water separator in base equipment.	627.00
	RE260608	Fenders: Fenders, Deluxe Pivoting Front for 1300 Series MFWD - 18.7 In. (480 mm) Wide Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths. Compatible with 1300 Series MFWD front axle only.	1,368.00
	RE260609	Fenders, Deluxe Pivoting Front for 1300 Series MFWD - 24.4 In. (620 mm) Wide Recommended use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Compatible with 1300 Series MFWD front axle only.	1,603.00
	RE308214	Fenders, Deluxe Pivoting Front for 1500 Series MFWD - 18.7 In. (480 mm) Wide Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths. Compatible with 1500 Series MFWD front axle only.	1,368.00

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE308215	ATTACHMENTS FOR FIELD CONVERSIONContinued Fenders, Deluxe Pivoting Front for 1500 Series MFWD - 24.4 ln. (620 mm) Wide Recommended use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Compatible with 1500 Series MFWD front axle only.	1,603.00
	RE236667	Fenders, Deluxe Pivoting Front for Independent Link Suspension - 18.7 In. (480 mm) Wide Also order 2 pieces of R186578. Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths.	1,368.00
	RE236670	Fenders, Deluxe Pivoting Front for Independent Link Suspension - 24.4 In. (620 mm) Wide Also order 2 pieces of R186578. Recommended for use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Not for use with front dual tire combinations.	1,603.00
	RE324406	Fenders, Extra Width Rear Fender Extensions For use with 800 mm wide rear tires. Requires Full Coverage Rear Fenders (RE318606) for installation.	276.00
	RE318606	Fenders, Full Coverage Rear 2.55 meter (100 In. Width) <i>Included in Code 9083.</i>	500.00
	R177682	Hitch and Drawbar: Center Link Bracket Retains the center link when not in use.	See Parts
	AR211154	Drawbar Heavy Duty Support for use with Cat. 4 Drawbar (11,000 Lb. Vertical Load Capacity) Requires Cat. 4 Drawbar. Increases vertical load capacity to 11,000 Lb. (4990 kg.). Cat. 4 Drawbar is not compatible with PTO Codes 2418 or 2420 or with field installed 1-3/8 540 rpm PTO.	809.00
	AR211153	Drawbar, Cat. 4 with 2 In. Pin and Heavy Duty Support (11,000 Lb. Vertical Load Capacity) Cat. 4 Drawbar is not compatible with PTO Codes 3820 or 3821 or with field installed 1-3/8 540 rpm PTO.	1,873.00
	RE327692	Front Hitch Chain Hooks	196.00
	RE301735	Hitch Kit, 3-in-1 Rails Compatible with Type 2 PTO.	817.00
	RE301736	Hitch Kit, 3-in-1 Rails Compatible with Type 3 PTO.	1,368.00
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N)	1,529.00
	RE327558	Hydraulics: 4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,445.00

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE343865	ATTACHMENTS FOR FIELD CONVERSIONContinued 4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	2,466.00
	RE327559	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,445.00
	RE343866	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	2,546.00
	RE327560	6th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R334695) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,909.00
	RE315727	Auxiliary Hydraulic Oil Take-Out Pump and Reservoir Provides an additional 11 gallon (42 liters) capacity for large, single acting cylinders used for application where a large hydraulic oil flow in a short period of time is needed.	1,935.00
	RE323828	Auxiliary Hydraulic Oil Take-Out Pump and Reservoir	1,935.00
	RE222721	Auxiliary Sump Coupler Kit (Flush Face Coupler Style) Required to connect Tractor sump to case drains on Seeding Equipment.	129.00
	RE333976	Front SCV Plumbing Kit Routes SCV function from the rear to the front.	1,822.00
	AR114664	Hydraulic Motor Return, Multiple/Auxiliary Hitch Coupler/ Sump Return Kit For use with Hydraulic Motor Returns, Hitch Valve with Lift Assist Wheels or Motor Drains/Sump Returns or grapple valve.	193.00
	RE337305	Hydraulic Trailer Brake Kit Provides single line connection to hydraulic braking systems. Works with or without power beyond couplers.	750.00
	RE221284	Low Stand-By Pressure Control Kit Prevents main pump activation during engine start up in certain hydraulic configurations using power beyond.	980.00
	RE281166	Power Beyond Coupler Kit Kit includes load sense, pressure and return couplers.	756.00
	AR272536	Rear EHSCV Single Lever Control (Joystick) and Mounting Parts for CommandArm Attaches to CommandArm. Requires (R301762) Software download to activate function - See Parts.	1,563.00

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE308937	Lighting: Auxiliary Driving / Loader Light Kit Includes headlights, wiring harness, brackets and mounting hardware.	236.00
	RE269641	Lights, Field Vision Xenon HID Rear Fender Light Requires (2) for conversion.	See Parts
	RE298933	Lights, Two Roof-Mounted 65W Halogen Front Flood Lights	140.00
	RE325694	Rotary Beacon Light Kit	371.00
	AR320123	Miscellaneous: Single Line Coupler Parts for Air Trailer Brakes	581.00
	RE67015	Operator Environment: 3-Way Convenience Adapter for Power Strip	See Parts
	RE317435	Accessory Mounting Bracket Provides mounting location for additional monitors.	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00
	RE275532	Ash Tray Fits in existing cup holder.	See Parts
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	RE323407	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	594.00
	RE293499	External Mirrors, Electrically Telescoping and Heated Mirror Heads For converting the heads on electric mirrors to telescoping and heated.	1,696.00
	RE323405	External Mirrors, Manually Adjustable RH and LH	265.00
	RE321017	Foot-Operated Speed Control For use with PST or IVT transmissions. Order Floor Mat separate through Parts.	125.00
	RE68495	Power Strip with Six Outlets	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	295.00
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE284180	Step Kit, Left Hand Convenience Platform	See Parts
	RE261504	Sun Shade, Front Pull Down	See Parts

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE263352	ATTACHMENTS FOR FIELD CONVERSIONContinued Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	RE324993	Touchscreen GS3 CommandCenter 7" Color Display, Video Capable	1,260.00
	RE269618	Windshield Wiper with Washer, Rear	193.00
	RE272736	PTO: Conversion Kit from 1-3/4 In. 1000 rpm to 1-3/8 In. 540/1000 rpm PTO Conversion for Tractor equipped with Code 3820. 1-3/8 In. 540 rpm PTO is NOT compatible with Cat. 4 Drawbar.	476.00
	RE331560	SCV Parts: Paddle Pot Pod, Common Parts Only compatible on Tractors with CommandARM. Order single paddle potentiometer separately. See instructions RE331562 for more information. Compatible on 8R above SN 053100 and 8RT above SN 907100.	95.00
	RE331559	Single Paddle Potentiometer Order decals and levers separately. See instructions RE331561 for more information.	See Parts
	RE298885	Software Downloads: Intelligent Power Management Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305729	Language Group for CommandCenter - English, Croatian, Serbian, Slovenian, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305727	Language Group for CommandCenter - English, Danish, Swedish, Finish, Norwegian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305726	Language Group for CommandCenter - English, Estonian, Latvian, Lithuanian, Polish, Russian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305725	Language Group for CommandCenter - English, French, Dutch, Icelandic, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305730	Language Group for CommandCenter - English, Greek, Turkish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE308728	ATTACHMENTS FOR FIELD CONVERSIONContinued Language Group for CommandCenter - English, Hungarian, Czech, Slovak, Romanian, Bulgarian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305731	Language Group for CommandCenter - English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	BPF10312	Non-John Deere Guidance Compatibility Activation - AutoFarm/Novariant Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10313	Non-John Deere Guidance Compatibility Activation - Hemisphere/Outback Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10433	Non-John Deere Guidance Compatibility Activation - Leica Geosystems Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10311	Non-John Deere Guidance Compatibility Activation - Raven Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10363	Non-John Deere Guidance Compatibility Activation - Trimble Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	RE224298	Transmission: Transmission Backup Alarm	405.00
	RE323009	Transmission Hydraulic Oil Heater (110 Volts)	342.00
	RE323010	Transmission Hydraulic Oil Heater (220 Volts)	446.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	R127764	Weights: Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R242154	Weight, Front Support, 390 Lb. (180 kg) Requires (6) 19M9141 Cap Screws and (6) 24M7242 Washers for installation - See Parts. Holds up to 22 Quick-Tatch Weights.	844.00
	R167151	Weight, Inner Wheel, 1400 Lb.	1,903.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg)	282.00

8260R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RFR207782	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights)	2,658.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00
	R207782	Weight, Wheel, 450 Lb.	664.00
	RE324389	Wheel Equipment: Front Wheel Dual Extensions Compatible with ILS or 1500 front axles.	2,538.00
	AR190666	One 10 In. Dual Hub Extension	759.00
	AR190668	One 13 In. Dual Hub Extension	844.00
	AR190669	One 15 In. Dual Hub Extension	884.00
	AR194744	One 5 In. Dual Hub Extension	685.00
	RE267658	Three Meter Front Wheel Spacer Not compatible with Tractors equipped with front brakes.	3,063.00

8285R Tractor

Equipment for Base Machine

ENGINE:	Fuel Level Gauge with
John Deere PowerTech Diesel	Low Fuel Warning Signal
In-line 6-Cylinder Wet-Sleeve	Engine RPM Indicator
with High Pressure Common Rail (HPCR)	Status Indicator for:
Fuel System and 24 Valve Head	MFWD
9.0 L (549 Cu. In.) Displacement	Differential Lock
285 Engine Hp (210 kW) 97/68/EC @ Rated Speed	Rear PTO Speed
239 SAE PTO hp (178 kW) @ Rated Speed	CommandCenter Display Includes:
Air to Air Intercooled	GreenStar 3 Application Capability
Automatic Shutdown System	Video Capability, with Tractor Function
Dry Type Air Cleaner with Safety Element	Activated Triggers
and Dirt Aspiration System	AutoTrac and Swath Control Pro
Tilt Hood Enclosure	Activation Required
VariCool Fan Drive System	Access Manager
Electric Fuel Shutoff	Universal Performance Monitor
Engine Coolant Conditioner Additive	Display Functions Definable By Operator:
Engine Coolant Recovery System	% Slip
Dual Stage Fuel Filtration System with	Ground Speed
Fuel Water Separator with Sensor Self-Priming and Bleeding Electronic	PTO Speed Engine Hours
Fuel Pump	Hydraulic Settings
680 L (180 U.S. Gal.) Fuel Tank Capacity	Hitch Settings
with Lockable Fuel Cap	Hitch Slip Command
Top-loading Vertical Engine Oil Filter	Productivity
Electronic Injection and Governor Control	Efficiency
Field Cruise Control	Area
	Adjustable PTO Modulation
TRANSMISSION:	Implement Width
Powershift	Service Hours
16 Forward/5 Reverse Speeds	Voltage
Hydraulically-Engaged Wet-Disk Clutch	Fuel Consumption Rate
Park Lock	Temperatures
Neutral Safety Start System	Time of Day Ambient Temperature
STEERING, BRAKES DIFFERENTIAL:	Command Control System with:
Load-Sensing Hydraulic Power Steering	Automatic Powershift
Wet-Disk Hydraulic Power Brakes	Set and Adjust Time and Flow of
Hydraulically-Engaged Differential Lock	Individual Selective Control Valves
	iTEC End of Row Functions
HYDRAULICS:	Languages:
Pressure Flow Compensating	For a complete list of languages, refer to the Ag
Axial Piston Pump	Sales Manual
63 cc Displacement 166.6 lpm (44 gpm)	
Pump Output	OPERATOR PROTECTIVE STRUCTURE:
132 lpm (35 gpm) Flow @ One SCV	Deluxe CommandView II Cab
L (gal) Oil Take Out Capacity @	Tilt/Telescoping Memory Steering Wheel Comfort Command Seat with
Max Flow Rate 50 L (13 Gal.) Take-Out Capacity	Air Suspension, Swivel
Four Electrohydraulic Remote Selective	Fore-Aft Lateral Attenuation,
Control Valves with Push/Pull	Lumbar Support
ISO Breakaway Couplers and	Backrest Adjustment with
High Pressure Release Levers	Integrated CommandARM Controls
	Adjustable Position CommandARM with
PTO:	Integrated CommandCenter Display
Independent 1000 RPM, 45 mm	Swing-Out Rear Window (30 Degrees)
(1-3/4 In.) 20 Spline	Tinted Glass
PTO Safety Start System	Air Conditioner and Heater
Seat-Activated PTO Warning	Two Speed and Intermittent Front Wiper
DOGUGUADE UTEGU AND DOALDAD.	and Rear Wiper
ROCKSHAFT, HITCH AND DRAWBAR:	Front and Rear Windshield Washer
Dual Cylinder Electrohydraulic Rear 3-Point Hitch, Category 3/3N	Pull Down Front Sun Visor Rear Under Seat Storage
Solid Draft Links with External	Folding Instructional Seat
Remote Raise/Lower Switch	Left Hand Storage
Sway Blocks with Tapered Wedge Adjustment	Two Beverage Holders
Electro/Hydraulic Hitch Dampening	Right and Left Outside Mirrors
Center Link Adjustment Handle	Less Radio and Speakers
Transport Lock	Includes Wiring Harness for Radio and Speakers
Adjustable Swinging Drawbar	Inside Cab Mounted Rear View Mirror
Cat. 3 Drawbar with Clevis	Passive Noise Reduction System
and 1.5 In. Pin	Backlit Right Hand Console Controls
TMORDINENERALITARI	with Adjustable Brightness
INSTRUMENTATION:	Step, Left Hand Convenience
Corner Post Digital Instrument Panel Includes:	ELECTRICAL:
Engine Oil Pressure Gauge	Key Engine Shutoff
Engine Coolant Temperature Gauge	12V Electrical System

8285R Tractor

Continued

Two 925 CCA 12V Batteries
Two 12V Electrical Convenience Outlet
Two 12V Electrical 3-Pin Outlet
with Adapter
Battery Boost Terminal
200 Amp Alternator
SmartCircuit Current Load Monitoring
System with Fuse Panel
7-Terminal Rear Implement Electrical
Outlet Socket
Integrated ISO Radar Connector
StarFire ITC or Radar Speed
Input Harness

LIGHTS:

0011

Six Front Grill Mounted Lights
Ten Cab Roof Mounted Lights
Two Rear Fender Flood Lights
Extremity, Brake, Turning, and Hazard
Lights

AXLES, WHEELS AND TIRES: 1300 MFWD Front Axle with Limited Slip Differential Rear Axle and Wheels and Tires

AG MANAGEMENT SOLUTIONS:

ServiceADVISOR Data Port

Integrated Plug-In for GreenStar Display Deluxe StarFire Receiver Bracket GreenStar Ready harness with Implement Circuit Gateway and Integrated GreenStar Display Plug-In Connector (ISO 11783 Compatible) AutoTrac Ready Components:
Wiring, SSU, Front Wheel-Angle Sensor and Electro-Hydraulic Steering Valve

MISCELLANEOUS: Enclosed Chain Storage Box Horn PTO Master Shield Tool Box Operator's Manual Lockable Fuel Cap

* Manufacturer's Rating **Cold Cranking Amperes

ATTACHMENT CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Waterloo, Iowa

7520RW 8285R Tractor 228,598.00

DESTINATION

A Code must be chosen for each Tractor ordered.

AFRICA Chad

Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter,

Requires Code 1821 G55 CommandCenter of Code 1825 Touchscreen G55 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable.

Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab.

Code 7200 Standard Lighting.

Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.

16 May 2012 US & Canada 2-Tractors-06600- 2

Same Price

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0014		DESTINATIONContinued Democratic Republic of Congo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 ln. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 ln. 142A8 R1 Front Single Wheels and Tires.	Same Price
0019		Ethiopia Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0020		Gabon Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 ln. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 ln. 142A8 R1 Front Single Wheels and Tires.	Same Price
0026		Kenya Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 ln. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 ln. 142A8 R1 Front Single Wheels and Tires.	Same Price

8285R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	(4)
0029		Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0036		Mozambique Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 15848 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0050		Tanzania Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0016		Egypt Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 15848 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0054		Zambia Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires.	Same Price

Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0055		DESTINATIONContinued Zimbabwe Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0072		ASIA China (People's Republic of China) Requires Code Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0078		Israel Requires Code 1885 JDLink Capable. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 - 6,169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 - 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 - 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 - 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0090		Mongolia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 ln. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 ln. 142A8 R1 Front Single Wheels and Tires.	Same Price

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0094		DESTINATIONContinued Philippines Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0098		Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires either Code 8955 Front Weight Support or Code 8969 Front Tow Point. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2057 Deluxe CommandView II Cab. Code 7203 Standard Lighting. Code 4035 6,804 kg (15,000 Lbs.) Lift Capacity Hitch (Cat 3/3N) with Convertible Cat. 3 Ball/Hook Style Ends and Sway Blocks. Code 5044 110 mm (4.33 In.) Diameter x 2438 mm (96 In) Length with Double Taper Wheel Hubs. Code 5198 620/70R42 In. 160A8 RIW Single Rear Wheels and Tires. Code 6159 480/70R30 In. 152A8 RIW Single Front Wheels and Tires.	Same Price
0102		Taiwan Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe Commandview II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0104		Thailand Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 RI Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 RI Front Single Wheels and Tires.	Same Price

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0109		DESTINATIONContinued Vietnam Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0183		NORTH AMERICA Belize Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0184		Canada Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Ultimate Promotion 3 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6,169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0191		Guatemala Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0193		DESTINATIONContinued Honduras Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0196		Nicaragua Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0197		Panama Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0202		United States Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Ultimate Promotion 3 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6,169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	1,209.00

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued SOUTH AMERICA	
0210		Argentina Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0213		Chile Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0214		Colombia Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0215		Ecuador Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0217		Paraguay Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price

8285R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
CODE	IDENTIFIER		03D (\$)
0218		Peru Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 ln) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5503 480/80R46 ln. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 ln. 142A8 R1 Front Single Wheels and Tires.	Same Price
0220		Uruguay Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
0221		Venezuela Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4033 6169 kg (13,600 lb.) Cat 3/3N 3-Point Hitch with Quick Coupler. Code 5040 110 mm (4.33 In) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5503 480/80R46 In. 158A8 R1 Rear Dual Wheels and Tires. Code 6100 420/90R30 In. 142A8 R1 Front Single Wheels and Tires.	Same Price
		VALUE PACKAGE CONFIGURATIONS	
0500		No Package Order one Code from each box in the Price Pages.	In Base Price
0501		Deluxe 1300 Package Includes Codes: 2059, 1833 or 1834, 1490, 1550 or 1551, 7201, 2661 or 2662, 3341 or 3351 or 3361, 3810 or 3821, 4032 or 4034, 4322, 3260, 5042, 6040 or 6041, 8288, 8251, 832G, 8010 or 8011.	-500.00
0502		Premium PST 1300 or 1500 Package Includes Codes: 2061, 1833 or 1834, 1490, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810 or 3821, 4032 or 4034, 4322, 3260, 5042, 6040, 6041 or 6042, 8251, 832G, 8010 or 8011.	-500.00
0503		Premium PST ILS Package Includes Codes: 2061, 1833 or 1834, 1490, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810 or 3821, 4032 or 4034, 4322, 3260, 5042, 6060 or 6061, 8288, 8251, 832G, 8010 or 8011.	-1,000.00
0504		Premium IVT 1300 Package Includes Codes: 2061, 1833 or 1834, 1550 or 1551, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810 or 3821, 4032 or 4034, 4322, 3260, 5042, 6040 or 6041, 8288, 8251, 832G, 8010 or 8011.	-1,000.00
0505		Premium IVT 1500 or ILS Package Includes Codes: 2061, 1833 or 1834, 1550 or 1551 or 1552 or 1553, 7202, 2661 or 2662, 3341	-1,500.00

8285R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		VALUE PACKAGE CONFIGURATIONSContinued or 3351 or 3361, 3810 or 3821, 4032 or 4034, 4322, 3260, 5042, 6042 or 6060 or 6061, 8288, 8251, 832G, 8010 or 8011.	
0506		iPackage PST Includes Codes: 2061, 1826, 1837 or 1838, 1848 or 1849, 1889 or 1887 or 1888, 1833, 1490, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810 or 3821, 4034 or 4032, 4322, 3260, 5042, 6060 or 6061, 8288, 8251, 832G, 8010 or 8011.	-1,500.00
0507		iPackage IVT Includes Codes: 2061, 1826, 1837 or 1838, 1848 or 1849, 1889 or 1887 or 1888, 1833, 1550 or 1551 or 1552 or 1553, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810 or 3821, 4034 or 4032, 4322, 3260, 5042, 6060 or 6061, 8288, 8251, 832G, 8010 or 8011.	-2,000.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest controls with Integrated CommandCenter Display. Folding Instructional Seat. Remote Radio Controls located on CommandARM. Front Windshield Washer and Wiper. SMV Emblem. Manual Temperature Controls located in cab roof. See Attachments Section for ordering information on additional field attachments.	-1,980.00
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on CommandARM. Front and Rear Windshield Washer and Wiper. SMV Emblem. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Right and Left Outside Mirrors (Manual Adjustment). Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. See Attachments Section for ordering information on additional field attachments.	In Base Price
2061		Premium CommandView II Cab with Active Seat Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on CommandARM. Front and Rear Windshield Wiper and Washer. SMV Emblem. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Right and Left Outside Electrically Adjustable Mirrors. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. Active Seat. See Attachments Section for ordering information on additional field attachments.	3,469.00

DISPLAY

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate

8285R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DISPLAYContinued activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1821		GS3 CommandCenter, 7" Color Display Includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately.	In Base Price
		Does not include a cornerpost bracket for mounting an additional GreenStar Display.	
1823		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable Includes Access Manager user lockout software, and video capability. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately.	1,260.00
		One video camera input pre-wired in the cab. Connector located on the outside rear of the cab. Video software can be configured in the CommandCenter using Tractor function activated triggers.	
		See Parts for available cameras. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	
1825		GS3 CommandCenter 7" Color Display with GreenStar 3 2630 Display Includes Access Manager user lockout software. Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed on cornerpost.	6,086.00
		Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.	
		When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the 2630 Display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	
1826		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable with GreenStar 3 2630 Display Includes Access Manager user lockout software, and video capability. Includes GreenStar 3 2630 Display, harness and A-post mounting bracket installed on cornerpost.	7,351.00
		Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.	
		The GS3 CommandCenter is pre-wired with one video input in the cab. Connector located on the outside rear of cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. In addition, the GreenStar 3 2630 Display has the capability of one video input. Requires camera and harnessing for video capabilities. See Attachments for harnessing at GreenStar Harnesses in the AMS Price Pages and Ag Sales Manual for list of compatible cameras.	
		When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the 2630 display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	

RECEIVER

StarFire 3000 Position Receivers can be ordered in two configurations:

8285R Tractor

Continued

SUGGESTED

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	LIST PRICE USD (\$)
		RECEIVERContinuedSF1 World Solution, a no-charge differential correction signal that provides non-row-crop accuracySF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.comRTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual.	
		GNSS serial port information (NMEA) is available through a StarFire 3000.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1835		Less StarFire 3000 Receiver Tractor includes deluxe receiver mounting bracket only.	In Base Price
		When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.	
1837		StarFire 3000 Receiver - SF1 with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.	2,695.00
		Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 receiver can be upgraded to SF2 capabilities.	
1838		StarFire 3000 Receiver - SF2 Ready with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.	4,695.00
		A StarFire3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available through StellarSupport.com or by calling the AMS Customer Call Center.	

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold seperately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, all GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact Stellar Support to activate AMS Software Activations, referencing the Tractor order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONSContinued	
1845		Less AutoTrac Activation - GS3	In Base Price
1846		AutoTrac SF1 Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) for AutoTrac functionality. See AMS sales manual and price pages for detailed information.	3,000.00
1847		AutoTrac SF2 Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires SF2 Subscription sold seperately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	6,500.00
1848		AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See AMS sales manual and price pages for detailed information.	5,500.00
1849		AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. Also requires SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	9,000.00
		Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system. Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics	No Charge

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and I year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability. Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	1,200.00
		ACTIVECOMMAND STEERING	
1833		John Deere ActiveCommand Steering (ACS) Includes cab-mounted gyro, tactile feedback unit in steering column, and steering control unit for variable ratio steering and dynamic road-wheel offset control.	3,209.00
1834		Less John Deere ActiveCommand Steering (ACS)	In Base Price
		TRANSMISSION	
1490		16F/5R Speed PowerShift Transmission 42 km/h (26 mph) 5R is only available through John Deere dealer programming in some geographic regions.	In Base Price
1550		AutoPowr IVT Transmission 42 km/h (26 mph) with Right Hand Reverser Controls	12,083.00
1551		AutoPowr IVT Transmission 42 km/h (26 mph) with Left Hand Reverser Controls	12,953.00
1553		AutoPowr IVT Transmission 50 km/h (31 mph) with Right Hand Reverser Controls Requires 120 mm diameter Rear Axle Codes; Front Axle Code 6061; Front Fender Code 8010 or 8011; Trailer Brake Code 8751, 8752, or 8756, and Symbol B (50 km/h) Front and Rear Tires.	12,083.00
1552		AutoPowr IVT Transmission 50 km/h (31 mph) with Left Hand Reverser Controls Requires 120 mm diameter Rear Axle Codes; Front Axle Code 6061; Front Fender Code 8010 or 8011; Trailer Brake Code 8751, 8752, or 8756, and Symbol B (50 km/h) Front and Rear Tires.	12,953.00
		LIGHTS	
7200		Standard Lighting Six Front Grill Mounted Lights: two 65W low beam driving lights, two 65W high beam driving lights and two front corner facing halogen work lights. Ten Cab Roof Mounted Lights: Two rear and four side facing 65W flood lights and four corner facing amber lights. Two rear fender mounted flood lights and two rear turn signal and brake lights. Two folding extremity lights.	In Base Price

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
7201		LIGHTSContinued Deluxe Lighting Includes Standard Lights plus two adjustable front roof 65W halogen floodlights, two front belt-line flood lights, and rotary beacon light.	789.00
7202		Premium Lighting Includes Deluxe Lights, and additionally in the front grill screen, two front corner HID lights replace two front halogen lights and one HID light and one 65W halogen flood light are added. Two rear fender lights are replaced with HID lights.	3,442.00
		RADIO	
2650		Less Radio and Speakers Includes wiring harness only for Radio and Speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack located on front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio For U.S. and Canada Markets only. AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter,XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display.	1,015.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna.	912.00
		REMOTE SELECTIVE CONTROL VALVES	
3331		Three Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	-1,875.00
3341		Four Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	In Base Price
3351		Five Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	1,876.00
3361		Six Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers Includes Auxiliary CommandArm Mounted SCV Controls. Only available on Model Year 2012 Tractors.	3,753.00
		POWER TAKE OFF	
3810		45 mm (1-3/4 ln.) 1000 rpm PTO (20 Spline)	In Base Price
3820		45 mm (1-3/4 ln.) 1000 rpm (20 Spline), Capable of 35 mm (1-3/8 ln.) 540 (6 Spline) / 1000 (21 Spline) rpm PTO To field convert to 35 mm (1-3/8 ln.) 540/1000 rpm PTO, kit RE272736 will be required. 35 mm (1-3/8 ln.) 540 rpm PTO portion of this option is not compatible with Cat. 4 Drawbar.	1,924.00

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		POWER TAKE OFFContinued	
3821		45 mm (1-3/4 ln.) 1000 rpm (20 Spline) with 35 mm (1-3/8 ln.) 540 (6 Spline) / 1000 (21 Spline) rpm PTO 35 mm (1-3/8 ln.) 540 rpm PTO portion of this option is not compatible with Cat. 4 Drawbar.	2,448.00
		REAR HITCH	
		Advertised Hitch Lift Capacity is the amount of force that is sustained through the entire range of lift, measured at 610 mm behind the hitch point. This is measured with the rear hitch centerlink connected to the upper hole. See Operators Manual for more information. Maximum Lift Capacity is noted as well. This is the maximum force achieved during lift, directly at the hitch point.	
4000		Less 3-Point Hitch Requires Code 3331 Three Remote Selective Control Valves. If 4 and/or 5 remote cylinder control valves are required, order field installed kit RE301321 (4th Remote Cylinder Control Valve) and/or RE301501 (5th Remote Cylinder Control Valve). Not compatible with Code 841H Front Hitch.	-5,922.00
4033		6169 kg (13,600 Lbs.) Capacity 3-Point Hitch (Cat 3/3N) with Sway Blocks and Quick Coupler 8,679 kg (19,134 Lbs.)Maximum Lift Capacity.	In Base Price
4034		7983 kg (17,600 Lbs.) Capacity Hitch (Cat 3/3N) with Sway Blocks and Quick Coupler 11,214 kg (24,724 lb)Maximum Lift Capacity. Requires 120 mm Diameter Rear Axle.	1,211.00
4032		8,482 kg (18,700 Lbs.) Lift Capacity Hitch (Cat 4N/3) Hitch with Sway Blocks and Quick Coupler 11,933 kg (26,307 Lbs.) Maximum Lift Capacity. Requires Group 48 Rear Tires. Requires 120mm Diameter Rear Axle.	2,545.00
		DRAWBAR AND TRAILER HITCH	
4320		Cat. 3 Adjustable Swinging Drawbar with 38 mm (1.5 ln.) Pin 1,837 kg (4,050 lb.) - 2,700 kg (6,000 lb.) Maximum Vertical Load dependent on Drawbar position.	In Base Price
4321		Cat. 4 Adjustable Swinging Drawbar with 50 mm (2 In.) Pin 2,245 kg (4,950 Lb.) Maximum Vertical Load. Use of 540 RPM PTO Shaft is not recommended due to interference during turns.	261.00
4322		Cat. 4 Adjustable Swinging Drawbar with 50 mm (2 In.) Pin with Heavy Duty Support 4990 kg (11,000 Lb.) Maximum Vertical Load. Use of 540 RPM PTO Shaft is not recommended due to interference during turns.	817.00
		HYDRAULIC PUMP	
3240		166.5 lpm (44 gpm) 63 cc Hydraulic Pump Displacement Not compatible with Codes 6042 1500 MFWD, 6060 ILS, or 6061 ILS with brakes.	In Base Price
3260		227.1 lpm (60 gpm) 85 cc Hydraulic Pump Displacement	1,266.00
		REAR AXLES	

8285R Tractor

Continued

		Continued	
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5040		REAR AXLESContinued 110 mm (4.33 ln.) Diameter x 3010 mm (118.5 ln.) Length Not compatible with Group 48 Tires.	In Base Price
5041		110 mm (4.33 In.) Diameter x 3010 mm (118.5 In.) Length with Double Taper Wheel Hubs	252.00
5042		120 mm (4.72 ln.) Diameter x 3010 mm (118.5 ln.) Length with Double Taper Wheel Hubs	559.00
5043		120 mm (4.72 ln.) Diameter x 2438 mm (96 ln.) Length with Double Taper Wheel Hubs	-455.00
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)	
		For complete tire and wheel information, refer to the Agricultural Sales Manual or individual tire manufacturer's handbook. Some tire sizes and/or brands are excluded from manufacturer warranty when used in specialty applications (e.g. use on Scraper Tractors). Please refer to the tire manufacturer's handbook for specific warranty guidelines. Overloading of tires is prohibited.	
		A8 Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) Listed Narrowest to Widest Listed Singles, to Duals, to Triples (if offered) Use with any RCI Group 42 OR 43 Front Tire with same brand preference. Four step front and rear tire combinations, as example group 44/48, 43/47 are acceptable with ILS (Code 6060 or 6061) and 1500 MFWD (Code 6042) axles only. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted. Mixing of Increased Flexion (IF) and non-Increased Flexion tires is not permitted unless otherwise noted.	
5500		320/90R54 In. 149A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	2,430.00
5700		320/90R54 In. 149A8 R1W Radial in Triple Wheel Configuration Available in Goodyear. Requires No Brand Preference Code 5999. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. 20 In. spacing only. Includes two 15 In. Axle Extensions. Extended lead time tire; may affect Tractor delivery date.	15,788.00
5501		380/90R50 In. 151A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-462.00
5701		380/90R50 In. 151A8 R1W Radial in Triple Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Code 5042 120 mm (4.72 lm.) x 3010 mm (118.5 lm.) Requires Code 5042 120 mm (4.72 lm.) x 3010 mm (118.5 lm.) Requires Code 5042 120 mm (4.72 lm.) x 3010 mm (4.18.5 lm.) Requires Code 5042 120 mm (4.72 lm.) x 3010 mm (4.18.5 lm.) Requires Code 5042 120 mm (4.72 lm.) x 3010 mm (4.18.5 lm.) Requires Code 5042 120 mm (4.72 lm.) x 3010 mm (4.18.5 lm.) Requires Code 5042 120 mm (4.72 lm.) x 3010 mm (4.18.5 lm.) Requires Code 5042 120 mm (4.72 lm.) x 3010 mm (4.18.5 lm.) Requires Code 5042 120 mm (4.72 lm.) x 3010 mm (4.18.5 lm.) Requires Code 5042 120 mm (4.72 lm.) x 3010 mm (4.18.5 lm.) Requires Code 5042 120 mm (4.72 lm.) x 3010 mm (4.18.5 lm.) Requires Code 5042 120 mm (4.72 lm.) x 3010 mm (4.72 lm.) x 30	11,540.00

Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. 20 In. spacing only.

Includes two 15 In. Axle Extensions.

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5502		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued 480/80R46 In. 158A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6103. Not compatible with ILS Code 6060 or 6061.	2,648.00
5702		480/80R46 In. 158A8 R2 Radial in Triple Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. Requires Front Tire Code 6103. Not compatible with ILS Code 6060 or 6061. 30 In. spacing only. Includes two 15 In. and two 10 In. Axle Extensions.	16,190.00
5503		480/80R46 In. 158A8 R1 Radial in Dual Wheel Configuration Available in Firestone or Goodyear.	In Base Price
5703		480/80R46 In. 158A8 R1 Radial in Triple Wheel Configuration Available in Firestone or Goodyear. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. 30 In. spacing only. Includes two 15 In. and two 10 In. Axle Extensions.	12,218.00
5504		480/80R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	3,496.00
5704		480/80R46 In. 158A8 R1W Radial in Triple Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. 30 In. spacing only. Includes two 15 In. and two 10 In. Axle Extensions.	15,042.00
5505		520/85R42 In. 157A8 R1 Radial in Dual Wheel Configuration Available in Firestone or Goodyear.	-148.00
5521		520/85R42 In. 157A8 R1 Radial in Heavy Duty Dual Wheel Configuration Available in Firestone or Goodyear. Severe Duty Dual Wheel with thicker discs.	242.00
5506		520/85R42 In. 157A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, or Michelin.	3,812.00
5522		520/85R42 In. 157A8 R1W Radial in Heavy Duty Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	4,202.00
5508		520/85R42 In. 157A8 R2 Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Required Front Tire Code is 6103 with 1300 MFWD Axle Code 6040. Not compatible with ILS Codes 6060 or 6061.	1,288.00
5109		620/70R42 In. 160A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear.	-4,708.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Michelin, or Goodyear.	5,540.00

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5110		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued 710/70R38 In. 166A8 R1W Radial in Single Wheel Configuration	-3,386.00
		Available in Firestone, Michelin, or Goodyear.	
5510		710/70R38 In. 166A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Michelin, or Goodyear.	8,174.00
5117		IF 710/70R38 178A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-2,782.00
5517		IF 710/70R38 178A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	9,522.00
		A8 Speed Rated RCI Group 48 Size Tires (81 In./2057 mm Diameter) Listed Narrowest to Widest	
		Listed Singles, to Duals, to Triples (if offered) Use with any RCI Group 43 or 44 Front Tire with same brand preference. Four step front and rear tire combinations, as example group 44/48, 43/47 are acceptable with ILS (Code 6060 or 6061) and 1500 MFWD (Code 6042) axles only. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted. Mixing of Increased Flexion (IF) and non-Increased Flexion tires is not permitted unless otherwise noted.	
5600		380/90R54 In. 152A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	3,150.00
5601		480/80R50 In. 159A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, Titan, Mitas/Continental, or Michelin.	3,002.00
5720		480/80R50 In. 159A8 R1W Radial in Triple Wheel Configuration Available in Firestone, Goodyear, Titan, Mitas/Continental, or Michelin. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. 30 In. spacing only. Includes two 15 In. and two 10 In. Axle Extensions.	16,736.00
5202		IF 480/80R50 166A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Firestone brand, Standard non-Increased Flexion Front Tire Codes 6201, 6601, 6203, and 6603.	-4,178.00
5602		IF 480/80R50 166A8 R1W Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Firestone brand, Standard non-Increased Flexion Front Tire Codes 6201, 6601, 6203, and 6603.	6,730.00
5603		520/85R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Michelin, Mitas/Continental, or Goodyear.	2,620.00
5604		520/85R46 In. 158A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Compatible Front Tire Code 6206 Single Tire or 6606 Front Dual Tires.	3,116.00

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5205		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued 620/70R46 In. 167A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-4,286.00
5605		620/70R46 In. 167A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	6,364.00
5218		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	-1,046.00
5618		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	12,854.00
5206		710/70R42 In. 168A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-4,152.00
5606		710/70R42 In. 168A8 R1W Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	6,652.00
5207		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin, Goodyear, or Mitas/Continental.	-3,156.00
5607		710/70R42 In. 173A8 R1W Radial in Dual Wheel Configuration Available in Michelin, Goodyear, or Mitas/Continental.	8,644.00
5219		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin.	-1,038.00
5619		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Firestone or Michelin.	12,880.00
5209		800/70R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear.	-2,440.00
5609		800/70R38 In. 173A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Michelin, or Goodyear. Includes two 10 In. Axle Extensions.	9,796.00
5220		IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	1,040.00
5620		IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Includes two 10 In. Axle Extensions.	17,026.00

8285R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0001	IDENTIFICA	REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued	305 (4)
		REAR WHEELS AND TIRES FOR 31 MPH (50 KM/H) TRANSMISSION (CODE 1552 OR 1153):	
		B Speed Rated RCI Group 47 Size Tires (77 In./1955 mm Diameter) Listed Narrowest to Widest Listed Singles, to Duals, to Triples (if offered) For use with any B Rated RCI Group 42 Front Tire with same tread type and brand preference.	
5513		480/80R46 In. 158B R1 Radial in Dual Wheel Configuration Available in Firestone or Goodyear.	1,072.00
5114		650/75R38 In. 169B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear.	-2,206.00
5116		710/70R38 In. 166B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear.	-2,850.00
		B Speed Rated RCI Group 48 Size Tire (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles, to Duals, to Triples (if offered) For use with any B Rated RCI Group 43 Front Tire with same tread type and brand preference.	
5610		480/80R50 In. 159B R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear.	4,074.00
5211		650/85R38 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear.	-3,030.00
5215		IF 650/85R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-510.00
5213		710/70R42 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-1,282.00
5216		IF 710/70R42 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	170.00
5217		IF 800/70R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	1,576.00
		FRONT AXLES	
6040		1300 Series Mechanical Front Wheel Drive - Group 47 Rear/Group 42 Front Requires front tires with a load index rating of 141 or greater.	In Base Price
6041		1300 Series Mechanical Front Wheel Drive - Group 48 Rear/Group 43 Front Requires front tires with a load index rating of 141 or greater.	Same Price
6042		1500 Series Mechanical Front Wheel Drive with Hydraulic Differential Lock	6,051.00

8285R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT AXLESContinued and Dual Tire Capability Requires Code 3260: 227 lpm (60 gpm) Hydraulic Pump. Single front tires require a load index rating of 143 or greater. Axle is compatible with duals. Compatible with either Group 42/43 Front and 47 Rear tires or 43/44 Front and 48 Rear Tires where allowed by model. See tire listings.	
6060		John Deere Independent Link Suspension with Hydraulic Differential Lock, Fully Enclosed Driveline and Dual Tire Capability Requires Code 3260: 227 lpm (60 gpm) Hydraulic Pump. Single front tires require a load index rating of 145 or greater. Compatible with either Group 42/43 Front and 47 Rear tires or 43/44 Front and 48 Rear Tires where allowed by model. See tire listings.	15,448.00
6061		John Deere Independent Link Suspension with Hydraulic Differential Lock, Wet Multi-Disk Brakes, Fully Enclosed Driveline, and Dual Tire Capability Requires Code 3260: 227 lpm (60 gpm) Hydraulic Pump. Single front tires require a load index rating of 145 or greater. Compatible with either Group 42/43 Front and 47 Rear tires or 43/44 Front and 48 Rear Tires where allowed by model. See tire listings.	17,469.00

FRONT WHEELS AND TIRES

For complete tire and wheel information, refer to the Agricultural Sales Manual or individual tire manufacturer's handbook.

Some tire sizes and/or brands are excluded from manufacturer warranty when used in specialty applications (e.g. used on Scraper Tractors). Please refer to the tire manufacturer's handbook for specific warranty guidelines.

Overloading of tires is prohibited.

FRONT WHEELS AND TIRES FOR 40 km/h TRANSMISSIONS: FRONT TIRES FOR

1300 SERIES (CODE 6040 OR 6041), 1500 SERIES (CODE 6042), OR INDEPENDENT LINK SUSPENSION (ILS) (CODE 6060 OR 6061) AXLES

Eight Position Wheels for 1300 Series Only

A8 Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as Noted)

Use with any RCI Group 47 Rear Tire with same brand preference.

420/90R30 In. 142A8 R1 Radial in Single Wheel Configuration

Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.

Mixing of Increased Flexion (IF) and non-Increased Flexion Tires is not permitted unless

otherwise noted.

6100

	Available in Firestone or Goodyear.	
6101	420/90R30 In. 147A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	1,674.00
6102	420/90R30 In. 145A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	618.00

In Base Price

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6103		FRONT WHEELS AND TIRESContinued 420/90R30 In. 142A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Requires Code 5102, 5502, 5508, or 5702 Rear Tires.	694.00
6104		480/70R30 In. 152A8 R1W Radial in Single Wheel Configuration Available in Firestone or Goodyear.	282.00
		Eight Position Wheels for 1300 Series or ILS Axle with:	
		A8 Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Use with any RCI Group 47 Rear Tire with same brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted. All Front Dual Configurations require Code 6060 ILS or 6061 ILS with Brake Front Axle.	
6106		320/85R38 In. 143A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Not compatible with 6060 or 6061 ILS Axle.	682.00
6506		320/85R38 In. 143A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	8,193.00
6507		380/85R34 In. 137A8 R1 Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Available to use with Rear Tire Code 5501 or 5701. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	7,377.00
6116		380/85R34 145A8 R1 Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	1,034.00
6508		380/85R34 In. 137A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	9,961.00
6109		600/65R28 In. 147A8 R1W Radial in Single Wheel Configuration Available in Goodyear, Firestone and Michelin. For use with 1780 mm (70 In.) or wider tread settings.	2,346.00
		Eight Position Wheels for 1300 Series Axle only with:	
		A8 Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Use with any RCI Group 48 Rear Tire with same brand preference.	
6200		320/80R42 In. 141A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	1,344.00
6201		380/80R38 In. 142A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Titan, Mitas/Continental, or Michelin.	1,358.00

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		Eight Position Wheels for 1300 Series, 1500 Series, or ILS Axle with:	
		A8 Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Use with any RCI Group 47 or 48 Rear Tire with same tread type and brand preference. Four step front and rear tire combinations, as example 44/48, 43/47 are acceptable with ILS (Codes 6060 or 6061) and 1500 MFWD (Code 6042) axles only. Mixing of RI and RIW tread types between Front and Rear Tires is permitted. Mixing of Increased Flexion (IF) and non-Increased Flexion Tires is not permitted unless otherwise noted. All Front Dual Configurations require Code 6042 1500 MFWD, 6060 ILS, or 6061 ILS with Brake Front Axle.	
6600		320/80R42 In. 141A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	9,517.00
6601		380/80R38 In. 142A8 R1W Radial in Dual Wheel Configuration Available in Michelin, Firestone, Titan, Mitas/Continental, or Goodyear. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	9,545.00
6202		IF 380/80R38 149A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Standard, non-Increased Flexion rear tires.	2,268.00
6203		420/85R34 In. 147A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas/Continental, or Titan.	1,302.00
6603		420/85R34 In. 147A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, Mitas/Continental, or Titan. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	9,433.00
6217		IF 420/85R34 152A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Standard, non-Increased Flexion rear tires.	2,566.00
6216		480/70R34 In. 143A8 R1W Radial in Single Wheel Configuration Available in Mitas/Continental only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Sales Manual or Operators Manual.	1,234.00
6616		480/70R34 In. 143A8 R1W Radial in Dual Wheel Configuration Available in Mitas/Continental only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Sales Manual or Operators Manual. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	9,297.00
6204		480/70R34 In. 146A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Sales Manual or Operators Manual.	2,552.00
6604		480/70R34 In. 146A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Sales Manual or Operators Manual. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	11,261.00

8285R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6205		FRONT WHEELS AND TIRESContinued 480/70R34 In. 155A8 R1W Radial in Single Wheel Configuration Available in Firestone or Goodyear. Tread setting restrictions apply, see Sales Manual or Operators Manual.	2,106.00
6605		480/70R34 In. 155A8 R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Tread setting restrictions apply, see Sales Manual or Operators Manual. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	11,041.00
6206		480/70R34 In. 146A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999 and Rear Tire Code 5204 or 5604. Tread setting restrictions apply, see Sales Manual or Operators Manual. For use with 1829 mm (72 In.) or wider tread settings only.	1,098.00
6606		480/70R34 In. 146A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999 and Rear Tire Code 5204 or 5604. Tread setting restrictions apply, see Sales Manual or Operators Manual. For use with 1829 mm (72 In.) or wider tread settings only. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	9,025.00
6207		540/65R34 In. 152A8 R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear. For 1300 or ILS: For use with 1679 mm (66 In.) or wider tread spacing. For 1500: For use with 1829 mm (72 In.) or wider tread spacing.	1,598.00
6208		600/70R30 In. 152A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas/Continental, Trelleborg, or Michelin. For 1300 or ILS: For use with 1780 mm (70 In.) or wider tread spacing. For 1500: For use with 1829 mm (72 In.) or wider tread spacing.	1,204.00
6214		IF 600/70R30 In. 159A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin. Not compatible with 1300 Front Axle. For ILS: For use with 1780 mm (70 In.) or wider tread spacing. For 1500: For use with 1829 mm (72 In.) or wider tread spacing.	2,866.00
		FRONT WHEELS AND TIRES WITH 1500 AXLE (CODE 6042)OR INDEPENDENT LINK SUSPENSION (ILS) (CODE 6060 OR 6061)	
		Steel MFWD or ILS 8 Position Wheels with:	
		A8 Speed Rated RCI Group 44 Size Tires (66 In./1676 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Use with any RCI Group 48 Rear Tire with same tread type and brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
6300		540/75R34 In. 157A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. For use with 2080 or 2182 mm tread spacing with Code 6042. For use with 1979, 2080 or 2182 mm tread spacing with Code 6060 or 6061.	1,772.00
6301		620/75R30 In. 163A8 R1W Radial In Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. For use with 2182 mm tread spacing with Code 6042. For use with 2080 or 2182 mm tread spacing with Code 6060 or 6061.	2,698.00

8285R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		FRONT WHEELS AND TIRES for 50 km/h TRANSMISSION (CODE 1552 OR 1553)	
		AND INDEPENDENT LINK SUSPENSION (CODE 6061):	
		Eight Position Wheels for ILS Axle Code 6061 with:	
		B Speed Rated RCI Group 42 Size Tires (59 In./1498 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) For use with any B Rated RCI Group 47 Rear Tire with same brand preference. Requires Code 6061.	
6511		380/85R34 In. 137B R1 Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Requires Code 5513 Rear Tire. Requires Code 6061 ILS Front Axle with Brakes.	7,913.00
		Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	
6113		600/65R28 In. 147B R1W Radial In Single Wheel Configuration Available in Michelin or Goodyear. Use with 1780 mm (70 In.) or wider tread settings.	3,390.00
		Eight Position Wheels for ILS Axle Code 6061 with:	
		B Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) For use with any B Rated RCI Group 48 Rear Tire with same brand preference. Requires Code 6061. Mixing of Increased Flexion (IF) and non-Increased Flexion tires is not permitted unless otherwise noted.	
6209		420/85R34 In. 147B R1W Radial In Single Tire Configuration Available in Firestone or Goodyear. Requires Rear Tire Code 5610.	2,070.00
6609		420/85R34 In. 147B R1W Radial In Dual Tire Configuration Available in Firestone or Goodyear. Requires Rear Tire Code 5610. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	10,433.00
6210		540/65R34 In. 152B R1W Radial In Single Tire Configuration Available in Michelin or Goodyear. Use with 1780 mm (70 In.) or wider tread settings.	2,642.00
6212		600/70R30 In. 152B R1W Radial In Single Tire Configuration Available in Michelin or Goodyear. Use with 1780 mm (70 In.) or wider tread settings.	3,046.00
6215		IF 600/70R30 In. 159B R1W Increased Flexion Radial in Single Tire Configuration Available in Michelin only. Requires No Brand Preference Code 5999. For use with 1780 mm (70in.) or wider tire tread.	4,074.00

TIRE PREFERENCE CODES

If only one brand is available in any tire code, the Tire Preference Code 5999 must be chosen below to avoid extra charges. You will still get the one brand stated in the tire code description.

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5999		TIRE PREFERENCE CODESContinued No Brand Preference Matching front and rear tire brands will be installed on Tractor unless notified by factory. Mitas/Continental brand tires available in US and Canada only.	No Charge
5901		Firestone Brand Only	800.00
5902		Goodyear Brand Only	800.00
5903		Michelin Brand Only	1,200.00
5904		Mitas/Continental Brand Only Mitas/Continental brand tires available in US and Canada only.	800.00
		OPERATOR'S MANUAL AND LABELS	
0403		Bulgarian	Same Price
0409		English	In Base Price
0413		French	Same Price
0416		Hebrew Operator's Manual and Non-Text Labels	Same Price
0426		Mandarin (Chinese)	Same Price
0401		Arabic	Same Price
0437		Spanish	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8288		Operator Station and Electrical: Foot Operated Speed Control	323.00
8242		Radar, Dual Beam Sensor	887.00
8210		Leather Trim Package For CommandView II, Deluxe CommandView II, and Premium CommandView II cabs. Includes heated leather seat, leather instructional set, leather wrapped steering wheel and rear window decal.	1,623.00
8227		Outside Mirrors, Telescoping, Heated, Electrically Adjustable RH and LH Required to upgrade from Right and Left Hand Manual Adjust Mirrors.	957.00
8228		Outside Mirrors, Telescoping, Heated, Electrically Adjustable RH and LH Required to upgrade from RH and LH Electrically Adjusting Mirrors.	532.00
8251		Antenna Mount and Wiring for Business Band (2-Way) Radio	127.00
8725		Rotary Warning Beacon Required to add Rotary Beacon Light to Standard Lighting Package.	336.00

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8720		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Loader/Driving Light Package Only available on Model Year 2012 Tractors. Provide two road lights mounted higher on the cab posts for use when front mounted equipment obstruct grill mounted front lights.	206.00
832G		Hydraulics: Auxiliary Hydraulic Connections Includes (2) motor return couplers, (1) flat face sump coupler, (1) power beyond pressure coupler and (1) load sense coupler. Suitable for use with most planting and seeding equipment.	840.00
8010		Chassis: Fenders, Deluxe Pivoting Front for MFWD or ILS - 480 mm (18.9 ln.) Wide Recommended for use with 290 mm (12.4 In.) to 420 mm (16.9 In.) tire widths. Code 8010 or 8011 is required for 50 km/h (31 mph) Tractors. Not compatible with Code 8011 Fenders, Deluxe Pivoting Front for MFWD or ILS - 620 mm (24.4 In.) wide.	1,244.00
8011		Fenders, Deluxe Pivoting Front for MFWD or ILS - 620 mm (24.4 ln.) Wide Recommended for use with 480 mm (18.9 ln.) to 620 mm (244 ln.) tire widths. Not for use with front dual tire combinations. Code 8010 or 8011 is required for 50 km/h (31 mph) Tractors. Not compatible with option Code 8010 Fender, Deluxe Pivoting Front for MFWD or ILS - 480 mm (18.9 ln.) Wide.	1,457.00
8020		Fenders, Full Coverage Rear 2.55 m (100 ln.) Width Includes hitch control switch on both fenders. Not compatible with Code 8021 Fenders, Extra Width Coverage Rear 2.75 m (108 ln.) Width.	1,222.00
8751		Trailer Brake, Air Dual Line System Includes compressor, tank, control valves and 2 line couplers. Not compatible with Code 8756 Hydraulic Trailer Brakes. If Air and Hydraulic Trailer Brakes are required, order Code 8752 Trailer Brakes, Air Dual Line and Hydraulic.	6,358.00
8752		Trailer Brake, Air Dual Line and Hydraulic Includes rear Tractor line hydraulic coupler. Includes compressor, tank, control valves and couplers. Not compatible with Codes 8751 or 8756.	7,147.00
8756		Trailer Brake, Hydraulic Includes rear Tractor line hydraulic coupler. Not compatible with Code 8751 Trailer Brake, Air Dual Line or Code 8752 Trailer Brake, Air Dual Line and Hydraulic.	789.00
8380		Front Implement: PTO, Independent Front with 35 mm (1-3/8 ln) 21-Spline, 1000 rpm Clockwise-Rotating Shaft as Viewed from Front (Type 2) Only available on Model Year 2012 Tractors. For Code 8336 IT4/ Stage IIIB Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6060 or 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490.	7,268.00

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8381		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued PTO, Independent Front with 45 mm (1-3/4 ln) 20-Spline, 1000 rpm Clockwise-Rotating Shaft as Viewed from Front (Type 3) Only available on Model Year 2012 Tractors. For Code 8336 IT4/ Stage IIIB Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6060 or 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490.	7,268.00
8382		PTO, Independent Front with 35 mm (1-3/8 In) 6-Spline, 1000 rpm, Counter-Clockwise Rotating Shaft as Viewed from Front (Type 1) For Code 8336 IT4/ Stage IIIB Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6060 or 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490. Available in Australia and New Zealand. Requires Destination Code 0230 Australia or Code 0237 New Zealand.	7,268.00
8383		PTO, Independent Front with 35 mm (1-3/8 ln) 21-Spline, 1000 rpm Clockwise-Rotating Shaft as Viewed from Front (Type 2) Only available on Model Year 2012 Tractors. For Code 8334 Stage II Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490.	7,268.00
8384		PTO, Independent Front with 45 mm (1-3/4 ln) 20-Spline, 1000 rpm Clockwise-Rotating Shaft as Viewed from Front (Type 3) Only available on Model Year 2012 Tractors. For Code 8334 Stage II Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490.	7,268.00
838A		PTO, Independent Front with 35 mm (1-3/8 ln) 6-Spline, 1000 rpm, Counter-Clockwise Rotating Shaft as Viewed from Front (Type 1) Only available on Model Year 2012 Tractors. For Code 8334 Stage II Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490. Available in Australia and New Zealand. Requires Destination Code 0230 Australia or Code 0237 New Zealand.	7,268.00
8411		Front Hitch with Folding Draft Links, Cat. 3N Ground Engaging Hitch, 5,200 kg (11,450 lb.) Maximum Lift Capacity at Hitch Balls 3175 kg (7000 lb) ISO Lift Capacity Only available on Model Year 2012 Tractors. Includes Front Hitch Valve. Requires Independent Link Suspension (Code 6060 or 6061) Compatible with 3, 4, 5, or 6 Rear SCV's. Includes Auxiliary CommandArm Mounted SCV Controls.	7,090.00
835H		Two Front Remote Selective Control Outlets with Push/Pull Breakaway Couplers and Factory Installed Plumbing to Rear Remote Selective Control Valves Three and Four Only available on Model Year 2012 Tractors. Front SCV hoses can be disconnected for rear SCV use. Requires Code 8411 Front Hitch. Requires Code 8020 Full Coverage Rear Fender Extensions to provide remote hitch lift controls for rear hitch.	1,656.00

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8300		Engine: Cold Weather Start Kit Factory installation of Block Heater (110V) and Ether Aid Canister and Switch.	136.00
8306		Fuel/Water Separator, Severe Duty In addition to water separator in base equipment.	556.00
8220		Intelligent Power Management Provides up to an additional 35 engine hp for non-stationary rear PTO or transport speeds above 23 km/h (14.3 mph). Not compatible with Stage II Emission compliant engine.	3,254.00
8336		John Deere PowerTech PSX 9.0 L (549 cu. In.) 6 Cyl IT4 / Stage 3b Compliant Diesel Engine	Same Price
8334		John Deere PowerTech 9.0 L (549 cu. In.) 6 Cyl Stage 2 Compliant Diesel Engine Only available on Model Year 2012 Tractors. Not available with the 8360R.	-11,688.00
8550		Skid for Duals For Tractors shipping outside of the United States and Canada.	124.00
		Ballast Packages:	
8930		728 kg (1620 lb.) Ballast Package with Rear Duals: Front Weight Support with No Front Suitcase Weights and One Pair 75 kg (165 lb.) with One Pair of 205 kg (450 lb.) Inside/Inner Rear Wheel Weights and no Outside/Outer Dual Rear Wheel Weights 1300 Axle: 118 Lb./hp with 37/63 Front/Rear Weight Split and require single front tires with load index of 141 or greater. 1500 Axle: 121 Lb./hp with 39/61 Front/Rear Weight Split and require single front tires with load index of 143 or greater. ILS Axle: 123 Lb./hp with 40/60 Front/Rear Weight Split and require single front tires with load index of 145 or greater. Not compatible with any other factory installed front or rear weight code.	2,268.00
8931		1778 kg (3920 lb.) Ballast Package with Rear Duals: Front Weight Support with 4 Front Suitcase Weights and One Pair of 635 kg (1400 lb.) Inside/Inner Rear Wheel Weights and One Pair 75 kg (165 lb.) Outside/Outer Dual Rear Wheel Weights Isour Suite Suit	5,100.00

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8933		2372 kg (5230 lb.) Ballast Package with Rear Duals: Front Weight Support with 8 Front Suitcase Weights and One Pair of 635 kg (1400 lb.) Inside/Inner Rear Wheel Weights and One Pair 75 kg (165 lb.) and One Pair 205 kg (450 lb.) Outside/Outer Dual Rear Wheel Weights 1300 Axle: 131 Lb./hp with 39/61 Front/Rear Weight Split and require single front tires with load index of 145 or greater. 1500 Axle: 135 Lb./hp with 40/60 Front/Rear Weight Split and require single front tires with load index of 146 or greater or front duals. ILS Axle: 145 Lb./hp with 43/57 Front/Rear Weight Split and require single front tires with load index of 148 or greater or front duals. Requires rear duals. Not compatible with triples. Not compatible with any other factory installed front or rear weight code.	6,716.00
8955		Quik-Tatch Weights: Weight, Front Support - Less Weights Support weighs 390 Lb. (180 kg). 1300 Axle requires single front tires with load index of 141 or greater. 1500 Axle requires single front tires with load index of 143 or greater or front duals. ILS requires single front tires with load index of 145 or greater or front duals. Includes Tow Point.	501.00
8956		Weight, Front Support with Four Suitcase Weights 1300 Axle requires single front tires with load index of 143 or greater. 1500 Axle requires single front tires with load index of 145 or greater or front duals. ILS requires single front tires with load index of 146 or greater or front duals.	1,036.00
8957		Weight, Front Support with Eight Suitcase Weights 1300 Axle requires single front tires with load index of 145 or greater. 1500 Axle requires single front tires with load index of 146 or greater or front duals. ILS requires single front tires with load index of 148 or greater or front duals.	1,571.00
8958		Weight, Front Support with Twelve Suitcase Weights 1300 Axle requires single front tires with load index of 146 or greater. 1500 Axle requires single front tires with load index of 148 or greater or front duals. ILS requires single front tires with load index of 150 or greater or front duals.	2,106.00
8959		Weight, Front Support with Sixteen Suitcase Weights 1300 Axle requires single front tires with load index of 148 or greater. 1500 Axle requires single front tires with load index of 150 or greater or front duals. ILS requires single front tires with load index of 151 or greater or front duals.	2,641.00
8960		Weight, Front Support with Twenty-Two Suitcase Weights 1300 Axle requires single front tires with load index of 150 or greater. 1500 Axle requires single front tires with load index of 152 or greater or front duals. ILS requires single front tires with load index of 153 or greater or front duals.	3,361.00
		Rear Wheel Weights - For Inside/Inner Wheels (Cast): Weights shown are for each weight.	
8970		One Pair 205 kg (450 lb.)	1,189.00
8971		Two Pair 205 kg (450 lb.) Based on the tire width option ordered, some 450 lb. wheel weights may be shipped on a separate pallet and require dealer installation.	2,382.00

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8972		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued One Pair 635 kg (1400 lb.) Requires tire with load rating above 151 Load Index.	3,428.00
		Rear Wheel Weights - For Outside/Inner Wheels (Cast): Weights shown are for each weight.	
8978		One Pair 75 kg (165 lb.) Starter Weights and One Pair 205 kg (450 lb.) Weight for the Outside of Single Rear Wheel For outside of drive wheel on rear singles only.	1,717.00
		Rear Wheel Weights - For Outside/Outer Dual Wheels: Weights shown are for each weight.	
8973		One Pair 75 kg (165 lb.) Starter Weights and One Pair 205 kg (450 lb.) Weights for Outer Rear Dual For outside outer dual only. Not compatible with Triples.	1,717.00
8974		One Pair 75 kg (165 lb.) Starter Weights and Two Pair 205 kg (450 lb.) Weights Requires rear duals. Not compatible with rear triples.	2,907.00
8975		One Pair 75 kg (165 lb.) Starter Weights and Three Pair 205 kg (450 lb.) Weights Requires rear duals. Not compatible with rear triples.	3,983.00
		ATTACHMENTS - ORDER AS DESIRED	
9076		Customer Gold Key Program: Gold Key Experience Not compatible with Code 9075. This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE58827	Electrical: 9-Pin Connector Implement Feedback Required for Electrohydraulic Implement Depth Control (EHDC).	132.00
	RE339514	Battery Disconnect Switch, Wheel	150.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE21519	Implement Switch with 10 Ft. Harness	168.00
	AR245564	Mounting Kit for Radar with Dual Beam Sensor Requires Dual Beam Radar (RE249206).	228.00

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE278980	ATTACHMENTS FOR FIELD CONVERSIONContinued Radar with Dual Beam Sensor Requires mounting kit AR245564.	See Parts
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	26.00
	RE323008	Engine: Cold Weather Starting Package	94.00
	RE227949	Engine Block Heater (110V)	See Parts
	RE524692	Engine Block Heater (220V)	See Parts
	RE321571	Fuel/Water Separator Kit, Severe Duty In addition to water separator in base equipment.	627.00
	RE260608	Fenders: Fenders, Deluxe Pivoting Front for 1300 Series MFWD - 18.7 In. (480 mm) Wide Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths. Compatible with 1300 Series MFWD front axle only.	1,368.00
	RE260609	Fenders, Deluxe Pivoting Front for 1300 Series MFWD - 24.4 In. (620 mm) Wide Recommended use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Compatible with 1300 Series MFWD front axle only.	1,603.00
	RE308214	Fenders, Deluxe Pivoting Front for 1500 Series MFWD - 18.7 In. (480 mm) Wide Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths. Compatible with 1500 Series MFWD front axle only.	1,368.00
	RE308215	Fenders, Deluxe Pivoting Front for 1500 Series MFWD - 24.4 In. (620 mm) Wide Recommended use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Compatible with 1500 Series MFWD front axle only.	1,603.00
	RE236667	Fenders, Deluxe Pivoting Front for Independent Link Suspension - 18.7 In. (480 mm) Wide Also order 2 pieces of R186578. Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths.	1,368.00
	RE236670	Fenders, Deluxe Pivoting Front for Independent Link Suspension - 24.4 In. (620 mm) Wide Also order 2 pieces of R186578. Recommended for use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Not for use with front dual tire combinations.	1,603.00
	RE324406	Fenders, Extra Width Rear Fender Extensions For use with 800 mm wide rear tires. Requires Full Coverage Rear Fenders (RE318606) for installation.	276.00
	RE318606	Fenders, Full Coverage Rear 2.55 meter (100 In. Width) <i>Included in Code 9083</i> .	500.00
	R177682	Hitch and Drawbar: Center Link Bracket Retains the center link when not in use.	See Parts

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AR211154	ATTACHMENTS FOR FIELD CONVERSIONContinued Drawbar Heavy Duty Support for use with Cat. 4 Drawbar (11,000 Lb. Vertical Load Capacity) Requires Cat. 4 Drawbar. Increases vertical load capacity to 11,000 Lb. (4990 kg.). Cat. 4 Drawbar is not compatible with PTO Codes 2418 or 2420 or with field installed 1-3/8 540 rpm PTO.	809.00
	AR211153	Drawbar, Cat. 4 with 2 In. Pin and Heavy Duty Support (11,000 Lb. Vertical Load Capacity) Cat. 4 Drawbar is not compatible with PTO Codes 3820 or 3821 or with field installed 1-3/8 540 rpm PTO.	1,873.00
	RE327692	Front Hitch Chain Hooks	196.00
	RE301735	Hitch Kit, 3-in-1 Rails Compatible with Type 2 PTO.	817.00
	RE301736	Hitch Kit, 3-in-1 Rails Compatible with Type 3 PTO.	1,368.00
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N)	1,529.00
	RE327558	Hydraulics: 4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,445.00
	RE343865	4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	2,466.00
	RE327559	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,445.00
	RE343866	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	2,546.00
	RE327560	6th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R334695) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,909.00

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE315727	ATTACHMENTS FOR FIELD CONVERSIONContinued Auxiliary Hydraulic Oil Take-Out Pump and Reservoir Provides an additional 11 gallon (42 liters) capacity for large, single acting cylinders used for application where a large hydraulic oil flow in a short period of time is needed.	1,935.00
	RE323828	Auxiliary Hydraulic Oil Take-Out Pump and Reservoir	1,935.00
	RE222721	Auxiliary Sump Coupler Kit (Flush Face Coupler Style) Required to connect Tractor sump to case drains on Seeding Equipment.	129.00
	RE333976	Front SCV Plumbing Kit Routes SCV function from the rear to the front.	1,822.00
	AR114664	Hydraulic Motor Return, Multiple/Auxiliary Hitch Coupler/ Sump Return Kit For use with Hydraulic Motor Returns, Hitch Valve with Lift Assist Wheels or Motor Drains/Sump Returns or grapple valve.	193.00
	RE337305	Hydraulic Trailer Brake Kit Provides single line connection to hydraulic braking systems. Works with or without power beyond couplers.	750.00
	RE221284	Low Stand-By Pressure Control Kit Prevents main pump activation during engine start up in certain hydraulic configurations using power beyond.	980.00
	RE281166	Power Beyond Coupler Kit Kit includes load sense, pressure and return couplers.	756.00
	AR272536	Rear EHSCV Single Lever Control (Joystick) and Mounting Parts for CommandArm Attaches to CommandArm. Requires (R301762) Software download to activate function - See Parts.	1,563.00
	RE308937	Lighting: Auxiliary Driving / Loader Light Kit Includes headlights, wiring harness, brackets and mounting hardware.	236.00
	RE269641	Lights, Field Vision Xenon HID Rear Fender Light Requires (2) for conversion.	See Parts
	RE298933	Lights, Two Roof-Mounted 65W Halogen Front Flood Lights	140.00
	RE325694	Rotary Beacon Light Kit	371.00
	AR320123	Miscellaneous: Single Line Coupler Parts for Air Trailer Brakes	581.00
	RE67015	Operator Environment: 3-Way Convenience Adapter for Power Strip	See Parts
	RE317435	Accessory Mounting Bracket Provides mounting location for additional monitors.	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00

8285R Tractor


CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE275532	ATTACHMENTS FOR FIELD CONVERSIONContinued Ash Tray Fits in existing cup holder.	See Parts
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	RE323407	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	594.00
	RE293499	External Mirrors, Electrically Telescoping and Heated Mirror Heads For converting the heads on electric mirrors to telescoping and heated.	1,696.00
	RE323405	External Mirrors, Manually Adjustable RH and LH	265.00
	RE321017	Foot-Operated Speed Control For use with PST or IVT transmissions. Order Floor Mat separate through Parts.	125.00
	RE68495	Power Strip with Six Outlets	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	295.00
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE284180	Step Kit, Left Hand Convenience Platform	See Parts
	RE261504	Sun Shade, Front Pull Down	See Parts
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	RE324993	Touchscreen GS3 CommandCenter 7" Color Display, Video Capable	1,260.00
	RE269618	Windshield Wiper with Washer, Rear	193.00
	RE272736	PTO: Conversion Kit from 1-3/4 In. 1000 rpm to 1-3/8 In. 540/1000 rpm PTO Conversion for Tractor equipped with Code 3820. 1-3/8 In. 540 rpm PTO is NOT compatible with Cat. 4 Drawbar.	476.00
	RE331560	SCV Parts: Paddle Pot Pod, Common Parts Only compatible on Tractors with CommandARM. Order single paddle potentiometer separately. See instructions RE331562 for more information. Compatible on 8R above SN 053100 and 8RT above SN 907100.	95.00
	RE331559	Single Paddle Potentiometer Order decals and levers separately. See instructions RE331561 for more information.	See Parts

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	. ,
	RE298885	Software Downloads: Intelligent Power Management Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305729	Language Group for CommandCenter - English, Croatian, Serbian, Slovenian, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305727	Language Group for CommandCenter - English, Danish, Swedish, Finish, Norwegian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305726	Language Group for CommandCenter - English, Estonian, Latvian, Lithuanian, Polish, Russian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305725	Language Group for CommandCenter - English, French, Dutch, Icelandic, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305730	Language Group for CommandCenter - English, Greek, Turkish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE308728	Language Group for CommandCenter - English, Hungarian, Czech, Slovak, Romanian, Bulgarian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305731	Language Group for CommandCenter - English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	BPF10312	Non-John Deere Guidance Compatibility Activation - AutoFarm/Novariant Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10313	Non-John Deere Guidance Compatibility Activation - Hemisphere/Outback Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10433	Non-John Deere Guidance Compatibility Activation - Leica Geosystems Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00

8285R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BPF10311	ATTACHMENTS FOR FIELD CONVERSIONContinued Non-John Deere Guidance Compatibility Activation - Raven Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10363	Non-John Deere Guidance Compatibility Activation - Trimble Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	RE224298	Transmission: Transmission Backup Alarm	405.00
	RE323009	Transmission Hydraulic Oil Heater (110 Volts)	342.00
	RE323010	Transmission Hydraulic Oil Heater (220 Volts)	446.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	R127764	Weights: Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R242154	Weight, Front Support, 390 Lb. (180 kg) Requires (6) 19M9141 Cap Screws and (6) 24M7242 Washers for installation - See Parts. Holds up to 22 Quick-Tatch Weights.	844.00
	R167151	Weight, Inner Wheel, 1400 Lb.	1,903.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg)	282.00
	RFR207782	Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights)	2,658.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00
	R207782	Weight, Wheel, 450 Lb.	664.00
	RE324389	Wheel Equipment: Front Wheel Dual Extensions Compatible with ILS or 1500 front axles.	2,538.00
	AR190666	One 10 In. Dual Hub Extension	759.00
	AR190668	One 13 In. Dual Hub Extension	844.00
	AR190669	One 15 In. Dual Hub Extension	884.00
	AR194744	One 5 In. Dual Hub Extension	685.00
	RE267658	Three Meter Front Wheel Spacer Not compatible with Tractors equipped with front brakes.	3,063.00



8310R Tractor

Equipment for Base Machine

ENGINE:	Fuel Level Gauge with
John Deere PowerTech Diesel	Low Fuel Warning Signal
In-line 6-Cylinder Wet-Sleeve	Engine RPM Indicator
with High Pressure Common Rail (HPCR)	Status Indicator for:
Fuel System and 24 Valve Head	MFWD
9.0 L (549 Cu. In.) Displacement	Differential Lock
310 Engine Hp (228 kW) 97/68/EC @ Rated Speed 261 SAE PTO hp (195 kW) @ Rated Speed	Rear PTO Speed CommandCenter Display Includes:
Air to Air Intercooled	GreenStar 3 Application Capability
Automatic Shutdown System	Video Capability, with Tractor Function
Dry Type Air Cleaner with Safety Element	Activated Triggers
and Dirt Aspiration System	AutoTrac and Swath Control Pro
Tilt Hood Enclosure	Activation Required
VariCool Fan Drive System	Access Manager
Electric Fuel Shutoff	Universal Performance Monitor
Engine Coolant Conditioner Additive	Display Functions Definable By Operator:
Engine Coolant Recovery System	% Slip
Dual Stage Fuel Filtration System with	Ground Speed
Fuel Water Separator with Sensor	PTO Speed
Self-Priming and Bleeding Electronic	Engine Hours
Fuel Pump	Hydraulic Settings
680 L (180 U.S. Gal.) Fuel Tank Capacity	Hitch Settings
with Lockable Fuel Cap Top-loading Vertical Engine Oil Filter	Hitch Slip Command
Electronic Injection and Governor Control	Productivity Efficiency
Field Cruise Control	Area
ricia crarse concror	Adjustable PTO Modulation
TRANSMISSION:	Implement Width
Powershift	Service Hours
16 Forward/5 Reverse Speeds	Voltage
Hydraulically-Engaged Wet-Disk Clutch	Fuel Consumption Rate
Park Lock	Temperatures
Neutral Safety Start System	Time of Day
	Ambient Temperature
STEERING, BRAKES DIFFERENTIAL:	Command Control System with:
Load-Sensing Hydraulic Power Steering	Automatic Powershift
Wet-Disk Hydraulic Power Brakes	Set and Adjust Time and Flow of
Hydraulically-Engaged Differential Lock	Individual Selective Control Valves
INDDAIL TOO.	iTEC End of Row Functions
HYDRAULICS:	Languages:
Pressure Flow Compensating	For a complete list of languages, refer to the Ag Sales Manual
Axial Piston Pump 83 cc Displacement 227 lpm (60 gpm)	Sales Manual
Pump Output	OPERATOR PROTECTIVE STRUCTURE:
132 lpm (35 gpm) Flow @ One SCV	Deluxe CommandView II Cab
L (gal) Oil Take Out Capacity @	Tilt/Telescoping Memory Steering Wheel
Max Flow Rate	Comfort Command Seat with
50 L (13 Gal.) Take-Out Capacity	Air Suspension, Swivel
Four Electrohydraulic Remote Selective	Fore-Aft Lateral Attenuation,
Control Valves with Push/Pull	Lumbar Support
ISO Breakaway Couplers and	Backrest Adjustment with
High Pressure Release Levers	Integrated CommandARM Controls
	Adjustable Position CommandARM with
PTO:	Integrated CommandCenter Display
Independent 1000 RPM, 45 mm	Swing-Out Rear Window (30 Degrees)
(1-3/4 In.) 20 Spline	Tinted Glass
PTO Safety Start System	Air Conditioner and Heater
Seat-Activated PTO Warning	Two Speed and Intermittent Front Wiper
DOGRGIIAEE IITEGII AND DDANDAD.	and Rear Wiper Front and Rear Windshield Washer
ROCKSHAFT, HITCH AND DRAWBAR: Dual Cylinder Electrohydraulic Rear	Pull Down Front Sun Visor
3-Point Hitch, Category 4N/3	Rear Under Seat Storage
Solid Draft Links with External	Folding Instructional Seat
Remote Raise/Lower Switch	Left Hand Storage
Sway Blocks with Tapered Wedge Adjustment	Two Beverage Holders
Electro/Hydraulic Hitch Dampening	Right and Left Outside Mirrors
Center Link Adjustment Handle	Less Radio and Speakers
Transport Lock	Includes Wiring Harness for Radio and Speakers
Adjustable Swinging Drawbar	Inside Cab Mounted Rear View Mirror
Cat. 4 Drawbar with Clevis	Passive Noise Reduction System
and 2 In. Pin	Backlit Right Hand Console Controls
	with Adjustable Brightness
INSTRUMENTATION:	Step, Left Hand Convenience
Corner Post Digital Instrument Panel	DI DOMPTONI .
Includes:	ELECTRICAL:
Engine Oil Pressure Gauge	Key Engine Shutoff
Engine Coolant Temperature Gauge	12V Electrical System

8310R Tractor

Continued

Two 925 CCA 12V Batteries
Two 12V Electrical Convenience Outlet
Two 12V Electrical 3-Pin Outlet
with Adapter
Battery Boost Terminal
200 Amp Alternator
SmartCircuit Current Load Monitoring
System with Fuse Panel
7-Terminal Rear Implement Electrical
Outlet Socket
Integrated ISO Radar Connector
StarFire ITC or Radar Speed
Input Harness
ServiceADVISOR Data Port

LIGHTS:

Six Front Grill Mounted Lights
Ten Cab Roof Mounted Lights
Two Rear Fender Flood Lights
Extremity, Brake, Turning, and Hazard
Lights

AXLES, WHEELS AND TIRES: Independent Link Suspension with Hydraulic Differential Lock, Dual Capability and Driveline Shield Rear Axle and Wheels and Tires AG MANAGEMENT SOLUTIONS:
Integrated Plug-In for GreenStar Display
Deluxe StarFire Receiver Bracket
GreenStar Ready harness with Implement
Circuit Gateway and Integrated
GreenStar Display Plug-In
Connector (ISO 11783 Compatible)
AutoTrac Ready Components:
Wiring, SSU, Front WheelAngle Sensor and Electro-Hydraulic
Steering Valve

MISCELLANEOUS: Enclosed Chain Storage Box Horn PTO Master Shield Tool Box Operator's Manual Lockable Fuel Cap

* Manufacturer's Rating **Cold Cranking Amperes

ATTACHMENT
CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Waterloo, Iowa

7530RW 8310R Tractor 277,217.00

DESTINATION

A Code must be chosen for each Tractor ordered.

AFRICA
0011 Chad

Chad Same Price

Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable.

Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.

Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab.

Code 7200 Standard Lighting.

Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler.

Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.

8310R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0014		DESTINATIONContinued Democratic Republic of Congo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price
0019		Ethiopia Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price
0020		Gabon Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price
0026		Kenya Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price

8310R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	
0029		Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes:	Same Price
		Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	
0036		Mozambique	Same Price
0000		Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting.	Same Thee
		Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	
0050		Tanzania Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine.	Same Price
		Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting.	
		Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	
0016		Egypt Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator.	Same Price
		Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler.	
		Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	
0054		Zambia Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine.	Same Price
		Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab.	
		Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Fear Dual Wheel and Tires.	

Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.

8310R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0055		DESTINATIONContinued Zimbabwe Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price
0072		ASIA China (People's Republic of China) Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price
0078		Israel Requires Code 1885 JDLink Capable. Requires Code 8336 Stage 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8,482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5601 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price
0090		Mongolia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price

8310R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0094		DESTINATIONContinued Philippines Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price
0098		Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires either Code 8955 Front Weight Support or Code 8969 Front Tow Point. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2057 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4039 8,618 kg (19,000 Lbs.) Lift Capacity Hitch (Cat 4N/3) with Convertible Cat. 4N/3 Ball/Hook Style Ends and Sway Blocks. Code 5058 120 mm (4.72 In.) Diameter x 2438 mm (96 In) Length with Double Taper Wheel Hubs. Code 5222 650/85R38 In. 173A8 R1W Single Rear Wheels and Tires. Code 6299 540/65R34 In. 152A8 R1W Single Front Wheels and Tires.	Same Price
0102		Taiwan Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price
0104		Thailand Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price

8310R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0109		Vietnam Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price
0183		NORTH AMERICA Belize Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe Commandview II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price
0184		Canada Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Ultimate Promotion 3 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8,482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5601 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price
0191		Guatemala Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price

8310R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0193		DESTINATIONContinued Honduras Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price
0196		Nicaragua Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 ln.) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price
0197		Panama Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price
0202		United States Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Ultimate Promotion 3 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Telematics components required for JDLink Ultimate Promotion Code 4032 8,482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5601 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	1,209.00

8310R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	
0210		SOUTH AMERICA Argentina Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price
0213		Chile Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price
0214		Colombia Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price
0215		Ecuador Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price
0217		Paraguay Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price

8310R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0218		DESTINATIONContinued Peru Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price
0220		Uruguay Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price
0221		Venezuela Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price
		VALUE PACKAGE CONFIGURATIONS	
0500		No Package Order one Code from each box in the Price Pages.	In Base Price
0502		Premium PST 1300 or 1500 Package Includes Codes: 2061, 1833 or 1834, 1490, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810, 4032, 4322, 3260, 5042, 6042, 8251, 832G, 8010 or 8011.	-500.00
0503		Premium PST ILS Package Includes Codes: 2061, 1833 or 1834, 1490, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810, 4032, 4322, 3260, 5042, 6060 or 6061, 8288, 8251, 832G, 8010 or 8011.	-1,000.00
0505		Premium IVT 1500 or ILS Package Includes Codes: 2061, 1833 or 1834, 1550 or 1551 or 1552 or 1553, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810, 4032, 4322, 3260, 5042, 6042 or 6060 or 6061, 8288, 8251, 832G, 8010 or 8011.	-1,500.00
0506		iPackage PST Includes Codes: 2061, 1826, 1837 or 1838, 1848 or 1849, 1889 or 1887 or 1888, 1833, 1490, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810, 4032, 4322, 3260, 5042, 6060 or 6061, 8288, 8251, 832G, 8010 or 8011.	-1,500.00
0507		iPackage IVT Includes Codes: 2061, 1826, 1837 or 1838, 1848 or 1849, 1889 or 1887 or 1888, 1833, 1550	-2,000.00

8310R Tractor

Continued

ATTACHMENT CODE **IDENTIFIER**

DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

VALUE PACKAGE CONFIGURATIONS ... Continued...

or 1551 or 1552 or 1553, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810, 4032, 4322, 3260, 5042, 6060 or 6061, 8288, 8251, 832G, 8010 or 8011.

OPERATOR STATION

2050 CommandView II Cab -1,980.00

Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest controls with Integrated CommandCenter

Display.

Folding Instructional Seat.

Remote Radio Controls located on CommandARM.

Front Windshield Washer and Wiper.

SMV Emblem.

Manual Temperature Controls located in cab roof.

See Attachments Section for ordering information on additional field attachments.

2059 Deluxe CommandView II Cab In Base Price

Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter

Display.

Remote Radio Controls located on CommandARM.

Front and Rear Windshield Washer and Wiper.

SMV Emblem.

Automatic Temperature Control with controls located on CommandARM.

Front Pull Down Sun Shade.

Right and Left Outside Mirrors (Manual Adjustment).

Power Strip with Convenience Plug Adapter.

Programmable Egress Lighting. Folding Instructional Seat.

See Attachments Section for ordering information on additional field attachments.

Premium CommandView II Cab with Active Seat 2061

3,469.00

Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display.

Remote Radio Controls located on CommandARM. Front and Rear Windshield Wiper and Washer.

SMV Emblem.

Automatic Temperature Control with controls located on CommandARM.

Front Pull Down Sun Shade.

Right and Left Outside Electrically Adjustable Mirrors.

Power Strip with Convenience Plug Adapter.

Programmable Egress Lighting. Folding Instructional Seat.

Active Seat.

See Attachments Section for ordering information on additional field attachments.

DISPLAY

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

GS3 CommandCenter, 7" Color Display 1821

In Base Price

Includes Access Manager user lockout software.

With a StarFire Receiver installed, the display is capable of operating manual guidance.

8310R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DISPLAYContinued AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately.	
		Does not include a cornerpost bracket for mounting an additional GreenStar Display.	
1823		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable Includes Access Manager user lockout software, and video capability. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. One video camera input pre-wired in the cab. Connector located on the outside rear of the cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. See Parts for available cameras.	1,260.00
		Does not include a cornerpost bracket for mounting an additional GreenStar Display.	
1825		GS3 CommandCenter 7" Color Display with GreenStar 3 2630 Display Includes Access Manager user lockout software. Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed on cornerpost. Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.	6,086.00
		When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the 2630 Display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	
1826		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable with GreenStar 3 2630 Display Includes Access Manager user lockout software, and video capability. Includes GreenStar 3 2630 Display, harness and A-post mounting bracket installed on cornerpost.	7,351.00
		Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.	
		The GS3 CommandCenter is pre-wired with one video input in the cab. Connector located on the outside rear of cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. In addition, the GreenStar 3 2630 Display has the capability of one video input. Requires camera and harnessing for video capabilities. See Attachments for harnessing at GreenStar Harnesses in the AMS Price Pages and Ag Sales Manual for list of compatible cameras.	
		When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the 2630 display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	

RECEIVER

StarFire 3000 Position Receivers can be ordered in two configurations:

-SF1 World Solution, a no-charge differential correction signal that provides non-row-crop accuracy.

-SF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.com.

-RTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual.

GNSS serial port information (NMEA) is available through a StarFire 3000.

8310R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RECEIVERContinued	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1835		Less StarFire 3000 Receiver Tractor includes deluxe receiver mounting bracket only.	In Base Price
		When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.	
1837		StarFire 3000 Receiver - SF1 with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.	2,695.00
		Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 receiver can be upgraded to SF2 capabilities.	
1838		StarFire 3000 Receiver - SF2 Ready with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms. A StarFire3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2	4,695.00
		accuracy (+/-4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available through StellarSupport.com or by calling the AMS Customer Call Center.	

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold seperately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, all GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact Stellar Support to activate AMS Software Activations, referencing the Tractor order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1845	Less AutoTrac Activation - GS3	In Base Price
1846	AutoTrac SF1 Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) for AutoTrac functionality. See AMS sales manual and price pages for detailed information.	3,000.00
1847	AutoTrac SF2 Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires SF2 Subscription sold seperately for SF2 functionality.	6,500.00

8310R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONSContinued For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	
1848		AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See AMS sales manual and price pages for detailed information.	5,500.00
1849		AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. Also requires SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	9,000.00
		MACHINE CONNECTIVITY	
		Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886			
1000		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1889		Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink	2,400.00
		Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required). JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics.	

8310R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued data and Service ADVISOR Remote Capability.	
		Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	
		ACTIVECOMMAND STEERING	
1833		John Deere ActiveCommand Steering (ACS) Includes cab-mounted gyro, tactile feedback unit in steering column, and steering control unit for variable ratio steering and dynamic road-wheel offset control.	3,209.00
1834		Less John Deere ActiveCommand Steering (ACS)	In Base Price
		TRANSMISSION	
1490		16F/5R Speed PowerShift Transmission 42 km/h (26 mph) 5R is only available through John Deere dealer programming in some geographic regions.	In Base Price
1550		AutoPowr IVT Transmission 42 km/h (26 mph) with Right Hand Reverser Controls	12,083.00
1551		AutoPowr IVT Transmission 42 km/h (26 mph) with Left Hand Reverser Controls	12,953.00
1553		AutoPowr IVT Transmission 50 km/h (31 mph) with Right Hand Reverser Controls Requires 120 mm diameter Rear Axle Codes; Front Axle Code 6061; Front Fender Code 8010 or 8011; Trailer Brake Code 8751, 8752, or 8756, and Symbol B (50 km/h) Front and Rear Tires.	12,083.00
1552		AutoPowr IVT Transmission 50 km/h (31 mph) with Left Hand Reverser Controls Requires 120 mm diameter Rear Axle Codes; Front Axle Code 6061; Front Fender Code 8010 or 8011; Trailer Brake Code 8751, 8752, or 8756, and Symbol B (50 km/h) Front and Rear Tires.	12,953.00
		LIGHTS	
7200		Standard Lighting Six Front Grill Mounted Lights: two 65W low beam driving lights, two 65W high beam driving lights and two front corner facing halogen work lights. Ten Cab Roof Mounted Lights: Two rear and four side facing 65W flood lights and four corner facing amber lights. Two rear fender mounted flood lights and two rear turn signal and brake lights. Two folding extremity lights.	In Base Price
7201		Deluxe Lighting Includes Standard Lights plus two adjustable front roof 65W halogen floodlights, two front belt-line flood lights, and rotary beacon light.	789.00
7202		Premium Lighting Includes Deluxe Lights, and additionally in the front grill screen, two front corner HID lights replace two front halogen lights and one HID light and one 65W halogen flood light are added. Two rear fender lights are replaced with HID lights.	3,442.00

8310R Tractor

Continued

SUCCESTED

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		LIGHTSContinued	
		RADIO	
2650		Less Radio and Speakers Includes wiring harness only for Radio and Speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack located on front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio For U.S. and Canada Markets only. AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter,XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display.	1,015.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna.	912.00
3331		REMOTE SELECTIVE CONTROL VALVES Three Remote Selective Control Valves with Push/Pull Breakaway Couplers	-1,875.00
0001		and High Pressure Relief Levers	1,070.00
3341		Four Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	In Base Price
3351		Five Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	1,876.00
3361		Six Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers Includes Auxiliary CommandArm Mounted SCV Controls. Only available on Model Year 2012 Tractors.	3,753.00
		POWER TAKE OFF	
3810		45 mm (1-3/4 ln.) 1000 rpm PTO (20 Spline)	In Base Price
3821		45 mm (1-3/4 ln.) 1000 rpm (20 Spline) with 35 mm (1-3/8 ln.) 540 (6 Spline) / 1000 (21 Spline) rpm PTO 35 mm (1-3/8 ln.) 540 rpm PTO portion of this option is not compatible with Cat. 4 Drawbar.	2,448.00
		REAR HITCH	

Advertised Hitch Lift Capacity is the amount of force that is sustained through the entire range of lift, measured at 610 mm behind the hitch point. This is measured with the rear hitch centerlink connected to the upper hole. See Operators Manual for more information.

Maximum Lift Capacity is noted as well. This is the maximum force achieved during lift,

8310R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR HITCHContinued directly at the hitch point.	
4000		Less 3-Point Hitch Requires Code 3331 Three Remote Selective Control Valves. If 4 and/or 5 remote cylinder control valves are required, order field installed kit RE301321 (4th Remote Cylinder Control Valve) and/or RE301501 (5th Remote Cylinder Control Valve). Not compatible with Code 841H Front Hitch.	-5,922.00
4032		8,482 kg (18,700 Lbs.) Lift Capacity Hitch (Cat 4N/3) Hitch with Sway Blocks and Quick Coupler 11,933 kg (26,307 Lbs.) Maximum Lift Capacity. Requires Group 48 Rear Tires. Requires 120mm Diameter Rear Axle.	In Base Price
4046		6396 kg (14,100 Lbs.) Lift Capacity Hitch (Cat 4N/3) Hitch with Sway Blocks and Quick Coupler 8,984 kg (19,807 Lbs.) Maximum Lift Capacity. Requires Group 48 Rear Tires. Requires 120mm Diameter Rear Axle. Only available on Model Year 2012 Tractors.	-1,211.00
		DRAWBAR AND TRAILER HITCH	
4321		Cat. 4 Adjustable Swinging Drawbar with 50 mm (2 In.) Pin 2,245 kg (4,950 Lb.) Maximum Vertical Load. Use of 540 RPM PTO Shaft is not recommended due to interference during turns.	In Base Price
4322		Cat. 4 Adjustable Swinging Drawbar with 50 mm (2 In.) Pin with Heavy Duty Support 4990 kg (11,000 Lb.) Maximum Vertical Load. Use of 540 RPM PTO Shaft is not recommended due to interference during turns.	556.00
		HYDRAULIC PUMP	
3260		227.1 lpm (60 gpm) 85 cc Hydraulic Pump Displacement	In Base Price
		REAR AXLES	
5042		120 mm (4.72 ln.) Diameter x 3010 mm (118.5 ln.) Length with Double Taper Wheel Hubs	In Base Price
5043		120 mm (4.72 ln.) Diameter x 2438 mm (96 ln.) Length with Double Taper Wheel Hubs	-1,015.00
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)	
		For complete tire and wheel information, refer to the Agricultural Sales Manual or individual tire manufacturer's handbook. Some tire sizes and/or brands are excluded from manufacturer warranty when used in specialty applications (e.g. use on Scraper Tractors). Please refer to the tire manufacturer's handbook for specific warranty guidelines. Overloading of tires is prohibited.	

8310R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued	
		A8 Speed Rated RCI Group 48 Size Tires (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles, to Duals, to Triples (if offered) Use with any RCI Group 43 or 44 Front Tire with same brand preference. Four step front and rear tire combinations, as example group 44/48, 43/47 are acceptable with ILS (Code 6060 or 6061) and 1500 MFWD (Code 6042) axles only. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted. Mixing of Increased Flexion (IF) and non-Increased Flexion tires is not permitted unless otherwise noted.	
5600		380/90R54 In. 152A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	164.00
5601		480/80R50 In. 159A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, Titan, Mitas/Continental, or Michelin.	In Base Price
5720		480/80R50 In. 159A8 R1W Radial in Triple Wheel Configuration Available in Firestone, Goodyear, Titan, Mitas/Continental, or Michelin. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. 30 In. spacing only. Includes two 15 In. and two 10 In. Axle Extensions.	13,734.00
5202		IF 480/80R50 166A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Firestone brand, Standard non-Increased Flexion Front Tire Codes 6201, 6601, 6203, and 6603.	-7,182.00
5602		IF 480/80R50 166A8 R1W Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Firestone brand, Standard non-Increased Flexion Front Tire Codes 6201, 6601, 6203, and 6603.	3,608.00
5603		520/85R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Michelin, Mitas/Continental, or Goodyear.	-382.00
5604		520/85R46 In. 158A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Compatible Front Tire Code 6206 Single Tire or 6606 Front Dual Tires.	114.00
5605		620/70R46 In. 167A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	3,366.00
5218		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	-4,046.00
5618		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	9,860.00

8310R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5206		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued 710/70R42 In. 168A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-7,156.00
5606		710/70R42 In. 168A8 R1W Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	3,650.00
5207		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin, Goodyear, or Mitas/Continental.	-6,160.00
5607		710/70R42 In. 173A8 R1W Radial in Dual Wheel Configuration Available in Michelin, Goodyear, or Mitas/Continental.	5,642.00
5219		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin.	-4,042.00
5619		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Firestone or Michelin.	9,878.00
5209		800/70R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear.	-5,444.00
5609		800/70R38 In. 173A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Michelin, or Goodyear. Includes two 10 In. Axle Extensions.	7,064.00
5220		IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-1,964.00
5620		IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Includes two 10 In. Axle Extensions.	14,024.00
		REAR WHEELS AND TIRES FOR 31 MPH (50 KM/H) TRANSMISSION (CODE 1552 OR 1153):	
		B Speed Rated RCI Group 48 Size Tire (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles, to Duals, to Triples (if offered) For use with any B Rated RCI Group 43 Front Tire with same tread type and brand preference.	
5610		480/80R50 In. 159B R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear.	1,072.00
5211		650/85R38 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear.	-6,034.00
5215		IF 650/85R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-3,514.00

8310R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5213		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued 710/70R42 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-4,286.00
5216		IF 710/70R42 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-2,834.00
5217		IF 800/70R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-1,428.00
-		FRONT AXLES	
6042		1500 Series Mechanical Front Wheel Drive with Hydraulic Differential Lock and Dual Tire Capability Requires Code 3260: 227 lpm (60 gpm) Hydraulic Pump. Single front tires require a load index rating of 143 or greater. Axle is compatible with duals. Compatible with either Group 42/43 Front and 47 Rear tires or 43/44 Front and 48 Rear Tires where allowed by model. See tire listings.	-8,949.00
6060		John Deere Independent Link Suspension with Hydraulic Differential Lock, Fully Enclosed Driveline and Dual Tire Capability Requires Code 3260: 227 lpm (60 gpm) Hydraulic Pump. Single front tires require a load index rating of 145 or greater. Compatible with either Group 42/43 Front and 47 Rear tires or 43/44 Front and 48 Rear Tires where allowed by model. See tire listings.	In Base Price
6061		John Deere Independent Link Suspension with Hydraulic Differential Lock, Wet Multi-Disk Brakes, Fully Enclosed Driveline, and Dual Tire Capability Requires Code 3260: 227 lpm (60 gpm) Hydraulic Pump. Single front tires require a load index rating of 145 or greater. Compatible with either Group 42/43 Front and 47 Rear tires or 43/44 Front and 48 Rear Tires where allowed by model. See tire listings.	2,468.00

FRONT WHEELS AND TIRES

For complete tire and wheel information, refer to the Agricultural Sales Manual or individual tire manufacturer's handbook.

Some tire sizes and/or brands are excluded from manufacturer warranty when used in specialty applications (e.g. used on Scraper Tractors). Please refer to the tire manufacturer's handbook for specific warranty guidelines.

Overloading of tires is prohibited.

8310R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		FRONT WHEELS AND TIRES FOR 40 km/h TRANSMISSIONS: FRONT TIRES FOR 1300 SERIES (CODE 6040 OR 6041), 1500 SERIES (CODE 6042), OR INDEPENDENT LINK SUSPENSION (ILS) (CODE 6060 OR 6061) AXLES	
		Eight Position Wheels for 1300 Series, 1500 Series, or ILS Axle with:	
		A8 Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Use with any RCI Group 47 or 48 Rear Tire with same tread type and brand preference. Four step front and rear tire combinations, as example 44/48, 43/47 are acceptable with ILS (Codes 6060 or 6061) and 1500 MFWD (Code 6042) axles only. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted. Mixing of Increased Flexion (IF) and non-Increased Flexion Tires is not permitted unless otherwise noted. All Front Dual Configurations require Code 6042 1500 MFWD, 6060 ILS, or 6061 ILS with Brake Front Axle.	
6600		320/80R42 In. 141A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-380.00
6601		380/80R38 In. 142A8 R1W Radial in Dual Wheel Configuration Available in Michelin, Firestone, Titan, Mitas/Continental, or Goodyear. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	-344.00
6202		IF 380/80R38 149A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Standard, non-Increased Flexion rear tires.	-7,629.00
6203		420/85R34 In. 147A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas/Continental, or Titan.	-8,363.00
6603		420/85R34 In. 147A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, Mitas/Continental, or Titan. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	In Base Price
6217		IF 420/85R34 152A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Standard, non-Increased Flexion rear tires.	-7,331.00
6616		480/70R34 In. 143A8 R1W Radial in Dual Wheel Configuration Available in Mitas/Continental only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Sales Manual or Operators Manual. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	-600.00
6204		480/70R34 In. 146A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Sales Manual or Operators Manual.	-7,345.00
6604		480/70R34 In. 146A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Sales Manual or Operators Manual. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	1,364.00

8310R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6205		FRONT WHEELS AND TIRESContinued 480/70R34 In. 155A8 R1W Radial in Single Wheel Configuration Available in Firestone or Goodyear. Tread setting restrictions apply, see Sales Manual or Operators Manual.	-7,791.00
6605		480/70R34 In. 155A8 R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Tread setting restrictions apply, see Sales Manual or Operators Manual. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	1,144.00
6206		480/70R34 In. 146A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999 and Rear Tire Code 5204 or 5604. Tread setting restrictions apply, see Sales Manual or Operators Manual. For use with 1829 mm (72 In.) or wider tread settings only.	-8,799.00
6606		480/70R34 In. 146A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999 and Rear Tire Code 5204 or 5604. Tread setting restrictions apply, see Sales Manual or Operators Manual. For use with 1829 mm (72 In.) or wider tread settings only. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	-872.00
6207		540/65R34 In. 152A8 R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear. For 1300 or ILS: For use with 1679 mm (66 In.) or wider tread spacing. For 1500: For use with 1829 mm (72 In.) or wider tread spacing.	-8,299.00
6208		600/70R30 In. 152A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas/Continental, Trelleborg, or Michelin. For 1300 or ILS: For use with 1780 mm (70 In.) or wider tread spacing. For 1500: For use with 1829 mm (72 In.) or wider tread spacing.	-8,693.00
6214		IF 600/70R30 In. 159A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin. Not compatible with 1300 Front Axle. For ILS: For use with 1780 mm (70 In.) or wider tread spacing. For 1500: For use with 1829 mm (72 In.) or wider tread spacing.	-7,031.00
		FRONT WHEELS AND TIRES WITH 1500 AXLE (CODE 6042)OR INDEPENDENT LINK SUSPENSION (ILS) (CODE 6060 OR 6061)	
		Steel MFWD or ILS 8 Position Wheels with:	
		A8 Speed Rated RCI Group 44 Size Tires (66 In./1676 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Use with any RCI Group 48 Rear Tire with same tread type and brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
6300		540/75R34 In. 157A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. For use with 2080 or 2182 mm tread spacing with Code 6042. For use with 1979, 2080 or 2182 mm tread spacing with Code 6060 or 6061.	-8,125.00
6301		620/75R30 In. 163A8 R1W Radial In Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. For use with 2182 mm tread spacing with Code 6042. For use with 2080 or 2182 mm tread spacing with Code 6060 or 6061.	-7,199.00

8310R Tractor

0213		Available in Michelin only. Requires No Brand Preference Code 5999. For use with 1780 mm (70in.) or wider tire tread.	-5,023.00
6212 6215		600/70R30 In. 152B R1W Radial In Single Tire Configuration Available in Michelin or Goodyear. Use with 1780 mm (70 In.) or wider tread settings. IF 600/70R30 In. 159B R1W Increased Flexion Radial in Single Tire Configuration	-6,851.00 -5,823.00
6210		540/65R34 In. 152B R1W Radial In Single Tire Configuration Available in Michelin or Goodyear. Use with 1780 mm (70 In.) or wider tread settings.	-7,255.00
6609		420/85R34 In. 147B R1W Radial In Dual Tire Configuration Available in Firestone or Goodyear. Requires Rear Tire Code 5610. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	268.00
6209		420/85R34 In. 147B R1W Radial In Single Tire Configuration Available in Firestone or Goodyear. Requires Rear Tire Code 5610.	-7,827.00
		B Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) For use with any B Rated RCI Group 48 Rear Tire with same brand preference. Requires Code 6061. Mixing of Increased Flexion (IF) and non-Increased Flexion tires is not permitted unless otherwise noted.	
		INDEPENDENT LINK SUSPENSION (CODE 6061): Eight Position Wheels for ILS Axle Code 6061 with:	
		FRONT WHEELS AND TIRES for 50 km/h TRANSMISSION (CODE 1552 OR 1553) AND	
	IDENTIFIER	FRONT WHEELS AND TIRESContinued	USD (\$)

8310R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR'S MANUAL AND LABELSContinued	
0409		English	In Base Price
0413		French	Same Price
0416		Hebrew Operator's Manual and Non-Text Labels	Same Price
0426		Mandarin (Chinese)	Same Price
0401		Arabic	Same Price
0437		Spanish	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8288		Operator Station and Electrical: Foot Operated Speed Control	323.00
8242		Radar, Dual Beam Sensor	887.00
8210		Leather Trim Package For CommandView II, Deluxe CommandView II, and Premium CommandView II cabs. Includes heated leather seat, leather instructional set, leather wrapped steering wheel and rear window decal.	1,623.00
8227		Outside Mirrors, Telescoping, Heated, Electrically Adjustable RH and LH Required to upgrade from Right and Left Hand Manual Adjust Mirrors.	957.00
8228		Outside Mirrors, Telescoping, Heated, Electrically Adjustable RH and LH Required to upgrade from RH and LH Electrically Adjusting Mirrors.	532.00
8251		Antenna Mount and Wiring for Business Band (2-Way) Radio	127.00
8725		Rotary Warning Beacon Required to add Rotary Beacon Light to Standard Lighting Package.	336.00
8720		Loader/Driving Light Package Only available on Model Year 2012 Tractors. Provide two road lights mounted higher on the cab posts for use when front mounted equipment obstruct grill mounted front lights.	206.00
832G		Hydraulics: Auxiliary Hydraulic Connections Includes (2) motor return couplers, (1) flat face sump coupler, (1) power beyond pressure coupler and (1) load sense coupler. Suitable for use with most planting and seeding equipment.	840.00
8010		Chassis: Fenders, Deluxe Pivoting Front for MFWD or ILS - 480 mm (18.9 ln.) Wide Recommended for use with 290 mm (12.4 ln.) to 420 mm (16.9 ln.) tire widths. Code 8010 or 8011 is required for 50 km/h (31 mph) Tractors. Not compatible with Code 8011 Fenders, Deluxe Pivoting Front for MFWD or ILS - 620 mm (24.4 ln.) wide.	1,244.00

8310R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8011		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Fenders, Deluxe Pivoting Front for MFWD or ILS - 620 mm (24.4 ln.) Wide Recommended for use with 480 mm (18.9 ln.) to 620 mm (244 ln.) tire widths. Not for use with front dual tire combinations. Code 8010 or 8011 is required for 50 km/h (31 mph) Tractors. Not compatible with option Code 8010 Fender, Deluxe Pivoting Front for MFWD or ILS - 480 mm (18.9 ln.) Wide.	1,457.00
8020		Fenders, Full Coverage Rear 2.55 m (100 ln.) Width Includes hitch control switch on both fenders. Not compatible with Code 8021 Fenders, Extra Width Coverage Rear 2.75 m (108 In.) Width.	1,222.00
8751		Trailer Brake, Air Dual Line System Includes compressor, tank, control valves and 2 line couplers. Not compatible with Code 8756 Hydraulic Trailer Brakes. If Air and Hydraulic Trailer Brakes are required, order Code 8752 Trailer Brakes, Air Dual Line and Hydraulic.	6,358.00
8752		Trailer Brake, Air Dual Line and Hydraulic Includes rear Tractor line hydraulic coupler. Includes compressor, tank, control valves and couplers. Not compatible with Codes 8751 or 8756.	7,147.00
8756		Trailer Brake, Hydraulic Includes rear Tractor line hydraulic coupler. Not compatible with Code 8751 Trailer Brake, Air Dual Line or Code 8752 Trailer Brake, Air Dual Line and Hydraulic.	789.00
8380		Front Implement: PTO, Independent Front with 35 mm (1-3/8 In) 21-Spline, 1000 rpm Clockwise-Rotating Shaft as Viewed from Front (Type 2) Only available on Model Year 2012 Tractors. For Code 8336 IT4/ Stage IIIB Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6060 or 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490.	7,268.00
8381		PTO, Independent Front with 45 mm (1-3/4 ln) 20-Spline, 1000 rpm Clockwise-Rotating Shaft as Viewed from Front (Type 3) Only available on Model Year 2012 Tractors. For Code 8336 IT4/ Stage IIIB Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6060 or 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490.	7,268.00
8382		PTO, Independent Front with 35 mm (1-3/8 ln) 6-Spline, 1000 rpm, Counter-Clockwise Rotating Shaft as Viewed from Front (Type 1) For Code 8336 IT4/ Stage IIIB Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6060 or 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490. Available in Australia and New Zealand. Requires Destination Code 0230 Australia or Code 0237 New Zealand.	7,268.00
8383		PTO, Independent Front with 35 mm (1-3/8 ln) 21-Spline, 1000 rpm Clockwise-Rotating Shaft as Viewed from Front (Type 2) Only available on Model Year 2012 Tractors. For Code 8334 Stage II Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490.	7,268.00

8310R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8384		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued PTO, Independent Front with 45 mm (1-3/4 ln) 20-Spline, 1000 rpm Clockwise-Rotating Shaft as Viewed from Front (Type 3) Only available on Model Year 2012 Tractors. For Code 8334 Stage II Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490.	7,268.00
838A		PTO, Independent Front with 35 mm (1-3/8 In) 6-Spline, 1000 rpm, Counter-Clockwise Rotating Shaft as Viewed from Front (Type 1) Only available on Model Year 2012 Tractors. For Code 8334 Stage II Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490. Available in Australia and New Zealand. Requires Destination Code 0230 Australia or Code 0237 New Zealand.	7,268.00
8411		Front Hitch with Folding Draft Links, Cat. 3N Ground Engaging Hitch, 5,200 kg (11,450 lb.) Maximum Lift Capacity at Hitch Balls 3175 kg (7000 lb) ISO Lift Capacity Only available on Model Year 2012 Tractors. Includes Front Hitch Valve. Requires Independent Link Suspension (Code 6060 or 6061) Compatible with 3, 4, 5, or 6 Rear SCV's. Includes Auxiliary CommandArm Mounted SCV Controls.	7,090.00
835H		Two Front Remote Selective Control Outlets with Push/Pull Breakaway Couplers and Factory Installed Plumbing to Rear Remote Selective Control Valves Three and Four Only available on Model Year 2012 Tractors. Front SCV hoses can be disconnected for rear SCV use. Requires Code 8411 Front Hitch. Requires Code 8020 Full Coverage Rear Fender Extensions to provide remote hitch lift controls for rear hitch.	1,656.00
8300		Engine: Cold Weather Start Kit Factory installation of Block Heater (110V) and Ether Aid Canister and Switch.	136.00
8306		Fuel/Water Separator, Severe Duty In addition to water separator in base equipment.	556.00
8220		Intelligent Power Management Provides up to an additional 35 engine hp for non-stationary rear PTO or transport speeds above 23 km/h (14.3 mph). Not compatible with Stage II Emission compliant engine.	3,254.00
8336		John Deere PowerTech PSX 9.0 L (549 cu. In.) 6 Cyl IT4 / Stage 3b Compliant Diesel Engine	Same Price
8334		John Deere PowerTech 9.0 L (549 cu. In.) 6 Cyl Stage 2 Compliant Diesel Engine Only available on Model Year 2012 Tractors. Not available with the 8360R.	-11,688.00
8550		Skid for Duals For Tractors shipping outside of the United States and Canada.	124.00

8310R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Ballast Packages: 1778 kg (3920 lb.) Ballast Package with Rear Duals:	
8931		Front Weight Support with 4 Front Suitcase Weights and One Pair of 635 kg (1400 lb.) Inside/Inner Rear Wheel Weights and One Pair 75 kg (165 lb.) Outside/Outer Dual Rear Wheel Weights and require single front tires with load index of 145 or greater or front duals. ILS Axle: 123 Lb./hp with 40/60 Front/Rear Weight Split and require single front tires with load index of 146 or greater or front duals. Requires rear duals. Not compatible with triples. Not compatible with any other factory installed front or rear weight code.	5,100.00
8933		2372 kg (5230 lb.) Ballast Package with Rear Duals: Front Weight Support with 8 Front Suitcase Weights and One Pair of 635 kg (1400 lb.) Inside/Inner Rear Wheel Weights and One Pair 75 kg (165 lb.) and One Pair 205 kg (450 lb.) Outside/Outer Dual Rear Wheel Weights 1500 Axle: 125 Lb./hp with 39/61 Front/Rear Weight Split and require single front tires with load index of 146 or greater or front duals. ILS Axle: 135 Lb./hp with 43/57 Front/Rear Weight Split and require single front tires with load index of 148 or greater or front duals. Requires rear duals. Not compatible with triples. Not compatible with any other factory installed front or rear weight code.	6,716.00
8932		3547 kg (7820 lb.) Ballast Package with Rear Duals: Front Weight Support with 16 Front Suitcase Weights and One Pair of 635 kg (1400 lb.) Inside/Inner Rear Wheel Weights and One Pair 75 kg (165 lb.) and Three Pair of 205 kg (450 lb.) Outside/Outer Dual Rear Wheel Weights 1500 Axle: 142 Lb./hp with 43/57 Front/Rear Weight Split and require single front tires with load index of 150 or greater or front duals. ILS Axle: 145 Lb./hp with 44/56 Front/Rear Weight Split and require single front tires with load index of 151 or greater or front duals. Requires rear duals. Not compatible with triples. Not compatible with any other factory installed front or rear weight code. Base on the tire width option ordered, some 450 lb. wheel weights may be shipped on a separate pallet and require dealer installation.	10,052.00
8955		Quik-Tatch Weights: Weight, Front Support - Less Weights Support weighs 390 Lb. (180 kg). 1300 Axle requires single front tires with load index of 141 or greater. 1500 Axle requires single front tires with load index of 143 or greater or front duals. ILS requires single front tires with load index of 145 or greater or front duals. Includes Tow Point.	501.00
8956		Weight, Front Support with Four Suitcase Weights 1300 Axle requires single front tires with load index of 143 or greater. 1500 Axle requires single front tires with load index of 145 or greater or front duals. ILS requires single front tires with load index of 146 or greater or front duals.	1,036.00

8310R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8957		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Weight, Front Support with Eight Suitcase Weights 1300 Axle requires single front tires with load index of 145 or greater. 1500 Axle requires single front tires with load index of 146 or greater or front duals. ILS requires single front tires with load index of 148 or greater or front duals.	1,571.00
8958		Weight, Front Support with Twelve Suitcase Weights 1300 Axle requires single front tires with load index of 146 or greater. 1500 Axle requires single front tires with load index of 148 or greater or front duals. ILS requires single front tires with load index of 150 or greater or front duals.	2,106.00
8959		Weight, Front Support with Sixteen Suitcase Weights 1300 Axle requires single front tires with load index of 148 or greater. 1500 Axle requires single front tires with load index of 150 or greater or front duals. ILS requires single front tires with load index of 151 or greater or front duals.	2,641.00
8960		Weight, Front Support with Twenty-Two Suitcase Weights 1300 Axle requires single front tires with load index of 150 or greater. 1500 Axle requires single front tires with load index of 152 or greater or front duals. ILS requires single front tires with load index of 153 or greater or front duals.	3,361.00
		Rear Wheel Weights - For Inside/Inner Wheels (Cast): Weights shown are for each weight.	
8970		One Pair 205 kg (450 lb.)	1,189.00
8971		Two Pair 205 kg (450 lb.) Based on the tire width option ordered, some 450 lb. wheel weights may be shipped on a separate pallet and require dealer installation.	2,382.00
8972		One Pair 635 kg (1400 lb.) Requires tire with load rating above 151 Load Index.	3,428.00
		Rear Wheel Weights - For Outside/Inner Wheels (Cast): Weights shown are for each weight.	
8978		One Pair 75 kg (165 lb.) Starter Weights and One Pair 205 kg (450 lb.) Weight for the Outside of Single Rear Wheel For outside of drive wheel on rear singles only.	1,717.00
		Rear Wheel Weights - For Outside/Outer Dual Wheels: Weights shown are for each weight.	
8973		One Pair 75 kg (165 lb.) Starter Weights and One Pair 205 kg (450 lb.) Weights for Outer Rear Dual For outside outer dual only. Not compatible with Triples.	1,717.00
8974		One Pair 75 kg (165 lb.) Starter Weights and Two Pair 205 kg (450 lb.) Weights Requires rear duals. Not compatible with rear triples.	2,907.00
8975		One Pair 75 kg (165 lb.) Starter Weights and Three Pair 205 kg (450 lb.) Weights Requires rear duals. Not compatible with rear triples.	3,983.00

8310R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIRED	
9076		Customer Gold Key Program: Gold Key Experience Not compatible with Code 9075. This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE58827	Electrical: 9-Pin Connector Implement Feedback Required for Electrohydraulic Implement Depth Control (EHDC).	132.00
	RE339514	Battery Disconnect Switch, Wheel	150.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE21519	Implement Switch with 10 Ft. Harness	168.00
	AR245564	Mounting Kit for Radar with Dual Beam Sensor Requires Dual Beam Radar (RE249206).	228.00
	RE278980	Radar with Dual Beam Sensor Requires mounting kit AR245564.	See Parts
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	26.00
	RE323008	Engine: Cold Weather Starting Package	94.00
	RE227949	Engine Block Heater (110V)	See Parts
	RE524692	Engine Block Heater (220V)	See Parts
	RE321571	Fuel/Water Separator Kit, Severe Duty In addition to water separator in base equipment.	627.00
	RE260608	Fenders: Fenders, Deluxe Pivoting Front for 1300 Series MFWD - 18.7 In. (480 mm) Wide Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths. Compatible with 1300 Series MFWD front axle only.	1,368.00
	RE260609	Fenders, Deluxe Pivoting Front for 1300 Series MFWD - 24.4 In. (620 mm) Wide Recommended use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Compatible with 1300 Series MFWD front axle only.	1,603.00
	RE308214	Fenders, Deluxe Pivoting Front for 1500 Series MFWD - 18.7 In. (480 mm) Wide Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths. Compatible with 1500 Series MFWD front axle only.	1,368.00

8310R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE308215	ATTACHMENTS FOR FIELD CONVERSIONContinued Fenders, Deluxe Pivoting Front for 1500 Series MFWD - 24.4 In. (620 mm) Wide Recommended use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Compatible with 1500 Series MFWD front axle only.	1,603.00
	RE236667	Fenders, Deluxe Pivoting Front for Independent Link Suspension - 18.7 In. (480 mm) Wide Also order 2 pieces of R186578. Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths.	1,368.00
	RE236670	Fenders, Deluxe Pivoting Front for Independent Link Suspension - 24.4 In. (620 mm) Wide Also order 2 pieces of R186578. Recommended for use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Not for use with front dual tire combinations.	1,603.00
	RE324406	Fenders, Extra Width Rear Fender Extensions For use with 800 mm wide rear tires. Requires Full Coverage Rear Fenders (RE318606) for installation.	276.00
	RE318606	Fenders, Full Coverage Rear 2.55 meter (100 In. Width) <i>Included in Code 9083</i> .	500.00
	R177682	Hitch and Drawbar: Center Link Bracket Retains the center link when not in use.	See Parts
	AR211154	Drawbar Heavy Duty Support for use with Cat. 4 Drawbar (11,000 Lb. Vertical Load Capacity) Requires Cat. 4 Drawbar. Increases vertical load capacity to 11,000 Lb. (4990 kg.). Cat. 4 Drawbar is not compatible with PTO Codes 2418 or 2420 or with field installed 1-3/8 540 rpm PTO.	809.00
	RE268625	Drawbar, Ball-type 80 mm Cat. 4 Ball-type drawbar for use when using the DN 345 - Drawn Dry Box Spreader. No other implements are approved for this drawbar.	3,263.00
	AR211153	Drawbar, Cat. 4 with 2 In. Pin and Heavy Duty Support (11,000 Lb. Vertical Load Capacity) Cat. 4 Drawbar is not compatible with PTO Codes 3820 or 3821 or with field installed 1-3/8 540 rpm PTO.	1,873.00
	RE327692	Front Hitch Chain Hooks	196.00
	RE301735	Hitch Kit, 3-in-1 Rails Compatible with Type 2 PTO.	817.00
	RE301736	Hitch Kit, 3-in-1 Rails Compatible with Type 3 PTO.	1,368.00
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N)	1,529.00

8310R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	- 32 (V)
		Hydraulics:	
	RE327558	th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,445.00
	RE343865	4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	2,466.00
	RE327559	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,445.00
	RE343866	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	2,546.00
	RE327560	6th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R334695) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,909.00
	RE315727	Auxiliary Hydraulic Oil Take-Out Pump and Reservoir Provides an additional 11 gallon (42 liters) capacity for large, single acting cylinders used for application where a large hydraulic oil flow in a short period of time is needed.	1,935.00
	RE323828	Auxiliary Hydraulic Oil Take-Out Pump and Reservoir	1,935.00
	RE222721	Auxiliary Sump Coupler Kit (Flush Face Coupler Style) Required to connect Tractor sump to case drains on Seeding Equipment.	129.00
	RE333976	Front SCV Plumbing Kit Routes SCV function from the rear to the front.	1,822.00
	AR114664	Hydraulic Motor Return, Multiple/Auxiliary Hitch Coupler/ Sump Return Kit For use with Hydraulic Motor Returns, Hitch Valve with Lift Assist Wheels or Motor Drains/Sump Returns or grapple valve.	193.00
	RE337305	Hydraulic Trailer Brake Kit Provides single line connection to hydraulic braking systems. Works with or without power beyond couplers.	750.00
	RE221284	Low Stand-By Pressure Control Kit Prevents main pump activation during engine start up in certain hydraulic configurations using power beyond.	980.00

8310R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE281166	ATTACHMENTS FOR FIELD CONVERSIONContinued Power Beyond Coupler Kit Kit includes load sense, pressure and return couplers.	756.00
	AR272536	Rear EHSCV Single Lever Control (Joystick) and Mounting Parts for CommandArm Attaches to CommandArm. Requires (R301762) Software download to activate function - See Parts.	1,563.00
	RE308937	Lighting: Auxiliary Driving / Loader Light Kit Includes headlights, wiring harness, brackets and mounting hardware.	236.00
	RE269641	Lights, Field Vision Xenon HID Rear Fender Light Requires (2) for conversion.	See Parts
	RE298933	Lights, Two Roof-Mounted 65W Halogen Front Flood Lights	140.00
	RE325694	Rotary Beacon Light Kit	371.00
	AR320123	Miscellaneous: Single Line Coupler Parts for Air Trailer Brakes	581.00
	RE67015	Operator Environment: 3-Way Convenience Adapter for Power Strip	See Parts
	RE317435	Accessory Mounting Bracket Provides mounting location for additional monitors.	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00
	RE275532	Ash Tray Fits in existing cup holder.	See Parts
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	RE323407	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	594.00
	RE293499	External Mirrors, Electrically Telescoping and Heated Mirror Heads For converting the heads on electric mirrors to telescoping and heated.	1,696.00
	RE323405	External Mirrors, Manually Adjustable RH and LH	265.00
	RE321017	Foot-Operated Speed Control For use with PST or IVT transmissions. Order Floor Mat separate through Parts.	125.00
	RE68495	Power Strip with Six Outlets	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	295.00

8310R Tractor


CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE67013	ATTACHMENTS FOR FIELD CONVERSIONContinued Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE284180	Step Kit, Left Hand Convenience Platform	See Parts
	RE261504	Sun Shade, Front Pull Down	See Parts
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	RE324993	Touchscreen GS3 CommandCenter 7" Color Display, Video Capable	1,260.00
	RE269618	Windshield Wiper with Washer, Rear	193.00
	RE331560	SCV Parts: Paddle Pot Pod, Common Parts Only compatible on Tractors with CommandARM. Order single paddle potentiometer separately. See instructions RE331562 for more information. Compatible on 8R above SN 053100 and 8RT above SN 907100.	95.00
	RE331559	Single Paddle Potentiometer Order decals and levers separately. See instructions RE331561 for more information.	See Parts
	RE298885	Software Downloads: Intelligent Power Management Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305729	Language Group for CommandCenter - English, Croatian, Serbian, Slovenian, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305727	Language Group for CommandCenter - English, Danish, Swedish, Finish, Norwegian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305726	Language Group for CommandCenter - English, Estonian, Latvian, Lithuanian, Polish, Russian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305725	Language Group for CommandCenter - English, French, Dutch, Icelandic, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305730	Language Group for CommandCenter - English, Greek, Turkish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts

8310R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE308728	ATTACHMENTS FOR FIELD CONVERSIONContinued Language Group for CommandCenter - English, Hungarian, Czech, Slovak, Romanian, Bulgarian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305731	Language Group for CommandCenter - English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	BPF10312	Non-John Deere Guidance Compatibility Activation - AutoFarm/Novariant Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10313	Non-John Deere Guidance Compatibility Activation - Hemisphere/Outback Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10433	Non-John Deere Guidance Compatibility Activation - Leica Geosystems Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10311	Non-John Deere Guidance Compatibility Activation - Raven Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10363	Non-John Deere Guidance Compatibility Activation - Trimble Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	RE224298	Transmission: Transmission Backup Alarm	405.00
	RE323009	Transmission Hydraulic Oil Heater (110 Volts)	342.00
	RE323010	Transmission Hydraulic Oil Heater (220 Volts)	446.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	R127764	Weights: Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R242154	Weight, Front Support, 390 Lb. (180 kg) Requires (6) 19M9141 Cap Screws and (6) 24M7242 Washers for installation - See Parts. Holds up to 22 Quick-Tatch Weights.	844.00
	R167151	Weight, Inner Wheel, 1400 Lb.	1,903.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg)	282.00

8310R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RFR207782	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights)	2,658.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00
	R207782	Weight, Wheel, 450 Lb.	664.00
	RE324389	Wheel Equipment: Front Wheel Dual Extensions Compatible with ILS or 1500 front axles.	2,538.00
	AR190666	One 10 In. Dual Hub Extension	759.00
	AR190668	One 13 In. Dual Hub Extension	844.00
	AR190669	One 15 In. Dual Hub Extension	884.00
	AR194744	One 5 In. Dual Hub Extension	685.00
	RE267658	Three Meter Front Wheel Spacer Not compatible with Tractors equipped with front brakes.	3,063.00



8335R Tractor

Equipment for Base Machine

ENGINE:	Fuel Level Gauge with
John Deere PowerTech Diesel	Low Fuel Warning Signal
In-line 6-Cylinder Wet-Sleeve	Engine RPM Indicator
with High Pressure Common Rail (HPCR)	Status Indicator for:
Fuel System and 24 Valve Head	MFWD
9.0 L (549 Cu. In.) Displacement	Differential Lock
335 Engine Hp (246 kW) 97/68/EC @ Rated Speed	Rear PTO Speed
283 SAE PTO hp (211 kW) @ Rated Speed	CommandCenter Display Includes:
Air to Air Intercooled	GreenStar 3 Application Capability
Automatic Shutdown System	Video Capability, with Tractor Function
Dry Type Air Cleaner with Safety Element	Activated Triggers
and Dirt Aspiration System	AutoTrac and Swath Control Pro
Tilt Hood Enclosure	Activation Required
VariCool Fan Drive System Electric Fuel Shutoff	Access Manager
Engine Coolant Conditioner Additive	Universal Performance Monitor Display Functions Definable By Operator:
Engine Coolant Recovery System	% Slip
Dual Stage Fuel Filtration System with	Ground Speed
Fuel Water Separator with Sensor	PTO Speed
Self-Priming and Bleeding Electronic	Engine Hours
Fuel Pump	Hydraulic Settings
680 L (180 U.S. Gal.) Fuel Tank Capacity	Hitch Settings
with Lockable Fuel Cap	Hitch Slip Command
Top-loading Vertical Engine Oil Filter	Productivity
Electronic Injection and Governor Control	Efficiency
Field Cruise Control	Area
	Adjustable PTO Modulation
TRANSMISSION:	Implement Width
Powershift	Service Hours
16 Forward/5 Reverse Speeds	Voltage
Hydraulically-Engaged Wet-Disk Clutch	Fuel Consumption Rate
Park Lock	Temperatures
Neutral Safety Start System	Time of Day Ambient Temperature
STEERING, BRAKES DIFFERENTIAL:	Command Control System with:
Load-Sensing Hydraulic Power Steering	Automatic Powershift
Wet-Disk Hydraulic Power Brakes	Set and Adjust Time and Flow of
Hydraulically-Engaged Differential Lock	Individual Selective Control Valves
	iTEC End of Row Functions
HYDRAULICS:	Languages:
Pressure Flow Compensating	For a complete list of languages, refer to the Ag
Axial Piston Pump	Sales Manual
83 cc Displacement 227 lpm (60 gpm)	
Pump Output	OPERATOR PROTECTIVE STRUCTURE:
132 lpm (35 gpm) Flow @ One SCV	Deluxe CommandView II Cab
L (gal) Oil Take Out Capacity @	Tilt/Telescoping Memory Steering Wheel
Max Flow Rate	Comfort Command Seat with
50 L (13 Gal.) Take-Out Capacity Four Electrohydraulic Remote Selective	Air Suspension, Swivel Fore-Aft Lateral Attenuation,
Control Valves with Push/Pull	Lumbar Support
ISO Breakaway Couplers and	Backrest Adjustment with
High Pressure Release Levers	Integrated CommandARM Controls
might fredbare Refeable beverb	Adjustable Position CommandARM with
PTO:	Integrated CommandCenter Display
Independent 1000 RPM, 45 mm	Swing-Out Rear Window (30 Degrees)
(1-3/4 In.) 20 Spline	Tinted Glass
PTO Safety Start System	Air Conditioner and Heater
Seat-Activated PTO Warning	Two Speed and Intermittent Front Wiper
	and Rear Wiper
ROCKSHAFT, HITCH AND DRAWBAR:	Front and Rear Windshield Washer
Dual Cylinder Electrohydraulic Rear	Pull Down Front Sun Visor
3-Point Hitch, Category 4N/3	Rear Under Seat Storage
Solid Draft Links with External	Folding Instructional Seat
Remote Raise/Lower Switch	Left Hand Storage
Sway Blocks with Tapered Wedge Adjustment	Two Beverage Holders
Electro/Hydraulic Hitch Dampening	Right and Left Outside Mirrors
Center Link Adjustment Handle Transport Lock	Less Radio and Speakers
Adjustable Swinging Drawbar	Includes Wiring Harness for Radio and Speakers Inside Cab Mounted Rear View Mirror
Cat. 4 Drawbar with Clevis	Passive Noise Reduction System
and 2 In. Pin	Backlit Right Hand Console Controls with Adjustable Brightness
INSTRUMENTATION:	Step, Left Hand Convenience
Corner Post Digital Instrument Panel	-
Includes:	ELECTRICAL:
Engine Oil Pressure Gauge	Key Engine Shutoff
Engine Coolant Temperature Gauge	12V Electrical System

8335R Tractor

Continued

Two 925 CCA 12V Batteries Two 12V Electrical Convenience Outlet Two 12V Electrical 3-Pin Outlet with Adapter Battery Boost Terminal 200 Amp Alternator ${\tt SmartC\bar{i}rcuit\ Current\ Load\ Monitoring}$ System with Fuse Panel 7-Terminal Rear Implement Electrical Outlet Socket Integrated ISO Radar Connector StarFire ITC or Radar Speed Input Harness ServiceADVISOR Data Port

LIGHTS:

Six Front Grill Mounted Lights Ten Cab Roof Mounted Lights Two Rear Fender Flood Lights Extremity, Brake, Turning, and Hazard Lights

AXLES, WHEELS AND TIRES: Independent Link Suspension with Hydraulic Differential Lock, Dual Capability and Driveline Shield Rear Axle and Wheels and Tires

AG MANAGEMENT SOLUTIONS: Integrated Plug-In for GreenStar Display Deluxe StarFire Receiver Bracket GreenStar Ready harness with Implement Circuit Gateway and Integrated GreenStar Display Plug-In Implement Connector AutoTrac Ready Components: Wiring, SSU, Front Wheel-Angle Sensor and Electro-Hydraulic Steering Valve

MISCELLANEOUS: Enclosed Chain Storage Box Horn PTO Master Shield Tool Box Operator's Manual Lockable Fuel Cap

* Manufacturer's Rating **Cold Cranking Amperes

ATTACHMENT CODE **IDENTIFIER** DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Same Price

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Waterloo, Iowa

7540RW 8335R Tractor 293,032.00

DESTINATION

A Code must be chosen for each Tractor ordered.

AFRICA Chad

0011

Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable.

Requires Ĉode 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab.

Code 7200 Standard Lighting.

Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires.

Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.

8335R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0014		DESTINATIONContinued Democratic Republic of Congo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price
0019		Ethiopia Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price
0020		Gabon Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price
0026		Kenya Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price

8335R Tractor

	ATTACHMENT		SUGGESTED LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)
0029		DESTINATIONContinued Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price
0036		Mozambique Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price
0050		Tanzania Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price
0016		Egypt Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 15948 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 14748 R1W Front Dual Wheels and Tires.	Same Price
0054		Zambia Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price

8335R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0055		DESTINATIONContinued Zimbabwe Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price
0072		ASIA China (People's Republic of China) Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 ln.) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price
0078		Israel Requires Code 1885 JDLink Capable. Requires Code 8336 Stage 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8,482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5601 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price
0090		Mongolia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price

8335R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0094		DESTINATIONContinued Philippines Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price
0098		Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires either Code 8955 Front Weight Support or Code 8969 Front Tow Point. Requires Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2057 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4039 8,618 kg (19,000 Lbs.) Lift Capacity Hitch (Cat 4N/3) with Convertible Cat. 4N/3 Ball/Hook Style Ends and Sway Blocks. Code 5058 120 mm (4.72 In.) Diameter x 2438 mm (96 In) Length with Double Taper Wheel Hubs. Code 5222 650/85R38 In. 173A8 R1W Single Rear Wheels and Tires. Code 6299 540/65R34 In. 152A8 R1W Single Front Wheels and Tires.	Same Price
0102		Taiwan Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price
0104		Thailand Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price

8335R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0109		Vietnam Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price
0183		NORTH AMERICA Belize Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe Commandview II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price
0184		Canada Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Ultimate Promotion 3 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8,482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5601 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price
0191		Guatemala Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price

8335R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0193		DESTINATIONContinued Honduras Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price
0196		Nicaragua Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 ln.) Diameter x 3010 mm (118.5 ln.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price
0197		Panama Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price
0202		United States Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Ultimate Promotion 3 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Telematics components required for JDLink Ultimate Promotion Code 4032 8,482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5601 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	1,209.00

8335R Tractor

	ATTACHMENT		SUGGESTED LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)
		DESTINATIONContinued	
0210		SOUTH AMERICA Argentina Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	Same Price
0212		Brazil Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price
0213		Chile Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price
0214		Colombia Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price
0215		Ecuador Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	Same Price

8335R Tractor

	ATTACUMENT		SUGGESTED
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	LIST PRICE USD (\$)
0217		DESTINATIONContinued Paraguay	Same Price
		Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting.	
		Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	
0218		Peru Requires Code 1885 JDLink Capable.	Same Price
		Requires Code 8334 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator.	
		Country Specific Base Equipment Includes:	
		Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting.	
		Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler.	
		Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires.	
		Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	
0220		Uruguay	Same Price
		Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine.	
		Required Code 8306 Severe Duty Water Separator.	
		Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab.	
		Code 7200 Standard Lighting.	
		Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5061 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires.	
		Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	
0221		Venezuela	Same Price
		Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine.	
		Required Code 8306 Severe Duty Water Separator.	
		Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab.	
		Code 7200 Standard Lighting.	
		Code 4032 8482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle.	
		Code 5061 480/80R50 In. 159A8 RIW Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 RIW Front Dual Wheels and Tires.	
		VALUE PACKAGE CONFIGURATIONS	
0500		No Package Order one Code from each box in the Price Pages.	In Base Price
0502		Premium PST 1300 or 1500 Package Includes Codes: 2061, 1833 or 1834, 1490, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810, 4032, 4322, 3260, 5042, 6042, 8251, 832G, 8010 or 8011.	-500.00
0503		Premium PST ILS Package Includes Codes: 2061, 1833 or 1834, 1490, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810, 4032, 4322, 3260, 5042, 6060 or 6061, 8288, 8251, 832G, 8010 or 8011.	-1,000.00
0505		Premium IVT 1500 or ILS Package	-1,500.00

8335R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		VALUE PACKAGE CONFIGURATIONSContinued <i>Includes Codes: 2061, 1833 or 1834, 1550 or 1551 or 1552 or 1553, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810, 4032, 4322, 3260, 5042, 6042 or 6060 or 6061, 8288, 8251, 832G, 8010 or 8011.</i>	
0506		iPackage PST Includes Codes: 2061, 1826, 1837 or 1838, 1848 or 1849, 1889 or 1887 or 1888, 1833, 1490, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810, 4032, 4322, 3260, 5042, 6060 or 6061, 8288, 8251, 832G, 8010 or 8011.	-1,500.00
0507		iPackage IVT Includes Codes: 2061, 1826, 1837 or 1838, 1848 or 1849, 1889 or 1887 or 1888, 1833, 1550 or 1551 or 1552 or 1553, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810, 4032, 4322, 3260, 5042, 6060 or 6061, 8288, 8251, 832G, 8010 or 8011.	-2,000.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest controls with Integrated CommandCenter Display. Folding Instructional Seat. Remote Radio Controls located on CommandARM. Front Windshield Washer and Wiper. SMV Emblem. Manual Temperature Controls located in cab roof. See Attachments Section for ordering information on additional field attachments.	-1,980.00
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on CommandARM. Front and Rear Windshield Washer and Wiper. SMV Emblem. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Right and Left Outside Mirrors (Manual Adjustment). Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. See Attachments Section for ordering information on additional field attachments.	In Base Price
2061		Premium CommandView II Cab with Active Seat Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on CommandARM. Front and Rear Windshield Wiper and Washer. SMV Emblem. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Right and Left Outside Electrically Adjustable Mirrors. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. Active Seat. See Attachments Section for ordering information on additional field attachments.	3,469.00

DISPLAY

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is

8335R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DISPLAYContinued capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1821		GS3 CommandCenter, 7" Color Display Includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately.	In Base Price
		Does not include a cornerpost bracket for mounting an additional GreenStar Display.	
1823		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable Includes Access Manager user lockout software, and video capability. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. One video camera input pre-wired in the cab. Connector located on the outside rear of the cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. See Parts for available cameras.	1,260.00
1825		Does not include a cornerpost bracket for mounting an additional GreenStar Display. GS3 CommandCenter 7" Color Display with GreenStar 3 2630 Display	6.096.00
1625		Includes Access Manager user lockout software. Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed on cornerpost.	6,086.00
		Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.	
		When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the 2630 Display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	
1826		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable with GreenStar 3 2630 Display Includes Access Manager user lockout software, and video capability. Includes GreenStar 3 2630 Display, harness and A-post mounting bracket installed on cornerpost.	7,351.00
		Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.	
		The GS3 CommandCenter is pre-wired with one video input in the cab. Connector located on the outside rear of cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. In addition, the GreenStar 3 2630 Display has the capability of one video input. Requires camera and harnessing for video capabilities. See Attachments for harnessing at GreenStar Harnesses in the AMS Price Pages and Ag Sales Manual for list of compatible cameras.	
		When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the 2630 display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	

8335R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RECEIVERContinued StarFire 3000 Position Receivers can be ordered in two configurations: -SF1 World Solution, a no-charge differential correction signal that provides non-row-crop accuracy. -SF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.com. -RTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual.	
		GNSS serial port information (NMEA) is available through a StarFire 3000.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1835		Less StarFire 3000 Receiver Tractor includes deluxe receiver mounting bracket only.	In Base Price
		When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.	
1837		StarFire 3000 Receiver - SF1 with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.	2,695.00
		Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 receiver can be upgraded to SF2 capabilities.	
1838		StarFire 3000 Receiver - SF2 Ready with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.	4,695.00
		A StarFire3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available through StellarSupport.com or by calling the AMS Customer Call Center.	

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold seperately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, all GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact Stellar Support to activate AMS Software Activations, referencing the Tractor order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

8335R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONSContinued	
1845		Less AutoTrac Activation - GS3	In Base Price
1846		AutoTrac SF1 Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) for AutoTrac functionality. See AMS sales manual and price pages for detailed information.	3,000.00
1847		AutoTrac SF2 Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires SF2 Subscription sold seperately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	6,500.00
1848		AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See AMS sales manual and price pages for detailed information.	5,500.00
1849		AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. Also requires SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	9,000.00
		MACHINE CONNECTIVITY	
		Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00

8335R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1887		MACHINE CONNECTIVITYContinued JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability. Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	1,200.00
		ACTIVECOMMAND STEERING	
1833		John Deere ActiveCommand Steering (ACS) Includes cab-mounted gyro, tactile feedback unit in steering column, and steering control unit for variable ratio steering and dynamic road-wheel offset control.	3,209.00
1834		Less John Deere ActiveCommand Steering (ACS)	In Base Price
		TRANSMISSION	
1490		16F/5R Speed PowerShift Transmission 42 km/h (26 mph) 5R is only available through John Deere dealer programming in some geographic regions.	In Base Price
1550		AutoPowr IVT Transmission 42 km/h (26 mph) with Right Hand Reverser Controls	12,083.00
1551		AutoPowr IVT Transmission 42 km/h (26 mph) with Left Hand Reverser Controls	12,953.00
1553		AutoPowr IVT Transmission 50 km/h (31 mph) with Right Hand Reverser Controls Requires 120 mm diameter Rear Axle Codes; Front Axle Code 6061; Front Fender Code 8010 or 8011; Trailer Brake Code 8751, 8752, or 8756, and Symbol B (50 km/h) Front and Rear Tires.	12,083.00
1552		AutoPowr IVT Transmission 50 km/h (31 mph) with Left Hand Reverser Controls Requires 120 mm diameter Rear Axle Codes; Front Axle Code 6061; Front Fender Code 8010 or 8011; Trailer Brake Code 8751, 8752, or 8756, and Symbol B (50 km/h) Front and Rear Tires.	12,953.00
		LIGHTS	
7200		Standard Lighting Six Front Grill Mounted Lights: two 65W low beam driving lights, two 65W high beam driving lights and two front corner facing halogen work lights. Ten Cab Roof Mounted Lights: Two rear and four side facing 65W flood lights and four corner facing amber lights. Two rear fender mounted flood lights and two rear turn signal and brake lights.	In Base Price

8335R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		LIGHTSContinued Two folding extremity lights.	
7201		Deluxe Lighting Includes Standard Lights plus two adjustable front roof 65W halogen floodlights, two front belt-line flood lights, and rotary beacon light.	789.00
7202		Premium Lighting Includes Deluxe Lights, and additionally in the front grill screen, two front corner HID lights replace two front halogen lights and one HID light and one 65W halogen flood light are added. Two rear fender lights are replaced with HID lights.	3,442.00
		RADIO	
2650		Less Radio and Speakers Includes wiring harness only for Radio and Speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack located on front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio For U.S. and Canada Markets only. AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter,XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display.	1,015.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna.	912.00
		REMOTE SELECTIVE CONTROL VALVES	
3331		Three Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	-1,875.00
3341		Four Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	In Base Price
3351		Five Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	1,876.00
3361		Six Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers Includes Auxiliary CommandArm Mounted SCV Controls. Only available on Model Year 2012 Tractors.	3,753.00
		POWER TAKE OFF	
3810		45 mm (1-3/4 ln.) 1000 rpm PTO (20 Spline)	In Base Price
3821		45 mm (1-3/4 ln.) 1000 rpm (20 Spline) with 35 mm (1-3/8 ln.)	2,448.00

8335R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		POWER TAKE OFFContinued 540 (6 Spline) / 1000 (21 Spline) rpm PTO 35 mm (1-3/8 In.) 540 rpm PTO portion of this option is not compatible with Cat. 4 Drawbar.	
		REAR HITCH	
		Advertised Hitch Lift Capacity is the amount of force that is sustained through the entire range of lift, measured at 610 mm behind the hitch point. This is measured with the rear hitch centerlink connected to the upper hole. See Operators Manual for more information. Maximum Lift Capacity is noted as well. This is the maximum force achieved during lift, directly at the hitch point.	
4000		Less 3-Point Hitch Requires Code 3331 Three Remote Selective Control Valves. If 4 and/or 5 remote cylinder control valves are required, order field installed kit RE301321 (4th Remote Cylinder Control Valve) and/or RE301501 (5th Remote Cylinder Control Valve). Not compatible with Code 841H Front Hitch.	-5,922.00
4032		8,482 kg (18,700 Lbs.) Lift Capacity Hitch (Cat 4N/3) Hitch with Sway Blocks and Quick Coupler 11,933 kg (26,307 Lbs.) Maximum Lift Capacity. Requires Group 48 Rear Tires. Requires 120mm Diameter Rear Axle.	In Base Price
4046		6396 kg (14,100 Lbs.) Lift Capacity Hitch (Cat 4N/3) Hitch with Sway Blocks and Quick Coupler 8,984 kg (19,807 Lbs.) Maximum Lift Capacity. Requires Group 48 Rear Tires. Requires 120mm Diameter Rear Axle. Only available on Model Year 2012 Tractors.	-1,211.00
		DRAWBAR AND TRAILER HITCH	
4321		Cat. 4 Adjustable Swinging Drawbar with 50 mm (2 ln.) Pin 2,245 kg (4,950 Lb.) Maximum Vertical Load. Use of 540 RPM PTO Shaft is not recommended due to interference during turns.	In Base Price
4322		Cat. 4 Adjustable Swinging Drawbar with 50 mm (2 In.) Pin with Heavy Duty Support 4990 kg (11,000 Lb.) Maximum Vertical Load. Use of 540 RPM PTO Shaft is not recommended due to interference during turns.	556.00
		HYDRAULIC PUMP	
3260		227.1 lpm (60 gpm) 85 cc Hydraulic Pump Displacement	In Base Price
		REAR AXLES	
5042		120 mm (4.72 ln.) Diameter x 3010 mm (118.5 ln.) Length with Double Taper Wheel Hubs	In Base Price
5043		120 mm (4.72 ln.) Diameter x 2438 mm (96 ln.) Length with Double Taper Wheel Hubs	-1,015.00
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)	

 $For complete \ tire \ and \ wheel \ information, \ refer \ to \ the \ Agricultural \ Sales \ Manual \ or \ individual \ tire \ manufacturer's \ handbook.$

8335R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued Some tire sizes and/or brands are excluded from manufacturer warranty when used in specialty applications (e.g. use on Scraper Tractors). Please refer to the tire manufacturer's handbook for specific warranty guidelines. Overloading of tires is prohibited.	
		A8 Speed Rated RCI Group 48 Size Tires (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles, to Duals, to Triples (if offered) Use with any RCI Group 43 or 44 Front Tire with same brand preference. Four step front and rear tire combinations, as example group 44/48, 43/47 are acceptable with ILS (Code 6060 or 6061) and 1500 MFWD (Code 6042) axles only. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted. Mixing of Increased Flexion (IF) and non-Increased Flexion tires is not permitted unless otherwise noted.	
5600		380/90R54 In. 152A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	164.00
5601		480/80R50 In. 159A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, Titan, Mitas/Continental, or Michelin.	In Base Price
5720		480/80R50 In. 159A8 R1W Radial in Triple Wheel Configuration Available in Firestone, Goodyear, Titan, Mitas/Continental, or Michelin. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. 30 In. spacing only. Includes two 15 In. and two 10 In. Axle Extensions.	13,734.00
5202		IF 480/80R50 166A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Firestone brand, Standard non-Increased Flexion Front Tire Codes 6201, 6601, 6203, and 6603.	-7,182.00
5602		IF 480/80R50 166A8 R1W Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Firestone brand, Standard non-Increased Flexion Front Tire Codes 6201, 6601, 6203, and 6603.	3,608.00
5603		520/85R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Michelin, Mitas/Continental, or Goodyear.	-382.00
5604		520/85R46 In. 158A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Compatible Front Tire Code 6206 Single Tire or 6606 Front Dual Tires.	114.00
5605		620/70R46 In. 167A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	3,366.00
5218		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	-4,046.00

8335R Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5618		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	9,860.00
5206		710/70R42 In. 168A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	-7,156.00
5606		710/70R42 In. 168A8 R1W Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	3,650.00
5207		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin, Goodyear, or Mitas/Continental.	-6,160.00
5607		710/70R42 In. 173A8 R1W Radial in Dual Wheel Configuration Available in Michelin, Goodyear, or Mitas/Continental.	5,642.00
5219		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin.	-4,042.00
5619		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Firestone or Michelin.	9,878.00
5209		800/70R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear.	-5,444.00
5609		800/70R38 In. 173A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Michelin, or Goodyear. Includes two 10 In. Axle Extensions.	7,064.00
5220		IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-1,964.00
5620		IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Includes two 10 In. Axle Extensions.	14,024.00
		REAR WHEELS AND TIRES FOR 31 MPH (50 KM/H) TRANSMISSION (CODE 1552 OR 1153):	
		B Speed Rated RCI Group 48 Size Tire (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles, to Duals, to Triples (if offered) For use with any B Rated RCI Group 43 Front Tire with same tread type and brand preference.	
5610		480/80R50 In. 159B R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear.	1,072.00
5211		650/85R38 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear.	-6,034.00

8335R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5215		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued IF 650/85R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only.	-3,514.00
		Requires No Brand Preference Code 5999.	
5213		710/70R42 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-4,286.00
5216		IF 710/70R42 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-2,834.00
5217		IF 800/70R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-1,428.00
		FRONT AXLES	
6042		1500 Series Mechanical Front Wheel Drive with Hydraulic Differential Lock and Dual Tire Capability Requires Code 3260: 227 lpm (60 gpm) Hydraulic Pump. Single front tires require a load index rating of 143 or greater. Ask is compatible with duals. Compatible with either Group 42/43 Front and 47 Rear tires or 43/44 Front and 48 Rear Tires where allowed by model. See tire listings.	-8,949.00
6060		John Deere Independent Link Suspension with Hydraulic Differential Lock, Fully Enclosed Driveline and Dual Tire Capability Requires Code 3260: 227 lpm (60 gpm) Hydraulic Pump. Single front tires require a load index rating of 145 or greater. Compatible with either Group 42/43 Front and 47 Rear tires or 43/44 Front and 48 Rear Tires where allowed by model. See tire listings.	In Base Price
6061		John Deere Independent Link Suspension with Hydraulic Differential Lock, Wet Multi-Disk Brakes, Fully Enclosed Driveline, and Dual Tire Capability Requires Code 3260: 227 lpm (60 gpm) Hydraulic Pump. Single front tires require a load index rating of 145 or greater. Compatible with either Group 42/43 Front and 47 Rear tires or 43/44 Front and 48 Rear Tires where allowed by model. See tire listings.	2,468.00

FRONT WHEELS AND TIRES

 $For complete \ tire \ and \ wheel \ information, \ refer \ to \ the \ Agricultural \ Sales \ Manual \ or \ individual \ tire \ manufacturer's \ handbook.$

Some tire sizes and/or brands are excluded from manufacturer warranty when used in specialty applications (e.g. used on Scraper Tractors). Please refer to the tire manufacturer's handbook for specific warranty guidelines.

Overloading of tires is prohibited.

8335R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		FRONT WHEELS AND TIRES FOR 40 km/h TRANSMISSIONS: FRONT TIRES FOR 1300 SERIES (CODE 6040 OR 6041), 1500 SERIES (CODE 6042), OR INDEPENDENT LINK SUSPENSION (ILS) (CODE 6060 OR 6061) AXLES	
		Eight Position Wheels for 1300 Series, 1500 Series, or ILS Axle with:	
		A8 Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Use with any RCI Group 47 or 48 Rear Tire with same tread type and brand preference. Four step front and rear tire combinations, as example 44/48, 43/47 are acceptable with ILS (Codes 6060 or 6061) and 1500 MFWD (Code 6042) axles only. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted. Mixing of Increased Flexion (IF) and non-Increased Flexion Tires is not permitted unless otherwise noted. All Front Dual Configurations require Code 6042 1500 MFWD, 6060 ILS, or 6061 ILS with Brake Front Axle.	
6600		320/80R42 In. 141A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-380.00
6601		380/80R38 In. 142A8 R1W Radial in Dual Wheel Configuration Available in Michelin, Firestone, Titan, Mitas/Continental, or Goodyear. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	-344.00
6202		IF 380/80R38 149A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Standard, non-Increased Flexion rear tires.	-7,629.00
6203		420/85R34 In. 147A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas/Continental, or Titan.	-8,363.00
6603		420/85R34 In. 147A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, Mitas/Continental, or Titan. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	In Base Price
6217		IF 420/85R34 152A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Standard, non-Increased Flexion rear tires.	-7,331.00
6616		480/70R34 In. 143A8 R1W Radial in Dual Wheel Configuration Available in Mitas/Continental only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Sales Manual or Operators Manual. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	-600.00
6204		480/70R34 In. 146A8 R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Sales Manual or Operators Manual.	-7,345.00
6604		480/70R34 In. 146A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Sales Manual or Operators Manual. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	1,364.00

8335R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6205		FRONT WHEELS AND TIRESContinued 480/70R34 In. 155A8 R1W Radial in Single Wheel Configuration Available in Firestone or Goodyear. Tread setting restrictions apply, see Sales Manual or Operators Manual.	-7,791.00
6605		480/70R34 In. 155A8 R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Tread setting restrictions apply, see Sales Manual or Operators Manual. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	1,144.00
6206		480/70R34 In. 146A8 R2 Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999 and Rear Tire Code 5204 or 5604. Tread setting restrictions apply, see Sales Manual or Operators Manual. For use with 1829 mm (72 In.) or wider tread settings only.	-8,799.00
6606		480/70R34 In. 146A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999 and Rear Tire Code 5204 or 5604. Tread setting restrictions apply, see Sales Manual or Operators Manual. For use with 1829 mm (72 In.) or wider tread settings only. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	-872.00
6207		540/65R34 In. 152A8 R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear. For 1300 or ILS: For use with 1679 mm (66 In.) or wider tread spacing. For 1500: For use with 1829 mm (72 In.) or wider tread spacing.	-8,299.00
6208		600/70R30 In. 152A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas/Continental, Trelleborg, or Michelin. For 1300 or ILS: For use with 1780 mm (70 In.) or wider tread spacing. For 1500: For use with 1829 mm (72 In.) or wider tread spacing.	-8,693.00
6214		IF 600/70R30 In. 159A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin. Not compatible with 1300 Front Axle. For ILS: For use with 1780 mm (70 In.) or wider tread spacing. For 1500: For use with 1829 mm (72 In.) or wider tread spacing.	-7,031.00
		FRONT WHEELS AND TIRES WITH 1500 AXLE (CODE 6042)OR INDEPENDENT LINK SUSPENSION (ILS) (CODE 6060 OR 6061)	
		Steel MFWD or ILS 8 Position Wheels with:	
		A8 Speed Rated RCI Group 44 Size Tires (66 In./1676 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Use with any RCI Group 48 Rear Tire with same tread type and brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
6300		540/75R34 In. 157A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. For use with 2080 or 2182 mm tread spacing with Code 6042. For use with 1979, 2080 or 2182 mm tread spacing with Code 6060 or 6061.	-8,125.00
6301		620/75R30 In. 163A8 R1W Radial In Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. For use with 2182 mm tread spacing with Code 6042. For use with 2080 or 2182 mm tread spacing with Code 6060 or 6061.	-7,199.00

8335R Tractor

CODE	ATTACHMENTIDENTIDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		FRONT WHEELS AND TIRES for 50 km/h TRANSMISSION (CODE 1552 OR 1553)	
		AND INDEPENDENT LINK SUSPENSION (CODE 6061):	
		Eight Position Wheels for ILS Axle Code 6061 with:	
		B Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) For use with any B Rated RCI Group 48 Rear Tire with same brand preference. Requires Code 6061. Mixing of Increased Flexion (IF) and non-Increased Flexion tires is not permitted unless otherwise noted.	
6209		420/85R34 In. 147B R1W Radial In Single Tire Configuration Available in Firestone or Goodyear. Requires Rear Tire Code 5610.	-7,827.00
6609		420/85R34 In. 147B R1W Radial In Dual Tire Configuration Available in Firestone or Goodyear. Requires Rear Tire Code 5610. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	268.00
6210		540/65R34 In. 152B R1W Radial In Single Tire Configuration Available in Michelin or Goodyear. Use with 1780 mm (70 In.) or wider tread settings.	-7,255.00
6212		600/70R30 In. 152B R1W Radial In Single Tire Configuration Available in Michelin or Goodyear. Use with 1780 mm (70 In.) or wider tread settings.	-6,851.00
6215		IF 600/70R30 In. 159B R1W Increased Flexion Radial in Single Tire Configuration Available in Michelin only. Requires No Brand Preference Code 5999. For use with 1780 mm (70in.) or wider tire tread.	-5,823.00
		TIRE PREFERENCE CODES	
		If only one brand is available in any tire code, the Tire Preference Code 5999 must be chosen below to avoid extra charges. You will still get the one brand stated in the tire code description.	
5999		No Brand Preference Matching front and rear tire brands will be installed on Tractor unless notified by factory. Mitas/Continental brand tires available in US and Canada only.	No Charge
5901		Firestone Brand Only	800.00
5902		Goodyear Brand Only	800.00
5903		Michelin Brand Only	1,200.00
5904		Mitas/Continental Brand Only Mitas/Continental brand tires available in US and Canada only.	800.00
		OPERATOR'S MANUAL AND LABELS	
0403		Bulgarian	Same Price

8335R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR'S MANUAL AND LABELSContinued	
0409		English	In Base Price
0413		French	Same Price
0416		Hebrew Operator's Manual and Non-Text Labels	Same Price
0426		Mandarin (Chinese)	Same Price
0401		Arabic	Same Price
0437		Spanish	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
0000		Operator Station and Electrical:	200.00
8288		Foot Operated Speed Control	323.00
8242		Radar, Dual Beam Sensor	887.00
8210		Leather Trim Package For CommandView II, Deluxe CommandView II, and Premium CommandView II cabs. Includes heated leather seat, leather instructional set, leather wrapped steering wheel and rear window decal.	1,623.00
8227		Outside Mirrors, Telescoping, Heated, Electrically Adjustable RH and LH Required to upgrade from Right and Left Hand Manual Adjust Mirrors.	957.00
8228		Outside Mirrors, Telescoping, Heated, Electrically Adjustable RH and LH Required to upgrade from RH and LH Electrically Adjusting Mirrors.	532.00
8251		Antenna Mount and Wiring for Business Band (2-Way) Radio	127.00
8725		Rotary Warning Beacon Required to add Rotary Beacon Light to Standard Lighting Package.	336.00
8720		Loader/Driving Light Package Only available on Model Year 2012 Tractors. Provide two road lights mounted higher on the cab posts for use when front mounted equipment obstruct grill mounted front lights.	206.00
832G		Hydraulics: Auxiliary Hydraulic Connections Includes (2) motor return couplers, (1) flat face sump coupler, (1) power beyond pressure coupler and (1) load sense coupler. Suitable for use with most planting and seeding equipment.	840.00
8010		Chassis: Fenders, Deluxe Pivoting Front for MFWD or ILS - 480 mm (18.9 ln.) Wide Recommended for use with 290 mm (12.4 ln.) to 420 mm (16.9 ln.) tire widths. Code 8010 or 8011 is required for 50 km/h (31 mph) Tractors. Not compatible with Code 8011 Fenders, Deluxe Pivoting Front for MFWD or ILS - 620 mm (24.4 ln.) wide.	1,244.00

8335R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8011		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Fenders, Deluxe Pivoting Front for MFWD or ILS - 620 mm (24.4 ln.) Wide Recommended for use with 480 mm (18.9 ln.) to 620 mm (244 ln.) tire widths. Not for use with front dual tire combinations. Code 8010 or 8011 is required for 50 km/h (31 mph) Tractors. Not compatible with option Code 8010 Fender, Deluxe Pivoting Front for MFWD or ILS - 480 mm (18.9 ln.) Wide.	1,457.00
8020		Fenders, Full Coverage Rear 2.55 m (100 ln.) Width Includes hitch control switch on both fenders. Not compatible with Code 8021 Fenders, Extra Width Coverage Rear 2.75 m (108 In.) Width.	1,222.00
8751		Trailer Brake, Air Dual Line System Includes compressor, tank, control valves and 2 line couplers. Not compatible with Code 8756 Hydraulic Trailer Brakes. If Air and Hydraulic Trailer Brakes are required, order Code 8752 Trailer Brakes, Air Dual Line and Hydraulic.	6,358.00
8752		Trailer Brake, Air Dual Line and Hydraulic Includes rear Tractor line hydraulic coupler. Includes compressor, tank, control valves and couplers. Not compatible with Codes 8751 or 8756.	7,147.00
8756		Trailer Brake, Hydraulic Includes rear Tractor line hydraulic coupler. Not compatible with Code 8751 Trailer Brake, Air Dual Line or Code 8752 Trailer Brake, Air Dual Line and Hydraulic.	789.00
8380		Front Implement: PTO, Independent Front with 35 mm (1-3/8 In) 21-Spline, 1000 rpm Clockwise-Rotating Shaft as Viewed from Front (Type 2) Only available on Model Year 2012 Tractors. For Code 8336 IT4/ Stage IIIB Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6060 or 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490.	7,268.00
8381		PTO, Independent Front with 45 mm (1-3/4 ln) 20-Spline, 1000 rpm Clockwise-Rotating Shaft as Viewed from Front (Type 3) Only available on Model Year 2012 Tractors. For Code 8336 IT4/ Stage IIIB Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6060 or 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490.	7,268.00
8382		PTO, Independent Front with 35 mm (1-3/8 ln) 6-Spline, 1000 rpm, Counter-Clockwise Rotating Shaft as Viewed from Front (Type 1) For Code 8336 IT4/ Stage IIIB Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6060 or 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490. Available in Australia and New Zealand. Requires Destination Code 0230 Australia or Code 0237 New Zealand.	7,268.00
8383		PTO, Independent Front with 35 mm (1-3/8 ln) 21-Spline, 1000 rpm Clockwise-Rotating Shaft as Viewed from Front (Type 2) Only available on Model Year 2012 Tractors. For Code 8334 Stage II Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490.	7,268.00

8335R Tractor

CODE	ATTACHMENT IDENTIFIER	. DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8384		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued PTO, Independent Front with 45 mm (1-3/4 ln) 20-Spline, 1000 rpm Clockwise-Rotating Shaft as Viewed from Front (Type 3) Only available on Model Year 2012 Tractors. For Code 8334 Stage II Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490.	7,268.00
838A		PTO, Independent Front with 35 mm (1-3/8 ln) 6-Spline, 1000 rpm, Counter-Clockwise Rotating Shaft as Viewed from Front (Type 1) Only available on Model Year 2012 Tractors. For Code 8334 Stage II Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490. Available in Australia and New Zealand. Requires Destination Code 0230 Australia or Code 0237 New Zealand.	7,268.00
8411		Front Hitch with Folding Draft Links, Cat. 3N Ground Engaging Hitch, 5,200 kg (11,450 lb.) Maximum Lift Capacity at Hitch Balls 3175 kg (7000 lb) ISO Lift Capacity Only available on Model Year 2012 Tractors. Includes Front Hitch Valve. Requires Independent Link Suspension (Code 6060 or 6061) Compatible with 3, 4, 5, or 6 Rear SCV's. Includes Auxiliary CommandArm Mounted SCV Controls.	7,090.00
835H		Two Front Remote Selective Control Outlets with Push/Pull Breakaway Couplers and Factory Installed Plumbing to Rear Remote Selective Control Valves Three and Four Only available on Model Year 2012 Tractors. Front SCV hoses can be disconnected for rear SCV use. Requires Code 8411 Front Hitch. Requires Code 8020 Full Coverage Rear Fender Extensions to provide remote hitch lift controls for rear hitch.	1,656.00
8300		Engine: Cold Weather Start Kit Factory installation of Block Heater (110V) and Ether Aid Canister and Switch.	136.00
8306		Fuel/Water Separator, Severe Duty In addition to water separator in base equipment.	556.00
8220		Intelligent Power Management Provides up to an additional 35 engine hp for non-stationary rear PTO or transport speeds above 23 km/h (14.3 mph). Not compatible with Stage II Emission compliant engine.	3,254.00
8336		John Deere PowerTech PSX 9.0 L (549 cu. In.) 6 Cyl IT4 / Stage 3b Compliant Diesel Engine	Same Price
8550		Skid for Duals For Tractors shipping outside of the United States and Canada.	124.00
8334		John Deere PowerTech 9.0 L (549 cu. ln.) 6 Cyl Stage 2 Compliant Diesel Engine Only available on Model Year 2012 Tractors. Not available with the 8360R.	-11,688.00

8335R Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Ballast Packages:	
8931		1778 kg (3920 lb.) Ballast Package with Rear Duals: Front Weight Support with 4 Front Suitcase Weights and One Pair of 635 kg (1400 lb.) Inside/Inner Rear Wheel Weights and One Pair 75 kg (165 lb.) Outside/Outer Dual Rear Wheel Weights 1500 Axle: 111 Lb./hp with 39/61 Front/Rear Weight Split and require single front tires with load index of 145 or greater or front duals. ILS Axle: 113 Lb./hp with 40/60 Front/Rear Weight Split and require single front tires with load index of 146 or greater or front duals. Requires rear duals. Not compatible with triples. Not compatible with any other factory installed front or rear weight code.	5,100.00
8933		2372 kg (5230 lb.) Ballast Package with Rear Duals: Front Weight Support with 8 Front Suitcase Weights and One Pair of 635 kg (1400 lb.) Inside/Inner Rear Wheel Weights and One Pair 75 kg (165 lb.) and One Pair 205 kg (450 lb.) Outside/Outer Dual Rear Wheel Weights 1500 Axle: 116 Lb/hp with 39/61 Front/Rear Weight Split and require single front tires with load index of 146 or greater or front duals. ILS Axle: 124 Lb/hp with 43/57 Front/Rear Weight Split and require single front tires with load index of 148 or greater or front duals. Requires rear duals. Not compatible with triples. Not compatible with any other factory installed front or rear weight code.	6,716.00
8932		3547 kg (7820 lb.) Ballast Package with Rear Duals: Front Weight Support with 16 Front Suitcase Weights and One Pair of 635 kg (1400 lb.) Inside/Inner Rear Wheel Weights and One Pair 75 kg (165 lb.) and Three Pair of 205 kg (450 lb.) Outside/Outer Dual Rear Wheel Weights 1500 Axle: 132 Lb./hp with 43/57 Front/Rear Weight Split and require single front tires with load index of 150 or greater or front duals. ILS Axle: 134 Lb./hp with 44/56 Front/Rear Weight Split and require single front tires with load index of 151 or greater or front duals. Requires rear duals. Not compatible with triples. Not compatible with any other factory installed front or rear weight code. Base on the tire width option ordered, some 450 lb. wheel weights may be shipped on a separate pallet and require dealer installation.	10,052.00
8934		3797 kg (8370 lb.) Ballast Package with Rear Duals: Front Weight Support with 22 Front Suitcase Weights and One Pair of 635 kg (1400 lb.) Inside/Inner Rear Wheel Weights and One Pair 75 kg (165 lb.) and Three Pair 205 kg (450 lb.) Outside/Outer Dual Rear Wheel Weights 1500 Axle: 134 Lb./hp with 45/55 Front/Rear Weight Split with Front Duals. ILS Axle: 136 Lb./hp with 46/54 Front/Rear Weight Split with Front Duals. Requires front and rear duals. Not compatible with triples. Not compatible with any other factory installed front or rear weight code. Base on the tire width option ordered, some 450 lb. wheel weights may be shipped on a separate pallet and require dealer installation.	10,772.00

8335R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8955		Quik-Tatch Weights: Weight, Front Support - Less Weights Support weighs 390 Lb. (180 kg). 1300 Axle requires single front tires with load index of 141 or greater. 1500 Axle requires single front tires with load index of 143 or greater or front duals. ILS requires single front tires with load index of 145 or greater or front duals. Includes Tow Point.	501.00
8956		Weight, Front Support with Four Suitcase Weights 1300 Axle requires single front tires with load index of 143 or greater. 1500 Axle requires single front tires with load index of 145 or greater or front duals. ILS requires single front tires with load index of 146 or greater or front duals.	1,036.00
8957		Weight, Front Support with Eight Suitcase Weights 1300 Axle requires single front tires with load index of 145 or greater. 1500 Axle requires single front tires with load index of 146 or greater or front duals. ILS requires single front tires with load index of 148 or greater or front duals.	1,571.00
8958		Weight, Front Support with Twelve Suitcase Weights 1300 Axle requires single front tires with load index of 146 or greater. 1500 Axle requires single front tires with load index of 148 or greater or front duals. ILS requires single front tires with load index of 150 or greater or front duals.	2,106.00
8959		Weight, Front Support with Sixteen Suitcase Weights 1300 Axle requires single front tires with load index of 148 or greater. 1500 Axle requires single front tires with load index of 150 or greater or front duals. ILS requires single front tires with load index of 151 or greater or front duals.	2,641.00
8960		Weight, Front Support with Twenty-Two Suitcase Weights 1300 Axle requires single front tires with load index of 150 or greater. 1500 Axle requires single front tires with load index of 152 or greater or front duals. ILS requires single front tires with load index of 153 or greater or front duals.	3,361.00
		Rear Wheel Weights - For Inside/Inner Wheels (Cast): Weights shown are for each weight.	
8970		One Pair 205 kg (450 lb.)	1,189.00
8971		Two Pair 205 kg (450 lb.) Based on the tire width option ordered, some 450 lb. wheel weights may be shipped on a separate pallet and require dealer installation.	2,382.00
8972		One Pair 635 kg (1400 lb.) Requires tire with load rating above 151 Load Index.	3,428.00
		Rear Wheel Weights - For Outside/Inner Wheels (Cast): Weights shown are for each weight.	
8978		One Pair 75 kg (165 lb.) Starter Weights and One Pair 205 kg (450 lb.) Weight for the Outside of Single Rear Wheel For outside of drive wheel on rear singles only.	1,717.00

8335R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	SUGGESTED LIST PRICE USD (\$)
		Rear Wheel Weights - For Outside/Outer Dual Wheels: Weights shown are for each weight.	
8973		One Pair 75 kg (165 lb.) Starter Weights and One Pair 205 kg (450 lb.) Weights for Outer Rear Dual For outside outer dual only. Not compatible with Triples.	1,717.00
8974		One Pair 75 kg (165 lb.) Starter Weights and Two Pair 205 kg (450 lb.) Weights Requires rear duals. Not compatible with rear triples.	2,907.00
8975		One Pair 75 kg (165 lb.) Starter Weights and Three Pair 205 kg (450 lb.) Weights Requires rear duals. Not compatible with rear triples.	3,983.00
		ATTACHMENTS - ORDER AS DESIRED	
9076		Customer Gold Key Program: Gold Key Experience Not compatible with Code 9075. This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE58827	Electrical: 9-Pin Connector Implement Feedback Required for Electrohydraulic Implement Depth Control (EHDC).	132.00
	RE339514	Battery Disconnect Switch, Wheel	150.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE21519	Implement Switch with 10 Ft. Harness	168.00
	AR245564	Mounting Kit for Radar with Dual Beam Sensor Requires Dual Beam Radar (RE249206).	228.00
	RE278980	Radar with Dual Beam Sensor Requires mounting kit AR245564.	See Parts
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	26.00
	RE323008	Engine: Cold Weather Starting Package	94.00
	RE227949	Engine Block Heater (110V)	See Parts

8335R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE524692	ATTACHMENTS FOR FIELD CONVERSIONContinued Engine Block Heater (220V)	See Parts
	RE321571	Fuel/Water Separator Kit, Severe Duty In addition to water separator in base equipment.	627.00
	RE260608	Fenders: Fenders, Deluxe Pivoting Front for 1300 Series MFWD - 18.7 In. (480 mm) Wide Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths. Compatible with 1300 Series MFWD front axle only.	1,368.00
	RE260609	Fenders, Deluxe Pivoting Front for 1300 Series MFWD - 24.4 In. (620 mm) Wide Recommended use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Compatible with 1300 Series MFWD front axle only.	1,603.00
	RE308214	Fenders, Deluxe Pivoting Front for 1500 Series MFWD - 18.7 In. (480 mm) Wide Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths. Compatible with 1500 Series MFWD front axle only.	1,368.00
	RE308215	Fenders, Deluxe Pivoting Front for 1500 Series MFWD - 24.4 In. (620 mm) Wide Recommended use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Compatible with 1500 Series MFWD front axle only.	1,603.00
	RE236667	Fenders, Deluxe Pivoting Front for Independent Link Suspension - 18.7 In. (480 mm) Wide Also order 2 pieces of R186578. Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths.	1,368.00
	RE236670	Fenders, Deluxe Pivoting Front for Independent Link Suspension - 24.4 In. (620 mm) Wide Also order 2 pieces of R186578. Recommended for use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Not for use with front dual tire combinations.	1,603.00
	RE324406	Fenders, Extra Width Rear Fender Extensions For use with 800 mm wide rear tires. Requires Full Coverage Rear Fenders (RE318606) for installation.	276.00
	RE318606	Fenders, Full Coverage Rear 2.55 meter (100 In. Width) <i>Included in Code 9083</i> .	500.00
	R177682	Hitch and Drawbar: Center Link Bracket Retains the center link when not in use.	See Parts
	AR211154	Drawbar Heavy Duty Support for use with Cat. 4 Drawbar (11,000 Lb. Vertical Load Capacity) Requires Cat. 4 Drawbar. Increases vertical load capacity to 11,000 Lb. (4990 kg.). Cat. 4 Drawbar is not compatible with PTO Codes 2418 or 2420 or with field installed 1-3/8 540 rpm PTO.	809.00
	RE268625	Drawbar, Ball-type 80 mm Cat. 4 Ball-type drawbar for use when using the DN 345 - Drawn Dry Box Spreader. No other implements are approved for this drawbar.	3,263.00

8335R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AR211153	ATTACHMENTS FOR FIELD CONVERSIONContinued Drawbar, Cat. 4 with 2 In. Pin and Heavy Duty Support (11,000 Lb. Vertical Load Capacity) Cat. 4 Drawbar is not compatible with PTO Codes 3820 or 3821 or with field installed 1-3/8 540 rpm PTO.	1,873.00
	RE327692	Front Hitch Chain Hooks	196.00
	RE301735	Hitch Kit, 3-in-1 Rails Compatible with Type 2 PTO.	817.00
	RE301736	Hitch Kit, 3-in-1 Rails Compatible with Type 3 PTO.	1,368.00
	AR216079	Rear Hitch Quik-Coupler (Convertible Cat. 4N/3)	2,429.00
	RE327558	Hydraulics: 4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,445.00
	RE343865	4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	2,466.00
	RE327559	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,445.00
	RE343866	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	2,546.00
	RE327560	6th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R334695) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,909.00
	RE315727	Auxiliary Hydraulic Oil Take-Out Pump and Reservoir Provides an additional 11 gallon (42 liters) capacity for large, single acting cylinders used for application where a large hydraulic oil flow in a short period of time is needed.	1,935.00
	RE323828	Auxiliary Hydraulic Oil Take-Out Pump and Reservoir	1,935.00
	RE222721	Auxiliary Sump Coupler Kit (Flush Face Coupler Style) Required to connect Tractor sump to case drains on Seeding Equipment.	129.00

8335R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE333976	ATTACHMENTS FOR FIELD CONVERSIONContinued Front SCV Plumbing Kit Routes SCV function from the rear to the front.	1,822.00
	AR114664	Hydraulic Motor Return, Multiple/Auxiliary Hitch Coupler/ Sump Return Kit For use with Hydraulic Motor Returns, Hitch Valve with Lift Assist Wheels or Motor Drains/Sump Returns or grapple valve.	193.00
	RE337305	Hydraulic Trailer Brake Kit Provides single line connection to hydraulic braking systems. Works with or without power beyond couplers.	750.00
	RE221284	Low Stand-By Pressure Control Kit Prevents main pump activation during engine start up in certain hydraulic configurations using power beyond.	980.00
	RE281166	Power Beyond Coupler Kit Kit includes load sense, pressure and return couplers.	756.00
	AR272536	Rear EHSCV Single Lever Control (Joystick) and Mounting Parts for CommandArm Attaches to CommandArm. Requires (R301762) Software download to activate function - See Parts.	1,563.00
	RE308937	Lighting: Auxiliary Driving / Loader Light Kit Includes headlights, wiring harness, brackets and mounting hardware.	236.00
	RE269641	Lights, Field Vision Xenon HID Rear Fender Light Requires (2) for conversion.	See Parts
	RE298933	Lights, Two Roof-Mounted 65W Halogen Front Flood Lights	140.00
	RE325694	Rotary Beacon Light Kit	371.00
	AR320123	Miscellaneous: Single Line Coupler Parts for Air Trailer Brakes	581.00
	RE67015	Operator Environment: 3-Way Convenience Adapter for Power Strip	See Parts
	RE317435	Accessory Mounting Bracket Provides mounting location for additional monitors.	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00
	RE275532	Ash Tray Fits in existing cup holder.	See Parts
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	RE323407	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	594.00

8335R Tractor


CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE293499	ATTACHMENTS FOR FIELD CONVERSIONContinued External Mirrors, Electrically Telescoping and Heated Mirror Heads For converting the heads on electric mirrors to telescoping and heated.	1,696.00
	RE323405	External Mirrors, Manually Adjustable RH and LH	265.00
	RE321017	Foot-Operated Speed Control For use with PST or IVT transmissions. Order Floor Mat separate through Parts.	125.00
	RE68495	Power Strip with Six Outlets	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	295.00
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE284180	Step Kit, Left Hand Convenience Platform	See Parts
	RE261504	Sun Shade, Front Pull Down	See Parts
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	RE324993	Touchscreen GS3 CommandCenter 7" Color Display, Video Capable	1,260.00
	RE269618	Windshield Wiper with Washer, Rear	193.00
	RE331560	SCV Parts: Paddle Pot Pod, Common Parts Only compatible on Tractors with CommandARM. Order single paddle potentiometer separately. See instructions RE331562 for more information. Compatible on 8R above SN 053100 and 8RT above SN 907100.	95.00
	RE331559	Single Paddle Potentiometer Order decals and levers separately. See instructions RE331561 for more information.	See Parts
	RE298885	Software Downloads: Intelligent Power Management Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305729	Language Group for CommandCenter - English, Croatian, Serbian, Slovenian, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts

8335R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE305727	ATTACHMENTS FOR FIELD CONVERSIONContinued Language Group for CommandCenter - English, Danish, Swedish, Finish, Norwegian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305726	Language Group for CommandCenter - English, Estonian, Latvian, Lithuanian, Polish, Russian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305725	Language Group for CommandCenter - English, French, Dutch, Icelandic, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305730	Language Group for CommandCenter - English, Greek, Turkish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE308728	Language Group for CommandCenter - English, Hungarian, Czech, Slovak, Romanian, Bulgarian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305731	Language Group for CommandCenter - English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	BPF10312	Non-John Deere Guidance Compatibility Activation - AutoFarm/Novariant Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10313	Non-John Deere Guidance Compatibility Activation - Hemisphere/Outback Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10433	Non-John Deere Guidance Compatibility Activation - Leica Geosystems Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10311	Non-John Deere Guidance Compatibility Activation - Raven Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10363	Non-John Deere Guidance Compatibility Activation - Trimble Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	RE224298	Transmission: Transmission Backup Alarm	405.00
	RE323009	Transmission Hydraulic Oil Heater (110 Volts)	342.00

8335R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE323010	ATTACHMENTS FOR FIELD CONVERSIONContinued Transmission Hydraulic Oil Heater (220 Volts)	446.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	R127764	Weights: Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R242154	Weight, Front Support, 390 Lb. (180 kg) Requires (6) 19M9141 Cap Screws and (6) 24M7242 Washers for installation - See Parts. Holds up to 22 Quick-Tatch Weights.	844.00
	R167151	Weight, Inner Wheel, 1400 Lb.	1,903.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg)	282.00
	RFR207782	Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights)	2,658.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00
	R207782	Weight, Wheel, 450 Lb.	664.00
	RE324389	Wheel Equipment: Front Wheel Dual Extensions Compatible with ILS or 1500 front axles.	2,538.00
	AR190666	One 10 In. Dual Hub Extension	759.00
	AR190668	One 13 In. Dual Hub Extension	844.00
	AR190669	One 15 In. Dual Hub Extension	884.00
	AR194744	One 5 In. Dual Hub Extension	685.00
	RE267658	Three Meter Front Wheel Spacer Not compatible with Tractors equipped with front brakes.	3,063.00



8360R Tractor

Equipment for Base Machine

```
ENGINE:
                                                                          Engine Coolant Temperature Gauge
ENGINE:

John Deere PowerTech Diesel
In-line 6-Cylinder Wet-Sleeve
with High Pressure Common Rail (HPCR)
Fuel System and 24 Valve Head

9.0 L (549 Cu. In.) Displacement
360 Engine Hp (265 kW) 97/68/EC @ Rated Speed
305 SAE PTO hp (228 kW) @ Rated Speed
Air to Air Intercooled
Automatic Shutdown System
                                                                          Fuel Level Gauge with
                                                                          Low Fuel Warning Signal
Engine RPM Indicator
                                                                       Status Indicator for:
                                                                          MFWD
                                                                          Differential Lock
                                                                       Rear PTO Speed
CommandCenter Display Includes:
GreenStar 3 Application Capability
Automatic Shutdown System
Dry Type Air Cleaner with Safety Element
                                                                          Video Capability, with Tractor Function
and Dirt Aspiration System
Tilt Hood Enclosure
                                                                          Activated Triggers
AutoTrac and Swath Control Pro
VariCool Fan Drive System
Electric Fuel Shutoff
Engine Coolant Conditioner Additive
Engine Coolant Recovery System
Dual Stage Fuel Filtration System with
                                                                             Activation Required
                                                                          Access Manager
                                                                          Universal Performance Monitor
                                                                       Display Functions Definable By Operator:
                                                                          % Slip
Fuel Water Separator with Sensor
Self-Priming and Bleeding Electronic
                                                                          Ground Speed
PTO Speed
Fuel Pump
680 L (180 U.S. Gal.) Fuel Tank Capacity
with Lockable Fuel Cap
Top-loading Vertical Engine Oil Filter
Electronic Injection and Governor Control
Field Cruise Control
                                                                          Engine Hours
Hydraulic Settings
                                                                          Hitch Settings
Hitch Slip Command
                                                                          Productivity
                                                                          Efficiency
                                                                          Area
TRANSMISSION:
                                                                          Adjustable PTO Modulation
                                                                          Implement Width
Powershift.
   Infinitely Variable with Right Hand Control
                                                                          Service Hours
   Hydraulically-Engaged Wet-Disk Clutch
                                                                          Voltage
Auto Clutch
Full Auto, Custom and Manual Modes
                                                                          Fuel Consumption Rate
                                                                          Temperatures
Electrohydraulic Engaged Park Brake
                                                                          Time of Day
                                                                          Ambient Temperature
                                                                       Command Control System with:
STEERING, BRAKES DIFFERENTIAL:
Load-Sensing Hydraulic Power Steering
                                                                          Automatic Powershift
Wet-Disk Hydraulic Power Brakes
                                                                          Set and Adjust Time and Flow of
Hydraulically-Engaged Differential Lock
                                                                             Individual Selective Control Valves
                                                                       iTEC End of Row Functions
                                                                       Languages:
HYDRAULICS:
Pressure Flow Compensating
Axial Piston Pump
83 cc Displacement 227 lpm (60 gpm)
                                                                          For a complete list of languages, refer to the Ag
                                                                          Sales Manual
   Pump Output
                                                                       OPERATOR PROTECTIVE STRUCTURE:
132 lpm (35 gpm) Flow @ One SCV
L (gal) Oil Take Out Capacity @
                                                                       Deluxe CommandView II Cab
                                                                          Tilt/Telescoping Memory Steering Wheel
Max Flow Rate
50 L (13 Gal.) Take-Out Capacity
                                                                          Comfort Command Seat with
Air Suspension, Swivel
Fore-Aft Lateral Attenuation,
Four Electrohydraulic Remote Selective
  Control Valves with Push/Pull
ISO Breakaway Couplers and
                                                                             Lumbar Support
                                                                             Backrest Adjustment with
   High Pressure Release Levers
                                                                             Integrated CommandARM Controls
                                                                          Adjustable Position CommandARM with
                                                                             Integrated CommandCenter Display
Independent 1000 RPM, 45 mm
                                                                          Swing-Out Rear Window (30 Degrees)
   (1-3/4 \text{ In.}) 20 Spline
                                                                          Tinted Glass
PTO Safety Start System
                                                                          Air Conditioner and Heater
Seat-Activated PTO Warning
                                                                          Two Speed and Intermittent Front Wiper
                                                                             and Rear Wiper
ROCKSHAFT, HITCH AND DRAWBAR:
                                                                          Front and Rear Windshield Washer
Dual Cylinder Electrohydraulic Rear
                                                                          Pull Down Front Sun Visor
                                                                          Rear Under Seat Storage
   3-Point Hitch, Category 4N/3
   Solid Draft Links with External
                                                                          Folding Instructional Seat
   Remote Raise/Lower Switch
                                                                          Left Hand Storage
   Sway Blocks with Tapered Wedge Adjustment
                                                                          Two Beverage Holders
   Electro/Hydraulic Hitch Dampening
                                                                          Right and Left Outside Mirrors
   Center Link Adjustment Handle
                                                                          Less Radio and Speakers
   Transport Lock
                                                                          Includes Wiring Harness for Radio and Speakers
Adjustable Swinging Drawbar
                                                                          Inside Cab Mounted Rear View Mirror
Cat. 4 Drawbar with Clevis and 2 In. Pin
                                                                          Passive Noise Reduction System
                                                                       Backlit Right Hand Console Controls
                                                                          with Adjustable Brightness
INSTRUMENTATION:
                                                                       Step, Left Hand Convenience
Corner Post Digital Instrument Panel
   Includes:
                                                                       ELECTRICAL:
   Engine Oil Pressure Gauge
                                                                       Key Engine Shutoff
```

8360R Tractor

Continued

12V Electrical System
Two 925 CCA 12V Batteries
Two 12V Electrical Convenience Outlet
Two 12V Electrical 3-Pin Outlet
with Adapter
Battery Boost Terminal
200 Amp Alternator
SmartCircuit Current Load Monitoring
System with Fuse Panel
7-Terminal Rear Implement Electrical
Outlet Socket
Integrated ISO Radar Connector
StarFire ITC or Radar Speed
Input Harness
ServiceADVISOR Data Port

LIGHTS:

Six Front Grill Mounted Lights Ten Cab Roof Mounted Lights Two Rear Fender Flood Lights Extremity, Brake, Turning, and Hazard Lights

AXLES, WHEELS AND TIRES: Independent Link Suspension with Hydraulic Differential Lock, Dual Capability and Driveline Shield Rear Axle and Wheels and Tires AG MANAGEMENT SOLUTIONS:
Integrated Plug-In for GreenStar Display
Deluxe StarFire Receiver Bracket
GreenStar Ready harness with Implement
Circuit Gateway and Integrated
GreenStar Display Plug-In
Implement Connector
AutoTrac Ready Components:
Wiring, SSU, Front WheelAngle Sensor and Electro-Hydraulic
Steering Valve

MISCELLANEOUS: Enclosed Chain Storage Box Horn PTO Master Shield Tool Box Operator's Manual Lockable Fuel Cap

* Manufacturer's Rating **Cold Cranking Amperes

ATTACHMENT CODE IDENTIFIER DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Waterloo, Iowa

7550RW 8360R Tractor 321,101.00

DESTINATION

ASIA

A Code must be chosen for each Tractor ordered.

0078 Israel Same Price

Requires Code 1885 JDLink Capable. Requires Code 8336 Stage 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting.

Code 4032 8,482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5601 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.

8360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	
0184		NORTH AMERICA Canada Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Ultimate Promotion 3 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Code 4032 8,482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler.	1,209.00
		Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5601 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	
0202		United States Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Ultimate Promotion 3 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting. Telematics components required for JDLink Ultimate Promotion	1,209.00
		Code 4032 8,482 kg (18,700 Lbs.) Cat. 4N/3 3-Point Hitch with Quick Coupler. Code 5042 120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Rear Axle. Code 5601 480/80R50 In. 159A8 R1W Rear Dual Wheel and Tires. Code 6603 420/85R34 In. 147A8 R1W Front Dual Wheels and Tires.	
		VALUE PACKAGE CONFIGURATIONS	
0500		No Package Order one Code from each box in the Price Pages.	In Base Price
0505		Premium IVT 1500 or ILS Package Includes Codes: 2061, 1833 or 1834, 1550 or 1551 or 1552 or 1553, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810, 4032, 4322, 3260, 5042, 6042 or 6060 or 6061, 8288, 8251, 832G, 8010 or 8011.	-1,500.00
0507		iPackage IVT Includes Codes: 2061, 1826, 1837 or 1838, 1848 or 1849, 1889 or 1887 or 1888, 1833, 1550 or 1551 or 1552 or 1553, 7202, 2661 or 2662, 3341 or 3351 or 3361, 3810, 4032, 4322, 3260, 5042, 6060 or 6061, 8288, 8251, 832G, 8010 or 8011.	-2,000.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest controls with Integrated CommandCenter Display. Folding Instructional Seat. Remote Radio Controls located on CommandARM. Front Windshield Washer and Wiper. SMV Emblem. Manual Temperature Controls located in cab roof. See Attachments Section for ordering information on additional field attachments.	-1,980.00
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on CommandARM.	In Base Price

8360R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATIONContinued Front and Rear Windshield Washer and Wiper. SMV Emblem. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Right and Left Outside Mirrors (Manual Adjustment). Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. See Attachments Section for ordering information on additional field attachments.	
2061		Premium CommandView II Cab with Active Seat Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on CommandARM. Front and Rear Windshield Wiper and Washer. SMV Emblem. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Right and Left Outside Electrically Adjustable Mirrors. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. Active Seat. See Attachments Section for ordering information on additional field attachments. DISPLAY When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional	3,469.00
		standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information. Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1821		GS3 CommandCenter, 7" Color Display Includes Access Manager user lockout software. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately.	In Base Price
1823		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable Includes Access Manager user lockout software, and video capability. With a StarFire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. One video camera input pre-wired in the cab. Connector located on the outside rear of the cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. See Parts for available cameras. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	1,260.00

GS3 CommandCenter 7" Color Display with GreenStar 3 2630 Display Includes Access Manager user lockout software.
Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed on

6,086.00

corner post.

1825

8360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DISPLAYContinued	
		Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.	
		When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the 2630 Display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	
1826		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable with GreenStar 3 2630 Display Includes Access Manager user lockout software, and video capability. Includes GreenStar 3 2630 Display, harness and A-post mounting bracket installed on cornerpost.	7,351.00
		Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.	
		The GS3 CommandCenter is pre-wired with one video input in the cab. Connector located on the outside rear of cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. In addition, the GreenStar 3 2630 Display has the capability of one video input. Requires camera and harnessing for video capabilities. See Attachments for harnessing at GreenStar Harnesses in the AMS Price Pages and Ag Sales Manual for list of compatible cameras.	
		When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the 2630 display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	
		RECEIVER	
		StarFire 3000 Position Receivers can be ordered in two configurations: -SF1 World Solution, a no-charge differential correction signal that provides non-row-crop accuracySF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting	
		www.StellarSupport.comRTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual.	
		GNSS serial port information (NMEA) is available through a StarFire 3000.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1835		Less StarFire 3000 Receiver Tractor includes deluxe receiver mounting bracket only.	In Base Price
		When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.	
1837		StarFire 3000 Receiver - SF1 with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.	2,695.00
		Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 receiver can be upgraded to SF2 capabilities.	
1838		StarFire 3000 Receiver - SF2 Ready with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only.	4,695.00

8360R Tractor

Continued

			SUGGESTED
	ATTACHMENT		LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)

RECEIVER ...Continued...

StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.

A StarFire3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available through StellarSupport.com or by calling the AMS Customer Call Center.

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold seperately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, all GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact Stellar Support to activate AMS Software Activations, referencing the Tractor order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1845	Less AutoTrac Activation - GS3	In Base Price
1846	AutoTrac SF1 Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) for AutoTrac functionality. See AMS sales manual and price pages for detailed information.	3,000.00
1847	AutoTrac SF2 Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires SF2 Subscription sold seperately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	6,500.00
1848	AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See AMS sales manual and price pages for detailed information.	5,500.00
1849	AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. Also requires SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	9,000.00

MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage.

8360R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
332 2	IDENTIFIER	MACHINE CONNECTIVITYContinued Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.	00D (w)
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and I year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability. Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	1,200.00
		ACTIVECOMMAND STEERING	
1833		John Deere ActiveCommand Steering (ACS) Includes cab-mounted gyro, tactile feedback unit in steering column, and steering control unit for variable ratio steering and dynamic road-wheel offset control.	3,209.00
1834		Less John Deere ActiveCommand Steering (ACS)	In Base Price
		TRANSMISSION	
1550		AutoPowr IVT Transmission 42 km/h (26 mph) with Right Hand Reverser Controls	In Base Price

8360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRANSMISSIONContinued	
1551		AutoPowr IVT Transmission 42 km/h (26 mph) with Left Hand Reverser Controls	871.00
1553		AutoPowr IVT Transmission 50 km/h (31 mph) with Right Hand Reverser Controls Requires 120 mm diameter Rear Axle Codes; Front Axle Code 6061; Front Fender Code 8010 or 8011; Trailer Brake Code 8751, 8752, or 8756, and Symbol B (50 km/h) Front and Rear Tires.	Same Price
1552		AutoPowr IVT Transmission 50 km/h (31 mph) with Left Hand Reverser Controls Requires 120 mm diameter Rear Axle Codes; Front Axle Code 6061; Front Fender Code 8010 or 8011; Trailer Brake Code 8751, 8752, or 8756, and Symbol B (50 km/h) Front and Rear Tires.	871.00
		LIGHTS	
7200		Standard Lighting Six Front Grill Mounted Lights: two 65W low beam driving lights, two 65W high beam driving lights and two front corner facing halogen work lights. Ten Cab Roof Mounted Lights: Two rear and four side facing 65W flood lights and four corner facing amber lights. Two rear fender mounted flood lights and two rear turn signal and brake lights. Two folding extremity lights.	In Base Price
7201		Deluxe Lighting Includes Standard Lights plus two adjustable front roof 65W halogen floodlights, two front belt-line flood lights, and rotary beacon light.	789.00
7202		Premium Lighting Includes Deluxe Lights, and additionally in the front grill screen, two front corner HID lights replace two front halogen lights and one HID light and one 65W halogen flood light are added. Two rear fender lights are replaced with HID lights.	3,442.00
		RADIO	
2650		Less Radio and Speakers Includes wiring harness only for Radio and Speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack located on front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio For U.S. and Canada Markets only. AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter,XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display.	1,015.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna.	912.00

8360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RADIOContinued	
		REMOTE SELECTIVE CONTROL VALVES	
3331		Three Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	-1,875.00
3341		Four Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	In Base Price
3351		Five Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	1,876.00
3361		Six Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers Includes Auxiliary CommandArm Mounted SCV Controls. Only available on Model Year 2012 Tractors.	3,753.00
		POWER TAKE OFF	
3810		45 mm (1-3/4 ln.) 1000 rpm PTO (20 Spline)	In Base Price
		REAR HITCH	
		Advertised Hitch Lift Capacity is the amount of force that is sustained through the entire range of lift, measured at 610 mm behind the hitch point. This is measured with the rear hitch centerlink connected to the upper hole. See Operators Manual for more information. Maximum Lift Capacity is noted as well. This is the maximum force achieved during lift, directly at the hitch point.	
4000		Less 3-Point Hitch Requires Code 3331 Three Remote Selective Control Valves. If 4 and/or 5 remote cylinder control valves are required, order field installed kit RE301321 (4th Remote Cylinder Control Valve) and/or RE301501 (5th Remote Cylinder Control Valve). Not compatible with Code 841H Front Hitch.	-5,922.00
4032		8,482 kg (18,700 Lbs.) Lift Capacity Hitch (Cat 4N/3) Hitch with Sway Blocks and Quick Coupler 11,933 kg (26,307 Lbs.) Maximum Lift Capacity. Requires Group 48 Rear Tires. Requires 120mm Diameter Rear Axle.	In Base Price
4046		6396 kg (14,100 Lbs.) Lift Capacity Hitch (Cat 4N/3) Hitch with Sway Blocks and Quick Coupler 8,984 kg (19,807 Lbs.) Maximum Lift Capacity. Requires Group 48 Rear Tires. Requires 120mm Diameter Rear Axle. Only available on Model Year 2012 Tractors.	-1,211.00
		DRAWBAR AND TRAILER HITCH	
4321		Cat. 4 Adjustable Swinging Drawbar with 50 mm (2 ln.) Pin 2,245 kg (4,950 Lb.) Maximum Vertical Load. Use of 540 RPM PTO Shaft is not recommended due to interference during turns.	In Base Price
4322		Cat. 4 Adjustable Swinging Drawbar with 50 mm (2 In.) Pin with Heavy Duty Support 4990 kg (11,000 Lb.) Maximum Vertical Load. Use of 540 RPM PTO Shaft is not recommended due to interference during turns.	556.00

8360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DRAWBAR AND TRAILER HITCHContinued	
		HYDRAULIC PUMP	
3260		227.1 lpm (60 gpm) 85 cc Hydraulic Pump Displacement	In Base Price
		REAR AXLES	
5042		120 mm (4.72 In.) Diameter x 3010 mm (118.5 In.) Length with Double Taper Wheel Hubs	In Base Price
5043		120 mm (4.72 ln.) Diameter x 2438 mm (96 ln.) Length with Double Taper Wheel Hubs	-1,015.00
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)	
		For complete tire and wheel information, refer to the Agricultural Sales Manual or individual tire manufacturer's handbook. Some tire sizes and/or brands are excluded from manufacturer warranty when used in specialty applications (e.g. use on Scraper Tractors). Please refer to the tire manufacturer's handbook for specific warranty guidelines. Overloading of tires is prohibited.	
		A8 Speed Rated RCI Group 48 Size Tires (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles, to Duals, to Triples (if offered) Use with any RCI Group 43 or 44 Front Tire with same brand preference. Four step front and rear tire combinations, as example group 44/48, 43/47 are acceptable with ILS (Code 6060 or 6061) and 1500 MFWD (Code 6042) axles only. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted. Mixing of Increased Flexion (IF) and non-Increased Flexion tires is not permitted unless otherwise noted.	
5600		380/90R54 In. 152A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	164.00
5601		480/80R50 In. 159A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, Titan, Mitas/Continental, or Michelin.	In Base Price
5720		480/80R50 In. 159A8 R1W Radial in Triple Wheel Configuration Available in Firestone, Goodyear, Titan, Mitas/Continental, or Michelin. Requires Code 5042 120 mm (4.72 In.) x 3010 mm (118.5 In.) Rear Axle. 30 In. spacing only. Includes two 15 In. and two 10 In. Axle Extensions.	13,734.00
5602		IF 480/80R50 166A8 R1W Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Firestone brand, Standard non-Increased Flexion Front Tire Codes 6201, 6601, 6203, and 6603.	3,608.00
5603		520/85R46 In. 158A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Michelin, Mitas/Continental, or Goodyear.	-382.00

8360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5604		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued 520/85R46 In. 158A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. Compatible Front Tire Code 6206 Single Tire or 6606 Front Dual Tires.	114.00
5605		620/70R46 In. 167A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	3,366.00
5218		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	-4,046.00
5618		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Requires Front Tire Code 6214.	9,860.00
5606		710/70R42 In. 168A8 R1W Radial in Dual Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999.	3,650.00
5207		710/70R42 In. 173A8 R1W Radial in Single Wheel Configuration Available in Michelin, Goodyear, or Mitas/Continental.	-6,160.00
5607		710/70R42 In. 173A8 R1W Radial in Dual Wheel Configuration Available in Michelin, Goodyear, or Mitas/Continental.	5,642.00
5219		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin.	-4,042.00
5619		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Firestone or Michelin.	9,878.00
5209		800/70R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Firestone, Michelin, or Goodyear.	-5,444.00
5609		800/70R38 In. 173A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Michelin, or Goodyear. Includes two 10 In. Axle Extensions.	7,064.00
5220		IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-1,964.00
5620		IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Includes two 10 In. Axle Extensions.	14,024.00

8360R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR WHEELS AND TIRES (CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED)Continued	
		REAR WHEELS AND TIRES FOR 31 MPH (50 KM/H) TRANSMISSION (CODE 1552 OR 1153):	
		B Speed Rated RCI Group 48 Size Tire (81 In./2057 mm Diameter) Listed Narrowest to Widest Listed Singles, to Duals, to Triples (if offered) For use with any B Rated RCI Group 43 Front Tire with same tread type and brand preference.	
5610		480/80R50 In. 159B R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear.	1,072.00
5211		650/85R38 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear.	-6,034.00
5215		IF 650/85R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-3,514.00
5213		710/70R42 In. 173B R1W Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-4,286.00
5216		IF 710/70R42 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-2,834.00
5217		IF 800/70R38 In. 179B R1W Increased Flexion Radial in Single Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999.	-1,428.00
		FRONT AXLES	
6042		1500 Series Mechanical Front Wheel Drive with Hydraulic Differential Lock and Dual Tire Capability Requires Code 3260: 227 lpm (60 gpm) Hydraulic Pump. Single front tires require a load index rating of 143 or greater. Axle is compatible with duals. Compatible with either Group 42/43 Front and 47 Rear tires or 43/44 Front and 48 Rear Tires where allowed by model. See tire listings.	-8,949.00
6060		John Deere Independent Link Suspension with Hydraulic Differential Lock, Fully Enclosed Driveline and Dual Tire Capability Requires Code 3260: 227 lpm (60 gpm) Hydraulic Pump. Single front tires require a load index rating of 145 or greater. Compatible with either Group 42/43 Front and 47 Rear tires or 43/44 Front and 48 Rear Tires where allowed by model. See tire listings.	In Base Price
6061		John Deere Independent Link Suspension with Hydraulic Differential Lock, Wet Multi-Disk Brakes, Fully Enclosed Driveline, and Dual Tire Capability Requires Code 3260: 227 lpm (60 gpm) Hydraulic Pump. Single front tires require a load index rating of 145 or greater. Compatible with either Group 42/43 Front and 47 Rear tires or 43/44 Front and 48 Rear Tires where allowed by model. See tire listings.	2,468.00

FRONT WHEELS AND TIRES

8360R Tractor

CODE	ATTACHMENT IDENTIFIER	FRONT WHEELS AND TIRESContinued For complete tire and wheel information, refer to the Agricultural Sales Manual or individual tire manufacturer's handbook. Some tire sizes and/or brands are excluded from manufacturer warranty when used in specialty applications (e.g. used on Scraper Tractors). Please refer to the tire manufacturer's handbook for specific warranty guidelines. Overloading of tires is prohibited. FRONT WHEELS AND TIRES FOR 40 km/h TRANSMISSIONS: FRONT TIRES FOR 1300 SERIES (CODE 6040 OR 6041), 1500 SERIES (CODE 6042), OR INDEPENDENT LINK SUSPENSION (ILS) (CODE 6060 OR 6061) AXLES Eight Position Wheels for 1300 Series, 1500 Series, or ILS Axle with: A8 Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Use with any RCI Group 47 or 48 Rear Tire with same tread type and brand preference. Four step front and rear tire combinations, as example 44/48, 43/47 are acceptable with ILS (Codes 6060 or 6061) and 1500 MFWD (Code 6042) axles only. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	SUGGESTED LIST PRICE USD (\$)
		Mixing of Increased Flexion (IF) and non-Increased Flexion Tires is not permitted unless otherwise noted. All Front Dual Configurations require Code 6042 1500 MFWD, 6060 ILS, or 6061 ILS with Brake Front Axle.	
6600		320/80R42 In. 141A8 R1W Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999.	-380.00
6601		380/80R38 In. 142A8 R1W Radial in Dual Wheel Configuration Available in Michelin, Firestone, Titan, Mitas/Continental, or Goodyear. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	-344.00
6202		IF 380/80R38 149A8 R1W Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Standard, non-Increased Flexion rear tires.	-7,629.00
6603		420/85R34 In. 147A8 R1W Radial in Dual Wheel Configuration Available in Firestone, Goodyear, Mitas/Continental, or Titan. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	In Base Price
6217		IF 420/85R34 152A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone only. Requires No Brand Preference Code 5999. Compatible with Standard, non-Increased Flexion rear tires.	-7,331.00
6616		480/70R34 In. 143A8 R1W Radial in Dual Wheel Configuration Available in Mitas/Continental only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Sales Manual or Operators Manual. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	-600.00
6604		480/70R34 In. 146A8 R1W Radial in Dual Wheel Configuration Available in Michelin only. Requires No Brand Preference Code 5999. Tread setting restrictions apply, see Sales Manual or Operators Manual. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	1,364.00

8360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
6205		FRONT WHEELS AND TIRESContinued 480/70R34 In. 155A8 R1W Radial in Single Wheel Configuration Available in Firestone or Goodyear. Tread setting restrictions apply, see Sales Manual or Operators Manual.	-7,791.00
6605		480/70R34 In. 155A8 R1W Radial in Dual Wheel Configuration Available in Firestone or Goodyear. Tread setting restrictions apply, see Sales Manual or Operators Manual. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	1,144.00
6606		480/70R34 In. 146A8 R2 Radial in Dual Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999 and Rear Tire Code 5204 or 5604. Tread setting restrictions apply, see Sales Manual or Operators Manual. For use with 1829 mm (72 In.) or wider tread settings only. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	-872.00
6207		540/65R34 In. 152A8 R1W Radial in Single Wheel Configuration Available in Michelin or Goodyear. For 1300 or ILS: For use with 1679 mm (66 In.) or wider tread spacing. For 1500: For use with 1829 mm (72 In.) or wider tread spacing.	-8,299.00
6208		600/70R30 In. 152A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, Mitas/Continental, Trelleborg, or Michelin. For 1300 or ILS: For use with 1780 mm (70 In.) or wider tread spacing. For 1500: For use with 1829 mm (72 In.) or wider tread spacing.	-8,693.00
6214		IF 600/70R30 In. 159A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone or Michelin. Not compatible with 1300 Front Axle. For ILS: For use with 1780 mm (70 In.) or wider tread spacing. For 1500: For use with 1829 mm (72 In.) or wider tread spacing.	-7,031.00
		FRONT WHEELS AND TIRES WITH 1500 AXLE (CODE 6042)OR INDEPENDENT LINK SUSPENSION (ILS) (CODE 6060 OR 6061)	
		Steel MFWD or ILS 8 Position Wheels with: A8 Speed Rated RCI Group 44 Size Tires (66 In./1676 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) Use with any RCI Group 48 Rear Tire with same tread type and brand preference. Mixing of R1 and R1W tread types between Front and Rear Tires is permitted.	
6300		540/75R34 In. 157A8 R1W Radial in Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. For use with 2080 or 2182 mm tread spacing with Code 6042. For use with 1979, 2080 or 2182 mm tread spacing with Code 6060 or 6061.	-8,125.00
6301		620/75R30 In. 163A8 R1W Radial In Single Wheel Configuration Available in Goodyear only. Requires No Brand Preference Code 5999. For use with 2182 mm tread spacing with Code 6042. For use with 2080 or 2182 mm tread spacing with Code 6060 or 6061.	-7,199.00

8360R Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		FRONT WHEELS AND TIRESContinued	
		FRONT WHEELS AND TIRES for 50 km/h TRANSMISSION (CODE 1552 OR 1553)	
		AND INDEPENDENT LINK SUSPENSION (CODE 6061):	
		Eight Position Wheels for ILS Axle Code 6061 with:	
		B Speed Rated RCI Group 43 Size Tires (63 In./1600 mm Diameter) Listed Narrowest to Widest (Single Front or Dual Front as noted) For use with any B Rated RCI Group 48 Rear Tire with same brand preference. Requires Code 6061. Mixing of Increased Flexion (IF) and non-Increased Flexion tires is not permitted unless otherwise noted.	
6609		420/85R34 In. 147B R1W Radial In Dual Tire Configuration Available in Firestone or Goodyear. Requires Rear Tire Code 5610. Four Front Steel Wheels, Adapter Ring, and Spacer Hub.	268.00
6210		540/65R34 In. 152B R1W Radial In Single Tire Configuration Available in Michelin or Goodyear. Use with 1780 mm (70 In.) or wider tread settings.	-7,255.00
6212		600/70R30 In. 152B R1W Radial In Single Tire Configuration Available in Michelin or Goodyear. Use with 1780 mm (70 In.) or wider tread settings.	-6,851.00
6215		IF 600/70R30 In. 159B R1W Increased Flexion Radial in Single Tire Configuration Available in Michelin only. Requires No Brand Preference Code 5999. For use with 1780 mm (70in.) or wider tire tread.	-5,823.00
		TIRE PREFERENCE CODES	
		If only one brand is available in any tire code, the Tire Preference Code 5999 must be chosen below to avoid extra charges. You will still get the one brand stated in the tire code description.	
5999		No Brand Preference Matching front and rear tire brands will be installed on Tractor unless notified by factory. Mitas/Continental brand tires available in US and Canada only.	No Charge
5901		Firestone Brand Only	800.00
5902		Goodyear Brand Only	800.00
5903		Michelin Brand Only	1,200.00
5904		Mitas/Continental Brand Only Mitas/Continental brand tires available in US and Canada only.	800.00
		OPERATOR'S MANUAL AND LABELS	
0403		Bulgarian	Same Price
0409		English	In Base Price

8360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0413		OPERATOR'S MANUAL AND LABELSContinued French	Same Price
0416		Hebrew Operator's Manual and Non-Text Labels	Same Price
0437		Spanish	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8288		Operator Station and Electrical: Foot Operated Speed Control	323.00
8242		Radar, Dual Beam Sensor	887.00
8210		Leather Trim Package For CommandView II, Deluxe CommandView II, and Premium CommandView II cabs. Includes heated leather seat, leather instructional set, leather wrapped steering wheel and rear window decal.	1,623.00
8227		Outside Mirrors, Telescoping, Heated, Electrically Adjustable RH and LH Required to upgrade from Right and Left Hand Manual Adjust Mirrors.	957.00
8228		Outside Mirrors, Telescoping, Heated, Electrically Adjustable RH and LH Required to upgrade from RH and LH Electrically Adjusting Mirrors.	532.00
8251		Antenna Mount and Wiring for Business Band (2-Way) Radio	127.00
8725		Rotary Warning Beacon Required to add Rotary Beacon Light to Standard Lighting Package.	336.00
8720		Loader/Driving Light Package Only available on Model Year 2012 Tractors. Provide two road lights mounted higher on the cab posts for use when front mounted equipment obstruct grill mounted front lights.	206.00
832G		Hydraulics: Auxiliary Hydraulic Connections Includes (2) motor return couplers, (1) flat face sump coupler, (1) power beyond pressure coupler and (1) load sense coupler. Suitable for use with most planting and seeding equipment.	840.00
8010		Chassis: Fenders, Deluxe Pivoting Front for MFWD or ILS - 480 mm (18.9 ln.) Wide Recommended for use with 290 mm (12.4 ln.) to 420 mm (16.9 ln.) tire widths. Code 8010 or 8011 is required for 50 km/h (31 mph) Tractors. Not compatible with Code 8011 Fenders, Deluxe Pivoting Front for MFWD or ILS - 620 mm (24.4 ln.) wide.	1,244.00
8011		Fenders, Deluxe Pivoting Front for MFWD or ILS - 620 mm (24.4 ln.) Wide Recommended for use with 480 mm (18.9 ln.) to 620 mm (244 ln.) tire widths. Not for use with front dual tire combinations. Code 8010 or 8011 is required for 50 km/h (31 mph) Tractors. Not compatible with option Code 8010 Fender, Deluxe Pivoting Front for MFWD or ILS - 480 mm (18.9 ln.) Wide.	1,457.00

8360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8020		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Fenders, Full Coverage Rear 2.55 m (100 ln.) Width Includes hitch control switch on both fenders. Not compatible with Code 8021 Fenders, Extra Width Coverage Rear 2.75 m (108 ln.) Width.	1,222.00
8751		Trailer Brake, Air Dual Line System Includes compressor, tank, control valves and 2 line couplers. Not compatible with Code 8756 Hydraulic Trailer Brakes. If Air and Hydraulic Trailer Brakes are required, order Code 8752 Trailer Brakes, Air Dual Line and Hydraulic.	6,358.00
8752		Trailer Brake, Air Dual Line and Hydraulic Includes rear Tractor line hydraulic coupler. Includes compressor, tank, control valves and couplers. Not compatible with Codes 8751 or 8756.	7,147.00
8756		Trailer Brake, Hydraulic Includes rear Tractor line hydraulic coupler. Not compatible with Code 8751 Trailer Brake, Air Dual Line or Code 8752 Trailer Brake, Air Dual Line and Hydraulic.	789.00
8380		Front Implement: PTO, Independent Front with 35 mm (1-3/8 In) 21-Spline, 1000 rpm Clockwise-Rotating Shaft as Viewed from Front (Type 2) Only available on Model Year 2012 Tractors. For Code 8336 IT4/ Stage IIIB Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6060 or 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490.	7,268.00
8381		PTO, Independent Front with 45 mm (1-3/4 ln) 20-Spline, 1000 rpm Clockwise-Rotating Shaft as Viewed from Front (Type 3) Only available on Model Year 2012 Tractors. For Code 8336 IT4/ Stage IIIB Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6060 or 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490.	7,268.00
8382		PTO, Independent Front with 35 mm (1-3/8 ln) 6-Spline, 1000 rpm, Counter-Clockwise Rotating Shaft as Viewed from Front (Type 1) For Code 8336 IT4/ Stage IIIB Compliant Engine. Requires Front Hitch Code 8411. Requires ILS Front Axle Code 6060 or 6061. Not compatible with group 42 Front Tires. Not compatible with Powershift Transmission Code 1490.	7,268.00
		Available in Australia and New Zealand. Requires Destination Code 0230 Australia or Code 0237 New Zealand.	
8411		Front Hitch with Folding Draft Links, Cat. 3N Ground Engaging Hitch, 5,200 kg (11,450 lb.) Maximum Lift Capacity at Hitch Balls 3175 kg (7000 lb) ISO Lift Capacity Only available on Model Year 2012 Tractors. Includes Front Hitch Valve. Requires Independent Link Suspension (Code 6060 or 6061) Compatible with 3, 4, 5, or 6 Rear SCV's. Includes Auxiliary CommandArm Mounted SCV Controls.	7,090.00

8360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
835H		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Two Front Remote Selective Control Outlets with Push/Pull Breakaway Couplers and Factory Installed Plumbing to Rear Remote Selective Control Valves Three and Four Only available on Model Year 2012 Tractors. Front SCV hoses can be disconnected for rear SCV use. Requires Code 8411 Front Hitch. Requires Code 8020 Full Coverage Rear Fender Extensions to provide remote hitch lift controls for rear hitch.	1,656.00
8300		Engine: Cold Weather Start Kit Factory installation of Block Heater (110V) and Ether Aid Canister and Switch.	136.00
8306		Fuel/Water Separator, Severe Duty In addition to water separator in base equipment.	556.00
8220		Intelligent Power Management Provides up to an additional 35 engine hp for non-stationary rear PTO or transport speeds above 23 km/h (14.3 mph). Not compatible with Stage II Emission compliant engine.	3,254.00
8336		John Deere PowerTech PSX 9.0 L (549 cu. In.) 6 Cyl IT4 / Stage 3b Compliant Diesel Engine	Same Price
8550		Skid for Duals For Tractors shipping outside of the United States and Canada.	124.00
		Ballast Packages:	
8933		2372 kg (5230 lb.) Ballast Package with Rear Duals: Front Weight Support with 8 Front Suitcase Weights and One Pair of 635 kg (1400 lb.) Inside/Inner Rear Wheel Weights and One Pair 75 kg (165 lb.) and One Pair 205 kg (450 lb.) Outside/Outer Dual Rear Wheel Weights	6,716.00
8932		3547 kg (7820 lb.) Ballast Package with Rear Duals: Front Weight Support with 16 Front Suitcase Weights and One Pair of 635 kg (1400 lb.) Inside/Inner Rear Wheel Weights and One Pair 75 kg (165 lb.) and Three Pair of 205 kg (450 lb.) Outside/Outer Dual Rear Wheel Weights 1500 Axle: 125 Lb./hp with 43/57 Front/Rear Weight Split and require single front tires with load index of 150 or greater or front duals. ILS Axle: 127 Lb./hp with 44/56 Front/Rear Weight Split and require single front tires with load index of 151 or greater or front duals. Requires rear duals. Not compatible with triples. Not compatible with any other factory installed front or rear weight code. Base on the tire width option ordered, some 450 lb. wheel weights may be shipped on a separate pallet and require dealer installation.	10,052.00

8360R Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8934		3797 kg (8370 lb.) Ballast Package with Rear Duals: Front Weight Support with 22 Front Suitcase Weights and One Pair of 635 kg (1400 lb.) Inside/Inner Rear Wheel Weights and One Pair 75 kg (165 lb.) and Three Pair 205 kg (450 lb.) Outside/Outer Dual Rear Wheel Weights 1500 Axle: 127 Lb./hp with 45/55 Front/Rear Weight Split with Front Duals. ILS Axle: 129 Lb./hp with 46/54 Front/Rear Weight Split with Front Duals. Requires front and rear duals. Not compatible with triples. Not compatible with any other factory installed front or rear weight code. Base on the tire width option ordered, some 450 lb. wheel weights may be shipped on a separate pallet and require dealer installation.	10,772.00
8955		Quik-Tatch Weights: Weight, Front Support - Less Weights Support weighs 390 Lb. (180 kg). 1300 Axle requires single front tires with load index of 141 or greater. 1500 Axle requires single front tires with load index of 143 or greater or front duals. ILS requires single front tires with load index of 145 or greater or front duals. Includes Tow Point.	501.00
8956		Weight, Front Support with Four Suitcase Weights 1300 Axle requires single front tires with load index of 143 or greater. 1500 Axle requires single front tires with load index of 145 or greater or front duals. ILS requires single front tires with load index of 146 or greater or front duals.	1,036.00
8957		Weight, Front Support with Eight Suitcase Weights 1300 Axle requires single front tires with load index of 145 or greater. 1500 Axle requires single front tires with load index of 146 or greater or front duals. ILS requires single front tires with load index of 148 or greater or front duals.	1,571.00
8958		Weight, Front Support with Twelve Suitcase Weights 1300 Axle requires single front tires with load index of 146 or greater. 1500 Axle requires single front tires with load index of 148 or greater or front duals. ILS requires single front tires with load index of 150 or greater or front duals.	2,106.00
8959		Weight, Front Support with Sixteen Suitcase Weights 1300 Axle requires single front tires with load index of 148 or greater. 1500 Axle requires single front tires with load index of 150 or greater or front duals. ILS requires single front tires with load index of 151 or greater or front duals.	2,641.00
8960		Weight, Front Support with Twenty-Two Suitcase Weights 1300 Axle requires single front tires with load index of 150 or greater. 1500 Axle requires single front tires with load index of 152 or greater or front duals. ILS requires single front tires with load index of 153 or greater or front duals.	3,361.00
		Rear Wheel Weights - For Inside/Inner Wheels (Cast): Weights shown are for each weight.	
8970		One Pair 205 kg (450 lb.)	1,189.00
8971		Two Pair 205 kg (450 lb.) Based on the tire width option ordered, some 450 lb. wheel weights may be shipped on a separate pallet and require dealer installation.	2,382.00
8972		One Pair 635 kg (1400 lb.) Requires tire with load rating above 151 Load Index.	3,428.00

8360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
		Rear Wheel Weights - For Outside/Inner Wheels (Cast): Weights shown are for each weight.	
8978		One Pair 75 kg (165 lb.) Starter Weights and One Pair 205 kg (450 lb.) Weight for the Outside of Single Rear Wheel For outside of drive wheel on rear singles only.	1,717.00
		Rear Wheel Weights - For Outside/Outer Dual Wheels: Weights shown are for each weight.	
8973		One Pair 75 kg (165 lb.) Starter Weights and One Pair 205 kg (450 lb.) Weights for Outer Rear Dual For outside outer dual only. Not compatible with Triples.	1,717.00
8974		One Pair 75 kg (165 lb.) Starter Weights and Two Pair 205 kg (450 lb.) Weights Requires rear duals. Not compatible with rear triples.	2,907.00
8975		One Pair 75 kg (165 lb.) Starter Weights and Three Pair 205 kg (450 lb.) Weights Requires rear duals. Not compatible with rear triples.	3,983.00
		ATTACHMENTS - ORDER AS DESIRED	
9076		Customer Gold Key Program: Gold Key Experience Not compatible with Code 9075. This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE58827	Electrical: 9-Pin Connector Implement Feedback Required for Electrohydraulic Implement Depth Control (EHDC).	132.00
	RE339514	Battery Disconnect Switch, Wheel	150.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE21519	Implement Switch with 10 Ft. Harness	168.00
	AR245564	Mounting Kit for Radar with Dual Beam Sensor Requires Dual Beam Radar (RE249206).	228.00
	RE278980	Radar with Dual Beam Sensor Requires mounting kit AR245564.	See Parts

8360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE325025	ATTACHMENTS FOR FIELD CONVERSIONContinued iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	26.00
	RE323008	Engine: Cold Weather Starting Package	94.00
	RE227949	Engine Block Heater (110V)	See Parts
	RE524692	Engine Block Heater (220V)	See Parts
	RE321571	Fuel/Water Separator Kit, Severe Duty In addition to water separator in base equipment.	627.00
	RE260608	Fenders: Fenders, Deluxe Pivoting Front for 1300 Series MFWD - 18.7 In. (480 mm) Wide Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths. Compatible with 1300 Series MFWD front axle only.	1,368.00
	RE260609	Fenders, Deluxe Pivoting Front for 1300 Series MFWD - 24.4 In. (620 mm) Wide Recommended use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Compatible with 1300 Series MFWD front axle only.	1,603.00
	RE308214	Fenders, Deluxe Pivoting Front for 1500 Series MFWD - 18.7 In. (480 mm) Wide Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths. Compatible with 1500 Series MFWD front axle only.	1,368.00
	RE308215	Fenders, Deluxe Pivoting Front for 1500 Series MFWD - 24.4 In. (620 mm) Wide Recommended use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Compatible with 1500 Series MFWD front axle only.	1,603.00
	RE236667	Fenders, Deluxe Pivoting Front for Independent Link Suspension - 18.7 In. (480 mm) Wide Also order 2 pieces of R186578. Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths.	1,368.00
	RE236670	Fenders, Deluxe Pivoting Front for Independent Link Suspension - 24.4 ln. (620 mm) Wide Also order 2 pieces of R186578. Recommended for use with 18.4 ln. (480 mm) to 23.6 ln. (600 mm) tire widths. Not for use with front dual tire combinations.	1,603.00
	RE324406	Fenders, Extra Width Rear Fender Extensions For use with 800 mm wide rear tires. Requires Full Coverage Rear Fenders (RE318606) for installation.	276.00
	RE318606	Fenders, Full Coverage Rear 2.55 meter (100 In. Width) Included in Code 9083.	500.00
	R177682	Hitch and Drawbar: Center Link Bracket Retains the center link when not in use.	See Parts

8360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AR211154	ATTACHMENTS FOR FIELD CONVERSIONContinued Drawbar Heavy Duty Support for use with Cat. 4 Drawbar (11,000 Lb. Vertical Load Capacity) Requires Cat. 4 Drawbar. Increases vertical load capacity to 11,000 Lb. (4990 kg.). Cat. 4 Drawbar is not compatible with PTO Codes 2418 or 2420 or with field installed 1-3/8 540 rpm PTO.	809.00
	RE268625	Drawbar, Ball-type 80 mm Cat. 4 Ball-type drawbar for use when using the DN 345 - Drawn Dry Box Spreader. No other implements are approved for this drawbar.	3,263.00
	AR211153	Drawbar, Cat. 4 with 2 In. Pin and Heavy Duty Support (11,000 Lb. Vertical Load Capacity) Cat. 4 Drawbar is not compatible with PTO Codes 3820 or 3821 or with field installed 1-3/8 540 rpm PTO.	1,873.00
	RE327692	Front Hitch Chain Hooks	196.00
	RE301735	Hitch Kit, 3-in-1 Rails Compatible with Type 2 PTO.	817.00
	RE301736	Hitch Kit, 3-in-1 Rails Compatible with Type 3 PTO.	1,368.00
	AR216079	Rear Hitch Quik-Coupler (Convertible Cat. 4N/3)	2,429.00
	RE327558	Hydraulics: 4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,445.00
	RE343865	4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	2,466.00
	RE327559	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,445.00
	RE343866	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	2,546.00

8360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE327560	ATTACHMENTS FOR FIELD CONVERSIONContinued 6th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R334695) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,909.00
	RE315727	Auxiliary Hydraulic Oil Take-Out Pump and Reservoir Provides an additional 11 gallon (42 liters) capacity for large, single acting cylinders used for application where a large hydraulic oil flow in a short period of time is needed.	1,935.00
	RE323828	Auxiliary Hydraulic Oil Take-Out Pump and Reservoir	1,935.00
	RE222721	Auxiliary Sump Coupler Kit (Flush Face Coupler Style) Required to connect Tractor sump to case drains on Seeding Equipment.	129.00
	RE333976	Front SCV Plumbing Kit Routes SCV function from the rear to the front.	1,822.00
	AR114664	Hydraulic Motor Return, Multiple/Auxiliary Hitch Coupler/ Sump Return Kit For use with Hydraulic Motor Returns, Hitch Valve with Lift Assist Wheels or Motor Drains/Sump Returns or grapple valve.	193.00
	RE337305	Hydraulic Trailer Brake Kit Provides single line connection to hydraulic braking systems. Works with or without power beyond couplers.	750.00
	RE221284	Low Stand-By Pressure Control Kit Prevents main pump activation during engine start up in certain hydraulic configurations using power beyond.	980.00
	RE281166	Power Beyond Coupler Kit Kit includes load sense, pressure and return couplers.	756.00
	AR272536	Rear EHSCV Single Lever Control (Joystick) and Mounting Parts for CommandArm Attaches to CommandArm. Requires (R301762) Software download to activate function - See Parts.	1,563.00
	RE308937	Lighting: Auxiliary Driving / Loader Light Kit Includes headlights, wiring harness, brackets and mounting hardware.	236.00
	RE269641	Lights, Field Vision Xenon HID Rear Fender Light Requires (2) for conversion.	See Parts
	RE298933	Lights, Two Roof-Mounted 65W Halogen Front Flood Lights	140.00
	RE325694	Rotary Beacon Light Kit	371.00
	AR320123	Miscellaneous: Single Line Coupler Parts for Air Trailer Brakes	581.00
	RE67015	Operator Environment: 3-Way Convenience Adapter for Power Strip	See Parts

8360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE317435	ATTACHMENTS FOR FIELD CONVERSIONContinued Accessory Mounting Bracket Provides mounting location for additional monitors.	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00
	RE275532	Ash Tray Fits in existing cup holder.	See Parts
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	RE323407	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	594.00
	RE293499	External Mirrors, Electrically Telescoping and Heated Mirror Heads For converting the heads on electric mirrors to telescoping and heated.	1,696.00
	RE323405	External Mirrors, Manually Adjustable RH and LH	265.00
	RE321017	Foot-Operated Speed Control For use with PST or IVT transmissions. Order Floor Mat separate through Parts.	125.00
	RE68495	Power Strip with Six Outlets	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	295.00
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE284180	Step Kit, Left Hand Convenience Platform	See Parts
	RE261504	Sun Shade, Front Pull Down	See Parts
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	RE324993	Touchscreen GS3 CommandCenter 7" Color Display, Video Capable	1,260.00
	RE269618	Windshield Wiper with Washer, Rear	193.00
	RE331560	SCV Parts: Paddle Pot Pod, Common Parts Only compatible on Tractors with CommandARM. Order single paddle potentiometer separately. See instructions RE331562 for more information. Compatible on 8R above SN 053100 and 8RT above SN 907100.	95.00
	RE331559	Single Paddle Potentiometer Order decals and levers separately. See instructions RE331561 for more information.	See Parts

8360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	. ,
	RE298885	Software Downloads: Intelligent Power Management Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305729	Language Group for CommandCenter - English, Croatian, Serbian, Slovenian, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305727	Language Group for CommandCenter - English, Danish, Swedish, Finish, Norwegian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305726	Language Group for CommandCenter - English, Estonian, Latvian, Lithuanian, Polish, Russian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305725	Language Group for CommandCenter - English, French, Dutch, Icelandic, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305730	Language Group for CommandCenter - English, Greek, Turkish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE308728	Language Group for CommandCenter - English, Hungarian, Czech, Slovak, Romanian, Bulgarian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305731	Language Group for CommandCenter - English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	BPF10312	Non-John Deere Guidance Compatibility Activation - AutoFarm/Novariant Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10313	Non-John Deere Guidance Compatibility Activation - Hemisphere/Outback Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10433	Non-John Deere Guidance Compatibility Activation - Leica Geosystems Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00

8360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BPF10311	ATTACHMENTS FOR FIELD CONVERSIONContinued Non-John Deere Guidance Compatibility Activation - Raven Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10363	Non-John Deere Guidance Compatibility Activation - Trimble Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	RE224298	Transmission: Transmission Backup Alarm	405.00
	RE323009	Transmission Hydraulic Oil Heater (110 Volts)	342.00
	RE323010	Transmission Hydraulic Oil Heater (220 Volts)	446.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	R127764	Weights: Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R242154	Weight, Front Support, 390 Lb. (180 kg) Requires (6) 19M9141 Cap Screws and (6) 24M7242 Washers for installation - See Parts. Holds up to 22 Quick-Tatch Weights.	844.00
	R167151	Weight, Inner Wheel, 1400 Lb.	1,903.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg)	282.00
	RFR207782	Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights)	2,658.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00
	R207782	Weight, Wheel, 450 Lb.	664.00
	RE324389	Wheel Equipment: Front Wheel Dual Extensions Compatible with ILS or 1500 front axles.	2,538.00
	AR190666	One 10 In. Dual Hub Extension	759.00
	AR190668	One 13 In. Dual Hub Extension	844.00
	AR190669	One 15 In. Dual Hub Extension	884.00
	AR194744	One 5 In. Dual Hub Extension	685.00
	RE267658	Three Meter Front Wheel Spacer Not compatible with Tractors equipped with front brakes.	3,063.00

9360R Tractor

Equipment for Base Machine

```
ENGINE:
                                                             Implement Management System
6-Cylinder Turbocharged John Deere Diesel PowerTech
                                                               Hitch Slip Command
  Engine with High Pressure Common
  Rail (HPCR)
                                                             INSTRUMENTATION:
Air to Air Aftercooled
9.0 L (548 Cu. In.) Displacement
254 kW (346 Hp) Engine Power Level ECE-R24 @ Rated
                                                             Digital Instrument Panel includes
                                                               Engine Oil Pressure Gauge
                                                               Engine Coolant Temperature Gauge
Engine Speed
                                                               Fuel Level Gauge
265 kW (360 Hp) Engine Power Level 97/68EC @ Rated
                                                               % Slip
Engine Speed
                                                               Ground Speed
Dry Type Air Cleaner with Safety Element,
                                                               PTO Speed
  Airstack and Aspirator
                                                               System Voltage
Ether Starting Aid
Engine Coolant Heater 110V or 220V
                                                               Engine Hours
                                                               Service Hours with On-Board
                                                                  Vehicle Monitor System
Top Loaded Vertical Engine Oil Filter
Dual Filter Fuel System
                                                             ELECTRICAL:
                                                             Key Shutoff
12V Electrical System
B2 Biodiesel Fuel from the Factory
                                                             Three 925 CCA Capacity, 12V Batteries
TRANSMISSION:
24 Speed Powrsync
                                                             200 Amp Alternator
                                                             One Electrical 3-Pin 12V Convenience Outlet
Ground Terminals Behind Console
24 Forward/6 Reverse Speeds
Hydraulic Wet Clutch
                                                             7 - Terminal Rear Implement Electrical
Park Lock
                                                               Outlet Socket
                                                             Battery Boost Terminal
GreenStar Ready Harness with
STEERING AND BRAKES:
Articulated Type Hydrostatic Steering
Wet Disk, Self-Adjusting Brakes
Tilt/Telescoping Steering Wheel
                                                               Implement Connector
Differential Lock
                                                             LIGHTS:
                                                             Front Hood Lights (Eight Total)
                                                               Two HB3 65W Low Road Headlights
Two HB3 65W High Road Headlights
HYDRAULICS:
Pressure Flow Compensating
  Axial Piston Pump
                                                                 with Hand Operated Dimmer Switch
167 lpm (44 gpm) Pump Output (MST Transmission) Flow @ one SCV - 140 lpm (37 gpm)
                                                               Two 65W Adjustable Corner Work Lights
                                                               One 65W Adjustable Center Work Light
                                                               One 65W Adjustable Center Spot Light
Four EH Remote Cylinder Controls with
                                                             Four 65W Rear Fender Mounted
  ISO Couplers
                                                               Pedestal Mounted Work Lights
PTO:
                                                             Cab Roof Lights
                                                               Two 65W Adjustable Front Flood Lights
Less PTO
                                                               Four 65W Fixed Side Flood Lights (2 per side)
                                                               Two 65W Fixed Rear Flood Lights
HITCH AND DRAWBAR:
                                                               Four Corner Amber Flashing Warning Lights with Turn Signal Control
Category 4 Drawbar with Standard Drawbar Support
Drawbar Clevis and Pin
                                                             Two Rear Fender Taillights
Secondary Chain Support
                                                             Road Transport Extremity Lights
Less Hitch
                                                             Rotary Beacon Light
COMMANDVIEW CAB:
Roll Over Protective Structure
                                                             AXLES, WHEELS AND TIRES:
Air Conditioner and Heater
                                                             120 In. x 110 mm Diameter Axles
                                                             Four Cast Inner/Four Steel Outer
One Interior Rear View Mirrors
Comfort Command Seat with
                                                             Eight 620/70R42 In. 160A8 R1W Radial in Dual
  Air Suspension
                                                             Configuration
  Swivel
                                                             Rear Fenders - 559 mm (22 in.) wide by
  Fore-Aft and Lateral Attenuation
                                                               1752 mm (69 in.) long
  Armrest Controls
  Lumbar Support
  Backrest Adjustment
                                                             SMV Emblem (If required)
Tinted Glass
                                                             Electric Horn
Two Speed Front Wiper with Variable Delay
                                                             Toolbox
                                                             Rear Storage Box (except with PTO
Swing-Out Rear Window
Three Monitor Ready Locations
Two Convenience 12V Outlets
                                                               or Rear Drawbar option Codes 8978 and 8984)
                                                             1325L (350 U.S. gal) Fuel Tank Capacity
AM/FM Radio Mounting Bracket with
  Wiring Harness
Field Cruise
Left Hand Storage
Electronic Foot Decelerator
iTEC (Intelligent Total Equipment Control)
```

9360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
03A0RW		9360R Tractor	256,757.00
		DESTINATION	
		A Code must be chosen for each Tractor ordered.	
0184		North America Canada Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5055 110 mm (4.33 In.) Diameter x 3048 mm (120 In.) Axles. Code 5509 620/70R42 In. 160A8 R1W Dual Configuration.	1,209.00
0202		United States Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5055 110 mm (4.33 In.) Diameter x 3048 mm (120 In.) Axles. Code 5509 620/70R42 In. 160A8 RIW Dual Configuration.	1,209.00
		VALUE PACKAGE CONFIGURATIONS	
0500		No Package	In Base Price
0527		Standard 24 Speed PowrSync Package <i>Includes Codes 2050, 1400, 2650, 3241, 3341 and 7200.</i>	-1,150.00
0528		Deluxe 24 Speed PowrSync Package Includes Codes 2059, 1400, 2660, 3241, 3351 and 7201.	-1,725.00
0529		Deluxe Powershift Package <i>Includes Codes 2059, 1492, 2660, 3241, 3351 and 7201.</i>	-1,725.00
0530		Premium 24 Speed PowrSync Package Includes Codes 2061, 1400, 1823 or 1826, 2661 or 2662, 3241, 3351 and 7202.	-2,300.00
0531		Premium Hi-Flow, 18 Spd. Powershift Package <i>Includes Codes 2061, 1492, 1823 or 1826, 2661 or 2662, 3270, 3352 and 7202.</i>	-2,300.00
		OPERATOR STATION	
2050		CommandView II Cab	-2,009.00

9360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATIONContinued Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on the Control Switch Module (CSM). Front Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Folding Instructional Seat. No Mirrors.	
		See Attachments Section for ordering information on additional field attachments.	
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on Control Switch Module (CSM). Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CSM. Front Pull Down Sun Shade. Right and Left Outside Manually Adjustable Mirrors. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat.	In Base Price
		See Attachments Section for ordering information on additional field attachments.	
2061		Premium CommandView II Cab Includes ActiveSeat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on the Command Center Controls. Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CSM. Front Pull Down Sun Shade. Right and Left Outside Electrically Adjustable Mirrors. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat.	3,520.00
		See Attachments Section for ordering information on additional field attachments	
		TRANSMISSION	
1400		24 Speed Powrsync, 24 F/6 R Speeds Not Comopatible with iTEC Pro, Codes 1848 or 1849.	In Base Price
1492		18 Speed Powershift, 18 F/6 R Speeds with Efficiency Manager	12,327.00
		DISPLAY / MONITOR	
1821		When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information. Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes. GS3 Command Center 7" Color Display Includes GreenStar Parallel Tracking and Access Manager. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. AutoTrac activation can be ordered with the Tractor.	In Base Price

9360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DISPLAY / MONITORContinued Does not include a cornerpost bracket for mounting an additional GreenStar Display.	
1823		Touchscreen GS3 Command Center, 7" Color Display, Touch Screen, Video Capable Includes GreenStar Parallel Tracking, Access Manager and Video Capability. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. One video input and Tractor function activated triggers. AutoTrac activation can be ordered with the Tractor. Swath Control Pro activation must be ordered through AMS price pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	1,260.00
1825		GS3 CommandCenter 7" Color Display with GS3 2630 GreenStar Display Includes GreenStar Parallel Tracking and Access Manager. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. AutoTrac activation can be ordered with the Tractor. Swath Control Pro activation must be ordered through AMS price pages. GS3 2630 display and harness installed on the A-Post display bracket. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	5,895.00
1826		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable with GS3 2630 GreenStar Display Includes GreenStar Parallel Tracking, Access Manager and Video Capability. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. One video input and Tractor function activated triggers. AutoTrac activation can be ordered with the Tractor. Swath Control Pro activation must be ordered through AMS price pages. GS3 2630 display and harness installed on the A-Post display bracket. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	7,160.00
		RECEIVER	
		StarFire 3000 Position Receivers can be ordered in two configurations: -SF1, a no-charge differential correction signal that provides non-row-crop accuracySF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.comRTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual. GNSS serial port information (NMEA) is available through a StarFire 3000.	

	StarFire 3000 Position Receivers can be ordered in two configurations: -SF1, a no-charge differential correction signal that provides non-row-crop accuracySF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.comRTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual.	
	GNSS serial port information (NMEA) is available through a StarFire 3000.	
	Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1835	Less StarFire 3000 Position Receiver Includes Deluxe receiver mounting bracket only. When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver	In Base Price
1837	StarFire 3000 Position Receiver - SF1 with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Includes Deluxe receiver mounting bracket only.	2,695.00
1838	StarFire 3000 Position Receiver - SF2 Ready with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation.	4,695.00

9360R Tractor

Continued

SUGGESTED
ATTACHMENT LIST PRICE
CODE IDENTIFIER DESCRIPTION USD (\$)

RECEIVER ...Continued...

Includes Deluxe receiver mounting bracket.

A StarFire SF2
Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/- 4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available through StellarSupport.com or by calling the AMS Customer Call Center.

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold seperately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, all GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact Stellar Support to activate AMS Software Activations, referencing the Tractor order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on AMS Activations will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1845 Less AutoTrac Activation In Base Price 1846 AutoTrac SF1 Activation - GS3 3,000.00 Requires Code 1837 StarFire 3000 SF1 Receiver. See AMS sales manual and price pages for detailed information. 1847 AutoTrac SF2 Activation - GS3 6,500.00 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information. 1848 AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 5,500.00 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630 Display options (Code 1825 or 1826).

This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See AMS sales manual and price pages for detailed information.

Not Compatible with Code 1400, PowrSync Transmission.

AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3

Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display options (Code 1825 or 1826).

9,000.00

This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display.

Descripes on CE2 Cubaccintion and deprendent for CE2 functionality.

 $Requires\ an\ SF2\ Subscription\ sold\ separately\ for\ SF2\ functionality.$

For RTK usage, purchase RTK radio, activation, and base station sold separately.

See AMS sales manual and price pages for detailed information. Not Compatible with Code 1400, PowrSync Transmission.

MACHINE CONNECTIVITY

1849

Machine connectivity functions require cellular coverage.

Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.

9360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telemetics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability. Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	1,200.00
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers, no radio and no speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack Located on Front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disk Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth Capable including microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External	1,015.00

9360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RADIOContinued Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display. For U.S. and Canada only.	
		HYDRAULICS SYSTEM	
3241		Standard Hydraulic System 167 lpm (44 gpm)with 24 speed Powrsync Transmission. Provides up to 140 lpm (37 gpm) flow @ one SCV. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3270		Hi-Flow Hydraulic System; 295 lpm (78 gpm) Provides up to 170 lpm (37 gpm) flow @ one SCV. Requires Code 1492 - 18 Speed Powershift Transmission. Requires Code 3352 Rear Remote Selective Control Valves. Refer to the Ag Sales Manual for Implement compatibility. SCVs 1-3 supplied by primary pump. SCVs 4&5 supplied by secondary pump, recommended for orbital motor use.	5,885.00
		HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)	
3341		Four Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3241 - Standard Hydraulic System. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3351		Five Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3241 - Standard Hydraulic System. Refer to the Ag Sales Manual for Implement compatibility.	1,350.00
3352		Five Deluxe Electro-Hydraulic Rear Remote Selective Control Valves (Hi-Flow Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3270 - Hi-Flow Hydraulic System. Refer to the Ag Sales Manual for Implement compatibility.	1,350.00
		REAR POWER TAKE OFF	
3800		Less Rear PTO	In Base Price
3810		1000-rpm PTO with 1 3/4 In. Shaft Not compatible with Rear Storage Box.	14,340.00
		REAR HITCH	
4000		Less Rear 3-Point Hitch	In Base Price
4050		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4N/3	19,924.00

9360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR HITCHContinued Adjustable Quik Coupler 6940 kg (15,300 Lb.) Lift Capacity	
		Recommend Code 8000, HD Frame w/Tapered Roller Bearing Gudgeon for deep ripping	
		applications. Requires Code 5056, Heavy duty, single Reduction, 3048 mm (120 in) X 120 mm (4.72 in)	
		Diameter axles.	
		Requires Code 832F, Motor Seal Drain Kit. Not compatible with Category 4 standard drawbar, Code 4321.	
		Not compatible with any triple tire configurations or with the following dual tire sizes; 710/70R38,IF710/770R38, 800/70R38 or IF800/70R38.	
		Maximum number of SCV's with a 3-Point Hitch is five.	
4051		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4N/4	20,789.00
		Adjustable Quik Coupler; 6940 kg (15,300 lb) Lift Capacity Recommend Code 8000, HD Frame w/Tapered Roller Bearing Gudgeon for deep ripping	
		applications.	
		Requires Code 5056, Heavy duty, single Reduction, 3048 mm (120 in) X 120 mm (4.72 in) Diameter axles.	
		Requires Code 832F, Motor Seal Drain Kit.	
		Not compatible with Category 4 standard drawbar, Code 4321. Must use quick coupler in 4N position with 710/70R42 tires.	
		Not compatible with any triple tire configurations or with the following dual tire sizes;	
		710/70R38, IF710/70R38, 800/70R38 or IF800/70R38. Maximum number of SCV's with a 3-Point Hitch is five.	
4052		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4N/3	22,393.00
		Adjustable Quik Coupler 9072 kg (20,000 Lb. Lift Capacity) Requires Code 5056, Heavy Duty, Single Reduction, 3048 mm (120 in.) x 120 mm (4.72 in)	
		Diameter axles.	
		Requires Code 8000, HD Frame w/Tapered Roller Gudgeon for deep ripping applications. Requires Code 832F, Motor Seal Drain Kit.	
		Requires Code 8042, Rear Axle Support.	
		Not compatible with Category 4 standard drawbar, Code 4321. Only compatible with dual configurations of 710/70R42, IF 710/70R42, IF 650/85R38,	
		650/85R38 tires or IF 480/80R50 tires (with load rating of 165 or greater).	
		Maximum number of SCV's with a 3-Point Hitch is five.	
4053		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4/4N,	23,259.00
		Adjustable Quik Coupler; 9072 kg (20,000 Lb.) Lift Capacity Requires Code 5056, Heavy duty, single Reduction, 3048 mm (120 in) X 120 mm (4.72 in)	
		Diameter axles.	
		Requires Code 8000, HD Frame w/Tapered Roller Bearing Gudgeon for deep ripping applications.	
		Requires Code 8323F, Motor Seal Drain Kit.	
		Requires Code 8042, Rear Axle Support. Not compatible with Category 4 standard drawbar, Code 4321.	
		Must use quick coupler in 4N position with 710/70R42 tires.	
		Only compatible with dual configurations of 710/70R42, IF710/70R42, 650/85R38, IF650/85R38 tires or 480/80R50 tires (with load rating of 165 or greater).	
		Maximum number of SCV's with a 3-Point Hitch is five.	
		DRAWBAR	

	2	
4321	Cat. 4 Drawbar with Standard Drawbar Support Not compatible with 3 pt. hitch Codes 4050, 4051, 4052, 4053. Not compatible with Rear Drawbar Weight Codes 8978, 8983 or 8984. Drawbar maximum vertical load rating 2470 kg (5450 lb).	In Base Price
4322	Cat. 4 Drawbar with Heavy-Duty Drawbar Support Compatible with all 3 pt. hitch Codes. Drawbar maximum vertical load rating of 2470 kg (5450 lb).	3,218.00
4325	Cat. 5 Drawbar (2 position) with Heavy-Duty Drawbar Support	3,856.00

9360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DRAWBARContinued Drawbar maximum vertical load rating of 5440 kg (12,000 lb).	
		AXLES	
5055		Heavy Duty, 3048 mm (120 ln.) X 110 mm (4.33 in) Diameter Not compatible with Codes 4050, 4051, 4052 or 4053. Not compatible with 3 meter (118 in) tread spacing.	In Base Price
5056		Heavy Duty, 3048 mm (120 ln.) X 120 mm (4.72 in) Diameter Single Reduction Required with Code 4050, 4051, 4052 or 4053. Required for 3 meter (118 in)tread spacing.	4,160.00
		WHEELS AND TIRES	
		CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED:	
5503		RCI Group 47 Size Tires (77 In./1956 mm Diameter) (Listed from Narrowest to Widest / Single to Triple Configuration) 480/80R46 In. 158A8 R1 Radial in Dual Configuration Available in Firestone or Goodyear.	-11,080.00
5504		480/80R46 In. 158A8 R1W Radial in Dual Configuration Available in Michelin only.	-5,254.00
5703		480/80R46 In. 158A8 R1 Radial in Triple Configuration Available in Firestone or Goodyear.	13,356.00
5704		480/80R46 In. 158A8 R1W Radial in Triple Wheel Configuration Available in Michelin only.	21,334.00
5506		520/85R42 In. 157A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear or Michelin.	-6,144.00
5508		520/85R42 157A8 R2 Radial in Dual Configuration Available in Firestone or Goodyear.	-3,632.00
5505		520/85R42 In. 157A8 R1 Radial in Dual Configuration Available in Firestone or Goodyear.	-11,376.00
5705		520/85R42 In. 157A8 R1W Radial in Triple Configuration Available in Firestone, Goodyear or Michelin.	19,568.00
5706		520/85R42 In. 157A8 R2 Radial in Triple Configuration Available in Firestone or Goodyear.	24,548.00
5707		520/85R42 In. 157A8 R1 Radial in Triple Configuration Available in Firestone or Goodyear.	12,932.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear or Michelin.	In Base Price
5510		710/70R38 In. 166A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear or Michelin.	5,268.00

9360R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5517		WHEELS AND TIRESContinued IF 710/70R38 In. 178A8 R1W Increased Flexion Radial in Dual Configuration Available in Firestone only.	7,684.00
		CAST MAIN AND STEEL DUAL OR TRIPLE (Unless Noted):	
5601		RCI Group 48 Size Tires (81 In./2057 mm Diameter) (Listed from Narrowest to Widest, Single to Triple Configuration) Wheels and Heavy Duty Wheel Sleeves 480/80R50 In. 159A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	-5,076.00
5602		IF 480/80R50 In. 166A8 R1W Radial in Dual Configuration Available in Firestone only.	2,140.00
5720		480/80R50 In. 159A8 R1W Radial in Triple Configuration Available in Firestone, Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	22,392.00
5603		520/85R46 In. 158A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	-5,804.00
5604		520/85R46 In. 158A8 R2 Radial in Dual Configuration Available in Goodyear only.	-4,848.00
5721		520/85R46 In. 158A8 R1W Radial in Triple Wheel Configuration Available in Firestone, Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	21,216.00
5722		520/85R46 In. 158A8 R2 Radial in Triple Wheel Configuration Available in Goodyear only.	22,704.00
5605		620/70R46 In. 167A8 R1W Radial in Dual Configuration Available in Goodyear only.	1,656.00
5622		650/85R38 In. 173A8 R1W in Dual Configuration Available in Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	4,556.00
5618		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Dual Configuration Available in Michelin.	13,478.00
5606		710/70R42 In. 168A8 R1W Radial in Dual Configuration Available in Firestone only.	6,660.00
5607		710/70R42 In. 173A8 R1W Radial in Dual Configuration Available in Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	7,928.00
5619		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Dual Configuration Available in Michelin or Firestone.	19,570.00
5609		800/70R38 In. 173A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear or Michelin.	9,052.00
5620		IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Dual Configuration Available in Firestone or Michelin.	20,284.00

9360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5209		WHEELS AND TIRESContinued 800/70R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, or Michelin. Use only with semi-integral implements when ordered with Codes 4050 or 4051. For 3 Meter Tread Spacing, requires 120mm (4.72 in) Diameter Axles.	-15,960.00
5220		IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone, Goodyear, or Michelin. Use only with semi-integral implements when ordered with Codes 4050 or 4051. For 3 Meter Tread Spacing, requires 120mm (4.72 in) Diameter Double Reduction Axles. Compatible with Code 4050 and 4051.	-10,344.00
		TIRE PREFERENCE CODES	
		If only one brand is available in any tire code, the Tire Preference Code 5999 must be chosen below to avoid extra charges. You will still get the one brand stated in the tire code description.	
5999		No Brand Preference	No Charge
5901		Firestone Brand Only	1,000.00
5902		Goodyear Brand Only	1,000.00
5903		Michelin Brand Only	1,400.00
5904		Mitas/Continental Brand Only Mitas/Continental brand tires available in US and Canada only.	1,000.00
		LIGHTS	
7200		Standard Lighting Eight Front Grill Mounted Lights: Two 65W low beam driving lights, two 65W high beam driving lights, two front corner facing halogen work lights and two center facing halogen work lights. Ten Cab Roof Mounted Lights: Two rear and four side facing 65W flood lights and four corner facing amber lights.	-762.00
		Four rear fender mounted flood lights and two rear Tail/Brake/Turn lights. Road Transport Extremity Lights(foldable).	
7201		Deluxe Lighting Includes Standard lighting plus two adjustable front roof 65W halogen floodlights and a rotary beacon light.	In Base Price
7202		Premium HID Lighting Includes Deluxe Lighting, and in the grill screen, two front corner HID lights replace two front halogen lights and one HID light replaces a center halogen flood light. Two of the rear fender lights are replaced with HID lights.	3,442.00
		OPERATOR'S MANUAL AND LABELS	
_		A Code must be chosen for each Tractor ordered.	
0409		English Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	In Base Price
0413		French	Same Price

9360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR'S MANUAL AND LABELSContinued Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8760		Brakes and Steering: Greaseable Steering Cylinder Pins	447.00
8756		Hydraulic Trailer Brake Valve	1,006.00
8210		Operator Station & Controls: Leather Trim Includes heated leather seat, leather wrapped steering wheel and rear window decal.	1,646.00
8227		External Mirrors, Electrically Adjustable, Heated, Power Extendable, RH and LH <i>Must order Code 2059.</i> Not compatible with Code 2050 or Code 2061.	1,344.00
8228		External Mirrors, Electrically Adjustable, Heated, Power Extendable, RH and LH <i>Must order Code 2061.</i> Not compatible with Code 2050 or Code 2059.	1,344.00
8242		Radar with Dual Beam Sensor	900.00
8251		Antenna Mount and Wiring for Business Band Radio	129.00
832F		Hydraulics: Motor Seal Drain Kit Required with all Rear Hitch Codes 4050, 4051, 4052, 4053.	628.00
8725		Electrical & Lights: Rotary Beacon Light Requires Code 7200.	347.00
8782		Back Up Alarm	363.00
8306		Engine: Fuel/Water Separator, Severe Duty This code is optional for Tractors with iT4/3b Engines.	564.00
8336		John Deere PowerTech PSX 9.0 L (549 cu. in.) 6 cyl. IT4 / Stage 3b Compliant	Same Price
8000		Frame & Chassis: HD Frame with Tapered Roller Bearing Gudgeon Recommended when a rear hitch is ordered on Tractor. Required for 20,000 lb Hitch.	2,985.00

9360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8021		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Wide Rear Fenders, 939 mm (37 in.) Wide by 1937 mm (76 in.) Long Option for improved coverage of rear drive tires.	1,240.00
8041		Front Axle Reinforcement Required with front weight bracket or any ballast packages requiring front suitcase weights. Check with outside manufacturers of front-mounted equipment for compatibility.	2,692.00
8042		Rear Axle Support Required with 9072 kg (20,000 lb) hitch option, Codes 4052 or 4053. Recommended with 6940 kg (15,000 lb) hitch option, Codes 4050 or 4051.	1,461.00
		Weights and Ballast:	
8955		Front Weights Front Weight Support without Front Weights Requires Code 8041 - Front Axle Reinforcement.	1,125.00
8959		Front Weight Support with 16 Weights Requires Code 8041 - Front Axle Reinforcement.	3,000.00
8965		Front Weight Support with 36 Weights Requires Code 8041 - Front Axle Reinforcement.	5,674.00
8978		Rear Drawbar Weights for 4WD Tractors without 3-Point Hitch Rear Drawbar Support Weight Bracket - Without Weights Requires Drawbar Code 4322 or 4325. Not compatible with Rear Storage Box. Not compatible with Rear Hitch, Codes 4050, 4051, 4052, 4053.	175.00
8983		Rear Drawbar Support Weight Bracket- with 10 Suitcase Weights Requires Drawbar Code 4322 or 4325. Not compatible with Rear Hitch, Codes 4050, 4051, 4052, 4053.	1,512.00
8984		Rear Drawbar Support Weight Bracket- with 15 Suitcase Weights Requires Drawbar Code 4322 or 4325. Not compatible with Rear Storage Box. Not compatible with Rear Hitch, Codes 4050, 4051, 4052, 4053 or rear PTO Code 3810.	2,180.00
8970		Wheel Weights for 4WD Tractor without 3-Point Hitch Front - 0 kg (0 lb) Rear - 970 kg (2130 lb) - Two 75 kg (165 lb) - Four 205 kg (450 lb) Outside Dual Not compatible with Codes 4050, 4051, 4052, 4053.	2,928.00
8971		Front - 0 kg (0 lb) Rear - 1380 kg (3930 lb) - Two 205 kg (450 lb) Inside/Inner - Two 75 kg (165 lb) Six 205 kg (450 lb) Outside Dual Not compatible with Codes 4050, 4051, 4052, 4053. Includes Two 205 kg (450 lb) weights not installed.	5,344.00

9360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8972		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Front - 0 kg (0 lb) Rear - 1270 kg (2800 lb) - Two 625 kg (1400 lb) Inside/Inner Not compatible with Codes 4050, 4051, 4052, 4053. Reduces tire clearance. Not available with Triple Tire options.	3,460.00
8979		Wheel Weights for 4WD Tractors with 3-Point Hitch Front - 410 kg (900 lb) - Two 205 kg (450 lb) Inside/Inner Rear - 410 kg (900 lb) - Two 205 kg (450 lb) Inside/Inner Requires Codes 4050, 4051, 4052, 4053.	2,416.00
8980		Front - 970 kg (2130 lb) - Two 205 kg (450 lb) Inside/Inner - Two 75 kg (165 lb) Two 205 kg (450 lb) Outside Dual Rear - 1380 kg (3030 lb) - Two 205 kg (450 lb) Inside/Inner - Two 75 kg (165 lb) Four 205 kg (450 lb) Rear Wheel Weights Requires Codes 4050, 4051, 4052, 4053.	7,064.00
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey. ATTACHMENTS FOR FIELD CONVERSION	No Charge
		Electrical:	
	RE325945	Battery Disconnect Kit	115.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE269592	Mounting Kit - Dual Beam Radar Sensor The Mounting Kit does not include Dual Beam Radar Sensor. If Dual Beam Radar Sensor is needed, order Dual Beam Radar Sensor (RE278980, RE278984, RE278986 or RE278982).	85.00
	RE278980	Radar with Dual Beam Sensor	See Parts
	RE278984	Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts

9360R Tractor

	ATTACHMENT		SUGGESTED LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)
	RE325025	ATTACHMENTS FOR FIELD CONVERSIONContinued ITEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	26.00
	RE326213	Engine: Fuel/Water Separator Kit, Severe Duty - Wheel	620.00
	RE275924	Hitch and Drawbar: Cat. 4 Drawbar Reinforcement Kit for Tractors equipped with either 3-Point Hitch or Heavy Duty Drawbar Support Ability to achieve 11,000 lbs Vertical Load Capacity.	2,075.00
	RE270268	Cat. 4/4N Quik Coupler Kit	2,741.00
	RE270270	Cat. 4N/3 Quik Coupler Kit	4,029.00
	RE278847	Cat. 5 to Cat. 4 Drawbar Conversion Kit Converts Cat. 5 Drawbar for use with Cat. 4 Implements.	462.00
	RE283958	Drawbar, Ball-type 80 mm, Cat. 4 Ball-type drawbar for use when using the DN 345 - Drawn Dry Box Spreader. No other implements are approved for this drawbar.	2,876.00
	RE311348	Electro-Hydraulic 3-Point Hitch with Draft Sensing for Wheel Tractors For Tractors equipped with a Factory Installed HD drawbar support. Additional parts are required - see installation instructions. Also requires Cat. 4N/3 Quik Coupler (RE270270), or 4/4N Quik Coupler (RE270268). Also required hitch cylinders to achieve 15,300 lb or 20,000 lb lift capacity. 15,300 lb hitch uses 1 x AHC10487 and 1 x AHC10488 cylinders. 20,000 lb hitch uses 2 x AHC10045. Requires Software download (R306826) to activate function.	20,492.00
		Hydraulics:	
	RE310798	3/4 In. Selective Control Valve Coupler Kit (Hi-Flow only)	2,142.00
	RE303735	5th Remote Selective Control Valve (for Standard flow Hydraulics) Requires Software download to activate function - See Parts.	1,331.00
	RE310796	6th Remote Selective Control Valve for AG High Flow Hydraulic Systems Not compatible with a factory or field installed 3 Pt. Hitch. Requires factory installed 5th SCV. Requires Software download to activate function - See Parts.	2,588.00
	RE303736	6th Remote Selective Control Valve for Standard Flow Hydraulic Systems Not compatible with a factory or field installed 3 Pt. Hitch. Requires factory or field installed 5th SCV. Requires Software download to activate function - See Parts.	2,070.00
	RE293259	Hitch Auxiliary Raise Kit For use with hitch valve with lift assist wheels. Compatible with all 9R Series Wheel and Track Tractors.	212.00
	RE336255	Hydraulic Trailer Brake Kit for Wheels Provides single line connection to hydraulic braking systems. Works with or without power beyond couplers.	1,106.00
	RE299261	Motor Seal Drain Kit	235.00

9360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE293262	ATTACHMENTS FOR FIELD CONVERSIONContinued Power Beyond Coupler Kit Compatible with all Standard Flow Hydraulic Systems and Ag High Flow Hydraulic Systems. 1 or 2 pcs required for Ag High Flow Systems. Compatible with all Standard Flow Hydraulic Systems.	682.00
	RE330435	Lighting: Auxiliary Lighting Kit	88.00
	RE334623	Rotary Beacon Light Kit Switch is on CSM.	382.00
	RE277064	Miscellaneous: Gudgeon Kit with Tapered Roller Bearings Updates 9R Series Tractors to Tapered Roller Bearing Gudgeon with 2 1/2 In. articulation pin. 9R Series Scraper Tractors are factory equipped with the Tapered Roller Bearing Gudgeon.	5,170.00
	RE311210	Tow Cable Kit - Wheel Tractors Tractors not equipped with a front weight support must also order RE300652.	2,145.00
	RE67685	Operator Environment: 9-Pin Connector for Implement Feedback Required for TouchSet Depth Control.	241.00
	RE317435	Accessory Mounting Bracket	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00
	RE254357	Back Up Alarm Kit	399.00
	RE323407	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	594.00
	RE293499	External Mirrors, Electrically Telescoping and Heated Mirror Heads	1,696.00
	RE323405	External Mirrors, Manually Adjustable RH and LH	265.00
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	295.00
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	RE269618	Windshield Wiper with Washer, Rear	193.00
	RE211995	PTO: 1000 RPM PTO Shield Kit	1,006.00

9360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE304681	ATTACHMENTS FOR FIELD CONVERSIONContinued Field Installation Kit, PTO, Wheel, MST All PTO mounting hardware and shielding is contained in kit.	13,652.00
	RE304682	Field Installation Kit, PTO, Wheel, PST+SR All PTO mounting hardware and shielding is contained in kit.	13,843.00
	BPF10312	Software Downloads: Non-John Deere Guidance Compatibility Activation - AutoFarm/Novariant Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10313	Non-John Deere Guidance Compatibility Activation - Hemisphere/Outback Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10433	Non-John Deere Guidance Compatibility Activation - Leica Geosystems Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10311	Non-John Deere Guidance Compatibility Activation - Raven Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10363	Non-John Deere Guidance Compatibility Activation - Trimble Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AR268522	Weights: Front Idler Weights Mounting	1,244.00
	RE268386	Front Weight Bracket	1,800.00
	RE325618	Front Weight Bracket (Wheel) Allows attachment of up to 36 Quick-Tatch weights. Requires front reinforcement kit: RE341567.	1,800.00
	RE268085	Rear Axle Supports For Tractors equipped with 110 or 120 mm diameter axles and no hitch. Required (standard equipment) on 20K hitch capacity and 9R Scraper Tractors.	1,270.00
	RE286201	Two Track Frame Weight Supports and Extremity Lighting Kit	1,013.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R167151	Weight, Inner Wheel, 1400 Lb. Not available with triple tire options.	1,903.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg)	282.00
	RFR207782	Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights)	2,658.00

9360R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RFR167153	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00
	R207782	Weight, Wheel, 450 Lb.	664.00
		Wheel Equipment:	
	AR190666	One 10 In. Dual Hub Extension	759.00
	AR190668	One 13 In. Dual Hub Extension	844.00
	AR190669	One 15 In. Dual Hub Extension	884.00
	AR194744	One 5 In. Dual Hub Extension	685.00

9410R Tractor

Equipment for Base Machine

```
ENGINE:
6-Cylinder Turbocharged John Deere Diesel PowerTech
                                                           INSTRUMENTATION:
  Engine with Electronic
                                                           Digital Instrument Panel includes
  Unit Injection
                                                              Engine Oil Pressure Gauge
                                                              Engine Coolant Temperature Gauge
Air to Air Aftercooled
13.5 L (824 Cu. In.) Displacement 290 kW (394 Hp) Engine Power Level ECE R24 @ Rated
                                                              Fuel Level Gauge
                                                              % Slip
                                                              Ground Speed
302 kW (410 Hp) Engine Power Level 97/68EC @ Rated
                                                              PTO Speed
Speed
                                                              System Voltage
Dry Type Air Cleaner with Safety Element,
                                                              Engine Hours
                                                              Service Hours with On-Board
  Airstack and Aspirator
Ether Starting Aid
Engine Coolant Heater 110V or 220V
                                                                Vehicle Monitor System
                                                           ELECTRICAL:
                                                           Key Shutoff
12V Electrical System
Vertical Engine Oil Filter
Dual Filter Fuel System
B2 Biodiesel Fuel from the Factory
                                                           Three 925 CCA Capacity, 12V Batteries
TRANSMISSION:
                                                            200 Amp Alternator
24 Speed Powrsync
                                                           One Electrical 3-Pin 12V Convenience Outlet
  24 Forward/6 Reverse Speeds
                                                              Ground Terminals Behind Console
Hydraulic Wet Clutch
                                                            7 Terminal Rear Implement Electrical
Park Lock
                                                              Outlet Socket
                                                           Battery Boost Terminal
GreenStar Ready Harness with Implement Connector
STEERING AND BRAKES:
Articulated Hydrostatic Steering
Wet Disk, Self-Adjusting Brakes
                                                           LIGHTS:
Tilt/Telescoping Steering Wheel Differential Lock
                                                           Front Hood Lights (Eight Total)
                                                              Two HB3 65W Low Road HeadLights
                                                             Two HB3 65W High Road HeadLights
with Hand Operated Dimmer Switch
HYDRAULICS:
Pressure Flow Compensating
                                                              Two 65W Adjustable Corner Work Lights
                                                              One 65W Adjustable Center Work Light
  Axial Piston Pump
167 lpm (44 U.S. gpm) Pump Output (MST
                                                              One 65W Adjustable Center Spot Light
transmission)
                                                           Four 65W Rear Fender Mounted
Flow @ one SCV - 140 lpm (37 U.S. gpm)
                                                              Pedestal Mounted Work Lights
Four EH Remote Cylinder Controls with
                                                           Cab Roof Lights
  ISO Couplers
                                                              Two 65W Adjustable Front Flood Lights
                                                              Four 65W Fixed Side Flood Lights (2 per side)
PTO:
                                                              Two 65W Fixed Rear Flood Lights
                                                              Four 65W Fixed Corner Flood Lights (Region II
Less PTO
                                                              only)
                                                           Four Corner Amber Flashing Warning Lights with
Turn Signal Control (Not Reg II)
Two Rear Fender Tail/Brake/Turn lights
HITCH AND DRAWBAR:
Category 4 Drawbar with Standard Drawbar Support
Drawbar Clevis and Pin
                                                           Road Transport Extremity Lights (Not Reg II)
Secondary Chain Support
                                                            EU Front and Rear Extremity Position Lighting Kit
Less Hitch
                                                            (Region II only)
                                                           Rotary Beacon Light
AXLES, WHEELS AND TIRES:
COMMANDVIEW CAB:
Roll Over Protective Structure
Air Conditioner and Heater
                                                           110 mm (4.33 in) Diameter x 3048 mm (120 in) Long
Two Interior Rear View Mirrors
                                                           Axles
Comfort Command Seat with
                                                           Four Cast Inner/Four Steel Outer
                                                           Eight 710/70R38 166A8 R1 Radial Tires
  Air Suspension
  Swivel
                                                           Rear Fenders- 559 mm (22 in.) wide by
  Fore-Aft and Lateral Attenuation
                                                              1752 (69 in.) long
  Armrest Controls
  Lumbar Support
  Backrest Adjustment
                                                           SMV Emblem (If required)
Tinted Glass
                                                           Electric Horn
Two Speed Front Wiper with Variable Delay
                                                           Toolbox
Swing-Out Rear Window
                                                           Rear Storage Box (except with PTO,
Three Monitor Ready Locations
Two Convenience 12V Outlets
                                                              or Rear Drawbar Weight options Codes 8978 and
                                                              8984)
AM/FM Radio Mounting Bracket with
                                                           1325L (350 U.S. Gallon) Fuel Tank Capacity
  Wiring Harness
Field Cruise
Left Hand Storage
Electronic Foot Decelerator
iTEC (Intelligent Total Equipment Control)
Implement Management System
  Hitch Slip Command
```

9410R Tractor

Continued

		3	
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
03B0RW		9410R Tractor	284,362.00
		DESTINATION	
		A Code must be chosen for each Tractor ordered.	
0007		Africa Cameroon Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab.	Same Price
		Code 7201 Deluxe Lighting. Code 5055 - 110 mm (4.33 in) Diameter x 3048 mm (120 in) Axles. Code 5510 - 710/70R38 In. 166A8 R1W Dual Configuration.	
0014		Democratic Republic of Congo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5055 - 110 mm (4.33 in) Diameter x 3048 mm (120 in) Axles. Code 5510 - 710/70R38 In. 166A8 R1W Dual Configuration.	Same Price
0016		Egypt Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter. Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5055 - 110 mm (4.33 in) Diameter x 3048 mm (120 in) Axles. Code 5510 - 710/70R38 In. 166A8 R1W Dual Configuration.	Same Price
0019		Ethiopia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Rase Equipment includes:	Same Price

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.

Code 5055 - 110 mm (4.33 in) Diameter x 3048 mm (120 in) Axles. Code 5510 - 710/70R38 In. 166A8 R1W Dual Configuration.

9410R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0029		DESTINATIONContinued Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5055 - 110 mm (4.33 in) Diameter x 3048 mm (120 in) Axles. Code 5510 - 710/70R38 In. 166A8 R1W Dual Configuration.	Same Price
0043		Senegal Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5055 - 110 mm (4.33 in) Diameter x 3048 mm (120 in) Axles. Code 5510 - 710/70R38 In. 166A8 R1W Dual Configuration.	Same Price
0050		Tanzania Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5055 - 110 mm (4.33 in) Diameter x 3048 mm (120 in) Axles. Code 5510 - 710/70R38 In. 166A8 R1W Dual Configuration.	Same Price
0072		Asia China (People's Republic of China) Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5055 - 110 mm (4.33 in) Diameter x 3048 mm (120 in) Axles. Code 5510 - 710/70R38 In. 166A8 R1W Dual Configuration.	Same Price
0094		Philippines Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5055 - 110 mm (4.33 in) Diameter x 3048 mm (120 in) Axles. Code 5510 - 710/70R38 In. 166A8 R1W Dual Configuration.	Same Price

9410R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8600		DESTINATIONContinued Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5055 - 110 mm (4.33 in) Diameter x 3048 mm (120 in) Axles. Code 5510 - 710/70R38 In. 166A8 RIW Dual Configuration.	Same Price
0184		North America Canada Requires code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting Code 5055 - 110 mm (4.33 In.) Diameter x 3048 mm (120 In.) Axles. Code 5510 - 710/70R38 In. 166A8 R1W Dual Configuration.	Same Price
0193		Honduras Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5055 - 110 mm (4.33 In.) Diameter x 3048 mm (120 In.) Axles. Code 5510 - 710/70R38 In. 166A8 RIW Dual Configuration.	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5055 - 110 mm (4.33 in) Diameter x 3048 mm (120 in) Axles. Code 5510 - 710/70R38 In. 166A8 R1W Dual Configuration.	Same Price
0202		United States Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting Code 5055 110 mm (4.33 In.) Diameter x 3048 mm (120 In.) Axles. Code 5510 710/70R38 In. 166A8 R1W Dual Configuration.	1,209.00

9410R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	
0210		South America Argentina Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5055 - 110 mm (4.33 in) Diameter x 3048 mm (120 in) Axles. Code 5510 - 710/70R38 In. 166A8 R1W Dual Configuration.	Same Price
0211		Bolivia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5055 - 110 mm (4.33 in) Diameter x 3048 mm (120 in) Axles. Code 5510 - 710/70R38 In. 166A8 R1W Dual Configuration.	Same Price
0212		Brazil Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Requires Code 8782 - Back Up Alarm. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5055 - 110 mm (4.33 in) Diameter x 3048 mm (120 in) Axles. Code 5510 - 710/70R38 In. 166A8 R1W Dual Configuration.	Same Price
0214		Colombia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5055 - 110 mm (4.33 in) Diameter x 3048 mm (120 in) Axles. Code 5510 - 710/70R38 In. 166A8 R1W Dual Configuration.	Same Price
0219		Suriname Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5055 - 110 mm (4.33 in) Diameter x 3048 mm (120 in) Axles. Code 5510 - 710/70R38 In. 166A8 R1W Dual Configuration.	Same Price

VALUE PACKAGE CONFIGURATIONS

0500	No Package	In Base Price
0527	Standard 24 Speed PowrSync Package Includes Codes 2050, 1400, 2650, 3241, 3341 and 7200.	-1,150.00

9410R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0528		VALUE PACKAGE CONFIGURATIONSContinued Deluxe 24 Speed PowrSync Package Includes Codes 2059, 1400, 2660, 3241, 3351 and 7201.	-1,725.00
0529		Deluxe Powershift Package <i>Includes Codes 2059, 1492, 2660, 3241, 3351 and 7201.</i>	-1,725.00
0530		Premium 24 Speed PowrSync Package <i>Includes Codes 2061, 1400, 1823 or 1826, 2661 or 2662, 3241, 3351 and 7202.</i>	-2,300.00
0531		Premium Hi-Flow, 18 Spd. Powershift Package <i>Includes Codes 2061, 1492, 1823 or 1826, 2661 or 2662, 3270, 3352 and 7202.</i>	-2,300.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on the Control Switch Module (CSM). Front Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Folding Instructional Seat. No Mirrors. See Attachments Section for ordering information on additional field attachments.	-2,009.00
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on Control Switch Module (CSM). Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CSM. Front Pull Down Sun Shade. Right and Left Outside Manually Adjustable Mirrors. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. See Attachments Section for ordering information on additional field attachments.	In Base Price
2061		Premium CommandView II Cab Includes ActiveSeat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on the Command Center Controls. Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CSM. Front Pull Down Sun Shade. Right and Left Outside Electrically Adjustable Mirrors. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. See Attachments Section for ordering information on additional field attachments	3,520.00
		TRANSMISSION	
1400		24 Speed Powrsync, 24 F/6 R Speeds	In Base Price
1492		18 Speed Powershift, 18 F/6 R Speeds with Efficiency Manager	12,327.00

9410R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DISPLAY / MONITOR	
1821		GS3 Command Center 7" Color Display Includes GreenStar Parallel Tracking and Access Manager. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. AutoTrac activation can be ordered with the Tractor. Swath Control Pro activation must be ordered through AMS price pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	In Base Price
1823		Touchscreen GS3 Command Center, 7" Color Display, Touch Screen, Video Capable Includes GreenStar Parallel Tracking, Access Manager and Video Capability. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. One video input and Tractor function activated triggers. AutoTrac activation can be ordered with the Tractor. Swath Control Pro activation must be ordered through AMS price pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	1,260.00
1825		GS3 CommandCenter 7" Color Display with GS3 2630 GreenStar Display Includes GreenStar Parallel Tracking and Access Manager. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. AutoTrac activation can be ordered with the Tractor. Swath Control Pro activation must be ordered through AMS price pages. GS3 2630 display and harness installed on the A-Post display bracket. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	5,895.00
1826		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable with GS3 2630 GreenStar Display Includes GreenStar Parallel Tracking, Access Manager and Video Capability. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. One video input and Tractor function activated triggers. AutoTrac activation can be ordered with the Tractor. Swath Control Pro activation must be ordered through AMS price pages. GS3 2630 display and harness installed on the A-Post display bracket. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	7,160.00
		DECEIVED	
		StarFire 3000 Position Receivers can be ordered in two configurations: -SF1, a no-charge differential correction signal that provides non-row-crop accuracySF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.comRTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual.	
		GNSS serial port information (NMEA) is available through a StarFire 3000.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1835		Less StarFire 3000 Position Receiver Includes Deluxe receiver mounting bracket only. When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver	In Base Price
1837		StarFire 3000 Position Receiver - SF1 with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the	2,695.00

9410R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RECEIVERContinued language translation to match the Tractor Operator's Manual language translation. Includes Deluxe receiver mounting bracket only.	
1838		StarFire 3000 Position Receiver - SF2 Ready with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Includes Deluxe receiver mounting bracket. A StarFire SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/- 4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available through StellarSupport.com or by calling the AMS Customer Call Center.	4,695.00

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold seperately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, all GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact Stellar Support to activate AMS Software Activations, referencing the Tractor order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on AMS Activations will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1845	Less AutoTrac Activation	In Base Price
1846	AutoTrac SF1 Activation - GS3 Requires Code 1837 StarFire 3000 SF1 Receiver. See AMS sales manual and price pages for detailed information.	3,000.00
1847	AutoTrac SF2 Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	6,500.00
1848	AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See AMS sales manual and price pages for detailed information. Not Compatible with Code 1400, PowrSync Transmission.	5,500.00
1849	AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. Requires an SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information. Not Compatible with Code 1400, PowrSync Transmission.	9,000.00

9410R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITY	
		Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telemetics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and I year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability. Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	1,200.00
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers, no radio and no speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack Located on Front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio	1,015.00

9410R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RADIOContinued AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disk Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth Capable including microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display. For U.S. and Canada only.	
2662		Premium Radio Package AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disk Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth Capable including microphone, Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass and treble radio functions can be viewed and configured on the CommandCenter Display. Not U.S. or Canada.	912.00
		HYDRAULICS SYSTEM	
3241		Standard Hydraulic System 167 lpm (44 gpm)with 24 speed Powrsync Transmission. Provides up to 140 lpm (37 gpm) flow @ one SCV. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3270		Hi-Flow Hydraulic System; 295 lpm (78 gpm) Provides up to 170 lpm (37 gpm) flow @ one SCV. Requires Code 1492 - 18 Speed Powershift Transmission. Requires Code 3352 Rear Remote Selective Control Valves. Refer to the Ag Sales Manual for Implement compatibility. SCVs 1-3 supplied by primary pump. SCVs 4&5 supplied by secondary pump, recommended for orbital motor use.	5,885.00
		HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)	
3341		Four Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3241 - Standard Hydraulic System. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3351		Five Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3241 - Standard Hydraulic System. Refer to the Ag Sales Manual for Implement compatibility.	1,350.00
3352		Five Deluxe Electro-Hydraulic Rear Remote Selective Control Valves (Hi-Flow Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3270 - Hi-Flow Hydraulic System. Refer to the Ag Sales Manual for Implement compatibility.	1,350.00
		REAR POWER TAKE OFF	

9410R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
3800		REAR POWER TAKE OFFContinued Less Rear PTO	In Base Price
3810		1000-rpm PTO with 1 3/4 In. Shaft Not compatible with Rear Storage Box.	14,340.00
		REAR HITCH	
4000		Less Rear 3-Point Hitch	In Base Price
4050		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4N/3 Adjustable Quik Coupler 6940 kg (15,300 Lb.) Lift Capacity Recommend Code 8000, HD Frame w/Tapered Roller Bearing Gudgeon for deep ripping applications. Requires Code 5056, Heavy duty, single Reduction, 3048 mm (120 in) X 120 mm (4.72 in) Diameter axles. Requires Code 832F, Motor Seal Drain Kit. Not compatible with Category 4 standard drawbar, Code 4321. Not compatible with any triple tire configurations or with 710/70R38, IF710/70R38, 800/70R38 or IF800/70R38 tires. Maximum number of SCV's with a 3-Point Hitch is five.	19,924.00
4051		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4N/4 Adjustable Quik Coupler; 6940 kg (15,300 lb) Lift Capacity Recommend Code 8000, HD Frame w/Tapered Roller Bearing Gudgeon for deep ripping applications. Requires Code 5056, Heavy duty, single Reduction, 3048 mm (120 in) X 120 mm (4.72 in) Diameter axles. Requires Code 832F, Motor Seal Drain Kit. Not compatible with Category 4 standard drawbar, Code 4321. Must use quick coupler in 4N position with 710/70R42 tires. Not compatible with any triple tire configurations or with710/70R38, IF710/70R38, 800/70R38 or IF800/70R38 tires. Maximum number of SCV's with a 3-Point Hitch is five.	20,789.00
4052		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4N/3 Adjustable Quik Coupler 9072 kg (20,000 Lb. Lift Capacity) Requires Code 5056, Heavy Duty, Single Reduction, 3048 mm (120 In.) x 120 mm (4.72 in) Diameter axles. Requires Code 8000, HD Frame w/Tapered Roller Gudgeon for deep ripping applications. Requires Code 832F, Motor Seal Drain Kit. Requires Code 8042, Rear Axle Support. Not compatible with Category 4 standard drawbar, Code 4321. Only compatible with dual configurations of 710/70R42, IF 710/70R42, IF 650/85R38, 650/85R38 tires or IF 480/80R50 tires (with load rating of 165 or greater). Maximum number of SCV's with a 3-Point Hitch is five.	22,393.00
4053		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4/4N, Adjustable Quik Coupler; 9072 kg (20,000 Lb.) Lift Capacity Requires Code 5056, Heavy duty, single Reduction, 3048 mm (120 in) X 120 mm (4.72 in) Diameter axles. Requires Code 8000, HD Frame w/Tapered Roller Bearing Gudgeon for deep ripping applications. Requires Code 8323F, Motor Seal Drain Kit. Requires Code 8042, Rear Axle Support. Not compatible with Category 4 standard drawbar, Code 4321. Must use quick coupler in 4N position with 710/70R42 tires. Only compatible with dual configurations of 710/70R42, IF710/70R42, 650/85R38, IF650/85R38 tires or 480/80R50 tires (with load rating of 165 or greater). Maximum number of SCV's with a 3-Point Hitch is five.	23,259.00

9410R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DRAWBAR	
4321		Cat. 4 Drawbar with Standard Drawbar Support Not compatible with 3 pt. hitch Codes 4050, 4051, 4052, 4053. Not compatible with Rear Drawbar Weight Codes 8978, 8983 or 8984. Drawbar maximum vertical load rating 2470 kg (5450 lb).	In Base Price
4322		Cat. 4 Drawbar with Heavy-Duty Drawbar Support Compatible with all 3 pt. hitch Codes. Drawbar maximum vertical load rating of 2470 kg (5450 lb).	3,218.00
4325		Cat. 5 Drawbar (2 position) with Heavy-Duty Drawbar Support Drawbar maximum vertical load rating of 5440 kg (12,000 lb).	3,856.00
		AXLES	
5055		Heavy Duty, 3048 mm (120 ln.) X 110 mm (4.33 in) Diameter Not compatible with Codes 4050, 4051, 4052 or 4053. Not compatible with 3 meter (118 in) tread spacing.	In Base Price
5056		Heavy Duty, 3048 mm (120 ln.) X 120 mm (4.72 in) Diameter Single Reduction Required with Code 4050, 4051, 4052 or 4053. Required for 3 meter (118 in)tread spacing.	4,160.00
		WHEELS AND TIRES	
		CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED:	
5503		RCI Group 47 Size Tires (77 In./1956 mm Diameter) (Listed from Narrowest to Widest / Single to Triple Configuration) 480/80R46 In. 158A8 R1 Radial in Dual Configuration Available in Firestone or Goodyear.	-16,348.00
5504		480/80R46 In. 158A8 R1W Radial in Dual Configuration Available in Michelin only.	-10,522.00
5703		480/80R46 In. 158A8 R1 Radial in Triple Configuration Available in Firestone or Goodyear.	8,088.00
5704		480/80R46 In. 158A8 R1W Radial in Triple Wheel Configuration Available in Michelin only.	16,066.00
5506		520/85R42 In. 157A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear or Michelin.	-11,420.00
5508		520/85R42 157A8 R2 Radial in Dual Configuration Available in Firestone or Goodyear.	-8,900.00
5505		520/85R42 In. 157A8 R1 Radial in Dual Configuration Available in Firestone or Goodyear.	-16,644.00
5705		520/85R42 In. 157A8 R1W Radial in Triple Configuration Available in Firestone, Goodyear or Michelin.	14,300.00
5706		520/85R42 In. 157A8 R2 Radial in Triple Configuration Available in Firestone or Goodyear.	19,280.00

9410R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5707		WHEELS AND TIRESContinued 520/85R42 In. 157A8 R1 Radial in Triple Configuration Available in Firestone or Goodyear.	7,664.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear or Michelin.	-5,268.00
5510		710/70R38 In. 166A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear or Michelin.	In Base Price
5517		IF 710/70R38 In. 178A8 R1W Increased Flexion Radial in Dual Configuration Available in Firestone only.	2,416.00
		CAST MAIN AND STEEL DUAL OR TRIPLE (Unless Noted):	
5601		RCI Group 48 Size Tires (81 In./2057 mm Diameter) (Listed from Narrowest to Widest, Single to Triple Configuration) Wheels and Heavy Duty Wheel Sleeves 480/80R50 In. 159A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	-10,344.00
5602		IF 480/80R50 In. 166A8 R1W Radial in Dual Configuration Available in Firestone only.	-3,128.00
5720		480/80R50 In. 159A8 R1W Radial in Triple Configuration Available in Firestone, Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	17,124.00
5603		520/85R46 In. 158A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	-11,108.00
5604		520/85R46 In. 158A8 R2 Radial in Dual Configuration <i>Available in Goodyear only</i> .	-10,116.00
5721		520/85R46 In. 158A8 R1W Radial in Triple Wheel Configuration Available in Firestone, Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	15,948.00
5722		520/85R46 In. 158A8 R2 Radial in Triple Wheel Configuration <i>Available in Goodyear only</i> .	17,436.00
5605		620/70R46 In. 167A8 R1W Radial in Dual Configuration Available in Goodyear only.	-3,612.00
5622		650/85R38 In. 173A8 R1W in Dual Configuration Available in Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	-712.00
5618		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Dual Configuration Available in Michelin.	8,210.00
5606		710/70R42 In. 168A8 R1W Radial in Dual Configuration Available in Firestone only.	1,388.00
5607		710/70R42 In. 173A8 R1W Radial in Dual Configuration Available in Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	2,660.00

9410R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5619		WHEELS AND TIRESContinued IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Dual Configuration Available in Michelin or Firestone.	14,302.00
5209		800/70R38 In. 173A8 R1W Radial in Single Wheel Configuration Available in Firestone, Goodyear, or Michelin. Use only with semi-integral implements when ordered with Codes 4050 or 4051. For 3 Meter Tread Spacing, requires 120mm (4.72 in) Diameter Axles.	-21,228.00
5220		IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Single Wheel Configuration Available in Firestone, Goodyear, or Michelin. Use only with semi-integral implements when ordered with Codes 4050 or 4051. For 3 Meter Tread Spacing, requires 120mm (4.72 in) Diameter Double Reduction Axles. Compatible with Code 4050 and 4051.	-15,612.00
5609		800/70R38 In. 173A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear or Michelin.	3,784.00
5620		IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Dual Configuration Available in Firestone or Michelin.	15,016.00
		TIRE PREFERENCE CODES	
		If only one brand is available in any tire code, the Tire Preference Code 5999 must be chosen below to avoid extra charges. You will still get the one brand stated in the tire code description.	
5999		No Brand Preference Mitas/Continental brand tires available in US and Canada only.	No Charge
5901		Firestone Brand Only	1,000.00
5902		Goodyear Brand Only	1,000.00
5903		Michelin Brand Only	1,400.00
5904		Mitas/Continental Brand Only Mitas/Continental brand tires available in US and Canada only.	1,000.00
		LIGHTS	
7200		Standard Lighting Eight Front Grill Mounted Lights: Two 65W low beam driving lights, two 65W high beam driving lights, two front corner facing halogen work lights and two center facing halogen work lights. Ten Cab Roof Mounted Lights: Two rear and four side facing 65W flood lights and four corner facing amber lights. Four rear fender mounted flood lights and two rear Tail/Brake/Turn lights. Road Transport Extremity Lights(foldable).	-762.00
7201		Deluxe Lighting Includes Standard lighting plus two adjustable front roof 65W halogen floodlights and a rotary beacon light.	In Base Price
7202		Premium HID Lighting Includes Deluxe Lighting, and in the grill screen, two front corner HID lights replace two front halogen lights and one HID light replaces a center halogen flood light. Two of the rear fender lights are replaced with HID lights.	3,442.00

9410R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR'S MANUAL AND LABELS	
		A Code must be chosen for each Tractor ordered.	
0401		Arabic	Same Price
0426		Mandarin (Chinese)	Same Price
0409		English Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	In Base Price
0413		French Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0430		Portuguese Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0433		Russian	Same Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8760		Brakes and Steering: Greaseable Steering Cylinder Pins	447.00
8756		Hydraulic Trailer Brake Valve	1,006.00
8210		Operator Station & Controls: Leather Trim Includes heated leather seat, leather wrapped steering wheel and rear window decal.	1,646.00
8227		External Mirrors, Electrically Adjustable, Heated, Power Extendable, RH and LH <i>Must order Code 2059</i> . Not compatible with Code 2050 or Code 2061.	1,344.00
8228		External Mirrors, Electrically Adjustable, Heated, Power Extendable, RH and LH <i>Must order Code 2061.</i> Not compatible with Code 2050 or Code 2059.	1,344.00
8242		Radar with Dual Beam Sensor	900.00
8251		Antenna Mount and Wiring for Business Band Radio	129.00
832F		Hydraulics: Motor Seal Drain Kit Required with all Rear Hitch Codes 4050, 4051, 4052, 4053.	628.00

9410R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8725		Electrical & Lights: Rotary Beacon Light Requires Code 7200.	347.00
8782		Back Up Alarm	363.00
8306		Engine: Fuel/Water Separator, Severe Duty This code is optional for Tractors with iT4/3b Engines.	564.00
		This code is required for Tractors with Stage 2 Engines.	
8338		John Deere PowerTech 13.5 L (824 cu.in.) 6 Cyl Stage 2 Compliant Diesel Engine	-16,883.00
8340		JohnDeere PowerTech PSX 13.5 L (824 cu. in.) 6 Cyl. iT4 / Stage 3b Compliant Diesel	Same Price
8000		Frame & Chassis: HD Frame with Tapered Roller Bearing Gudgeon Recommended when a rear hitch is ordered on Tractor. Required for 20,000 lb Hitch.	2,985.00
8021		Wide Rear Fenders, 939 mm (37 in.) Wide by 1937 mm (76 in.) Long Option for improved coverage of rear drive tires.	1,240.00
8041		Front Axle Reinforcement Required with front weight bracket or any ballast packages requiring front suitcase weights. Check with outside manufacturers of front-mounted equipment for compatibility.	2,692.00
8042		Rear Axle Support Required with 9072 kg (20,000 lb) hitch option, Codes 4052 or 4053. Recommended with 6940 kg (15,000 lb) hitch option, Codes 4050 or 4051.	1,461.00
		Weights and Ballast:	
8955		Front Weights Front Weight Support without Front Weights Requires Code 8041 - Front Axle Reinforcement.	1,125.00
8959		Front Weight Support with 16 Weights Requires Code 8041 - Front Axle Reinforcement.	3,000.00
8965		Front Weight Support with 36 Weights Requires Code 8041 - Front Axle Reinforcement.	5,674.00
8978		Rear Drawbar Weights for 4WD Tractors without 3-Point Hitch Rear Drawbar Support Weight Bracket - Without Weights Requires Drawbar Code 4322 or 4325. Not compatible with Rear Storage Box. Not compatible with Rear Hitch, Codes 4050, 4051, 4052, 4053.	175.00

9410R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8983		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Rear Drawbar Support Weight Bracket- with 10 Suitcase Weights Requires Drawbar Code 4322 or 4325. Not compatible with Rear Hitch, Codes 4050, 4051, 4052, 4053.	1,512.00
8984		Rear Drawbar Support Weight Bracket- with 15 Suitcase Weights Requires Drawbar Code 4322 or 4325. Not compatible with Rear Storage Box. Not compatible with Rear Hitch, Codes 4050, 4051, 4052, 4053 or rear PTO Code 3810.	2,180.00
8970		Wheel Weights for 4WD Tractor without 3-Point Hitch Front - 0 kg (0 lb) Rear - 970 kg (2130 lb) - Two 75 kg (165 lb) - Four 205 kg (450 lb) Outside Dual Not compatible with Codes 4050, 4051, 4052, 4053.	2,928.00
8971		Front - 0 kg (0 lb) Rear - 1380 kg (3930 lb) - Two 205 kg (450 lb) Inside/Inner - Two 75 kg (165 lb) Six 205 kg (450 lb) Outside Dual Not compatible with Codes 4050, 4051, 4052, 4053. Includes Two 205 kg (450 lb) weights not installed.	5,344.00
8972		Front - 0 kg (0 lb) Rear - 1270 kg (2800 lb) - Two 625 kg (1400 lb) Inside/Inner Not compatible with Codes 4050, 4051, 4052, 4053. Reduces tire clearance. Not available with Triple Tire options.	3,460.00
8974		Front - 1270 kg (2800 lb) - Two 625 kg (1400 lb) Inside/Inner Rear - 2650 kg (5830 lb) - Two 625 kg (1400 lb) Inside/Inner - Two 75 kg (165 lb), Six 205 kg (450 lb) Outside Dual Requires tires 620 mm and wider. Not compatible with Codes 4050, 4051, 4052, 4053. This package compatible with PTO. Includes Two 205kg (450 lb) weights not installed.	11,056.00
8975		Front - 970 kg (2130 lb) - Two 205 kg (450 lb) Inside/Inner - Two 75 kg (165 lb), Two 205 kg (450 lb) Outside Dual Rear - 2758 kg (6080 lb) - Two 205 kg (450 lb) Inside/Inner - Two 75 kg (165 lb), Six 205 kg (450 lb) Outside Dual or Triple - 20 Frame Weights and Weight Support Not compatible with Codes 4050, 4051, 4052, 4053. Not compatible with PTO - Code 3810. Includes Two 205 kg (450 lb) weights not installed.	11,133.00

9410R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8979		Wheel Weights for 4WD Tractors with 3-Point Hitch Front - 410 kg (900 lb) - Two 205 kg (450 lb) Inside/Inner Rear - 410 kg (900 lb) - Two 205 kg (450 lb) Inside/Inner Requires Codes 4050, 4051, 4052, 4053.	2,416.00
8980		Front - 970 kg (2130 lb) - Two 205 kg (450 lb) Inside/Inner - Two 75 kg (165 lb) Two 205 kg (450 lb) Outside Dual Rear - 1380 kg (3030 lb) - Two 205 kg (450 lb) Inside/Inner - Two 75 kg (165 lb) Four 205 kg (450 lb) Rear Wheel Weights Requires Codes 4050, 4051, 4052, 4053.	7,064.00
		ATTACHMENTS - ORDER AS DESIRED	
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE325945	Electrical: Battery Disconnect Kit	115.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE269592	Mounting Kit - Dual Beam Radar Sensor The Mounting Kit does not include Dual Beam Radar Sensor. If Dual Beam Radar Sensor is needed, order Dual Beam Radar Sensor (RE278980, RE278984, RE278986 or RE278982).	85.00
	RE278980	Radar with Dual Beam Sensor	See Parts
	RE278984	Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	26.00

9410R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE326213	Engine: Fuel/Water Separator Kit, Severe Duty - Wheel	620.00
	RE275924	Hitch and Drawbar: Cat. 4 Drawbar Reinforcement Kit for Tractors equipped with either 3-Point Hitch or Heavy Duty Drawbar Support Ability to achieve 11,000 lbs Vertical Load Capacity.	2,075.00
	RE270268	Cat. 4/4N Quik Coupler Kit	2,741.00
	RE270270	Cat. 4N/3 Quik Coupler Kit	4,029.00
	RE278847	Cat. 5 to Cat. 4 Drawbar Conversion Kit Converts Cat. 5 Drawbar for use with Cat. 4 Implements.	462.00
	RE283958	Drawbar, Ball-type 80 mm, Cat. 4 Ball-type drawbar for use when using the DN 345 - Drawn Dry Box Spreader. No other implements are approved for this drawbar.	2,876.00
	RE311348	Electro-Hydraulic 3-Point Hitch with Draft Sensing for Wheel Tractors For Tractors equipped with a Factory Installed HD drawbar support. Additional parts are required - see installation instructions. Also requires Cat. 4N/3 Quik Coupler (RE270270), or 4/4N Quik Coupler (RE270268). Also required hitch cylinders to achieve 15,300 lb or 20,000 lb lift capacity. 15,300 lb hitch uses 1 x AHC10487 and 1 x AHC10488 cylinders. 20,000 lb hitch uses 2 x AHC10045. Requires Software download (R306826) to activate function.	20,492.00
	RE310798	Hydraulics: 3/4 In. Selective Control Valve Coupler Kit (Hi-Flow only)	2,142.00
	RE303735	5th Remote Selective Control Valve (for Standard flow Hydraulics) Requires Software download to activate function - See Parts.	1,331.00
	RE310796	6th Remote Selective Control Valve for AG High Flow Hydraulic Systems Not compatible with a factory or field installed 3 Pt. Hitch. Requires factory installed 5th SCV. Requires Software download to activate function - See Parts.	2,588.00
	RE303736	6th Remote Selective Control Valve for Standard Flow Hydraulic Systems Not compatible with a factory or field installed 3 Pt. Hitch. Requires factory or field installed 5th SCV. Requires Software download to activate function - See Parts.	2,070.00
	RE293259	Hitch Auxiliary Raise Kit For use with hitch valve with lift assist wheels. Compatible with all 9R Series Wheel and Track Tractors.	212.00
	RE336255	Hydraulic Trailer Brake Kit for Wheels Provides single line connection to hydraulic braking systems. Works with or without power beyond couplers.	1,106.00
	RE299261	Motor Seal Drain Kit	235.00

9410R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE293262	ATTACHMENTS FOR FIELD CONVERSIONContinued Power Beyond Coupler Kit Compatible with all Standard Flow Hydraulic Systems and Ag High Flow Hydraulic Systems. 1 or 2 pcs required for Ag High Flow Systems. Compatible with all Standard Flow Hydraulic Systems.	682.00
	RE330435	Lighting: Auxiliary Lighting Kit	88.00
	RE334623	Rotary Beacon Light Kit Switch is on CSM.	382.00
	RE277064	Miscellaneous: Gudgeon Kit with Tapered Roller Bearings Updates 9R Series Tractors to Tapered Roller Bearing Gudgeon with 2 1/2 In. articulation pin. 9R Series Scraper Tractors are factory equipped with the Tapered Roller Bearing Gudgeon.	5,170.00
	RE311210	Tow Cable Kit - Wheel Tractors Tractors not equipped with a front weight support must also order RE300652.	2,145.00
	RE67685	Operator Environment: 9-Pin Connector for Implement Feedback Required for TouchSet Depth Control.	241.00
	RE317435	Accessory Mounting Bracket	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00
	RE254357	Back Up Alarm Kit	399.00
	RE323407	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	594.00
	RE293499	External Mirrors, Electrically Telescoping and Heated Mirror Heads	1,696.00
	RE323405	External Mirrors, Manually Adjustable RH and LH	265.00
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	295.00
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	RE269618	Windshield Wiper with Washer, Rear	193.00
	RE211995	PTO: 1000 RPM PTO Shield Kit	1,006.00

9410R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE304681	ATTACHMENTS FOR FIELD CONVERSIONContinued Field Installation Kit, PTO, Wheel, MST All PTO mounting hardware and shielding is contained in kit.	13,652.00
	RE304682	Field Installation Kit, PTO, Wheel, PST+SR All PTO mounting hardware and shielding is contained in kit.	13,843.00
	BPF10312	Software Downloads: Non-John Deere Guidance Compatibility Activation - AutoFarm/Novariant Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10313	Non-John Deere Guidance Compatibility Activation - Hemisphere/Outback Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10433	Non-John Deere Guidance Compatibility Activation - Leica Geosystems Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10311	Non-John Deere Guidance Compatibility Activation - Raven Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10363	Non-John Deere Guidance Compatibility Activation - Trimble Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AR268522	Weights: Front Idler Weights Mounting	1,244.00
	RE268386	Front Weight Bracket	1,800.00
	RE325618	Front Weight Bracket (Wheel) Allows attachment of up to 36 Quick-Tatch weights. Requires front reinforcement kit: RE341567.	1,800.00
	RE268085	Rear Axle Supports For Tractors equipped with 110 or 120 mm diameter axles and no hitch. Required (standard equipment) on 20K hitch capacity and 9R Scraper Tractors.	1,270.00
	RE286201	Two Track Frame Weight Supports and Extremity Lighting Kit	1,013.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R167151	Weight, Inner Wheel, 1400 Lb. Not available with triple tire options.	1,903.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg)	282.00
	RFR207782	Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights)	2,658.00

9410R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RFR167153	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00
	R207782	Weight, Wheel, 450 Lb.	664.00
		Wheel Equipment:	
	AR190666	One 10 In. Dual Hub Extension	759.00
	AR190668	One 13 In. Dual Hub Extension	844.00
	AR190669	One 15 In. Dual Hub Extension	884.00
	AR194744	One 5 In. Dual Hub Extension	685.00

9460R Tractor

Equipment for Base Machine

```
ENGINE:
                                                                Hitch Slip Command
6-Cylinder Turbocharged John Deere PowerTech
  Diesel Engine with Electronic
                                                              INSTRUMENTATION:
                                                              Digital Instrument Panel includes
  Unit Injection
Air to Air Aftercooled
13.5 L (824 Cu. In.) Displacement
325 kW (442 Hp) Engine Power Level ECE-R24 @ Rated
                                                                 Engine Oil Pressure Gauge
                                                                 Engine Coolant Temperature Gauge
                                                                 Fuel Level Gauge
Engine Speed
                                                                 % Slip
338 kW (460 Hp) Engine Power Level 97/68EC @ Rated
                                                                 Ground Speed
Engine Speed
                                                                 PTO Speed
Dry Type Air Cleaner with Safety Element,
                                                                 System Voltage
  Airstack and Aspirator
                                                                 Engine Hours
Muffler with Extension
                                                                 Service Hours with On-Board
                                                                   Vehicle Monitor System
Ether Starting Aid
Engine Coolant Heater 110V or 220V
                                                              ELECTRICAL:
Vertical Engine Oil Filter
                                                              Kev Shutoff
                                                              12V Electrical System
Three 925 CCA Capacity, 12V Batteries
Dual Filter Fuel System
B2 Biodiesel Fuel from the Factory
TRANSMISSION:
                                                               200 Amp Alternator
                                                              One Electrical 3-Pin 12V Convenience Outlet
24 Speed Powrsync
24 Forward/6 Reverse Speeds
Hydraulic Wet Clutch
                                                                 Ground Terminals Behind Console
                                                               7-Terminal Rear Implement Electrical
                                                                 Outlet Socket
STEERING AND BRAKES:
                                                              Battery Boost Terminal
Articulated Hydrostatic Steering
Wet Disk, Self-Adjusting Brakes
                                                              GreenStar Ready Harness with Implement Connector
Tilt/Telescoping Steering Wheel
                                                              LIGHTS:
Spring-Applied, Hydraulically Released
                                                              Front Hood Lights (Eight Total)
                                                                 Two HB3 65W Low Road Headlights
Two HB3 65W High Road Headlights
  Park Brake
Secondary Brake (Region II only)
Differential Lock
                                                                  with Hand Operated Dimmer Switch
                                                                 Two 65W Adjustable Corner Work Lights
                                                                 One 65W Adjustable Center Work Light
HYDRAULICS:
                                                                 One 65W Adjustable Center Spot Light
Pressure Flow Compensating
  Axial Piston Pump
                                                               Four 65W Rear Fender Mounted
167 lpm (44 gpm) Pump Output (MST Transmission) Flow @ one SCV - 140 lpm (37 gpm) Four EH Remote Cylinder Controls
                                                                 Pedestal Mounted Work Lights
                                                              Cab Roof Lights
                                                                 Two 65W Adjustable Front Flood Lights
  with ISO Couplers
                                                                 Four 65W Fixed Side Flood Lights (2 per side)
                                                                 Two 65W Fixed Rear Flood Lights
                                                                 Four Corner Amber Flashing Lights
PTO:
Less PTO
                                                                 Four 65W Fixed Corner Flood Lights (Region II
                                                                 only)
                                                                 Four Corner Amber Flashing Warning Lights with
HITCH AND DRAWBAR:
                                                              Turn Signal Control (Not Reg II)
Two Rear Fender Tail/Brake/Turn lights
Category 4 Drawbar with Standard Drawbar Support Drawbar Clevis and Pin
                                                              Road Transport Extremity Lights (Not Region II) EU Front and Rear Extremity Position Lighting Kit
Secondary Chain Support
Less Hitch
                                                               (Region II only)
COMMANDVIEW CAB:
                                                              Rotary Beacon Light
Roll Over Protective Structure
EC Approved Windshield
                                                              AXLES, WHEELS AND TIRES:
Air Conditioner and Heater
                                                               120 mm (4.72 in) Diameter x3048 mm (120 in) Long
One Interior Rear View Mirror
                                                              Single Reduction Axles
                                                              Four Cast Inner/Four Steel Outer
Eight 710/70R42 168A8 RIW Radial Tires
Command Center Color Display
Comfort Command Seat with
  Air Suspension
                                                              Rear Fenders - 559 mm (22 in.) wide by
  Swivel
                                                              1752 mm (69 in.) long
  Fore-Aft and Lateral Attenuation
  Armrest Controls
                                                              VEHICLE:
  Lumbar Support
                                                              SMV Emblem (If required)
  Backrest Adjustment
                                                              Electric Horn
Tinted Glass
                                                              Toolbox
Two Speed Front Wiper with Variable Delay
                                                              Rear Storage Box (except with PTO
Swing-Out Rear Window
Three Monitor Ready Locations
Two Convenience 12V Outlets
                                                                 or Rear Drawbar Weight option Codes 8978 and
                                                              1325L (350 U.S. Gallon) Fuel Tank Capacity
AM/FM Radio Mounting Bracket with
  Wiring Harness
Field Cruise
Left Hand Storage
Electronic Foot Decelerator
```

iTEC (Intelligent Total Equipment Control)

Implement Management System

9460R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
03C0RW		9460R Tractor	308,492.00
		DESTINATION	
		A Code must be chosen for each Tractor ordered.	
0007		Africa Cameroon Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab.	Same Price
		Code 7201 Deluxe Lighting. Code 5056 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Single Reduction Axles. Code 5606 - 710/70R42 In. 168A8 R1W Dual Configuration.	
0014		Democratic Republic of Congo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5056 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Single Reduction Axles. Code 5606 - 710/70R42 In. 168A8 RIW Dual Configuration.	Same Price
0016		Egypt Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter. Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5056 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Single Reduction Axles. Code 5606 - 710/70R42 In. 168A8 R1W Dual Configuration.	Same Price

0019

Requires Code 1885 JDLink Capable.
Requires Code 8338 - Stage 2 Compliant Engine.
Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.

Code 5056 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Single Reduction Axles. Code 5606 - 710/70R42 In. 168A8 RIW Dual Configuration.

Same Price

9460R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0029		DESTINATIONContinued Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5056 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Single Reduction Axles. Code 5606 - 710/70R42 In. 168A8 RIW Dual Configuration.	Same Price
0043		Senegal Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5056 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Single Reduction Axles. Code 5606 - 710/70R42 In. 168A8 R1W Dual Configuration.	Same Price
0050		Tanzania Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5056 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Single Reduction Axles. Code 5606 - 710/70R42 In. 168A8 R1W Dual Configuration.	Same Price
0072		Asia China (People's Republic of China) Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5056 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Single Reduction Axles. Code 5606 - 710/70R42 In. 168A8 R1W Dual Configuration.	Same Price
0094		Philippines Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5056 - 120 mm (4.72in) Diameter x 3048 mm (120 in) Single Reduction Axles. Code 5606 - 710/70R42 In. 168A8 R1W Dual Configuration.	Same Price

9460R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8600		DESTINATIONContinued Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5056 - 120 mm (4.72in) Diameter x 3048 mm (120 in) Single Reduction Axles. Code 5606 - 710/70R42 In. 168A8 RIW Dual Configuration.	Same Price
0184		North America Canada Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting Code 5056 120 mm (4.72 In.) Diameter x 3048 mm (120 In.) Single Reduction Axles Code 5606 710/70R42 In. 168A8 RIW Dual Configuration.	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5056 - 120 mm (4.72 In.) Diameter x 3048 mm (120 In.) Single Reduction Axles. Code 5606 - 710/70R42 In. 168A8 RIW Dual Configuration.	Same Price
0193		Honduras Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5056 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Single Reduction Axles. Code 5606 - 710/70R42 In. 168A8 RIW Dual Configuration.	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5056 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Single Reduction Axles. Code 5606 - 710/70R42 In. 168A8 RIW Dual Configuration.	Same Price
0202		United States Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting Code 5056 120 mm (4.72 In.) Diameter x 3048 mm (120 In.) Single Reduction Axles Code 5606 710/70R42 In. 168A8 RIW Dual Configuration.	1,209.00

9460R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	
0210		South America Argentina Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5056 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Single Reduction Axles. Code 5606 - 710/70R42 In. 168A8 R1W Dual Configuration.	Same Price
0211		Bolivia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5056 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Single Reduction Axles. Code 5606 - 710/70R42 In. 168A8 R1W Dual Configuration.	Same Price
0212		Brazil Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Requires Code 8782 - Back Up Alarm. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5056 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Single Reduction Axles. Code 5606 - 710/70R42 In. 168A8 R1W Dual Configuration.	Same Price
0214		Colombia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5056 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Single Reduction Axles. Code 5606 - 710/70R42 In. 168A8 R1W Dual Configuration.	Same Price
0219		Suriname Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5056 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Single Reduction Axles. Code 5606 - 710/70R42 In. 168A8 RIW Dual Configuration.	Same Price
		VALUE PACKAGE CONFIGURATIONS	

VALUE PACKAGE CONFIGURATIONS

0500	No Package	In Base Price
0527	Standard 24 Speed PowrSync Package <i>Includes Codes 2050, 1400, 2650, 3241, 3341 and 7200.</i>	-1,150.00

9460R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0528		VALUE PACKAGE CONFIGURATIONSContinued Deluxe 24 Speed PowrSync Package Includes Codes 2059, 1400, 2660, 3241, 3351 and 7201.	-1,725.00
0529		Deluxe Powershift Package Includes Codes 2059, 1492, 2660, 3241, 3351 and 7201.	-1,725.00
0530		Premium 24 Speed PowrSync Package <i>Includes Codes 2061, 1400, 1823 or 1826, 2661 or 2662, 3241, 3351 and 7202.</i>	-2,300.00
0531		Premium Hi-Flow, 18 Spd. Powershift Package <i>Includes Codes 2061, 1492, 1823 or 1826, 2661 or 2662, 3270, 3352 and 7202.</i>	-2,300.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on the Control Switch Module (CSM). Front Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Folding Instructional Seat. No Mirrors. See Attachments Section for ordering information on additional field attachments.	-2,009.00
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on Control Switch Module (CSM). Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CSM. Front Pull Down Sun Shade. Right and Left Outside Manually Adjustable Mirrors. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. See Attachments Section for ordering information on additional field attachments.	In Base Price
2061		Premium CommandView II Cab Includes ActiveSeat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on the Command Center Controls. Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CSM. Front Pull Down Sun Shade. Right and Left Outside Electrically Adjustable Mirrors. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. See Attachments Section for ordering information on additional field attachments	3,520.00
		TRANSMISSION	
1400		24 Speed Powrsync, 24 F/6 R Speeds	In Base Price
1492		18 Speed Powershift, 18 F/6 R Speeds with Efficiency Manager	12,327.00

9460R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DISPLAY / MONITOR	
		When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1821		GS3 Command Center 7" Color Display Includes GreenStar Parallel Tracking and Access Manager. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. AutoTrac activation can be ordered with the Tractor. Swath Control Pro activation must be ordered through AMS price pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	In Base Price
1823		Touchscreen GS3 Command Center, 7" Color Display, Touch Screen, Video Capable Includes GreenStar Parallel Tracking, Access Manager and Video Capability. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. One video input and Tractor function activated triggers. AutoTrac activation can be ordered with the Tractor. Swath Control Pro activation must be ordered through AMS price pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	1,260.00
1825		GS3 CommandCenter 7" Color Display with GS3 2630 GreenStar Display Includes GreenStar Parallel Tracking and Access Manager. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. AutoTrac activation can be ordered with the Tractor. Swath Control Pro activation must be ordered through AMS price pages. GS3 2630 display and harness installed on the A-Post display bracket. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	5,895.00
1826		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable with GS3 2630 GreenStar Display Includes GreenStar Parallel Tracking, Access Manager and Video Capability. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. One video input and Tractor function activated triggers. AutoTrac activation can be ordered with the Tractor. Swath Control Pro activation must be ordered through AMS price pages. GS3 2630 display and harness installed on the A-Post display bracket. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	7,160.00

RECEIVER

StarFire 3000 Position Receivers can be ordered in two configurations:

-SF1, a no-charge differential correction signal that provides non-row-crop accuracy.

-SF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.com.

-RTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual.

GNSS serial port information (NMEA) is available through a StarFire 3000.

Option availability limited by specific geographical regions. Please refer to region specific

9460R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RECEIVERContinued price pages for appropriate ordering codes.	
1835		Less StarFire 3000 Position Receiver Includes Deluxe receiver mounting bracket only. When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver	In Base Price
1837		StarFire 3000 Position Receiver - SF1 with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Includes Deluxe receiver mounting bracket only.	2,695.00
1838		StarFire 3000 Position Receiver - SF2 Ready with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Includes Deluxe receiver mounting bracket. A StarFire SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/- 4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available through StellarSupport.com or by calling the AMS Customer Call Center.	4,695.00

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold seperately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, all GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact Stellar Support to activate AMS Software Activations, referencing the Tractor order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on AMS Activations will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1845	Less AutoTrac Activation	In Base Price
1846	AutoTrac SF1 Activation - GS3 Requires Code 1837 StarFire 3000 SF1 Receiver. See AMS sales manual and price pages for detailed information.	3,000.00
1847	AutoTrac SF2 Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	6,500.00
1848	AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See AMS sales manual and price pages for detailed information. Not Compatible with Code 1400, PowrSync Transmission.	5,500.00
1849	AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3	9,000.00

9460R Tractor

Continued

SUGGESTED
ATTACHMENT LIST PRICE
CODE IDENTIFIER DESCRIPTION USD (\$)

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

...Continued...

Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630

Display options (Code 1825 or 1826).

This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display.

Requires an SF2 Subscription sold separately for SF2 functionality.

For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.

Not Compatible with Code 1400, PowrSync Transmission.

MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage.

Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1885 JDLink Capable In Base Price

Includes cab wiring harness only.

Requires field kit installation, activation, and subscription for JDLink functionality.

1,000.00 1,000.00

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately.

Features: machine hours, machine location, curfew alert, geofence alert, and maintenance

profile

profile

JDLink customer account must be created to access JDLink Select data.

Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink

Ultimate subscription (no hardware changes required).

1889 JDLink Ultimate 2,400.00

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telemetics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately.

In addition to JDLink Select features: machine utilization information, machine reports,

machine diagnostics.

JDLink customer account must be created to access JDLink Ultimate data.

1887 JDLink Ultimate Promotion - 1 Year Subscription Included No Charge

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service.

In addition to JDLink Select features: machine utilization information, machine reports,

machine diagnostics.

JDLink customer account must be created to access JDLink Ultimate data.

Annual subscription renewal required after first year of service for continued functionality.

9460R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1888		MACHINE CONNECTIVITYContinued JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability. Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	1,200.00
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers, no radio and no speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack Located on Front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disk Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth Capable including microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display. For U.S. and Canada only.	1,015.00
2662		Premium Radio Package AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disk Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth Capable including microphone, Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass and treble radio functions can be viewed and configured on the CommandCenter Display. Not U.S. or Canada.	912.00
		HYDRAULICS SYSTEM	
3241		Standard Hydraulic System 167 lpm (44 gpm)with 24 speed Powrsync Transmission. Provides up to 140 lpm (37 gpm) flow @ one SCV. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3270		Hi-Flow Hydraulic System; 295 lpm (78 gpm) Provides up to 170 lpm (37 gpm) flow @ one SCV. Requires Code 1492 - 18 Speed Powershift Transmission. Requires Code 3352 Rear Remote Selective Control Valves. Refer to the Ag Sales Manual for Implement compatibility. SCVs 1-3 supplied by primary pump. SCVs 4&5 supplied by secondary pump, recommended for orbital motor use.	5,885.00
		HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)	
3341		Four Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Complets	In Base Price

Push/Pull Breakaway Couplers.

9460R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)Continued High Pressure Relief Levers. Requires Code 3241 - Standard Hydraulic System. Refer to the Ag Sales Manual for Implement compatibility.	
3351		Five Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3241 - Standard Hydraulic System. Refer to the Ag Sales Manual for Implement compatibility.	1,350.00
3352		Five Deluxe Electro-Hydraulic Rear Remote Selective Control Valves (Hi-Flow Hydraulic System) TouchSet Hydraulic Controls. PushPull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3270 - Hi-Flow Hydraulic System. Refer to the Ag Sales Manual for Implement compatibility.	1,350.00
		REAR POWER TAKE OFF	
3800		Less Rear PTO	In Base Price
3810		1000-rpm PTO with 1 3/4 In. Shaft Not compatible with Rear Storage Box.	14,340.00
		REAR HITCH	
4000		Less Rear 3-Point Hitch	In Base Price
4050		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4N/3 Adjustable Quik Coupler 6940 kg (15,300 Lb.) Lift Capacity Recommend Code 8000, HD Frame w/Tapered Roller Bearing Gudgeon for deep ripping applications. Requires Code 832F, Motor Seal Drain Kit. Not compatible with Category 4 standard drawbar, Code 4321. Not compatible with any triple tire configurations or with 710/70R38, IF710/70R38, 800/70R38 or IF800/70R38 tires. Maximum number of SCV's with a 3-Point Hitch is five.	19,924.00
4051		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4N/4 Adjustable Quik Coupler; 6940 kg (15,300 lb) Lift Capacity Recommend Code 8000, HD Frame w/Tapered Roller Bearing Gudgeon for deep ripping applications. Requires Code 832F, Motor Seal Drain Kit. Not compatible with Category 4 standard drawbar, Code 4321. Must use quick coupler in 4N position with 710/70R42 tires. Not compatible with any triple tire configurations or with 710/70R38, IF710/70R38, 800/70R38 or IF800/70R38 tires. Maximum number of SCV's with a 3-Point Hitch is five.	20,789.00
4052		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4N/3 Adjustable Quik Coupler 9072 kg (20,000 Lb. Lift Capacity) Requires Code 8000, HD Frame w/Tapered Roller Bearing for deep ripping applications. Requires Code 832F, Motor Seal Drain Kit. Requires code 8042, Rear Axle Support. Not compatible with Category 4 standard drawbar, Code 4321. Only comparable with dual configurations of 710/70R42, IF 710/70R42, IF 650/85R38,	22,393.00

9460R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		REAR HITCHContinued 650/85R38 tires or IF 480/80R50 tires (with load rating of 165 or greater). Maximum number of SCV's with a 3-Point Hitch is five.	
4053		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4/4N, Adjustable Quik Coupler; 9072 kg (20,000 Lb.) Lift Capacity Requires Code 8000, HD Frame w/Tapered Roller Bearing Gudgeon for deep ripping applications. Requires Code 8323F, Motor Seal Drain Kit. Requires Code 8042, Rear Axle Support. Not compatible with Category 4 standard drawbar, Code 4321. Must use quick coupler in 4N position with 710/70R42 tires. Only compatible with dual configurations of 710/70R42, IF710/70R42, 650/85R38, IF650/85R38 tires or 480/80R50 tires (with load rating of 165 or greater). Maximum number of SCV's with a 3-Point Hitch is five.	23,259.00
		DRAWBAR	
4321		Cat. 4 Drawbar with Standard Drawbar Support Not compatible with 3 pt. hitch Codes 4050, 4051, 4052, 4053. Not compatible with Rear Drawbar Weight Codes 8978, 8983 or 8984. Drawbar maximum vertical load rating 2470 kg (5450 lb).	In Base Price
4322		Cat. 4 Drawbar with Heavy-Duty Drawbar Support Compatible with all 3 pt. hitch Codes. Drawbar maximum vertical load rating of 2470 kg (5450 lb).	3,218.00
4325		Cat. 5 Drawbar (2 position) with Heavy-Duty Drawbar Support Drawbar maximum vertical load rating of 5440 kg (12,000 lb).	3,856.00
		AXLES	
5056		Heavy Duty, 3048 mm (120 In.) X 120 mm (4.72 in) Diameter Single Reduction	In Base Price
		WHEELS AND TIRES	
		CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED:	
5703		RCI Group 47 Size Tires (77 In./1956 mm Diameter) (Listed from Narrowest to Widest / Single to Triple Configuration) 480/80R46 In. 158A8 R1 Radial in Triple Configuration Available in Firestone or Goodyear.	6,700.00
5704		480/80R46 In. 158A8 R1W Radial in Triple Wheel Configuration Available in Michelin only.	14,678.00
5705		520/85R42 In. 157A8 R1W Radial in Triple Configuration Available in Firestone, Goodyear or Michelin.	12,912.00
5706		520/85R42 In. 157A8 R2 Radial in Triple Configuration Available in Firestone or Goodyear.	17,892.00
5707		520/85R42 In. 157A8 R1 Radial in Triple Configuration Available in Firestone or Goodyear.	6,276.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear or Michelin.	-6,656.00

9460R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5510		WHEELS AND TIRESContinued 710/70R38 In. 166A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear or Michelin.	-1,388.00
5517		IF 710/70R38 In. 178A8 R1W Increased Flexion Radial in Dual Configuration Available in Firestone only.	1,028.00
		CAST MAIN AND STEEL DUAL OR TRIPLE (Unless Noted): RCI Group 48 Size Tires (81 In./2057 mm Diameter) (Listed from Narrowest to Widest, Single to Triple Configuration)	
5602		Wheels and Heavy Duty Wheel Sleeves IF 480/80R50 In. 166A8 R1W Radial in Dual Configuration Available in Firestone only.	-4,516.00
5720		480/80R50 In. 159A8 R1W Radial in Triple Configuration Available in Firestone, Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	15,736.00
5721		520/85R46 In. 158A8 R1W Radial in Triple Wheel Configuration Available in Firestone, Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	14,560.00
5722		520/85R46 In. 158A8 R2 Radial in Triple Wheel Configuration Available in Goodyear only.	16,048.00
5605		620/70R46 In. 167A8 R1W Radial in Dual Configuration Available in Goodyear only.	-5,000.00
5622		650/85R38 In. 173A8 R1W in Dual Configuration Available in Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	-2,100.00
5618		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Dual Configuration Available in Michelin.	6,822.00
5606		710/70R42 In. 168A8 R1W Radial in Dual Configuration Available in Firestone only.	In Base Price
5607		710/70R42 In. 173A8 R1W Radial in Dual Configuration Available in Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	1,272.00
5619		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Dual Configuration Available in Michelin or Firestone.	12,914.00
5609		800/70R38 In. 173A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear or Michelin.	2,396.00
5620		IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Dual Configuration Available in Firestone or Michelin.	13,628.00

TIRE PREFERENCE CODES

If only one brand is available in any tire code, the Tire Preference Code 5999 must be chosen below to avoid extra charges. You will still get the one brand stated in the tire code description.

5999 No Brand Preference No Charge

9460R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TIRE PREFERENCE CODESContinued Mitas/Continental brand tires available in US and Canada only.	
5901		Firestone Brand Only	1,000.00
5902		Goodyear Brand Only	1,000.00
5903		Michelin Brand Only	1,400.00
5904		Mitas/Continental Brand Only Mitas/Continental brand tires available in US and Canada only.	1,000.00
		LIGHTS	
7200		Standard Lighting Eight Front Grill Mounted Lights: Two 65W low beam driving lights, two 65W high beam driving lights, two front corner facing halogen work lights and two center facing halogen work lights. Ten Cab Roof Mounted Lights: Two rear and four side facing 65W flood lights and four corner facing amber lights.	-762.00
		Four rear fender mounted flood lights and two rear Tail/Brake/Turn lights. Road Transport Extremity Lights(foldable).	
7201		Deluxe Lighting Includes Standard lighting plus two adjustable front roof 65W halogen floodlights and a rotary beacon light.	In Base Price
7202		Premium HID Lighting Includes Deluxe Lighting, and in the grill screen, two front corner HID lights replace two front halogen lights and one HID light replaces a center halogen flood light. Two of the rear fender lights are replaced with HID lights.	3,442.00
		OPERATOR'S MANUAL AND LABELS	
		A Code must be chosen for each Tractor ordered.	
0401		Arabic	Same Price
0426		Mandarin (Chinese)	Same Price
0409		English Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	In Base Price
0413		French Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0430		Portuguese Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0433		Russian	Same Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price

9460R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8760		Brakes and Steering: Greaseable Steering Cylinder Pins	447.00
8756		Hydraulic Trailer Brake Valve	1,006.00
8210		Operator Station & Controls: Leather Trim Includes heated leather seat, leather wrapped steering wheel and rear window decal.	1,646.00
8227		External Mirrors, Electrically Adjustable, Heated, Power Extendable, RH and LH Must order Code 2059. Not compatible with Code 2050 or Code 2061.	1,344.00
8228		External Mirrors, Electrically Adjustable, Heated, Power Extendable, RH and LH <i>Must order Code 2061.</i> Not compatible with Code 2050 or Code 2059.	1,344.00
8242		Radar with Dual Beam Sensor	900.00
8251		Antenna Mount and Wiring for Business Band Radio	129.00
832F		Hydraulics: Motor Seal Drain Kit Required with all Rear Hitch Codes 4050, 4051, 4052, 4053.	628.00
8725		Electrical & Lights: Rotary Beacon Light Requires Code 7200.	347.00
8782		Back Up Alarm	363.00
8306		Engine: Fuel/Water Separator, Severe Duty This code is optional for Tractors with iT4/3b Engines.	564.00
		This code is required for Tractors with Stage 2 Engines.	
8338		John Deere PowerTech 13.5 L (824 cu.in.) 6 Cyl Stage 2 Compliant Diesel Engine	-16,883.00
8340		JohnDeere PowerTech PSX 13.5 L (824 cu. in.) 6 Cyl. iT4 / Stage 3b Compliant Diesel	Same Price
8000		Frame & Chassis: HD Frame with Tapered Roller Bearing Gudgeon Recommended when a rear hitch is ordered on Tractor. Required for 20,000 lb Hitch.	2,985.00
8021		Wide Rear Fenders, 939 mm (37 in.) Wide by 1937 mm (76 in.) Long Option for improved coverage of rear drive tires.	1,240.00

9460R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8041		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Front Axle Reinforcement Required with front weight bracket or any ballast packages requiring front suitcase weights. Check with outside manufacturers of front-mounted equipment for compatibility.	2,692.00
8042		Rear Axle Support Required with 9072 kg (20,000 lb) hitch option, Codes 4052 or 4053. Recommended with 6940 kg (15,000 lb) hitch option, Codes 4050 or 4051.	1,461.00
		Weights and Ballast:	
8955		Front Weights Front Weight Support without Front Weights Requires Code 8041 - Front Axle Reinforcement.	1,125.00
8959		Front Weight Support with 16 Weights Requires Code 8041 - Front Axle Reinforcement.	3,000.00
8965		Front Weight Support with 36 Weights Requires Code 8041 - Front Axle Reinforcement.	5,674.00
8978		Rear Drawbar Weights for 4WD Tractors without 3-Point Hitch Rear Drawbar Support Weight Bracket - Without Weights Requires Drawbar Code 4322 or 4325. Not compatible with Rear Storage Box. Not compatible with Rear Hitch, Codes 4050, 4051, 4052, 4053.	175.00
8983		Rear Drawbar Support Weight Bracket- with 10 Suitcase Weights Requires Drawbar Code 4322 or 4325. Not compatible with Rear Hitch, Codes 4050, 4051, 4052, 4053.	1,512.00
8984		Rear Drawbar Support Weight Bracket- with 15 Suitcase Weights Requires Drawbar Code 4322 or 4325. Not compatible with Rear Storage Box. Not compatible with Rear Hitch, Codes 4050, 4051, 4052, 4053 or rear PTO Code 3810.	2,180.00
8970		Wheel Weights for 4WD Tractor without 3-Point Hitch Front - 0 kg (0 lb) Rear - 970 kg (2130 lb) - Two 75 kg (165 lb) - Four 205 kg (450 lb) Outside Dual Not compatible with Codes 4050, 4051, 4052, 4053.	2,928.00
8971		Front - 0 kg (0 lb) Rear - 1380 kg (3930 lb) - Two 205 kg (450 lb) Inside/Inner - Two 75 kg (165 lb) Six 205 kg (450 lb) Outside Dual Not compatible with Codes 4050, 4051, 4052, 4053. Includes Two 205 kg (450 lb) weights not installed.	5,344.00

9460R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8972		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Front - 0 kg (0 lb) Rear - 1270 kg (2800 lb) - Two 625 kg (1400 lb) Inside/Inner Not compatible with Codes 4050, 4051, 4052, 4053. Reduces tire clearance. Not available with Triple Tire options.	3,460.00
8974		Front - 1270 kg (2800 lb) - Two 625 kg (1400 lb) Inside/Inner Rear - 2650 kg (5830 lb) - Two 625 kg (1400 lb) Inside/Inner - Two 75 kg (165 lb), Six 205 kg (450 lb) Outside Dual Requires tires 620 mm and wider. Not compatible with Codes 4050, 4051, 4052, 4053. This package compatible with PTO. Includes Two 205kg (450 lb) weights not installed.	11,056.00
8975		Front - 970 kg (2130 lb) - Two 205 kg (450 lb) Inside/Inner - Two 75 kg (165 lb), Two 205 kg (450 lb) Outside Dual Rear - 2758 kg (6080 lb) - Two 205 kg (450 lb) Inside/Inner - Two 75 kg (165 lb), Six 205 kg (450 lb) Outside Dual or Triple - 20 Frame Weights and Weight Support Not compatible with Codes 4050, 4051, 4052, 4053. Not compatible with PTO - Code 3810. Includes Two 205 kg (450 lb) weights not installed.	11,133.00
8976		Front - 1270 kg (2800 lb) - Two 625 kg (1400 lb) Inside/Inner Rear - 2238 kg (4950 lb) - Two 625 kg (1400 lb) Inside/Inner - Twenty 45 kg (100 lb) Rear Frame Weights Not compatible with Codes 4050, 4051, 4052, 4053. Not compatible with PTO - Code 3810. Not available with Triple Tire options.	9,782.00
8981		Wheel Weights for 4WD Tractors with 3-Point Hitch Front - 1270 kg (2800 lb) - Two 625 kg (1400 lb) Inside/Inner Rear - 1270 kg (2800 lb) - Two 625 kg (1400 lb) Inside/Inner Compatible with Codes 4050, 4051, 4052, 4053. Not available with Triple Tire options.	6,920.00

ATTACHMENTS - ORDER AS DESIRED

Customer Gold Key Program:

9076 Gold Key Experience Tour No Charge

This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.

9460R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	RE325945	Electrical: Battery Disconnect Kit	115.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE269592	Mounting Kit - Dual Beam Radar Sensor The Mounting Kit does not include Dual Beam Radar Sensor. If Dual Beam Radar Sensor is needed, order Dual Beam Radar Sensor (RE278980, RE278984, RE278986 or RE278982).	85.00
	RE278980	Radar with Dual Beam Sensor	See Parts
	RE278984	Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	26.00
	RE326213	Engine: Fuel/Water Separator Kit, Severe Duty - Wheel	620.00
	RE275924	Hitch and Drawbar: Cat. 4 Drawbar Reinforcement Kit for Tractors equipped with either 3-Point Hitch or Heavy Duty Drawbar Support Ability to achieve 11,000 lbs Vertical Load Capacity.	2,075.00
	RE270268	Cat. 4/4N Quik Coupler Kit	2,741.00
	RE270270	Cat. 4N/3 Quik Coupler Kit	4,029.00
	RE278847	Cat. 5 to Cat. 4 Drawbar Conversion Kit Converts Cat. 5 Drawbar for use with Cat. 4 Implements.	462.00
	RE283958	Drawbar, Ball-type 80 mm, Cat. 4 Ball-type drawbar for use when using the DN 345 - Drawn Dry Box Spreader. No other implements are approved for this drawbar.	2,876.00
	RE311348	Electro-Hydraulic 3-Point Hitch with Draft Sensing for Wheel Tractors For Tractors equipped with a Factory Installed HD drawbar support. Additional parts are required - see installation instructions. Also requires Cat. 4N/3 Quik Coupler (RE270270), or 4/4N Quik Coupler (RE270268). Also required hitch cylinders to achieve 15,300 lb or 20,000 lb lift capacity. 15,300 lb hitch uses 1 x AHC10487 and 1 x AHC10488 cylinders. 20,000 lb hitch uses 2 x AHC10045. Requires Software download (R306826) to activate function.	20,492.00
	RE310798	Hydraulics: 3/4 In. Selective Control Valve Coupler Kit (Hi-Flow only)	2,142.00

9460R Tractor


CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE303735	ATTACHMENTS FOR FIELD CONVERSIONContinued 5th Remote Selective Control Valve (for Standard flow Hydraulics) Requires Software download to activate function - See Parts.	1,331.00
	RE310796	6th Remote Selective Control Valve for AG High Flow Hydraulic Systems Not compatible with a factory or field installed 3 Pt. Hitch. Requires factory installed 5th SCV. Requires Software download to activate function - See Parts.	2,588.00
	RE303736	6th Remote Selective Control Valve for Standard Flow Hydraulic Systems Not compatible with a factory or field installed 3 Pt. Hitch. Requires factory or field installed 5th SCV. Requires Software download to activate function - See Parts.	2,070.00
	RE293259	Hitch Auxiliary Raise Kit For use with hitch valve with lift assist wheels. Compatible with all 9R Series Wheel and Track Tractors.	212.00
	RE336255	Hydraulic Trailer Brake Kit for Wheels Provides single line connection to hydraulic braking systems. Works with or without power beyond couplers.	1,106.00
	RE299261	Motor Seal Drain Kit	235.00
	RE293262	Power Beyond Coupler Kit Compatible with all Standard Flow Hydraulic Systems and Ag High Flow Hydraulic Systems. 1 or 2 pcs required for Ag High Flow Systems. Compatible with all Standard Flow Hydraulic Systems.	682.00
	RE330435	Lighting: Auxiliary Lighting Kit	88.00
	RE334623	Rotary Beacon Light Kit Switch is on CSM.	382.00
	RE277064	Miscellaneous: Gudgeon Kit with Tapered Roller Bearings Updates 9R Series Tractors to Tapered Roller Bearing Gudgeon with 2 1/2 In. articulation pin. 9R Series Scraper Tractors are factory equipped with the Tapered Roller Bearing Gudgeon.	5,170.00
	RE311210	Tow Cable Kit - Wheel Tractors Tractors not equipped with a front weight support must also order RE300652.	2,145.00
	RE67685	Operator Environment: 9-Pin Connector for Implement Feedback Required for TouchSet Depth Control.	241.00
	RE317435	Accessory Mounting Bracket	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00
	RE254357	Back Up Alarm Kit	399.00
	RE323407	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	594.00

9460R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE293499	ATTACHMENTS FOR FIELD CONVERSIONContinued External Mirrors, Electrically Telescoping and Heated Mirror Heads	1,696.00
	RE323405	External Mirrors, Manually Adjustable RH and LH	265.00
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	295.00
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	RE269618	Windshield Wiper with Washer, Rear	193.00
		PTO:	
	RE211995	1000 RPM PTO Shield Kit	1,006.00
	RE304681	Field Installation Kit, PTO, Wheel, MST All PTO mounting hardware and shielding is contained in kit.	13,652.00
	RE304682	Field Installation Kit, PTO, Wheel, PST+SR All PTO mounting hardware and shielding is contained in kit.	13,843.00
	BPF10312	Software Downloads: Non-John Deere Guidance Compatibility Activation - AutoFarm/Novariant Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10313	Non-John Deere Guidance Compatibility Activation - Hemisphere/Outback Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10433	Non-John Deere Guidance Compatibility Activation - Leica Geosystems Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10311	Non-John Deere Guidance Compatibility Activation - Raven Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10363	Non-John Deere Guidance Compatibility Activation - Trimble Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AR268522	Weights: Front Idler Weights Mounting	1,244.00
	RE268386	Front Weight Bracket	1,800.00

9460R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE325618	ATTACHMENTS FOR FIELD CONVERSIONContinued Front Weight Bracket (Wheel) Allows attachment of up to 36 Quick-Tatch weights. Requires front reinforcement kit: RE341567.	1,800.00
	RE268085	Rear Axle Supports For Tractors equipped with 110 or 120 mm diameter axles and no hitch. Required (standard equipment) on 20K hitch capacity and 9R Scraper Tractors.	1,270.00
	RE286201	Two Track Frame Weight Supports and Extremity Lighting Kit	1,013.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R167151	Weight, Inner Wheel, 1400 Lb. Not available with triple tire options.	1,903.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg)	282.00
	RFR207782	Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights)	2,658.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00
	R207782	Weight, Wheel, 450 Lb.	664.00
	AR190666	Wheel Equipment: One 10 In. Dual Hub Extension	759.00
	AR190668	One 13 In. Dual Hub Extension	844.00
	AR190669	One 15 In. Dual Hub Extension	884.00
	AR194744	One 5 In. Dual Hub Extension	685.00



9510R Tractor

Equipment for Base Machine

```
ENGINE:
                                                                Implement Management System
6-Cylinder Turbocharged John Deere Diesel PowerTech
                                                                   Hitch Slip Command
  Engine with Electronic Unit Injection
Air to Air Aftercooled
13.5 L (824 Cu. In.) Displacement
360 kW (490 Hp) Engine Power Level ECE-R24 @ Rated
                                                                INSTRUMENTATION:
                                                                Digital Instrument Panel includes
                                                                   Engine Oil Pressure Gauge
Engine Speed
                                                                   Engine Coolant Temperature Gauge
375 kW (510 Hp) Engine Power Level 97/68EC @ Rated
                                                                   Fuel Level Gauge
Engine Speed
                                                                   % Slip
Dry Type Air Cleaner with Safety Element,
                                                                   Ground Speed
  Airstack and Aspirator
                                                                   PTO Speed
Muffler with Extension
                                                                   System Voltage
Ether Starting Aid
Engine Coolant Heater 110V or 220V
                                                                   Engine Hours
                                                                   Service Hours with On-Board
Vertical Engine Oil Filter
Dual Filter Fuel System
                                                                     Vehicle Monitor System
                                                                ELECTRICAL:
                                                                Key Shutoff
12V Electrical System
B2 Biodiesel Fuel from the Factory
                                                                Three 925 CCA Capacity, 12V Batteries
TRANSMISSION:
18 Speed Powershift with Efficiency Manager
                                                                 200 Amp Alternator
                                                                One Electrical 3-Pin 12V Convenience Outlet
Ground Terminals Behind Console
18 Forward/6 Reverse Speeds
Hydraulic Wet Clutch
                                                                 7-Terminal Rear Implement Electrical
STEERING AND BRAKES:
                                                                   Outlet Socket
Articulated Hydrostatic Steering
Wet Disk, Self-Adjusting Brakes
                                                                Battery Boost Terminal
                                                                GreenStar Ready Harness with Implement Connector
Wet Disk, Self-Adjusting Brakes
with Secondary Steering System
Spring-Applied, Hydraulically Released Park Brake
Secondary Brake (Region II only)
                                                                LIGHTS:
                                                                Front Hood Lights (Eight Total)
Two HB3 65W Low Road Headlights
Tilt/Telescoping Steering Wheel Differential Lock
                                                                   Two HB3 65W High Road Headlights
                                                                     with Hand Operated Dimmer Switch
                                                                   Two 65W Adjustable Corner Work Lights
HYDRAULICS:
                                                                   One 65W Adjustable Center Work Light
Pressure Flow Compensating
                                                                   One 65W Adjustable Center Spot Light
                                                                 Four 65W Rear Fender Mounted
  Axial Piston Pump
182 lpm (48 gpm) Pump Output (PST Transmission) Flow @ One SCV - 140 lpm (37 gpm)
                                                                   Pedestal Mounted Work Lights
                                                                Cab Roof Lights
Four EH Remote Cylinder Controls
                                                                   Two 65W Adjustable Front Flood Lights
                                                                   Two 65W Fixed Side Flood Lights (2 per side)
Two 65W Fixed Rear Flood Lights
  with ISO Couplers
PTO:
                                                                   Four 65W Fixed Corner Flood Lights (Region II
Less PTO
                                                                   only)
                                                                   Four Corner Amber Flashing Warning Lights with
                                                                Turn Signal Control (Not Region II)
Two Rear Fender Tail/Brake/Turn lights
HITCH AND DRAWBAR:
Category 5 Drawbar with Heavy-Duty Drawbar Support
                                                                Road Transport Extremity Lights (Not Region II) EU Front and Rear Extremity Position Lighting Kit
Drawbar Clevis and Pin
Secondary Chain Support
                                                                 (Region II only)
Less Hitch
                                                                Rotary Beacon Light
COMMANDVIEW CAB:
Roll Over Protective Structure
                                                                AXLES, WHEELS AND TIRES:
EC Approved Windshield
                                                                 120 mm (4.72 in) Diameter x 3048 mm (120 in) Long
Air Conditioner and Heater
                                                                Double Reduction Axles
                                                                Four Cast Inner/Four Steel Outer
Eight 800/70R38 173A8 R1W Radial Tires
Rear Fenders - 559 mm (22 in.) wide by
One Interior Rear View Mirror
Command Center Color Display
Comfort Command Seat with
  Air Suspension
                                                                   1752 mm (69 in.) long
  Swivel
  Fore-Aft and Lateral Attenuation
                                                                VEHICLE:
  Armrest Controls
                                                                SMV Emblem (If required)
  Lumbar Support
                                                                Electric Horn
  Backrest Adjustment
                                                                 Toolbox
Tinted Glass
                                                                Rear Storage Box (except with PTO
Two Speed Front Wiper with Variable Delay
                                                                   or Rear Drawbar Weight option Codes 8978 and
Swing-Out Rear Window
Three Monitor Ready Locations
Two Convenience 12V Outlets
                                                                1325L (350 U.S. Gallon) Fuel Tank Capacity
AM/FM Radio Mounting Bracket with
  Wiring Harness
Field Cruise
Left Hand Storage
```

Electronic Foot Decelerator

iTEC (Intelligent Total Equipment Control)

9510R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
03E0RW		9510R Tractor	350,175.00
		DESTINATION	
		A Code must be chosen for each Tractor ordered.	
0007		Africa Cameroon	Same Price
		Requires Code 1885 JDLink Capable. Requires Code - 8338 - Stage 2 Compliant Engine.	
		Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes:	
		Code 2059 Deluxe CommandView II Cab.	
		Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles.	
		Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	
0014		Democratic Republic of Congo	Same Price
		Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885	
		JDLink Capable. Requires Code - 8338 - Stage 2 Compliant Engine.	
		Requires Code 8306 - Severe Duty Fuel/Water Separator.	
		Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab.	
		Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles.	
		Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	
0016		Egypt	Same Price
		Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter. Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885	
		JDLink Capable.	
		Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator.	
		Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab.	
		Code 7201 Deluxe Lighting.	
		Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	
0019		Ethiopia G. J. 1005 IPI J. G. J. J.	Same Price
		Requires Code 1885 JDLink Capable. Requires Code - 8338 - Stage 2 Compliant Engine.	
		Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes:	
		Code 2059 Deluxe CommandView II Cab.	
		Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles.	
		Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	

9510R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0029		DESTINATIONContinued Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code - 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	Same Price
0043		Senegal Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code - 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	Same Price
0050		Tanzania Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code - 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 RIW Dual Configuration.	Same Price
0072		Asia China (People's Republic of China) Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	Same Price
0094		Philippines Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 RIW Dual Configuration.	Same Price

9510R Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8600		DESTINATIONContinued Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	Same Price
0184		North America Canada Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting Code 5057 120 mm (4.72 In.) Diameter x 3048 mm (120 In.) Double Reduction Axles. Code 5609 800/70R38 In. 173A8 R1W Dual Configuration.	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 In.) Diameter x 3048 mm (120 In.) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	Same Price
0193		Honduras Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	Same Price
0202		United States Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting Code 5057 120 mm (4.72 In.) Diameter x 3048 mm (120 In.) Double Reduction Axles. Code 5609 800/70R38 In. 173A8 R1W Dual Configuration.	1,209.00

9510R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	
0210		South America Argentina Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	Same Price
0211		Bolivia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 RIW Dual Configuration.	Same Price
0212		Brazil Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Requires Code 8782 - Back Up Alarm. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	Same Price
0214		Colombia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	Same Price
0219		Suriname Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	Same Price

VALUE PACKAGE CONFIGURATIONS

0500	No Package	In Base Price
0529	Deluxe Powershift Package Includes Codes 2059, 1492, 2660, 3241, 3351 and 7201.	-1,725.00

9510R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0531		VALUE PACKAGE CONFIGURATIONSContinued Premium Hi-Flow, 18 Spd. Powershift Package Includes Codes 2061, 1492, 1823 or 1826, 2661 or 2662, 3270, 3352 and 7202.	-2,300.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on the Control Switch Module (CSM). Front Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Folding Instructional Seat. No Mirrors. See Attachments Section for ordering information on additional field attachments.	-2,009.00
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on Control Switch Module (CSM). Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CSM. Front Pull Down Sun Shade. Right and Left Outside Manually Adjustable Mirrors. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. See Attachments Section for ordering information on additional field attachments.	In Base Price
2061		Premium CommandView II Cab Includes ActiveSeat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on the Command Center Controls. Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CSM. Front Pull Down Sun Shade. Right and Left Outside Electrically Adjustable Mirrors. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. See Attachments Section for ordering information on additional field attachments	3,520.00
		TRANSMISSION	
1492		18 Speed Powershift, 18 F/6 R Speeds with Efficiency Manager DISPLAY / MONITOR	In Base Price
		When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information. Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1821		GS3 Command Center 7" Color Display Includes GreenStar Parallel Tracking and Access Manager.	In Base Price

9510R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DISPLAY / MONITORContinued Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. AutoTrac activation can be ordered with the Tractor. Swath Control Pro activation must be ordered through AMS price pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	
1823		Touchscreen GS3 Command Center, 7" Color Display, Touch Screen, Video Capable Includes GreenStar Parallel Tracking, Access Manager and Video Capability. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. One video input and Tractor function activated triggers. AutoTrac activation can be ordered with the Tractor. Swath Control Pro activation must be ordered through AMS price pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	1,260.00
1825		GS3 CommandCenter 7" Color Display with GS3 2630 GreenStar Display Includes GreenStar Parallel Tracking and Access Manager. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. AutoTrac activation can be ordered with the Tractor. Swath Control Pro activation must be ordered through AMS price pages. GS3 2630 display and harness installed on the A-Post display bracket. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	5,895.00
1826		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable with GS3 2630 GreenStar Display Includes GreenStar Parallel Tracking, Access Manager and Video Capability. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. One video input and Tractor function activated triggers. AutoTrac activation can be ordered with the Tractor. Swath Control Pro activation must be ordered through AMS price pages. GS3 2630 display and harness installed on the A-Post display bracket. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	7,160.00
		RECEIVER	
		StarFire 3000 Position Receivers can be ordered in two configurations: -SF1, a no-charge differential correction signal that provides non-row-crop accuracySF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.comRTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual.	
		GNSS serial port information (NMEA) is available through a StarFire 3000.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1835		Less StarFire 3000 Position Receiver Includes Deluxe receiver mounting bracket only. When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver	In Base Price
1837		StarFire 3000 Position Receiver - SF1 with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Includes Deluxe receiver mounting bracket only.	2,695.00

9510R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RECEIVERContinued	
1838		StarFire 3000 Position Receiver - SF2 Ready with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Includes Deluxe receiver mounting bracket. A StarFire SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/- 4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available through StellarSupport.com or by calling the AMS Customer Call Center.	4,695.00

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold seperately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, all GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information

Dealer/Distributor required to contact Stellar Support to activate AMS Software Activations, referencing the Tractor order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on AMS Activations will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1845	Less AutoTrac Activation	In Base Price
1846	AutoTrac SF1 Activation - GS3 Requires Code 1837 StarFire 3000 SF1 Receiver. See AMS sales manual and price pages for detailed information.	3,000.00
1847	AutoTrac SF2 Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	6,500.00
1848	AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See AMS sales manual and price pages for detailed information. Not Compatible with Code 1400, PowrSync Transmission.	5,500.00
1849	AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. Requires an SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information. Not Compatible with Code 1400, PowrSync Transmission.	9,000.00

MACHINE CONNECTIVITY

9510R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0001	io Livia i Liv	MACHINE CONNECTIVITYContinued Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.	00D (4)
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telemetics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and I year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability. Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	1,200.00
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers, no radio and no speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack Located on Front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio	1,015.00

9510R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RADIOContinued AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disk Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth Capable including microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display. For U.S. and Canada only.	
2662		Premium Radio Package AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disk Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth Capable including microphone, Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass and treble radio functions can be viewed and configured on the CommandCenter Display. Not U.S. or Canada.	912.00
		HYDRAULICS SYSTEM	
3241		Standard Hydraulic System 182 lpm (48 gpm) with 18 Speed powershift Transmission. Provides up to 140 lpm (37 gpm) flow @ one SCV. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3270		Hi-Flow Hydraulic System; 295 lpm (78 gpm) Provides up to 170 lpm (37 gpm) flow @ one SCV. Requires Code 1492 - 18 Speed Powershift Transmission. Requires Code 3352 Rear Remote Selective Control Valves. Refer to the Ag Sales Manual for Implement compatibility. SCVs 1-3 supplied by primary pump. SCVs 4&5 supplied by secondary pump, recommended for orbital motor use.	5,885.00
		HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)	
3341		Four Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3241 - Standard Hydraulic System. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3351		Five Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3241 - Standard Hydraulic System. Refer to the Ag Sales Manual for Implement compatibility.	1,350.00
3352		Five Deluxe Electro-Hydraulic Rear Remote Selective Control Valves (Hi-Flow Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3270 - Hi-Flow Hydraulic System. Refer to the Ag Sales Manual for Implement compatibility.	1,350.00
		REAR POWER TAKE OFF	

9510R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
3800		REAR POWER TAKE OFFContinued Less Rear PTO	In Base Price
3810		1000-rpm PTO with 1 3/4 In. Shaft Not compatible with Rear Storage Box.	14,340.00
		REAR HITCH	
4000		Less Rear 3-Point Hitch	In Base Price
4051		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4N/4 Adjustable Quik Coupler; 6940 kg (15,300 lb) Lift Capacity Recommend Code 8000, HD Frame w/Tapered Roller Bearing Gudgeon for deep ripping applications. Requires Code 832F, Motor Seal Drain Kit. Not compatible with Category 4 standard drawbar, Code 4321. Must use quick coupler in 4N position with 710/70R42 tires. Not compatible with any triple tire configurations or with 710/70R38, IF710/70R38, 800/70R38 or IF800/70R38 tires. Maximum number of SCV's with a 3-Point Hitch is five.	20,789.00
4053		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4/4N, Adjustable Quik Coupler; 9072 kg (20,000 Lb.) Lift Capacity Requires Code 8000, HD Frame w/Tapered Roller Bearing Gudgeon for deep ripping applications. Requires Code 8323F, Motor Seal Drain Kit. Requires Code 8042, Rear Axle Support. Not compatible with Category 4 standard drawbar, Code 4321. Must use quick coupler in 4N position with 710/70R42 tires. Only compatible with dual configurations of 710/70R42, IF710/70R42, 650/85R38, IF650/85R38 tires or 480/80R50 tires (with load rating of 165 or greater). Maximum number of SCV's with a 3-Point Hitch is five.	23,259.00
		DRAWBAR	
4325		Cat. 5 Drawbar (2 position) with Heavy-Duty Drawbar Support Drawbar maximum vertical load rating of 5440 kg (12,000 lb).	In Base Price
		AXLES	
5057		Heavy Duty, 3048 mm (120 ln.) X 120 mm (4.72 ln.) Diameter Double Reduction	In Base Price
		WHEELS AND TIRES	
5703		CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED: RCI Group 47 Size Tires (77 In./1956 mm Diameter) (Listed from Narrowest to Widest / Single to Triple Configuration) 480/80R46 In. 158A8 R1 Radial in Triple Configuration Available in Firestone or Goodyear.	4,304.00
5704		480/80R46 In. 158A8 R1W Radial in Triple Wheel Configuration Available in Michelin only.	12,282.00
5705		520/85R42 In. 157A8 R1W Radial in Triple Configuration Available in Firestone, Goodyear or Michelin.	10,516.00

9510R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5706		WHEELS AND TIRESContinued 520/85R42 In. 157A8 R2 Radial in Triple Configuration Available in Firestone or Goodyear.	15,496.00
5707		520/85R42 In. 157A8 R1 Radial in Triple Configuration Available in Firestone or Goodyear.	3,880.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear or Michelin.	-9,052.00
5510		710/70R38 In. 166A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear or Michelin.	-3,784.00
5517		IF 710/70R38 In. 178A8 R1W Increased Flexion Radial in Dual Configuration Available in Firestone only.	-1,368.00
		CAST MAIN AND STEEL DUAL OR TRIPLE (Unless Noted):	
		RCI Group 48 Size Tires (81 In./2057 mm Diameter) (Listed from Narrowest to Widest, Single to Triple Configuration)	
5720		Wheels and Heavy Duty Wheel Sleeves 480/80R50 In. 159A8 R1W Radial in Triple Configuration Available in Firestone, Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	13,340.00
5723		IF 480/80R50 In. 166A8 R1W Radial in Triple Configuration Available in Firestone only.	24,164.00
5721		520/85R46 In. 158A8 R1W Radial in Triple Wheel Configuration Available in Firestone, Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	12,164.00
5722		520/85R46 In. 158A8 R2 Radial in Triple Wheel Configuration Available in Goodyear only.	13,652.00
5605		620/70R46 In. 167A8 R1W Radial in Dual Configuration Available in Goodyear only.	-7,396.00
5622		650/85R38 In. 173A8 R1W in Dual Configuration Available in Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	-4,496.00
5618		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Dual Configuration Available in Michelin.	4,426.00
5606		710/70R42 In. 168A8 R1W Radial in Dual Configuration Available in Firestone only.	-2,396.00
5607		710/70R42 In. 173A8 R1W Radial in Dual Configuration Available in Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	-1,124.00
5619		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Dual Configuration Available in Michelin or Firestone.	10,518.00
5609		800/70R38 In. 173A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear or Michelin.	In Base Price

9510R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5620		WHEELS AND TIRESContinued IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Dual Configuration Available in Firestone or Michelin.	11,232.00
		TIRE PREFERENCE CODES	
		If only one brand is available in any tire code, the Tire Preference Code 5999 must be chosen below to avoid extra charges. You will still get the one brand stated in the tire code description.	
5999		No Brand Preference Mitas/Continental brand tires available in US and Canada only.	No Charge
5901		Firestone Brand Only	1,000.00
5902		Goodyear Brand Only	1,000.00
5903		Michelin Brand Only	1,400.00
5904		Mitas/Continental Brand Only Mitas/Continental brand tires available in US and Canada only.	1,000.00
		LIGHTS	
7200		Standard Lighting Eight Front Grill Mounted Lights: Two 65W low beam driving lights, two 65W high beam driving lights, two front corner facing halogen work lights and two center facing halogen work lights. Ten Cab Roof Mounted Lights: Two rear and four side facing 65W flood lights and four corner facing amber lights. Four rear fender mounted flood lights and two rear Tail/Brake/Turn lights. Road Transport Extremity Lights(foldable).	-762.00
7201		Deluxe Lighting Includes Standard lighting plus two adjustable front roof 65W halogen floodlights and a rotary beacon light.	In Base Price
7202		Premium HID Lighting Includes Deluxe Lighting, and in the grill screen, two front corner HID lights replace two front halogen lights and one HID light replaces a center halogen flood light. Two of the rear fender lights are replaced with HID lights.	3,442.00
		OPERATOR'S MANUAL AND LABELS	
		A Code must be chosen for each Tractor ordered.	
0401		Arabic	Same Price
0426		Mandarin (Chinese)	Same Price
0409		English Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	In Base Price
0413		French Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price

9510R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0430		OPERATOR'S MANUAL AND LABELSContinued Portuguese Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0433		Russian	Same Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8760		Brakes and Steering: Greaseable Steering Cylinder Pins	447.00
8756		Hydraulic Trailer Brake Valve	1,006.00
8210		Operator Station & Controls: Leather Trim Includes heated leather seat, leather wrapped steering wheel and rear window decal.	1,646.00
8227		External Mirrors, Electrically Adjustable, Heated, Power Extendable, RH and LH Must order Code 2059. Not compatible with Code 2050 or Code 2061.	1,344.00
8228		External Mirrors, Electrically Adjustable, Heated, Power Extendable, RH and LH <i>Must order Code 2061.</i> Not compatible with Code 2050 or Code 2059.	1,344.00
8242		Radar with Dual Beam Sensor	900.00
8251		Antenna Mount and Wiring for Business Band Radio	129.00
832F		Hydraulics: Motor Seal Drain Kit Required with all Rear Hitch Codes 4050, 4051, 4052, 4053.	628.00
8725		Electrical & Lights: Rotary Beacon Light Requires Code 7200.	347.00
8782		Back Up Alarm	363.00
8306		Engine: Fuel/Water Separator, Severe Duty This code is optional for Tractors with iT4/3b Engines.	564.00
		This code is required for Tractors with Stage 2 Engines.	
8338		John Deere PowerTech 13.5 L (824 cu.in.) 6 Cyl Stage 2 Compliant Diesel Engine	-16,883.00

9510R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8340		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued JohnDeere PowerTech PSX 13.5 L (824 cu. in.) 6 Cyl. iT4 / Stage 3b Compliant Diesel	Same Price
8000		Frame & Chassis: HD Frame with Tapered Roller Bearing Gudgeon Recommended when a rear hitch is ordered on Tractor. Required for 20,000 lb Hitch.	2,985.00
8021		Wide Rear Fenders, 939 mm (37 in.) Wide by 1937 mm (76 in.) Long Option for improved coverage of rear drive tires.	1,240.00
8041		Front Axle Reinforcement Required with front weight bracket or any ballast packages requiring front suitcase weights. Check with outside manufacturers of front-mounted equipment for compatibility.	2,692.00
8042		Rear Axle Support Required with 9072 kg (20,000 lb) hitch option, Codes 4052 or 4053. Recommended with 6940 kg (15,000 lb) hitch option, Codes 4050 or 4051.	1,461.00
		Weights and Ballast:	
8955		Front Weights Front Weight Support without Front Weights Requires Code 8041 - Front Axle Reinforcement.	1,125.00
8959		Front Weight Support with 16 Weights Requires Code 8041 - Front Axle Reinforcement.	3,000.00
8965		Front Weight Support with 36 Weights Requires Code 8041 - Front Axle Reinforcement.	5,674.00
8978		Rear Drawbar Weights for 4WD Tractors without 3-Point Hitch Rear Drawbar Support Weight Bracket - Without Weights Requires Drawbar Code 4322 or 4325. Not compatible with Rear Storage Box. Not compatible with Rear Hitch, Codes 4050, 4051, 4052, 4053.	175.00
8983		Rear Drawbar Support Weight Bracket- with 10 Suitcase Weights Requires Drawbar Code 4322 or 4325. Not compatible with Rear Hitch, Codes 4050, 4051, 4052, 4053.	1,512.00
8984		Rear Drawbar Support Weight Bracket- with 15 Suitcase Weights Requires Drawbar Code 4322 or 4325. Not compatible with Rear Storage Box. Not compatible with Rear Hitch, Codes 4050, 4051, 4052, 4053 or rear PTO Code 3810.	2,180.00
8970		Wheel Weights for 4WD Tractor without 3-Point Hitch Front - 0 kg (0 lb) Rear - 970 kg (2130 lb) - Two 75 kg (165 lb) - Four 205 kg (450 lb) Outside Dual Not compatible with Codes 4050, 4051, 4052, 4053.	2,928.00

9510R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8971		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Front - 0 kg (0 lb) Rear - 1380 kg (3930 lb) - Two 205 kg (450 lb) Inside/Inner - Two 75 kg (165 lb) Six 205 kg (450 lb) Outside Dual Not compatible with Codes 4050, 4051, 4052, 4053. Includes Two 205 kg (450 lb) weights not installed.	5,344.00
8972		Front - 0 kg (0 lb) Rear - 1270 kg (2800 lb) - Two 625 kg (1400 lb) Inside/Inner Not compatible with Codes 4050, 4051, 4052, 4053. Reduces tire clearance. Not available with Triple Tire options.	3,460.00
8974		Front - 1270 kg (2800 lb) - Two 625 kg (1400 lb) Inside/Inner Rear - 2650 kg (5830 lb) - Two 625 kg (1400 lb) Inside/Inner - Two 625 kg (1400 lb) Inside/Inner - Two 75 kg (165 lb), Six 205 kg (450 lb) Outside Dual Requires tires 620 mm and wider. Not compatible with Codes 4050, 4051, 4052, 4053. This package compatible with PTO. Includes Two 205kg (450 lb) weights not installed.	11,056.00
8975		Front - 970 kg (2130 lb) - Two 205 kg (450 lb) Inside/Inner - Two 75 kg (165 lb), Two 205 kg (450 lb) Outside Dual Rear - 2758 kg (6080 lb) - Two 205 kg (450 lb) Inside/Inner - Two 75 kg (165 lb), Six 205 kg (450 lb) Outside Dual or Triple - 20 Frame Weights and Weight Support Not compatible with Codes 4050, 4051, 4052, 4053. Not compatible with PTO - Code 3810. Includes Two 205 kg (450 lb) weights not installed.	11,133.00
8976		Front - 1270 kg (2800 lb) - Two 625 kg (1400 lb) Inside/Inner Rear - 2238 kg (4950 lb) - Two 625 kg (1400 lb) Inside/Inner - Twenty 45 kg (100 lb) Rear Frame Weights Not compatible with Codes 4050, 4051, 4052, 4053. Not compatible with PTO - Code 3810. Not available with Triple Tire options.	9,782.00
8981		Wheel Weights for 4WD Tractors with 3-Point Hitch Front - 1270 kg (2800 lb) - Two 625 kg (1400 lb) Inside/Inner Rear - 1270 kg (2800 lb) - Two 625 kg (1400 lb) Inside/Inner Compatible with Codes 4050, 4051, 4052, 4053. Not available with Triple Tire options.	6,920.00

ATTACHMENTS - ORDER AS DESIRED

9510R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE325945	Electrical: Battery Disconnect Kit	115.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE269592	Mounting Kit - Dual Beam Radar Sensor The Mounting Kit does not include Dual Beam Radar Sensor. If Dual Beam Radar Sensor is needed, order Dual Beam Radar Sensor (RE278980, RE278984, RE278986 or RE278982).	85.00
	RE278980	Radar with Dual Beam Sensor	See Parts
	RE278984	Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	26.00
	RE326213	Engine: Fuel/Water Separator Kit, Severe Duty - Wheel	620.00
	RE270268	Hitch and Drawbar: Cat. 4/4N Quik Coupler Kit	2,741.00
	RE270270	Cat. 4N/3 Quik Coupler Kit	4,029.00
	RE278847	Cat. 5 to Cat. 4 Drawbar Conversion Kit Converts Cat. 5 Drawbar for use with Cat. 4 Implements.	462.00
	RE283958	Drawbar, Ball-type 80 mm, Cat. 4 Ball-type drawbar for use when using the DN 345 - Drawn Dry Box Spreader. No other implements are approved for this drawbar.	2,876.00

9510R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE311348	ATTACHMENTS FOR FIELD CONVERSIONContinued Electro-Hydraulic 3-Point Hitch with Draft Sensing for Wheel Tractors For Tractors equipped with a Factory Installed HD drawbar support. Additional parts are required - see installation instructions. Also requires Cat. 4N/3 Quik Coupler (RE270270), or 4/4N Quik Coupler (RE270268). Also required hitch cylinders to achieve 15,300 lb or 20,000 lb lift capacity. 15,300 lb hitch uses 1 x AHC10487 and 1 x AHC10488 cylinders. 20,000 lb hitch uses 2 x AHC10045. Requires Software download (R306826) to activate function.	20,492.00
	RE310798	Hydraulics: 3/4 In. Selective Control Valve Coupler Kit (Hi-Flow only)	2,142.00
	RE303735	5th Remote Selective Control Valve (for Standard flow Hydraulics) Requires Software download to activate function - See Parts.	1,331.00
	RE310796	6th Remote Selective Control Valve for AG High Flow Hydraulic Systems Not compatible with a factory or field installed 3 Pt. Hitch. Requires factory installed 5th SCV. Requires Software download to activate function - See Parts.	2,588.00
	RE303736	6th Remote Selective Control Valve for Standard Flow Hydraulic Systems Not compatible with a factory or field installed 3 Pt. Hitch. Requires factory or field installed 5th SCV. Requires Software download to activate function - See Parts.	2,070.00
	RE293259	Hitch Auxiliary Raise Kit For use with hitch valve with lift assist wheels. Compatible with all 9R Series Wheel and Track Tractors.	212.00
	RE336255	Hydraulic Trailer Brake Kit for Wheels Provides single line connection to hydraulic braking systems. Works with or without power beyond couplers.	1,106.00
	RE299261	Motor Seal Drain Kit	235.00
	RE293262	Power Beyond Coupler Kit Compatible with all Standard Flow Hydraulic Systems and Ag High Flow Hydraulic Systems. 1 or 2 pcs required for Ag High Flow Systems. Compatible with all Standard Flow Hydraulic Systems.	682.00
	RE330435	Lighting: Auxiliary Lighting Kit	88.00
	RE334623	Rotary Beacon Light Kit Switch is on CSM.	382.00
	RE277064	Miscellaneous: Gudgeon Kit with Tapered Roller Bearings Updates 9R Series Tractors to Tapered Roller Bearing Gudgeon with 2 1/2 In. articulation pin. 9R Series Scraper Tractors are factory equipped with the Tapered Roller Bearing Gudgeon.	5,170.00
	RE311210	Tow Cable Kit - Wheel Tractors Tractors not equipped with a front weight support must also order RE300652.	2,145.00

9510R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE67685	Operator Environment: 9-Pin Connector for Implement Feedback Required for TouchSet Depth Control.	241.00
	RE317435	Accessory Mounting Bracket	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00
	RE254357	Back Up Alarm Kit	399.00
	RE323407	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	594.00
	RE293499	External Mirrors, Electrically Telescoping and Heated Mirror Heads	1,696.00
	RE323405	External Mirrors, Manually Adjustable RH and LH	265.00
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	295.00
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	RE269618	Windshield Wiper with Washer, Rear	193.00
	RE211995	PTO: 1000 RPM PTO Shield Kit	1,006.00
	RE304683	Field Installation Kit, PTO, Wheel, PST+DR All PTO mounting hardware and shielding is contained in kit.	14,024.00
	BPF10312	Software Downloads: Non-John Deere Guidance Compatibility Activation - AutoFarm/Novariant Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10313	Non-John Deere Guidance Compatibility Activation - Hemisphere/Outback Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10433	Non-John Deere Guidance Compatibility Activation - Leica Geosystems Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10311	Non-John Deere Guidance Compatibility Activation - Raven Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00

9510R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BPF10363	ATTACHMENTS FOR FIELD CONVERSIONContinued Non-John Deere Guidance Compatibility Activation - Trimble Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AR268522	Weights: Front Idler Weights Mounting	1,244.00
	RE268386	Front Weight Bracket	1,800.00
	RE325618	Front Weight Bracket (Wheel) Allows attachment of up to 36 Quick-Tatch weights. Requires front reinforcement kit: RE341567.	1,800.00
	RE268085	Rear Axle Supports For Tractors equipped with 110 or 120 mm diameter axles and no hitch. Required (standard equipment) on 20K hitch capacity and 9R Scraper Tractors.	1,270.00
	RE286201	Two Track Frame Weight Supports and Extremity Lighting Kit	1,013.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R167151	Weight, Inner Wheel, 1400 Lb. Not available with triple tire options.	1,903.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg)	282.00
	RFR207782	Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights)	2,658.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00
	R207782	Weight, Wheel, 450 Lb.	664.00
	AR190666	Wheel Equipment: One 10 In. Dual Hub Extension	759.00
	AR190668	One 13 In. Dual Hub Extension	844.00
	AR190669	One 15 In. Dual Hub Extension	884.00
	AR194744	One 5 In. Dual Hub Extension	685.00

9560R Tractor

Equipment for Base Machine

```
ENGINE:
                                                                Implement Management System
6-Cylinder Turbocharged John Deere Diesel PowerTech
                                                                   Hitch Slip Command
  Engine with Electronic Unit Injection
Air to Air Aftercooled
                                                                INSTRUMENTATION:
13.5 L (824 Cu. In.) Displacement
395 kW (538 Hp) Engine Power Lever ECE-R24 @ Rated
                                                                Digital Instrument Panel includes
                                                                   Engine Oil Pressure Gauge
Engine Speed
                                                                   Engine Coolant Temperature Gauge
412 kW (560 Hp) Engine Power Level 97/68EC @ Rated
                                                                   Fuel Level Gauge
Engine Speed
                                                                   % Slip
Dry Type Air Cleaner with Safety Element,
                                                                  Ground Speed
  Airstack and Aspirator
                                                                   PTO Speed
Muffler with Extension
                                                                   System Voltage
Ether Starting Aid
Engine Coolant Heater 110V or 220V
                                                                   Engine Hours
                                                                  Service Hours with On-Board
Vertical Engine Oil Filter
Dual Filter Fuel System
                                                                     Vehicle Monitor System
                                                                ELECTRICAL:
                                                                Key Shutoff
12V Electrical System
B2 Biodiesel Fuel from the Factory
TRANSMISSION:
18 Speed Powershift with Efficiency Manager
18 Forward/6 Reverse Speeds
                                                                Three 925 CCA Capacity, 12V Batteries
                                                                200 Amp Alternator
                                                                One Electrical 3-Pin 12V Convenience Outlet
Hydraulic Wet Clutch
                                                                  Ground Terminals Behind Console
                                                                7-Terminal Rear Implement Electrical
STEERING AND BRAKES:
Articulated Hydrostatic Steering
                                                                  Outlet Socket
Wet Disk, Self-Adjusting Brakes
Wet Disk, Self-Adjusting Brakes
                                                                Battery Boost Terminal
                                                                GreenStar Ready Harness with Implement Connector
with Secondary Steering System
Spring-Applied, Hydraulically Released Park Brake
Secondary Brake (Region II only)
Tilt/Telescoping Steering Wheel
                                                                LIGHTS:
                                                                Front Hood Lights (Eight Total)
                                                                   Two HB3 65W Low Road Headlights
                                                                   Two HB3 65W High Road Headlights
Differential Lock
                                                                    with Hand Operated Dimmer Switch
HYDRAULICS:
                                                                   Two 65W Adjustable Corner Work Lights
Pressure Flow Compensating
                                                                   One 65W Adjustable Center Work Light
  Axial Piston Pump
                                                                   One 65W Adjustable Center Spot Light
182 lpm (48 gpm) Pump Output
Flow @ One SCV - 140 lpm (37 gpm)
Four EH Remote Cylinder Controls
                                                                Four 65W Rear Fender Mounted
                                                                   Pedestal Mounted Work Lights
                                                                Cab Roof Lights
  with ISO Couplers
                                                                   Two 65W Adjustable Front Flood Lights
                                                                   Four 65W Fixed Side Flood Lights (2 per side)
                                                                   Two 65W Fixed Rear Flood Lights
PTO:
Less PTO
                                                                   Four 65W Fixed Corner Flood Lights (Region II
                                                                   only)
                                                                   Four Corner Amber Flashing Warning Lights with
HITCH AND DRAWBAR:
                                                                Turn Signal Control (Not Region II)
Two Rear Fender Tail/Brake/Turn lights
Category 5 Drawbar with Heavy-Duty Drawbar Support Drawbar Clevis and Pin
                                                                Road Transport Extremity Lights (Not Region II) EU Front and Rear Extremity Position Lighting Kit
Secondary Chain Support
Less Hitch
                                                                 (Region II only)
COMMANDVIEW CAB:
                                                                Rotary Beacon Light
Roll Over Protective Structure
EC Approved Windshield
                                                                AXLES, WHEELS AND TIRES:
Air Conditioner and Heater
                                                                120 mm (4.72 in) Diameter x 3048 mm (120 in) Long
One Interior Rear View Mirror
                                                                Double Reduction Axles
                                                                Four Cast Inner/Four Steel Outer
Eight 800/70R38 173A8 R1W Radial Tires
Rear Fenders - 559 mm (22 in.) wide by
Command Center Color Display
Comfort Command Seat with
  Air Suspension
  Swivel
                                                                  1752 mm (69 in.) long
  Fore-Aft and Lateral Attenuation
  Armrest Controls
                                                                VEHICLE:
  Lumbar Support
                                                                SMV Emblem (If required)
  Backrest Adjustment
                                                                Electric Horn
Tinted Glass
                                                                Toolbox
Two Speed Front Wiper with Variable Delay
                                                                Rear Storage Box (except with PTO
Swing-Out Rear Window
Three Monitor Ready Locations
Two Convenience 12V Outlets
                                                                  or Rear Drawbar Weight option Codes 8978 and
                                                                   8984)
                                                                1325L (350 U.S. Gallon) Fuel Tank Capacity
AM/FM Radio Mounting Bracket with
  Wiring Harness
Field Cruise
Left Hand Storage
Electronic Foot Decelerator
```

iTEC (Intelligent Total Equipment Control)

9560R Tractor

Continued

		Continued	
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
03G0RW		9560R Tractor	373,318.00
		DESTINATION	
		A Code must be chosen for each Tractor ordered.	
0007		Africa Cameroon Requires Code 1885 JDLink Capable.	Same Price
		Requires Code - 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	
		Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	
0014		Democratic Republic of Congo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code - 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes:	Same Price
		Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	
0016		Egypt Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter. Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes:	Same Price
		Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	
0019		Ethiopia Requires Code 1885 JDLink Capable. Requires Code - 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Rase Equipment includes:	Same Price

Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 RIW Dual Configuration.

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.

9560R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0029		DESTINATIONContinued Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code - 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	Same Price
0043		Senegal Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code - 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	Same Price
0050		Tanzania Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code - 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	Same Price
0072		Asia China (People's Republic of China) Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	Same Price
0094		Philippines Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 RIW Dual Configuration.	Same Price

9560R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0098		DESTINATIONContinued Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	Same Price
0184		North America Canada Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting Code 5057 120 mm (4.72 In.) Diameter x 3048 mm (120 In.) Double Reduction Axles. Code 5609 800/70R38 In. 173A8 RIW Dual Configuration.	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 In.) Diameter x 3048 mm (120 In.) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	Same Price
0193		Honduras Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 RIW Dual Configuration.	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	Same Price
0202		United States Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting Code 5057 120 mm (4.72 In.) Diameter x 3048 mm (120 In.) Double Reduction Axles. Code 5609 800/70R38 In. 173A8 R1W Dual Configuration.	1,209.00

9560R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	
0210		South America Argentina Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	Same Price
0211		Bolivia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 RIW Dual Configuration.	Same Price
0212		Brazil Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Requires Code 8782 - Back Up Alarm. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	Same Price
0214		Colombia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	Same Price
0219		Suriname Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting. Code 5057 - 120 mm (4.72 in) Diameter x 3048 mm (120 in) Double Reduction Axles. Code 5609 - 800/70R38 In. 173A8 R1W Dual Configuration.	Same Price

VALUE PACKAGE CONFIGURATIONS

0500	No Package	In Base Price
0529	Deluxe Powershift Package <i>Includes Codes 2059, 1492, 2660, 3241, 3351 and 7201.</i>	-1,725.00

9560R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0531		VALUE PACKAGE CONFIGURATIONSContinued Premium Hi-Flow, 18 Spd. Powershift Package Includes Codes 2061, 1492, 1823 or 1826, 2661 or 2662, 3270, 3352 and 7202.	-2,300.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on the Control Switch Module (CSM). Front Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Folding Instructional Seat. No Mirrors. See Attachments Section for ordering information on additional field attachments.	-2,009.00
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on Control Switch Module (CSM). Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CSM. Front Pull Down Sun Shade. Right and Left Outside Manually Adjustable Mirrors. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. See Attachments Section for ordering information on additional field attachments.	In Base Price
2061		Premium CommandView II Cab Includes ActiveSeat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on the Command Center Controls. Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CSM. Front Pull Down Sun Shade. Right and Left Outside Electrically Adjustable Mirrors. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. See Attachments Section for ordering information on additional field attachments	3,520.00
		TRANSMISSION	
1492		18 Speed Powershift, 18 F/6 R Speeds with Efficiency Manager DISPLAY / MONITOR	In Base Price
		When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information. Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1821		GS3 Command Center 7" Color Display Includes GreenStar Parallel Tracking and Access Manager.	In Base Price

9560R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DISPLAY / MONITORContinued Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. AutoTrac activation can be ordered with the Tractor. Swath Control Pro activation must be ordered through AMS price pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	
1823		Touchscreen GS3 Command Center, 7" Color Display, Touch Screen, Video Capable Includes GreenStar Parallel Tracking, Access Manager and Video Capability. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. One video input and Tractor function activated triggers. AutoTrac activation can be ordered with the Tractor. Swath Control Pro activation must be ordered through AMS price pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	1,260.00
1825		GS3 CommandCenter 7" Color Display with GS3 2630 GreenStar Display Includes GreenStar Parallel Tracking and Access Manager. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. AutoTrac activation can be ordered with the Tractor. Swath Control Pro activation must be ordered through AMS price pages. GS3 2630 display and harness installed on the A-Post display bracket. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	5,895.00
1826		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable with GS3 2630 GreenStar Display Includes GreenStar Parallel Tracking, Access Manager and Video Capability. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. One video input and Tractor function activated triggers. AutoTrac activation can be ordered with the Tractor. Swath Control Pro activation must be ordered through AMS price pages. GS3 2630 display and harness installed on the A-Post display bracket. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	7,160.00
		RECEIVER	
		StarFire 3000 Position Receivers can be ordered in two configurations: -SF1, a no-charge differential correction signal that provides non-row-crop accuracySF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.comRTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual.	
		GNSS serial port information (NMEA) is available through a StarFire 3000.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1835		Less StarFire 3000 Position Receiver Includes Deluxe receiver mounting bracket only. When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver	In Base Price
1837		StarFire 3000 Position Receiver - SF1 with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Includes Deluxe receiver mounting bracket only.	2,695.00

9560R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RECEIVERContinued	
1838		StarFire 3000 Position Receiver - SF2 Ready with Deluxe Shroud StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Includes Deluxe receiver mounting bracket. A StarFire SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/- 4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available through StellarSupport.com or by calling the AMS Customer Call Center.	4,695.00

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold seperately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, all GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information

Dealer/Distributor required to contact Stellar Support to activate AMS Software Activations, referencing the Tractor order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on AMS Activations will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1845	Less AutoTrac Activation	In Base Price
1846	AutoTrac SF1 Activation - GS3 Requires Code 1837 StarFire 3000 SF1 Receiver. See AMS sales manual and price pages for detailed information.	3,000.00
1847	AutoTrac SF2 Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	6,500.00
1848	AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See AMS sales manual and price pages for detailed information. Not Compatible with Code 1400, PowrSync Transmission.	5,500.00
1849	AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. Requires an SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information. Not Compatible with Code 1400, PowrSync Transmission.	9,000.00

MACHINE CONNECTIVITY

9560R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telemetics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and I year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability. Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	1,200.00
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers, no radio and no speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack Located on Front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio	1,015.00

9560R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RADIOContinued AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disk Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth Capable including microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display. For U.S. and Canada only.	
2662		Premium Radio Package AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disk Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth Capable including microphone, Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass and treble radio functions can be viewed and configured on the CommandCenter Display. Not U.S. or Canada.	912.00
		HYDRAULICS SYSTEM	
3241		Standard Hydraulic System 182 lpm (48 gpm) with 18 Speed powershift Transmission. Provides up to 140 lpm (37 gpm) flow @ one SCV. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3270		Hi-Flow Hydraulic System; 295 lpm (78 gpm) Provides up to 170 lpm (37 gpm) flow @ one SCV. Requires Code 1492 - 18 Speed Powershift Transmission. Requires Code 3352 Rear Remote Selective Control Valves. Refer to the Ag Sales Manual for Implement compatibility. SCVs 1-3 supplied by primary pump. SCVs 4&5 supplied by secondary pump, recommended for orbital motor use.	5,885.00
		HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)	
3341		Four Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3241 - Standard Hydraulic System. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3351		Five Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3241 - Standard Hydraulic System. Refer to the Ag Sales Manual for Implement compatibility.	1,350.00
3352		Five Deluxe Electro-Hydraulic Rear Remote Selective Control Valves (Hi-Flow Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3270 - Hi-Flow Hydraulic System. Refer to the Ag Sales Manual for Implement compatibility.	1,350.00
		REAR POWER TAKE OFF	

9560R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
3800		REAR POWER TAKE OFFContinued Less Rear PTO	In Base Price
3810		1000-rpm PTO with 1 3/4 In. Shaft Not compatible with Rear Storage Box.	14,340.00
		REAR HITCH	
4000		Less Rear 3-Point Hitch	In Base Price
4051		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4N/4 Adjustable Quik Coupler; 6940 kg (15,300 lb) Lift Capacity Recommend Code 8000, HD Frame w/Tapered Roller Bearing Gudgeon for deep ripping applications. Requires Code 832F, Motor Seal Drain Kit. Not compatible with Category 4 standard drawbar, Code 4321. Must use quick coupler in 4N position with 710/70R42 tires. Not compatible with any triple tire configurations or with 710/70R38, IF710/70R38, 800/70R38 or IF800/70R38 tires. Maximum number of SCV's with a 3-Point Hitch is five.	20,789.00
4053		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4/4N, Adjustable Quik Coupler; 9072 kg (20,000 Lb.) Lift Capacity Requires Code 8000, HD Frame w/Tapered Roller Bearing Gudgeon for deep ripping applications. Requires Code 8323F, Motor Seal Drain Kit. Requires Code 8042, Rear Axle Support. Not compatible with Category 4 standard drawbar, Code 4321. Must use quick coupler in 4N position with 710/70R42 tires. Only compatible with dual configurations of 710/70R42, IF710/70R42, 650/85R38, IF650/85R38 tires or 480/80R50 tires (with load rating of 165 or greater). Maximum number of SCV's with a 3-Point Hitch is five.	23,259.00
4325		DRAWBAR Cat. 5 Drawbar (2 position) with Heavy-Duty Drawbar Support	In Base Price
		Drawbar maximum vertical load rating of 5440 kg (12,000 lb).	
5057		Harvy Duty 2049 mm (120 ln) V 120 mm (4.72 ln) Diameter Double Reduction	In Base Price
		Heavy Duty, 3048 mm (120 ln.) X 120 mm (4.72 ln.) Diameter Double Reduction WHEELS AND TIRES	III Dase Filce
		CAST MAIN AND STEEL DUAL OR TRIPLE UNLESS NOTED:	
5703		RCI Group 47 Size Tires (77 In./1956 mm Diameter) (Listed from Narrowest to Widest / Single to Triple Configuration) 480/80R46 In. 158A8 R1 Radial in Triple Configuration Available in Firestone or Goodyear.	4,304.00
5704		480/80R46 In. 158A8 R1W Radial in Triple Wheel Configuration Available in Michelin only.	12,282.00
5705		520/85R42 In. 157A8 R1W Radial in Triple Configuration Available in Firestone, Goodyear or Michelin.	10,516.00

9560R Tractor

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5706		WHEELS AND TIRESContinued 520/85R42 In. 157A8 R2 Radial in Triple Configuration Available in Firestone or Goodyear.	15,496.00
5707		520/85R42 In. 157A8 R1 Radial in Triple Configuration Available in Firestone or Goodyear.	3,880.00
5509		620/70R42 In. 160A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear or Michelin.	-9,052.00
5510		710/70R38 In. 166A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear or Michelin.	-3,784.00
5517		IF 710/70R38 In. 178A8 R1W Increased Flexion Radial in Dual Configuration Available in Firestone only.	-1,368.00
		CAST MAIN AND STEEL DUAL OR TRIPLE (Unless Noted):	
		RCI Group 48 Size Tires (81 In./2057 mm Diameter) (Listed from Narrowest to Widest, Single to Triple Configuration)	
5720		Wheels and Heavy Duty Wheel Sleeves 480/80R50 In. 159A8 R1W Radial in Triple Configuration Available in Firestone, Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	13,340.00
5723		IF 480/80R50 In. 166A8 R1W Radial in Triple Configuration Available in Firestone only.	24,164.00
5721		520/85R46 In. 158A8 R1W Radial in Triple Wheel Configuration Available in Firestone, Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	12,164.00
5722		520/85R46 In. 158A8 R2 Radial in Triple Wheel Configuration Available in Goodyear only.	13,652.00
5605		620/70R46 In. 167A8 R1W Radial in Dual Configuration Available in Goodyear only.	-7,396.00
5622		650/85R38 In. 173A8 R1W in Dual Configuration Available in Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	-4,496.00
5618		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Dual Configuration Available in Michelin.	4,426.00
5606		710/70R42 In. 168A8 R1W Radial in Dual Configuration Available in Firestone only.	-2,396.00
5607		710/70R42 In. 173A8 R1W Radial in Dual Configuration Available in Goodyear, Michelin or Mitas/Continental. Mitas/Continental brand tires available in US and Canada only.	-1,124.00
5619		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Dual Configuration Available in Michelin or Firestone.	10,518.00
5609		800/70R38 In. 173A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear or Michelin.	In Base Price

9560R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
5620		WHEELS AND TIRESContinued IF 800/70R38 In. 179A8 R1W Increased Flexion Radial in Dual Configuration Available in Firestone or Michelin.	11,232.00
		TIRE PREFERENCE CODES	
		If only one brand is available in any tire code, the Tire Preference Code 5999 must be chosen below to avoid extra charges. You will still get the one brand stated in the tire code description.	
5999		No Brand Preference Mitas/Continental brand tires available in US and Canada only.	No Charge
5901		Firestone Brand Only	1,000.00
5902		Goodyear Brand Only	1,000.00
5903		Michelin Brand Only	1,400.00
5904		Mitas/Continental Brand Only Mitas/Continental brand tires available in US and Canada only.	1,000.00
		LIGHTS	
7200		Standard Lighting Eight Front Grill Mounted Lights: Two 65W low beam driving lights, two 65W high beam driving lights, two front corner facing halogen work lights and two center facing halogen work lights. Ten Cab Roof Mounted Lights: Two rear and four side facing 65W flood lights and four corner facing amber lights. Four rear fender mounted flood lights and two rear Tail/Brake/Turn lights. Road Transport Extremity Lights(foldable).	-762.00
7201		Deluxe Lighting Includes Standard lighting plus two adjustable front roof 65W halogen floodlights and a rotary beacon light.	In Base Price
7202		Premium HID Lighting Includes Deluxe Lighting, and in the grill screen, two front corner HID lights replace two front halogen lights and one HID light replaces a center halogen flood light. Two of the rear fender lights are replaced with HID lights.	3,442.00
		OPERATOR'S MANUAL AND LABELS	
		A Code must be chosen for each Tractor ordered.	
0401		Arabic	Same Price
0426		Mandarin (Chinese)	Same Price
0409		English Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	In Base Price
0413		French Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price

9560R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0430		OPERATOR'S MANUAL AND LABELSContinued Portuguese Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0433		Russian	Same Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8760		Brakes and Steering: Greaseable Steering Cylinder Pins	447.00
8756		Hydraulic Trailer Brake Valve	1,006.00
8210		Operator Station & Controls: Leather Trim Includes heated leather seat, leather wrapped steering wheel and rear window decal.	1,646.00
8227		External Mirrors, Electrically Adjustable, Heated, Power Extendable, RH and LH <i>Must order Code 2059.</i> Not compatible with Code 2050 or Code 2061.	1,344.00
8228		External Mirrors, Electrically Adjustable, Heated, Power Extendable, RH and LH Must order Code 2061. Not compatible with Code 2050 or Code 2059.	1,344.00
8242		Radar with Dual Beam Sensor	900.00
8251		Antenna Mount and Wiring for Business Band Radio	129.00
832F		Hydraulics: Motor Seal Drain Kit Required with all Rear Hitch Codes 4050, 4051, 4052, 4053.	628.00
8725		Electrical & Lights: Rotary Beacon Light Requires Code 7200.	347.00
8782		Back Up Alarm	363.00
8306		Engine: Fuel/Water Separator, Severe Duty This code is optional for Tractors with iT4/3b Engines.	564.00
		This code is required for Tractors with Stage 2 Engines.	
8338		John Deere PowerTech 13.5 L (824 cu.in.) 6 Cyl Stage 2 Compliant Diesel Engine	-16,883.00

9560R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8340		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued JohnDeere PowerTech PSX 13.5 L (824 cu. in.) 6 Cyl. iT4 / Stage 3b Compliant Diesel	Same Price
8000		Frame & Chassis: HD Frame with Tapered Roller Bearing Gudgeon Recommended when a rear hitch is ordered on Tractor. Required for 20,000 lb Hitch.	2,985.00
8021		Wide Rear Fenders, 939 mm (37 in.) Wide by 1937 mm (76 in.) Long Option for improved coverage of rear drive tires.	1,240.00
8041		Front Axle Reinforcement Required with front weight bracket or any ballast packages requiring front suitcase weights. Check with outside manufacturers of front-mounted equipment for compatibility.	2,692.00
8042		Rear Axle Support Required with 9072 kg (20,000 lb) hitch option, Codes 4052 or 4053. Recommended with 6940 kg (15,000 lb) hitch option, Codes 4050 or 4051.	1,461.00
		Weights and Ballast:	
8955		Front Weights Front Weight Support without Front Weights Requires Code 8041 - Front Axle Reinforcement.	1,125.00
8959		Front Weight Support with 16 Weights Requires Code 8041 - Front Axle Reinforcement.	3,000.00
8965		Front Weight Support with 36 Weights Requires Code 8041 - Front Axle Reinforcement.	5,674.00
8978		Rear Drawbar Weights for 4WD Tractors without 3-Point Hitch Rear Drawbar Support Weight Bracket - Without Weights Requires Drawbar Code 4322 or 4325. Not compatible with Rear Storage Box. Not compatible with Rear Hitch, Codes 4050, 4051, 4052, 4053.	175.00
8983		Rear Drawbar Support Weight Bracket- with 10 Suitcase Weights Requires Drawbar Code 4322 or 4325. Not compatible with Rear Hitch, Codes 4050, 4051, 4052, 4053.	1,512.00
8984		Rear Drawbar Support Weight Bracket- with 15 Suitcase Weights Requires Drawbar Code 4322 or 4325. Not compatible with Rear Storage Box. Not compatible with Rear Hitch, Codes 4050, 4051, 4052, 4053 or rear PTO Code 3810.	2,180.00
8970		Wheel Weights for 4WD Tractor without 3-Point Hitch Front - 0 kg (0 lb) Rear - 970 kg (2130 lb) - Two 75 kg (165 lb) - Four 205 kg (450 lb) Outside Dual Not compatible with Codes 4050, 4051, 4052, 4053.	2,928.00

9560R Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8971		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Front - 0 kg (0 lb) Rear - 1380 kg (3930 lb) - Two 205 kg (450 lb) Inside/Inner - Two 75 kg (165 lb) Six 205 kg (450 lb) Outside Dual Not compatible with Codes 4050, 4051, 4052, 4053. Includes Two 205 kg (450 lb) weights not installed.	5,344.00
8972		Front - 0 kg (0 lb) Rear - 1270 kg (2800 lb) - Two 625 kg (1400 lb) Inside/Inner Not compatible with Codes 4050, 4051, 4052, 4053. Reduces tire clearance. Not available with Triple Tire options.	3,460.00
8974		Front - 1270 kg (2800 lb) - Two 625 kg (1400 lb) Inside/Inner Rear - 2650 kg (5830 lb) - Two 625 kg (1400 lb) Inside/Inner - Two 75 kg (165 lb), Six 205 kg (450 lb) Outside Dual Requires tires 620 mm and wider. Not compatible with Codes 4050, 4051, 4052, 4053. This package compatible with PTO. Includes Two 205kg (450 lb) weights not installed.	11,056.00
8975		Front - 970 kg (2130 lb) - Two 205 kg (450 lb) Inside/Inner - Two 75 kg (165 lb), Two 205 kg (450 lb) Outside Dual Rear - 2758 kg (6080 lb) - Two 205 kg (450 lb) Inside/Inner - Two 75 kg (165 lb), Six 205 kg (450 lb) Outside Dual or Triple - 20 Frame Weights and Weight Support Not compatible with Codes 4050, 4051, 4052, 4053. Not compatible with PTO - Code 3810. Includes Two 205 kg (450 lb) weights not installed.	11,133.00
8976		Front - 1270 kg (2800 lb) - Two 625 kg (1400 lb) Inside/Inner Rear - 2238 kg (4950 lb) - Two 625 kg (1400 lb) Inside/Inner - Twenty 45 kg (100 lb) Rear Frame Weights Not compatible with Codes 4050, 4051, 4052, 4053. Not compatible with PTO - Code 3810. Not available with Triple Tire options.	9,782.00
8981		Wheel Weights for 4WD Tractors with 3-Point Hitch Front - 1270 kg (2800 lb) - Two 625 kg (1400 lb) Inside/Inner Rear - 1270 kg (2800 lb) - Two 625 kg (1400 lb) Inside/Inner Compatible with Codes 4050, 4051, 4052, 4053. Not available with Triple Tire options.	6,920.00

ATTACHMENTS - ORDER AS DESIRED

9560R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE325945	Electrical: Battery Disconnect Kit	115.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE269592	Mounting Kit - Dual Beam Radar Sensor The Mounting Kit does not include Dual Beam Radar Sensor. If Dual Beam Radar Sensor is needed, order Dual Beam Radar Sensor (RE278980, RE278984, RE278986 or RE278982).	85.00
	RE278980	Radar with Dual Beam Sensor	See Parts
	RE278984	Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	26.00
	RE326213	Engine: Fuel/Water Separator Kit, Severe Duty - Wheel	620.00
	RE270268	Hitch and Drawbar: Cat. 4/4N Quik Coupler Kit	2,741.00
	RE270270	Cat. 4N/3 Quik Coupler Kit	4,029.00
	RE278847	Cat. 5 to Cat. 4 Drawbar Conversion Kit Converts Cat. 5 Drawbar for use with Cat. 4 Implements.	462.00
	RE283958	Drawbar, Ball-type 80 mm, Cat. 4 Ball-type drawbar for use when using the DN 345 - Drawn Dry Box Spreader. No other implements are approved for this drawbar.	2,876.00

9560R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE311348	ATTACHMENTS FOR FIELD CONVERSIONContinued Electro-Hydraulic 3-Point Hitch with Draft Sensing for Wheel Tractors For Tractors equipped with a Factory Installed HD drawbar support. Additional parts are required - see installation instructions. Also requires Cat. 4N/3 Quik Coupler (RE270270), or 4/4N Quik Coupler (RE270268). Also required hitch cylinders to achieve 15,300 lb or 20,000 lb lift capacity. 15,300 lb hitch uses 1 x AHC10487 and 1 x AHC10488 cylinders. 20,000 lb hitch uses 2 x AHC10045. Requires Software download (R306826) to activate function.	20,492.00
	RE310798	Hydraulics: 3/4 In. Selective Control Valve Coupler Kit (Hi-Flow only)	2,142.00
	RE303735	5th Remote Selective Control Valve (for Standard flow Hydraulics) Requires Software download to activate function - See Parts.	1,331.00
	RE310796	6th Remote Selective Control Valve for AG High Flow Hydraulic Systems Not compatible with a factory or field installed 3 Pt. Hitch. Requires factory installed 5th SCV. Requires Software download to activate function - See Parts.	2,588.00
	RE303736	6th Remote Selective Control Valve for Standard Flow Hydraulic Systems Not compatible with a factory or field installed 3 Pt. Hitch. Requires factory or field installed 5th SCV. Requires Software download to activate function - See Parts.	2,070.00
	RE293259	Hitch Auxiliary Raise Kit For use with hitch valve with lift assist wheels. Compatible with all 9R Series Wheel and Track Tractors.	212.00
	RE336255	Hydraulic Trailer Brake Kit for Wheels Provides single line connection to hydraulic braking systems. Works with or without power beyond couplers.	1,106.00
	RE299261	Motor Seal Drain Kit	235.00
	RE293262	Power Beyond Coupler Kit Compatible with all Standard Flow Hydraulic Systems and Ag High Flow Hydraulic Systems. 1 or 2 pcs required for Ag High Flow Systems. Compatible with all Standard Flow Hydraulic Systems.	682.00
	RE330435	Lighting: Auxiliary Lighting Kit	88.00
	RE334623	Rotary Beacon Light Kit Switch is on CSM.	382.00
	RE277064	Miscellaneous: Gudgeon Kit with Tapered Roller Bearings Updates 9R Series Tractors to Tapered Roller Bearing Gudgeon with 2 1/2 In. articulation pin. 9R Series Scraper Tractors are factory equipped with the Tapered Roller Bearing Gudgeon.	5,170.00
	RE311210	Tow Cable Kit - Wheel Tractors Tractors not equipped with a front weight support must also order RE300652.	2,145.00

9560R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE67685	Operator Environment: 9-Pin Connector for Implement Feedback Required for TouchSet Depth Control.	241.00
	RE317435	Accessory Mounting Bracket	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00
	RE254357	Back Up Alarm Kit	399.00
	RE323407	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	594.00
	RE293499	External Mirrors, Electrically Telescoping and Heated Mirror Heads	1,696.00
	RE323405	External Mirrors, Manually Adjustable RH and LH	265.00
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	295.00
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	RE269618	Windshield Wiper with Washer, Rear	193.00
	RE211995	PTO: 1000 RPM PTO Shield Kit	1,006.00
	RE304683	Field Installation Kit, PTO, Wheel, PST+DR All PTO mounting hardware and shielding is contained in kit.	14,024.00
	BPF10312	Software Downloads: Non-John Deere Guidance Compatibility Activation - AutoFarm/Novariant Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10313	Non-John Deere Guidance Compatibility Activation - Hemisphere/Outback Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10433	Non-John Deere Guidance Compatibility Activation - Leica Geosystems Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10311	Non-John Deere Guidance Compatibility Activation - Raven Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00

9560R Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BPF10363	ATTACHMENTS FOR FIELD CONVERSIONContinued Non-John Deere Guidance Compatibility Activation - Trimble Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AR268522	Weights: Front Idler Weights Mounting	1,244.00
	RE268386	Front Weight Bracket	1,800.00
	RE325618	Front Weight Bracket (Wheel) Allows attachment of up to 36 Quick-Tatch weights. Requires front reinforcement kit: RE341567.	1,800.00
	RE268085	Rear Axle Supports For Tractors equipped with 110 or 120 mm diameter axles and no hitch. Required (standard equipment) on 20K hitch capacity and 9R Scraper Tractors.	1,270.00
	RE286201	Two Track Frame Weight Supports and Extremity Lighting Kit	1,013.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R167151	Weight, Inner Wheel, 1400 Lb. Not available with triple tire options.	1,903.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg)	282.00
	RFR207782	Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights)	2,658.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00
	R207782	Weight, Wheel, 450 Lb.	664.00
	AR190666	Wheel Equipment: One 10 In. Dual Hub Extension	759.00
	AR190668	One 13 In. Dual Hub Extension	844.00
	AR190669	One 15 In. Dual Hub Extension	884.00
	AR194744	One 5 In. Dual Hub Extension	685.00

9460R Scraper Tractor

Equipment for Base Machine

```
ENGINE:
                                                             Digital Instrument Panel includes
6-Cylinder Turbocharged John Deere PowerTech
                                                                Engine Oil Pressure Gauge
  Diesel Engine with Electronic
                                                                Engine Coolant Temperature Gauge
  Unit Injection
                                                                Fuel Level Gauge
Air to Air Aftercooled
13.5 L (824 Cu. In.) Displacement
325 kW (442 Hp) Engine Power Level ECE-R24 @ Rated
                                                                % Slip
                                                                Ground Speed
                                                                PTO Speed
                                                                System Voltage
Engine Speed
338 kW (460 Hp) Engine Power Level 97/68EC @ Rated
                                                                Engine Hours
Engine Speed
                                                                Service Hours with On-Board
Dry Type Air Cleaner with Safety Element,
                                                                  Vehicle Monitor System
                                                             ELECTRICAL:
  Airstack and Aspirator
Ether Starting Aid
Engine Coolant Heater 110V or 220V
                                                             Key Shutoff
12V Electrical System
Vertical Engine Oil Filter
Dual Filter Fuel System
                                                              Three 925 CCA Capacity, 12V Batteries
                                                              200 Amp Alternator
                                                             One Electrical 3-Pin 12V Convenience Outlet
B2 Biodiesel Fuel from the Factory
                                                                Ground Terminals Behind Console
                                                              7 - Terminal Rear Implement Electrical
TRANSMISSION:
18 Speed Powershift with Efficiency Manager
                                                               Outlet Socket
18 Forward/6 Reverse Speeds Hydraulic Wet Clutch
                                                             Battery Boost Terminal
                                                             GreenStar Ready Harness with Implement Connector
STEERING AND BRAKES:
Articulated Hydrostatic Steering
Wet Disk, Self-Adjusting Brakes
                                                             Front Hood Lights (Eight Total)
Two HB3 65W Low Road HeadLights
                                                                Two HB3 65W High Road HeadLights
Tilt/Telescoping Steering Wheel
Spring-Applied, Hydraulically Released
                                                                  with Hand Operated Dimmer Switch
                                                                Two 65W Adjustable Corner Work Lights
  Park Brake
Secondary Brake (Region II only)
                                                                One 65W Adjustable Center Work Light
Differential Lock
                                                                One 65W Adjustable Center Spot Light
                                                              Four 65W Rear Fender Mounted
HYDRAULICS:
                                                                Pedestal Mounted Work Lights
Pressure Flow Compensating
                                                              Cab Roof Lights
  Axial Piston Pump
                                                                Two 65W Adjustable Front Flood Lights
182 lpm 948 gpm) Pump Output
Flow @ one SCV - 140 lpm (37 gpm)
                                                                Four 65W Fixed Side Flood Lights (2 per side)
                                                                Two 65W Fixed Rear Flood Lights
Four EH Remote Cylinder Controls with
                                                              Four 65W Fixed Corner Flood Lights (Region II only)
  ISO Couplers
                                                              Four Corner Amber Flashing Warning Lights with
                                                             Turn Signal Control (Not Region II)
Two Rear Fender Tail/Brake/Tail lights
Road Transport Extremity Lights (Not Region II)
  Hydraulic Accumulator
Less PTO
                                                              EU Front and Rear Extremity Position Lighting Kit
                                                              (Region II only)
HITCH AND DRAWBAR:
                                                             Rotary Beacon Light
Less Hitch
Heavy Duty Drawbar Support
                                                              AXLES, WHEELS AND TIRES:
                                                             Heavy Duty, Double Reduction 3048 mm (120 In.) x 120 mm (4.72 in) Diameter Axles
Axles with Differential Lock
  Less Drawbar
COMMANDVIEW CAB:
Roll Over Protective Structure (ROPS)
                                                              Four Heavy Duty Cast Inner/Four
Falling Object Protection Structure (Level 1 FOPS)
                                                                Steel Outer Wheels
Air Conditioner and Heater
                                                              Eight 710/70R38 166A8 R1W Radial Tires
One Interior Rear View Mirror
                                                              Wide Rear Fenders - Full Coverage of Inner Dual
Comfort Command Seat with
  Air Suspension
  Swivel
                                                             VEHICLE:
  Fore-Aft and Lateral Attenuation
                                                              SMV Emblem (if required)
  Armrest Controls
                                                              Electric Horn
  Lumbar Support
                                                              Toolbox
  Backrest Adjustment
                                                              1352L (350 U.S. Gallon) Fuel Tank Capacity
Tinted Glass
                                                             Tapered Roller Gudgeon Bearings
Two Speed Front Wiper with Variable Delay
                                                                with 76 mm (3 In.) Hinge Pins
Swing-Out Rear Window
                                                             Greaseable Steering Cylinder Pins
Three Monitor Ready Locations
Two Convenience 12V Outlets
                                                             Back Up Alarm
                                                             Front Frame Reinforcement
AM/FM Radio Mounting Bracket with
                                                             Rear Frame Reinforcement
  Wiring Harness
                                                             Tow Cable
Field Cruise
Left Hand Storage
Electronic Foot Decelerator
iTEC (Intelligent Total Equipment Control)
Implement Management System
INSTRUMENTATION:
```

9460R Scraper Tractor

Continued .

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE EX-WORKS Waterloo, Iowa	
03D0RW		9460R Scraper Tractor	341,357.00
		DESTINATION	
		A Code must be chosen for each Tractor ordered.	
0007		Africa Cameroon Requires Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0014		Democratic Republic of Congo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0016		Egypt Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0019		Ethiopia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price

16 May 2012 US & Canada 2-Tractors-07500- 2

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0029		DESTINATIONContinued Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0043		Senegal Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0050		Tanzania Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0072		Asia China (People's Republic of China) Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0094		Philippines Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0098		Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	
0184		North America Canada Requires code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting	Same Price
0193		Honduras Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0202		United States Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0210		South America Argentina Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0211		Bolivia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

9460R Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0212		DESTINATIONContinued Brazil Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0214		Colombia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0219		Suriname Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

VALUE PACKAGE CONFIGURATIONS

0500	No Package Order one code from each box in the Price Pages.	In Base Price
0516	Deluxe Scraper Package with Long Drawbar and Standard Hydraulics <i>Includes Codes: 2059, 2660, 3241, 3341, 4340 and 7201</i> .	-1,725.00
0517	Deluxe Scraper Package with Long Drawbar and Hi-Flow Hydraulics <i>Includes Codes: 2059, 2660, 3272, 3342, 4340 and 7201.</i>	-1,725.00
0518	Deluxe Scraper Package with Short Drawbar and Hi-Flow Hydraulics <i>Includes Codes: 2059, 2660, 3272, 3342, 4330 and 7201.</i>	-1,725.00
0519	Premium Scraper Package with Long Drawbar and Hi-Flow Hydraulics <i>Includes Codes: 1823, 2061, 2661 or 2662, 3272, 3342 or 3361, 4340 and 7202.</i>	-2,300.00
0520	Premium Scraper Package with Short Drawbar and Hi-Flow Hydraulics <i>Includes Codes: 1823, 2061, 2661 or 2662, 3272, 3342 or 3361, 4330 and 7202.</i>	-2,300.00

TRANSMISSION

1492 18 Speed Powershift, 18 F/6 R Speeds with Efficiency Manager In Base Price

DISPLAY / MONITOR

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Option availability limited by specific geographical regions. Please refer to region specific

9460R Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DISPLAY / MONITORContinued price pages for appropriate ordering codes.	
1821		Command Center 7" Color Display Includes Access Manager user lockout software. AMS Activations must be ordered through AMS Price Pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	In Base Price
1823		Command Center, 7" Color Display, Touch Screen, Video Ready Includes Access Manager user lockout software. One video input and tractor function activated triggers. AMS Activations must be ordered through AMS Price Pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	1,260.00

RECEIVER

StarFire 3000 Position Receivers can be ordered in two configurations:

-SF1 A no-charge differential correction signal that provides non-row-crop accuracy.

-SF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www. StellarSupport.com

-RTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual.

GNSS serial port information (NMEA) is available through a StarFire 3000.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1835 Less StarFire 3000 Position Receiver

Includes Deluxe receiver mounting brackets.

When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.

In Base Price

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold separately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, all GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact Stellar Support to activate AMS Software Activations, referencing the Tractor order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on AMS Activations will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1845 Less AutoTrac Activation In Base Price

MACHINE CONNECTIVITY

1885 JDLink Capable In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telemetics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and I year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability. Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	1,200.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on the Control Switch Module (CSM). Front Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Folding Instructional Seat. No Mirrors.	-2,009.00
		See Attachments Section for ordering information on additional field attachments.	
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on Control Switch Module (CSM). Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CSM.	In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATIONContinued Front Pull Down Sun Shade. Right and Left Outside Manually Adjustable Mirrors. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat.	
		See Attachments Section for ordering information on additional field attachments.	
2061		Premium CommandView II Cab Includes ActiveSeat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on the Command Center Controls. Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CSM. Front Pull Down Sun Shade. Right and Left Outside Electrically Adjustable Mirrors. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat.	3,520.00
		See Attachments Section for ordering information on additional field attachments	
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers, no radio and no speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack Located on Front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disk Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth Capable including microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display. For U.S. and Canada only.	1,015.00
2662		Premium Radio Package AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disk Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth Capable including microphone, Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass and treble radio functions can be viewed and configured on the CommandCenter Display. Not U.S. or Canada.	912.00
		HYDRAULICS SYSTEM	
3241		Standard Hydraulic System, 182 lpm (48 gpm) Provides up to 140 lpm (37 gpm) flow @ one SCV. Requires Code 3341 - Four Rear Remote SCVs. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3272		Hi-Flow Hydraulic System 284 lpm (75 gpm) Provides up to 170 lpm (45 gpm)flow @ one SCV. Requires Code 3342 or Code 3361 - Four or Six Rear Remote SCVs.	5,885.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)	
3341		Four Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3241 - Standard Hydraulic System. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3342		Four - 3/4" Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Hi-Flow Hydraulic System) Requires Code 3272 - Hi-Flow Hydraulic System. Requires 3/4" hose tips on implement. TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Refer to the Ag Sales Manual for Implement compatibility.	Same Price
3361		Six - 3/4" Deluxe Electro-Hydraulic Rear Remote Selective Control Valves (Hi-Flow Hydraulic System) Requires Code 3272 - Hi-Flow Hyddraulic System. Requires Code 8756 (Hydraulic Trailer Brake Valve). Requires 3/4" hose tips on implement. TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Refer to the Ag Sales Manual for Implement compatibility.	4,827.00
		DRAWBAR	
4340		Drawbar Support for Long Scraper Drawbars Recommended for use with John Deere and competitive brand scrapers. Refer to the Ag Sales Manual for more details. Order drawbar from Scraper Price Pages.	In Base Price
4330		Drawbar Support for Short Scraper Drawbars Requires short scraper drawbar. Requires Code 3272 and Code 3342 or 3361. Recommended for use with John Deere brand scrapers. Refer to the Ag Sales Manual for more details. Order drawbar from Scraper Price Pages.	Same Price
		AXLES	
5057		Heavy Duty, 3048 mm (120In.) X 120 mm (4.72 in) Diameter Double Reduction	In Base Price
		WHEELS AND TIRES	
		Tires are available in Firestone or Goodyear unless otherwise noted. If only one tire brand is listed then Code 5999 (No Brand Preference) is required. If a tire preference code is NOT chosen, then the brand is determined by the factory.	
		Single Wheels (4 Wheels)	
5331		FOUR DRIVE WHEELS: Heavy Duty Steel Wheels and Heavy Duty Wheel Sleeves 76x50-32 Flotation 23-Degree Deep Tread Logger Tire in Single Configuration Available in Firestone only.	23,104.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		WHEELS AND TIRESContinued	
		FOUR CAST INNER DRIVE WHEELS AND FOUR STEEL OUTER WHEELS:	
		RCI Group 47 Size Tires (77 In./1956 mm Diameter) (Listed from Narrowest to Widest) All Group 47 Tires include Heavy Duty Cast Wheels and	
5510		Heavy Duty Wheel Sleeves 710/70R38 In. 160A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear or Michelin.	In Base Price
5517		IF 710/70R38 In. 178A8 R1W Increased Flexion Radial in Dual Configuration Available in Firestone only.	2,416.00
		FOUR CAST INNER DRIVE AND FOUR STEEL OUTER WHEELS:	
		RCI Group 48 Size Tires (81 In./2057 mm Diameter) (Listed from Narrowest to Widest) All Group 48 Tires include Heavy Duty Cast Wheels and Heavy Duty Wheel	
5605		Sieeves 620/70R46 In. 167A8 R1W Radial in Dual Configuration Available in Goodyear only.	-3,620.00
5622		650/85R38 In. 173A8 R1W in Dual Configuration Available in Mitas/Continental, Michelin or Goodyear. Mitas/Continental brand tires available in US and Canada only.	-712.00
5618		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Dual Configuration Available in Michelin.	8,194.00
5606		710/70R42 In. 168A8 R1W Radial in Dual Configuration Available in Firestone only.	1,388.00
5607		710/70R42 In. 173A8 R1W Radial in Dual Configuration Available in Mitas/Continental, Goodyear or Michelin. Mitas/Continental brand tires available in US and Canada only.	2,660.00
5619		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Dual Configuration Available in Michelin or Firestone.	12,780.00
		TIRE PREFERENCE CODES	
		If only one brand is available in any tire code, the Tire Preference Code 5999 must be chosen below to avoid extra charges. You will still get the one brand stated in the tire code description.	
5999		No Brand Preference Mitas/Continental brand tires available in US and Canada only.	No Charge
5901		Firestone Brand Only	1,000.00
5902		Goodyear Brand Only	1,000.00
5903		Michelin Brand Only	1,400.00
5904		Mitas/Continental Brand Only Mitas/Continental brand tires available in US and Canada only.	1,000.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION LIGHTS	SUGGESTED LIST PRICE USD (\$)
7201		Deluxe Lighting Includes Standard lighting plus two adjustable front roof 65W halogen floodlights and a rotary beacon light.	In Base Price
7202		Premium HID Lighting Includes Deluxe Lighting, and in the grill screen, two front corner HID lights replace two front halogen lights and one HID light replaces a center halogen flood light. Two of the rear fender lights are replaced with HID lights.	3,442.00
		OPERATOR'S MANUAL AND LABELS	
		A Code must be chosen for each Tractor ordered.	
0401		Arabic	Same Price
0426		Mandarin (Chinese)	Same Price
0409		English Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	In Base Price
0413		French Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0430		Portuguese Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0433		Russian Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8756		Brakes & Steering: Hydraulic Trailer Brake Valve Required for operation of triple pans. Rear pan must have hydraulic trailer brakes when operating triple configuration.	1,006.00
8227		Operator Station & Controls: External Mirrors, Electrically Adjustable, Heated, Power Extendable, RH and LH For Deluxe Cab Code 2059. Not compatible with Code 2050.	1,344.00
8228		External Mirrors, Electrically Adjustable, Heated, Power Extendable, RH and LH For Premium Cab Code 2061. Not compatible with Code 2050 or 2059.	1,344.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8242		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Radar with Dual Beam Sensor Required with Code 832A AutoLoad Tractor.	900.00
8251		Antenna Mount and Wiring for Business Band Radio	129.00
832A		AutoLoad Tractor Includes Factory Installation of tractor specific components for AutoLoad (AutoLoad controller, and AutoLoad specific CommandARM controls). For a fully functional AutoLoad System, requires additional components from Scraper Price Pages including but not limited to AutoLoad ready scraper drawbar. See both Scraper Tractor and Scraper Price Pages and Sales Manual for complete information. Requires Code 8242 Radar.	10,553.00
8306		Engine: Fuel/Water Separator, Severe Duty Required with Code 8338 John Deere PowerTech Stage 2 Compliant Engine. Optional with Code 8340 John Deere PowerTech PSX iT4/Stage 3b Compliant Engine.	564.00
8338		John Deere PowerTech 13.5 L (824 cu.in.) 6 Cyl Stage 2 Compliant Diesel Engine	-16,883.00
8340		John Deere PowerTech PSX 13.5 L (824 cu. in.) 6 Cyl. iT4 / Stage 3b Compliant Diesel	Same Price
		Weights and Ballast:	
8955		4WD Scraper Tractor Front Weight Support without Front Weights Weight support only, NO weights included.	1,125.00
8959		Front Weight Support with 16 Weights	3,000.00
8965		Front Weight Support with 36 Weights	5,674.00
8982		Front - 6080 Lbs. (2758 kg) - Two 1400 Lb. (635 kg) Inside/Inner - Two 165 Lb. (75 kg) - Six 450 Lb. (205 kg) Outside Dual This package is designed for dirt scraper and deep ripper operations.	7,598.00
		ATTACHMENTS - ORDER AS DESIRED	
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE325945	Electrical: Battery Disconnect Kit	115.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE322780	ATTACHMENTS FOR FIELD CONVERSIONContinued ISO Cab Implement CAN Bus Adapter	See Parts
	RE269592	Mounting Kit - Dual Beam Radar Sensor The Mounting Kit does not include Dual Beam Radar Sensor. If Dual Beam Radar Sensor is needed, order Dual Beam Radar Sensor (RE278980, RE278984, RE278986 or RE278982).	85.00
	RE278980	Radar with Dual Beam Sensor	See Parts
	RE278984	Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts
	RE326213	Engine: Fuel/Water Separator Kit, Severe Duty - Wheel	620.00
	RE311079	Hydraulics: 5th and 6th Scraper High Flow Remote Cylinder Selective Control Valve with Breakaway Couplers Requires Software download from PDC to activate function. Hydraulic Trailer Brake for PST (RE310820) is recommended for Wheel.	4,411.00
	RE330435	Lighting: Auxiliary Lighting Kit	88.00
	RE334623	Rotary Beacon Light Kit Switch is on CSM.	382.00
	RE310865	Miscellaneous: AutoLoad Scraper Tractor - Field Installed	11,608.00
	RE334134	Scraper Hose Support	552.00
	RE311210	Tow Cable Kit - Wheel Tractors Tractors not equipped with a front weight support must also order RE300652.	2,145.00
	RE317435	Operator Environment: Accessory Mounting Bracket	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00
	RE254357	Back Up Alarm Kit	399.00
	RE323407	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	594.00
	RE293499	External Mirrors, Electrically Telescoping and Heated Mirror Heads	1,696.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE323405	ATTACHMENTS FOR FIELD CONVERSIONContinued External Mirrors, Manually Adjustable RH and LH	265.00
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	295.00
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	RE269618	Windshield Wiper with Washer, Rear	193.00
	RE211995	PTO: 1000 RPM PTO Shield Kit	1,006.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AR268522	Weights: Front Idler Weights Mounting	1,244.00
	RE268386	Front Weight Bracket	1,800.00
	RE325618	Front Weight Bracket (Wheel) Allows attachment of up to 36 Quick-Tatch weights. Requires front reinforcement kit: RE341567.	1,800.00
	RE286201	Two Track Frame Weight Supports and Extremity Lighting Kit	1,013.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	R167151	Weight, Inner Wheel, 1400 Lb. Not available with triple tire options.	1,903.00
	RFR207782	Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights)	2,658.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00

9510R Scraper Tractor

Equipment for Base Machine

```
ENGINE:
                                                                  Engine Oil Pressure Gauge
6-Cylinder Turbocharged John Deere Diesel PowerTech
                                                                  Engine Coolant Temperature Gauge
  Engine with Electronic Unit Injection
                                                                  Fuel Level Gauge
Air to Air Aftercooled
13.5 L (824 Cu. In.) Displacement
360 kW (490 Hp) Engine Power Level ECE-R24 @ Rated
                                                                  % Slip
                                                                  Ground Speed
                                                                  PTO Speed
Engine Speed
                                                                  System Voltage
375 kW (510 Hp) Engine Power Level 97/68EC @ Rated
                                                                  Engine Hours
Engine Speed
                                                                  Service Hours with On-Board
Dry Type Air Cleaner with Safety Element,
                                                                    Vehicle Monitor System
  Airstack and Aspirator
                                                               ELECTRICAL:
Ether Starting Aid
                                                               Key Shutoff
                                                               12V Electrical System
Three 925 CCA Capacity, 12V Batteries
Engine Coolant Heater 110V or 220V
Vertical Engine Oil Filter
Dual Filter Fuel System
B2 Biodiesel Fuel from the Factory
                                                               200 Amp Alternator
                                                               One Electrical 3-Pin 12V Convenience Outlet
                                                                 Ground Terminals Behind Console
                                                               7 - Terminal Rear Implement Electrical
TRANSMISSION:
18 Speed Powershift with Efficiency Manager
18 Forward/6 Reverse Speeds
                                                                 Outlet Socket
                                                               Battery Boost Terminal
Hydraulic Wet Clutch
                                                               GreenStar Ready Harness with Implement Connector
STEERING AND BRAKES:
                                                               LIGHTS:
                                                               Front Hood Lights (Eight Total)
Articulated Hydrostatic Steering
                                                                 Two HB3 65W Low Road HeadLights
Two HB3 65W High Road HeadLights
Wet Disk, Self-Adjusting Brakes
Tilt/Telescoping Steering Wheel
Spring-Applied, Hydraulically Released
                                                                    with Hand Operated Dimmer Switch
  Park Brake
                                                                  Two 65W Adjustable Corner Work Lights
Secondary Handbrake (Region II only)
Differential Lock
                                                                  One 65W Adjustable Center Work Light
                                                                  One 65W Adjustable Center Spot Light
                                                               Four 65W Rear Fender Mounted
Pedestal Mounted Work Lights
HYDRAULICS:
Pressure Flow Compensating
                                                               Cab Roof Lights
  Axial Piston Pump
                                                                  Two 65W Adjustable Front Flood Lights
182 lpm (48 gpm) Pump Output
Flow @ one SCV - 140 lpm (37 gpm)
                                                                  Four 65W Fixed Side Flood Lights (2 per side)
                                                                  Two 65W Fixed Rear Flood Lights
                                                               Four 65W Fixed Corner Flood Lights (Region II only)
Four Corner Amber Flashing Warning Lights with
Four EH Remote Cylinder Controls with
  ISO Couplers
                                                               Turn Signal Control (Not Region II)
Two Rear Fender Tail/Brake/Turn lights
  Hydraulic Accumulator
                                                               Road Transport Extremity Lights (Not Region II)
EU Front and Rear Extremity Position Lighting Kit
PTO:
Less PTO
                                                                (Region II only)
                                                               Rotary Beacon Light
HITCH AND DRAWBAR:
Less Hitch
Heavy Duty Drawbar Support
                                                               AXLES, WHEELS AND TIRES:
                                                               Heavy Duty, Double Reduction 3048 mm (120 In.) x 120 mm (4.72 in) Diameter Axles
  Less Drawbar
                                                                  Axles with Differential Lock
COMMANDVIEW CAB:
Roll Over Protective Structure (ROPS)
                                                               Four Heavy Duty Cast Inner/Four
Falling Object Protection Structure (Level 1 FOPS)
                                                                 Steel Outer Wheels
Air Conditioner and Heater
                                                               Eight 710/70R38 166A8 R1W Radial Tires
                                                               Wide Rear Fenders - Full Coverage of Inner Dual
One Interior Rear View Mirror
Comfort Command Seat with
                                                               Tire
  Air Suspension
                                                               VEHICLE:
  Fore-Aft and Lateral Attenuation
                                                               SMV Emblem (if required)
  Armrest Controls
                                                               Electric Horn
  Lumbar Support
                                                               Toolbox
  Backrest Adjustment
                                                               1325L (350 U.S. Gallon) Fuel Tank Capacity
                                                               Tapered Roller Gudgeon Bearings with 76 mm (3 In.) Hinge Pins
Tinted Glass
Two Speed Front Wiper with Variable Delay
                                                               Greaseable Steering Cylinder Pins
Swing-Out Rear Window
Three Monitor Ready Locations
Two Convenience 12V Outlets
                                                               Back Up Alarm
                                                               Front Frame Reinforcement
AM/FM Radio Mounting Bracket with
                                                               Rear Frame Reinforcement
  Wiring Harness
                                                               Tow Cable
Field Cruise
Left Hand Storage
Electronic Foot Decelerator
iTEC (Intelligent Total Equipment Control)
Implement Management System
INSTRUMENTATION:
Digital Instrument Panel includes
```

9510R Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
03F0RW		9510R Scraper Tractor	364,461.00
		DESTINATION	
		A Code must be chosen for each Tractor ordered.	
0007		Africa Cameroon Requires Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0014		Democratic Republic of Congo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0016		Egypt Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8308 - Stage 2 Compliant Engine. Requires Code 8306 - Sovera Duty Fuel/Water Separator	Same Price

Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting

0019 Ethiopia Same Price

Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0029		DESTINATIONContinued Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0043		Senegal Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0050		Tanzania Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0072		Asia China (People's Republic of China) Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0094		Philippines Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0098		Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	
0184		North America Canada Requires code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting	Same Price
0193		Honduras Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0202		United States Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0210		South America Argentina Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0211		Bolivia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

9510R Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0212		DESTINATIONContinued Brazil Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0214		Colombia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0219		Suriname Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

VALUE PACKAGE CONFIGURATIONS

	7/1202 1 //010/02 00/11 100/1//110/10	
0500	No Package Order one code from each box in the Price Pages.	In Base Price
0516	Deluxe Scraper Package with Long Drawbar and Standard Hydraulics <i>Includes Codes: 2059, 2660, 3241, 3341, 4340 and 7201.</i>	-1,725.00
0517	Deluxe Scraper Package with Long Drawbar and Hi-Flow Hydraulics <i>Includes Codes: 2059, 2660, 3272, 3342, 4340 and 7201.</i>	-1,725.00
0518	Deluxe Scraper Package with Short Drawbar and Hi-Flow Hydraulics <i>Includes Codes: 2059, 2660, 3272, 3342, 4330 and 7201.</i>	-1,725.00
0519	Premium Scraper Package with Long Drawbar and Hi-Flow Hydraulics <i>Includes Codes: 1823, 2061, 2661 or 2662, 3272, 3342 or 3361, 4340 and 7202.</i>	-2,300.00
0520	Premium Scraper Package with Short Drawbar and Hi-Flow Hydraulics <i>Includes Codes: 1823, 2061, 2661 or 2662, 3272, 3342 or 3361, 4330 and 7202.</i>	-2,300.00

TRANSMISSION

1492 18 Speed Powershift, 18 F/6 R Speeds with Efficiency Manager In Base Price

DISPLAY / MONITOR

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Option availability limited by specific geographical regions. Please refer to region specific

9510R Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DISPLAY / MONITORContinued price pages for appropriate ordering codes.	
1821		Command Center 7" Color Display Includes Access Manager user lockout software. AMS Activations must be ordered through AMS Price Pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	In Base Price
1823		Command Center, 7" Color Display, Touch Screen, Video Ready Includes Access Manager user lockout software. One video input and tractor function activated triggers. AMS Activations must be ordered through AMS Price Pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	1,260.00

RECEIVER

StarFire 3000 Position Receivers can be ordered in two configurations:

-SF1 A no-charge differential correction signal that provides non-row-crop accuracy.

-SF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www. StellarSupport.com

-RTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual.

GNSS serial port information (NMEA) is available through a StarFire 3000.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1835 Less StarFire 3000 Position Receiver

Includes Deluxe receiver mounting brackets.

When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.

In Base Price

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold separately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, all GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact Stellar Support to activate AMS Software Activations, referencing the Tractor order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on AMS Activations will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1845 Less AutoTrac Activation In Base Price

MACHINE CONNECTIVITY

1885 JDLink Capable In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telemetics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and I year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability. Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	1,200.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on the Control Switch Module (CSM). Front Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Folding Instructional Seat. No Mirrors.	-2,009.00
		See Attachments Section for ordering information on additional field attachments.	
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on Control Switch Module (CSM). Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CSM.	In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATIONContinued Front Pull Down Sun Shade. Right and Left Outside Manually Adjustable Mirrors. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat.	
		See Attachments Section for ordering information on additional field attachments.	
2061		Premium CommandView II Cab Includes ActiveSeat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on the Command Center Controls. Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CSM. Front Pull Down Sun Shade. Right and Left Outside Electrically Adjustable Mirrors. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat.	3,520.00
		See Attachments Section for ordering information on additional field attachments	
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers, no radio and no speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack Located on Front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disk Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth Capable including microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display. For U.S. and Canada only.	1,015.00
2662		Premium Radio Package AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disk Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth Capable including microphone, Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass and treble radio functions can be viewed and configured on the CommandCenter Display. Not U.S. or Canada.	912.00
		HYDRAULICS SYSTEM	
3241		Standard Hydraulic System, 182 lpm (48 gpm) Provides up to 140 lpm (37 gpm) flow @ one SCV. Requires Code 3341 - Four Rear Remote SCVs. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3272		Hi-Flow Hydraulic System 284 lpm (75 gpm) Provides up to 170 lpm (45 gpm)flow @ one SCV. Requires Code 3342 or Code 3361 - Four or Six Rear Remote SCVs.	5,885.00

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)	
3341		Four Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3241 - Standard Hydraulic System. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3342		Four - 3/4" Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Hi-Flow Hydraulic System) Requires Code 3272 - Hi-Flow Hydraulic System. Requires 3/4" hose tips on implement. TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Refer to the Ag Sales Manual for Implement compatibility.	691.00
3361		Six - 3/4" Deluxe Electro-Hydraulic Rear Remote Selective Control Valves (Hi-Flow Hydraulic System) Requires Code 3272 - Hi-Flow Hyddraulic System. Requires Code 8756 (Hydraulic Trailer Brake Valve). Requires 3/4" hose tips on implement. TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Refer to the Ag Sales Manual for Implement compatibility.	4,827.00
		DRAWBAR	
4340		Drawbar Support for Long Scraper Drawbars Recommended for use with John Deere and competitive brand scrapers. Refer to the Ag Sales Manual for more details. Order drawbar from Scraper Price Pages.	In Base Price
4330		Drawbar Support for Short Scraper Drawbars Requires short scraper drawbar. Requires Code 3272 and Code 3342 or 3361. Recommended for use with John Deere brand scrapers. Refer to the Ag Sales Manual for more details. Order drawbar from Scraper Price Pages.	Same Price
		AXLES	
5057		Heavy Duty, 3048 mm (120In.) X 120 mm (4.72 in) Diameter Double Reduction	In Base Price
		WHEELS AND TIRES Tires are available in Firestone or Goodyear unless otherwise noted. If only one tire brand is listed then Code 5999 (No Brand Preference) is required. If a tire preference code is NOT chosen, then the brand is determined by the factory.	
		Single Wheels (4 Wheels)	
5331		FOUR DRIVE WHEELS: Heavy Duty Steel Wheels and Heavy Duty Wheel Sleeves 76x50-32 Flotation 23-Degree Deep Tread Logger Tire in Single Configuration Available in Firestone only.	23,104.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		WHEELS AND TIRESContinued	
		FOUR CAST INNER DRIVE WHEELS AND FOUR STEEL OUTER WHEELS:	
		RCI Group 47 Size Tires (77 In./1956 mm Diameter) (Listed from Narrowest to Widest) All Group 47 Tires include Heavy Duty Cast Wheels and Heavy Duty Wheel Sleeves	
5510		710/70R38 In. 160A8 R1W Radial in Dual Configuration Available in Firestone, Goodyear or Michelin.	In Base Price
5517		IF 710/70R38 In. 178A8 R1W Increased Flexion Radial in Dual Configuration Available in Firestone only.	2,416.00
		FOUR CAST INNER DRIVE AND FOUR STEEL OUTER WHEELS:	
		RCI Group 48 Size Tires (81 In./2057 mm Diameter) (Listed from Narrowest to Widest) All Group 48 Tires include Heavy Duty Cast Wheels and Heavy Duty Wheel	
5605		Sleeves 620/70R46 In. 167A8 R1W Radial in Dual Configuration Available in Goodyear only.	-3,620.00
5622		650/85R38 In. 173A8 R1W in Dual Configuration Available in Mitas/Continental, Michelin or Goodyear. Mitas/Continental brand tires available in US and Canada only.	-712.00
5618		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Dual Configuration Available in Michelin.	8,194.00
5606		710/70R42 In. 168A8 R1W Radial in Dual Configuration Available in Firestone only.	1,388.00
5607		710/70R42 In. 173A8 R1W Radial in Dual Configuration Available in Mitas/Continental, Goodyear or Michelin. Mitas/Continental brand tires available in US and Canada only.	2,660.00
5619		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Dual Configuration Available in Michelin or Firestone.	12,780.00
		TIRE PREFERENCE CODES	
		If only one brand is available in any tire code, the Tire Preference Code 5999 must be chosen below to avoid extra charges. You will still get the one brand stated in the tire code description.	
5999		No Brand Preference Mitas/Continental brand tires available in US and Canada only.	No Charge
5901		Firestone Brand Only	1,000.00
5902		Goodyear Brand Only	1,000.00
5903		Michelin Brand Only	1,400.00
5904		Mitas/Continental Brand Only Mitas/Continental brand tires available in US and Canada only.	1,000.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
7201		Deluxe Lighting Includes Standard lighting plus two adjustable front roof 65W halogen floodlights and a rotary beacon light.	In Base Price
7202		Premium HID Lighting Includes Deluxe Lighting, and in the grill screen, two front corner HID lights replace two front halogen lights and one HID light replaces a center halogen flood light. Two of the rear fender lights are replaced with HID lights.	3,442.00
		OPERATOR'S MANUAL AND LABELS	
		A Code must be chosen for each Tractor ordered.	
0401		Arabic	Same Price
0426		Mandarin (Chinese)	Same Price
0409		English Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	In Base Price
0413		French Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0430		Portuguese Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0433		Russian Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8756		Brakes & Steering: Hydraulic Trailer Brake Valve Required for operation of triple pans. Rear pan must have hydraulic trailer brakes when operating triple configuration.	1,006.00
8227		Operator Station & Controls: External Mirrors, Electrically Adjustable, Heated, Power Extendable, RH and LH For Deluxe Cab Code 2059. Not compatible with Code 2050.	1,344.00
8228		External Mirrors, Electrically Adjustable, Heated, Power Extendable, RH and LH For Premium Cab Code 2061. Not compatible with Code 2050 or 2059.	1,344.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8242		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Radar with Dual Beam Sensor Required with Code 832A AutoLoad Tractor.	900.00
8251		Antenna Mount and Wiring for Business Band Radio	129.00
832A		AutoLoad Tractor Includes Factory Installation of tractor specific components for AutoLoad (AutoLoad controller, and AutoLoad specific CommandARM controls). For a fully functional AutoLoad System, requires additional components from Scraper Price Pages including but not limited to AutoLoad ready scraper drawbar. See both Scraper Tractor and Scraper Price Pages and Sales Manual for complete information. Requires Code 8242 Radar.	10,553.00
8306		Engine: Fuel/Water Separator, Severe Duty Required with Code 8338 John Deere PowerTech Stage 2 Compliant Engine. Optional with Code 8340 John Deere PowerTech PSX iT4/Stage 3b Compliant Engine.	564.00
8338		John Deere PowerTech 13.5 L (824 cu.in.) 6 Cyl Stage 2 Compliant Diesel Engine	-16,883.00
8340		John Deere PowerTech PSX 13.5 L (824 cu. in.) 6 Cyl. iT4 / Stage 3b Compliant Diesel	Same Price
		Weights and Ballast:	
8955		4WD Scraper Tractor Front Weight Support without Front Weights Weight support only, NO weights included.	1,125.00
8959		Front Weight Support with 16 Weights	3,000.00
8965		Front Weight Support with 36 Weights	5,674.00
8982		Front - 6080 Lbs. (2758 kg) - Two 1400 Lb. (635 kg) Inside/Inner - Two 165 Lb. (75 kg) - Six 450 Lb. (205 kg) Outside Dual This package is designed for dirt scraper and deep ripper operations.	7,598.00
		ATTACHMENTS - ORDER AS DESIRED	
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE325945	Electrical: Battery Disconnect Kit	115.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE322780	ATTACHMENTS FOR FIELD CONVERSIONContinued ISO Cab Implement CAN Bus Adapter	See Parts
	RE269592	Mounting Kit - Dual Beam Radar Sensor The Mounting Kit does not include Dual Beam Radar Sensor. If Dual Beam Radar Sensor is needed, order Dual Beam Radar Sensor (RE278980, RE278984, RE278986 or RE278982).	85.00
	RE278980	Radar with Dual Beam Sensor	See Parts
	RE278984	Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts
	RE326213	Engine: Fuel/Water Separator Kit, Severe Duty - Wheel	620.00
	RE311079	Hydraulics: 5th and 6th Scraper High Flow Remote Cylinder Selective Control Valve with Breakaway Couplers Requires Software download from PDC to activate function. Hydraulic Trailer Brake for PST (RE310820) is recommended for Wheel.	4,411.00
	RE330435	Lighting: Auxiliary Lighting Kit	88.00
	RE334623	Rotary Beacon Light Kit Switch is on CSM.	382.00
	RE310865	Miscellaneous: AutoLoad Scraper Tractor - Field Installed	11,608.00
	RE334134	Scraper Hose Support	552.00
	RE311210	Tow Cable Kit - Wheel Tractors Tractors not equipped with a front weight support must also order RE300652.	2,145.00
	RE317435	Operator Environment: Accessory Mounting Bracket	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00
	RE254357	Back Up Alarm Kit	399.00
	RE323407	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	594.00
	RE293499	External Mirrors, Electrically Telescoping and Heated Mirror Heads	1,696.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE323405	ATTACHMENTS FOR FIELD CONVERSIONContinued External Mirrors, Manually Adjustable RH and LH	265.00
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	295.00
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	RE269618	Windshield Wiper with Washer, Rear	193.00
	RE211995	PTO: 1000 RPM PTO Shield Kit	1,006.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AR268522	Weights: Front Idler Weights Mounting	1,244.00
	RE268386	Front Weight Bracket	1,800.00
	RE325618	Front Weight Bracket (Wheel) Allows attachment of up to 36 Quick-Tatch weights. Requires front reinforcement kit: RE341567.	1,800.00
	RE286201	Two Track Frame Weight Supports and Extremity Lighting Kit	1,013.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	R167151	Weight, Inner Wheel, 1400 Lb. Not available with triple tire options.	1,903.00
	RFR207782	Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights)	2,658.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00

9560R Scraper Tractor

Equipment for Base Machine

```
ENGINE:
                                                                  Engine Oil Pressure Gauge
6-Cylinder Turbocharged John Deere Diesel PowerTech
                                                                  Engine Coolant Temperature Gauge
Engine with Electonic Unit Injection
                                                                  Fuel Level Gauge
Air to Air Aftercooled
13.5 L (824 Cu. In.) Displacement
395 kW (538 Hp) Engine Power Level ECE-R24 @ Rated
                                                                  % Slip
                                                                  Ground Speed
                                                                  PTO Speed
Engine Speed
                                                                  System Voltage
412 kW (560 Hp) Engine Power Level 97/68EC @ Rated
                                                                  Engine Hours
                                                                  Service Hours with On-Board
Engine Speed
Dry Type Air Cleaner with Safety Element,
                                                                     Vehicle Monitor System
  Airstack and Aspirator
                                                                ELECTRICAL:
                                                               Key Shutoff
12V Electrical System
Three 925 CCA Capacity, 12V Batteries
Ether Starting Aid
Engine Coolant Heater 110V or 220V
Vertical Engine Oil Filter
Dual Filter Fuel System
B2 Biodiesel Fuel from the Factory
                                                                200 Amp Alternator
                                                                One Electrical 3-Pin 12V Convenience Outlet
                                                                  Ground Terminals Behind Console
                                                                7 - Terminal Rear Implement Electrical
TRANSMISSION:
18 Speed Powershift with Efficiency Manager
18 Forward/6 Reverse Speeds
                                                                  Outlet Socket
                                                                Battery Boost Terminal
Hydraulic Wet Clutch
                                                                GreenStar Ready Harness with Implement Connector
STEERING AND BRAKES:
                                                                LIGHTS:
                                                                Front Hood Lights (Eight Total)
Articulated Hydrostatic Steering
                                                                  Two HB3 65W Low Road HeadLights
Two HB3 65W High Road HeadLights
Wet Disk, Self-Adjusting Brakes
Tilt/Telescoping Steering Wheel
Spring-Applied, Hydraulically Released
                                                                    with Hand Operated Dimmer Switch
  Park Brake
                                                                  Two 65W Adjustable Corner Work Lights
Secibdary Handbrake (Region II only)
Differential Lock
                                                                  One 65W Adjustable Center Work Light
                                                                  One 65W Adjustable Center Spot Light
                                                                Four 65W Rear Fender Mounted
Pedestal Mounted Work Lights
HYDRAULICS:
Pressure Flow Compensating
                                                                Cab Roof Lights
  Axial Piston Pump
                                                                  Two 65W Adjustable Front Flood Lights
182 lpm (48 gpm) Pump Output
Flow @ one SCV - 140 lpm (37 gpm)
                                                                  Four 65W Fixed Side Flood Lights (2 per side)
                                                                  Two 65W Fixed Rear Flood Lights
Four EH Remote Cylinder Controls with
                                                                  Four 65W Fixed Corner Flood Lights (Region II
  ISO Couplers
                                                                  only)
                                                                Four Corner Amber Flashing Warning Lights with
Turn Signal Control (Not Region II)
Two Rear Fender Tail/Brake/Turn lights
Road Transport Extremity Lights (Not Region II)
  Hydraulic Accumulator
PTO:
Less PTO
                                                                EU Front and Rear Extremity Position Lighting Kit
                                                                (Region II only)
HITCH AND DRAWBAR:
Less Hitch
                                                                Rotary Beacon Light
Heavy Duty Drawbar Support
  Less Drawbar
                                                                AXLES, WHEELS AND TIRES:
                                                                Heavy Duty, Double Reduction 3048 mm (120 In.) x 120 mm (4.72 in) Diameter Axles
Axles with Differential Lock
COMMANDVIEW CAB:
Roll Over Protective Structure (ROPS)
Falling Object Protection Structure (Level 1 FOPS)
                                                                Four Heavy Duty Cast Inner/Four
Air Conditioner and Heater
                                                                  Steel Outer Wheels
                                                                Eight 710/70R38 166A8 R1W Radial Tires
One Interior Rear View Mirror
Comfort Command Seat with
                                                                Wide Rear Fenders - Full Coverage of Inner Dual
  Air Suspension
  Fore-Aft and Lateral Attenuation
                                                                VEHICLE:
  Armrest Controls
                                                                SMV Emblem (if required)
  Lumbar Support
                                                                Electric Horn
  Backrest Adjustment
                                                                Toolbox
                                                                1325L (350 U.S. Gallon) Fuel Tank Capacity
Tinted Glass
                                                                Tapered Roller Gudgeon Bearings
Two Speed Front Wiper with Variable Delay
Swing-Out Rear Window
Three Monitor Ready Locations
Two Convenience 12V Outlets
                                                                  with 76 mm (3 In.) Hinge Pins
                                                                Greaseable Steering Cylinder Pins
                                                                Back Up Alarm
AM/FM Radio Mounting Bracket with
                                                                Front Frame Reinforcement
  Wiring Harness
                                                                Rear Frame Reinforcement
Field Cruise
                                                                Tow Cable
Left Hand Storage
Electronic Foot Decelerator
iTEC (Intelligent Total Equipment Control)
Implement Management System
INSTRUMENTATION:
Digital Instrument Panel includes
```

9560R Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
03J0RW		9560R Scraper Tractor	387,604.00
		DESTINATION	
		A Code must be chosen for each Tractor ordered.	
0007		Africa Cameroon Requires Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0014		Democratic Republic of Congo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0016		Egypt Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8308 - Stage 2 Compliant Engine. Requires Code 8306 - Sovera Duty Fuel/Water Separator	Same Price

Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting

0019 Ethiopia

Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.

Same Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0029		DESTINATIONContinued Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0043		Senegal Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0050		Tanzania Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0072		Asia China (People's Republic of China) Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0094		Philippines Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0098		Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	
0184		North America Canada Requires code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting	Same Price
0193		Honduras Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0202		United States Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0210		South America Argentina Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0211		Bolivia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

9560R Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0212		DESTINATIONContinued Brazil Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0214		Colombia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0219		Suriname Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

VALUE PACKAGE CONFIGURATIONS

0500	No Package Order one code from each box in the Price Pages.	In Base Price
0516	Deluxe Scraper Package with Long Drawbar and Standard Hydraulics <i>Includes Codes: 2059, 2660, 3241, 3341, 4340 and 7201.</i>	-1,725.00
0517	Deluxe Scraper Package with Long Drawbar and Hi-Flow Hydraulics <i>Includes Codes: 2059, 2660, 3272, 3342, 4340 and 7201.</i>	-1,725.00
0518	Deluxe Scraper Package with Short Drawbar and Hi-Flow Hydraulics <i>Includes Codes: 2059, 2660, 3272, 3342, 4330 and 7201.</i>	-1,725.00
0519	Premium Scraper Package with Long Drawbar and Hi-Flow Hydraulics <i>Includes Codes: 1823, 2061, 2661 or 2662, 3272, 3342 or 3361, 4340 and 7202.</i>	-2,300.00
0520	Premium Scraper Package with Short Drawbar and Hi-Flow Hydraulics Includes Codes: 1823, 2061, 2661 or 2662, 3272, 3342 or 3361, 4330 and 7202.	-2,300.00

TRANSMISSION

1492 18 Speed Powershift, 18 F/6 R Speeds with Efficiency Manager In Base Price

DISPLAY / MONITOR

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Option availability limited by specific geographical regions. Please refer to region specific

9560R Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DISPLAY / MONITORContinued price pages for appropriate ordering codes.	
1821		Command Center 7" Color Display Includes Access Manager user lockout software. AMS Activations must be ordered through AMS Price Pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	In Base Price
1823		Command Center, 7" Color Display, Touch Screen, Video Ready Includes Access Manager user lockout software. One video input and tractor function activated triggers. AMS Activations must be ordered through AMS Price Pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	1,260.00

RECEIVER

StarFire 3000 Position Receivers can be ordered in two configurations:

-SF1 A no-charge differential correction signal that provides non-row-crop accuracy.

-SF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.com.

-RTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual.

GNSS serial port information (NMEA) is available through a StarFire 3000.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1835 Less StarFire 3000 Position Receiver

Includes Deluxe receiver mounting brackets.

When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.

In Base Price

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold separately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, all GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact Stellar Support to activate AMS Software Activations, referencing the Tractor order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on AMS Activations will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1845 Less AutoTrac Activation In Base Price

MACHINE CONNECTIVITY

1885 JDLink Capable In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telemetics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and I year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability. Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	1,200.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on the Control Switch Module (CSM). Front Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Folding Instructional Seat. No Mirrors.	-2,009.00
		See Attachments Section for ordering information on additional field attachments.	
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on Control Switch Module (CSM). Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CSM.	In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATIONContinued Front Pull Down Sun Shade. Right and Left Outside Manually Adjustable Mirrors. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat.	
		See Attachments Section for ordering information on additional field attachments.	
2061		Premium CommandView II Cab Includes ActiveSeat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on the Command Center Controls. Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CSM. Front Pull Down Sun Shade. Right and Left Outside Electrically Adjustable Mirrors. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat.	3,520.00
		See Attachments Section for ordering information on additional field attachments	
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers, no radio and no speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack Located on Front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disk Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth Capable including microphone, XM Satellite Capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display. For U.S. and Canada only.	1,015.00
2662		Premium Radio Package AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disk Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth Capable including microphone, Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass and treble radio functions can be viewed and configured on the CommandCenter Display. Not U.S. or Canada.	912.00
		HYDRAULICS SYSTEM	
3241		Standard Hydraulic System, 182 lpm (48 gpm) Provides up to 140 lpm (37 gpm) flow @ one SCV. Requires Code 3341 - Four Rear Remote SCVs. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3272		Hi-Flow Hydraulic System 284 lpm (75 gpm) Provides up to 170 lpm (45 gpm)flow @ one SCV. Requires Code 3342 or Code 3361 - Four or Six Rear Remote SCVs.	5,885.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)	
3341		Four Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3241 - Standard Hydraulic System. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3342		Four - 3/4" Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Hi-Flow Hydraulic System) Requires Code 3272 - Hi-Flow Hydraulic System. Requires 3/4" hose tips on implement. TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Refer to the Ag Sales Manual for Implement compatibility.	691.00
3361		Six - 3/4" Deluxe Electro-Hydraulic Rear Remote Selective Control Valves (Hi-Flow Hydraulic System) Requires Code 3272 - Hi-Flow Hyddraulic System. Requires Code 8756 (Hydraulic Trailer Brake Valve). Requires 3/4" hose tips on implement. TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Refer to the Ag Sales Manual for Implement compatibility.	4,827.00
		DRAWBAR	
4340		Drawbar Support for Long Scraper Drawbars Recommended for use with John Deere and competitive brand scrapers. Refer to the Ag Sales Manual for more details. Order drawbar from Scraper Price Pages.	In Base Price
4330		Drawbar Support for Short Scraper Drawbars Requires short scraper drawbar. Requires Code 3272 and Code 3342 or 3361. Recommended for use with John Deere brand scrapers. Refer to the Ag Sales Manual for more details. Order drawbar from Scraper Price Pages.	Same Price
		AXLES	
5057		Heavy Duty, 3048 mm (120In.) X 120 mm (4.72 in) Diameter Double Reduction	In Base Price
		WHEELS AND TIRES Tires are available in Firestone or Goodyear unless otherwise noted. If only one tire brand is listed then Code 5999 (No Brand Preference) is required. If a tire preference code is NOT chosen, then the brand is determined by the factory.	
		Single Wheels (4 Wheels)	
5331		FOUR DRIVE WHEELS: Heavy Duty Steel Wheels and Heavy Duty Wheel Sleeves 76x50-32 Flotation 23-Degree Deep Tread Logger Tire in Single Configuration Available in Firestone only.	23,104.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		WHEELS AND TIRESContinued	
		FOUR CAST INNER DRIVE WHEELS AND FOUR STEEL OUTER WHEELS:	
5510		RCI Group 47 Size Tires (77 In./1956 mm Diameter) (Listed from Narrowest to Widest) All Group 47 Tires include Heavy Duty Cast Wheels and Heavy Duty Wheel Sleeves 710/70R38 In. 160A8 R1W Radial in Dual Configuration	In Base Price
FF47		Available in Firestone, Goodyear or Michelin.	2.440.00
5517		IF 710/70R38 In. 178A8 R1W Increased Flexion Radial in Dual Configuration Available in Firestone only.	2,416.00
		FOUR CAST INNER DRIVE AND FOUR STEEL OUTER WHEELS: RCI Group 48 Size Tires (81 In./2057 mm Diameter) (Listed from Narrowest to Widest) All Group 48 Tires include Heavy Duty Cast Wheels and Heavy Duty Wheel	
5605		Sleeves 620/70R46 In. 167A8 R1W Radial in Dual Configuration Available in Goodyear only.	-3,620.00
5622		650/85R38 In. 173A8 R1W in Dual Configuration Available in Mitas/Continental, Michelin or Goodyear. Mitas/Continental brand tires available in US and Canada only.	-712.00
5618		IF 650/85R38 In. 179A8 R1W Increased Flexion Radial in Dual Configuration Available in Michelin.	8,194.00
5606		710/70R42 In. 168A8 R1W Radial in Dual Configuration Available in Firestone only.	1,388.00
5607		710/70R42 In. 173A8 R1W Radial in Dual Configuration Available in Mitas/Continental, Goodyear or Michelin. Mitas/Continental brand tires available in US and Canada only.	2,660.00
5619		IF 710/70R42 In. 179A8 R1W Increased Flexion Radial in Dual Configuration Available in Michelin or Firestone.	12,780.00
		TIRE PREFERENCE CODES	
		If only one brand is available in any tire code, the Tire Preference Code 5999 must be chosen below to avoid extra charges. You will still get the one brand stated in the tire code description.	
5999		No Brand Preference Mitas/Continental brand tires available in US and Canada only.	No Charge
5901		Firestone Brand Only	1,000.00
5902		Goodyear Brand Only	1,000.00
5903		Michelin Brand Only	1,400.00
5904		Mitas/Continental Brand Only Mitas/Continental brand tires available in US and Canada only.	1,000.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
7201		Deluxe Lighting Includes Standard lighting plus two adjustable front roof 65W halogen floodlights and a rotary beacon light.	In Base Price
7202		Premium HID Lighting Includes Deluxe Lighting, and in the grill screen, two front corner HID lights replace two front halogen lights and one HID light replaces a center halogen flood light. Two of the rear fender lights are replaced with HID lights.	3,442.00
		OPERATOR'S MANUAL AND LABELS	
		A Code must be chosen for each Tractor ordered.	
0401		Arabic	Same Price
0426		Mandarin (Chinese)	Same Price
0409		English Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	In Base Price
0413		French Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0430		Portuguese Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0433		Russian Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8756		Brakes & Steering: Hydraulic Trailer Brake Valve Required for operation of triple pans. Rear pan must have hydraulic trailer brakes when operating triple configuration.	1,006.00
8227		Operator Station & Controls: External Mirrors, Electrically Adjustable, Heated, Power Extendable, RH and LH For Deluxe Cab Code 2059. Not compatible with Code 2050.	1,344.00
8228		External Mirrors, Electrically Adjustable, Heated, Power Extendable, RH and LH For Premium Cab Code 2061. Not compatible with Code 2050 or 2059.	1,344.00

9560R Scraper Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8242		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued Radar with Dual Beam Sensor Required with Code 832A AutoLoad Tractor.	900.00
8251		Antenna Mount and Wiring for Business Band Radio	129.00
832A		AutoLoad Tractor Includes Factory Installation of tractor specific components for AutoLoad (AutoLoad controller, and AutoLoad specific CommandARM controls). For a fully functional AutoLoad System, requires additional components from Scraper Price Pages including but not limited to AutoLoad ready scraper drawbar. See both Scraper Tractor and Scraper Price Pages and Sales Manual for complete information. Requires Code 8242 Radar.	10,553.00
8306		Engine: Fuel/Water Separator, Severe Duty Required with Code 8338 John Deere PowerTech Stage 2 Compliant Engine. Optional with Code 8340 John Deere PowerTech PSX iT4/Stage 3b Compliant Engine.	564.00
8338		John Deere PowerTech 13.5 L (824 cu.in.) 6 Cyl Stage 2 Compliant Diesel Engine	-16,883.00
8340		John Deere PowerTech PSX 13.5 L (824 cu. in.) 6 Cyl. iT4 / Stage 3b Compliant Diesel	Same Price
		Weights and Ballast:	
8955		4WD Scraper Tractor Front Weight Support without Front Weights Weight support only, NO weights included.	1,125.00
8959		Front Weight Support with 16 Weights	3,000.00
8965		Front Weight Support with 36 Weights	5,674.00
8982		Front - 6080 Lbs. (2758 kg) - Two 1400 Lb. (635 kg) Inside/Inner - Two 165 Lb. (75 kg) - Six 450 Lb. (205 kg) Outside Dual This package is designed for dirt scraper and deep ripper operations.	7,598.00
		ATTACHMENTS - ORDER AS DESIRED	
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE325945	Electrical: Battery Disconnect Kit	115.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE322780	ATTACHMENTS FOR FIELD CONVERSIONContinued ISO Cab Implement CAN Bus Adapter	See Parts
	RE269592	Mounting Kit - Dual Beam Radar Sensor The Mounting Kit does not include Dual Beam Radar Sensor. If Dual Beam Radar Sensor is needed, order Dual Beam Radar Sensor (RE278980, RE278984, RE278986 or RE278982).	85.00
	RE278980	Radar with Dual Beam Sensor	See Parts
	RE278984	Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts
	RE326213	Engine: Fuel/Water Separator Kit, Severe Duty - Wheel	620.00
	RE311079	Hydraulics: 5th and 6th Scraper High Flow Remote Cylinder Selective Control Valve with Breakaway Couplers Requires Software download from PDC to activate function. Hydraulic Trailer Brake for PST (RE310820) is recommended for Wheel.	4,411.00
	RE330435	Lighting: Auxiliary Lighting Kit	88.00
	RE334623	Rotary Beacon Light Kit Switch is on CSM.	382.00
	RE310865	Miscellaneous: AutoLoad Scraper Tractor - Field Installed	11,608.00
	RE334134	Scraper Hose Support	552.00
	RE311210	Tow Cable Kit - Wheel Tractors Tractors not equipped with a front weight support must also order RE300652.	2,145.00
	RE317435	Operator Environment: Accessory Mounting Bracket	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00
	RE254357	Back Up Alarm Kit	399.00
	RE323407	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	594.00
	RE293499	External Mirrors, Electrically Telescoping and Heated Mirror Heads	1,696.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE323405	ATTACHMENTS FOR FIELD CONVERSIONContinued External Mirrors, Manually Adjustable RH and LH	265.00
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	295.00
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	RE269618	Windshield Wiper with Washer, Rear	193.00
	RE211995	PTO: 1000 RPM PTO Shield Kit	1,006.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AR268522	Weights: Front Idler Weights Mounting	1,244.00
	RE268386	Front Weight Bracket	1,800.00
	RE325618	Front Weight Bracket (Wheel) Allows attachment of up to 36 Quick-Tatch weights. Requires front reinforcement kit: RE341567.	1,800.00
	RE286201	Two Track Frame Weight Supports and Extremity Lighting Kit	1,013.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	R167151	Weight, Inner Wheel, 1400 Lb. Not available with triple tire options.	1,903.00
	RFR207782	Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights)	2,658.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights)	3,384.00

8310RT Tractor

Equipment for Base Machine

```
Low Fuel Warning Signal Engine RPM Indicator
ENGINE:
John Deere PowerTech Diesel
  In-line 6-Cylinder Wet-Sleeve
                                                             Status Indicator for:
with High Pressure Common Rail (HPCR)
Fuel System and 24 Valve Head
9.0 L (549 Cu. In.) Displacement
310 Engine hp (228 kW) 97/68/EC @ Rated Speed
251 SAE PTO hp (187 kW) @ Rated Speed
Air to Air Intercooled
                                                               MFWD
                                                                Differential Lock
                                                                Rear PTO Speed
                                                             CommandCenter Display Includes:
GreenStar 3 Application Capability
                                                                Video Capability, with Tractor Function
Automatic Shutdown System
                                                                  Activated Triggers
Dry Type Air Cleaner with Safety Element
                                                                AutoTrac and Swath Control Pro
  and Dirt Aspiration System
                                                                 Activation Required
Tilt Hood Enclosure
                                                                Access Manager
Right Hand Exhaust Extension and Stack
                                                                Universal Performance Monitor
VariCool Fan Drive System
Electric Fuel Shutoff
                                                             Display Functions Definable by Operator:
                                                                % Slip
Engine Coolant Conditioner Additive Engine Coolant Recovery System
                                                                Ground Speed
                                                                PTO Speed
                                                               Engine Hours
Hydraulic Settings
Dual Stage Fuel Filtration System with
  Fuel Water Separator with Sensor
Self-Priming and Bleeding Electronic
                                                               Hitch Settings
Hitch Slip Command
  Fuel Pump
758 L (200 U.S. Gal.) Fuel Tank Capacity with Lockable Fuel Cap
                                                                Productivity
                                                                Efficiency
Top-loading Vertical Engine Oil Filter
Electronic Injection and Governor Control
                                                                Area
                                                                Adjustable PTO Modulation
                                                                Implement Width
Field Cruise Control
                                                                Service Hours
TRANSMISSION:
                                                                Voltage
Powershift with Closed Loop Shift Logic
                                                                Fuel Consumption Rate
  16 Forward/4 Reverse Speeds
                                                                Temperatures
  Hydraulically-Engaged Wet-Disk Clutches
                                                                Time of Day
  Park Lock
                                                                Ambient Temperature
Neutral Safety Start System
                                                             Command Control System with
                                                                Automatic Powershift
                                                                Set and Adjust Time and Flow of
STEERING AND BRAKES:
                                                                Individual Selective Control Valves
Electronic Speed Sensing Steering
Wet-Disk Hydraulic Power Brakes
                                                              iTEC End of Row Functions
                                                             Languages:
HYDRAULICS:
                                                                For a complete list of languages, refer to the Ag
Pressure Flow Compensating Axial
                                                                Sales Manual
  Piston Pump
63 cc Displacement Pump 166.6 lpm (44 gpm)
                                                             OPERATOR PROTECTIVE STRUCTURE:
                                                             Deluxe CommandView II Cab
  Pump Output
                                                                Tilt/Telescoping Memory Steering Wheel
132 lpm (35 gpm) Flow @ One SCV
                                                               Comfort Command Seat with
Air Suspension, Swivel
Four Electrohydraulic Remote Selective
  Control Valves with Push/Pull
  ISO Breakaway Couplers and
                                                                Fore-Aft and Lateral Attenuation
  High Pressure Release Levers
                                                                Lumbar Support
                                                                Backrest Adjustment with
                                                                  Integrated CommandARM Controls
Independent 1000 RPM, 45 mm (1-3/4 In.)
                                                                Adjustable Position CommandARM with
Neutral Start System
                                                                  Integrated CommandCenter Display
Seat-Activated PTO Warning
                                                                Swing-out Rear Window (30 Degrees)
                                                                Tinted Glass
ROCKSHAFT, HITCH AND DRAWBAR:
                                                                Air Conditioner and Heater
Electrohydraulic Hitch with Transport
                                                                Two Speed and Intermittent Front Wiper
  Lock and External Remote Control Switch
                                                                  and Rear Wiper
Dual Cylinder Rear Hitch,
                                                                Front and Rear Windshield Washer
  8754 kg (15,200 Lbs.) Advertised Lift Capacity 12,610 kg (27801 Lb.) Maximum Lift Capacity
                                                                Pull Down Front Sun Visor
                                                                Rear Under Seat Storage
3-Point (Cat. 4N/3) Hitch with
                                                                Folding Instructional Seat
  Convertible Quik-Coupler
                                                                Left Hand Storage
Adjustable Swinging Drawbar
                                                                Two Beverage Holders
Cat. 4 Drawbar with Clevis and
                                                                Less Radio and Speakers
  50 mm (2 In.) Pin
                                                                Includes wiring harness for radio and speakers
Secondary Implement Chain Support
                                                                Inside Cab Mounted Rear View Mirror
Sway Blocks with Tapered Wedge Adjustment
                                                                Passive Noise Reduction System
Hitch Dampening
                                                                Window Break
Center Link Adjustment Handle
                                                             GreenStar Ready Wiring Harness with Implement
                                                              Connector
INSTRUMENTATION:
                                                              Integrated Plug-In Connectors for GreenStar Display
Corner Post Digital Instrument Panel
                                                             Backlit Right Hand Console Controls
  Includes:
                                                                with Adjustable Brightness
  Engine Oil Pressure Gauge
  Engine Coolant Temperature Gauge
                                                             ELECTRICAL:
  Fuel Level Gauge with
                                                             Key Engine Shutoff
```

8310RT Tractor

Continued

12V* Electrical System Two 925 CCA** 12V Batteries Two 12V Electrical Convenience Outlet Two 12V Electrical 3-Pin Outlet with Adapter Battery Boost Terminal 200 Amp Alternator SmartCircuit Current Load Monitoring System with Fuse Panel 7-Terminal Rear Implement Electrical Outlet Socket (ASAE) GreenStar Ready Harness with Implement Circuit Gateway and Integrated GreenStar Display Plug-In Connector (ISO 11783 Compatible) Integrated ISO Radar Connector Implement Connector StarFire ITC or Radar Speed Input Harness ServiceADVISOR Data Port

Extremity, Brake, Turning, and Hazard Lights

TRACKS:

Two 625 mm (25 In.) Width, 185 mm (7.3 In.) Pitch Camoplast DURABUILT 3500 Tracks 1828 mm (72 In.) Track Spacing 1828-3048 mm (72-120 In.) Adjustability 3400 mm (138.9 In.) Axle Width

MISCELLANEOUS:

AutoTrac Ready Components SMV Emblem Horn PTO Master Shield Tool Box Operator's Manual

*Manufacturer's Rating **Cold Cranking Amperes

LIGHTS:

Six Front Grill Mounted Lights Ten Cab Roof Mounted Lights Two Rear Fender Flood Lights

ATTACHMENT CODE **IDENTIFIER** DESCRIPTION

SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Waterloo, Iowa

7560RW 8310RT Tractor 286,164.00

DESTINATION

A Code must be chosen for each Tractor ordered.

AFRICA

0050 Same Price Tanzania

Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes:

Code 2059 Deluxe CommandView II Cab

Code 7200 Standard Lighting

ASIA

0072 China (People's Republic of China) Same Price

Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes:

Code 2059 Deluxe CommandView II Cab Code 7200 Standard Lighting

8310RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0078		DESTINATIONContinued Israel Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting.	Same Price
0081		Kazakhstan Requires Code 1845 Less AutoTrac Activation, or Code 1846 AutoTrac SF 1 Activation, or Code 1874 AutoTrac SF2 Activation, Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Promotion 3 Year Subscription. Requires Code 8334 Stage Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe ommandView II Cab. Code 7203 Standard Lighting.	1,209.00
0096		Russia Requires Code 1835 Less StarFire 3000 Receiver and Code 1885 JDLink Capable. Requires Code 8334 Stage Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe ommandView II Cab. Code 7203 Standard Lighting.	Same Price
0166		Ukraine Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Promotion 3 Year Subscription. Requires Code 8334 Stage Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe ommandView II Cab. Code 7203 Standard Lighting.	1,209.00
0184		NORTH AMERICA Canada Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Ultimate Promotion 3 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting.	1,209.00
0193		Honduras Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7200 Standard Lighting	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7200 Standard Lighting	Same Price

8310RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0202		DESTINATIONContinued United States Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Ultimate Promotion 3 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting.	1,209.00
0210		SOUTH AMERICA Argentina Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7200 Standard Lighting	Same Price
0214		Columbia Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7200 Standard Lighting	Same Price
		VALUE PACKAGE CONFIGURATION	
0500		No Package Order one Code from each box in the Price Pages.	In Base Price
0507		iPackage Includes Codes: 2059, 1826, 1837 or 1838, 1848 or 1849, 1887 or 1889 or 1888 or 1884, 7202, 2661 or 2662, 3341 or 3351 or 3361, 4048, 4322, 3260, and 8251.	-500.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest controls with Integrated CommandCenter Display. Folding Instructional Seat. Remote Radio Controls located on CommandARM. Front Windshield Washer and Wiper. SMV Emblem. Manual Temperature Controls located in cab roof. See Attachments Section for ordering information on additional field attachments.	-1,980.00
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on CommandARM. Front and Rear Windshield Washer and Wiper. SMV Emblem. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Right and Left Outside Mirrors (Manual Adjustment). Power Strip with Convenience Plug Adapter. Programmable Egress Lighting.	In Base Price

8310RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATIONContinued Folding Instructional Seat. See Attachments Section for ordering information on additional field attachments.	
		DISPLAY	
		When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1821		GS3 CommandCenter, 7" Color Display Includes Access Manager user lockout software. With a Starfire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately.	In Base Price
		Does not include a cornerpost bracket for mounting an additional GreenStar Display.	
1823		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable Includes Access Manager user lockout software, and video capability. With a Starfire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. One video camera input pre-wired in the cab. Connector located on the outside rear of the cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. See Parts for available cameras.	1,260.00
		Does not include a cornerpost bracket for mounting an additional GreenStar Display.	
1825		GS3 CommandCenter 7" Color Display with GreenStar 3 2630 Display Includes Access Manager user lockout software. Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed on cornerpost.	6,086.00
		Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.	
		When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the 2630 display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	
1826		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable with GreenStar 3 2630 Display Includes Access Manager user lockout software, and video capability. Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed on cornerpost.	7,351.00
		Includes GreenStar 3 2630 Display Operator's manual with the language translation to match	

Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.

The GS3 CommandCenter is pre-wired with one video input in the cab. Connector located on the outside rear of cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. In addition, the GreenStar 3 2630 Display has the capability of one video input. Requires camera and harnessing for video capabilities. See Attachments for harnessing at GreenStar Harnesses in the AMS Price Pages and Ag Sales Manual for list of compatible cameras.

When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the 2630 display. Warranty on GreenStar 3 2630 Display will be handled by

8310RT Tractor

Continued

SUGGESTED
ATTACHMENT LIST PRICE
CODE IDENTIFIER DESCRIPTION USD (\$)

DISPLAY ...Continued...

AMS and will carry normal AMS warranty terms.

RECEIVER

StarFire 3000 Position Receivers can be ordered in two configurations:

-SF1 World Solution, a no-charge differential correction signal that provides non-row-crop accuracy.

-SF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.com.

-RTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual.

GNSS serial port information (NMEA) is available through a StarFire 3000.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1835 Less StarFire 3000 Receiver In Base Price

Tractor includes deluxe receiver mounting bracket only.

When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.

1837 StarFire 3000 Receiver - SF1 with Deluxe Shroud 2,695.00

Tractor includes deluxe receiver mounting bracket only.

StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.

Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 receiver can be upgraded to SF2 capabilities.

1838 StarFire 3000 Receiver - SF2 Ready with Deluxe Shroud 4,695.00

Tractor includes deluxe receiver mounting bracket only.
StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation.
Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.

A StarFire3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available through StellarSupport.com or by calling the AMS Customer Call Center.

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold seperately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact Stellar Support to activate AMS Software Activations,

8310RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONSContinued referencing the Tractor order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1845		Less AutoTrac Activation - GS3	In Base Price
1846		AutoTrac SF1 Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) for AutoTrac functionality. See AMS sales manual and price pages for detailed information.	3,000.00
1847		AutoTrac SF2 Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires SF2 Subscription sold seperately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	6,500.00
1848		AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See AMS sales manual and price pages for detailed information.	5,500.00
1849		AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. Also requires SF2 Subscription sold seperately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	9,000.00
		MACHINE CONNECTIVITY	
		Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	Same Price
1886		JDLink Select Includes JDLink hardware: Integrated Cab Wiring Harness, Antenna, Modular Telematics Gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: Machine Hours, Machine Location, Curfew Alert, Geofence Alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1889		JDLink Ultimate Includes JDLink hardware: Integrated Cab Wiring Harness, Antenna, Modular Telematics Gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation.	2,400.00

8310RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
CODE	IDENTIFIER	MACHINE CONNECTIVITYContinued Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: Machine Utilization Information, Machine Reports, Machine Diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	030 (\$)
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: Integrated Cab Wiring Harness, Antenna, Modular Telematics Gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features: Machine Utilization Information, Machine Reports, Machine Diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability. Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation,	1,200.00
		and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	
		TRANSMISSION	
1490		16F/4R Speed Automatic PowerShift Transmission 24.5 mph (40 km/h)	In Base Price
1550		Infinitely Variable Transmission 24.5 mph (40 km/h) with Right Hand Reverse Control	12,083.00
		LIGHTS	
7200		Standard Lighting Six Front Grill Mounted Lights: Two 65W low beam driving lights, two 65W high beam driving lights and two front corner facing halogen work lights. Ten Cab Roof Mounted Lights: Two rear and four side facing 65W flood lights and four corner facing amber lights. Two rear fender mounted flood lights and two rear turn signal and brake lights. Two folding extremity lights.	In Base Price
7201		Deluxe Lighting Includes Standard Lights plus two adjustable front roof 65W halogen floodlights, two front belt line work lights, and rotary beacon light.	789.00
7202		Premium HID Lighting Includes Deluxe Lighting, and additionally in the Front Grill Screen, two front corner HID lights replace two front halogen lights and one HID light and one 65W halogen flood light are added. Two rear fender lights are replaced with HID lights.	3,442.00
		RADIO	
2650		Less Radio and Speakers Includes wiring harness only for radio and speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack located on front of Radio, Four Speakers and External Antenna.	670.00

8310RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RADIOContinued	
2661		Premium Radio Package with XM Radio For U.S. and Canada Markets only. AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone,Integrated BlueTooth Phone Book connection through CommandCenter,XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display.	1,015.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna.	912.00
		REMOTE SELECTIVE CONTROL VALVES	
3331		Three Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers Requires Code 4000 Less 3-Point Hitch.	-1,820.00
3341		Four Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	In Base Price
3351		Five Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	1,876.00
3361		Six Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers Includes Auxiliary CommandArm Mounted SCV Controls. Only available on Model Year 2012 Tractors.	3,753.00
		REAR HITCH	
		Advertised Hitch Lift Capacity is the amount of force that is sustained through the entire range of lift, measured at 610 mm behind the hitch point. This is measured with the rear hitch centerlink connected to the upper hole. See Operators Manual for more information.	
		Maximum Lift Capacity is noted as well. This is the maximum force achieved during lift, directly at the hitch point.	
4000		Less 3-Point Hitch Requires Code 3331 Three Remote Selective Control Valves. Four and Five Remote Selective Control Valves - order field installed kits RE301321 (4 SCV's) or RE301501 (5 SCV's).	-5,922.00
4048		9702 kg (20,000 Lbs.) Capacity 3-Point Hitch (Cat 4N/3) with Sway Block and Cat 4N/3 Implement Quick Coupler 12,762 kg (28,136 lb) maximum lift capacity.	In Base Price
4038		6803 kg (15,000 Lbs.) Capacity Hitch (Cat. 4N/3) Capacity 3-Point Hitch (Cat 4N/3) with Sway Block and Cat 4N/3 Implement Quick Coupler 9572 kg (21,102 lb) Maximum Lift Capacity. Only available on Model Year 2012 Tractors.	-1,317.00

8310RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DRAWBAR	
4321		Category 4 Adjustable Swinging Drawbar with Clevis and 50 mm (2.0 ln.) Pin 2245 kg (4,950 Lb.) maximum vertical load.	In Base Price
4322		Category 4 Adjustable Swinging Drawbar with Clevis and 50 mm (2.0 ln.) Pin with Heavy Duty Support 4990 kg (11,000 Lb.) maximum vertical load.	556.00
		HYDRAULIC PUMP	
3240		63 cc Displacement Hydraulic Pump 166.6 lpm (44 gpm)	In Base Price
3260		85 cc Displacement Hydraulic Pump 227.1 lpm (60 gpm)	1,266.00
		TRACKS	
6800		400 mm (16 ln.) Width, 172 mm (6.8 ln.) Pitch Camoplast DURABUILT 3500 Tracks Narrow 381 mm (15 ln.) Midrollers.	-3,417.00
6801		400 mm (16 In.) Width, 172 mm (6.8 In.) Pitch Camoplast DURABUILT 5500 Tracks Narrow 381 mm (15 In.) Midrollers.	533.00
6802		450 mm (18 ln.) Width, 170 mm (6.7 ln.) Pitch Camoplast DURABUILT 3500 Tracks Narrow 381 mm (15 ln.) Midrollers.	-3,417.00
6803		450 mm (18 ln.) Width, 170 mm (6.7 ln.) Pitch Camoplast DURABUILT 5500 Tracks Narrow 381 mm (15 ln.) Midrollers.	1,264.00
6804		600 mm (24 In.) Width, 185 mm (7.3 In.) Pitch Camoplast DURABUILT 3500 Tracks Narrow 381 mm (15 In.) Midrollers.	-1,917.00
6805		625 mm (25 In.) Width, 185 mm (7.3 In.) Pitch Camoplast DURABUILT 3500 Tracks Wide 600 mm (24 In.) Midrollers. Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 In.) or larger tracks.	In Base Price
6806		625 mm (25 ln.) Width, 185 mm (7.3 ln.) Pitch Camoplast DURABUILT 5500 Tracks Wide 600 mm (24 ln.) Midrollers. Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 ln.) or larger tracks.	3,602.00
6807		760 mm (30 ln.)Width, 185 mm (7.3 ln.) Pitch Camoplast DURABUILT 3500 Tracks Wide 600 mm (24 In.) Midrollers. Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 In.) or larger tracks.	8,698.00
6808		760 mm (30 ln.) Width, 185 mm (7.3 ln.) Pitch Camoplast DURABUILT 5500 Tracks Wide 600 mm (24 In.) Midrollers. Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 In.) or larger tracks.	9,440.00
		TRACK SPACING	
6840		1828 mm (72 In.) Spacing Capable of 1828 mm (72 In) to 3048 mm (120 In.) track spacing. Requires 400, 450, 600, or 625 mm (16, 18, 24, or 25 In.) Width Track Belts.	In Base Price
6841		1930 mm (76 In.) Spacing Capable of 1828 mm (72 In) to 3048 mm (120 In.) track spacing.	Same Price

8310RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRACK SPACINGContinued Requires overwidth permit for 760 mm (30 In.) Width Track Belts.	
6842		2032 mm (80 ln.) Spacing Capable of 1828 mm (72 ln) to 3048 mm (120 ln.) track spacing. Requires overwidth permit with 625 and 760 mm (25 and 30 ln.) Width Track Belts.	Same Price
6843		2235 mm (88 ln.) Spacing Capable of 1828 mm (72 ln) to 3048 mm (120 ln.) track spacing. Requires overwidth permit.	Same Price
6844		Dealer Installed Wide Spacing Kit 4064 mm (160 In.) Not required for tread spacing of 3048 mm (120 In.) or less.	13,578.00
		To achieve track spacing of up to 4064 mm (160 In.). Capable of 2844 to 4064 mm (112 to 160 In.) track spacing. Tractor will be shipped in 2032 mm (80 In.) configuration due to shipping width limitations with dealer installed kit to expand to 2844 to 4064 mm (112 to 160 In.) spacing. Includes Extremity Warning Lights extension. Axle width changes to 4400 mm (173.3 In.) with kit installed. Durabelt 5500 Tracks highly recommended with 4064 mm (160 In.) spacing kit.	
		OPERATOR'S MANUAL AND LABELS	
0409		English Operator's Manual and Text Labels For Canada, Mexico and United States markets only. Includes base equipment CommandCenter languages of English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish.	In Base Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels. Includes base equipment CommandCenter languages of English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish.	Same Price
0413		French Operator's Manual and Translated Text Labels For Canada, Mexico and United States markets only. Includes base equipment CommandCenter languages of English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish.	Same Price
0426		Mandarin (Chinese)	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8242		Operator Station and Electrical: Radar with Dual Beam Sensor	887.00
8210		Leather Trim Includes heated leather seat, leather instructional seat, leather wrapped steering wheel, and rear window decal.	1,623.00
8229		Outside Mirrors, Electrically Adjustable RH and LH Requires Deluxe Cab Code 2059. In lieu of Right and Left Hand Outside Mirrors (Manual Adjust).	957.00
8251		Antenna Mount and Wiring for Business Band Radio	127.00
8725		Rotary Beacon Light Requires Code 7200.	336.00

8310RT Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
832G		Hydraulics: Auxiliary Hydraulic Connections Includes (2) motor return couplers, (1) flat face sump coupler, (1) power beyond pressure coupler and (1) load sense coupler. Suitable for use with most planting and seeding equipment.	840.00
8680		Chassis: Wide Drive Wheel Option Optional for 625 mm (25 In.) or Wider Belt Width Selections. Strongly recommended for maximum performance and track belt life. 610 mm (24 In.) Drive Wheel width in lieu of 381 mm (15 In.) Drive Wheel.	2,303.00
8220		Engine: Intelligent Power Management Provides up to an additional 35 engine hp for non-stationary rear PTO and transport applications (transport speeds above 15 km/h (9.3 mph)). See Ag Sales Manual for ground speed specification.	3,254.00
8300		Cold Weather Start Kit Factory Installation of Switch and Ether Aid Canister and 110V Block Heater.	136.00
8306		Fuel/Water Separator, Severe Duty In addition to water separator in base equipment.	556.00
8336		John Deere PowerTech PSX 9.0 L (549 cu. In.) 6 Cyl IT4 / Stage 3b Compliant Diesel Engine	Same Price
8334		John Deere PowerTech PSX 9.0 L (549 cu. In.) 6 Cyl Stage 2 Compliant Diesel Engine Only available on Model Year 2012 Tractors. Not available with the 8360RT.	-11,688.00
8955		Weights: Weight, Front Support - Less Weights Support Weighs 180 kg (390 Lb.).	501.00
8956		Weight, Front Support with Four Suitcase Weights	1,036.00
8957		Weight, Front Support with Eight Suitcase Weights	1,571.00
8958		Weight, Front Support with Twelve Suitcase Weights	2,106.00
8959		Weight, Front Support with Sixteen Suitcase Weights	2,641.00
8960		Weight, Front Support with Twenty-Two Suitcase Weights	3,361.00
8961		Weight, Ten Suitcase Weights on Rear Side of Front Support (Five per Side) Use with Code 8960.	1,296.90
8985		Front Idler Starter Weight Package Front Idler Starter Weight Package includes: 4 - R311921 Starter Weights 36 Kg (80 Lb.). Total Package Weight 146 Kg (323 Lb.).	1,170.40

8310RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIRED	
9076		Gold Key Tours: Gold Key Experience Not compatible with Code 9075. This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE58827	Electrical: 9-Pin Connector Implement Feedback Required for Electrohydraulic Implement Depth Control (EHDC).	132.00
	RE324456	Battery Disconnect Switch, Tracks	159.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE21519	Implement Switch with 10 Ft. Harness	168.00
	AR245330	Mounting Kit for Radar with Dual Beam Sensor Requires Dual Beam Radar (RE249206).	212.00
	RE278980	Radar with Dual Beam Sensor Requires mounting kit AR245330.	See Parts
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	26.00
	DE222009	Engine:	94.00
	RE323008 RE227949	Cold Weather Starting Package Engine Block Heater (110V)	See Parts
	RE524692	Engine Block Heater (220V)	See Parts
	RE321571	Fuel/Water Separator Kit, Severe Duty In addition to water separator in base equipment.	627.00
		Hitch and Drawbar.	
	R177682	Hitch and Drawbar: Center Link Bracket Retains the center link when not in use.	See Parts
	AR211154	Drawbar Heavy Duty Support for use with Cat. 4 Drawbar (11,000 Lb. Vertical Load Capacity) Requires Cat. 4 Drawbar. Increases vertical load capacity to 11,000 Lb. (4990 kg.). Cat. 4 Drawbar is not compatible with PTO Codes 2418 or 2420 or with field installed 1-3/8 540 rpm PTO.	809.00

8310RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AR211153	ATTACHMENTS FOR FIELD CONVERSIONContinued Drawbar, Cat. 4 with 2 In. Pin and Heavy Duty Support (11,000 Lb. Vertical Load Capacity) Cat. 4 Drawbar is not compatible with PTO Codes 3820 or 3821 or with field installed 1-3/8 540 rpm PTO.	1,873.00
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N)	1,529.00
	AR216079	Rear Hitch Quik-Coupler (Convertible Cat. 4N/3)	2,429.00
	RE327558	Hydraulics: 4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,445.00
	RE343865	4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	2,466.00
	RE327559	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,445.00
	RE343866	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	2,546.00
	RE327560	6th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R334695) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,909.00
	RE222721	Auxiliary Sump Coupler Kit (Flush Face Coupler Style) Required to connect Tractor sump to case drains on Seeding Equipment.	129.00
	RE290999	Hitch Auxiliary Raise Kit	139.00
	AR114664	Hydraulic Motor Return, Multiple/Auxiliary Hitch Coupler/ Sump Return Kit For use with Hydraulic Motor Returns, Hitch Valve with Lift Assist Wheels or Motor Drains/Sump Returns or grapple valve.	193.00
	RE323507	Hydraulic Trailer Brake Kit	925.00

8310RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE221284	ATTACHMENTS FOR FIELD CONVERSIONContinued Low Stand-By Pressure Control Kit Prevents main pump activation during engine start up in certain hydraulic configurations using power beyond.	980.00
	RE301658	Power Beyond Coupler Kit	756.00
	RE308937	Lighting: Auxiliary Driving / Loader Light Kit Includes headlights, wiring harness, brackets and mounting hardware.	236.00
	RE269641	Lights, Field Vision Xenon HID Rear Fender Light Requires (2) for conversion.	See Parts
	RE298933	Lights, Two Roof-Mounted 65W Halogen Front Flood Lights	140.00
	RE325694	Rotary Beacon Light Kit	371.00
	RE164261	Miscellaneous: Track Tension Hose Kit	See Parts
	AR273271	Wide Track Conversion Kit Allows 112 In. to 160 In. tread spacing.	13,948.00
	RE67015 RE317435	Operator Environment: 3-Way Convenience Adapter for Power Strip Accessory Mounting Bracket	See Parts
	NE317433	Provides mounting location for additional monitors.	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00
	RE275532	Ash Tray Fits in existing cup holder.	See Parts
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	RE323406	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	594.00
	RE68495	Power Strip with Six Outlets	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	295.00
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE261504	Sun Shade, Front Pull Down	See Parts
	RE324993	Touchscreen GS3 CommandCenter 7" Color Display, Video Capable	1,260.00

8310RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE269618	ATTACHMENTS FOR FIELD CONVERSIONContinued Windshield Wiper with Washer, Rear	193.00
	RE331560	SCV Parts: Paddle Pot Pod, Common Parts Only compatible on Tractors with CommandARM. Order single paddle potentiometer separately. See instructions RE331562 for more information. Compatible on 8R above SN 053100 and 8RT above SN 907100.	95.00
	RE331559	Single Paddle Potentiometer Order decals and levers separately. See instructions RE331561 for more information.	See Parts
	RE298885	Software Downloads: Intelligent Power Management Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305729	Language Group for CommandCenter - English, Croatian, Serbian, Slovenian, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305727	Language Group for CommandCenter - English, Danish, Swedish, Finish, Norwegian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305726	Language Group for CommandCenter - English, Estonian, Latvian, Lithuanian, Polish, Russian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305725	Language Group for CommandCenter - English, French, Dutch, Icelandic, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305730	Language Group for CommandCenter - English, Greek, Turkish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE308728	Language Group for CommandCenter - English, Hungarian, Czech, Slovak, Romanian, Bulgarian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305731	Language Group for CommandCenter - English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts

8310RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE224298	Transmission: Transmission Backup Alarm Requires R298895 Bracket and (2) 19M7788 Cap Screws for installation. See Parts.	405.00
	RE323009	Transmission Hydraulic Oil Heater (110 Volts)	342.00
	RE323010	Transmission Hydraulic Oil Heater (220 Volts)	446.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	R311921	Weights: Weight, Front Idler Starter - 79 lbs. (36 kg) Order attaching hardware through Parts (6) 19M8288 Cap Screws and (6) 24M7243 Washers, one set per each weight.	407.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R242154	Weight, Front Support, 390 Lb. (180 kg) Requires (6) 19M9141 Cap Screws and (6) 24M7242 Washers for installation - See Parts. Holds up to 22 Quick-Tatch Weights.	844.00

8310RT Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

8335RT Tractor

Equipment for Base Machine

```
Low Fuel Warning Signal Engine RPM Indicator
ENGINE:
John Deere PowerTech Diesel
  In-line 6-Cylinder Wet-Sleeve
                                                             Status Indicator for:
with High Pressure Common Rail (HPCR)
Fuel System and 24 Valve Head
9.0 L (549 Cu. In.) Displacement
335 Engine hp (246 kW) 97/68/EC @ Rated Speed
273 SAE PTO hp (203 kW) @ Rated Speed
Air to Air Intercooled
                                                               MFWD
                                                               Differential Lock
                                                               Rear PTO Speed
                                                             Command Center Display Includes:
                                                             GreenStar 3 Application Capability
                                                               Video Capability, with Tractor Function
Automatic Shutdown System
                                                                 Activated Triggers
Dry Type Air Cleaner with Safety Element
                                                               AutoTrac and Swath Control Pro
  and Dirt Aspiration System
                                                                 Activation Required
Tilt Hood Enclosure
                                                               Access Manager
Right Hand Exhaust Extension and Stack
                                                               Universal Performance Monitor
VariCool Fan Drive System
                                                               Display Functions Definable by Operator:
Electric Fuel Shutoff
                                                                  % Slip
Engine Coolant Conditioner Additive
Engine Coolant Recovery System
                                                                 Ground Speed
                                                                 PTO Speed
                                                                 Engine Hours
Hydraulic Settings
Dual Stage Fuel Filtration System with
  Fuel Water Separator with Sensor
Self-Priming and Bleeding Electronic
                                                                 Hitch Settings
Hitch Slip Command
  Fuel Pump
758 L (200 U.S. Gal) Fuel Tank Capacity with Lockable Fuel Cap
                                                                 Productivity
                                                                 Efficiency
Top-loading Vertical Engine Oil Filter Electronic Injection and Governor Control
                                                                 Area
                                                                 Adjustable PTO Modulation
                                                                 Implement Width
Field Cruise Control
                                                                 Service Hours
TRANSMISSION:
                                                                  Voltage
Powershift with Closed Loop Shift Logic
                                                                 Fuel Consumption Rate
  16 Forward/4 Reverse Speeds
                                                                 Temperatures
  Hydraulically-Engaged Wet-Disk Clutches
                                                                 Time of Day
                                                             Ambient Temperature
Command Control System with:
  Park Lock
Neutral Safety Start System
                                                               Automatic Powershift
                                                               Set and Adjust Time and Flow of
STEERING AND BRAKES:
                                                                  Individual Selective Control Valves
Electronic Speed Sensing Steering
Wet-Disk Hydraulic Power Brakes
                                                             iTEC End of Row Functions
                                                             Languages:
HYDRAULICS:
                                                                 For a complete list of languages, refer to the
Pressure Flow Compensating Axial
                                                                 Ag Sales Manual
  Piston Pump
                                                             OPERATOR PROTECTIVE STRUCTURE:
63 cc Displacement Pump 166.6 lpm (44 gpm)
                                                             Deluxe CommandView II Cab
                                                               Tilt/Telescoping Memory Steering Wheel
  Pump Output
 132 lpm (35 gpm) Flow @ One SCV
                                                               Comfort Command Seat with
Four Electrohydraulic Remote Selective
                                                                 Air Suspension, Swivel
  Control Valves with Push/Pull
                                                                 Fore-Aft Lateral Attenuation,
  ISO Breakaway Couplers and
                                                                 Lumbar Support,
  High Pressure Release Levers
                                                                 Backrest Adjustment with
                                                                 Integrated CommandARM Controls
                                                               Adjustable Position CommandARM with
                                                                 Integrated CommandCenter Display
Independent 1000 RPM, 45 mm (1-3/4 In.)
Neutral Start System
                                                               Swing-Out Rear Window (30 Degrees)
Seat-Activated PTO Warning
                                                               Tinted Glass
                                                               Air Conditioner and Heater
ROCKSHAFT, HITCH AND DRAWBAR:
                                                               Two Speed Intermittent Front Wiper
Electrohydraulic Hitch with Transport
                                                                 and Rear Wiper
  Lock and External Remote Control Switch
                                                               Front and Rear Windshield Washer
Dual Cylinder Rear Hitch,
                                                               Pull Down Front Sun Visor
  8754 kg (15,200 Lbs.) Advertised Lift Capacity 12,610 kg (27,801 lb) Maximum Lift Capacity 3-Point (Cat. 4N/3) Hitch with
                                                               Rear Under Seat Storage
                                                               Folding Instructional Seat
                                                               Left Hand Storage
  Convertible Quik-Coupler
                                                               Two Beverage Holders
Adjustable Swinging Drawbar
                                                               Less Radio and Speakers
Cat. 4 Drawbar with Clevis and
                                                               Includes wiring harness for radio and speakers
 50 mm (2 In.) Pin
                                                               Inside Cab Mounted Rearview Mirror
Secondary Implement Chain Support
                                                               Passive Noise Reduction System
Sway Blocks with Tapered Wedge Adjustment
                                                               Window Break
Hitch Dampening
                                                             GreenStar Ready Wiring Harness with Implement
Center Link Adjustment Handle
                                                             Connector
                                                             Integrated Plug-In Connectors for GreenStar Display
INSTRUMENTATION:
                                                             Backlit Right Hand Console Controls
Corner Post Digital Instrument Panel
                                                               with Adjustable Brightness
  Includes:
  Engine Oil Pressure Gauge
                                                             ELECTRICAL:
  Engine Coolant Temperature Gauge
                                                             Key Engine Shutoff
  Fuel Level Gauge with
                                                             12V* Electrical System
```

8335RT Tractor

Continued

Two 925 CCA** 12V Batteries Two 12V Electrical Convenience Outlet Two 12V Electrical 3-Pin Outlet with Adapter Battery Boost Terminal 200 Amp Alternator SmartCircuit Current Load Monitoring System with Fuse Panel 7-Terminal Rear Implement Electrical Outlet Socket (ASAE) GreenStar Ready Harness with Implement Circuit Gateway and Integrated GreenStar Display Plug-In Connector (ISO 11783 Compatible) Integrated ISO Radar Connector Implement Connector StarFire ITC or Radar Speed Input Harness ServiceADVISOR Data Port LIGHTS: Six Front Grill Mounted Lights Ten Cab Roof Mounted Lights Two Rear Fender Flood Lights Extremity, Brake, Turning, and Hazard Lights

TRACKS: Two 625 mm (25 In.) Width, 185 mm (7.3 In.)
Pitch Camoplast DURABUILT 3500 Tracks
1828 mm (72 In.) Track Spacing 1828-3048 mm (72-120 In.) Adjustability 3400 mm In. (138.9) Axle Width Operator's Manual

> **SUGGESTED** LIST PRICE USD (\$)

MISCELLANEOUS: AutoTrac Ready Components SMV Emblem Horn PTO Master Shield Tool Box Operator's Manual *Manufacturer's Rating **Cold Cranking Amperes

	ATTACHMENT	•
CODE	IDENTIFIER	DESCRIPTION

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Waterloo, Iowa

7570RW 8335RT Tractor 302,061.00

DESTINATION

A Code must be chosen for each Tractor ordered.

AFRICA

0050 Same Price Tanzania

ASIA

0072 China (People's Republic of China) Same Price

Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes:

Code 2059 Deluxe CommandView II Cab Code 7200 Standard Lighting

8335RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0078		DESTINATIONContinued Israel Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting.	Same Price
0081		Kazakhstan Requires Code 1845 Less AutoTrac Activation, or Code 1846 AutoTrac SF 1 Activation, or Code 1874 AutoTrac SF2 Activation, Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Promotion 3 Year Subscription. Requires Code 8334 Stage Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe ommandView II Cab. Code 7203 Standard Lighting.	1,209.00
0096		Russia Requires Code 1835 Less StarFire 3000 Receiver and Code 1885 JDLink Capable. Requires Code 8334 Stage Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe ommandView II Cab. Code 7203 Standard Lighting.	Same Price
0166		Ukraine Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Promotion 3 Year Subscription. Requires Code 8334 Stage Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe ommandView II Cab. Code 7203 Standard Lighting.	1,209.00
0184		NORTH AMERICA Canada Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Ultimate Promotion 3 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting.	1,209.00
0193		Honduras Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7200 Standard Lighting	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7200 Standard Lighting	Same Price

8335RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0202		DESTINATIONContinued United States Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Ultimate Promotion 3 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting.	1,209.00
0210		SOUTH AMERICA Argentina Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7200 Standard Lighting	Same Price
0214		Columbia Requires Code 1885 JDLink Capable. Requires Code 8334 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7200 Standard Lighting	Same Price
		VALUE PACKAGE CONFIGURATION	
0500		No Package Order one Code from each box in the Price Pages.	In Base Price
0507		iPackage Includes Codes: 2059, 1826, 1837 or 1838, 1848 or 1849, 1887 or 1889 or 1888 or 1884, 7202, 2661 or 2662, 3341 or 3351 or 3361, 4048, 4322, 3260, and 8251.	-500.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest controls with Integrated CommandCenter Display. Folding Instructional Seat. Remote Radio Controls located on CommandARM. Front Windshield Washer and Wiper. SMV Emblem. Manual Temperature Controls located in cab roof. See Attachments Section for ordering information on additional field attachments.	-1,980.00
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on CommandARM. Front and Rear Windshield Washer and Wiper. SMV Emblem. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Right and Left Outside Mirrors (Manual Adjustment). Power Strip with Convenience Plug Adapter. Programmable Egress Lighting.	In Base Price

8335RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR STATIONContinued Folding Instructional Seat. See Attachments Section for ordering information on additional field attachments.	
		DISPLAY	
		When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1821		GS3 CommandCenter, 7" Color Display Includes Access Manager user lockout software. With a Starfire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately.	In Base Price
		Does not include a cornerpost bracket for mounting an additional GreenStar Display.	
1823		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable Includes Access Manager user lockout software, and video capability. With a Starfire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. One video camera input pre-wired in the cab. Connector located on the outside rear of the cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. See Parts for available cameras.	1,260.00
		Does not include a cornerpost bracket for mounting an additional GreenStar Display.	
1825		GS3 CommandCenter 7" Color Display with GreenStar 3 2630 Display Includes Access Manager user lockout software. Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed on cornerpost. Includes GreenStar 3 2630 Display Operator's manual with the language translation to match	6,086.00
		the Tractor Operator's manual language translation. When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the 2630 display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	
1826		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable with GreenStar 3 2630 Display Includes Access Manager user lockout software, and video capability. Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed on cornerpost.	7,351.00

Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation.

The GS3 CommandCenter is pre-wired with one video input in the cab. Connector located on the outside rear of cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. In addition, the GreenStar 3 2630 Display has the capability of one video input. Requires camera and harnessing for video capabilities. See Attachments for harnessing at GreenStar Harnesses in the AMS Price Pages and Ag Sales Manual for list of compatible cameras.

When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the 2630 display. Warranty on GreenStar 3 2630 Display will be handled by

8335RT Tractor

Continued

SUGGESTED
ATTACHMENT
CODE IDENTIFIER DESCRIPTION
USD (\$)

DISPLAY ...Continued...

AMS and will carry normal AMS warranty terms.

RECEIVER

StarFire 3000 Position Receivers can be ordered in two configurations:

-SF1 World Solution, a no-charge differential correction signal that provides non-row-crop accuracy.

-SF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.com.

-RTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual.

GNSS serial port information (NMEA) is available through a StarFire 3000.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1835 Less StarFire 3000 Receiver In Base Price

Tractor includes deluxe receiver mounting bracket only.

When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.

1837 StarFire 3000 Receiver - SF1 with Deluxe Shroud 2,695.00

Tractor includes deluxe receiver mounting bracket only.

StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.

Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 receiver can be upgraded to SF2 capabilities.

1838 StarFire 3000 Receiver - SF2 Ready with Deluxe Shroud 4,695.00

Tractor includes deluxe receiver mounting bracket only.

StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation.

Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.

A StarFire3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available through StellarSupport.com or by calling the AMS Customer Call Center.

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold seperately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact Stellar Support to activate AMS Software Activations,

8335RT Tractor

CODE	ATTACHMENT IDENTIFIER	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONSContinued referencing the Tractor order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1845		Less AutoTrac Activation - GS3	In Base Price
1846		AutoTrac SF1 Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) for AutoTrac functionality. See AMS sales manual and price pages for detailed information.	3,000.00
1847		AutoTrac SF2 Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires SF2 Subscription sold seperately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	6,500.00
1848		AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See AMS sales manual and price pages for detailed information.	5,500.00
1849		AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. Also requires SF2 Subscription sold seperately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	9,000.00
		MACHINE CONNECTIVITY	_
		Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	Same Price
1886		JDLink Select Includes JDLink hardware: Integrated Cab Wiring Harness, Antenna, Modular Telematics Gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: Machine Hours, Machine Location, Curfew Alert, Geofence Alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1889		JDLink Ultimate Includes JDLink hardware: Integrated Cab Wiring Harness, Antenna, Modular Telematics Gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation.	2,400.00

8335RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: Machine Utilization Information, Machine Reports, Machine Diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: Integrated Cab Wiring Harness, Antenna, Modular Telematics Gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features: Machine Utilization Information, Machine Reports, Machine Diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability.	1,200.00
		Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	
		TRANSMISSION	
1490		16F/4R Speed Automatic PowerShift Transmission 24.5 mph (40 km/h)	In Base Price
1550		Infinitely Variable Transmission 24.5 mph (40 km/h) with Right Hand Reverse Control	12,083.00
		LIGHTS	
7200		Standard Lighting Six Front Grill Mounted Lights: Two 65W low beam driving lights, two 65W high beam driving lights and two front corner facing halogen work lights. Ten Cab Roof Mounted Lights: Two rear and four side facing 65W flood lights and four corner facing amber lights. Two rear fender mounted flood lights and two rear turn signal and brake lights. Two folding extremity lights.	In Base Price
7201		Deluxe Lighting Includes Standard Lights plus two adjustable front roof 65W halogen floodlights, two front belt line work lights, and rotary beacon light.	789.00
7202		Premium HID Lighting Includes Deluxe Lighting, and additionally in the Front Grill Screen, two front corner HID lights replace two front halogen lights and one HID light and one 65W halogen flood light are added. Two rear fender lights are replaced with HID lights.	3,442.00
		RADIO	
2650		Less Radio and Speakers Includes wiring harness only for radio and speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack located on front of Radio, Four Speakers and External Antenna.	670.00

8335RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RADIOContinued	
2661		Premium Radio Package with XM Radio For U.S. and Canada Markets only. AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display.	1,015.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna.	912.00
		REMOTE SELECTIVE CONTROL VALVES	
3331		Three Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers Requires Code 4000 Less 3-Point Hitch.	-1,820.00
3341		Four Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	In Base Price
3351		Five Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	1,876.00
3361		Six Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers Includes Auxiliary CommandArm Mounted SCV Controls. Only available on Model Year 2012 Tractors.	3,753.00
		REAR HITCH	
		Advertised Hitch Lift Capacity is the amount of force that is sustained through the entire range of lift, measured at 610 mm behind the hitch point. This is measured with the rear hitch centerlink connected to the upper hole. See Operators Manual for more information.	
		Maximum Lift Capacity is noted as well. This is the maximum force achieved during lift, directly at the hitch point.	
4000		Less 3-Point Hitch Requires Code 3331 Three Remote Selective Control Valves. Four and Five Remote Selective Control Valves - order field installed kits RE301321 (4 SCV's) or RE301501 (5 SCV's).	-5,922.00
4048		9702 kg (20,000 Lbs.) Capacity 3-Point Hitch (Cat 4N/3) with Sway Block and Cat 4N/3 Implement Quick Coupler 12,762 kg (28,136 lb) maximum lift capacity.	In Base Price
4038		6803 kg (15,000 Lbs.) Capacity Hitch (Cat. 4N/3) Capacity 3-Point Hitch (Cat 4N/3) with Sway Block and Cat 4N/3 Implement Quick Coupler 9572 kg (21,102 lb) Maximum Lift Capacity. Only available on Model Year 2012 Tractors.	-1,317.00

8335RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DRAWBAR	
4321		Category 4 Adjustable Swinging Drawbar with Clevis and 50 mm (2.0 ln.) Pin 2245 kg (4,950 Lb.) maximum vertical load.	In Base Price
4322		Category 4 Adjustable Swinging Drawbar with Clevis and 50 mm (2.0 ln.) Pin with Heavy Duty Support 4990 kg (11,000 Lb.) maximum vertical load.	556.00
		HYDRAULIC PUMP	
3240		63 cc Displacement Hydraulic Pump 166.6 lpm (44 gpm)	In Base Price
3260		85 cc Displacement Hydraulic Pump 227.1 lpm (60 gpm)	1,266.00
		TRACKS	
6800		400 mm (16 In.) Width, 172 mm (6.8 In.) Pitch Camoplast DURABUILT 3500 Tracks Narrow 381 mm (15 In.) Midrollers.	-3,417.00
6801		400 mm (16 In.) Width, 172 mm (6.8 In.) Pitch Camoplast DURABUILT 5500 Tracks Narrow 381 mm (15 In.) Midrollers.	533.00
6802		450 mm (18 ln.) Width, 170 mm (6.7 ln.) Pitch Camoplast DURABUILT 3500 Tracks Narrow 381 mm (15 ln.) Midrollers.	-3,417.00
6803		450 mm (18 ln.) Width, 170 mm (6.7 ln.) Pitch Camoplast DURABUILT 5500 Tracks Narrow 381 mm (15 ln.) Midrollers.	1,264.00
6804		600 mm (24 In.) Width, 185 mm (7.3 In.) Pitch Camoplast DURABUILT 3500 Tracks Narrow 381 mm (15 In.) Midrollers.	-1,917.00
6805		625 mm (25 In.) Width, 185 mm (7.3 In.) Pitch Camoplast DURABUILT 3500 Tracks Wide 600 mm (24 In.) Midrollers. Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 In.) or larger tracks.	In Base Price
6806		625 mm (25 ln.) Width, 185 mm (7.3 ln.) Pitch Camoplast DURABUILT 5500 Tracks Wide 600 mm (24 ln.) Midrollers. Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 ln.) or larger tracks.	3,602.00
6807		760 mm (30 ln.)Width, 185 mm (7.3 ln.) Pitch Camoplast DURABUILT 3500 Tracks Wide 600 mm (24 In.) Midrollers. Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 In.) or larger tracks.	8,698.00
6808		760 mm (30 ln.) Width, 185 mm (7.3 ln.) Pitch Camoplast DURABUILT 5500 Tracks Wide 600 mm (24 In.) Midrollers. Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 In.) or larger tracks.	9,440.00
		TRACK SPACING	
6840		1828 mm (72 In.) Spacing Capable of 1828 mm (72 In) to 3048 mm (120 In.) track spacing. Requires 400, 450, 600, or 625 mm (16, 18, 24, or 25 In.) Width Track Belts.	In Base Price
6841		1930 mm (76 ln.) Spacing Capable of 1828 mm (72 ln) to 3048 mm (120 ln.) track spacing.	Same Price

8335RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRACK SPACINGContinued Requires overwidth permit for 760 mm (30 In.) Width Track Belts.	
6842		2032 mm (80 In.) Spacing Capable of 1828 mm (72 In) to 3048 mm (120 In.) track spacing. Requires overwidth permit with 625 and 760 mm (25 and 30 In.) Width Track Belts.	Same Price
6843		2235 mm (88 In.) Spacing Capable of 1828 mm (72 In) to 3048 mm (120 In.) track spacing. Requires overwidth permit.	Same Price
6844		Dealer Installed Wide Spacing Kit 4064 mm (160 ln.) Not required for tread spacing of 3048 mm (120 ln.) or less.	13,578.00
		To achieve track spacing of up to 4064 mm (160 In.). Capable of 2844 to 4064 mm (112 to 160 In.) track spacing. Tractor will be shipped in 2032 mm (80 In.) configuration due to shipping width limitations with dealer installed kit to expand to 2844 to 4064 mm (112 to 160 In.) spacing. Includes Extremity Warning Lights extension. Axle width changes to 4400 mm (173.3 In.) with kit installed. Durabelt 5500 Tracks highly recommended with 4064 mm (160 In.) spacing kit.	
		OPERATOR'S MANUAL AND LABELS	
0409		English Operator's Manual and Text Labels For Canada, Mexico and United States markets only. Includes base equipment CommandCenter languages of English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish.	In Base Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels. Includes base equipment CommandCenter languages of English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish.	Same Price
0413		French Operator's Manual and Translated Text Labels For Canada, Mexico and United States markets only. Includes base equipment CommandCenter languages of English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish.	Same Price
0426		Mandarin (Chinese)	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8242		Operator Station and Electrical: Radar with Dual Beam Sensor	887.00
8210		Leather Trim Includes heated leather seat, leather instructional seat, leather wrapped steering wheel, and rear window decal.	1,623.00
8229		Outside Mirrors, Electrically Adjustable RH and LH Requires Deluxe Cab Code 2059. In lieu of Right and Left Hand Outside Mirrors (Manual Adjust).	957.00
8251		Antenna Mount and Wiring for Business Band Radio	127.00
8725		Rotary Beacon Light Requires Code 7200.	336.00

8335RT Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
832G		Hydraulics: Auxiliary Hydraulic Connections Includes (2) motor return couplers, (1) flat face sump coupler, (1) power beyond pressure coupler and (1) load sense coupler. Suitable for use with most planting and seeding equipment.	840.00
8680		Chassis: Wide Drive Wheel Option Optional for 625 mm (25 In.) or Wider Belt Width Selections. Strongly recommended for maximum performance and track belt life. 610 mm (24 In.) Drive Wheel width in lieu of 381 mm (15 In.) Drive Wheel.	2,303.00
8220		Engine: Intelligent Power Management Provides up to an additional 35 engine hp for non-stationary rear PTO and transport applications (transport speeds above 15 km/h (9.3 mph)). See Ag Sales Manual for ground speed specification.	3,254.00
8300		Cold Weather Start Kit Factory Installation of Switch and Ether Aid Canister and 110V Block Heater.	136.00
8306		Fuel/Water Separator, Severe Duty In addition to water separator in base equipment.	556.00
8336		John Deere PowerTech PSX 9.0 L (549 cu. In.) 6 Cyl IT4 / Stage 3b Compliant Diesel Engine	Same Price
8334		John Deere PowerTech PSX 9.0 L (549 cu. In.) 6 Cyl Stage 2 Compliant Diesel Engine Only available on Model Year 2012 Tractors. Not available with the 8360RT.	-11,688.00
8955		Weights: Weight, Front Support - Less Weights Support Weighs 180 kg (390 Lb.).	501.00
8956		Weight, Front Support with Four Suitcase Weights	1,036.00
8957		Weight, Front Support with Eight Suitcase Weights	1,571.00
8958		Weight, Front Support with Twelve Suitcase Weights	2,106.00
8959		Weight, Front Support with Sixteen Suitcase Weights	2,641.00
8960		Weight, Front Support with Twenty-Two Suitcase Weights	3,361.00
8961		Weight, Ten Suitcase Weights on Rear Side of Front Support (Five per Side) Use with Code 8960.	1,296.90
8985		Front Idler Starter Weight Package Front Idler Starter Weight Package includes: 4 - R311921 Starter Weights 36 Kg (80 Lb.). Total Package Weight 146 Kg (323 Lb.).	1,170.40

8335RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIRED	
9076		Gold Key Tours: Gold Key Experience Not compatible with Code 9075. This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE58827	Electrical: 9-Pin Connector Implement Feedback Required for Electrohydraulic Implement Depth Control (EHDC).	132.00
	RE324456	Battery Disconnect Switch, Tracks	159.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE21519	Implement Switch with 10 Ft. Harness	168.00
	AR245330	Mounting Kit for Radar with Dual Beam Sensor Requires Dual Beam Radar (RE249206).	212.00
	RE278980	Radar with Dual Beam Sensor Requires mounting kit AR245330.	See Parts
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	26.00
	DE222009	Engine:	94.00
	RE323008 RE227949	Cold Weather Starting Package Engine Block Heater (110V)	See Parts
	RE524692	Engine Block Heater (220V)	See Parts
	RE321571	Fuel/Water Separator Kit, Severe Duty In addition to water separator in base equipment.	627.00
	R177682	Hitch and Drawbar: Center Link Bracket Retains the center link when not in use.	See Parts
	AR211154	Drawbar Heavy Duty Support for use with Cat. 4 Drawbar (11,000 Lb. Vertical Load Capacity) Requires Cat. 4 Drawbar. Increases vertical load capacity to 11,000 Lb. (4990 kg.). Cat. 4 Drawbar is not compatible with PTO Codes 2418 or 2420 or with field installed 1-3/8 540 rpm PTO.	809.00

8335RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AR211153	ATTACHMENTS FOR FIELD CONVERSIONContinued Drawbar, Cat. 4 with 2 In. Pin and Heavy Duty Support (11,000 Lb. Vertical Load Capacity) Cat. 4 Drawbar is not compatible with PTO Codes 3820 or 3821 or with field installed 1-3/8 540 rpm PTO.	1,873.00
	AR216079	Rear Hitch Quik-Coupler (Convertible Cat. 4N/3)	2,429.00
	RE327558	Hydraulics: 4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,445.00
	RE343865	4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	2,466.00
	RE327559	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,445.00
	RE343866	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	2,546.00
	RE327560	6th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R334695) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,909.00
	RE222721	Auxiliary Sump Coupler Kit (Flush Face Coupler Style) Required to connect Tractor sump to case drains on Seeding Equipment.	129.00
	RE290999	Hitch Auxiliary Raise Kit	139.00
	AR114664	Hydraulic Motor Return, Multiple/Auxiliary Hitch Coupler/ Sump Return Kit For use with Hydraulic Motor Returns, Hitch Valve with Lift Assist Wheels or Motor Drains/Sump Returns or grapple valve.	193.00
	RE323507	Hydraulic Trailer Brake Kit	925.00
	RE221284	Low Stand-By Pressure Control Kit Prevents main pump activation during engine start up in certain hydraulic configurations using power beyond.	980.00

8335RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE301658	ATTACHMENTS FOR FIELD CONVERSIONContinued Power Beyond Coupler Kit	756.00
	RE308937	Lighting: Auxiliary Driving / Loader Light Kit Includes headlights, wiring harness, brackets and mounting hardware.	236.00
	RE269641	Lights, Field Vision Xenon HID Rear Fender Light Requires (2) for conversion.	See Parts
	RE298933	Lights, Two Roof-Mounted 65W Halogen Front Flood Lights	140.00
	RE325694	Rotary Beacon Light Kit	371.00
	RE164261	Miscellaneous: Track Tension Hose Kit	See Parts
	AR273271	Wide Track Conversion Kit Allows 112 In. to 160 In. tread spacing.	13,948.00
		Operator Environment:	
	RE67015	3-Way Convenience Adapter for Power Strip	See Parts
	RE317435	Accessory Mounting Bracket Provides mounting location for additional monitors.	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00
	RE275532	Ash Tray Fits in existing cup holder.	See Parts
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	RE323406	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	594.00
	RE68495	Power Strip with Six Outlets	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	295.00
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE261504	Sun Shade, Front Pull Down	See Parts
	RE324993	Touchscreen GS3 CommandCenter 7" Color Display, Video Capable	1,260.00
	RE269618	Windshield Wiper with Washer, Rear	193.00

8335RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE331560	SCV Parts: Paddle Pot Pod, Common Parts Only compatible on Tractors with CommandARM. Order single paddle potentiometer separately. See instructions RE331562 for more information. Compatible on 8R above SN 053100 and 8RT above SN 907100.	95.00
	RE331559	Single Paddle Potentiometer Order decals and levers separately. See instructions RE331561 for more information.	See Parts
	RE298885	Software Downloads: Intelligent Power Management Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305729	Language Group for CommandCenter - English, Croatian, Serbian, Slovenian, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305727	Language Group for CommandCenter - English, Danish, Swedish, Finish, Norwegian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305726	Language Group for CommandCenter - English, Estonian, Latvian, Lithuanian, Polish, Russian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305725	Language Group for CommandCenter - English, French, Dutch, Icelandic, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305730	Language Group for CommandCenter - English, Greek, Turkish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE308728	Language Group for CommandCenter - English, Hungarian, Czech, Slovak, Romanian, Bulgarian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305731	Language Group for CommandCenter - English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts

8335RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE224298	Transmission: Transmission Backup Alarm Requires R298895 Bracket and (2) 19M7788 Cap Screws for installation. See Parts.	405.00
	RE323009	Transmission Hydraulic Oil Heater (110 Volts)	342.00
	RE323010	Transmission Hydraulic Oil Heater (220 Volts)	446.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	R311921	Weights: Weight, Front Idler Starter - 79 lbs. (36 kg) Order attaching hardware through Parts (6) 19M8288 Cap Screws and (6) 24M7243 Washers, one set per each weight.	407.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R242154	Weight, Front Support, 390 Lb. (180 kg) Requires (6) 19M9141 Cap Screws and (6) 24M7242 Washers for installation - See Parts. Holds up to 22 Quick-Tatch Weights.	844.00

8335RT Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

8360RT Tractor

Equipment for Base Machine

ENGINE:	MFWD
John Deere PowerTech Diesel	Differential Lock
In-line 6-Cylinder Wet-Sleeve	Rear PTO Speed
with High Pressure Common Rail (HPCR)	Command Center Display Includes:
Fuel System and 24 Valve Head	GreenStar 3 Application Capability
9.0 L (549 Cu. In.) Displacement	Video Capability, with Tractor Function
360 Engine hp (265 kW) 97/68/EC @ Rated Speed	Activated Triggers
295 SAE PTO hp (220 kW) @ Rated Speed	AutoTrac and Swath Control Pro
Air to Air Intercooled	Activation Required
Automatic Shutdown System	Access Manager
Dry Type Air Cleaner with Safety Element	Universal Performance Monitor
and Dirt Aspiration System	Display Functions Definable by Operator:
Tilt Hood Enclosure	% Slip
Right Hand Exhaust Extension and Stack	Ground Speed
VariCool Fan Drive System	PTO Speed
Electric Fuel Shutoff	Engine Hours
Engine Coolant Conditioner Additive	Hydraulic Settings
Engine Coolant Recovery System	Hitch Settings
Dual Stage Fuel Filtration System with	Hitch Slip Command
Fuel Water Separator with Sensor	Productivity
Self-Priming and Bleeding Electronic	Efficiency
Fuel Pump	Area
758 L (200 U.S. Gal) Fuel Tank Capacity	Adjustable PTO Modulation
with Lockable Fuel Cap	Implement Width
Top-loading Vertical Engine Oil Filter	Service Hours
Electronic Injection and Governor Control	Voltage
Field Cruise Control	Fuel Consumption Rate
TRANSMISSION:	-
	Temperatures
Infinitely Variable with Right Hand Controls	Time of Day
2 Control Ranges Forward/One Reverse	Ambient Temperature
Electronically-Engaged	Command Control System with:
Traction Clutch	Set and Adjust Time and Flow of
AutoClutch	Individual Selective Control Valves
Power Zero	iTEC End of Row Functions
Electrohydraulic Engaged Park Brake	Languages:
Neutral Safety Start System	For a complete list of languages, refer to the
STEERING AND BRAKES:	Ag Sales Manual
Electronic Speed Sensing Steering	OPERATOR PROTECTIVE STRUCTURE:
Wet-Disk Hydraulic Power Brakes	Deluxe CommandView II Cab
HYDRAULICS:	
	Tilt/Telescoping Memory Steering Wheel
Pressure Flow Compensating Axial	Comfort Command Seat with
Piston Pump	Air Suspension, Swivel
63 cc Displacement Pump 166.6 lpm (44 gpm)	Fore-Aft Lateral Attenuation,
Pump Output	Lumbar Support,
132 lpm (35 gpm) Flow @ One SCV	Backrest Adjustment with
Four Electrohydraulic Remote Selective	Integrated CommandARM Controls
Control Valves with Push/Pull	Adjustable Position CommandARM with
ISO Breakaway Couplers and	Integrated CommandCenter Display
High Pressure Release Levers	Swing-Out Rear Window (30 Degrees)
PTO:	Tinted Glass
Independent 1000 RPM, 45 mm (1-3/4 In.)	Air Conditioner and Heater
Neutral Start System	Two Speed Intermittent Front Wiper
Seat-Activated PTO Warning	
	and Rear Wiper
ROCKSHAFT, HITCH AND DRAWBAR:	Front and Rear Windshield Washer
Electrohydraulic Hitch with Transport	Pull Down Front Sun Visor
Lock and External Remote Control Switch	Rear Under Seat Storage
Dual Cylinder Rear Hitch,	Folding Instructional Seat
8754 kg (15,200 Lbs.) Advertised Lift Capacity	Left Hand Storage
12,610 kg (27,801 lb) Maximum Lift Capacity	Two Beverage Holders
3-Point (Cat. 4N/3) Hitch with	Less Radio and Speakers
Convertible Quik-Coupler	Includes wiring harness for radio and speakers
Adjustable Swinging Drawbar	Inside Cab Mounted Rear View Mirror
Cat. 4 Drawbar with Clevis and	Passive Noise Reduction System
50 mm (2 In.) Pin	Window Break
Secondary Implement Chain Support	GreenStar Ready Wiring Harness with Implement
Sway Blocks with Tapered Wedge Adjustment	Connector
Hitch Dampening	
	Integrated Plug-In Connectors for GreenStar Display
Center Link Adjustment Handle	Backlit Right Hand Console Controls
INSTRUMENTATION:	with Adjustable Brightness
Corner Post Digital Instrument Panel	ELECTRICAL:
Includes:	Key Engine Shutoff
Engine Oil Pressure Gauge	12V* Electrical System
Engine Coolant Temperature Gauge	Two 925 CCA** 12V Batteries
Fuel Level Gauge with	Two 12V Electrical Convenience Outlet
Low Fuel Warning Signal	Two 12V Electrical 3-Pin Outlet
Engine RPM Indicator	with Adapter
Status Indicator for:	Battery Boost Terminal

8360RT Tractor

Continued

200 Amp Alternator SmartCircuit Current Load Monitoring System with Fuse Panel 7-Terminal Rear Implement Electrical Outlet Socket (ASAE) GreenStar Ready Harness with Implement Circuit Gateway and Integrated GreenStar Display Plug-In Connector (ISO 11783 Compatible) Integrated ISO Radar Connector Implement Connector StarFire ITC or Radar Speed Input Harness ServiceADVISOR Data Port LIGHTS: Six Front Grill Mounted Lights Ten Cab Roof Mounted Lights Two Rear Fender Flood Lights Extremity, Brake, Turning, and Hazard Lights TRACKS:

Two 625 mm (25 In.) Width, 185 mm (7.3 In.) Pitch Camoplast DURABUILT 3500 Tracks 1828 mm (72 In.) Track Spacing 1828-3048 mm (72-120 In.) Adjustability 3400 mm In. (138.9) Axle Width Operator's Manual MISCELLANEOUS: AutoTrac Ready Components SMV Emblem Horn PTO Master Shield Tool Box Operator's Manual *Manufacturer's Rating **Cold Cranking Amperes

ATTACHMENT CODE **IDENTIFIER** DESCRIPTION SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Waterloo, Iowa

7580RW 8360RT Tractor 330,159.00

DESTINATION

A Code must be chosen for each Tractor ordered.

ASIA 0078

Same Price Israel Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter,

Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable.

Requires Code 8336 Stage IT4 / 3b Compliant Engine.

Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab.

Code 7200 Standard Lighting.

NORTH AMERICA

0184 1,209.00 Canada

Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink

Ultimate Promotion 3 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine.

Country Specific Base Equipment Includes:

Code 2059 Deluxe CommandView II Cab.

Code 7200 Standard Lighting.

8360RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0202		DESTINATIONContinued United States Requires Code 1887 JDLink Ultimate Promotion 1 Year Subscription or Code 1888 JDLink Ultimate Promotion 3 Year Subscription. Requires Code 8336 Stage IT4 / 3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7200 Standard Lighting.	1,209.00
		VALUE PACKAGE CONFIGURATION	
0500		No Package Order one Code from each box in the Price Pages.	In Base Price
0507		iPackage Includes Codes: 2059, 1826, 1837 or 1838, 1848 or 1849, 1887 or 1889 or 1888 or 1884, 7202, 2661 or 2662, 3341 or 3351 or 3361, 4048, 4322, 3260, and 8251.	-500.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest controls with Integrated CommandCenter Display. Folding Instructional Seat. Remote Radio Controls located on CommandARM. Front Windshield Washer and Wiper. SMV Emblem. Manual Temperature Controls located in cab roof. See Attachments Section for ordering information on additional field attachments.	-1,980.00
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on CommandARM. Front and Rear Windshield Washer and Wiper. SMV Emblem. Automatic Temperature Control with controls located on CommandARM. Front Pull Down Sun Shade. Right and Left Outside Mirrors (Manual Adjustment). Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. See Attachments Section for ordering information on additional field attachments.	In Base Price
		DISPLAY	

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1821 GS3 CommandCenter, 7" Color Display

 $Includes\ Access\ Manager\ user\ lockout\ software.$

With a Starfire Receiver installed, the display is capable of operating manual guidance.

In Base Price

8360RT Tractor

Continued

SUCCESTED

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DISPLAYContinued AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	
1823		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable Includes Access Manager user lockout software, and video capability. With a Starfire Receiver installed, the display is capable of operating manual guidance. AutoTrac, Swath Control Pro, and Pivot Pro will function on the CommandCenter display with activations sold separately. One video camera input pre-wired in the cab. Connector located on the outside rear of the cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. See Parts for available cameras.	1,260.00
		Does not include a cornerpost bracket for mounting an additional GreenStar Display.	
1825		GS3 CommandCenter 7" Color Display with GreenStar 3 2630 Display Includes Access Manager user lockout software. Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed on cornerpost. Includes GreenStar 3 2630 Display Operator's manual with the language translation to match the Tractor Operator's manual language translation. When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications	6,086.00
		must be run on the 2630 display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	
1826		Touchscreen GS3 CommandCenter 7" Color Display, Video Capable with GreenStar 3 2630 Display Includes Access Manager user lockout software, and video capability. Includes GreenStar 3 2630 Display, harness, and A-post mounting bracket installed on cornerpost. Includes GreenStar 3 2630 Display Operator's manual with the language translation to match	7,351.00
		the Tractor Operator's manual language translation.	
		The GS3 CommandCenter is pre-wired with one video input in the cab. Connector located on the outside rear of cab. Video software can be configured in the CommandCenter using Tractor function activated triggers. In addition, the GreenStar 3 2630 Display has the capability of one video input. Requires camera and harnessing for video capabilities. See Attachments for harnessing at GreenStar Harnesses in the AMS Price Pages and Ag Sales Manual for list of compatible cameras.	
		When a GreenStar 3 2630 Display is connected at the cornerpost, all GreenStar applications must be run on the 2630 display. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty terms.	

RECEIVER

StarFire 3000 Position Receivers can be ordered in two configurations:

-SF1 World Solution, a no-charge differential correction signal that provides non-row-crop accuracy.

-SF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.com.

-RTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual.

GNSS serial port information (NMEA) is available through a StarFire 3000.

Option availability limited by specific geographical regions. Please refer to region specific

8360RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RECEIVERContinued price pages for appropriate ordering codes.	
1835		Less StarFire 3000 Receiver Tractor includes deluxe receiver mounting bracket only.	In Base Price
		When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.	
1837		StarFire 3000 Receiver - SF1 with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.	2,695.00
		Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 receiver can be upgraded to SF2 capabilities.	
1838		StarFire 3000 Receiver - SF2 Ready with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.	4,695.00
		A StarFire3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available through StellarSupport.com or by calling the AMS Customer Call Center.	

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold seperately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact Stellar Support to activate AMS Software Activations, referencing the Tractor order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1845	Less AutoTrac Activation - GS3	In Base Price
1846	AutoTrac SF1 Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) for AutoTrac functionality. See AMS sales manual and price pages for detailed information.	3,000.00
1847	AutoTrac SF2 Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) for AutoTrac functionality. Also requires SF2 Subscription sold seperately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately.	6,500.00

See AMS sales manual and price pages for detailed information.

8360RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONSContinued	
1848		AutoTrac SF1 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF1 Receiver (Code 1837) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See AMS sales manual and price pages for detailed information.	5,500.00
1849		AutoTrac SF2 Activation - GS3 with iTEC Pro Activation - GS3 Requires factory installed StarFire 3000 SF2 Receiver (Code 1838) and GreenStar 3 2630 Display options (Code 1825 or 1826). This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. Also requires SF2 Subscription sold seperately for SF2 functionality. For RTK usage, purchase RTK radio, activation, and base station sold separately. See AMS sales manual and price pages for detailed information.	9,000.00
		MACHINE CONNECTIVITY	
		Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	Same Price
1886		JDLink Select Includes JDLink hardware: Integrated Cab Wiring Harness, Antenna, Modular Telematics Gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: Machine Hours, Machine Location, Curfew Alert, Geofence Alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1889		JDLink Ultimate Includes JDLink hardware: Integrated Cab Wiring Harness, Antenna, Modular Telematics Gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: Machine Utilization Information, Machine Reports, Machine Diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: Integrated Cab Wiring Harness, Antenna, Modular Telematics Gateway (MTG) with Service ADVISOR Remote capability, JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features: Machine Utilization Information, Machine Reports, Machine Diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability.	1,200.00

8360RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	
		TRANSMISSION	
1550		Infinitely Variable Transmission 24.5 mph (40 km/h) with Right Hand Reverse Control	In Base Price
		LIGHTS	
7200		Standard Lighting Six Front Grill Mounted Lights: Two 65W low beam driving lights, two 65W high beam driving lights and two front corner facing halogen work lights. Ten Cab Roof Mounted Lights: Two rear and four side facing 65W flood lights and four corner facing amber lights. Two rear fender mounted flood lights and two rear turn signal and brake lights. Two folding extremity lights.	In Base Price
7201		Deluxe Lighting Includes Standard Lights plus two adjustable front roof 65W halogen floodlights, two front belt line work lights, and rotary beacon light.	789.00
7202		Premium HID Lighting Includes Deluxe Lighting, and additionally in the Front Grill Screen, two front corner HID lights replace two front halogen lights and one HID light and one 65W halogen flood light are added. Two rear fender lights are replaced with HID lights.	3,442.00
		RADIO	
2650		Less Radio and Speakers Includes wiring harness only for radio and speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack located on front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio For U.S. and Canada Markets only. AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone,Integrated BlueTooth Phone Book connection through CommandCenter,XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display.	1,015.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna.	912.00
		DEMOTE OF FOUR CONTROL VALVES	

REMOTE SELECTIVE CONTROL VALVES

8360RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
3331		REMOTE SELECTIVE CONTROL VALVESContinued Three Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers Requires Code 4000 Less 3-Point Hitch.	-1,820.00
3341		Four Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	In Base Price
3351		Five Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers	1,876.00
3361		Six Remote Selective Control Valves with Push/Pull Breakaway Couplers and High Pressure Relief Levers Includes Auxiliary CommandArm Mounted SCV Controls. Only available on Model Year 2012 Tractors.	3,753.00
		REAR HITCH	
		Advertised Hitch Lift Capacity is the amount of force that is sustained through the entire range of lift, measured at 610 mm behind the hitch point. This is measured with the rear hitch centerlink connected to the upper hole. See Operators Manual for more information.	
		Maximum Lift Capacity is noted as well. This is the maximum force achieved during lift, directly at the hitch point.	
4000		Less 3-Point Hitch Requires Code 3331 Three Remote Selective Control Valves. Four and Five Remote Selective Control Valves - order field installed kits RE301321 (4 SCV's) or RE301501 (5 SCV's).	-5,922.00
4048		9702 kg (20,000 Lbs.) Capacity 3-Point Hitch (Cat 4N/3) with Sway Block and Cat 4N/3 Implement Quick Coupler 12,762 kg (28,136 lb) maximum lift capacity.	In Base Price
4038		6803 kg (15,000 Lbs.) Capacity Hitch (Cat. 4N/3) Capacity 3-Point Hitch (Cat 4N/3) with Sway Block and Cat 4N/3 Implement Quick Coupler 9572 kg (21,102 lb) Maximum Lift Capacity. Only available on Model Year 2012 Tractors.	-1,317.00
		DRAWBAR	
4321		Category 4 Adjustable Swinging Drawbar with Clevis and 50 mm (2.0 ln.) Pin 2245 kg (4,950 Lb.) maximum vertical load.	In Base Price
4322		Category 4 Adjustable Swinging Drawbar with Clevis and 50 mm (2.0 ln.) Pin with Heavy Duty Support 4990 kg (11,000 Lb.) maximum vertical load.	556.00
		HYDRAULIC PUMP	
3240		63 cc Displacement Hydraulic Pump 166.6 lpm (44 gpm)	In Base Price
3260		85 cc Displacement Hydraulic Pump 227.1 lpm (60 gpm)	1,266.00
		TRACKS	
6800		400 mm (16 In.) Width, 172 mm (6.8 In.) Pitch Camoplast DURABUILT 3500 Tracks Narrow 381 mm (15 In.) Midrollers.	-3,417.00

8360RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRACKSContinued	
6801		400 mm (16 In.) Width, 172 mm (6.8 In.) Pitch Camoplast DURABUILT 5500 Tracks Narrow 381 mm (15 In.) Midrollers.	533.00
6802		450 mm (18 In.) Width, 170 mm (6.7 In.) Pitch Camoplast DURABUILT 3500 Tracks Narrow 381 mm (15 In.) Midrollers.	-3,417.00
6803		450 mm (18 In.) Width, 170 mm (6.7 In.) Pitch Camoplast DURABUILT 5500 Tracks Narrow 381 mm (15 In.) Midrollers.	1,264.00
6804		600 mm (24 ln.) Width, 185 mm (7.3 ln.) Pitch Camoplast DURABUILT 3500 Tracks Narrow 381 mm (15 ln.) Midrollers.	-1,917.00
6805		625 mm (25 In.) Width, 185 mm (7.3 In.) Pitch Camoplast DURABUILT 3500 Tracks Wide 600 mm (24 In.) Midrollers. Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 In.) or larger tracks.	In Base Price
6806		625 mm (25 In.) Width, 185 mm (7.3 In.) Pitch Camoplast DURABUILT 5500 Tracks Wide 600 mm (24 In.) Midrollers. Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 In.) or larger tracks.	3,602.00
6807		760 mm (30 ln.)Width, 185 mm (7.3 ln.) Pitch Camoplast DURABUILT 3500 Tracks Wide 600 mm (24 ln.) Midrollers. Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 ln.) or larger tracks.	8,698.00
6808		760 mm (30 ln.) Width, 185 mm (7.3 ln.) Pitch Camoplast DURABUILT 5500 Tracks Wide 600 mm (24 In.) Midrollers. Code 8680 Wide Drive Wheel Option is highly recommended for increased track performance and track belt life with 625 mm (25 In.) or larger tracks.	9,440.00
		TRACK SPACING	
6840		1828 mm (72 In.) Spacing Capable of 1828 mm (72 In) to 3048 mm (120 In.) track spacing. Requires 400, 450, 600, or 625 mm (16, 18, 24, or 25 In.) Width Track Belts.	In Base Price
6841		1930 mm (76 In.) Spacing Capable of 1828 mm (72 In) to 3048 mm (120 In.) track spacing. Requires overwidth permit for 760 mm (30 In.) Width Track Belts.	Same Price
6842		2032 mm (80 In.) Spacing Capable of 1828 mm (72 In) to 3048 mm (120 In.) track spacing. Requires overwidth permit with 625 and 760 mm (25 and 30 In.) Width Track Belts.	Same Price
6843		2235 mm (88 In.) Spacing Capable of 1828 mm (72 In) to 3048 mm (120 In.) track spacing. Requires overwidth permit.	Same Price
6844		Dealer Installed Wide Spacing Kit 4064 mm (160 ln.) Not required for tread spacing of 3048 mm (120 ln.) or less.	13,578.00
		To achieve track spacing of up to 4064 mm (160 In.). Capable of 2844 to 4064 mm (112 to 160 In.) track spacing. Tractor will be shipped in 2032 mm (80 In.) configuration due to shipping width limitations with dealer installed kit to expand to 2844 to 4064 mm (112 to 160 In.) spacing. Includes Extremity Warning Lights extension. Axle width changes to 4400 mm (173.3 In.) with kit installed.	

8360RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRACK SPACINGContinued Durabelt 5500 Tracks highly recommended with 4064 mm (160 In.) spacing kit.	
		OPERATOR'S MANUAL AND LABELS	
0409		English Operator's Manual and Text Labels For Canada, Mexico and United States markets only. Includes base equipment CommandCenter languages of English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish.	In Base Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels. Includes base equipment CommandCenter languages of English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish.	Same Price
0413		French Operator's Manual and Translated Text Labels For Canada, Mexico and United States markets only. Includes base equipment CommandCenter languages of English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish.	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8242		Operator Station and Electrical: Radar with Dual Beam Sensor	887.00
8210		Leather Trim Includes heated leather seat, leather instructional seat, leather wrapped steering wheel, and rear window decal.	1,623.00
8229		Outside Mirrors, Electrically Adjustable RH and LH Requires Deluxe Cab Code 2059. In lieu of Right and Left Hand Outside Mirrors (Manual Adjust).	957.00
8251		Antenna Mount and Wiring for Business Band Radio	127.00
8725		Rotary Beacon Light Requires Code 7200.	336.00
832G		Hydraulics: Auxiliary Hydraulic Connections Includes (2) motor return couplers, (1) flat face sump coupler, (1) power beyond pressure coupler and (1) load sense coupler. Suitable for use with most planting and seeding equipment.	840.00
8680		Chassis: Wide Drive Wheel Option Optional for 625 mm (25 In.) or Wider Belt Width Selections. Strongly recommended for maximum performance and track belt life. 610 mm (24 In.) Drive Wheel width in lieu of 381 mm (15 In.) Drive Wheel.	2,303.00

8360RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8220		Engine: Intelligent Power Management Provides up to an additional 35 engine hp for non-stationary rear PTO and transport applications (transport speeds above 15 km/h (9.3 mph)). See Ag Sales Manual for ground speed specification.	3,254.00
8300		Cold Weather Start Kit Factory Installation of Switch and Ether Aid Canister and 110V Block Heater.	136.00
8306		Fuel/Water Separator, Severe Duty In addition to water separator in base equipment.	556.00
8336		John Deere PowerTech PSX 9.0 L (549 cu. In.) 6 Cyl IT4 / Stage 3b Compliant Diesel Engine	Same Price
8955		Weights: Weight, Front Support - Less Weights Support Weighs 180 kg (390 Lb.).	501.00
8956		Weight, Front Support with Four Suitcase Weights	1,036.00
8957		Weight, Front Support with Eight Suitcase Weights	1,571.00
8958		Weight, Front Support with Twelve Suitcase Weights	2,106.00
8959		Weight, Front Support with Sixteen Suitcase Weights	2,641.00
8960		Weight, Front Support with Twenty-Two Suitcase Weights	3,361.00
8961		Weight, Ten Suitcase Weights on Rear Side of Front Support (Five per Side) Use with Code 8960.	1,296.90
8985		Front Idler Starter Weight Package Front Idler Starter Weight Package includes: 4 - R311921 Starter Weights 36 Kg (80 Lb.). Total Package Weight 146 Kg (323 Lb.).	1,170.40
		ATTACHMENTS - ORDER AS DESIRED	
9076		Gold Key Tours: Gold Key Experience Not compatible with Code 9075. This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge

ATTACHMENTS FOR FIELD CONVERSION

8360RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE58827	Electrical: 9-Pin Connector Implement Feedback Required for Electrohydraulic Implement Depth Control (EHDC).	132.00
	RE324456	Battery Disconnect Switch, Tracks	159.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE21519	Implement Switch with 10 Ft. Harness	168.00
	AR245330	Mounting Kit for Radar with Dual Beam Sensor Requires Dual Beam Radar (RE249206).	212.00
	RE278980	Radar with Dual Beam Sensor Requires mounting kit AR245330.	See Parts
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	26.00
		Engine:	
	RE323008	Cold Weather Starting Package	94.00
	RE227949	Engine Block Heater (110V)	See Parts
	RE524692	Engine Block Heater (220V)	See Parts
	RE321571	Fuel/Water Separator Kit, Severe Duty In addition to water separator in base equipment.	627.00
	R177682	Hitch and Drawbar: Center Link Bracket Retains the center link when not in use.	See Parts
	AR211154	Drawbar Heavy Duty Support for use with Cat. 4 Drawbar (11,000 Lb. Vertical Load Capacity) Requires Cat. 4 Drawbar. Increases vertical load capacity to 11,000 Lb. (4990 kg.). Cat. 4 Drawbar is not compatible with PTO Codes 2418 or 2420 or with field installed 1-3/8 540 rpm PTO.	809.00
	AR211153	Drawbar, Cat. 4 with 2 In. Pin and Heavy Duty Support (11,000 Lb. Vertical Load Capacity) Cat. 4 Drawbar is not compatible with PTO Codes 3820 or 3821 or with field installed 1-3/8 540 rpm PTO.	1,873.00
	AR216079	Rear Hitch Quik-Coupler (Convertible Cat. 4N/3)	2,429.00
	RE327558	Hydraulics: 4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,445.00

8360RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE343865	ATTACHMENTS FOR FIELD CONVERSIONContinued 4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	2,466.00
	RE327559	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,445.00
	RE343866	5th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R301760) Software download to activate function - See Parts. Compatible with 8R before SN 053101, 8RT before SN 907101.	2,546.00
	RE327560	6th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For Tractors equipped with a front hitch or without a rear hitch, see installation instructions for additional parts needed to complete installation. Requires (R334695) Software download to activate function - See Parts. Compatible with 8R above SN 053100 and 8RT above SN 907100.	1,909.00
	RE222721	Auxiliary Sump Coupler Kit (Flush Face Coupler Style) Required to connect Tractor sump to case drains on Seeding Equipment.	129.00
	RE290999	Hitch Auxiliary Raise Kit	139.00
	AR114664	Hydraulic Motor Return, Multiple/Auxiliary Hitch Coupler/ Sump Return Kit For use with Hydraulic Motor Returns, Hitch Valve with Lift Assist Wheels or Motor Drains/Sump Returns or grapple valve.	193.00
	RE323507	Hydraulic Trailer Brake Kit	925.00
	RE221284	Low Stand-By Pressure Control Kit Prevents main pump activation during engine start up in certain hydraulic configurations using power beyond.	980.00
	RE301658	Power Beyond Coupler Kit	756.00
	RE308937	Lighting: Auxiliary Driving / Loader Light Kit Includes headlights, wiring harness, brackets and mounting hardware.	236.00
	RE269641	Lights, Field Vision Xenon HID Rear Fender Light Requires (2) for conversion.	See Parts
	RE298933	Lights, Two Roof-Mounted 65W Halogen Front Flood Lights	140.00
	RE325694	Rotary Beacon Light Kit	371.00

8360RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE164261	Miscellaneous: Track Tension Hose Kit	See Parts
	AR273271	Wide Track Conversion Kit Allows 112 In. to 160 In. tread spacing.	13,948.00
	RE67015	Operator Environment: 3-Way Convenience Adapter for Power Strip	See Parts
	RE317435	Accessory Mounting Bracket Provides mounting location for additional monitors.	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00
	RE275532	Ash Tray Fits in existing cup holder.	See Parts
	RE67014	Cigar-Style Adapter for Power Strip	See Parts
	RE323406	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	594.00
	RE68495	Power Strip with Six Outlets	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	295.00
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip	See Parts
	RE261504	Sun Shade, Front Pull Down	See Parts
	RE324993	Touchscreen GS3 CommandCenter 7" Color Display, Video Capable	1,260.00
	RE269618	Windshield Wiper with Washer, Rear	193.00
	RE331560	SCV Parts: Paddle Pot Pod, Common Parts Only compatible on Tractors with CommandARM. Order single paddle potentiometer separately. See instructions RE331562 for more information. Compatible on 8R above SN 053100 and 8RT above SN 907100.	95.00
	RE331559	Single Paddle Potentiometer Order decals and levers separately. See instructions RE331561 for more information.	See Parts

8360RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE298885	Software Downloads: Intelligent Power Management Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305729	Language Group for CommandCenter - English, Croatian, Serbian, Slovenian, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305727	Language Group for CommandCenter - English, Danish, Swedish, Finish, Norwegian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305726	Language Group for CommandCenter - English, Estonian, Latvian, Lithuanian, Polish, Russian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305725	Language Group for CommandCenter - English, French, Dutch, Icelandic, German Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305730	Language Group for CommandCenter - English, Greek, Turkish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE308728	Language Group for CommandCenter - English, Hungarian, Czech, Slovak, Romanian, Bulgarian Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305731	Language Group for CommandCenter - English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE224298	Transmission: Transmission Backup Alarm Requires R298895 Bracket and (2) 19M7788 Cap Screws for installation. See Parts.	405.00
	RE323009	Transmission Hydraulic Oil Heater (110 Volts)	342.00
	RE323010	Transmission Hydraulic Oil Heater (220 Volts)	446.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00

8360RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	R311921	Weights: Weight, Front Idler Starter - 79 lbs. (36 kg) Order attaching hardware through Parts (6) 19M8288 Cap Screws and (6) 24M7243 Washers, one set per each weight.	407.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R242154	Weight, Front Support, 390 Lb. (180 kg) Requires (6) 19M9141 Cap Screws and (6) 24M7242 Washers for installation - See Parts. Holds up to 22 Quick-Tatch Weights.	844.00

9460RT Tractor

Equipment for Base Machine

ENGINE:	
6-Cylinder Turbocharged John Deere PowerTech	INSTRUMENTATION
Diesel Engine with Electronic	Digital Instrument Panel includes
Unit Injection	Engine Oil Pressure Gauge
Air to Air Aftercooled	Engine Coolant Temperature Gauge
13.5L (824 Cu. In.) Displacement	Fuel Level Gauge
325 kW (442 Hp) Engine Power Level ECE-R24 @ Rated	% Slip
Engine Speed	Ground Speed
338 kW (460 Hp) Engine Power Level 97/68EC @ Rated	PTO Speed
Engine Speed Dry Type Air Cleaner with Safety Element,	System Voltage Engine Hours
Airstack and Aspirator	Service Hours with On-Board
Ether Starting Aid	Vehicle Monitor System
Engine Coolant Heater 110V or 220V	Venicle Monitor bybeem
Vertical Engine Oil Filter	ELECTRICAL:
Dual Filter Fuel System	Key Shutoff
B2 Biodiesel Fuel from the Factory	12V Electrical System
1	Three 925 CCA Capacity 12V Batteries
TRANSMISSION:	200 Amp Alternator
18 Speed Powershift with Efficiency Manager	One Electrical 3-Pin
18 Forward/6 Reverse Speeds	12V Convenience Outlet
Hydraulic Wet Clutch	Ground Terminals Behind Console
STEERING AND BRAKES:	7 - Terminal Rear Implement Electrical
Hydrostatic Differential Steering	Outlet Socket
Tilt/Telescoping Steering Wheel	Battery Boost Terminal
Wet Disk, Hydraulic Power Brakes	GreenStar Ready Harness
Spring-Applied, Hydraulically Released	with Implement Connector
Park Brake	AutoTrac Ready Steering Control Unit,
Secondary Handbrake (Region II only)	Factory Installed
IIVDDAIII TOC •	I TOURG.
HYDRAULICS: Pressure Flow Compensating	LIGHTS: Front Hood Lights (Eight Total)
Axial Piston Pump 182 lpm (48 gpm) Pump Output	Two HB3 65W Low Road Headlights Two HB3 65W High Road Headlights
Flow @ One SCV - 140 lpm (37 gpm)	with Hand Operated Dimmer Switch
Four EH Remote Cylinder Controls	Two 65W Adjustable Corner Work Lights
with ISO Couplers	One 65W Adjustable Center Work Light
Steering Pump - 100 cc	One 65W Adjustable Center Spot Light
50001111g 1 amp 100 00	Four 65W Rear Fender Mounted
PTO:	Pedestal Mounted Work Lights
Less PTO	Cab Roof Lights
	Two 65W Adjustable Front Flood Lights
HITCH AND DRAWBAR:	Four 65W Fixed Side Flood Lights (2 per side)
Cat. 4 Wide Swing Drawbar with Rollers	Two 65W Fixed Rear Flood Lights
Drawbar Clevis and Pin	Four 65W Fixed Corner Flood Lights (Region II
Secondary Chain Support	only)
Less Hitch	Four Corner Amber Flashing Warning Lights
	with Turn Signal Control (Not Region II)
COMMANDVIEW CAB:	Two Rear Fender Tail/Brake/Turn lights
Roll Over Protective Structure	EU Front and Rear Extremity Position Lighting Kit
Air Conditioner and Heater	(Region II Only)
One Interior Rear View Mirror	Road Transport Extremity Lights (Not Region II)
Electrically Adjustable Mirrors, RH and LH	Rotary Beacon Light
Command Center Color Display	
Comfort Command Seat with	TRACKS:
Air Suspension	762 mm (30 In.) Wide, 208 mm (8.2 In.) Pitch
Swivel	Camoplast DURABUILT 3500 Tracks Tracks
Fore-Aft and Lateral Attenuation	2692 mm (106 In.) Track Spacing Two Piece Midrollers
Armrest Controls Lumbar Support	TWO PIECE MIDIOITEIS
Backrest Adjustment	VEHICLE:
Tinted Glass	SMV Emblem (if required)
Two-Speed Front Wiper with	Electric Horn
Variable Speed Delay	Toolbox
Swing-Out Rear Window	Rear Storage Box (except with PTO and Wide Swing
Three Monitor Ready Locations	Drawbar options)
Two Convenience 12V Outlets	1287 L (340 U.S. Gallon) Fuel Tank Capacity
AM/FM Radio Mounting Bracket	Flexible Lower Step
with Wiring Harness	
Field Cruise	
Left Hand Storage	
iTEC (Intelligent Total Equipment Control)	
Implement Management System	
and Hitch Slip Command	

9460RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
03K0RW		9460RT Tractor	367,362.00
		DESTINATION	
		A Code must be chosen for each Tractor ordered.	
0007		Africa Cameroon Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0014		Democratic Republic of Congo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0016		Egypt Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0019		Ethiopia	Same Price

Requires Code 1885 JDLink Capable.
Requires Code 8338 - Stage 2 Compliant Engine.
Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.

9460RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0029		DESTINATIONContinued Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0043		Senegal Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0050		Tanzania Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0072		Asia China (People's Republic of China) Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0094		Philippines Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0098		Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

9460RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION DESTINATIONContinued	SUGGESTED LIST PRICE USD (\$)
0184		North America Canada Requires code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0193		Honduras Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0195		Mexico Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe commandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0202		United States Requires code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0210		South America Argentina Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0211		Bolivia Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

9460RT Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE
CODE	IDENTIFIER		USD (\$)
0212		DESTINATIONContinued Brazil Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Requires Code 8782 - Back Up Alarm. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0214		Colombia Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0219		Suriname Requires Code 1821 GS3 CommandCenter or Code 1823 touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
		VALUE PACKAGE CONFIGURATIONS	
0500		No Package	In Base Price
0533		Standard Value Package <i>Includes Codes 2050, 2650, 3241, 3341 or 3351, and 7200.</i>	-1,150.00
0535		Deluxe Value Package Includes Codes 2059, 2660, 3241, 3341 or 3351, and 7201.	-1,725.00
0537		Deluxe Value Package with Hi-Flow Hydraulics Includes Codes 2059, 2660, 3270, 3352 and 7201.	-1,725.00
0539		Premium Value Package with Hi-Flow Hydraulics Includes Codes 2059, 1823 or 1826, 2661 or 2662, 3270, 3352 and 7202.	-2,000.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on the Control Switch Module (CSM). Front Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Folding Instructional Seat. No Mirrors. See Attachments Section for ordering information on Additional Field Attachments.	-2,009.00
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter	In Base Price

9460RT Tractor

Continued

SUGGESTED
ATTACHMENT LIST PRICE
CODE IDENTIFIER DESCRIPTION USD (\$)

OPERATOR STATION ... Continued...

Display

Remote Radio Controls Located on Control Switch Module (CSM).

Front and Rear Windshield Wiper and Washer.

Automatic Temperature Control with controls located on CSM.

Front Pull Down Sun Shade.

Right and Left Outside Manually Adjustable Mirrors.

Power Strip with Convenience Plug Adapter.

Programmable Egress Lighting. Folding Instructional Seat.

See Attachments Section for ordering information on Additional Field Attachments.

DISPLAY

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1821 GS3 CommandCenter 7" Color Display In Base Price

Includes GreenStar Parallel Tracking and Access Manager. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. AutoTrac activation can be ordered with the Tractor.

Swath Control Pro activation must be ordered through AMS price pages.

Does not include a cornerpost bracket for mounting an additional GreenStar Display.

1823 GS3 Touchscreen Command Center, 7" Color Display, Video Capable 1,260.00

Includes GreenStar Parallel Tracking, Access Manager and Video Capability.

Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. One video input and tractor function activated triggers. AutoTrac activation can be ordered with the tractor.

Swath Control Pro activation must be ordered through AMS price pages.

Does not include a cornerpost bracket for mounting an additional GreenStar Display.

1825 GS3 CommandCenter 7" Color Display with GreenStar 3 2630 Display 5,895.00

Includes GreenStar Parallel Tracking and Access Manager. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions.

AutoTrac activation can be ordered with the tractor.

Swath Control Pro activation must be ordered through AMS price pages.

GS3 2630 display and harness installed on the A-Post display bracket. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty items.

1826 GS3 Touchscreen CommandCenter 7" Color Display, Video Capable with 7,160.00

GreenStar 3 2630 Display

Includes GreenStar Parallel Tracking, Access Manager and Video Capability.

Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions.

One video input and tractor function activated triggers.

AutoTrac activation can be ordered with the tractor.

Swath Control Pro activation must be ordered through AMS price pages. GS3 2630 display and harness installed on the A-Post display bracket.

Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS

warranty terms.

9460RT Tractor

Continued

SUCCESTED

SUGGESTED LIST PRICE USD (\$)	T DESCRIPTION	ATTACHMENT IDENTIFIER	CODE
	RECEIVER		
	StarFire 3000 Position Receivers can be ordered in two configurations: -SF1, a no-charge differential correction signal that provides non-row-crop accuracySF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.comRTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual.		
	GNSS serial port information (NMEA) is available through a StarFire 3000.		
	Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.		
In Base Price	No StarFire 3000 Position Receiver Tractor includes deluxe receiver mounting bracket only.		1835
	When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.		
2,695.00	StarFire 3000 Position Receiver - SF1 with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.		1837
	Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 receiver can be upgraded to SF2 capabilities.		
4,695.00	StarFire 3000 Position Receiver - SF2 Ready with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.		1838
	A StarFire3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available through StellarSupport.com or by calling the AMS Customer Call Center.		

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold separately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, all GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact Stellar Support to activate AMS Software Activations, referencing the Tractor order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

9460RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONSContinued	
1845		No AutoTrac Activation	In Base Price
1846		AutoTrac GS3 SF1 Activation Requires Code 1837 StarFire 3000 SF1 Receiver for AutoTrac functionality. See AMS sales manual and price pages for detailed information.	3,000.00
1847		AutoTrac GS3 SF2 Activation Requires Code 1838 StarFire 3000 SF2 Receiver for AutoTrac functionality. Also requires SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation and base station sold separately. See AMS sales manual and price pages for detailed information.	6,500.00
1848		AutoTrac GS3 SF1 Activation with iTEC Pro Requires Code 1837 StarFire 3000 SF1 Receiver and Code 1825 or 1826 GreenStar 3 Display. This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See AMS sales manual and price pages for detailed information.	5,500.00
1849		AutoTrac GS3 SF2 Activation with iTEC Pro Requires Code 1838 StarFire 3000 SF2 Receiver and Code 1825 or 1826 GreenStar 3 2630 Display. This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. This option also requires SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation and base station sold separately. See AMS sales manual and price pages for detailed information.	9,000.00
		MACHINE CONNECTIVITY	
		Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00

9460RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1887		MACHINE CONNECTIVITYContinued JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability. Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service.	1,200.00
		In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	
		TRANSMISSION	
1492		18 Speed Powershift, 18 F/6R Speeds with Efficiency Manager	In Base Price
		LIGHTS	
7200		Standard Lighting Eight Front Grill Mounted Lights: Two 65W low beam driving lights, two 65W high beam driving lights, two front corner facing halogen work lights and two center facing halogen work lights. Ten Cab Roof Mounted Lights: Two rear and four side facing 65W flood lights and four corner facing amber lights. Four rear fender mounted flood lights and two rear Tail/Brake/Turn Lights. Road Transport Extremity Lights.	-762.00
7201		Deluxe Lighting Includes Standard lighting plus 2 adjustable front roof 65W halogen floodlights and a rotary beacon light.	In Base Price
7202		Premium HID Lighting Includes Deluxe Lighting, and in the grill, two front corner HID lights replace two front halogen lights and one HID light replaces a center halogen flood light. Two of the rear fender lights are replaced with HID lights.	3,442.00
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers, no radio and no speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack Located on Front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter,XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna.	1,015.00

9460RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RADIOContinued Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display. For U.S. and Canada only.	
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna. Not for US or Canada.	912.00
		REAR POWER TAKE OFF	
3800		Less Rear PTO	In Base Price
3810		1000-rpm PTO with 1 3/4-In. Shaft Not compatible with Rear Storage Box.	14,340.00
		REAR HITCH	
		Advertised Hitch Lift Capacity is the amount of force that is sustained through the entire range of lift, measured at 610 mm behind the hitch point. This is measured with the rear hitch centerlink connected to the upper hole. See Operators Manual for more information.	
4000		Less Rear Hitch	In Base Price
4050		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4N/3 Adjustable Quik Coupler 6940 kg (15,300 Lb.) Lift Capacity Not compatible with wide Swing drawbar Code 4328 or 4329. Includes Heavy-Duty Drawbar Support. Maximum number of SCV's with a Hitch is five.	19,924.00
4051		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4/4N, Adjustable Quik Coupler; 6940 kg (15,300 Lb.) Lift Capacity Not compatible with wide Swing drawbar Code 4328 or 4329. Includes Heavy-Duty Drawbar Support. Maximum number of SCV's with a Hitch is five.	20,789.00
4052		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4N/3 Adjustable Quik Coupler; 9072 kg (20,000 Lb.) Lift Capacity Not compatible with wide Swing drawbar Code 4328 or 4329. Includes Heavy-Duty Drawbar Support. Maximum number of SCV's with a Hitch is five.	22,393.00
4053		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4/4N, Adjustable Quik Coupler; 9072 kg (20,000 Lb.) Lift Capacity Not compatible with wide Swing drawbar Code 4328 or 4329. Includes Heavy-Duty Drawbar Support. Maximum number of SCV's with a Hitch is five.	23,259.00
		DRAWBAR	
4326		Cat. 4 Drawbar with Drawbar Support, Hammerstrap and Pin (non-swinging) Required for heavy drawbar applications such as DB Planters. See Ag Sales Manual for complete load capacity and compatibility information.	-2,237.00
4327		Cat. 5 Drawbar with Drawbar Support, Hammerstrap	167.00

9460RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DRAWBARContinued and Pin (non-swinging) Required for heavy drawbar applications such as DB Planters. See Ag Sales Manual for complete load capacity and compatibility information.	
4328		Cat. 4 Wide Swing Drawbar on Rollers Not compatible with 3-Point hitch Code 4050, 4051, 4052, 4053. Not compatible with Rear Storage Box. See Ag Sales Manual for complete load capacity and compatibility information as the Wide Swing Drawbar does not have the load bearing capacity available for certain applications such as DB Planters.	In Base Price
4329		Cat. 5 Heavy-Duty Wide Swing Drawbar on Rollers Not compatible with 3-Point hitch Code 4050, 4051, 4052, 4053. Not compatible with Rear Storage Box. See Ag Sales Manual for complete load capacity and compatibility information.	2,566.00
		HYDRAULIC PUMP	
3241		Standard Hydraulic System, 182 lpm (48 gpm) Provides up to 140 lpm (37gpm) flow @ one SCV. Requires Code 3341 or Code 3351 - Rear Remote SCVs. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3270		Hi-Flow Hydraulic System, 295 lpm (78 gpm) Provides up to 170 lpm (45 gpm) flow @ one SCV. Requires Code 3352 Five Deluxe SCV's. Refer to the Ag Sales Manual for Implement compatibility. SCVs 1-3 supplied by one pump, SCVs 4&5 supplied by secondary pump.	5,885.00
		HYDRAULIC STEERING PUMP	
7500		Steering Pump - 100cc Recommended in traditional Ag applications with flat terrain. Standard Equipment on all Ag Track Tractors.	In Base Price
7501		Heavy Duty Steering Pump - 130cc Recommended for hillside applications.	2,720.00
		HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)	
3341		Four Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3241 - 182 lpm Hydraulic Pump. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3351		Five Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System) TouchSet Hydraulic Controls. PushPull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3241 - 182 lpm Hydraulic Pump. Refer to the Ag Sales Manual for Implement compatibility.	1,350.00
3352		Five Deluxe Electro-Hydraulic Rear Remote Selective Control Valves (Hi-flow Hydraulic System)	1,350.00

9460RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)Continued TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3270 - 295 lpm Hydraulic Pump. Refer to the Ag Sales Manual for Implement compatibility.	
		TRACKS	
6820		762 mm (30 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABUILT 3500 Tracks	In Base Price
6825		914 mm (36 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABUILT 3500 Tracks	7,561.00
6821		762 mm (30 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABUILT 5500 Tracks	7,274.00
6826		914 mm (36 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABUILT 5500 Tracks	10,910.00
		OPERATOR'S MANUAL AND LABELS	
		A Code must be chosen for each Tractor ordered.	
0401		Arabic	Same Price
0426		Mandarin (Chinese)	Same Price
0409		English Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	In Base Price
0413		French Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0430		Portuguese Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0433		Russian Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8210		Operator Station and Electrical: Leather Trim Package For CommandView II, Deluxe CommandView II, and Premium CommandView II cabs. Includes heated leather seat, leather instructional set, leather wrapped steering wheel and rear window decal.	1,646.00

9460RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
8229		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued External Mirrors, Electrically Adjustable RH and LH Must order Code 2059. Not compatible with Code 2050. Region IV (United States, Canada, Costa Rica, Australia and New Zealand) only.	540.00
8242		Radar with Dual Beam Sensor	900.00
8251		Antenna Mount and Wiring for Business Band Radio	129.00
8725		Rotary Beacon Light Requires Code 7200 Standard Lighting.	347.00
832F		Hydraulics: Motor Seal Drain Kit Required with all Rear Hitch Codes 4050, 4051, 4052, 4053.	628.00
8756		Hydraulic Trailer Brake Valve	1,006.00
8782		Electrical & Lights Back Up Alarm	363.00
8306		Engine: Fuel/Water Separator, Severe Duty	564.00
8338		John Deere PowerTech 13.5 L (824 cu.in.) 6 Cyl Stage 2 Compliant Diesel Engine	-16,883.00
8340		John Deere PowerTech PSX 13.5 L (824 cu. in.) 6 Cyl. iT4 / Stage 3b Compliant Diesel	Same Price
		Ballast: Please refer to Ag Sales Manual when ordering weights.	
8955		Front Weight Support - 304 kg (670 Lb.) (Holds up to 26-R127764)	1,125.00
8962		Front Weight Support with 20 Weights	3,818.00
8964		Front Weight Support with 26 Weights	5,168.00
8995		Two Track Frame Weight Brackets - One Per Side Weights must be field installed due to shipping width limitations.	555.00
8985		Front Idler Starter Ballast Package Front Idler Starter Weight Package Includes: 4 - R311921 Starter Weights 36 Kg (80 lb) each. Total Package Weight; 146 Kg (320 lb).	1,351.00
8986		Front Idler Weights Ballast Package Requires Code 8985 Front Idler Starter Ballast Package. This includes 8 weights; 4 - 75 Kg (165 lb) and 4 - 205 Kg (450 lb) weights. Total Package Weight; 1120 Kg (2640 lb)	2,906.00

ATTACHMENTS - ORDER AS DESIRED

9460RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE343324	Electrical: Battery Disconnect Kit	115.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE269398	Mounting Kit - Dual Beam Radar Sensor for Tracks The Mounting Kit does not include Dual Beam Radar Sensor. If Dual Beam Radar Sensor is needed, order Dual Beam Radar Sensor (RE278980, RE278984, RE278986 or RE278982).	180.00
	RE278980	Radar with Dual Beam Sensor	See Parts
	RE278984	Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	26.00
	RE326214	Engine: Fuel/Water Separator Kit, Severe Duty - Tracks	620.00
	RE259709	Hitch and Drawbar: Bottom Roller Kit for Tracks Wide Swing Drawbar	1,780.00
	RE270268	Cat. 4/4N Quik Coupler Kit	2,741.00
	RE270270	Cat. 4N/3 Quik Coupler Kit	4,029.00
	RE310971	Cat. 5 High Capacity Wide Swing Drawbar Support Kit Ability to achieve 12,000 lbs. vertical load capacity.	594.00
	RE278847	Cat. 5 to Cat. 4 Drawbar Conversion Kit Converts Cat. 5 Drawbar for use with Cat. 4 Implements.	462.00
	RE266011	Drawbar Reinforcement Kit for Cat. 4 Drawbar for Track Tractors Factory Equipped with a Hitch or a Heavy Duty Drawbar Support Ability to achieve 11,000 lbs Vertical Load Capacity.	1,643.00

9460RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE311349	ATTACHMENTS FOR FIELD CONVERSIONContinued Electro-Hydraulic 3 Point Hitch with Draft Sensing for Track Tractors For Tractors equipped with a Factory Installed HD drawbar support. Additional parts are required - see installation instructions. Also requires Cat. 4N/3 Quik Coupler (RE270270), or 4/4N Quik Coupler (RE270268). Also required hitch cylinders to achieve 15,300 lb or 20,000 lb lift capacity. 15,300 lb hitch uses 1 x AHC10487 and 1 x AHC10488 cylinders. 20,000 lb hitch uses 2 x AHC10045. Requires Software download (R306826) to activate function.	20,252.00
	RE310798	Hydraulics: 3/4 In. Selective Control Valve Coupler Kit (Hi-Flow only)	2,142.00
	RE303735	5th Remote Selective Control Valve (for Standard flow Hydraulics) Requires Software download to activate function - See Parts.	1,331.00
	RE310796	6th Remote Selective Control Valve for AG High Flow Hydraulic Systems Not compatible with a factory or field installed 3 Pt. Hitch. Requires factory installed 5th SCV. Requires Software download to activate function - See Parts.	2,588.00
	RE303736	6th Remote Selective Control Valve for Standard Flow Hydraulic Systems Not compatible with a factory or field installed 3 Pt. Hitch. Requires factory or field installed 5th SCV. Requires Software download to activate function - See Parts.	2,070.00
	RE293259	Hitch Auxiliary Raise Kit For use with hitch valve with lift assist wheels. Compatible with all 9R Series Wheel and Track Tractors.	212.00
	RE310822	Hydraulic Trailer Brake Kit for Tracks Provides single line connection to hydraulic braking systems. Works with or without power beyond couplers.	1,106.00
	RE299261	Motor Seal Drain Kit	235.00
	RE293262	Power Beyond Coupler Kit Compatible with all Standard Flow Hydraulic Systems and Ag High Flow Hydraulic Systems. I or 2 pcs required for Ag High Flow Systems. Compatible with all Standard Flow Hydraulic Systems.	682.00
	RE330435	Lighting: Auxiliary Lighting Kit	88.00
	RE334623	Rotary Beacon Light Kit Switch is on CSM.	382.00
	RE311211	Miscellaneous: Tow Cable Kit - Track Tractors	2,368.00
	RE67685	Operator Environment: 9-Pin Connector for Implement Feedback Required for TouchSet Depth Control.	241.00
	RE317435	Accessory Mounting Bracket	110.00

9460RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE269615	ATTACHMENTS FOR FIELD CONVERSIONContinued Antenna Mount and Wiring for Business Band Radio	140.00
	RE273380	Back Up Alarm Kit	399.00
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	295.00
	RE269618	Windshield Wiper with Washer, Rear	193.00
	RE211995	PTO: 1000 RPM PTO Shield Kit	1,006.00
	RE304680	Field Installation Kit, PTO, Track All PTO mounting hardware and shielding is contained in kit.	14,666.00
	BPF10312	Software Downloads: Non-John Deere Guidance Compatibility Activation - AutoFarm/Novariant Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10313	Non-John Deere Guidance Compatibility Activation - Hemisphere/Outback Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10433	Non-John Deere Guidance Compatibility Activation - Leica Geosystems Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10311	Non-John Deere Guidance Compatibility Activation - Raven Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10363	Non-John Deere Guidance Compatibility Activation - Trimble Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AR268522	Weights: Front Idler Weights Mounting	1,244.00
	RE309127	Front Weight Bracket Allows attachment of up to 26 Quick-Tatch weights.	1,800.00
	RE341774	One (LH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately) Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642 Reference Installation Instruction # RE342883 Not compatible with R2 style suitcase weights.	See Parts

9460RT Tractor

SUGGESTED LIST PRICE USD (\$)	T DESCRIPTION	ATTACHMENT IDENTIFIER	CODE
See Parts	ATTACHMENTS FOR FIELD CONVERSIONContinued One (RH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately) Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642 Reference Installation Instruction # RE342883 Not compatible with R2 style suitcase weights.	RE341775	
See Parts	One Track Frame Weight Bracket (Order two. Holds 16 R127764 Weights each side) Also order 8- Cap Screws (19M8639) and 8- Washers (24M7242). Side Frame Weight Supports require Extremity Warning Lights (available through Parts).	R199010	
1,013.00	Two Track Frame Weight Supports and Extremity Lighting Kit	RE286201	
407.00	Weight, Front Idler Starter - 79 lbs. (36 kg)	R311921	
135.00	Weight, Front Suitcase (104 Lb.) Quantity of One	R127764	
2,504.00	Weight, Front Suitcase, Twenty (20-R127764)	RFR127764	

9460RT Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

9510RT Tractor

Equipment for Base Machine

```
ENGINE:
6-Cylinder Turbocharged John Deere PowerTech
                                                             INSTRUMENTATION:
  Diesel Engine with Electronic
                                                             Digital Instrument Panel includes
  Unit Injection
                                                               Engine Oil Pressure Gauge
Air to Air Aftercooled
13.5L (824 Cu. In.) Displacement
360 kW (490 Hp) Engine Power Level ECE-R24 @ Rated
                                                               Engine Coolant Temperature Gauge
                                                               Fuel Level Gauge
                                                               % Slip
                                                               Ground Speed
Engine Speed
375 kW (510 Hp) Engine Power Level 97/68EC @ Rated
                                                               PTO Speed
Engine Speed
                                                               System Voltage
Dry Type Air Cleaner with Safety Element,
                                                               Engine Hours
                                                               Service Hours with On-Board
  Airstack and Aspirator
Ether Starting Aid
Engine Coolant Heater 110V or 220V
                                                                  Vehicle Monitor System
Vertical Engine Oil Filter
Dual Filter Fuel System
                                                             ELECTRICAL:
                                                             Key Shutoff
                                                             12V Electrical System
Three 925 CCA Capacity 12V Batteries
B2 Biodiesel Fuel from the Factory
                                                             200 Amp Alternator
One Electrical 3-Pin
TRANSMISSION:
18 Forward/6 Reverse Speeds
Hydraulic Wet Clutch
                                                               12V Convenience Outlet
                                                               Ground Terminals Behind Console
STEERING AND BRAKES:
                                                             7 - Terminal Rear Implement Electrical
Hydrostatic Differential Steering
                                                               Outlet Socket
                                                             Battery Boost Terminal
Tilt/Telescoping Steering Wheel
Wet Disk, Hydraulic Power Brakes
                                                             GreenStar Ready Harness
                                                             with Implement Connector
AutoTrac Ready Steering Control Unit,
Spring-Applied, Hydraulically Released
  Park Brake
Secondary Handbrake (Region II only)
                                                               Factory Installed
HYDRAULICS:
                                                             LIGHTS:
Pressure Flow Compensating
                                                             Front Hood Lights (Eight Total)
                                                               Two HB3 65W Low Road Headlights
Two HB3 65W High Road Headlights
  Axial Piston Pump
182 lpm (48 gpm) Pump Output
Flow @ One SCV - 140 lpm (37 gpm)
Four EH Remote Cylinder Controls
                                                                 with Hand Operated Dimmer Switch
                                                               Two 65W Adjustable Corner Work Lights
  with ISO Couplers
                                                               One 65W Adjustable Center Work Light
Steering Pump - 100 cc
                                                               One 65W Adjustable Center Spot Light
PTO:
                                                             Four 65W Rear Fender Mounted
                                                               Pedestal Mounted Work Lights
Less PTO
                                                             Cab Roof Lights
                                                               Two 65W Adjustable Front Flood Lights
HITCH AND DRAWBAR:
                                                               Four 65W Fixed Side Flood Lights (2 per side)
Cat. 5 Wide Swing Drawbar with Rollers
                                                               Two 65W Fixed Rear Flood Lights
Drawbar Clevis and Pin
Secondary Chain Support
                                                               Four 65W Fixed Corner Flood Lights (Region II
Less Hitch
                                                               only)
                                                             Four Corner Amber Flashing Warning Lights
COMMANDVIEW CAB:
                                                               with Turn Signal Control(Not Region II)
Roll Over Protective Structure
                                                             Two Rear Fender Tail/Brake/Turn lights
Air Conditioner and Heater
                                                             Road Transport Extremity Lights (Not Region II)
One Interior Rear View Mirror
                                                             EU Front and Rear Extremity Position Lighting Kit
Electrically Adjustable Mirrors, RH and LH
                                                             (Region II only)
                                                             Rotary Beacon Light TRACKS:
Command Center Color Display
Comfort Command Seat with
                                                             762 mm (30 In.) Wide, 208 mm (8.2 In.) Pitch
Camoplast DURABUILT 3500 Tracks
  Air Suspension
  Fore-Aft and Lateral Attenuation
                                                             2692 mm (106 In.) Track Spacing
  Armrest Controls
                                                             Two Piece Midrollers
  Lumbar Support
  Backrest Adjustment
                                                             VEHICLE:
Tinted Glass
                                                             SMV Emblem (if required)
Two-Speed Front Wiper with
                                                             Electric Horn
  Variable Speed Delay
                                                             Toolbox
Swing-Out Rear Window
                                                             Rear Storage Box (except with PTO and Wide Swing
Three Monitor Ready Locations
Two Convenience 12V Outlets
                                                             1287 L (340 U.S. Gallon) Fuel Tank Capacity
AM/FM Radio Mounting Bracket
                                                             Flexible Lower Step
  with Wiring Harness
Field Cruise
Left Hand Storage
iTEC (Intelligent Total Equipment Control)
```

Implement Management System and Hitch Slip Command

9510RT Tractor

Continued

	ATTACUMENT		SUGGESTED
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
03N0RW		9510RT Tractor	393,032.00
		DESTINATION	
		A Code must be chosen for each Tractor ordered.	
0007		Africa Cameroon Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0014		Democratic Republic of Congo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0016		Egypt Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

0019

Requires Code 1885 JDLink Capable.
Requires Code 8338 - Stage 2 Compliant Engine.
Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.

Same Price

9510RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0029		DESTINATIONContinued Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0043		Senegal Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0050		Tanzania Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0072		Asia China (People's Republic of China) Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0094		Philippines Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0098		Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

9510RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	
0184		North America Canada Requires code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0193		Honduras Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0195		Mexico Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe commandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0202		United States Requires code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0210		South America Argentina Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0211		Bolivia Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

9510RT Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE
CODE	IDENTIFIER		USD (\$)
0212		DESTINATIONContinued Brazil Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Requires Code 8782 - Back Up Alarm. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0214		Colombia Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0219		Suriname Requires Code 1821 GS3 CommandCenter or Code 1823 touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
		VALUE PACKAGE CONFIGURATIONS	
0500		No Package	In Base Price
0533		Standard Value Package <i>Includes Codes 2050, 2650, 3241, 3341 or 3351, and 7200.</i>	-1,150.00
0535		Deluxe Value Package Includes Codes 2059, 2660, 3241, 3341 or 3351, and 7201.	-1,725.00
0537		Deluxe Value Package with Hi-Flow Hydraulics Includes Codes 2059, 2660, 3270, 3352 and 7201.	-1,725.00
0539		Premium Value Package with Hi-Flow Hydraulics Includes Codes 2059, 1823 or 1826, 2661 or 2662, 3270, 3352 and 7202.	-2,000.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on the Control Switch Module (CSM). Front Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Folding Instructional Seat. No Mirrors. See Attachments Section for ordering information on Additional Field Attachments.	-2,009.00
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter	In Base Price

9510RT Tractor

Continued

SUGGESTED
ATTACHMENT LIST PRICE
CODE IDENTIFIER DESCRIPTION USD (\$)

OPERATOR STATION ... Continued...

Display.

Remote Radio Controls Located on Control Switch Module (CSM).

Front and Rear Windshield Wiper and Washer.

Automatic Temperature Control with controls located on CSM.

Front Pull Down Sun Shade.

Right and Left Outside Manually Adjustable Mirrors.

Power Strip with Convenience Plug Adapter.

Programmable Egress Lighting. Folding Instructional Seat.

See Attachments Section for ordering information on Additional Field Attachments.

DISPLAY

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1821 GS3 CommandCenter 7" Color Display In Base Price

Includes GreenStar Parallel Tracking and Access Manager. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. AutoTrac activation can be ordered with the Tractor.

Swath Control Pro activation must be ordered through AMS price pages.

Does not include a cornerpost bracket for mounting an additional GreenStar Display.

1823 GS3 Touchscreen Command Center, 7" Color Display, Video Capable 1,260.00

Includes GreenStar Parallel Tracking, Access Manager and Video Capability. Capable of operating AutoTrac and Swath Control Pro.

Access Manager is password protection on display functions.
One video input and tractor function activated triggers.
AutoTrac activation can be ordered with the tractor.

Swath Control Pro activation must be ordered through AMS price pages.

Does not include a cornerpost bracket for mounting an additional GreenStar Display.

1825 GS3 CommandCenter 7" Color Display with GreenStar 3 2630 Display 5,895.00

Includes GreenStar Parallel Tracking and Access Manager. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions.

AutoTrac activation can be ordered with the tractor.

Swath Control Pro activation must be ordered through AMS price pages.

GS3 2630 display and harness installed on the A-Post display bracket. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty items.

1826 GS3 Touchscreen CommandCenter 7" Color Display, Video Capable with 7,160.00

GreenStar 3 2630 Display

Includes GreenStar Parallel Tracking, Access Manager and Video Capability.

Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. One video input and tractor function activated triggers. AutoTrac activation can be ordered with the tractor.

Swath Control Pro activation must be ordered through AMS price pages. GS3 2630 display and harness installed on the A-Post display bracket.

Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS

warranty terms.

9510RT Tractor

Continued

SUGGESTED LIST PRICE USD (\$)	T DESCRIPTION	ATTACHMENT IDENTIFIER	CODE
	RECEIVER		
	StarFire 3000 Position Receivers can be ordered in two configurations: -SF1, a no-charge differential correction signal that provides non-row-crop accuracySF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.comRTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual.		
	GNSS serial port information (NMEA) is available through a StarFire 3000.		
	Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.		
In Base Price	No StarFire 3000 Position Receiver Tractor includes deluxe receiver mounting bracket only.		1835
	When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.		
2,695.00	StarFire 3000 Position Receiver - SF1 with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.		1837
	Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 receiver can be upgraded to SF2 capabilities.		
4,695.00	StarFire 3000 Position Receiver - SF2 Ready with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.		1838
	A StarFire3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available through StellarSupport.com or by calling the AMS Customer Call Center.		

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold separately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, all GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact Stellar Support to activate AMS Software Activations, referencing the Tractor order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

9510RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONSContinued	
1845		No AutoTrac Activation	In Base Price
1846		AutoTrac GS3 SF1 Activation Requires Code 1837 StarFire 3000 SF1 Receiver for AutoTrac functionality. See AMS sales manual and price pages for detailed information.	3,000.00
1847		AutoTrac GS3 SF2 Activation Requires Code 1838 StarFire 3000 SF2 Receiver for AutoTrac functionality. Also requires SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation and base station sold separately. See AMS sales manual and price pages for detailed information.	6,500.00
1848		AutoTrac GS3 SF1 Activation with iTEC Pro Requires Code 1837 StarFire 3000 SF1 Receiver and Code 1825 or 1826 GreenStar 3 Display. This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See AMS sales manual and price pages for detailed information.	5,500.00
1849		AutoTrac GS3 SF2 Activation with iTEC Pro Requires Code 1838 StarFire 3000 SF2 Receiver and Code 1825 or 1826 GreenStar 3 2630 Display. This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. This option also requires SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation and base station sold separately. See AMS sales manual and price pages for detailed information.	9,000.00
		MACHINE CONNECTIVITY	
		Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00

9510RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
1887		MACHINE CONNECTIVITYContinued JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability.	1,200.00
		Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	
		TRANSMISSION	
1492		18 Speed Powershift, 18 F/6R Speeds with Efficiency Manager	In Base Price
		LIGHTS	
7200		Standard Lighting Eight Front Grill Mounted Lights: Two 65W low beam driving lights, two 65W high beam driving lights, two front corner facing halogen work lights and two center facing halogen work lights. Ten Cab Roof Mounted Lights: Two rear and four side facing 65W flood lights and four corner facing amber lights. Four rear fender mounted flood lights and two rear Tail/Brake/Turn Lights. Road Transport Extremity Lights.	-762.00
7201		Deluxe Lighting Includes Standard lighting plus 2 adjustable front roof 65W halogen floodlights and a rotary beacon light.	In Base Price
7202		Premium HID Lighting Includes Deluxe Lighting, and in the grill, two front corner HID lights replace two front halogen lights and one HID light replaces a center halogen flood light. Two of the rear fender lights are replaced with HID lights.	3,442.00
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers, no radio and no speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack Located on Front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter,XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna.	1,015.00

9510RT Tractor

	ATTACHMENT		SUGGESTED LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)
		RADIOContinued Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display. For U.S. and Canada only.	
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna. Not for US or Canada.	912.00
		REAR POWER TAKE OFF	
3800		Less Rear PTO	In Base Price
3810		1000-rpm PTO with 1 3/4-In. Shaft Not compatible with Rear Storage Box.	14,340.00
		REAR HITCH	
		Advertised Hitch Lift Capacity is the amount of force that is sustained through the entire range of lift, measured at 610 mm behind the hitch point. This is measured with the rear hitch centerlink connected to the upper hole. See Operators Manual for more information.	
4000		Less Rear Hitch	In Base Price
4051		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4/4N, Adjustable Quik Coupler; 6940 kg (15,300 Lb.) Lift Capacity Not compatible with wide Swing drawbar Code 4328 or 4329. Includes Heavy-Duty Drawbar Support. Maximum number of SCV's with a Hitch is five.	20,789.00
4053		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4/4N, Adjustable Quik Coupler; 9072 kg (20,000 Lb.) Lift Capacity Not compatible with wide Swing drawbar Code 4328 or 4329. Includes Heavy-Duty Drawbar Support. Maximum number of SCV's with a Hitch is five.	23,259.00
		DRAWBAR	
4327		Cat. 5 Drawbar with Drawbar Support, Hammerstrap and Pin (non-swinging) Required for heavy drawbar applications such as DB Planters. See Ag Sales Manual for complete load capacity and compatibility information.	167.00
4329		Cat. 5 Heavy-Duty Wide Swing Drawbar on Rollers Not compatible with 3-Point hitch Code 4050, 4051, 4052, 4053. Not compatible with Rear Storage Box. See Ag Sales Manual for complete load capacity and compatibility information.	In Base Price
		HYDRAULIC PUMP	
3241		Standard Hydraulic System, 182 lpm (48 gpm) Provides up to 140 lpm (37gpm) flow @ one SCV. Requires Code 3341 or Code 3351 - Rear Remote SCVs. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price

9510RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION HYDRAULIC PUMPContinued	SUGGESTED LIST PRICE USD (\$)
3270		Hi-Flow Hydraulic System, 295 lpm (78 gpm) Provides up to 170 lpm (45 gpm) flow @ one SCV. Requires Code 3352 Five Deluxe SCV's. Refer to the Ag Sales Manual for Implement compatibility. SCVs 1-3 supplied by one pump, SCVs 4&5 supplied by secondary pump.	5,885.00
		HYDRAULIC STEERING PUMP	
7500		Steering Pump - 100cc Recommended in traditional Ag applications with flat terrain. Standard Equipment on all Ag Track Tractors.	In Base Price
7501		Heavy Duty Steering Pump - 130cc Recommended for hillside applications.	2,720.00
		HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)	
3341		Four Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3241 - 182 lpm Hydraulic Pump. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3351		Five Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3241 - 182 lpm Hydraulic Pump. Refer to the Ag Sales Manual for Implement compatibility.	1,350.00
3352		Five Deluxe Electro-Hydraulic Rear Remote Selective Control Valves (Hi-flow Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3270 - 295 lpm Hydraulic Pump. Refer to the Ag Sales Manual for Implement compatibility.	1,350.00
		TRACKS	
6820		762 mm (30 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABUILT 3500 Tracks	In Base Price
6825		914 mm (36 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABUILT 3500 Tracks	7,561.00
6821		762 mm (30 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABUILT 5500 Tracks	7,274.00
6826		914 mm (36 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABUILT 5500 Tracks	10,910.00
		OPERATOR'S MANUAL AND LABELS	
		A Code must be chosen for each Tractor ordered.	
0401		Arabic	Same Price

9510RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR'S MANUAL AND LABELS Continued	
0426		Mandarin (Chinese)	Same Price
0409		English Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	In Base Price
0413		French Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0430		Portuguese Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0433		Russian Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8210		Operator Station and Electrical: Leather Trim Package For CommandView II, Deluxe CommandView II, and Premium CommandView II cabs. Includes heated leather seat, leather instructional set, leather wrapped steering wheel and rear window decal.	1,646.00
8229		External Mirrors, Electrically Adjustable RH and LH Must order Code 2059. Not compatible with Code 2050. Region IV (United States, Canada, Costa Rica, Australia and New Zealand) only.	540.00
8242		Radar with Dual Beam Sensor	900.00
8251		Antenna Mount and Wiring for Business Band Radio	129.00
8725		Rotary Beacon Light Requires Code 7200 Standard Lighting.	347.00
832F		Hydraulics: Motor Seal Drain Kit Required with all Rear Hitch Codes 4050, 4051, 4052, 4053.	628.00
8756		Hydraulic Trailer Brake Valve	1,006.00
8782		Electrical & Lights Back Up Alarm	363.00

9510RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8306		Engine: Fuel/Water Separator, Severe Duty	564.00
8338		John Deere PowerTech 13.5 L (824 cu.in.) 6 Cyl Stage 2 Compliant Diesel Engine	-16,883.00
8340		John Deere PowerTech PSX 13.5 L (824 cu. in.) 6 Cyl. iT4 / Stage 3b Compliant Diesel	Same Price
		Ballast: Please refer to Ag Sales Manual when ordering weights.	
8955		Front Weight Support - 304 kg (670 Lb.) (Holds up to 26-R127764)	1,125.00
8962		Front Weight Support with 20 Weights	3,818.00
8964		Front Weight Support with 26 Weights	5,168.00
8995		Two Track Frame Weight Brackets - One Per Side Weights must be field installed due to shipping width limitations.	555.00
8985		Front Idler Starter Ballast Package Front Idler Starter Weight Package Includes: 4 - R311921 Starter Weights 36 Kg (80 lb) each. Total Package Weight; 146 Kg (320 lb).	1,351.00
8986		Front Idler Weights Ballast Package Requires Code 8985 Front Idler Starter Ballast Package. This includes 8 weights; 4 - 75 Kg (165 lb) and 4 - 205 Kg (450 lb) weights. Total Package Weight; 1120 Kg (2640 lb)	2,906.00
		ATTACHMENTS - ORDER AS DESIRED	
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE343324	Electrical: Battery Disconnect Kit	115.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE269398	Mounting Kit - Dual Beam Radar Sensor for Tracks The Mounting Kit does not include Dual Beam Radar Sensor. If Dual Beam Radar Sensor is needed, order Dual Beam Radar Sensor (RE278980, RE278984, RE278986 or RE278982).	180.00

9510RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE278980	ATTACHMENTS FOR FIELD CONVERSIONContinued Radar with Dual Beam Sensor	See Parts
	RE278984	Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	26.00
	RE326214	Engine: Fuel/Water Separator Kit, Severe Duty - Tracks	620.00
	RE259709	Hitch and Drawbar: Bottom Roller Kit for Tracks Wide Swing Drawbar	1,780.00
	RE270268	Cat. 4/4N Quik Coupler Kit	2,741.00
	RE270270	Cat. 4N/3 Quik Coupler Kit	4,029.00
	RE310971	Cat. 5 High Capacity Wide Swing Drawbar Support Kit Ability to achieve 12,000 lbs. vertical load capacity.	594.00
	RE278847	Cat. 5 to Cat. 4 Drawbar Conversion Kit Converts Cat. 5 Drawbar for use with Cat. 4 Implements.	462.00
	RE266011	Drawbar Reinforcement Kit for Cat. 4 Drawbar for Track Tractors Factory Equipped with a Hitch or a Heavy Duty Drawbar Support Ability to achieve 11,000 lbs Vertical Load Capacity.	1,643.00
	RE311349	Electro-Hydraulic 3 Point Hitch with Draft Sensing for Track Tractors For Tractors equipped with a Factory Installed HD drawbar support. Additional parts are required - see installation instructions. Also requires Cat. 4N/3 Quik Coupler (RE270270), or 4/4N Quik Coupler (RE270268). Also required hitch cylinders to achieve 15,300 lb or 20,000 lb lift capacity. 15,300 lb hitch uses 1 x AHC10487 and 1 x AHC10488 cylinders. 20,000 lb hitch uses 2 x AHC10045. Requires Software download (R306826) to activate function.	20,252.00
	RE310798	Hydraulics: 3/4 In. Selective Control Valve Coupler Kit (Hi-Flow only)	2,142.00
	RE303735	5th Remote Selective Control Valve (for Standard flow Hydraulics) Requires Software download to activate function - See Parts.	1,331.00
	RE310796	6th Remote Selective Control Valve for AG High Flow Hydraulic Systems Not compatible with a factory or field installed 3 Pt. Hitch. Requires factory installed 5th SCV. Requires Software download to activate function - See Parts.	2,588.00
	RE303736	6th Remote Selective Control Valve for Standard Flow Hydraulic Systems Not compatible with a factory or field installed 3 Pt. Hitch. Requires factory or field installed 5th SCV. Requires Software download to activate function - See Parts.	2,070.00

9510RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE293259	ATTACHMENTS FOR FIELD CONVERSIONContinued Hitch Auxiliary Raise Kit For use with hitch valve with lift assist wheels. Compatible with all 9R Series Wheel and Track Tractors.	212.00
	RE310822	Hydraulic Trailer Brake Kit for Tracks Provides single line connection to hydraulic braking systems. Works with or without power beyond couplers.	1,106.00
	RE299261	Motor Seal Drain Kit	235.00
	RE293262	Power Beyond Coupler Kit Compatible with all Standard Flow Hydraulic Systems and Ag High Flow Hydraulic Systems. 1 or 2 pcs required for Ag High Flow Systems. Compatible with all Standard Flow Hydraulic Systems.	682.00
	RE330435	Lighting: Auxiliary Lighting Kit	88.00
	RE334623	Rotary Beacon Light Kit Switch is on CSM.	382.00
	RE311211	Miscellaneous: Tow Cable Kit - Track Tractors	2,368.00
	RE67685	Operator Environment: 9-Pin Connector for Implement Feedback Required for TouchSet Depth Control.	241.00
	RE317435	Accessory Mounting Bracket	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00
	RE273380	Back Up Alarm Kit	399.00
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	295.00
	RE269618	Windshield Wiper with Washer, Rear	193.00
	RE211995	PTO: 1000 RPM PTO Shield Kit	1,006.00
	RE304680	Field Installation Kit, PTO, Track All PTO mounting hardware and shielding is contained in kit.	14,666.00
	BPF10312	Software Downloads: Non-John Deere Guidance Compatibility Activation - AutoFarm/Novariant Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00

9510RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BPF10313	ATTACHMENTS FOR FIELD CONVERSIONContinued Non-John Deere Guidance Compatibility Activation - Hemisphere/Outback Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10433	Non-John Deere Guidance Compatibility Activation - Leica Geosystems Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10311	Non-John Deere Guidance Compatibility Activation - Raven Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10363	Non-John Deere Guidance Compatibility Activation - Trimble Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AR268522	Weights: Front Idler Weights Mounting	1,244.00
	RE309127	Front Weight Bracket Allows attachment of up to 26 Quick-Tatch weights.	1,800.00
	RE341774	One (LH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately) Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642 Reference Installation Instruction # RE342883 Not compatible with R2 style suitcase weights.	See Parts
	RE341775	One (RH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately) Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642 Reference Installation Instruction # RE342883 Not compatible with R2 style suitcase weights.	See Parts
	R199010	One Track Frame Weight Bracket (Order two. Holds 16 R127764 Weights each side) Also order 8- Cap Screws (19M8639) and 8- Washers (24M7242). Side Frame Weight Supports require Extremity Warning Lights (available through Parts).	See Parts
	RE286201	Two Track Frame Weight Supports and Extremity Lighting Kit	1,013.00
	R311921	Weight, Front Idler Starter - 79 lbs. (36 kg)	407.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00

9560RT Tractor

Equipment for Base Machine

```
ENGINE:
6-Cylinder Turbocharged John Deere PowerTech
                                                            INSTRUMENTATION:
  Diesel Engine with Electronic
                                                            Digital Instrument Panel includes
  Unit Injection
                                                              Engine Oil Pressure Gauge
Air to Air Aftercooled
13.5L (824 Cu. In.) Displacement
395 kW (538 Hp) Engine Power Level ECE-R24 @ Rated
                                                              Engine Coolant Temperature Gauge
                                                              Fuel Level Gauge
                                                              % Slip
                                                              Ground Speed
Engine Speed
412 kW (560 Hp) Engine Power Level 97/68EC @ Rated
                                                              PTO Speed
Engine Speed
                                                              System Voltage
Dry Type Air Cleaner with Safety Element,
                                                              Engine Hours
                                                              Service Hours with On-Board
  Airstack and Aspirator
Ether Starting Aid
Engine Coolant Heater 110V or 220V
                                                                Vehicle Monitor System
Vertical Engine Oil Filter
Dual Filter Fuel System
                                                            ELECTRICAL:
                                                            Key Shutoff
                                                            12V Electrical System
Three 925 CCA Capacity 12V Batteries
B2 Biodiesel Fuel from the Factory
                                                            200 Amp Alternator
One Electrical 3-Pin
TRANSMISSION:
18 Speed Powershift with Efficiency Manager
18 Forward/6 Reverse Speeds
                                                              12V Convenience Outlet
                                                              Ground Terminals Behind Console
Hydraulic Wet Clutch
                                                            7 - Terminal Ream Implement Electrical
STEERING AND BRAKES:
                                                              Outlet Socket
                                                            Battery Boost Terminal
Hydrostatic Differential Steering
                                                            GreenStar Ready Harness
Tilt/Telescoping Steering Wheel
                                                            with Implement Connector
AutoTrac Ready Steering Control Unit,
Wet Disk, Hydraulic Power Brakes
Spring-Applied, Hydraulically Released
  Park Brake
                                                              Factory Installed
Secondary Handbrake
                                                            LIGHTS:
HYDRAULICS:
                                                            Front Hood Lights (Eight Total)
                                                              Two HB3 65W Low Road Headlights
Two HB3 65W High Road Headlights
Pressure Flow Compensating
  Axial Piston Pump
182 lpm (48 gpm) Pump Output
Flow @ One SCV - 140 lpm (37 gpm)
                                                                with Hand Operated Dimmer Switch
                                                              Two 65W Adjustable Corner Work Lights
Four EH Remote Cylinder Controls
                                                              One 65W Adjustable Center Work Light
  with ISO Couplers
                                                              One 65W Adjustable Center Spot Light
Steering Pump - 100 cc
                                                            Four 65W Rear Fender Mounted
                                                              Pedestal Mounted Work Lights
PTO:
Less PTO
                                                            Cab Roof Lights
                                                              Two 65W Adjustable Front Flood Lights
                                                              Four 65W Fixed Side Flood Lights (2 per side)
HITCH AND DRAWBAR:
                                                              Two 65W Fixed Rear Flood Lights
Cat. 5 Wide Swing Drawbar with Rollers
Drawbar Clevis and Pin
                                                              Four 65W Fixed Corner Flood Lights (Region II
Secondary Chain Support
                                                              only)
Less Hitch
                                                            Four Corner Amber Flashing Warning Lights
                                                              with Turn Signal Control (Not for Region II)
                                                            Two Rear Fender Tail/Brake/Turn lights
COMMANDVIEW CAB:
Roll Over Protective Structure
                                                            Road Transport Extremity Lights (Not Region II)
Air Conditioner and Heater
                                                            EU Front and Rear Extremity Position Lighting Kit
One Interior Rear View Mirror
                                                            (Region II Only)
Electrically Adjustable Mirrors, RH and LH
Command Center Color Display
                                                            762 mm (30 In.) Wide, 208 mm (8.2 In.) Pitch
Camoplast DURABUILT 3500 Tracks
Comfort Command Seat with
  Air Suspension
  Swivel
                                                            2692 mm (106 In.) Track Spacing
  Fore-Aft and Lateral Attenuation
                                                            Two Piece Midrollers
  Armrest Controls
  Lumbar Support
                                                            VEHICLE:
  Backrest Adjustment
                                                            SMV Emblem (if required)
Tinted Glass
                                                            Electric Horn
Two-Speed Front Wiper with
                                                            Toolbox
  Variable Speed Delay
                                                            Rear Storage Box (except with PTO and Wide Swing
Swing-Out Rear Window
Three Monitor Ready Locations
Two Convenience 12V Outlets
                                                            1287 L (340 U.S. Gallon) Fuel Tank Capacity
                                                            Flexible Lower Step
AM/FM Radio Mounting Bracket
  with Wiring Harness
Field Cruise
Left Hand Storage
iTEC (Intelligent Total Equipment Control)
```

Implement Management System and Hitch Slip Command

9560RT Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
03Q0RW		9560RT Tractor	416,175.00
		DESTINATION	
		A Code must be chosen for each Tractor ordered.	
0007		Africa Cameroon Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0014		Democratic Republic of Congo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0016		Egypt Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine Requires Code 8306 - Severe Duty Fuel/Water Separator Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

0019

Requires Code 1885 JDLink Capable.
Requires Code 8338 - Stage 2 Compliant Engine.
Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.

Same Price

9560RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0029		DESTINATIONContinued Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0043		Senegal Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0050		Tanzania Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0072		Asia China (People's Republic of China) Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0094		Philippines Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0098		Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

9560RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	
0184		North America Canada Requires code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0193		Honduras Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0195		Mexico Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe commandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0202		United States Requires code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0210		South America Argentina Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0211		Bolivia Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

9560RT Tractor

CODE	ATTACHMENT	DESCRIPTION	SUGGESTED LIST PRICE
CODE	IDENTIFIER		USD (\$)
0212		DESTINATIONContinued Brazil Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Requires Code 8782 - Back Up Alarm. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0214		Colombia Requires Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0219		Suriname Requires Code 1821 GS3 CommandCenter or Code 1823 touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
		VALUE PACKAGE CONFIGURATIONS	
0500		No Package	In Base Price
0533		Standard Value Package <i>Includes Codes 2050, 2650, 3241, 3341 or 3351, and 7200.</i>	-1,150.00
0535		Deluxe Value Package Includes Codes 2059, 2660, 3241, 3341 or 3351, and 7201.	-1,725.00
0537		Deluxe Value Package with Hi-Flow Hydraulics Includes Codes 2059, 2660, 3270, 3352 and 7201.	-1,725.00
0539		Premium Value Package with Hi-Flow Hydraulics Includes Codes 2059, 1823 or 1826, 2661 or 2662, 3270, 3352 and 7202.	-2,000.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on the Control Switch Module (CSM). Front Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Folding Instructional Seat. No Mirrors. See Attachments Section for ordering information on Additional Field Attachments.	-2,009.00
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter	In Base Price

9560RT Tractor

Continued

SUGGESTED
ATTACHMENT LIST PRICE
CODE IDENTIFIER DESCRIPTION USD (\$)

OPERATOR STATION ... Continued...

Display.

Remote Radio Controls Located on Control Switch Module (CSM).

Front and Rear Windshield Wiper and Washer.

Automatic Temperature Control with controls located on CSM.

Front Pull Down Sun Shade.

Right and Left Outside Manually Adjustable Mirrors.

Power Strip with Convenience Plug Adapter.

Programmable Egress Lighting. Folding Instructional Seat.

See Attachments Section for ordering information on Additional Field Attachments.

DISPLAY

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1821 GS3 CommandCenter 7" Color Display In Base Price

Includes GreenStar Parallel Tracking and Access Manager. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. AutoTrac activation can be ordered with the Tractor.

Swath Control Pro activation must be ordered through AMS price pages.

Does not include a cornerpost bracket for mounting an additional GreenStar Display.

1823 GS3 Touchscreen Command Center, 7" Color Display, Video Capable 1,260.00

Includes GreenStar Parallel Tracking, Access Manager and Video Capability. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions.

One video input and tractor function activated triggers.

AutoTrac activation can be ordered with the tractor.

Swath Control Pro activation must be ordered through AMS price pages.

Does not include a cornerpost bracket for mounting an additional GreenStar Display.

1825 GS3 CommandCenter 7" Color Display with GreenStar 3 2630 Display 5,895.00

Includes GreenStar Parallel Tracking and Access Manager. Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions.

AutoTrac activation can be ordered with the tractor.

Swath Control Pro activation must be ordered through AMS price pages.

GS3 2630 display and harness installed on the A-Post display bracket. Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS warranty items.

1826 GS3 Touchscreen CommandCenter 7" Color Display, Video Capable with 7,160.00

GreenStar 3 2630 Display

Includes GreenStar Parallel Tracking, Access Manager and Video Capability.

Capable of operating AutoTrac and Swath Control Pro. Access Manager is password protection on display functions. One video input and tractor function activated triggers. AutoTrac activation can be ordered with the tractor.

Swath Control Pro activation must be ordered through AMS price pages. GS3 2630 display and harness installed on the A-Post display bracket.

Warranty on GreenStar 3 2630 Display will be handled by AMS and will carry normal AMS

warranty terms.

9560RT Tractor

Continued

SUGGESTED LIST PRICE USD (\$)	T DESCRIPTION	ATTACHMENT IDENTIFIER	CODE
	RECEIVER		
	StarFire 3000 Position Receivers can be ordered in two configurations: -SF1, a no-charge differential correction signal that provides non-row-crop accuracySF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.comRTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual.		
	GNSS serial port information (NMEA) is available through a StarFire 3000.		
	Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.		
In Base Price	No StarFire 3000 Position Receiver Tractor includes deluxe receiver mounting bracket only.		1835
	When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.		
2,695.00	StarFire 3000 Position Receiver - SF1 with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.		1837
	Ready for use with the StarFire SF1 or WAAS/EGNOS differential correction signal for non-row-crop accuracy. StarFire 3000 receiver can be upgraded to SF2 capabilities.		
4,695.00	StarFire 3000 Position Receiver - SF2 Ready with Deluxe Shroud Tractor includes deluxe receiver mounting bracket only. StarFire 3000 Receiver shipped inside the cab. Includes Receiver Operator's Manuals with the language translation to match the Tractor Operator's Manual language translation. Warranty on StarFire 3000 Receiver will be handled by AMS and will carry normal AMS warranty terms.		1838
	A StarFire3000 SF2 Ready Receiver requires an SF2 network subscription to obtain SF2 accuracy (+/-4" of accuracy pass to pass within 15 minutes, 95% of the time). The SF2 subscription is available through StellarSupport.com or by calling the AMS Customer Call Center.		

AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS

Other activations sold separately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.

When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, all GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.

Dealer/Distributor required to contact Stellar Support to activate AMS Software Activations, referencing the Tractor order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

9560RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONSContinued	
1845		No AutoTrac Activation	In Base Price
1846		AutoTrac GS3 SF1 Activation Requires Code 1837 StarFire 3000 SF1 Receiver for AutoTrac functionality. See AMS sales manual and price pages for detailed information.	3,000.00
1847		AutoTrac GS3 SF2 Activation Requires Code 1838 StarFire 3000 SF2 Receiver for AutoTrac functionality. Also requires SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation and base station sold separately. See AMS sales manual and price pages for detailed information.	6,500.00
1848		AutoTrac GS3 SF1 Activation with iTEC Pro Requires Code 1837 StarFire 3000 SF1 Receiver and Code 1825 or 1826 GreenStar 3 Display. This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. See AMS sales manual and price pages for detailed information.	5,500.00
1849		AutoTrac GS3 SF2 Activation with iTEC Pro Requires Code 1838 StarFire 3000 SF2 Receiver and Code 1825 or 1826 GreenStar 3 2630 Display. This option requires all GreenStar applications to be run on the GreenStar 3 2630 Display. This option also requires SF2 Subscription sold separately for SF2 functionality. For RTK usage, purchase RTK radio, activation and base station sold separately. See AMS sales manual and price pages for detailed information.	9,000.00
		MACHINE CONNECTIVITY Machine connectivity functions require cellular coverage. Usage of the JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract, which describes John Deere's access and use of the data collected by the system.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	2,400.00

9560RT Tractor

	ATTACHMENT		SUGGESTED LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)
1887		MACHINE CONNECTIVITYContinued JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability.	1,200.00
		Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	
		TRANSMISSION	
1492		18 Speed Powershift, 18 F/6R Speeds with Efficiency Manager	In Base Price
		LIGHTS	
7200		Standard Lighting Eight Front Grill Mounted Lights: Two 65W low beam driving lights, two 65W high beam driving lights, two front corner facing halogen work lights and two center facing halogen work lights.	-762.00
		Ten Cab Roof Mounted Lights: Two rear and four side facing 65W flood lights and four corner facing amber lights. Four rear fender mounted flood lights and two rear Tail/Brake/Turn Lights. Road Transport Extremity Lights.	
7201		Deluxe Lighting Includes Standard lighting plus 2 adjustable front roof 65W halogen floodlights and a rotary beacon light.	In Base Price
7202		Premium HID Lighting Includes Deluxe Lighting, and in the grill, two front corner HID lights replace two front halogen lights and one HID light replaces a center halogen flood light. Two of the rear fender lights are replaced with HID lights.	3,442.00
		RADIO	
2650		Less Radio, Less Speakers Includes wiring harness only for radio and speakers, no radio and no speakers.	In Base Price
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack Located on Front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter,XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna.	1,015.00

9560RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RADIO Continued Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display. For U.S. and Canada only.	
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna. Not for US or Canada.	912.00
		REAR POWER TAKE OFF	
3800		Less Rear PTO	In Base Price
3810		1000-rpm PTO with 1 3/4-In. Shaft Not compatible with Rear Storage Box.	14,340.00
		REAR HITCH	
		Advertised Hitch Lift Capacity is the amount of force that is sustained through the entire range of lift, measured at 610 mm behind the hitch point. This is measured with the rear hitch centerlink connected to the upper hole. See Operators Manual for more information.	
4000		Less Rear Hitch	In Base Price
4051		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4/4N, Adjustable Quik Coupler; 6940 kg (15,300 Lb.) Lift Capacity Not compatible with wide Swing drawbar Code 4328 or 4329. Includes Heavy-Duty Drawbar Support. Maximum number of SCV's with a Hitch is five.	20,789.00
4053		Electric-Hydraulic 3-Point Hitch with Draft Sensing and Cat. 4/4N, Adjustable Quik Coupler; 9072 kg (20,000 Lb.) Lift Capacity Not compatible with wide Swing drawbar Code 4328 or 4329. Includes Heavy-Duty Drawbar Support. Maximum number of SCV's with a Hitch is five.	23,259.00
		DRAWBAR	
4327		Cat. 5 Drawbar with Drawbar Support, Hammerstrap and Pin (non-swinging) Required for heavy drawbar applications such as DB Planters. See Ag Sales Manual for complete load capacity and compatibility information.	167.00
4329		Cat. 5 Heavy-Duty Wide Swing Drawbar on Rollers Not compatible with 3-Point hitch Code 4050, 4051, 4052, 4053. Not compatible with Rear Storage Box. See Ag Sales Manual for complete load capacity and compatibility information.	In Base Price
		HYDRAULIC PUMP	
3241		Standard Hydraulic System, 182 lpm (48 gpm) Provides up to 140 lpm (37gpm) flow @ one SCV. Requires Code 3341 or Code 3351 - Rear Remote SCVs. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price

9560RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		HYDRAULIC PUMPContinued	
3270		Hi-Flow Hydraulic System, 295 lpm (78 gpm) Provides up to 170 lpm (45 gpm) flow @ one SCV. Requires Code 3352 Five Deluxe SCV's. Refer to the Ag Sales Manual for Implement compatibility. SCVs 1-3 supplied by one pump, SCVs 4&5 supplied by secondary pump.	5,885.00
		HYDRAULIC STEERING PUMP	
7500		Steering Pump - 100cc Recommended in traditional Ag applications with flat terrain. Standard Equipment on all Ag Track Tractors.	In Base Price
7501		Heavy Duty Steering Pump - 130cc Recommended for hillside applications.	2,720.00
		HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)	
3341		Four Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3241 - 182 lpm Hydraulic Pump. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3351		Five Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Standard Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3241 - 182 lpm Hydraulic Pump. Refer to the Ag Sales Manual for Implement compatibility.	1,350.00
3352		Five Deluxe Electro-Hydraulic Rear Remote Selective Control Valves (Hi-flow Hydraulic System) TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Requires Code 3270 - 295 lpm Hydraulic Pump. Refer to the Ag Sales Manual for Implement compatibility.	1,350.00
		TRACKS	
6820		762 mm (30 ln.) Width, 208 mm (8.2 ln.) Pitch Camoplast DURABUILT 3500 Tracks	In Base Price
6825		914 mm (36 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABUILT 3500 Tracks	7,561.00
6821		762 mm (30 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABUILT 5500 Tracks	7,274.00
6826		914 mm (36 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABUILT 5500 Tracks	10,910.00
		OPERATOR'S MANUAL AND LABELS	
		A Code must be chosen for each Tractor ordered.	
0401		Arabic	Same Price

9560RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		OPERATOR'S MANUAL AND LABELSContinued	
0426		Mandarin (Chinese)	Same Price
0409		English Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	In Base Price
0413		French Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0430		Portuguese Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0433		Russian Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
8210		SPECIAL EQUIPMENT - FACTORY INSTALLED Operator Station and Electrical: Leather Trim Package For CommandView II, Deluxe CommandView II, and Premium CommandView II cabs. Includes heated leather seat, leather instructional set, leather wrapped steering wheel and rear window decal.	1,646.00
8229		External Mirrors, Electrically Adjustable RH and LH Must order Code 2059. Not compatible with Code 2050. Region IV (United States, Canada, Costa Rica, Australia and New Zealand) only.	540.00
8242		Radar with Dual Beam Sensor	900.00
8251		Antenna Mount and Wiring for Business Band Radio	129.00
8725		Rotary Beacon Light Requires Code 7200 Standard Lighting.	347.00
832F		Hydraulics: Motor Seal Drain Kit Required with all Rear Hitch Codes 4050, 4051, 4052, 4053.	628.00
8756		Hydraulic Trailer Brake Valve	1,006.00
8782		Electrical & Lights Back Up Alarm	363.00

9560RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued	
8306		Engine: Fuel/Water Separator, Severe Duty	564.00
8338		John Deere PowerTech 13.5 L (824 cu.in.) 6 Cyl Stage 2 Compliant Diesel Engine	-16,883.00
8340		John Deere PowerTech PSX 13.5 L (824 cu. in.) 6 Cyl. iT4 / Stage 3b Compliant Diesel	Same Price
		Ballast: Please refer to Ag Sales Manual when ordering weights.	
8955		Front Weight Support - 304 kg (670 Lb.) (Holds up to 26-R127764)	1,125.00
8962		Front Weight Support with 20 Weights	3,818.00
8964		Front Weight Support with 26 Weights	5,168.00
8995		Two Track Frame Weight Brackets - One Per Side Weights must be field installed due to shipping width limitations.	555.00
8985		Front Idler Starter Ballast Package Front Idler Starter Weight Package Includes: 4 - R311921 Starter Weights 36 Kg (80 lb) each. Total Package Weight; 146 Kg (320 lb).	1,351.00
8986		Front Idler Weights Ballast Package Requires Code 8985 Front Idler Starter Ballast Package. This includes 8 weights; 4 - 75 Kg (165 lb) and 4 - 205 Kg (450 lb) weights. Total Package Weight; 1120 Kg (2640 lb)	2,906.00
		ATTACHMENTS - ORDER AS DESIRED	
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE343324	Electrical: Battery Disconnect Kit	115.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE269398	Mounting Kit - Dual Beam Radar Sensor for Tracks The Mounting Kit does not include Dual Beam Radar Sensor. If Dual Beam Radar Sensor is needed, order Dual Beam Radar Sensor (RE278980, RE278984, RE278986 or RE278982).	180.00

9560RT Tractor

			SUGGESTED
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	LIST PRICE USD (\$)
	RE278980	ATTACHMENTS FOR FIELD CONVERSIONContinued Radar with Dual Beam Sensor	See Parts
	RE278984	Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts
	RE325025	iTEC 3/4 Switch Requires software download. Reference Installation instructions for additional information.	26.00
	RE326214	Engine: Fuel/Water Separator Kit, Severe Duty - Tracks	620.00
	RE259709	Hitch and Drawbar: Bottom Roller Kit for Tracks Wide Swing Drawbar	1,780.00
	RE270268	Cat. 4/4N Quik Coupler Kit	2,741.00
	RE270270	Cat. 4N/3 Quik Coupler Kit	4,029.00
	RE310971	Cat. 5 High Capacity Wide Swing Drawbar Support Kit Ability to achieve 12,000 lbs. vertical load capacity.	594.00
	RE278847	Cat. 5 to Cat. 4 Drawbar Conversion Kit Converts Cat. 5 Drawbar for use with Cat. 4 Implements.	462.00
	RE266011	Drawbar Reinforcement Kit for Cat. 4 Drawbar for Track Tractors Factory Equipped with a Hitch or a Heavy Duty Drawbar Support Ability to achieve 11,000 lbs Vertical Load Capacity.	1,643.00
	RE311349	Electro-Hydraulic 3 Point Hitch with Draft Sensing for Track Tractors For Tractors equipped with a Factory Installed HD drawbar support. Additional parts are required - see installation instructions. Also requires Cat. 4N/3 Quik Coupler (RE270270), or 4/4N Quik Coupler (RE270268). Also required hitch cylinders to achieve 15,300 lb or 20,000 lb lift capacity. 15,300 lb hitch uses 1 x AHC10487 and 1 x AHC10488 cylinders. 20,000 lb hitch uses 2 x AHC10045. Requires Software download (R306826) to activate function.	20,252.00
	RE310798	Hydraulics: 3/4 In. Selective Control Valve Coupler Kit (Hi-Flow only)	2,142.00
	RE303735	5th Remote Selective Control Valve (for Standard flow Hydraulics) Requires Software download to activate function - See Parts.	1,331.00
	RE310796	6th Remote Selective Control Valve for AG High Flow Hydraulic Systems Not compatible with a factory or field installed 3 Pt. Hitch. Requires factory installed 5th SCV. Requires Software download to activate function - See Parts.	2,588.00
	RE303736	6th Remote Selective Control Valve for Standard Flow Hydraulic Systems Not compatible with a factory or field installed 3 Pt. Hitch. Requires factory or field installed 5th SCV. Requires Software download to activate function - See Parts.	2,070.00

9560RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE293259	ATTACHMENTS FOR FIELD CONVERSIONContinued Hitch Auxiliary Raise Kit For use with hitch valve with lift assist wheels. Compatible with all 9R Series Wheel and Track Tractors.	212.00
	RE310822	Hydraulic Trailer Brake Kit for Tracks Provides single line connection to hydraulic braking systems. Works with or without power beyond couplers.	1,106.00
	RE299261	Motor Seal Drain Kit	235.00
	RE293262	Power Beyond Coupler Kit Compatible with all Standard Flow Hydraulic Systems and Ag High Flow Hydraulic Systems. 1 or 2 pcs required for Ag High Flow Systems. Compatible with all Standard Flow Hydraulic Systems.	682.00
	RE330435	Lighting: Auxiliary Lighting Kit	88.00
	RE334623	Rotary Beacon Light Kit Switch is on CSM.	382.00
	RE311211	Miscellaneous: Tow Cable Kit - Track Tractors	2,368.00
	RE67685	Operator Environment: 9-Pin Connector for Implement Feedback Required for TouchSet Depth Control.	241.00
	RE317435	Accessory Mounting Bracket	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00
	RE273380	Back Up Alarm Kit	399.00
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	295.00
	RE269618	Windshield Wiper with Washer, Rear	193.00
	RE211995	PTO: 1000 RPM PTO Shield Kit	1,006.00
	RE304680	Field Installation Kit, PTO, Track All PTO mounting hardware and shielding is contained in kit.	14,666.00
	BPF10312	Software Downloads: Non-John Deere Guidance Compatibility Activation - AutoFarm/Novariant Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00

9560RT Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	BPF10313	ATTACHMENTS FOR FIELD CONVERSIONContinued Non-John Deere Guidance Compatibility Activation - Hemisphere/Outback Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10433	Non-John Deere Guidance Compatibility Activation - Leica Geosystems Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10311	Non-John Deere Guidance Compatibility Activation - Raven Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	BPF10363	Non-John Deere Guidance Compatibility Activation - Trimble Required for communication between non-John Deere guidance systems and the Tractor's steering components. Consult guidance system selling dealer for compatibility information.	250.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AR268522	Weights: Front Idler Weights Mounting	1,244.00
	RE309127	Front Weight Bracket Allows attachment of up to 26 Quick-Tatch weights.	1,800.00
	RE341774	One (LH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately) Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642 Reference Installation Instruction # RE342883 Not compatible with R2 style suitcase weights.	See Parts
	RE341775	One (RH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately) Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642 Reference Installation Instruction # RE342883 Not compatible with R2 style suitcase weights.	See Parts
	R199010	One Track Frame Weight Bracket (Order two. Holds 16 R127764 Weights each side) Also order 8- Cap Screws (19M8639) and 8- Washers (24M7242). Side Frame Weight Supports require Extremity Warning Lights (available through Parts).	See Parts
	RE286201	Two Track Frame Weight Supports and Extremity Lighting Kit	1,013.00
	R311921	Weight, Front Idler Starter - 79 lbs. (36 kg)	407.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00

9460RT Scraper Tractor

Equipment for Base Machine

```
ENGINE:
                                                             Digital Instrument Panel includes
6-Cylinder Turbocharged John Deere
                                                                Engine Oil Pressure Gauge
  Diesel Engine with Electronic
                                                                Engine Coolant Temperature Gauge
  Unit Injection
                                                                Fuel Level Gauge
Air to Air Aftercooled
13.5L (824 Cu. In.) Displacement
325 kW (422 Hp) Engine Power Level ECE-R24 @ Rated
                                                                % Slip
                                                                Ground Speed
                                                                PTO Speed
                                                                System Voltage
Engine Speed
338 kW (460 Hp) Engine Power Level 97/68EC @ Rated
                                                                Engine Hours
                                                                Service Hours with On-Board
Engine Speed
Dry Type Air Cleaner with Safety Element,
Airstack and Aspirator
                                                                  Vehicle Monitor System
Ether Starting Aid
Engine Coolant Heater 110V or 220V
                                                             ELECTRICAL:
                                                             Key Shutoff
Vertical Engine Oil Filter
Dual Filter Fuel System
                                                             12V Electrical System
Three 925 CCA Capacity,
B2 Biodiesel Fuel from the Factory
                                                                12V Batteries
                                                              200 Amp Alternator
TRANSMISSION:
                                                             One Electrical 3-Pin
18 Speed Powershift with Efficiency Manager
                                                                12V Convenience Outlet
18 Forward/6 Reverse Speeds Hydraulic Wet Clutch
                                                                Ground Terminals Behind Console
                                                             7-Terminal Rear Implement Electrical
                                                                Outlet Socket
STEERING AND BRAKES:
                                                             Battery Boost Terminal
                                                             GreenStar Ready Harness
Hydrostatic Differential Steering
                                                                with Implement Connector
Tilt/Telescoping Steering Wheel
Wet Disk, Hydraulic Power Brakes
Spring-Applied, Hydraulically Released
                                                             LIGHTS:
  Park Brake
                                                             Front Hood Lights (Eight Total)
HYDRAULICS:
                                                                Two HB3 65W Low Road HeadLights
                                                                Two HB3 65W High Road HeadLights
Pressure Flow Compensating
                                                                 with Hand Operated Dimmer Switch
  Axial Piston Pump
284 lpm (75 gpm) Pump Output
Flow @ one SCV - 170 lpm (45 gpm)
                                                                Two 65W Adjustable Corner Work Lights
                                                                One 65W Adjustable Center Work Light
Four EH Remote Cylinder Controls with
                                                                One 65W Adjustable Center Spot Light
                                                             Four 65W Rear Fender Mounted
  ISO Couplers
Steering Pump - 130 cc
                                                                Pedestal Mounted Work Lights
                                                             Cab Roof Lights
PTO:
                                                                Two 65W Adjustable Front Flood Lights
                                                                Four 65W Fixed Side Flood Lights (2 per side)
Less PTO
                                                                Two 65W Fixed Rear Flood Lights
HITCH AND DRAWBAR:
                                                                Four 65W Fixed Corner Flood Lights (Region II
Less Hitch
                                                                only)
                                                                Four Corner Amber Flashing Warning Lights
with Turn Signal Control (Not Region II)
Heavy Duty Short Drawbar Support
  Less Drawbar
                                                             Two Rear Fender Tail/Brake/Turn lights
                                                             Road Transport Extremity Lights (Not Region II) EU Front and Rear Extremity Position Lighting Kit
COMMANDVIEW CAB:
Roll Over Protective Structure (ROPS)
Falling Object Protection Structure (Level 1 FOPS)
                                                              (Region II only)
Air Conditioner and Heater
                                                             Rotary Beacon Light
One Interior Rear View Mirror
Comfort Command Seat with
                                                              762 mm (30 In.) Width, 208 mm (8.2 In.) Pitch
  Air Suspension
  Swivel
                                                             Camoplast DURABUILT 5500 Scraper Tracks
  Fore-Aft and Lateral Attenuation
                                                              2692 mm (106 In.) Track Spacing
  Armrest Controls
                                                             Two Piece Midrollers
  Lumbar Support
  Backrest Adjustment
                                                             VEHICLE:
Tinted Glass
                                                             SMV Emblem (if required)
                                                             Electric Horn
Two-Speed Front Wiper with
  Variable Speed Delay
                                                             Toolbox
                                                             1287 L (340 U.S. Gallons)
Fuel Tank Capacity
Swing-Out Rear Window
Three Monitor Ready Locations
Two Convenience 12V Outlets
                                                             Flexible Lower Step
AM/FM Radio Mounting Bracket
                                                             Back Up Alarm
  with Wiring Harness
                                                             Tow Cable
Field Cruise
Left Hand Storage
iTEC (Intelligent Total Equipment Control)
Implement Management System
```

INSTRUMENTATION:

9460RT Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
03L0RW		9460RT Scraper Tractor	398,582.00
		DESTINATION	
		A Code must be chosen for each Tractor ordered.	
0007		Africa Cameroon Requires Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0014		Democratic Republic of Congo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0016		Egypt Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab	Same Price

0019 Ethiopia

Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.

Code 7201 Deluxe Lighting

Same Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0029		DESTINATIONContinued Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0043		Senegal Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0050		Tanzania Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0072		Asia China (People's Republic of China) Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0094		Philippines Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0098		Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	
0184		North America Canada Requires code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting	Same Price
0193		Honduras Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0202		United States Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0210		South America Argentina Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0211		Bolivia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0212		DESTINATIONContinued Brazil Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0214		Colombia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0219		Suriname Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
		VALUE PACKAGE CONFIGURATIONS	
0500		No Package	In Base Price
0525		Deluxe Scraper Value Package with Hi-Flow Hydraulics Includes Codes: 2059, 2660, 3272, 3342 or 3361, 7201.	-1,725.00
0526		Premium Scraper Package with Hi-Flow Hydraulics <i>Includes Codes: 1823, 2059,2661 or 2662, 3272, 3342 or 3361, 7202.</i>	-2,000.00
		DISPLAY/MONITOR	
		When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1821		GS3 CommandCenter 7" Color Display Includes Access Manager user lockout software. AMS Activations must be ordered through AMS price pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	In Base Price
1823		GS3 Touchscreen Command Center, 7" Color Display, Video Ready Includes Access Manager user lockout software. One video input and tractor function activated triggers. AMS Activations must be ordered through AMS price pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	1,260.00

9460RT Scraper Tractor

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RECEIVER	
		StarFire 3000 Position Receivers can be ordered in two configurations: -SF1 A no-charge differential correction signal that provides non-row-crop accuracySF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.comRTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual.	
		GNSS serial port information (NMEA) is available through a StarFire 3000.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1835		No StarFire 3000 Position Receiver Includes Deluxe receiver mounting bracket only. When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.	In Base Price
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS	
		Other activations sold separately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.	
		When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, all GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.	
		Dealer/Distributor required to contact Stellar Support to activate AMS Software Activations, referencing the Tractor order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1845		Less AutoTrac Activation	In Base Price
		MACHINE CONNECTIVITY	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately.	2,400.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability. Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	1,200.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on the Control Switch Module (CSM). Front Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Folding Instructional Seat. No Mirrors. See Attachments Section for ordering information on Additional Field Attachments.	-2,009.00
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on Control Switch Module (CSM). Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CSM. Front Pull Down Sun Shade. Right and Left Outside Manually Adjustable Mirror Heads. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. See Attachments Section for ordering information on Additional Field Attachments.	In Base Price
		TDANGMICCION	
1400		TRANSMISSION	la Dece D'
1492		18 Speed Powershift, 18 F/6R Speeds with Efficiency Manager	In Base Price
		RADIO	
2650		Less Radio, Less Speakers	In Base Price

CODE	ATTACHMENT IDENTIFIER	. DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RADIOContinued Includes wiring harness only for radio and speakers, no radio and no speakers.	
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack Located on Front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter,XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display. For U.S. and Canada only.	1,015.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna.	912.00
		Not U.S. and Canada.	
		HYDRAULIC SYSTEM	
3272		Hi-Flow Hydraulic System, 284lpm (75 gpm) Provides up to 170 lpm (45 gpm)flow @ one SCV. Requires Code 3342 or Code 3361 - Four or Six Rear Remote SCVs.	In Base Price
		HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)	
3342		Four - 3/4" Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Hi-Flow Hydraulic System) Requires Code 3272 - Hi-Flow Hydraulic System. Requires 3/4" hose tips on implement. TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3361		Six - 3/4" Deluxe Electro-Hydraulic Rear Remote Selective Control Valves (Hi-Flow Hydraulic System) Requires Code 3272 - Hi-Flow Hyddraulic System. Requires Code 8756 (Hydraulic Trailer Brake Valve). Requires 3/4" hose tips on implement. TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Refer to the Ag Sales Manual for Implement compatibility.	4,136.00
		DRAWBAR	
4330		Drawbar Support for Short Scraper Drawbars Requires short scraper drawbar. Recommended for use with John Deere brand scrapers. Refer to the Ag Sales Manual for more details. Order drawbar from Scraper Price Pages.	In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRACKS	
6822		762 mm (30 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABILT 5500 Scraper Tracks	In Base Price
		LIGHTS	
7201		Deluxe Lighting Eight Front Grill Mounted Lights: Two 65W low beam driving lights, two 65W high beam driving lights, two front corner facing halogen work lights and two center facing halogen work lights. Twelve Cab Roof Mounted Lights: Two rear, two front, four side facing 65W flood lights and four corner facing amber lights. Four rear fender mounted flood lights and two rearTail/Brake/Turn lights.	In Base Price
7202		Road Transport Extremity Lights(foldable) and a Rotary beacon light. Premium HID Lighting Includes Deluxe Lighting, plus in the grill, two front corner HID lights replace two front halogen lights and one HID light replaces a center halogen flood light. Two of the rear fender lights are replaced with HID lights.	3,442.00
		OPERATOR'S MANUAL AND LABELS	
		A Code must be chosen for each Tractor ordered.	
0401		Arabic	Same Price
0426		Mandarin (Chinese)	Same Price
0409		English Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	In Base Price
0413		French Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0430		Portuguese Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0433		Russian Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8229		Operator Station and Controls: External Mirrors, Electrically Adjustable RH and LH For Deluxe Cab Code 2059. Not compatible with Code 2050.	1,344.00

9460RT Scraper Tractor

Continued

CODE	ATTACHMENT	T DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
832A		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued AutoLoad Tractor Includes Factory Installation of tractor specific components for AutoLoad (AutoLoad controller, and AutoLoad specific CommandARM controls). For a fully functional AutoLoad System, requires additional components from Scraper Price Pages including but not limited to AutoLoad ready scraper drawbar. See both Scraper Tractor and Scraper Price Pages and Sales Manual for complete information. Requires Code 8242 Radar.	10,553.00
8242		Radar with Dual Beam Sensor	900.00
8251		Antenna Mount and Wiring for Business Band Radio	129.00
8756		Brakes & Steering: Hydraulic Trailer Brake Valve Required for operation of triple pans. Rear pan must have hydraulic trailer brakes when operating triple configuration.	1,006.00
8306		Engine: Fuel/Water Separator, Severe Duty Required for Tractors with Stage II engines. This code will be an option for Tractors with iT4/3b engines.	564.00
8338		John Deere PowerTech 13.5 L (824 cu.in.) 6 Cyl Stage 2 Compliant Diesel Engine	-16,883.00
8340		John Deere PowerTech PSX 13.5 L (824 cu. in.) 6 Cyl. iT4 / Stage 3b Compliant Diesel	Same Price
		Weights & Ballast:	
		Ballast Recommendations: Please refer to Ag Sales Manual when ordering weights.	
8955		Front Weight Support - 304 kg (670 Lb.) (Holds up to 26-R127764)	1,125.00
8962		Front Weight Support with 20 Weights	3,818.00
8964		Front Weight Support with 26 Weights	5,168.00
8995		Two Track Frame Weight Brackets - One Per Side Weights must be field installed due to shipping width limitations.	555.00
8986		Front Idler Weights Ballast Package Requires Code 8985 Idler Starter Weight Package. This includes 8 weights, 4 - 75 Kg (165 lb) and 4 - 205 Kg (450 lb) weights. Total package Weight 1120 Kg (2460 lb).	2,906.00
8985		Front Idler Starter Weight Package Front Idler Starter Weight Package includes: 4 - R3111921 Weights 36 Kg (80 lb) each weight. Total Package Weight 144 Kg (320 lb).	1,351.00

ATTACHMENTS - ORDER AS DESIRED

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE343324	Electrical: Battery Disconnect Kit	115.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE269398	Mounting Kit - Dual Beam Radar Sensor for Tracks The Mounting Kit does not include Dual Beam Radar Sensor. If Dual Beam Radar Sensor is needed, order Dual Beam Radar Sensor (RE278980, RE278984, RE278986 or RE278982).	180.00
	RE278980	Radar with Dual Beam Sensor	See Parts
	RE278984	Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts
	RE326214	Engine: Fuel/Water Separator Kit, Severe Duty - Tracks	620.00
	RE311079	Hydraulics: 5th and 6th Scraper High Flow Remote Cylinder Selective Control Valve with Breakaway Couplers Additional parts may be required - see installation instructions. Requires Software download from PDC to activate function. Hydraulic Trailer Brake for PST (RE310822) is recommended for Track.	4,411.00
	RE310822	Hydraulic Trailer Brake Kit for Tracks Provides single line connection to hydraulic braking systems. Works with or without power beyond couplers.	1,106.00
	RE330435	Lighting: Auxiliary Lighting Kit	88.00
	RE334623	Rotary Beacon Light Kit	382.00
	NE004020	Switch is on CSM.	302.00
	RE310865	Miscellaneous: AutoLoad Scraper Tractor - Field Installed	11,608.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE334134	ATTACHMENTS FOR FIELD CONVERSIONContinued Scraper Hose Support	552.00
	RE311211	Tow Cable Kit - Track Tractors	2,368.00
	RE317435	Operator Environment: Accessory Mounting Bracket	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00
	RE273380	Back Up Alarm Kit	399.00
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	295.00
	RE269618	Windshield Wiper with Washer, Rear	193.00
	RE211995	PTO: 1000 RPM PTO Shield Kit	1,006.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AR268522	Weights: Front Idler Weights Mounting	1,244.00
	RE309127	Front Weight Bracket Allows attachment of up to 26 Quick-Tatch weights.	1,800.00
	RE341774	One (LH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately) Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642 Reference Installation Instruction # RE342883 Not compatible with R2 style suitcase weights.	See Parts
	RE341775	One (RH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately) Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642 Reference Installation Instruction # RE342883 Not compatible with R2 style suitcase weights.	See Parts
	R199010	One Track Frame Weight Bracket (Order two. Holds 16 R127764 Weights each side) Also order 8- Cap Screws (19M8639) and 8- Washers (24M7242). Side Frame Weight Supports require Extremity Warning Lights (available through Parts).	See Parts
	RE286201	Two Track Frame Weight Supports and Extremity Lighting Kit	1,013.00
	R311921	Weight, Front Idler Starter - 79 lbs. (36 kg)	407.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00

9460RT Scraper Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

9510RT Scraper Tractor

Equipment for Base Machine

```
ENGINE:
                                                            INSTRUMENTATION:
6-Cylinder Turbocharged John Deere PowerTech
                                                            Digital Instrument Panel includes
  Diesel Engine with Electronic
                                                               Engine Oil Pressure Gauge
  Unit Injection
                                                               Engine Coolant Temperature Gauge
Air to Air Aftercooled
13.5L (824 Cu. In.) Displacement
360 kW (490 Hp) Engine Power Level ECE-R24 @ Raged
                                                               Fuel Level Gauge
                                                               % Slip
                                                               Ground Speed
Engine Speed
                                                               PTO Speed
375 kW (510 Hp) Engine Power Level 97/68EC @ Rated
                                                               System Voltage
Engine Speed
                                                               Engine Hours
Dry Type Air Cleaner with Safety Element,
                                                              Service Hours with On-Board
  Airstack and Aspirator
                                                                 Vehicle Monitor System
Ether Starting Aid
Engine Coolant Heater 110V or 220V
                                                            ELECTRICAL:
Vertical Engine Oil Filter
Dual Filter Fuel System
                                                            Key Shutoff
12V Electrical System
                                                            Three 925 CCA Capacity, 12V Batteries
B2 Biodiesel Fuel from the Factory
                                                            200 Amp Alternator
                                                            One Electrical 3-Pin
TRANSMISSION:
18 Speed Powershift with Efficiency Manager
                                                               12V Convenience Outlet
18 Forward/6 Reverse Speeds Hydraulic Wet Clutch
                                                               Ground Terminals Behind Console
                                                            7-Terminal Rear Implement Electrical
                                                              Outlet Socket
STEERING AND BRAKES:
                                                            Battery Boost Terminal
                                                            GreenStar Ready Harness
Hydrostatic Differential Steering
Tilt/Telescoping Steering Wheel
                                                              with Implement Connector
Wet-Disk, Hydraulic Power Brakes
Spring-Applied, Hydraulically Released
                                                            LIGHTS:
  Park Brake
                                                            Front Hood Lights (Eight Total)
HYDRAULICS:
                                                               Two HB3 65W Low Road HeadLights
                                                              Two HB3 65W High Road HeadLights
Pressure Flow Compensating
                                                                with Hand Operated Dimmer Switch
  Axial Piston Pump
284 lpm (75 gpm) Pump Output
Flow @ One SCV - 170 lpm (45 gpm)
                                                               Two 65W Adjustable Corner Work Lights
                                                               One 65W Adjustable Center Work Light
Four EH Remote Cylinder Controls
                                                               One 65W Adjustable Center Spot Light
  with ISO Couplers
                                                            Four 65W Rear Fender Mounted
Steering Pump - 130 cc
                                                               Pedestal Mounted Work Lights
                                                            Cab Roof Lights
PTO:
                                                               Two 65W Adjustable Front Flood Lights
                                                               Four 65W Fixed Side Flood Lights (2 per side)
Less PTO
                                                               Two 65W Fixed Rear Flood Lights
HITCH AND DRAWBAR:
                                                               Four 65W Fixed Corner Flood Lights (Region II
Less Hitch
                                                               only)
                                                               Four Flashing Warning Lights
Heavy Duty Short Drawbar Support
                                                            with Turn Signal Control (Not Region II)
Two Rear Fender Tail/Brake/Turn lights
  Less Drawbar
                                                            Road Transport Extremity Lights (Not Region II) EU Front and Rear Extremity Position Lighting Kit
COMMANDVIEW CAB:
Roll Over Protective Structure (ROPS)
Falling Object Protection Structure (Level 1 FOPS)
                                                             (Region II only)
Air Conditioner and Heater
                                                            Rotary Beacon Light
                                                            TRACKS:
One Interior Rear View Mirror
Comfort Command Seat with
                                                            762 mm (30 In.) Width, 208 mm (8.2 In.) Pitch
                                                            Camoplast DURABUILT 5500 Scraper Tracks
  Air Suspension
  Swivel
                                                            2692 mm (106 In.) Track Spacing
  Fore-Aft and Lateral Attenuation
                                                            Two Piece Midrollers
  Armrest Controls
  Lumbar Support
  Backrest Adjustment
                                                            SMV Emblem (if required)
Tinted Glass
                                                            Electric Horn
Two-Speed Front Wiper with
                                                            Toolbox
  Variable Speed Delay
                                                            1287 L (340 U.S. Gallons
                                                              Fuel Tank Capacity
Swing-Out Rear Window
Three Monitor Ready Locations
Two Convenience 12V Outlets
                                                            Flexible Lower Step
                                                            Back Up Alarm
AM/FM Radio Mounting Bracket
                                                            Tow Cable
  with Wiring Harness
Field Cruise
Left Hand Storage
iTEC (Intelligent Total Equipment Control)
Implement Management System
```

9510RT Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		EX-WORKS Waterloo, Iowa	
03P0RW		9510RT Scraper Tractor	421,686.00
		DESTINATION	
		A Code must be chosen for each Tractor ordered.	
0007		Africa Cameroon Requires Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0014		Democratic Republic of Congo Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0016		Egypt Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0019		Ethiopia Reminer Code 1885 IDLink Conchle	Same Price

Requires Code 1885 JDLink Capable.
Requires Code 8338 - Stage 2 Compliant Engine.
Requires Code 8306 - Severe Duty Fuel/Water Separator.
Country Specific Base Equipment includes:
Code 2059 Deluxe CommandView II Cab.
Code 7201 Deluxe Lighting.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0029		DESTINATIONContinued Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0043		Senegal Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0050		Tanzania Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0072		Asia China (People's Republic of China) Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0094		Philippines Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0098		Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	
0184		North America Canada Requires code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting	Same Price
0193		Honduras Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0202		United States Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0210		South America Argentina Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0211		Bolivia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0212		DESTINATIONContinued Brazil Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0214		Colombia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0219		Suriname Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
		VALUE PACKAGE CONFIGURATIONS	
0500		No Package	In Base Price
0525		Deluxe Scraper Value Package with Hi-Flow Hydraulics Includes Codes: 2059, 2660, 3272, 3342 or 3361, 7201.	-1,725.00
0526		Premium Scraper Package with Hi-Flow Hydraulics Includes Codes: 1823, 2059,2661 or 2662, 3272, 3342 or 3361, 7202.	-2,000.00
		DISPLAY/MONITOR	
		When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1821		GS3 CommandCenter 7" Color Display Includes Access Manager user lockout software. AMS Activations must be ordered through AMS price pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	In Base Price
1823		GS3 Touchscreen Command Center, 7" Color Display, Video Ready Includes Access Manager user lockout software. One video input and tractor function activated triggers. AMS Activations must be ordered through AMS price pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	1,260.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RECEIVER	
		StarFire 3000 Position Receivers can be ordered in two configurations: -SF1 A no-charge differential correction signal that provides non-row-crop accuracySF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.com.	
		-RTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual.	
		GNSS serial port information (NMEA) is available through a StarFire 3000.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1835		No StarFire 3000 Position Receiver Includes Deluxe receiver mounting bracket only. When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.	In Base Price
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS	
		Other activations sold separately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.	
		When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, all GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.	
		Dealer/Distributor required to contact Stellar Support to activate AMS Software Activations, referencing the Tractor order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1845		Less AutoTrac Activation	In Base Price
		MACHINE CONNECTIVITY	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately.	2,400.00

1492		RADIO	
1492			
1.100		18 Speed Powershift, 18 F/6R Speeds with Efficiency Manager	In Base Price
		TRANSMISSION	
		See Attachments Section for ordering information on Additional Field Attachments.	
		Folding Instructional Seat.	
		Right and Left Outside Manually Adjustable Mirror Heads. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting.	
		Automatic Temperature Control with controls located on CSM. Front Pull Down Sun Shade.	
		Remote Radio Controls Located on Control Switch Module (CSM). Front and Rear Windshield Wiper and Washer.	
		Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display.	
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support.	In Base Price
		See Attachments Section for ordering information on Additional Field Attachments.	
		No Mirrors.	
		Manual Temperature Controls Located in Cab Roof. Folding Instructional Seat.	
		Remote Radio Controls located on the Control Switch Module (CSM). Front Windshield Washer and Wiper.	
		Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display.	
2050		CommandView II Cab	-2,009.00
		OPERATOR STATION	
-		Annual subscription renewal required after third year of service for continued functionality.	
		machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	
		and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports,	
		Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation,	
		3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability.	
1888		JDLink Ultimate Promotion - 3 Year Subscription Included	1,200.00
		JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	
		In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics.	
		gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service.	
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics	No Charge
		JDLink customer account must be created to access JDLink Ultimate data.	
		In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics.	
		MACHINE CONNECTIVITYContinued	
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	LIST PRICE USD (\$)

CODE	ATTACHMENT IDENTIFIER	. DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RADIOContinued Includes wiring harness only for radio and speakers, no radio and no speakers.	
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack Located on Front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter,XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display. For U.S. and Canada only.	1,015.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna.	912.00
		Not U.S. and Canada.	
		HYDRAULIC SYSTEM	
3272		Hi-Flow Hydraulic System, 284lpm (75 gpm) Provides up to 170 lpm (45 gpm)flow @ one SCV. Requires Code 3342 or Code 3361 - Four or Six Rear Remote SCVs.	In Base Price
		HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)	
3342		Four - 3/4" Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Hi-Flow Hydraulic System) Requires Code 3272 - Hi-Flow Hydraulic System. Requires 3/4" hose tips on implement. TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3361		Six - 3/4" Deluxe Electro-Hydraulic Rear Remote Selective Control Valves (Hi-Flow Hydraulic System) Requires Code 3272 - Hi-Flow Hyddraulic System. Requires Code 8756 (Hydraulic Trailer Brake Valve). Requires 3/4" hose tips on implement. TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Refer to the Ag Sales Manual for Implement compatibility.	4,136.00
		DRAWBAR	
4330		Drawbar Support for Short Scraper Drawbars Requires short scraper drawbar. Recommended for use with John Deere brand scrapers. Refer to the Ag Sales Manual for more details. Order drawbar from Scraper Price Pages.	In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		TRACKS	
6822		762 mm (30 In.) Width, 208 mm (8.2 In.) Pitch Camoplast DURABILT 5500 Scraper Tracks	In Base Price
		LIGHTS	
7201		Deluxe Lighting Eight Front Grill Mounted Lights: Two 65W low beam driving lights, two 65W high beam driving lights, two front corner facing halogen work lights and two center facing halogen work lights. Twelve Cab Roof Mounted Lights: Two rear, two front, four side facing 65W flood lights and four corner facing amber lights. Four rear fender mounted flood lights and two rearTail/Brake/Turn lights.	In Base Price
7202		Road Transport Extremity Lights(foldable) and a Rotary beacon light. Premium HID Lighting Includes Deluxe Lighting, plus in the grill, two front corner HID lights replace two front halogen lights and one HID light replaces a center halogen flood light. Two of the rear fender lights are replaced with HID lights.	3,442.00
		OPERATOR'S MANUAL AND LABELS	
		A Code must be chosen for each Tractor ordered.	
0401		Arabic	Same Price
0426		Mandarin (Chinese)	Same Price
0409		English Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	In Base Price
0413		French Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0430		Portuguese Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0433		Russian Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8229		Operator Station and Controls: External Mirrors, Electrically Adjustable RH and LH For Deluxe Cab Code 2059. Not compatible with Code 2050.	1,344.00

9510RT Scraper Tractor Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
832A		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued AutoLoad Tractor Includes Factory Installation of tractor specific components for AutoLoad (AutoLoad controller, and AutoLoad specific CommandARM controls). For a fully functional AutoLoad System, requires additional components from Scraper Price Pages including but not limited to AutoLoad ready scraper drawbar. See both Scraper Tractor and Scraper Price Pages and Sales Manual for complete information. Requires Code 8242 Radar.	10,553.00
8242		Radar with Dual Beam Sensor	900.00
8251		Antenna Mount and Wiring for Business Band Radio	129.00
8756		Brakes & Steering: Hydraulic Trailer Brake Valve Required for operation of triple pans. Rear pan must have hydraulic trailer brakes when operating triple configuration.	1,006.00
8306		Engine: Fuel/Water Separator, Severe Duty Required for Tractors with Stage II engines. This code will be an option for Tractors with iT4/3b engines.	564.00
8338		John Deere PowerTech 13.5 L (824 cu.in.) 6 Cyl Stage 2 Compliant Diesel Engine	-16,883.00
8340		John Deere PowerTech PSX 13.5 L (824 cu. in.) 6 Cyl. iT4 / Stage 3b Compliant Diesel	Same Price
		Weights & Ballast:	
		Ballast Recommendations: Please refer to Ag Sales Manual when ordering weights.	
8955		Front Weight Support - 304 kg (670 Lb.) (Holds up to 26-R127764)	1,125.00
8962		Front Weight Support with 20 Weights	3,818.00
8964		Front Weight Support with 26 Weights	5,168.00
8995		Two Track Frame Weight Brackets - One Per Side Weights must be field installed due to shipping width limitations.	555.00
8986		Front Idler Weights Ballast Package Requires Code 8985 Idler Starter Weight Package. This includes 8 weights, 4 - 75 Kg (165 lb) and 4 - 205 Kg (450 lb) weights. Total package Weight 1120 Kg (2460 lb).	2,906.00
8985		Front Idler Starter Weight Package Front Idler Starter Weight Package includes: 4 - R3111921 Weights 36 Kg (80 lb) each weight. Total Package Weight 144 Kg (320 lb).	1,351.00

ATTACHMENTS - ORDER AS DESIRED

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE343324	Electrical: Battery Disconnect Kit	115.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE269398	Mounting Kit - Dual Beam Radar Sensor for Tracks The Mounting Kit does not include Dual Beam Radar Sensor. If Dual Beam Radar Sensor is needed, order Dual Beam Radar Sensor (RE278980, RE278984, RE278986 or RE278982).	180.00
	RE278980	Radar with Dual Beam Sensor	See Parts
	RE278984	Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts
	RE326214	Engine: Fuel/Water Separator Kit, Severe Duty - Tracks	620.00
	RE311079	Hydraulics: 5th and 6th Scraper High Flow Remote Cylinder Selective Control Valve with Breakaway Couplers Additional parts may be required - see installation instructions. Requires Software download from PDC to activate function. Hydraulic Trailer Brake for PST (RE310822) is recommended for Track.	4,411.00
	RE310822	Hydraulic Trailer Brake Kit for Tracks Provides single line connection to hydraulic braking systems. Works with or without power beyond couplers.	1,106.00
	RE330435	Lighting: Auxiliary Lighting Kit	88.00
	RE334623	Rotary Beacon Light Kit	382.00
	NE004020	Switch is on CSM.	302.00
	RE310865	Miscellaneous: AutoLoad Scraper Tractor - Field Installed	11,608.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE334134	ATTACHMENTS FOR FIELD CONVERSIONContinued Scraper Hose Support	552.00
	RE311211	Tow Cable Kit - Track Tractors	2,368.00
	RE317435	Operator Environment: Accessory Mounting Bracket	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00
	RE273380	Back Up Alarm Kit	399.00
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	295.00
	RE269618	Windshield Wiper with Washer, Rear	193.00
	RE211995	PTO: 1000 RPM PTO Shield Kit	1,006.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AR268522	Weights: Front Idler Weights Mounting	1,244.00
	RE309127	Front Weight Bracket Allows attachment of up to 26 Quick-Tatch weights.	1,800.00
	RE341774	One (LH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately) Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642 Reference Installation Instruction # RE342883 Not compatible with R2 style suitcase weights.	See Parts
	RE341775	One (RH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately) Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642 Reference Installation Instruction # RE342883 Not compatible with R2 style suitcase weights.	See Parts
	R199010	One Track Frame Weight Bracket (Order two. Holds 16 R127764 Weights each side) Also order 8- Cap Screws (19M8639) and 8- Washers (24M7242). Side Frame Weight Supports require Extremity Warning Lights (available through Parts).	See Parts
	RE286201	Two Track Frame Weight Supports and Extremity Lighting Kit	1,013.00
	R311921	Weight, Front Idler Starter - 79 lbs. (36 kg)	407.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00

9510RT Scraper Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

9560RT Scraper Tractor

Equipment for Base Machine

```
ENGINE:
                                                            Digital Instrument Panel includes
6-Cylinder Turbocharged John Deere PowerTech
                                                              Engine Oil Pressure Gauge
  Diesel Engine with Electronic
                                                              Engine Coolant Temperature Gauge
  Unit Injection
                                                              Fuel Level Gauge
Air to Air Aftercooled
13.5L (824 Cu. In.) Displacement
                                                              % Slip
                                                              Ground Speed
395 kW (538 Hp) Engine Power Level ECE-R24 @ Raged
                                                              PTO Speed
                                                              System Voltage
Engine Speed
412 kW (560 Hp) Engine Power Level 97/68EC @ Rated
                                                              Engine Hours
                                                              Service Hours with On-Board
Engine Speed
Dry Type Air Cleaner with Safety Element,
                                                                Vehicle Monitor System
  Airstack and Aspirator
Ether Starting Aid
Engine Coolant Heater 110V or 220V
                                                            ELECTRICAL:
                                                            Key Shutoff
                                                            12V Electrical System
Three 925 CCA Capacity, 12V Batteries
Vertical Engine Oil Filter
Dual Filter Fuel System
B2 Biodiesel Fuel from the Factory
                                                            200 Amp Alternator
                                                            One Electrical 3-Pin
TRANSMISSION:
                                                              12V Convenience Outlet
18 Speed Powershift with Efficiency Manager
                                                              Ground Terminals Behind Console
18 Forward/6 Reverse Speeds Hydraulic Wet Clutch
                                                            7-Terminal Rear Implement Electrical
                                                              Outlet Socket
                                                            Battery Boost Terminal
GreenStar Ready Harness
STEERING AND BRAKES:
Hydrostatic Differential Steering
                                                              with Implement Connector
Tilt/Telescoping Steering Wheel
Wet-Disk, Hydraulic Power Brakes
Spring-Applied, Hydraulically Released
                                                            LIGHTS:
                                                            Front Hood Lights (Eight Total)
                                                              Two HB3 65W Low Road HeadLights
Two HB3 65W High Road HeadLights
  Park Brake
HYDRAULICS:
Pressure Flow Compensating
                                                                with Hand Operated Dimmer Switch
  Axial Piston Pump
                                                              Two 65W Adjustable Corner Work Lights
284 lpm (75 gpm) Pump Output
Flow @ One SCV - 170 lpm (45 gpm)
                                                              One 65W Adjustable Center Work Light
                                                              One 65W Adjustable Center Spot Light
Four EH Remote Cylinder Controls
                                                            Four 65W Rear Fender Mounted
  with ISO Couplers
                                                              Pedestal Mounted Work Lights
Steering Pump - 130 cc
                                                            Cab Roof Lights
                                                              Two 65W Adjustable Front Flood Lights
PTO:
                                                              Four 65W Fixed Side Flood Lights (2 per side)
                                                              Two 65W Fixed Rear Flood Lights
Less PTO
                                                              Four 65W Fixed Corner Flood Lights (Region II
HITCH AND DRAWBAR:
                                                              only)
Less Hitch
                                                              Four Flashing Warning Lights
                                                            with Turn Signal Control (Not Region II)
Two Rear Fender Tail/Brake/Turn lights
Heavy Duty Short Drawbar Support
  Less Drawbar
                                                            Road Transport Extremity Lights (Not Region II)
COMMANDVIEW CAB:
                                                            EU Front and Rear Extremity Position Lighting Kit
Roll Over Protective Structure (ROPS)
                                                            (Region II only)
Falling Object Protection Structure (Level 1 FOPS)
                                                            Rotary Beacon Light
Air Conditioner and Heater
One Interior Rear View Mirror
Comfort Command Seat with
                                                            762 mm (30 In.) Width, 208 mm (8.2 In.) Pitch
                                                            Camoplast DURABUILT 5500 Scraper Tracks
  Air Suspension
  Swivel
                                                            2692 mm (106 In.) Track Spacing
  Fore-Aft and Lateral Attenuation
                                                            Two Piece Midrollers
  Armrest Controls
  Lumbar Support
  Backrest Adjustment
                                                            SMV Emblem (if required)
Tinted Glass
                                                            Electric Horn
Two-Speed Front Wiper with
                                                            Toolbox
  Variable Speed Delay
                                                            1287 L (340 U.S. Gallons
                                                              Fuel Tank Capacity
Swing-Out Rear Window
Three Monitor Ready Locations
Two Convenience 12V Outlets
                                                            Flexible Lower Step
                                                            Back Up Alarm
AM/FM Radio Mounting Bracket
                                                            Tow Cable
  with Wiring Harness
Field Cruise
Left Hand Storage
iTEC (Intelligent Total Equipment Control)
Implement Management System
```

INSTRUMENTATION:

9560RT Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Waterloo, Iowa

03R0RW 9560RT Scraper Tractor 444,829.00

DESTINATION

A Code must be chosen for each Tractor ordered.

Africa

0007 Cameroon Same Price

Requires Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine.

Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab

Code 7201 Deluxe Lighting

0014 Democratic Republic of Congo Same Price

Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885

JD Link Capable.

Requires Code 8338 - Stage 2 Compliant Engine.

Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab

Code 7201 Deluxe Lighting

0016 Egypt Same Price

Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885

JD Link Capable.

Requires Code 8338 - Stage 2 Compliant Engine.

Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab

Code 7201 Deluxe Lighting

0019 Ethiopia Same Price

Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine.

Requires Code 8306 - Severe Duty Fuel/Water Separator.

Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab.

Code 7201 Deluxe Lighting.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0029		DESTINATIONContinued Libya Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0043		Senegal Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JD Link Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0050		Tanzania Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Fuel/Water Separator, Severe Duty. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0072		Asia China (People's Republic of China) Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0094		Philippines Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation, and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Required Code 8306 Severe Duty Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0098		Saudi Arabia Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 Less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		DESTINATIONContinued	
0184		North America Canada Requires code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0185		Costa Rica Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting	Same Price
0193		Honduras Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0195		Mexico Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab. Code 7201 Deluxe Lighting.	Same Price
0202		United States Requires Code 1887 JDLink Ultimate Promotion - 1 Year Subscription or Code 1888 JDLink Ultimate Promotion - 3 Year Subscription. Requires Code 8340 - Stage iT4/3b Compliant Engine. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	1,209.00
0210		South America Argentina Requires Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0211		Bolivia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
0212		DESTINATIONContinued Brazil Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0214		Colombia Requires Code 1885 JDLink Capable. Requires Code 8338 - Stage 2 Compliant Engine. Requires Code 8306 - Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
0219		Suriname Requires Code 1821 GS3 CommandCenter or Code 1823 Touchscreen GS3 CommandCenter, Code 1835 Less StarFire 3000 Receiver, Code 1845 less AutoTrac Activation and Code 1885 JDLink Capable. Requires Code 8338 Stage 2 Compliant Engine. Requires Code 8306 Severe Duty Fuel/Water Separator. Country Specific Base Equipment Includes: Code 2059 Deluxe CommandView II Cab Code 7201 Deluxe Lighting	Same Price
		VALUE PACKAGE CONFIGURATIONS	
0500		No Package	In Base Price
0525		Deluxe Scraper Value Package with Hi-Flow Hydraulics Includes Codes: 2059, 2660, 3272, 3342 or 3361, 7201.	-1,725.00
0526		Premium Scraper Package with Hi-Flow Hydraulics Includes Codes: 1823, 2059,2661 or 2662, 3272, 3342 or 3361, 7202.	-2,000.00
		DISPLAY/MONITOR	
		When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, ALL GreenStar applications must be run on the additional GreenStar Display. See Online Configurator and Ag Sales Manual for more information.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1821		GS3 CommandCenter 7" Color Display Includes Access Manager user lockout software. AMS Activations must be ordered through AMS price pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	In Base Price
1823		GS3 Touchscreen Command Center, 7" Color Display, Video Ready Includes Access Manager user lockout software. One video input and tractor function activated triggers. AMS Activations must be ordered through AMS price pages. Does not include a cornerpost bracket for mounting an additional GreenStar Display.	1,260.00

9560RT Scraper Tractor

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RECEIVER	
		StarFire 3000 Position Receivers can be ordered in two configurations: -SF1 A no-charge differential correction signal that provides non-row-crop accuracySF2 Ready, a license-based differential correction signal that provides +/- 4 inch pass-to-pass accuracy. SF2 licenses can be obtained by calling 888-GRN-STAR or visiting www.StellarSupport.comRTK capability may be added to an SF2 Ready StarFire 3000 by adding a StarFire RTK radio, RTK radio cover, and RTK activation. Must have complete base station and vehicle kit for RTK. See Ag Sales Manual.	
		GNSS serial port information (NMEA) is available through a StarFire 3000.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1835		No StarFire 3000 Position Receiver Includes Deluxe receiver mounting bracket only. When installing a StarFire Receiver with Original Shroud, order conversion bracket through parts or a Deluxe Shroud through AMS Attachments to retrofit an iTC Receiver.	In Base Price
		AG MANAGEMENT SOLUTIONS SOFTWARE ACTIVATIONS	
		Other activations sold separately and are available through the AMS prices pages. GS2 activations are not compatible with the GS3 CommandCenter or GS3 2630 Display. Purchase of a new GS3 activation or upgrading the GS2 activations is required.	
		When using the GS3 CommandCenter as the only GreenStar display, GS3 CommandCenter is capable of running AutoTrac, Swath Control Pro, and Pivot Pro only (with appropriate activations purchased and StarFire Receiver installed). When utilizing an additional standalone GreenStar Display, all GreenStar applications must be run on the additional standalone GreenStar Display. See Online Configurator and Ag Sales Manual for more information.	
		Dealer/Distributor required to contact Stellar Support to activate AMS Software Activations, referencing the Tractor order number. Dealer/Distributor required to fully test AutoTrac and/or iTEC Pro functionality. Warranty on Activations will be handled by AMS and will carry normal AMS warranty terms.	
		Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.	
1845		Less AutoTrac Activation	In Base Price
		MACHINE CONNECTIVITY	
1885		JDLink Capable Includes cab wiring harness only. Requires field kit installation, activation, and subscription for JDLink functionality.	In Base Price
1886		JDLink Select Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Select activation. Requires purchase of JDLink Select subscription sold separately. Features: machine hours, machine location, curfew alert, geofence alert, and maintenance profile. JDLink customer account must be created to access JDLink Select data. Upgrade to JDLink Ultimate requires purchase of JDLink Ultimate activation and JDLink Ultimate subscription (no hardware changes required).	1,000.00
1889		JDLink Ultimate Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation. Requires purchase of JDLink Ultimate subscription sold separately.	2,400.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		MACHINE CONNECTIVITYContinued In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data.	
1887		JDLink Ultimate Promotion - 1 Year Subscription Included Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 1 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after first year of service for continued functionality.	No Charge
1888		JDLink Ultimate Promotion - 3 Year Subscription Included 3 year subscription includes: 1 year promotion plus 2 additional years of JDLink Ultimate data and Service ADVISOR Remote Capability. Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG) with Service ADVISOR Remote capability, and JDLink Ultimate activation, and 3 year subscription to JDLink Ultimate service. In addition to JDLink Select features: machine utilization information, machine reports, machine diagnostics. JDLink customer account must be created to access JDLink Ultimate data. Annual subscription renewal required after third year of service for continued functionality.	1,200.00
		OPERATOR STATION	
2050		CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls located on the Control Switch Module (CSM). Front Windshield Washer and Wiper. Manual Temperature Controls Located in Cab Roof. Folding Instructional Seat. No Mirrors. See Attachments Section for ordering information on Additional Field Attachments.	-2,009.00
2059		Deluxe CommandView II Cab Includes ComfortCommand Seat with Fore-Aft and Lateral Attenuation and Lumbar Support. Adjustable Right Hand CommandARM Armrest Controls with Integrated CommandCenter Display. Remote Radio Controls Located on Control Switch Module (CSM). Front and Rear Windshield Wiper and Washer. Automatic Temperature Control with controls located on CSM. Front Pull Down Sun Shade. Right and Left Outside Manually Adjustable Mirror Heads. Power Strip with Convenience Plug Adapter. Programmable Egress Lighting. Folding Instructional Seat. See Attachments Section for ordering information on Additional Field Attachments.	In Base Price
		TDANGMICCION	
1400		TRANSMISSION	la Dece D'
1492		18 Speed Powershift, 18 F/6R Speeds with Efficiency Manager	In Base Price
		RADIO	
2650		Less Radio, Less Speakers	In Base Price

CODE	ATTACHMENT IDENTIFIER	. DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		RADIOContinued Includes wiring harness only for radio and speakers, no radio and no speakers.	
2660		Deluxe Radio Package AM/FM Stereo with Clock, Weatherband, Remote Controls, Auxiliary Input Jack Located on Front of Radio, Four Speakers and External Antenna.	670.00
2661		Premium Radio Package with XM Radio AM/FM Stereo with Premium Tuner, Clock, Weatherband, Compact Disc Player, Remote Controls, USB port on front of radio face, Auxiliary Input Jacks located in right hand storage console and on radio face, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter,XM Satellite capable including Satellite Antenna (Subscription Required), Four Speakers, Subwoofer, and External Antenna. Volume, Speed Compensation, bass, and treble radio functions can be viewed and configured on the CommandCenter Display. For U.S. and Canada only.	1,015.00
2662		Premium Radio Package For Non U.S. and Canada Markets only: AM/FM Stereo with Premium Tuner, Clock, Compact Disc Player, Remote Controls, Auxiliary Input Jack located in right hand storage console and on radio, BlueTooth capable including microphone, Integrated BlueTooth Phone Book connection through CommandCenter, Four Speakers, Subwoofer, and External Antenna.	912.00
		Not U.S. and Canada.	
		HYDRAULIC SYSTEM	
3272		Hi-Flow Hydraulic System, 284lpm (75 gpm) Provides up to 170 lpm (45 gpm)flow @ one SCV. Requires Code 3342 or Code 3361 - Four or Six Rear Remote SCVs.	In Base Price
		HYDRAULIC SELECTIVE CONTROL VALVES (SCVs)	
3342		Four - 3/4" Deluxe Electric-Hydraulic Rear Remote Selective Control Valves (Hi-Flow Hydraulic System) Requires Code 3272 - Hi-Flow Hydraulic System. Requires 3/4" hose tips on implement. TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Refer to the Ag Sales Manual for Implement compatibility.	In Base Price
3361		Six - 3/4" Deluxe Electro-Hydraulic Rear Remote Selective Control Valves (Hi-Flow Hydraulic System) Requires Code 3272 - Hi-Flow Hyddraulic System. Requires Code 8756 (Hydraulic Trailer Brake Valve). Requires 3/4" hose tips on implement. TouchSet Hydraulic Controls. Push/Pull Breakaway Couplers. High Pressure Relief Levers. Refer to the Ag Sales Manual for Implement compatibility.	4,136.00
		DRAWBAR	
4330		Drawbar Support for Short Scraper Drawbars Requires short scraper drawbar. Recommended for use with John Deere brand scrapers. Refer to the Ag Sales Manual for more details. Order drawbar from Scraper Price Pages.	In Base Price

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		LIGHTS	
7201		Deluxe Lighting Eight Front Grill Mounted Lights: Two 65W low beam driving lights, two 65W high beam driving lights, two front corner facing halogen work lights and two center facing halogen work	In Base Price
		lights. Twelve Cab Roof Mounted Lights: Two rear, two front, four side facing 65W flood lights and four corner facing amber lights. Four rear fender mounted flood lights and two rearTail/Brake/Turn lights. Road Transport Extremity Lights(foldable) and a Rotary beacon light.	
7202		Premium HID Lighting Includes Deluxe Lighting, plus in the grill, two front corner HID lights replace two front halogen lights and one HID light replaces a center halogen flood light. Two of the rear fender lights are replaced with HID lights.	3,442.00
		TRACKS	
6822		762 mm (30 ln.) Width, 208 mm (8.2 ln.) Pitch Camoplast DURABILT 5500 Scraper Tracks	In Base Price
		OPERATOR'S MANUAL AND LABELS	
		A Code must be chosen for each Tractor ordered.	
0401		Arabic	Same Price
0426		Mandarin (Chinese)	Same Price
0409		English Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	In Base Price
0413		French Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0430		Portuguese Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0433		Russian Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
0437		Spanish Operator's Manual Canada, Mexico and United States will receive translated text labels, all other countries will receive pictorial labels.	Same Price
		SPECIAL EQUIPMENT - FACTORY INSTALLED	
8229		Operator Station and Controls: External Mirrors, Electrically Adjustable RH and LH For Deluxe Cab Code 2059. Not compatible with Code 2050.	1,344.00

9560RT Scraper Tractor Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
832A		SPECIAL EQUIPMENT - FACTORY INSTALLEDContinued AutoLoad Tractor Includes Factory Installation of tractor specific components for AutoLoad (AutoLoad controller, and AutoLoad specific CommandARM controls). For a fully functional AutoLoad System, requires additional components from Scraper Price Pages including but not limited to AutoLoad ready scraper drawbar. See both Scraper Tractor and Scraper Price Pages and Sales Manual for complete information. Requires Code 8242 Radar.	10,553.00
8242		Radar with Dual Beam Sensor	900.00
8251		Antenna Mount and Wiring for Business Band Radio	129.00
8756		Brakes & Steering: Hydraulic Trailer Brake Valve Required for operation of triple pans. Rear pan must have hydraulic trailer brakes when operating triple configuration.	1,006.00
8306		Engine: Fuel/Water Separator, Severe Duty Required for Tractors with Stage II engines. This code will be an option for Tractors with iT4/3b engines.	564.00
8338		John Deere PowerTech 13.5 L (824 cu.in.) 6 Cyl Stage 2 Compliant Diesel Engine	-16,883.00
8340		John Deere PowerTech PSX 13.5 L (824 cu. in.) 6 Cyl. iT4 / Stage 3b Compliant Diesel	Same Price
		Weights & Ballast:	
		Ballast Recommendations: Please refer to Ag Sales Manual when ordering weights.	
8955		Front Weight Support - 304 kg (670 Lb.) (Holds up to 26-R127764)	1,125.00
8962		Front Weight Support with 20 Weights	3,818.00
8964		Front Weight Support with 26 Weights	5,168.00
8995		Two Track Frame Weight Brackets - One Per Side Weights must be field installed due to shipping width limitations.	555.00
8986		Front Idler Weights Ballast Package Requires Code 8985 Idler Starter Weight Package. This includes 8 weights, 4 - 75 Kg (165 lb) and 4 - 205 Kg (450 lb) weights. Total package Weight 1120 Kg (2460 lb).	2,906.00
8985		Front Idler Starter Weight Package Front Idler Starter Weight Package includes: 4 - R3111921 Weights 36 Kg (80 lb) each weight. Total Package Weight 144 Kg (320 lb).	1,351.00

ATTACHMENTS - ORDER AS DESIRED

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS - ORDER AS DESIREDContinued	
9076		Customer Gold Key Program: Gold Key Experience Tour This personal guided tour provides you with the unique opportunity to watch a similar machine to the one you are purchasing during its final stages of manufacturing. This tour will be scheduled in advance and can occur at your convenience during a 60 day window (30 days prior to or 30 days after your machine's expected warehouse date). For more information, visit www.deere.com/goldkey.	No Charge
		ATTACHMENTS FOR FIELD CONVERSION	
	RE343324	Electrical: Battery Disconnect Kit	115.00
	RE322780	ISO Cab Implement CAN Bus Adapter	See Parts
	RE269398	Mounting Kit - Dual Beam Radar Sensor for Tracks The Mounting Kit does not include Dual Beam Radar Sensor. If Dual Beam Radar Sensor is needed, order Dual Beam Radar Sensor (RE278980, RE278984, RE278986 or RE278982).	180.00
	RE278980	Radar with Dual Beam Sensor	See Parts
	RE278984	Radar with Dual Beam Sensor	See Parts
	RE278986	Radar with Dual Beam Sensor - AU	See Parts
	RE278982	Radar, Dual Beam Sensor	See Parts
	RE326214	Engine: Fuel/Water Separator Kit, Severe Duty - Tracks	620.00
	RE311079	Hydraulics: 5th and 6th Scraper High Flow Remote Cylinder Selective Control Valve with Breakaway Couplers Additional parts may be required - see installation instructions. Requires Software download from PDC to activate function. Hydraulic Trailer Brake for PST (RE310822) is recommended for Track.	4,411.00
	RE310822	Hydraulic Trailer Brake Kit for Tracks Provides single line connection to hydraulic braking systems. Works with or without power beyond couplers.	1,106.00
	RE330435	Lighting: Auxiliary Lighting Kit	88.00
	RE334623	Rotary Beacon Light Kit Switch is on CSM.	382.00
	RE310865	Miscellaneous: AutoLoad Scraper Tractor - Field Installed	11,608.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE334134	ATTACHMENTS FOR FIELD CONVERSIONContinued Scraper Hose Support	552.00
	RE311211	Tow Cable Kit - Track Tractors	2,368.00
	RE317435	Operator Environment: Accessory Mounting Bracket	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio	140.00
	RE273380	Back Up Alarm Kit	399.00
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna	373.00
	RE298965	Radio, Sub Woofer Kit Includes sub woofer, rear upholstery, and grille screen.	295.00
	RE269618	Windshield Wiper with Washer, Rear	193.00
	RE211995	PTO: 1000 RPM PTO Shield Kit	1,006.00
	AL71345	Vandal Protection: Door Locks - Custom Key	161.00
	AR268522	Weights: Front Idler Weights Mounting	1,244.00
	RE309127	Front Weight Bracket Allows attachment of up to 26 Quick-Tatch weights.	1,800.00
	RE341774	One (LH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately) Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642 Reference Installation Instruction # RE342883 Not compatible with R2 style suitcase weights.	See Parts
	RE341775	One (RH) Narrow Profile Track Frame Weight Bracket (Holds (12) R127764 Weights - order separately) Also order: (8) 19M7892; (8) 24M7344; (4) 19M7952; (4) 19M7642 Reference Installation Instruction # RE342883 Not compatible with R2 style suitcase weights.	See Parts
	R199010	One Track Frame Weight Bracket (Order two. Holds 16 R127764 Weights each side) Also order 8- Cap Screws (19M8639) and 8- Washers (24M7242). Side Frame Weight Supports require Extremity Warning Lights (available through Parts).	See Parts
	RE286201	Two Track Frame Weight Supports and Extremity Lighting Kit	1,013.00
	R311921	Weight, Front Idler Starter - 79 lbs. (36 kg)	407.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00

9560RT Scraper Tractor Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

Attachments for Non-Current 5003 Series (5103-5403 prior to: PY5103U013641, PY5203U005570, PY5303U007753, PY5403U000735)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154682	Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	LV150155	Engine: Engine Coolant Heater Kit (3 Cyl.)	82.00
	LVB25110	Heavy Duty Air Intake Pre-Heater 925 CCA battery recommended for optimum performance.	109.00
	T21709	Hitch and Drawbar: Category I Interchangeable Hitch Ball Two required.	See Parts
	T21706	Category II Interchangeable Hitch Ball Two required.	See Parts
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	R133359	Drawbar - Offset	See Parts
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	See Parts
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	See Parts
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	LVB25503	Hydraulics: Second Rear SCV with Detented Float and Lever Control	628.00
	LVB25502	Single Rear SCV with Detented Float and Lever Control	628.00

Attachments for Non-Current 5003 Series (5103-5403 prior to: PY5103U013641, PY5203U005570, PY5303U007753, PY5403U000735) Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	LV910502	Lighting: Rear Work Light Kit (1 Light)	52.00
	LVB25679	Miscellaneous: Operator's Manual and Decal Kit - French	No Charge
	LVB25678	Operator's Manual and Decal Kit - Spanish	No Charge
	LVB25369	Single Horn Kit	46.00
	LVB25069	Tool Box Kit - Front Mounted Metal Tool Box with Brackets For use WITH front weight support installed. NOT compatible with hood guard.	132.00
	LVB25070	Tool Box Kit - Rear Mounted Plastic Tool Box with Brackets	112.00
	LVB25539	Operator Environment: Canopy - Deluxe Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately.	857.00
	LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately.	520.00
	LVB25332	Canopy Mounting Bracket and Hardware Kit Requires LVB25334 or LVB25539 Canopy Kit ordered separately.	94.00
	R51680	Weights: Weight, Front 100 Lb.	127.00
	RFR51680	Weight, Front 2000 Lb. (20-R51680)	2,261.00
	LVB25135	Weight, Front Support - 110 Lb.	201.00
	T19293	Weight, Rear Wheel 110 Lb.	205.00

Attachments for Non-Current 5003 Utility Tractors (5103-5403 above PY5103U013641, PY5203U005570, PY5303U007753, PY5403U000735) and 5603 Utility Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154682	Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	RE227949	Engine: Engine Block Heater (110V)	See Parts
	LV150155	Engine Coolant Heater Kit (3 Cyl.) Not compatible with 5603 Utility Tractors.	82.00
	LVB25050	Horizontal Side Exhaust Not compatible with 5603 Utility Tractors.	200.00
	RE245832	Horizontal Side Exhaust Also order parts: R135505 Exhaust pipe clamp 19M8672 Cap screw 14M7435 Hex nut 19M8832 Screw R210392 Support strap Compatible only with 5603 Utility Tractors.	See Parts
	AL180328	Fenders: MFWD Front Fenders 12.6 In. (320 mm) Wide Compatible only with 5603 Utility Tractors.	See Parts
	AL180330	MFWD Front Fenders 14.6 In. (370 mm) Wide Recommended for use with 12.5/80-18, 11.2-24 and 12.4-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders OR HI-CROP Tractors. Compatible only with 5603 Utility Tractors.	See Parts
	AL180327	MFWD Front Fenders 16.5 In. (420 mm) Wide Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders OR HI-CROP Tractors. Compatible only with 5603 Utility Tractors.	See Parts

Attachments for Non-Current 5003 Utility Tractors (5103-5403 above PY5103U013641, PY5203U005570, PY5303U007753, PY5403U000735) and 5603 Utility Tractors Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB25703	ATTACHMENTS FOR FIELD CONVERSIONContinued Mounting Brackets and Hardware Kit - MFWD (4 Wheel Drive) Fenders WITH LOADER Compatible with 542 loader only. Kit contains parts for both left and right sides. Requires Front Fenders (2 pieces each of AL180328 (310 mm), AL180330 (355 mm) OR L64560 (400 mm) ordered separately.) Requires Loader installation. Compatible only with 5603 Utility Tractors.	303.00
	LVB25776	Mounting Brackets and Hardware Kit - MFWD Fenders WITHOUT LOADER Requires Fenders (AL180328, AL180330, AL180327) ordered separately through parts. Compatible only with 5603 Utility Tractors.	756.00
	BW15084	Guards: Hood Guard	230.00
	T12553	Hitch and Drawbar: Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	R133359	Drawbar - Offset	See Parts
	R196191	Drawbar - Straight Heavy-Duty Compatible only with 5603 Utility Tractors.	See Parts
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	See Parts
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	See Parts
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	LVB25789	Hydraulics: Dual Mid Hydraulic Control Valve Kit with Joystick Control Recommended for applications WITH Front Loaders. Tractors equipped with Mid-Mount Single or Dual Rear SCV requires (1) RE270248, (1) RE267386 and (1) RE267387 (Service Parts). Tractors equipped with Mid-Mount Triple Rear SCV requires (1) RE270145, (1) RE270146 and (1) RE270147 (Service Parts). Compatible only with 5603 Utility Tractors.	1,326.00
	LVB25816	Mid-Mount Dual SCV with Joystick Control Fits serial numbers (PY5103U013641-, PY5203U005570-, PY5303U007753-, PY5403U000735-). Not compatible with 5603 Utility Tractors.	1,244.00
	LVB25367	Power Beyond Coupler Kit - 5E Limited and 5603 Series Tractors Requires (1) 19M7792 (Service Parts). If equipped with Dual Mid Valves (Code 7221), ALSO order (1) 38H1032, (2) T77932, (1) 38H1471, (1) 38H1355, (1) T77857 and (1) RE62868 (Service Parts). Compatible only with 5603 Utility Tractors.	383.00

Attachments for Non-Current 5003 Utility Tractors (5103-5403 above PY5103U013641, PY5203U005570, PY5303U007753, PY5403U000735) and 5603 Utility Tractors Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB25186	ATTACHMENTS FOR FIELD CONVERSIONContinued Power Beyond Motor Control Kit with Pressure Compensated Flow Control Recommended for Hydraulic Motor Applications. Requires Power Beyond Coupler Kit (LVB25367) and ALSO order (1) R272842 and (1) R272843 (Service Parts). Compatible only with 5603 Utility Tractors.	1,748.00
	LVB25771	Second Rear SCV with Detented Float and Lever Control Not compatible with 5603 Utility Tractors.	667.00
	LVB25702	Lighting: Auxiliary Loader Light Kit Compatible with only 5603 Utility Tractors.	396.00
	LVB25720	Auxiliary Work Light Kit Compatible with only 5603 Utility Tractors.	134.00
	LVB25713	Beacon Light Kit Compatible with only 5603 Utility Tractors.	211.00
	LV910502	Rear Work Light Kit (1 Light) Not compatible with 5603 Utility Tractors.	52.00
	LVB25728	Miscellaneous: Backup Alarm Kit Compatible only with 5603 Utility Tractors.	144.00
	LVB25817	Backup Alarm Kit Not compatible with 5603 Utility Tractors. NOT compatible with 2WD front axle (Code 1002)	144.00
	LVB25775	Operator's Manual and Decal Kit - French Compatible only with 5603 Utility Tractors.	No Charge
	LVB25774	Operator's Manual and Decal Kit - Spanish Compatible only with 5603 Utility Tractors.	No Charge
	LVB25727	PowrReverser Modulation Control Kit Compatible only with 5603 Utility Tractors.	131.00
	LVB25369	Single Horn Kit	46.00
	LVB25069	Tool Box Kit - Front Mounted Metal Tool Box with Brackets For use WITH front weight support installed. NOT compatible with hood guard. Not compatible with 5603 Utility Tractors.	132.00
	LVB25070	Tool Box Kit - Rear Mounted Plastic Tool Box with Brackets Not compatible with 5603 Utility Tractors.	112.00
	L113922	Operator Environment: Antenna Compatible only with 5603 Utility Tractors.	See Parts

Attachments for Non-Current 5003 Utility Tractors (5103-5403 above PY5103U013641, PY5203U005570, PY5303U007753, PY5403U000735) and 5603 Utility Tractors Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB25785	ATTACHMENTS FOR FIELD CONVERSIONContinued Canopy - Deluxe Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately. Not compatible with 5603 Utility Tractors.	857.00
	LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately. Not compatible with 5603 Utility Tractors.	520.00
	LVB25332	Canopy Mounting Bracket and Hardware Kit Requires LVB25334 or LVB25785 Canopy Kit ordered separately. Not compatible with 5603 Utility Tractors.	94.00
	AR60937	Cigarette Lighter Compatible only with 5603 Utility Tractors.	See Parts
	AL80126	Mirror, Telescopic, LH, Manually Adjustable Compatible only with 5603 Utility Tractors.	149.00
	AL80127	Mirror, Telescopic, RH, Manually Adjustable Compatible only with 5603 Utility Tractors.	149.00
	RE68495	Power Strip with Six Outlets Cab Tractors ONLY. Requires (2) R205546 and (4) 37M7355 Ordered Separately. Compatible only with 5603 Utility Tractors.	See Parts
	RE265545	Radio, AM/FM Stereo with Clock and Weatherband Requires Standard Cab Antenna Kit (L113922), ordered separately. Compatible only with 5603 Utility Tractors.	See Parts
	RE289629	Radio, AM/FM, CD, with Clock and Weatherband Requires Standard Cab Antenna Kit (L113922), ordered separately. Compatible only with 5603 Utility Tractors.	See Parts
	LVB25798	Right Hand Step and Rail Kit NOT compatible with Code 7221 Dual Mid-SCV with Single Rear Valve. Not compatible with 5603 Utility Tractors.	124.00
	LVB25712	Wiper with Washer Kit - Rear Window Compatible only with 5603 Utility Tractors. Requires (2) R205546 and (4) 37M7355 ordered separately.	297.00
	AL71345	Vandal Protection: Door Locks - Custom Key Compatible only with 5603 Utility Tractors.	161.00
	AL113087	Lockable Fuel Tank Cap Compatible only with 5603 Utility Tractor.	See Parts
	T32146	Weights: Front Weight Retaining Pin Required when Front Weights are used. Prevents Weights from sliding off of the Front Weight Support. Also requires L12491, Quick Pin, ordered separately. Compatible only with 5603 Utility Tractor.	See Parts

Attachments for Non-Current 5003 Utility Tractors (5103-5403 above PY5103U013641, PY5203U005570, PY5303U007753, PY5403U000735) and 5603 Utility Tractors Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	R51680	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Front 100 Lb. Not compatible with 5603 Utility Tractors.	127.00
	RFR51680	Weight, Front 2000 Lb. (20-R51680) Not compatible with 5603 Utility Tractors.	2,261.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One Dealer must order 5000 Lbs. to receive free freight through Waterloo Weight Program. Available to Ag Dealers only. Compatible only with 5603 Utility Tractors.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764) Compatible only with 5603 Utility Tractors.	2,504.00
	LVB25135	Weight, Front Support - 110 Lb. Not compatible with 5603 Utility Tractors.	201.00
	R183722	Weight, Front Support - 187 Lbs. Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, Ordered Separately. Compatible only with 5603 Utility Tractors.	289.00
	T19293	Weight, Rear Wheel 110 Lb. Not compatible with 5603 Utility Tractors.	205.00
	R213907	Weight, Rear Wheel 95 Lb. Maximum of 2 per wheel. Compatibility concerns if installed on wheels sized 24 In. or smaller. Compatible with only 5603 Utility Tractors.	198.00
	AL156778	Wheel Equipment: Wheel Spacers, MFWD, 2.36 In. (60 mm) with Hardware (Qty 2) Fits MFWD and Rear Axles. Tread Setting Should Not exceed 80 In. for Maximum Load Applications. Compatible only with 5603 Utility Tractors.	575.00

Attachments for Non-Current 5003 Utility Tractors (5103-5403 above PY5103U013641, PY5203U005570, PY5303U007753, PY5403U000735) and 5603 Utility Tractors

Continued

THIS PAGE IS INTENTIONALLY LEFT BLANK

Attachments for Non-Current 5005 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	L36185	Axle - Rear: Rear Axle Extension (1.2 In.) Two required. Requires (16) L31683 Cap Screws (8 per Extension).	See Parts
	T22690	Rear Axle Extension (4 In.) Two required. Requires (16) 19H2647 Cap Screws (8 per Extension).	See Parts
	LV150155	Engine: Engine Coolant Heater Kit (3 Cyl.)	82.00
	LVB25110	Heavy Duty Air Intake Pre-Heater 925 CCA battery recommended for optimum performance.	109.00
	LVB25050	Horizontal Side Exhaust	200.00
	T21709	Hitch and Drawbar: Category I Interchangeable Hitch Ball Two required.	See Parts
	T21706	Category II Interchangeable Hitch Ball Two required.	See Parts
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	R133359	Drawbar - Offset	See Parts
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	See Parts
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	See Parts
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	LVB25063	Hydraulics: Mid-Mount Dual SCV with Joystick Control Recommended for Loader operation. Refer to Sales Manual for Additional Information for Early Serial Number Units that have 0 SCV's.	1,209.00
	LVB25128	Power Beyond Motor Control Kit with Pressure Compensated Flow Control Refer to Agricultural Sales Manual for additional information for early serial number units that have 0 SCV's.	2,108.00

Attachments for Non-Current 5005 Series Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB25065	ATTACHMENTS FOR FIELD CONVERSIONContinued Second Rear SCV with Detented Float and Lever Control Tractors with no hydraulics require LVB25064 to install the first SCV and then LVB25065 to install the second SCV.	628.00
	LVB25064	Single Rear SCV with Detented Float and Lever Control Refer to Agricultural Sales Manual for additional information for early serial number units that have 0 SCVs.	628.00
	LV910502	Lighting: Rear Work Light Kit (1 Light)	52.00
	LVB25061	Miscellaneous: Operator's Manual and Decal Kit - French	No Charge
	LVB25060	Operator's Manual and Decal Kit - Spanish	No Charge
	LVB25369	Single Horn Kit	46.00
	LVB25069	Tool Box Kit - Front Mounted Metal Tool Box with Brackets For use WITH front weight support installed. NOT compatible with hood guard.	132.00
	LVB25070	Tool Box Kit - Rear Mounted Plastic Tool Box with Brackets	112.00
	LVB25539	Operator Environment: Canopy - Deluxe Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately.	857.00
	LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately.	520.00
	LVB25332	Canopy Mounting Bracket and Hardware Kit Requires LVB25334 or LVB25539 Canopy Kit ordered separately.	94.00
	R51680	Weights: Weight, Front 100 Lb.	127.00
	RFR51680	Weight, Front 2000 Lb. (20-R51680)	2,261.00
	LVB25135	Weight, Front Support - 110 Lb.	201.00
	T19293	Weight, Rear Wheel 110 Lb.	205.00

Attachments for Non-Current 5000 and 5010 Series Standard Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154682	Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	L36185	Rear Axle Extension (1.2 In.) Two required. Requires (16) L31683 Cap Screws (8 per Extension).	See Parts
	T22690	Rear Axle Extension (4 In.) Two required. Requires (16) 19H2647 Cap Screws (8 per Extension).	See Parts
	RE227949	Engine: Engine Block Heater (110V)	See Parts
	LVB25110	Heavy Duty Air Intake Pre-Heater 925 CCA battery recommended for optimum performance.	109.00
	LV100116	Horizontal Rear Exhaust Kit (3 Cyl.)	205.00
	AL71216	Fenders: MFWD (4 Wheel Drive) Front Fenders 14.0 In. (355 mm) Wide Recommended for use with 12.5/80-18, 11.2-24 and 12.4-24 In. Tires for 5000 and 5010 Series Tractors. Requires Mounting Bracket and Hardware Kit (LV100125) ordered separately for ALL 5000 Series Tractors. Not compatible with Loaders OR HI-CROP Tractors.	583.00
	BW14254	Guards: Hood Guard For 4 cylinder tractors ONLY.	218.00
	T21709	Hitch and Drawbar: Category I Interchangeable Hitch Ball Two required.	See Parts
	T21706	Category II Interchangeable Hitch Ball Two required.	See Parts

Attachments for Non-Current 5000 and 5010 Series Standard Tractors Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	T12553	ATTACHMENTS FOR FIELD CONVERSIONContinued Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	R133359	Drawbar - Offset	See Parts
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	See Parts
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	See Parts
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	LV100117	Hydraulics: Single SCV Kit with Detented Float Position and Lever Control Can be installed as Third SCV on Tractors already equipped with Dual SCV's LV160025.	670.00
	LVB25713	Lighting: Beacon Light Kit 5020 Series Cab Tractors ONLY.	211.00
	LVB25069	Miscellaneous: Tool Box Kit - Front Mounted Metal Tool Box with Brackets For use WITH front weight support installed. NOT compatible with hood guard.	132.00
	LVB25070	Tool Box Kit - Rear Mounted Plastic Tool Box with Brackets 5020 Series Open Station Tractors ONLY.	112.00
	LV100160	Operator Environment: Cab Front Washer Kit	See Parts
	LV100114	Radio, Deere/Delco Installation Kit Requires Radio, ordered separately.	130.00
	T32146	Weights: Front Weight Retaining Pin Required when Front Weights are used. Prevents Weights from sliding off of the Front Weight Support. Also requires L12491, Quick Pin, ordered separately.	See Parts
	R51680	Weight, Front 100 Lb.	127.00
	RFR51680	Weight, Front 2000 Lb. (20-R51680)	2,261.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764) For 3055-3255, 3150, 4040-4840, 4050-4850, 4055-4955, 4560-4960, 5020 Series, 5720, 5820, 5730, 5830, 6200-6400, 6405, 6605, 6110-6410, 6310C-6510C, 6110L-6510L, 6310S-6510S, 6120L-6520L, 7405, 7210-7810, 7220-7920, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 875, 885, 9100-9400, 9300T, 9400T, 9120-9520, 9320T-9520T.	2,504.00

Attachments for Non-Current 5000 and 5010 Series Standard Tractors Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	R70417	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Front Support, 100 Lb. (17 In. Wide)	152.00
	T19293	Weight, Rear Wheel 110 Lb. For 5000, 5400N, 5500N and 5010 Series Tractors WITH 30 In. wheels ONLY.	205.00
	T21689	Weight, Rear Wheel, 107 Lb. For 5000 and 5010 Series Tractors WITH 38 In. wheels ONLY.	209.00
	RFT21689	Weight, Rear Wheel, 1760 Lb. (16-T21689)	3,000.00
	AL156778	Wheel Equipment: Wheel Spacers, MFWD, 2.36 In. (60 mm) with Hardware (Qty 2) Fits MFWD and Rear Axles. Tread Setting Should Not exceed 80 In. for Maximum Load Applications.	575.00

Attachments for Non-Current 5000 and 5010 Series Standard Tractors Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

Attachments for Non-Current 5000 and 5010 Series Narrow Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154682	Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	L36185	Rear Axle Extension (1.2 ln.) Two required. Requires (16) L31683 Cap Screws (8 per Extension).	See Parts
	T22690	Rear Axle Extension (4 In.) Two required. Requires (16) 19H2647 Cap Screws (8 per Extension).	See Parts
	RE227949	Engine: Engine Block Heater (110V)	See Parts
	LVB25110	Heavy Duty Air Intake Pre-Heater 925 CCA battery recommended for optimum performance.	109.00
	LV100116	Horizontal Rear Exhaust Kit (3 Cyl.)	205.00
	BW14254	Guards: Hood Guard For 4 cylinder tractors ONLY.	218.00
	T21709	Hitch and Drawbar: Category I Interchangeable Hitch Ball Two required.	See Parts
	T21706	Category II Interchangeable Hitch Ball Two required.	See Parts
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	R133359	Drawbar - Offset	See Parts
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	See Parts

Attachments for Non-Current 5000 and 5010 Series Narrow Tractors Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE39829	ATTACHMENTS FOR FIELD CONVERSIONContinued Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	See Parts
	LV100117	Hydraulics: Single SCV Kit with Detented Float Position and Lever Control Can be installed as Third SCV on Tractors already equipped with Dual SCV's LV160025.	670.00
	LVB25069	Miscellaneous: Tool Box Kit - Front Mounted Metal Tool Box with Brackets For use WITH front weight support installed. NOT compatible with hood guard.	132.00
	LV100160	Operator Environment: Cab Front Washer Kit	See Parts
	LV100112	Exterior Mirror Kit (fits either side)	93.00
	LV100114	Radio, Deere/Delco Installation Kit Requires Radio, ordered separately.	130.00
	LV100113	Wiper with Washer Kit - Rear Window For 5000 Series NARROW Tractors ONLY.	276.00
	T32146	Weights: Front Weight Retaining Pin Required when Front Weights are used. Prevents Weights from sliding off of the Front Weight Support. Also requires L12491, Quick Pin, ordered separately.	See Parts
	R51680	Weight, Front 100 Lb.	127.00
	RFR51680	Weight, Front 2000 Lb. (20-R51680)	2,261.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764) For 3055-3255, 3150, 4040-4840, 4050-4850, 4055-4955, 4560-4960, 5020 Series, 5720, 5820, 5730, 5830, 6200-6400, 6405, 6605, 6110-6410, 6310C-6510C, 6110L-6510L, 6310S-6510S, 6120L-6520L, 7405, 7210-7810, 7220-7920, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 875, 885, 9100-9400, 9300T, 9400T, 9120-9520, 9320T-9520T.	2,504.00
	R70417	Weight, Front Support, 100 Lb. (17 In. Wide)	152.00
	T19293	Weight, Rear Wheel 110 Lb. For 5000, 5400N, 5500N and 5010 Series Tractors WITH 30 In. wheels ONLY.	205.00

Attachments for Non-Current 5020 Series Standard Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154682	Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	RE34888	Engine: 90 Amp Alternator Requires 14M7298 Ordered Separately.	See Parts
	RE227949	Engine Block Heater (110V)	See Parts
	LV150155	Engine Coolant Heater Kit (3 Cyl.)	82.00
	LVB25110	Heavy Duty Air Intake Pre-Heater	109.00
	LV100116	Horizontal Rear Exhaust Kit (3 Cyl.) Straddle Mount (Code 1505 or 1506) Tractors ONLY.	205.00
	AL71216	Fenders: MFWD (4 Wheel Drive) Front Fenders 14.0 In. (355 mm) Wide Recommended for use with 12.5/80-18, 11.2-24 AND 12.4-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LV100125) ordered separately. Not compatible with Loaders.	583.00
	LVB25714	Rear Fender Extension Kit Cab (Code 1510) or Isolated Open Operator Station (Code 1508) Tractors ABOVE S/N 400,000 ONLY.	186.00
	BW14254	Guards: Hood Guard	218.00
	T21709	Hitch and Drawbar: Category I Interchangeable Hitch Ball Two required.	See Parts
	T21706	Category II Interchangeable Hitch Ball Two required.	See Parts
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts

Attachments for Non-Current 5020 Series Standard Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	R66432	ATTACHMENTS FOR FIELD CONVERSIONContinued Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	R133359	Drawbar - Offset	See Parts
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	See Parts
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	See Parts
	TY16042	Quik-Coupler, Economy, Category 2	See Parts
	LVB25199	Hydraulics: Dual Mid-SCV with Joystick Control Compatible with ALL Isolated Open Operator Station (Code 1508) ONLY. Not Compatible with Open Station (Codes 1505 or 1506).	1,214.00
	LVB25318	Dual Mid-SCV with Joystick Control Compatible with Open Station (Codes 1505 or 1506) ONLY. NOT compatible with Isolated Open Operator Station or Cab (Code 1508, 1510 or 1511). Also order Bracket RE177468.	1,214.00
	LVB25591	Dual Mid-SCV with Joystick Control Compatible with Isolated Open Operator Station or Cab (Codes 1508, 1510, or 1511) ONLY. Not compatible with Open Station (Codes 1505 or 1506). Cab Tractors ABOVE S/N 400,000 ONLY.	1,214.00
	LVB25190	Dual Rear SCV Kit with Detented Float Position and Lever Control Compatible with Open Station (Codes 1505 or 1506) ONLY. NOT compatible with Isolated Open Operator Station or Cab (Code 1508, 1510 or 1511).	1,191.00
	LVB25193	Dual Rear SCV Lever Kit Compatible with Isolated Open Operator Station or Cab (Codes 1508, 1510, or 1511) ONLY. Not compatible with Open Station (Codes 1505 or 1506). For use with LVB25192 Triple Kit or when consuming dual valves in inventory.	308.00
	LVB25367	Power Beyond Coupler Kit - 5E Limited and 5603 Series Tractors Compatible for all 5X00 Series, all 5X10 Series, and Straddle Mount Open Station (Codes 1505 or 1506) 5X20 Series. NOT compatible with Isolated Open Operator Station or Cab (Code 1508, 1510 or 1511). Hydraulic Motor Applications ALSO Require LVB25186 Power Beyond Motor Control Kit with Pressure Compensated Flow Control, Order Separately.	383.00
	LVB25186	Power Beyond Motor Control Kit with Pressure Compensated Flow Control Compatible with Open Station (Codes 1505 or 1506) ONLY. NOT compatible with Isolated Open Operator Station or Cab (Code 1508, 1510 or 1511). Requires LVB25367 or LVB25185 Power Beyond Coupler Kits Ordered Separately.	1,748.00
	LVB25713	Lighting: Beacon Light Kit Cab Tractors ABOVE S/N 400,000 ONLY.	211.00
	LVB25241	Miscellaneous: Creeper Conversion Kit - Higher Speed	1,254.00
	LVB25153	Creeper Conversion Kit - Standard Speed	1,254.00

Attachments for Non-Current 5020 Series Standard Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB25274	ATTACHMENTS FOR FIELD CONVERSIONContinued French Operators Manual and Decal Kit	No Charge
	LVB25369	Single Horn Kit	46.00
	LVB25273	Spanish Operators Manual and Decal Kit	No Charge
	LVB25069	Tool Box Kit - Front Mounted Metal Tool Box with Brackets For use WITH front weight support installed. NOT compatible with hood guard.	132.00
	LVB25070	Tool Box Kit - Rear Mounted Plastic Tool Box with Brackets Open Station Tractors Only.	112.00
	R203286	Video Operator Guide	See Parts
	L113922	Operator Environment: Antenna Cab Tractors ABOVE S/N 400,000 ONLY. All 5020 Series Standard Cab Tractors are "Radio Ready", including Radio Wiring Harness and Speakers as Standard Equipment. Requires Radio Ordered Separately.	See Parts
	AH104259	Ash Tray Cab Tractors ABOVE S/N 400,000 ONLY.	See Parts
	LVB25539	Canopy - Deluxe For 5220, 5320, 5420 and 5520 model Tractors, requires LVB25331 or LVB25332 Canopy Mounting Bracket and Hardware Kit Ordered Separately.	857.00
		For 5520 Hi-Crop model Tractor, requires LVB25332 Canopy Mounting Bracket and Hardware Kit Ordered Separately.	
	LVB25334	Canopy - Standard For 5220, 5320, 5420 and 5520 model Tractors, requires LVB25331 or LVB25332 Canopy Mounting Bracket and Hardware Kit Ordered Separately.	520.00
		For 5520 Hi-Crop model Tractor, requires LVB25332 Canopy Mounting Bracket and Hardware Kit Ordered Separately.	
	LVB25332	Canopy Mounting Bracket and Hardware Kit For 5220, 5320, 5420 and 5520 model Tractors: Straddle Mount (Code 1505 or 1506) Tractors ONLY. NOT Compatible with Isolated Open Operator Station (Code 1508) Tractors. Requires LVB25334 or LVB25539 Canopy Kit Ordered Separately.	94.00
		For 5520 Hi-Crop model Tractor: Requires LVB25334 or LVB25539 Canopy Kit Ordered Separately.	
	LVB25331	Canopy Mounting Bracket and Hardware Kit - IOOS ONLY Requires LVB25334 Canopy Kit Ordered Separately. NOT Compatible with Straddle Mount Tractors.	94.00
	AR60937	Cigarette Lighter Cab Tractors ABOVE S/N 400,000 ONLY.	See Parts
	AL153405	Field Office Cab Tractors ABOVE S/N 400,000 ONLY. Requires (2) R205546 and (4) 37M7355 to Complete Installation.	See Parts

Attachments for Non-Current 5020 Series Standard Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL80126	ATTACHMENTS FOR FIELD CONVERSIONContinued Mirror, Telescopic, LH, Manually Adjustable 5020 Series Cab Tractors ONLY.	149.00
	AL80127	Mirror, Telescopic, RH, Manually Adjustable 5020 Series Cab Tractors ONLY.	149.00
	RE68495	Power Strip with Six Outlets Cab Tractors ABOVE S/N 400,000 ONLY.	See Parts
	RE289848	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband 5020 Series Cab Tractors. Requires 5020 Series Standard Cab Antenna Kit (L113922) Ordered Separately. Excludes speakers, mounting hardware and antenna. Radio is Not Satellite Ready.	434.00
	RE289852	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband 5020 Series Cab Tractors. Requires 5020 Series Standard Cab Antenna Kit (L113922) Ordered Separately. Excludes speakers, mounting hardware and antenna.	849.00
	RE196202	Radio, Deere/Delco AM/FM Stereo with Weatherband, Cassette and Clock 5020 Series Cab Tractors. Requires 5020 Series Standard Cab Antenna Kit (L113922) Ordered Separately. Excludes speakers, mounting hardware and antenna. Radio is Not Satellite Ready.	610.00
	LVB25074	Seat Armrest Kit Armrests standard on Cab Tractors. See Sales Manual for serial number break.	129.00
	AL77888	Seat Backrest Extension Isolated Open Operator Station (Code 1508) Tractors ABOVE S/N 400,000 ONLY.	See Parts
	AL77889	Seat Backrest Extension Base Seat in Cab (Code 1510) Tractors ABOVE S/N 400,000 ONLY.	See Parts
	AL117281	Seat Fore/Aft Attenuation Kit For the following ONLY: - Base Seat in Cab (Code 1510) Tractors ABOVE S/N 400,000 ONLY Base Seat for Isolated Open Operator Station (Code 1508) Tractors ABOVE S/N 400,000 ONLY. Requires L114974, Ordered Separately.	See Parts
	AL117282	Seat Lumbar Adjustment Kit For the following ONLY: - Base Seat in Cab (Code 1510) Tractors ABOVE S/N 400,000 ONLY Base Seat for Isolated Open Operator Station (Code 1508) Tractors ABOVE S/N 400,000 ONLY.	See Parts
	AL117478	Seat Telescopic Backrest Extension Air Suspension Seat in Cab (Code 1511) Tractors ONLY.	See Parts
	LVB25712	Wiper with Washer Kit - Rear Window 5020 Series Cab Tractors ABOVE S/N 400,000 ONLY. Requires (2) R205546 and (4) 37M7355 Ordered Separately.	297.00

Attachments for Non-Current 5020 Series Standard Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	AL71345	Vandal Protection: Door Locks - Custom Key Cab Tractors ABOVE S/N 400,000 ONLY.	161.00
	AL113087	Lockable Fuel Tank Cap	See Parts
	T32146	Weights: Front Weight Retaining Pin Required when Front Weights are used. Prevents Weights from sliding off of the Front Weight Support. Also requires L12491, Quick Pin, ordered separately.	See Parts
	LVB25134	Front Weight Support - 275 Lbs.	389.00
	R51680	Weight, Front 100 Lb.	127.00
	RFR51680	Weight, Front 2000 Lb. (20-R51680)	2,261.00
	LVB25135	Weight, Front Support - 110 Lb.	201.00
	R213907	Weight, Rear Wheel 95 Lb. Maximum of 2 per wheel. Compatibility concerns if installed on wheels sized 24" or smaller.	198.00
	AL156778	Wheel Equipment: Wheel Spacers, MFWD, 2.36 In. (60 mm) with Hardware (Qty 2) Fits MFWD and Rear Axles. Tread Setting Should Not exceed 80 In. for Maximum Load Applications.	575.00

Attachments for Non-Current 5020 Series Standard Tractors Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

Attachments for Non-Current 5020 Series Narrow Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	L36185	Axle - Rear: Rear Axle Extension (1.2 In.) Two required. Requires (16) L31683 Cap Screws (8 per Extension).	See Parts
	T22690	Rear Axle Extension (4 In.) Two required. Requires (16) 19H2647 Cap Screws (8 per Extension).	See Parts
	RE34888	Engine: 90 Amp Alternator Requires 14M7298 Ordered Separately.	See Parts
	LV150155	Engine Coolant Heater Kit (3 Cyl.)	82.00
	AR62492	Engine Coolant Heater, 110V, 1000 Watt	See Parts
	LVB25110	Heavy Duty Air Intake Pre-Heater	109.00
	LV100116	Horizontal Rear Exhaust Kit (3 Cyl.) Open Station or Cab Tractors.	205.00
	BW14254	Guards: Hood Guard	218.00
	T21709	Hitch and Drawbar: Category I Interchangeable Hitch Ball Two required.	See Parts
	T21706	Category II Interchangeable Hitch Ball Two required.	See Parts
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	R133359	Drawbar - Offset	See Parts
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	See Parts
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	See Parts
	LVB25186	Hydraulics: Power Beyond Motor Control Kit with Pressure Compensated Flow Control Requires LVB25368 Power Beyond Coupler Kit, Order Separately.	1,748.00

Attachments for Non-Current 5020 Series Narrow Tractors Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LV350001	ATTACHMENTS FOR FIELD CONVERSIONContinued Third Rear SCV Kit with Lever Control Open Station Tractors only.	625.00
	LVB25241	Miscellaneous: Creeper Conversion Kit - Higher Speed	1,254.00
	LVB25153	Creeper Conversion Kit - Standard Speed	1,254.00
	LVB25209	French Operators Manual and Decal Kit	No Charge
	LVB25369	Single Horn Kit	46.00
	LVB25208	Spanish Operators Manual and Decal Kit	No Charge
	LVB25069	Tool Box Kit - Front Mounted Metal Tool Box with Brackets For use WITH front weight support installed. NOT compatible with hood guard.	132.00
	LV100112	Operator Environment: Exterior Mirror Kit (fits either side)	93.00
	RE289848	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband Requires Standard Cab Antenna Kit (LV100114) ordered separately.	434.00
	RE289852	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband Requires Standard Cab Antenna Kit (LV100114) ordered separately.	849.00
	RE196202	Radio, Deere/Delco AM/FM Stereo with Weatherband, Cassette and Clock Requires Standard Cab Antenna Kit (LV100114) ordered separately.	610.00
	LV100114	Radio, Deere/Delco Installation Kit Includes Wiring Harness, Dual Speakers, Antenna and Hardware. Requires radio ordered separately.	130.00
	LV100113	Wiper with Washer Kit - Rear Window For 5000 Series NARROW Tractors ONLY.	276.00
	T32146	Weights: Front Weight Retaining Pin Required when Front Weights are used. Prevents Weights from sliding off of the Front Weight Support. Also requires L12491, Quick Pin, ordered separately.	See Parts
	LVB25134	Front Weight Support - 275 Lbs.	389.00
	R51680	Weight, Front 100 Lb.	127.00
	RFR51680	Weight, Front 2000 Lb. (20-R51680)	2,261.00
	LVB25135	Weight, Front Support - 110 Lb.	201.00
	T19293	Weight, Rear Wheel 110 Lb.	205.00

Attachments for Non-Current 5025 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately. Not compatible with 5525 Hi-Crop Utility Tractor.	See Parts
	L154682	Rear Axle 1.6 In. Extension (40 mm) Two requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately. Not compatible with 5525 Hi-Crop Utility Tractor.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately. Not compatible with 5525 Hi-Crop Utility Tractor.	See Parts
	RE227949	Engine: Engine Block Heater (110V) Not compatible with 5225 & 5325 Utility Tractors.	See Parts
	RE520167	Engine Coolant Heater (110V) Not compatible with 5425, 5525, 5525HC or 5625 Utility Tractors.	See Parts
	LVB25110	Heavy Duty Air Intake Pre-Heater Not compatible with 5225 & 5325 Utility Tractors.	109.00
	RE245832	Horizontal Side Exhaust Also order parts: R135505 Exhaust pipe clamp 19M8672 Cap screw 14M7435 Hex nut 19M8832 Screw R210392 Support strap Not compatible with 5225, 5325 & 5525HC Utility Tractors.	See Parts
	LVB25724	Hydraulic Oil Cooler Kit For use on Cab (Codes 1510 OR 1511) AND SyncShuttle transmission Tractors (Codes 2110 or 2120). When equipping LVB25724 on an Open Operator Station (Codes 1505 or 1506) or Isolated Open Operator Station Tractor (Code 1508), ALSO order separately RE212290 Oil Cooler. Not necessary on PowrReverser Transmissions. Not compatible with 5425, 5525, 5525HC or 5625 Utility Tractors.	229.00
	AL180328	Fenders: MFWD Front Fenders 12.6 In. (320 mm) Wide Recommended for use with 8.3-24 and 9.5-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders or HI-CROP Tractors.	See Parts
	AL180330	MFWD Front Fenders 14.6 In. (370 mm) Wide Recommended for use with 12.5/80-18, 11.2-24 and 12.4-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders or HI-CROP Tractors.	See Parts

Attachments for Non-Current 5025 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL180327	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fenders 16.5 In. (420 mm) Wide Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders or HI-CROP Tractors.	See Parts
	LVB25703	Mounting Brackets and Hardware Kit - MFWD (4 Wheel Drive) Fenders WITH LOADER Compatible with 542 loader only. Kit contains parts for both left and right sides. Requires Front Fenders (2 pieces each of AL180328 (310 mm), AL180330 (355 mm) OR L64560 (400 mm) ordered separately.) Requires Loader installation. Not compatible with 5525 Hi-Crop Utility Tractor.	303.00
	LVB25776	Mounting Brackets and Hardware Kit - MFWD Fenders WITHOUT LOADER Requires Fenders (AL180328, AL180330, AL180327) ordered separately through parts. Not compatible with 5525 Hi-Crop Utility Tractor.	756.00
	LVB25714	Rear Fender Extension Kit Cab (Code 1510 or 1511) or Isolated Open Operator Station (Code 1508) ONLY. Not compatible with 5525 Hi-Crop Utility Tractor.	186.00
	BW15084	Guards: Hood Guard	230.00
	T12553	Hitch and Drawbar: Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	R133359	Drawbar - Offset	See Parts
	R196191	Drawbar - Straight Heavy-Duty	See Parts
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	See Parts
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	See Parts
	LVB25716	Electrohydraulic (EH) Hitch Right Fender Switch Kit IOOS or Cab tractors (Codes 1508, 1510 or 1511) and Electrohydraulic (EH) Hitch (Code 8010) ONLY. Not compatible with 5525 Hi-Crop Utility Tractor.	134.00
	TY16042	Quik-Coupler, Economy, Category 2	See Parts

Attachments for Non-Current 5025 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	LVB25694	Hydraulics: Dual Mid Hydraulic Control Valve Kit with Joystick Control For 5225, 5325, 5425, 5525 & 5625 Tractors Only: 1) Not compatible with Isolated Open Operator Station or Cab (Code 1508, 1510 or 1511). 2) Includes components and parts required to install Dual Mid Control Valves on tractors ALREADY equipped WITH OR WITHOUT Rear Control Valves.	1,288.00
		For 5525 Hi-Crop Tractors Only: 1) Includes components and parts required to install Dual Mid Control Valves on tractors ALREADY equipped WITH OR WITHOUT Rear Control Valves. 2) When upgrading HI-CROP tractors ALREADY equipped WITH Rear Control Valves, ALSO order (1) RE233116 Oil Line (Service Parts).	
	LVB25693	Dual Mid Hydraulic Control Valve Kit with Joystick Control - IOOS and Cab ONLY 1) NOT compatible with Open Operator Station (Codes 1505 or 1506) Tractors. 2) Includes components and parts required to install Dual Mid Control Valves on tractors ALREADY equipped WITH OR WITHOUT Rear Control Valves. Not compatible with 5525 Hi-Crop Utility Tractor.	1,288.00
	LVB25690	Dual Rear Hydraulic Control Valve with Detented Float Position and Lever Controls 1) NOT compatible with Open Operator Station (Codes 1505 or 1506) Tractors. 2) Includes parts required to install Dual Rear Control Valves on Tractors NOT equipped with Rear Control Valves but ALREADY equipped WITH Dual Mid Control Valves. 3) When upgrading tractors ALREADY equipped WITH Triple Mid Control Valves. ALSO order (1) RE217126 and (1) RE217122 Oil Lines (Service Parts). 4) When upgrading tractors NOT equipped with Mid Control Valves, ALSO order (1) RE194460 and (1) RE223817 Oil Lines (Service Parts). Not compatible with 5525 Hi-Crop Utility Tractor.	1,288.00
	LVB25691	Dual Rear Hydraulic Control Valve with Detented Float Position and Lever Controls For 5225, 5325, 5425, 5525 & 5625 Tractors Only: 1) NOT compatible with Isolated Open Operator Station or Cab (Code 1508, 1510 or 1511). 2) Includes parts required to install Dual Rear Control Valves on tractors NOT equipped with Rear Control Valves but ALREADY equipped WITH Dual Mid Control Valves. 3) When upgrading STANDARD tractors ALREADY equipped WITH Triple Mid Control Valves, ALSO order (1) RE217126 and (1) RE217122 Oil Lines (Service Parts). 4) When upgrading ALL tractors NOT equipped with Mid Control Valves, ALSO order (1) RE194460 and (1) RE223817 Oil Lines (Service Parts). For 5525 Hi-Crop Tractors Only: 1) Includes parts required to install Dual Rear Control Valves on tractors NOT equipped with Rear Control Valves but ALREADY equipped WITH Dual Mid Control Valves. 2) When upgrading HI-CROP tractors ALREADY equipped WITH Dual Mid Control Valves, ALSO order (1) RE233116 Oil Line (Service Parts). 3) When upgrading HI-CROP tractors ALREADY equipped WITH Triple Mid Control Valves,	1,288.00
		ALSO order (1) RE233117 and (1) RE217122 Oil Lines (Service Parts). 4) When upgrading ALL tractors NOT equipped with Mid Control Valves, ALSO order (1) RE194460 and (1) RE223817 Oil Lines (Service Parts).	

Attachments for Non-Current 5025 Series Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	(1)
	LVB25726	Mounting Kit for Triple Mid Hydraulic Control Valve Kit with Joystick Control For 5225, 5325, 5425, 5525 & 5625 Tractors Only: 1) Not required for tractors ALREADY equipped WITH Dual Mid Control Valves. 2) Includes parts required to install Triple Mid Control Valves on tractors NOT equipped with Dual Mid Control Valves but ALREADY equipped with Rear Control Valves. 3) To complete installation, ALSO order: - (1) RE198241 Joystick Bracket and (2) RE179150 Control Cables (Service Parts) for Open Operator Station (Codes 1505 or 1506) Tractors ONLY (1) RE72747 Joystick Bracket, (1) R236219 Joystick Cover, and (2) RE220895 Control Cables (Service Parts) for Isolated Open Operator Station or Cab (Codes 1508, 1510, or 1511) ONLY (1) RE226516 Oil Line (Service Parts) for tractors NOT equipped with Rear Control Valves. For 5525 Hi-Crop Tractors Only: 1) Not required for tractors ALREADY equipped WITH Dual Mid Control Valves.	649.00
		1) Not required for tractors ALREADY equipped WITH Dual Mid Control Valves. 2) Includes parts required to install Triple Mid Control Valves on tractors NOT equipped with Dual Mid Control Valves but ALREADY equipped with Rear Control Valves. 3) To complete installation, ALSO order: - (1) RE198241 Joystick Bracket and (2) RE179150 Control Cables (Service Parts) for HI-CROP Tractors (1) RE226516 Oil Line (Service Parts) for tractors NOT equipped with Rear Control Valves (1) RE233117 Oil Line for HI-CROP tractors ALREADY equipped with Rear Control Valves (Service Parts).	
	LVB25725	Mounting Kit for Triple Rear Deluxe Hydraulic Control Valve Kit with Lever Controls For 5225, 5325, 5425, 5525 & 5625 Tractors Only: 1) Not required for tractors ALREADY equipped WITH Dual Rear Control Valves. 2) Includes parts required to install Triple Rear Control Valves on tractors NOT equipped with Rear Control Valves but ALREADY equipped WITH Dual Mid Control Valves. 3) To complete installation, ALSO order: - (2) RE194856 Control Cables (Service Parts) for Open Operator Station (Codes 1505 or 1506) Tractors ONLY. - (2) RE198227 Control Cables (Service Parts) for Isolated Open Operator Station or Cab (Codes 1508, 1510 or 1511) ONLY. - (1) RE194460 and (1) RE223817 Oil Lines for tractors NOT equipped with Mid Control Valves (Service Parts). - (1) RE217122 and (1) RE217126 Oil Lines for STANDARD tractors ALREADY equipped WITH Triple Mid Control Valves (Service Parts).	649.00
		For 5525 Hi-Crop Tractors Only: 1) Not required for tractors ALREADY equipped WITH Dual Rear Control Valves. 2) Includes parts required to install Triple Rear Control Valves on tractors NOT equipped with Rear Control Valves but ALREADY equipped WITH Dual Mid Control Valves. 3) To complete installation, ALSO order: - (2) RE194856 Control Cables (Service Parts) for HI-CROP Tractors ONLY. - (1) RE194460 and (1) RE223817 Oil Lines for tractors NOT equipped with Mid Control Valves (Service Parts). - (1) RE217122 and (1) RE217126 Oil Lines for STANDARD tractors ALREADY equipped WITH Triple Mid Control Valves (Service Parts) - (1) RE233116 Oil Line for HI-CROP tractors ALREADY equipped WITH Dual Mid Control Valves (Service Parts).	
	LVB25697	Power Beyond Coupler Kit Requires, at least, one rear Hydraulic Control Valve. For Hydraulic Motor Applications, Order Code 7030 or LVB25692 Triple Rear Deluxe Hydraulic Control Valve with Pressure Compensated Flow Control is Recommended. Order Separately.	425.00

16 May 2012 US & Canada 2-Tractors(AFFC)-00800- 4

Separately.

Attachments for Non-Current 5025 Series Tractors

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued Triple Mid Hydraulic Control Valve Kit with Joystick Control For 5225, 5325, 5425, 5525 & 5625 Tractors Only: J) Includes components and parts required to install Triple Mid Control Valves on Tractors ALREADY equipped WITH Dual Mid Control Valves AND Rear Control Valves. 2) When upgrading tractors NOT equipped with Dual Mid Control Valves, ALSO order: -(1) LVB25726 Mounting Kit (Complete Goods). -(1) RE198241 Joystick Bracket and (2) RE179150 Control Cables (Service Parts) for Open Operator Station (Codes 1505 or 1506) Tractors ONLY. -(1) RE72747 Joystick Bracket, (1) R236219 Joystick Cover, and (2) RE220895 Control Cables (Service Parts) for Isolated Open Operator Station or Cab (Codes 1508, 1510, or 1511) ONLY. 3) When upgrading STANDARD tractors NOT equipped with Rear Control Valves, ALSO order (1) RE226516 Oil Line (Service Parts). Triple Valve Features: - Valve #1 Push button, electrohydraulic (EH) control Priority flow Pressure compensated flow control (0-12 GPM) for intermittent hydraulic applications - Valve #2 - Float position - Valve #3 - Extend/Retract positions ONLY. For 5525 Hi-Crop Tractors Only: 1) Includes components and parts required to install Triple Mid Control Valves on Tractors ALREADY equipped WITH Dual Mid Control Valves AND Rear Control Valves. 2) When upgrading tractors NOT equipped with Dual Mid Control Valves, ALSO order: -(1) LVB25726 Mounting Kit (Complete Goods). -(1) RE198241 Joystick Bracket and (2) RE179150 Control Cables (Service Parts) for HI-CROP Tractors. 3) When upgrading HI-CROP tractors ALREADY equipped with Rear Control Valves, ALSO order (1) RE233117 Oil Line (Service Parts). Triple Valve Features:	1,556.00
		Priority flow Province Applications of the Control Priority flow Province Applications of the Control Priority flow	

Pressure compensated flow control (0-12 GPM) for intermittent hydraulic applications
- Valve #2 - Float position
- Valve #3 - Extend/Retract positions ONLY.

Attachments for Non-Current 5025 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB25692	ATTACHMENTS FOR FIELD CONVERSIONContinued Triple Rear Deluce Hydraulic Control Valves (fit with Lever Controls For 5225, 5325, 5425, 5525 & 5025 Tractors Only: 1) Includes components and parts required to install Triple Rear Control Valves on tractors ALREADY equipped WITH Dual Rear AND WITH OR WITHOUT Dual Mid Control Valves. 2) When upgrading tractors NOT equipped with Rear Control Valves, ALSO order: - (1) LVB25725 Mounting Kit (Complete Goods). - (2) RE194486 Control Cables (Service Parts) for Open Operator Station (Codes 1505 or 1506) Tractors ONLY. - (2) RE198486 Control Cables (Service Parts) for Isolated Open Operator Station or Cab (Codes 1508, 1510, or 1511) Only. - (1) RE198427 Control Cables (Service Parts) for Isolated Open Operator Station or Cab (Codes 1508, 1510, or 1511) Only. - (1) RE198420 and (1) RE223817 Oil Lines for tractors NOT equipped with Mid Control Valves (Service Parts). 3) When upgrading STANDARD tractors NOT equipped WITH Mid Control Valves, ALSO order (1) RE194460 and (1) RE23817 Oil Lines (Service Parts). 4) When upgrading STANDARD tractors ALREADY equipped WITH Triple Mid Control Valves, ALSO order (1) RE217122 and (1) RE217126 Oil Lines (Service Parts). Triple Valve Features: - Three selectable detent positions on EACH valve (auto kickout, continuous flow, or no detent). - Float position on EACH valve - Pressure compensated flow control for running hydraulic motors on #1 valve. For 5525 Hi-Crop Tractors Only: 1) Includes components and parts required to install Triple Rear Control Valves on tractors ALREADY equipped WITH Dual Rear AND WITH OR WITHOUT Dual Mid Control Valves. 2) When upgrading tractors NOT equipped with Rear Control Valves, ALSO order: - (1) LVE25725 Mounting Kit (Complete Goods). - (2) RE194856 control Cables (Service Parts) for HI-CROP Tractors. - (1) RE194400 and (1) RE223817 Oil Lines (Service Parts). Typle Valve Features: - (1) RE194400 and (1) RE23817 Oil Lines (Service Parts). Typle Valve Features: - Three selectable deten	1,791.00
	LVB25702	Lighting: Auxiliary Loader Light Kit Not compatible with 5525 Hi-Crop Utility Tractor.	396.00
	LVB25720	Auxiliary Work Light Kit Cab Tractors (Code 1510 or 1555) ONLY. Not compatible with 5525 Hi-Crop Utility Tractor.	134.00
	LVB25713	Beacon Light Kit Not compatible with 5525 Hi-Crop Utility Tractor. Cab Tractors (Code 1510 or 1555) ONLY.	211.00
	LVB25729	Brake Light Kit Not compatible with 5525 Hi-Crop Utility Tractor.	98.00

Attachments for Non-Current 5025 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	LVB25718	Miscellaneous: 540/1000 RPM Mechanical PTO Kit for Tractors equipped with Mechanical PTO with or without 540/540E PTO If Tractor is equipped with 540/540 Economy PTO, also order (1) CH15042 bearing (needed during kit installation). When 540/1000 is installed the 540 Economy cannot be used.	1,391.00
	LVB25719	540/1000 RPM PTO Kit for Tractors with Electro-hydraulic PTO, with or without 540/540E PTO, including Narrows models If Tractor is equipped with 540/540 Economy PTO, also order (1) CH15042 bearing (needed during kit installation). When 540/1000 is installed the 540 Economy cannot be used. Not compatible with 5525 Hi-Crop Utility Tractor.	1,391.00
	LVB25728	Backup Alarm Kit	144.00
	LVB25241	Creeper Conversion Kit - Higher Speed	1,254.00
	LVB25153	Creeper Conversion Kit - Standard Speed Not compatible with 5525 Hi-Crop Utility Tractor.	1,254.00
	LVB25796	Operator's Manual and Decal Kit - French	No Charge
	LVB25797	Operator's Manual and Decal Kit - Spanish	No Charge
	LVB25727	PowrReverser Modulation Control Kit	131.00
	LVB25369	Single Horn Kit	46.00
	LVB24951	Tool Box Kit - Rear Mounted Plastic Tool Box That Fits on the SCV Bracket For use on 5025 Series Straddle Mount Platform and Isolated Open Operator Platform Tractors. Not compatible with 5525 Hi-Crop Utility Tractor.	108.00
	L113922	Operator Environment: Antenna Not compatible with 5525 Hi-Crop Utility Tractor.	See Parts
	AH104259	Ash Tray Not compatible with 5525 Hi-Crop Utility Tractor.	See Parts
	LVB25717	Cab Instructional Seat Kit Cab Tractors (Codes 1510 or 1511) AND 24/24 PowrReverser Transmission (Code 2321) ONLY. Not compatible with 5525 Hi-Crop Utility Tractor.	494.00
	LVB25785	Canopy - Deluxe NOTE: For 5225, 5325, 5425, 5525 and 5625. Requires LVB25331 or LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately. For 5525 Hi-Crop Tractor Only. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	857.00

Attachments for Non-Current 5025 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LVB25334	ATTACHMENTS FOR FIELD CONVERSIONContinued Canopy - Standard For 5225, 5325, 5425, 5525 and 5625 Only. Requires LVB25331 or LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately. For 5525 Hi-Crop Only, requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately.	520.00
	LVB25332	Canopy Mounting Bracket and Hardware Kit For 5225, 5325, 5425, 5525 and 5625 Tractors Only. Open Operator Station (Code 1505 or 1506) Tractors Only. Requires LVB25334 or LVB25539 Canopy Kit ordered separately. Not Compatible with Isolated Open Operator Station IOOS (Code 1508) Tractors. For 5525 Hi-Crop Only.	94.00
	LVB25331	Requires LVB25334 or LVB25785 Canopy Kit ordered separately. Canopy Mounting Bracket and Hardware Kit - IOOS ONLY Isolated Open Operator Station (Code 1508) Tractors ONLY. Requires LVB25334 or LVB25785 Canopy Kit ordered separately. NOT compatible with Straddle Mount Open Operator Station (Code 1505 or 1506) Tractors. Not compatible with 5525 Hi-Crop.	94.00
	AR60937	Cigarette Lighter Cab Tractors (Codes 1510 or 1511) ONLY. NOT compatible with 5525 Hi-Crop Tractor.	See Parts
	AL153405	Field Office Cab Tractors (Codes 1510 or 1511) ONLY. NOT compatible with 5525 Hi-Crop Tractor. Requires (2) R205546 and (4) 37M7355 ordered separately.	See Parts
	AL80126	Mirror, Telescopic, LH, Manually Adjustable Cab Tractors (Codes 1510 or 1511) ONLY. NOT compatible with 5525 Hi-Crop Tractor.	149.00
	AL80127	Mirror, Telescopic, RH, Manually Adjustable Cab Tractors (Codes 1510 or 1511) ONLY. NOT compatible with 5525 Hi-Crop Tractor.	149.00
	RE68495	Power Strip with Six Outlets NOT compatible with 5525 Hi-Crop Tractor.	See Parts
	RE265545	Radio, AM/FM Stereo with Clock and Weatherband Requires Standard Cab Antenna Kit (L113922), ordered separately. NOT compatible with 5525 Hi-Crop Tractor.	See Parts
	RE289629	Radio, AM/FM, CD, with Clock and Weatherband Requires Standard Cab Antenna Kit (L113922), ordered separately. NOT compatible with 5525 Hi-Crop Tractor.	See Parts
	AL77888	Seat Backrest Extension Isolated Open Operator Station (Code 1508) Tractors ONLY. NOT compatible with 5525 Hi-Crop Tractor.	See Parts
	AT162291	Seat Backrest Extension Cab Tractors (Code 1510 or 1511) ONLY.	See Parts

Attachments for Non-Current 5025 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL117281	ATTACHMENTS FOR FIELD CONVERSIONContinued Seat Fore/Aft Attenuation Kit For the following ONLY: - Base Seat in Cab (Code 1510) Tractors Base Seat for Isolated Open Operator Station (Code 1508) Tractors. Requires L114974, Ordered Separately. Not compatible with 5525 Hi-Crop Tractor.	See Parts
	AL117282	Seat Lumbar Adjustment Kit For the following ONLY: - Base Seat in Cab (Code 1510) Tractors Base Seat for Isolated Open Operator Station (Code 1508) Tractors. Requires L114974, Ordered Separately. Not compatible with 5525 Hi-Crop Tractor.	See Parts
	LVB25712	Wiper with Washer Kit - Rear Window Cab Tractors (Codes 1510 or 1511) ONLY. Requires (2) R205546 and (4) 37M7355 Ordered Separately. Not compatible with 5525 Hi-Crop Tractor.	297.00
	AL71345	Vandal Protection: Door Locks - Custom Key Not compatible with 5525 Hi-Crop Utility Tractor.	161.00
	AL113087	Lockable Fuel Tank Cap Not compatible with 5525 Hi-Crop Utility Tractor.	See Parts
	T32146	Weights: Front Weight Retaining Pin Required when Front Weights are used. Prevents Weights from sliding off of the Front Weight Support. Also requires L12491, Quick Pin, ordered separately.	See Parts
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One Dealer must order 5000 Lbs. to receive free freight through Waterloo Weight Program. Available to Ag Dealers only.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R183722	Weight, Front Support - 187 Lbs. Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, Ordered Separately.	289.00
	R213907	Weight, Rear Wheel 95 Lb. Maximum of 2 per wheel. Compatibility concerns if installed on wheels sized 24 In. or smaller. Not compatible with 5525 Hi-Crop Utility Tractor.	198.00
	AL156778	Wheel Equipment: Wheel Spacers, MFWD, 2.36 In. (60 mm) with Hardware (Qty 2) Fits MFWD and Rear Axles. Tread Setting Should Not exceed 80 In. for Maximum Load Applications.	575.00

Attachments for Non-Current 5025 Series Tractors Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

Attachments for Non-Current 5025 Series Narrow Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154682	Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	RE245832	Engine: Horizontal Side Exhaust	See Parts

Attachments for Non-Current 5025 Series Narrow Tractors Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

Attachments for Non-Current 5EN Narrow Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154682	Rear Axle 1.6 In. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	See Parts
	L154684	Rear Axle 4.4 In. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	See Parts
	RE227949	Engine: Engine Block Heater (110V) Not compatible with 5083EN Utility Tractors.	See Parts
	RE520167	Engine Coolant Heater (110V) Not compatible with 5093EN & 5101EN Narrow Utility Tractors.	See Parts
	LVB25110	Heavy Duty Air Intake Pre-Heater Not compatible with 5083EN Utility Tractors.	109.00
	RE245832	Horizontal Side Exhaust	See Parts
	BW15084	Guards: Hood Guard	230.00
	T21709	Hitch and Drawbar: Category I Interchangeable Hitch Ball Two required.	See Parts
	T21706	Category II Interchangeable Hitch Ball Two required.	See Parts
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I One required.	See Parts
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I Two required.	See Parts
	R133359	Drawbar - Offset	See Parts
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	See Parts
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	See Parts
	TY16042	Quik-Coupler, Economy, Category 2	See Parts

Attachments for Non-Current 5EN Narrow Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	LVB25695	Hydraulics: Dual Mid Hydraulic Control Valve Kit with Joystick Control	1,326.00
	LVB25697	Power Beyond Coupler Kit	425.00
		Requires, at least, two rear Hydraulic Control Valves. For Hydraulic Motor Applications, Order Code 7030 or LVB26087 Triple Rear Deluxe Hydraulic Control Valve with Pressure Compensated Flow Control is Recommended. Order Separately.	
	LVB26087	Triple Rear Deluxe Hydraulic Control Valve Kit with Lever Controls <i>Features:</i>	1,791.00
		- Three selectable detent positions on EACH valve (auto kickout, continuous flow, or no detent) - Float position on EACH valve - Flow priority to #1 valve	
		- Pressure compensated flow control for running hydraulic motors on #1 valve	
		Lighting:	
	LVB26137	Auxiliary Loader Light Kit	396.00
	LVB25713	Beacon Light Kit	211.00
	LVB25719	Miscellaneous: 540/1000 RPM PTO Kit for Tractors with Electro-hydraulic PTO, with or without 540/540E PTO, including Narrows models When 540/1000 is installed the 540 Economy cannot be used.	1,391.00
	LVB25728	Backup Alarm Kit	144.00
	LVB25241	Creeper Conversion Kit - Higher Speed	1,254.00
	LVB25153	Creeper Conversion Kit - Standard Speed	1,254.00
	LVB25701	Operator's Manual and Decal Kit - French	No Charge
	LVB25700	Operator's Manual and Decal Kit - Spanish	No Charge
	LVB25727	PowrReverser Modulation Control Kit	131.00
	LVB25369	Single Horn Kit	46.00
	LVB24983	Operator Environment: Air Seat Suspension Kit (Cab Only) Kit converts the narrow cab mechanical suspension to an air suspension seat.	658.00
	LV100112	Exterior Mirror Kit (fits either side)	93.00
	RE265545	Radio, AM/FM Stereo with Clock and Weatherband Requires Standard Cab Antenna Kit (L113922), ordered separately.	See Parts
	RE289629	Radio, AM/FM, CD, with Clock and Weatherband Requires Standard Cab Antenna Kit (L113922), ordered separately.	See Parts

Attachments for Non-Current 5EN Narrow Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	LV100114	ATTACHMENTS FOR FIELD CONVERSIONContinued Radio, Deere/Delco Installation Kit Requires Radio, ordered separately.	130.00
	LV100113	Wiper with Washer Kit - Rear Window Requires L156159 (Qty. 1) ordered separately.	276.00
	L169060	Weights: Front Weight Retaining Pin Required when Front Weights are used. Prevents Weights from sliding off of the Front Weight Support. Also requires L12491, Quick Pin, ordered separately.	See Parts
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One Dealer must order 5000 Lbs. to receive free freight through Waterloo Weight Program. Available to Ag Dealers only.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764)	2,504.00
	R183722	Weight, Front Support - 187 Lbs. Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, Ordered Separately.	289.00
	R213907	Weight, Rear Wheel 95 Lb.	198.00

Attachments for Non-Current 5EN Narrow Tractors Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	RE265064	Axle - Front: Two Wheel Drive Front Axle Extension (100 In.)	714.00
	RE17282	Electrical: 7-Terminal Electrical Outlet Socket	80.00
	RE58827	9-Pin Connector Implement Feedback For 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T. Required for TouchSet Depth Control.	132.00
	RE21519	Implement Switch with 10 Ft. Harness	168.00
	RE237254	Radar Sensor Kit Not for U.K. For 7200-7800, 7210-7810.	583.00
	RE237258	Radar Sensor Kit Not for U.K. For 8100-8400, 8110-8410.	581.00
	RE237264	Radar Sensor Kit Not for U.K. For 9100-9400, 9120-9520.	599.00
	RE237262	Radar Single Beam Sensor Kit Not for U.K. 8120-8520.	581.00
	RE237260	Radar with Single Beam Sensor Kit <i>Not for U.K. For 8100T-8400T, 8110T-8410T, 8120T-8520T.</i>	581.00
	AL110913	Engine: Dust Bowl/Air Cleaner/Field Kit For 7400-S/N 4056 - XXXX; 7210-7510.	305.00
	AT72330	Engine Coolant Heater	109.00
	AL79343	Fuel Heater Kit For 6200 - Cab and 2-Post; 6300 - Cab, 2-Post and Low Profile; 6400 - Cab, 2-Post and Low Profile; 6500 - Low Profile; 6405, 6605, 6110-6410, 6310C, 6510C, 6110L-6510L, 6310S-6510S, 6215-6715.	144.00
	AL180215	Fenders: 2WD Front Fenders Not compatible with 563 or 673 Loader. For 6220-6420 Premium, 6230-6430, 6230-6430 Premium, 7320 Premium.	601.00

Attachments for Non-Current 6000 Series - 9000 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE58550	ATTACHMENTS FOR FIELD CONVERSIONContinued Fender Extension Kit For 7200-7800, 7210-7810.	500.00
	RE236667	Fenders, Deluxe Pivoting Front for Independent Link Suspension - 18.7 In. (480 mm) Wide Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths. For 8120-8520.	1,368.00
	RE236670	Fenders, Deluxe Pivoting Front for Independent Link Suspension - 24.4 In. (620 mm) Wide Recommended for use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Not for use with front dual tire combinations. For 8120-8520.	1,603.00
	RE236666	Fenders, Deluxe Pivoting Front for MFWD - 18.7 In. (480 mm) Wide Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths. For 8120-8520.	1,329.00
	RE236669	Fenders, Deluxe Pivoting Front for MFWD - 24.4 In. (620 mm) Wide Recommended use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. For 8120-8520.	1,329.00
	RE210326	Fenders, Full Coverage Rear 2.55 meter (100 In. width) For 8120-8520, 8130-8530.	772.00
	AR151691	Front Fenders for MFWD - 17.7 In. (450 mm) Narrow Design For 7200-7800, 7210-7810, 7720-Front Fenders 480mm; 7820-7920. Not For Hi-Crop.	995.00
	AL71216	MFWD (4 Wheel Drive) Front Fenders 14.0 In. (355 mm) Wide	583.00
	AR113538	Rear Fender Mud Guard Kit For 8100-8400, 8110-8410.	937.00
	RE61798	Two Front MFWD Fenders For 8100-8400. Not for 600/65R28 Front Tires.	1,448.00
	RE166063	Two Front MFWD Fenders (480 mm) For 8100-8400, 8110-8410. Not For 600/65R-28 Front Tires.	1,474.00
	RE275924	Hitch and Drawbar: Cat. 4 Drawbar Reinforcement Kit for Tractors equipped with either 3-Point Hitch or Heavy Duty Drawbar Support Fits all 9000 and 9020 Series Tractors.	2,075.00
	RE314579	Cat. 4 Drawbar Reinforcement Kit for Tractors equipped without 3-Point Hitch or Heavy Duty Drawbar Support Kit includes Heavy Duty Drawbar Support. Ability to achieve 11,000 lbs Vertical Load Capacity. Requires SCV Bracket (RE228347) through PDC to complete installation. Fits all 9000 and 9020 Series Tractors.	4,189.00
	R177682	Center Link Bracket Retains the center link when not in use. For 8020, 8020T, 8030, 8030T, 8130-8530, 8230T-8430T, 8225R-8345R and 8295RT-8345RT Tractors.	See Parts

			SUGGESTED
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	LIST PRICE USD (\$)
	RE34846	ATTACHMENTS FOR FIELD CONVERSIONContinued Draft Link Sway Blocks For 7600-7800, 7610-7810, 8100T-8400T. To convert Category 3N/2 to Category 2, order 2-RE55231 draft link ends, and 1-RE56210 center link end. To convert Category 3N/2 to Category 3, order 2-RE55227 draft link ends and 1-RE56209 center link end. For use with RE180668 Quik-Coupler.	72.00
	AL116748	Draft Sensing Control Kit For 6405, 6605, 6215-6715.	601.00
	AL81724	Drawbar Drop-Down Kit For 6200-6400, 6405, 6605, 6110-6410, 6310C-6510C, 6310L, 6310S-6510S, 6215-6715.	397.00
	RE63147	Drawbar Drop-Down Kit For 6800, 6900, 7200-7800, 7210-7810, 7420-7520.	274.00
	RE57760	Drawbar Kit For 7600-7800, 7610-7810.	441.00
	RE190854	Drawbar, Cat. 4 with 2 In. Pin and Heavy Duty Support (10,000 Lb. Vertical Load Capacity) For 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8420, 8120T-8420T.	1,809.00
	RE61741	Electro-Hydraulic Cat. Hitch (With draft sensing, dual-lift cylinders and Category 3, non-adjustable Quik-Coupler) For 9100-9400. Not compatible with triples.	18,068.00
	RE46173	Lift Assist Cylinder Kit For 4555-4955, 4560-4960.	582.00
	RE63112	Quik-Coupler, Category 2 For 7510 and 7220, 7320, 7420, and 7520 ComfortGard Cab.	1,008.00
	RE60742	Quik-Coupler, Category 3N/2 For 4250, 4450, 4255, 4455, 4455CL, 7200-7800, 7405, 7210-7810, 7220-7520.	1,487.00
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N) For 4560-4960, 7600-7800, 7610-7810, 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8420, 8120T-8420T, 8130-8430, 8230T, 8330T, 8228R-8295R and 8295RT.	1,529.00
	RE176717	Rear Hitch for Retrofit Without Lift Cylinders For 8120-8520.	7,808.00
	AL117961	Stabilizer Bar, Mechanical (One) with Attaching Parts May be used with either RH or LH.	298.00
	RE71469	Hydraulics: 2-Way Loader and SCV Joystick Control Lever For 7200-7800, 7210-7810.	508.00
	AL169859	2nd Lever (SCV) Control Kit (ComfortGard Cab) For 6015, 6020, and 7120-7320 Series Tractors.	73.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE
CODE	IDENTIFIER	DESCRIPTION	USD (\$)
	RE174947	ATTACHMENTS FOR FIELD CONVERSIONContinued 3rd Deluxe (3 Detent) SCV with ISO Breakaway Couplers For 7610 with S/N 33919 and above, 7710 with S/N 33922 and above, 7810 with S/N 33920 and above.	1,222.00
	RE175296	3rd Deluxe (3 Detent) SCV with ISO Breakaway Couplers For 7210 with S/N 33914 and above, 7410 with S/N 33915 and above, 7510 with S/N 33935 and above.	1,222.00
	RE51221	3rd Deluxe (3 Detent) SCV with ISO Breakaway Couplers For 7200, 7400, 7210-7510. Requires RE71469 (2-Way Loader and SCV Control Lever with One Cable) or RE55261 Third Lever Control Kit (for ComfortGard Cab) or Third Lever Control Kit (for Two-Post Foldable ROPS).	1,202.00
	RE39731	3rd Deluxe SCV (3 Detent) and ISO Breakaway Couplers For 7600-7800, 7610-7810. Requires RE71469 (2-Way Loader and SCV Control Lever with One Cable) or RE55261 Third Lever Control Kit (For ComfortGard Cab) or Third Lever Control Kit (for Two-Post Foldable ROPS).	1,222.00
	RE55261	3rd Lever (SCV) Control Kit (For ComfortGard Cab) For 7200, 7400, 7210-7510.	177.00
	RE57065	3rd Lever Control Kit (For ComfortGard Cab) For 7600-7800, 7610-7810. For ComfortGard Cab.	177.00
	RE71470	4-Way Loader and SCV Joystick Control Lever For 7200-7800, 7210-7810.	786.00
	RE39732	4th Deluxe SCV (3 Detent) and ISO Breakaway Couplers For 7600-7800, 7610-7810. Requires RE71469 (2-Way Loader and SCV Control Lever with One Cable) or RE71470 (Four-Way Loader and SCV Control Lever with One Cable).	1,222.00
	AR116485	4th Remote Cylinder Control Kit For 8100-8400, 8100T-8400T.	2,317.00
	AR116717	4th Remote Cylinder Control Kit For 9100-9400, 9300T, 9400T.	2,352.00
	AR152164	4th Remote Cylinder Control Kit For 8100-8410, 8110T-8410T.	2,267.00
	RW24667	4th Remote Cylinder Control Kit For 8560-8960, 8570-8970.	1,449.00
	RE188662	4th Remote Cylinder Control Valves with Breakaway Couplers For use on tractors equipped with Independent Link Suspension. For 8120-8520.	1,814.00
	RE188661	4th Remote Cylinder Control Valves with Breakaway Couplers and Electronic Controller For use on tractors equipped with 2WD or MFWD. For 8120-8420, 8520 S/N 20533-XXXX, 8120T-8520T.	2,360.00
	AR162685	5th Remote Cylinder Control Kit For 8110-8410, 8110T-8410T, 9100-9400, 9300T, 9400T.	1,743.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE188663	ATTACHMENTS FOR FIELD CONVERSIONContinued 5th Remote Cylinder Control Valves with Breakaway Couplers For 8120-8520, 8120T-8520T, 9120-9620, 9320T-9520T. 9320-9520 Scrapers are not compatible with Code 2813.	1,879.00
	RE222721	Auxiliary Sump Coupler Kit (Flush Face Coupler Style) For use with hydraulic motor case drain applications. Seeding Kit BA30219 could also be used for this application. For 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T.	129.00
	AL169957	End Cover, Right Hand Equipped with Load Sense Port. Connecting Parts SCV Position 3 and/or 4 Series 300, 301 and E-SCV. For 6200-6400, 6500L, 6405, 6605, 6110-6510, 6410L-6510L, 6215-6715, 6120-6420, 6120L-6520L, 7220-7520.	343.00
	RE221808	High Flow Charge Pump Kit (Wagon Tilt Kit) For 8120-8520.	1,351.00
	RE151894	Hydraulic Motor Drain or Sump Kit For 8100T-8400T, 8110T-8410T, 8120T-8520T, 8230T-8430T, 8295RT-8345RT, 9300T, 9400T, 9120-9620, 9320T-9520T. (9320-9520 Scrapers are not compatible with Code 2813.)	198.00
	AR113481	Hydraulic Motor Return Kit For 6200-6400, 6110-6310, 6310C-6510C, 6110L-6510L, 6310S-6510S, 7405.	108.00
	RE51132	Hydraulic Motor Return Kit For 7600-7800, 7610-7810.	149.00
	RE55193	Hydraulic Motor Return Kit For 7200, 7400, 7210-7510.	136.00
	AR114664	Hydraulic Motor Return, Multiple/Auxiliary Hitch Coupler/ Sump Return Kit For 8130-8530, 8225R-8345R, 8295RT-8345RT. For use with Hydraulic Motor Returns, Hitch Valve with Lift Assist Wheels or Motor Drains/Sump Returns or grapple valve.	193.00
	RE186024	Hydraulic Trailer Brake Kit <i>For 7600-7800, 7610-7810.</i>	807.00
	RE232959	Hydraulic Trailer Brake Kit For 8100-8400, 8110-8410, 8120-8520.	841.00
	RE336252	Hydraulic Trailer Brake Kit For 9320-9620 without power beyond couplers.	852.00
	RE221284	Low Stand-By Pressure Control Kit	980.00
	RE218665	Motor Seal Drain Kit with Filter For 9300T, 9400T, 9120-9620, 9320T-9620T. For 9320-9520 Scrapers which are not compatible with Code 2813.	485.00
	RE67182	Multiple Motor Return Kit For 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T. Track Tractors require additional Service parts.	296.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE217697	ATTACHMENTS FOR FIELD CONVERSIONContinued Power Beyond Coupler Kit Without Trailer Brake For 8100-8400, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T.	602.00
	RE220072	Power Beyond Coupler Kit for Standard Flow For 9100-9400, 9300T, 9400T.	679.00
	AL112428	Power Beyond Valve Kit For 6615, 6020 Premium, and 7020 Premium Tractors.	479.00
	AL82290	Power Beyond with Coupler For 6615, 6020 Premium, and 7020 Premium Tractors.	397.00
	RE51225	Rear SCV Control Kit (For Converting Dual to Triple SCV) For 7600 - S/N XXXX-2037, 7700 - S/N XXXX-1971, 7800 - S/N XXXX-3308, 7610-7810.	283.00
	RE171435	Rear SCV Dual to Triple Conversion Kit For 7210 with S/N 33914 and above, 7410 with S/N 33915 and above, 7510 with S/N 33935 and above, 7610 with S/N 33919 and above, 7710 with S/N 33922 and above, 7810 with S/N 33920 and above.	175.00
	RE39738	Single Power Beyond Valve with Couplers For 7200-7400, 7210-7510.	451.00
	RE50393	Single Power Beyond Valve with Couplers For 7600-7800, 7610-7810. For Non-Triple Link Suspension Tractors.	466.00
	RE238221	Triple Remote Cylinder Control For 4050-4850, 4055-4955, 4455CL, 4260-4960. For Tractors equipped with Dual SCV's.	1,757.00
	RE162703	Lighting: 4WD Extremity Warning Lamps Kit For 9100-9400.	538.00
	AL111705	Beacon Light for Cab For 6200-6400, 6110-6410, 6405-6605, 6215-6715, 6020-6420, 7220-7520.	219.00
	RE167430	Beltline-located Hi-Lo Beam Lights (2) and Switch for Cab Tractor <i>For 7200-7800, 7210-7810.</i>	448.00
	RE223695	Extremity Light Kit For 8100-8400.	689.00
	RE223696	Extremity Light Kit For 7200-7810.	918.00
	RE223697	Extremity Light Kit For 7200-7810.	522.00
	RE223698	Extremity Light Kit For 4030-4960.	444.00
	RE223699	Extremity Light Kit For 4030-4960.	492.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE223700	ATTACHMENTS FOR FIELD CONVERSIONContinued Extremity Light Kit For 8440-8970.	554.00
	AL110271	Fender Mounted Work Lights (LH and RH), Front Facing For 6200-6400, 6405, 6605, 6110-6410, 6110L-6510L.	208.00
	AL79914	One Rear Fender Working Light For 6200-6400, 6110-6410, 6310S-6510S.	102.00
	RE64598	Roof Flood Lights For 9100-9400, 9300T, 9400T.	412.00
	RE239930	Rotary Beacon Light Kit For 7210-7810, 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9300T, 9400T, 9120-9620, 9320T-9520T.	377.00
	RE235448	Rotary Beacon Switch Kit For 7200-7800, 7210-7810, 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	108.00
	AL79912	Second Roof Mounted Rear Work Light For 6405, 6605.	82.00
	RE32441	Supplementary Light Kit (Four Roof-Mounted, 65 Watt Halogen Floods) For 8560-8960, 8570-8970.	408.00
	AL117623	Two Belt Line Work Lights For 6200-6400, 6405, 6605, 6110-6410, 6215-6715, 6120-6420.	263.00
	AR115342	Two Rear Fender Flood Lights <i>For 7200, 7400, 7210-7510.</i>	161.00
	AL79915	Work Light, (1) Rear Facing, LH or RH For 6200-6400, 6405, 6605, 6110L-6310L.	106.00
	AL179970	Work Lights, H3 (55 Watt) (2), Cab Roof Mounted, Front, LH and RH For 6020 and 7020 Series.	198.00
	AL179971	Work Lights, H3 (55 Watt) (2), Cab Roof Mounted, Rear, LH and RH For 6020 and 7020 Series.	198.00
	AL179972	Work Lights, H3 (55 Watt) (2), Fender Mounted, Rear, LH and RH For 6020 and 7020 Series.	195.00
	RE277064	Miscellaneous: Gudgeon Kit with Tapered Roller Bearings Updates all 9000, 9020, and 9030 Series Tractors to Tapered Roller Bearing Gudgeon with 2 1/2 In. Articulation Pins. For 9100-9400, 9120-9520.	5,170.00
	RE189037	Wagon Tilt Kit For 8100-8400, 8110-8410.	1,343.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	552 (4)
	RE67685	Operator Environment: 9-Pin Connector for Implement Feedback For 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T. Required for TouchSet Depth Control.	241.00
	AL177152	Antenna Kit, Hidden For 6015 and 6020 Series Tractors. Includes AL176845 Antenna.	460.00
	RE219922	Antenna Mount and Wiring for Business Band Radio For 7720-7920, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 9120-9520, 9320-9520 Scrapers, 9320T-9620T.	140.00
	RE19445	Canopy - Premium For 2355N, 2555, 2755, 2855N, 5105, 5205, 5210-5510.	1,007.00
	AR201256	Canopy for Roll-Gard For 6100-6400, 6403, 6603, 6405, 6605, 6110-6410, 6110L-6510L, 6215-6715, 6120-6420, 7200-7800, 7210-7810, 7220-7520.	1,289.00
	RE276351	External Mirrors, Electrically Adjustable RH and LH For Tractors with no external mirrors. Kit includes: Mounting brackets, telescoping arms, power mirror heads, wire harness, switch, plus miscellaneous hardware and installation instructions.	947.00
		For 7720-7920, 8120-8520 with S/N 007223 and above, 8120T-8520T with S/N 902001 and above, 9120-9620, 9320-9520 Scrapers, and 9320T-9620T.	
	RE244933	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors (included in deluxe cab option) to dual electric mirrors. Kit includes: Power mirror heads, wire harness, switch, plus miscellaneous hardware and installation instructions (will use existing mounting brackets and telescoping arms). For 7720-7920, 8120-8520 with S/N 007223 and above, 8120T-8520T with S/N 902001 and above.	752.00
	AR112841	External Mirrors, Manually Adjustable RH and LH For 8100-8400, 8110-8410. For 8120-8520 - N.A. Only - Before Serial Number 007222.	455.00
	RE276349	External Mirrors, Manually Adjustable RH and LH For 8020 Series Wheel Tractors with S/N 007223 and above. For 7720-7920.	465.00
	RE55262	External Mirrors, RH and LH, Manual Adjustment For 7200-7800, 7210-7810.	573.00
	RE276348	External Mirrors, Roof Mounted, Manually Adjustable RH and LH For all 9000 Series Wheel, 9020 Track, and 9020 Series Wheel (S/N 039999 and below).	258.00
	AR116863	Field Office For 7720-7920, 8100-8400, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9120-9620, 9320-9520 Scrapers, 9320T-9620T Not compatible with instructional seat.	610.00
	RE150012	Foot Operated Speed Control For 7210-7810.	152.00
	RE232548	Foot Speed Control Kit For 8100-8400.	293.00

	ATTACHMENT DENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
A	R114775	ATTACHMENTS FOR FIELD CONVERSIONContinued Foot Throttle Kit For 7200-7800.	135.00
R		Foot-Operated Speed Control For 7720-7820 APQ/EPQ, 8110-8410, 8120-8520 - Not for CIS Tractors, 8120T-8520T.	328.00
Al	L173569	Instructional Seat with Seat Belt	545.00
Al		Mirror, Telescopic, LH, Manually Adjustable For 6100-6400, 6405, 6605, 6110-6410, 6215-6715, 6120-6420, 6120L-6520L, 7220, 7520.	149.00
Al		Mirror, Telescopic, RH, Manually Adjustable For 5020 Series Cab Tractors, 6100-6400, 6405, 6605, 6110-6410, 6215-6715, 6120-6420, 6120L-6520L, 7220-7520.	149.00
Al		Performance Monitor For 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400.	855.00
R		Performance Monitor For 7200-7800, 7210-7810. Requires Radar Sensor to achieve accurate readouts.	819.00
R		Performance Monitor For 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T. Requires Radar Sensor to achieve accurate readout.	874.00
R		Radio Mast Antenna Kit For 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9300T-9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	129.00
R		Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, Weatherband, Four Speakers and Antenna For 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	736.00
R		Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband For 5210-5510, 5310N, 5510N, 5320, 5320N, 5520N, 6200-6400, 6405, 6605, 6110-6410, 6310C-6510C, 6310S-6510S, 6215-6715, 6120, 6420, 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	434.00
R		Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, Weatherband, Four Speakers and Antenna For 6110, 7200-7800, 7210-7810.	712.00
R		Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, Two Speakers and Antenna For 6200-6400, 6110-6410.	962.00
R		Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, Weatherband, Four Speakers and Antenna For 7720-7920, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	1,113.00

Attachments for Non-Current 6000 Series - 9000 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE321109	ATTACHMENTS FOR FIELD CONVERSIONContinued Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband For 5210-5510, 5310N, 5510N, 5320, 5320N, 5520N, 6405, 6605, 6110-6410, 6310S-6510S, 7210-7810, 7220-7520, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	849.00
	RE321110	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Jack for MP3 Players, Weatherband, Four Speakers, Antenna and Adapter Harness For 7210-7810.	1,076.00
	RE196202	Radio, Deere/Delco AM/FM Stereo with Weatherband, Cassette and Clock For 5210-5510, 5310N, 5510N, 5320N, 5520N, 6200-6400, 6405, 6605, 6110-6410, 6310C-6510C, 6310S-6510S, 6215-6715, 6120-6420, 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9300T, 9400T, 9120-9620, 9320T-9620T.	610.00
	AL116924	Steps (2), RH with Handle For 6405, 6215, 6415.	315.00
	AL115672	Steps (3), RH with Handle For 6605, 6615, 6715.	403.00
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	RE22863	Window, SGB Rear Sliding For 2940, 2350-2950, 2355-2955, 2855N, 3150, 3055-3255, 4030-4630, 4040-4840, 4050-4850, 4055-4955, 4560-4760, 8430-8630, 8440-8640, 8450-8850.	570.00
	AL81227	Windshield Washer, Front For 6200-6400, 6405, 6605, 6110-6410.	162.00
	AR112601	Windshield Washer, Front and Rear For 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8130-8530, 8230T-8430T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	213.00
	RE41817	Windshield Wiper, Rear Not for Use with Sliding Rear Window. For 2150-2950, 2555, 2755, 2855N, 4040-4840, 4040L-4440L, 4050-4850, 4055-4955, 4560-4960, 8430-8630, 8450-8650, 8560-8960, 8570-8970.	244.00
	RE337751	Windshield Wiper, Rear Single Speed For 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	268.00
	AL153672	Wiper and Washer, Rear Windshield, Single Speed For 6015 Series.	238.00
	AR151668	Wiper, Rear Windshield, Single Speed For 7200-7800, 7210-7810.	255.00

Attachments for Non-Current 6000 Series - 9000 Series Tractors Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE50823	PTO: 1000 RPM PTO For 8560-8960, 8570-8970.	13,725.00
	RE67476	1000 RPM PTO For Power Shift Transmission Only (Deletes Storage Box) $For 9200-9400$.	13,137.00
	RE167081	1000 RPM PTO with 1-3/4 In. Shaft For 9300T, 9400T. MST only. Also requires RE321532, RE321533, or RE321534.	12,762.00
	RE272736	Conversion Kit from 1-3/4 In. 1000 rpm to 1-3/8 In. 540/1000 rpm PTO For 7820, 7920, 8120-8520, 8130-8530 and 8225R-8270R. Conversion for Tractor equipped with Code 2418. 1-3/8 540 rpm PTO is NOT compatible with CAT 4 Drawbar.	476.00
	RE321532	PTO Mounting Kit for Tractor less 3-Point Hitch For 9300T, 9400T, 9320T-9620T.	684.00
	RE321533	PTO Mounting Kit for Tractor with 3-Point Hitch For 9300T, 9400T, 9320T-9620T.	653.00
	RE321534	PTO Mounting Kit for Tractor with Wide Swing Drawbar For 9300T, 9400T, 9320T-9620T.	826.00
	RE58257	Rollover Protection System: Foldable ROPS for 2510, 2520, 3010, 3020, 4000, 4010, 4020, and 4320 Row Crop Tractors (No Hi-Crop)	See Parts
	RE58262	Foldable ROPS for 4030 Row Crop Tractor (No Hi-Crop)	See Parts
	RE58265	Foldable ROPS for 4040 Row Crop Tractor (No Hi-Crop)	See Parts
	RE58263	Foldable ROPS for 4230 Row Crop Tractor (No Hi-Crop)	See Parts
	RE58266	Foldable ROPS for 4240 Row Crop Tractor (No Hi-Crop)	See Parts
	RE58264	Foldable ROPS for 4430 Row Crop Tractor (No Hi-Crop)	See Parts
	RE61779	Transmission: Transmission Backup Alarm For 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8420, 8120T-8420T.	491.00
	RE198862	Transmission Hydraulic Oil Heater (110 Volts) For 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T.	444.00
	RE295434	Vandal Protection: Kit, Locking Fuel Cap Compatible with 7720, 7820, 7920 (Serial No. 020094), 8000 and 8000 TEN Wheel and Track, 8020 Wheel (serial No. 027621), 9000 Series Wheel and Track Tractors, 4920 and 4930 Sprayers.	See Parts

Attachments for Non-Current 6000 Series - 9000 Series Tractors Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	.,,
	RE213187	Weights: Front Frame Reinforcement Kit Must order when equipping tractor with RE330996 Front Frame Weight Bracket Kit.	2,926.00
	RE330996	Front Frame Weight Bracket Kit For 9300, 9400, 9120-9620 and 9320-9520 Scrapers. Must order RE213187 Front Frame Reinforcement kit if tractor is not previously equipped. Includes R330291 weight support.	2,989.00
	R152091	Weight Bracket, Side Frame (150 Lb.) - Quantity of One For 8100T-8400T, 8110T-8410T. Holds 14 Quik-Tatch Weights. Order attaching hardware through Parts.	425.00
	R117599	Weight Support Extension For 4055-4455, 7200-7800, 7210-7810. Holds 14 Quik-Tatch Weights. Requires 4-19H3137, 4-19M8387 and 4-24M7242 hardware. Not for use with front PTO.	252.00
	R160662	Weight, Front Idler - 100 lbs. (45 kg) For 8000T-8400T, 8010T-8410T.	207.00
	R160661	Weight, Front Idler Starter - 100 lbs (45 kg) For 8000T-8400T, 8010-8410T, 8020T-8520T. Requires R160662 Idler Weight.	216.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One For 3055-3255, 3150, 4040-4840, 4050-4850, 4055-4955, 4560-4960, 5020 Series, 5720, 5820, 5730, 5830, 6200-6400, 6405, 6605, 6110-6410, 6310C-6510C, 6110L-6510L, 6310S-6510S, 6120L-6520L, 7405, 7210-7810, 7220-7920, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 875, 885, 9100-9400, 9300T, 9400T, 9120-9620, 9320T-9520T.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764) For 3055-3255, 3150, 4040-4840, 4050-4850, 4055-4955, 4560-4960, 5020 Series, 5720, 5820, 5730, 5830, 6200-6400, 6405, 6605, 6110-6410, 6310C-6510C, 6110L-6510L, 6310S-6510S, 6120L-6520L, 7405, 7210-7810, 7220-7920, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 875, 885, 9100-9400, 9300T, 9400T, 9120-9620, 9320T-9520T.	2,504.00
	R129660	Weight, Front Support (Holds 18 Front Weights) (Requires 4-19M8835, 4-24M7396, 1-T32146 and 1-L12491 Mounting Hardware) For 7200-7800, 7610-7810.	477.00
	R330291	Weight, Front Support, 153 Lb. For 4755-4955, 4560-4960, 7600-7800, 7610-7810, 7720-7920, 8100T-8400T, 8110-8410, 8120-8520, 8120T-8520T, 9100-9400.	287.00
	R167151	Weight, Inner Wheel, 1400 Lb. For 7720-7920,8100-8400, 8110-8410, 8120-8520, 9100-9400, 9120-9620, 9320-9520 Scrapers. Not available with triple tire options.	1,903.00
	RE330998	Weight, Rear Frame Support Kit For 9100-9400, 9120-9620.	611.00

Attachments for Non-Current 6000 Series - 9000 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	T21689	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Rear Wheel, 107 Lb. For JD300, JD301, JD400, JD401, 1020, 1250, 1450, 1520, 1650, 1830, 2010, 2020, 2030, 2120, 2130, 2350, 2355, 2440, 2550, 2555, 2630, 2640, 4020-4520, 4030-4630, 4040-4840, 4050-4850, 5020, 6030, 6200-6400, 6110-6410, 6310C-6410C, 6110L-6510L, 6310S-6510S, 6120-6420, 6120L-6520L, 7405, 8430, 8630, 8440, 8640, 8450-8850.	209.00
	R61524	Weight, Rear Wheel, 135 Lb. For 1020, 1520, 1530, 2510, 2020, 2030, 2240-2840, 2350-2950, 2355-2955, 2855N, 3020, 3150, 3055-3255, 4000, 4020, 4030-4430, 4040-4440, 4050-4450, 4050J, 4455, 6200-6400, 6110-6410, 6110L-6510L, 6310C-6510C, 6310S-6510S, 7020, 7405, 8430-8630, 8440-8640, 8450-8850.	287.00
	RFR61524	Weight, Rear Wheel, 1620 Lb. (12-R61524) For 1020, 1520, 1530, 2510, 2020, 2030, 2240-2840, 2350-2950, 2355-2955, 2855N, 3020, 3150, 3055-3255, 4000, 4020, 4030-4430, 4040-4440, 4050-4450, 4050J, 4455, 6200-6400, 6110-6410, 6110L-6510L, 6310C-6510C, 6310S-6510S, 7020, 7405, 8430-8630, 8440-8640, 8450-8850.	2,896.00
	RFT21689	Weight, Rear Wheel, 1760 Lb. (16-T21689) For 3055-3255, 3150, 4040-4840, 4050-4850, 4055-4955, 4560-4960, 5020 Series, 5720, 5820, 5730, 5830, 6200-6400, 6405, 6605, 6110-6410, 6310C-6510C, 6110L-6510L, 6310S-6510S, 6120L-6520L, 7405, 7210-7810, 7220-7920, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 875, 885, 9100-9400, 9300T, 9400T, 9120-9520, 9320T-9520T.	3,000.00
	R151721	Weight, Rear Wheel, 335 Lb. (148 kg) - Quantity of One For 8000T-8400T, 8110T-8410T, 8120T-8520T. Order attaching hardware through Parts.	713.00
	AR112536	Weight, Rear Wheel, 440 Lb. (4-R56920) Requires Steel Wheels.	937.00
	APY10029	Weight, Rear Wheel, 480 Lb. (4-L28228) For 1020-1120, 1030-1830, 1035-1635, 1040-1840, 1350-1950, 1850N-1950N, 2030-2130, 2035-2135, 2040-2140, 2040S, 2250-2950, 2650N, 2355-2955, 3030-3130, 3040-3640, 3640S, 3050-3650, 3055-3255, 4040-4440, 4040S, 4350, 6200-6400, 6103-6603, 6405, 6605, 6110-6410, 6310C-6510C, 6110L-6510L, 6310S-6510S, 6215-6715, 6120-6420, 6120L-6520L, 820, 830, 840, 920, 930, 940.	1,090.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg) For 4450CL, 4755, 4955, 4560-4960, 7200-7800, 7210-7810, 7220-7520, 7720-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8560-8960, 8570-8970 9100-9400, 9120,9220 and 9620.	282.00
	RFR207782	Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights) For 4755, 4955, 4560-4960, 7200-7800, 7210-7810, 7220-7520, 7720-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8560-8960, 8570-8970, 8225R-8345R, 9100-9400, 9120-9620.	2,658.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights) For 4450CL, 4755, 4955, 4560-4960, 7200-7800, 7210-7810, 7220-7520, 7720-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8560-8960, 8570-8970, 9100-9400, 9120-9420.	3,384.00
	R207782	Weight, Wheel, 450 Lb. For 4755, 4955, 4560-4960, 7200-7800, 7210-7810, 7220-7520, 7720-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8560-8960, 8570-8970, 9100-9400, 9120-9620.	664.00

Attachments for Non-Current 6000 Series - 9000 Series Tractors Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	AR182457	Wheel Equipment: Kit, Row Spacing (ZF Axles) For 7510 for 60", 64", 68", 72", 76", 80", 84" and 88" track spacings on ZF Front Axles except 24" and 26" wheels. For 7420 and 7520 for 60", 64", 68", 72", 80", 84" and 88" track spacings on ZF Front Axles and 26" wheels.	1,087.00
	AR190666	One 10 In. Dual Hub Extension For 4055-4955, 4255CL, 4455CL, 4560-4960, 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 9100-9400, 9120-9620.	759.00
	AR190668	One 13 In. Dual Hub Extension For 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 9100-9400, 9120-9620.	844.00
	AR190669	One 15 In. Dual Hub Extension For 4055-4955, 4455CL, 4560-4960, 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8570, 8770, 9100-9400, 9120-9620.	884.00
	AR194744	One 5 In. Dual Hub Extension For 4055-4955, 4455CL, 4560-4760, 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 9100-9400, 9120-9620.	685.00
	RE49119	Two Wheel Drive Axle Extension to 100 In. For 7200-7800, 7210-7810. Not for Hi-Crop Models.	687.00

Attachments for Non-Current 6 Family Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
		Axle - Front: Order the following for 2WD Front Axle Extension: (2) AL80385 Hydraulic Hose; (1) L79885 Tie Rod Tube; and (8) 19H2827 Hex Head Screws. For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	
	L78664	Axle Extension, Front, Left Hand For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	See Parts
	L78665	Axle Extension, Front, Right Hand For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	See Parts
	L154683	Axle - Rear: Rear Axle 1.2 In. Extension (30 mm) For 6215, 6415, 6615, 6715 ComfortVantage Cab, 6415, 6615, 6715 ComfortVantage Cab High Clearance, 6215, 6415, 6615, 6715 OOS, and 6415, 6615, 6715 OOS High Clearance. For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	See Parts
	RE21519	Electrical: Implement Switch with 10 Ft. Harness	168.00
	L165953	Engine: Air Baffle for 4-Cylinder Engine Air Filter For usage where snow may block the fresh air intake filter. For 6215, 6415 ComfortVantage Cab, 6415 ComfortVantage Cab High Clearance, 6215 & 6415 OOS, and 6415 OOS High Clearance, 6120, 6220, 6320, 6420 OOS, 6120L, 6320L, 6420L, 6520L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	See Parts
	L165954	Air Baffle for 6-Cylinder Engine Air Filter For usage where snow may block the fresh air intake filter. For 6615 & 6715 ComfortVantage Cab, 6615 & 6715 ComfortVantage Cab High Clearance, 6615 & 6715 OOS, and 6615 & 6715 OOS High Clearance.	See Parts
	AL173200	Cold Weather Starting Package - 110 Volt Includes Coolant Heater, Transmission Heater, Charge Pump Heater and Mounting Parts. Compatible with all transmissions EXCEPT IVT. For 5215, 6415, 6615, 6715 ComfortVantage Cab, 6415, 6615, 6715 ComfortVantage Cab High Clearance, 6215, 6415, 6615, 6715 OOS, and 6415, 6615 and 6715 OOS High Clearance.	469.00
	AL156425	Dampener, Torsional (Cold Weather Starting) For 6215, 6416, 6615, 6715 ComfortVantage Cab, 6415, 6615, 6715 ComfortVantage Cab High Clearance, 6215, 6415, 6615, 6715 OOS, and 6415, 6615 and 6715 OOS High Clearance. For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	See Parts

Attachments for Non-Current 6 Family Tractors Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE227949	ATTACHMENTS FOR FIELD CONVERSIONContinued Engine Block Heater (110V) For 6403, 6603, 6215, 6415, 6615, 6715 ComfortVantage Cab, 6415, 6615, 6715 ComfortVantage Cab High Clearance, 6215, 6415, 6615, 6715 OOS, and 6415, 6615 and 6715 OOS High Clearance, 8130-8530, 8230T-8430T, 8225R-8345R, 8295RT-8345RT.	See Parts
	AL173967	Engine Coolant Heater (110V) Engine Coolant Heater is included in Cold Weather Starting Packages. Compatible with 6020 and 6030 Series. For 6120, 6220, 6320, 6420 OOS, 6120L. 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	82.00
	RE199488	Engine Manifold Heater For 6403 and 6603.	193.00
	AL158520	Fuel Pre-Heater Kit For 6215, 6416, 6615, 6715 ComfortVantage Cab, 6415, 6615, 6715 ComfortVantage Cab High Clearance, 6215, 6415, 6615, 6715 OOS, and 6415, 6615 and 6715 OOS High Clearance. For 6120, 6220, 6320, 6420 OOS, 6120L 6220L, 6320L 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	148.00
	AL180215	Fenders: 2WD Front Fenders Not compatible with 563 or 673 Loader. For 6215, 6415, 6615, 6715 ComfortVantage Cab, and 6215, 6415, 6615, 6715 OOS. For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	601.00
	AL165335	Fender Stop Panel For 4 Cyl. Models with Turnable MFWD Fenders. For 6215 & 6415 ComfortVantage Cab, 6215 & 6415 OOS, and 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, and 6520L OOS Orchard.	411.00
	AL165336	Fender Stop Panel For 6 Cyl. Models with Turnable MFWD Fenders. For 6615 & 6715 ComfortVantage Cab and 6615 & 6715 OOS.	411.00
	AL71216	MFWD (4 Wheel Drive) Front Fenders 14.0 In. (355 mm) Wide For 6100-6400, 6405, 6605, 6110-6410, 6310C-6510C, 6110L-6510L, 6310S-6510S, 6215-6715, 6120L-6520L. Requires additional hardware for mounting.	583.00
	AL205776	MFWD Front Fender, Turnable, 18.9 ln. (480 mm) Wide For 16.9R24, 16.9R28, 16.9R30, 420/70R24, 420/70R28, 420/85R24, 420/85R28, 420/85R30 In. Tires. Not compatible with Tractors equipped with front loader. For 6215, 6415, 6615, 6715 ComfortGard Cab, and 6215, 6415, 6615, 6715 OOS, 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, and 6520L OOS Orchard.	1,291.00
	AL180095	MFWD Front Fenders, Fixed, 14.5 In. (370 mm) Wide Includes Base Mounting Kit. For 12.4-24 In. Tires. For 6215 & 6415 ComfortVantage Cab, and 6215 & 6415 OOS, and 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS and 6520L OOS Orchard.	668.00
	AL180097	MFWD Front Fenders, Fixed, 16.5 In. (420 mm) Wide Includes Base Mounting Kit. For 13.6R24 In., 1439R24 In., and 13.6R28 In. Tires. For 6215, 6415, 6615, 6715 Cab, and 6215, 6415, 6615, 6715 OOS, 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, and 6520L OOS Orchard.	677.00

Attachments for Non-Current 6 Family Tractors Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL180099	ATTACHMENTS FOR FIELD CONVERSIONContinued MFWD Front Fenders, Fixed, 18.9 ln. (480 mm) Wide Includes Base Mounting Kit. For 14.9R26, 16.9R24, 420/70R24 and 480/65R24 In. Tires. For 6215 & 6415 ComfortVantage Cab, and 6215 & 6415 OOS, and 6120, 6220, 6320, 6420 OOS.	686.00
	AL180101	MFWD Front Fenders, Fixed, 21.3 In. (540 mm) Wide Includes Base Mounting Kit. For 14.9-26, 16.9-24, 420/70R24 and 480/65R24 In. tires. For 6120, 6220, 6320, 6420 OOS.	716.00
	AL205773	MFWD Front Fenders, Turnable, 14.6 ln. (370 mm) Wide For 11.2R28, 12.4R24, 12.4R28, 280/85R28, 320/85R24, 320/85R28 In. Tires. Not compatible with Tractor equipped with front loader. For 6215, 6415, 6615, 6715 ComfortVantage Cab, and 6215, 6415, 6615, 6715 OOS, 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, and 6520L OOS Orchard.	1,291.00
	AL205774	MFWD Front Fenders, Turnable, 16.5 ln. (420 mm) Wide For 13.6R24, 13.6R28, 14.9R24, 14.9R28, 340/85R24, 340/85R28, 380/70R24, 380/70R28, 380/85R24, 380/85R28 In. Tires. Not compatible with Tractors equipped with front loader. For 6215, 6415, 6615, 6715 ComfortGard Cab, and 6215, 6415, 6615, 6715 OOS, 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, and 6520L OOS Orchard.	1,291.00
	AL205779	MFWD Front Fenders, Turnable, 21.3 In. (540 mm) Wide For 480/65R24, 480/65R28, 480/70R24, 480/70R28, 480/70R30 In. Tires. Not compatible with Tractors equipped with front loader. For 6215, 6415, 6615, 6715 ComfortGard Cab, and 6215, 6415, 6615, 6715 OOS, and 6320 & 6420 OOS.	1,291.00
	AL205781	MFWD Front Fenders, Turnable, 24.4 In. (620 mm) Wide See Ag Sales Manual for compatible tire combinations. Not compatible with Tractors equipped with front loader. For 6215, 6415, 6615, 6715 ComfortGard Cab, and 6215, 6415, 6615, 6715 OOS.	1,291.00
	AL156243	Guards: Guard, Fuel Tank Bottom, 48 Gal. (185L) Compatible with 42.3, 43.6 and 48 Gallon Fuel Tanks. For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance Tractor.	175.00
	AL118241	Guard, Fuel Tank Bottom, 54.6 US Gal. (207L) For 6615 & 6715 ComfortVantage Cab, 6615 & 6715 ComfortVantage Cab High Clearance, 6615 & 6715 OOS, and 6615 & 6715 OOS High Clearance.	203.00
	AL116748	Hitch and Drawbar: Draft Sensing Control Kit For 6215, 6415, 6615, 6715 ComfortVantage Cab, 6415, 6615, 6715 ComfortVantage Cab High Clearance, 6215, 6415, 6615, 6715 OOS, and 6415, 6615, 6715 OOS High Clearance.	601.00
	AL81724	Drawbar Drop-Down Kit Lowers the height of Drawbar by approximately 3 inches. For 6215, 6415, 6615, 6715 ComfortVantage Cab, and 6215, 6415, 6615, 6715 OOS. For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6230, 6420 OOS High Clearance.	397.00

Attachments for Non-Current 6 Family Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
CODE	IDENTIFIER		035 (\$)
	TY16042	ATTACHMENTS FOR FIELD CONVERSIONContinued Quik-Coupler, Economy, Category 2 For 6403, 6603, 6215 6415, 6615, 6715 ComfortVantage Cab, 6415, 6615, 6715 ComfortVantage Cab High Clearance, 6215, 6415, 6615, 6715 OOS, and 6415, 6615, 6715 OOS High Clearance. For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	See Parts
	AL117961	Stabilizer Bar, Mechanical (One) with Attaching Parts Maybe used with either RH or LH. For 6215, 6415, 6615, 6715 ComfortVantage Cab, 6415, 6615, 6715 ComfortVantage Cab High Clearance, 6215, 6415, 6615, 6715 OOS, and 6415, 6615, 6715 OOS High Clearance. For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	298.00
	AL82925	Stabilizer Sway Chains Requires High Clearance Drawbar. For 6215, 6415, 6615, 6715 ComfortVantage Cab, and 6215, 6415, 6615 OOS.	320.00
	APY11151	Hydraulics: Mechanical Joystick and Dual Function Mid Mount Valve (Cab Tractors) <i>For 6403 and 6603.</i>	1,666.00
	APY11152	Mechanical Joystick and Dual Function Mid Mount Valve (Open Station Tractors) For 6403 and 6603 .	1,666.00
	APY10027	Third Selective Control Valve Kit For 6403 and 6603 Open Station only.	1,022.00
	APY11210	Third Selective Control Valve Kit For 6403 and 6603 Cab Tractors only.	1,022.00
	AL110271	Lighting: Fender Mounted Work Lights (LH and RH), Front Facing For 6215, 6415, 6615, 6715 OOS, and 6415, 6615, 6715 OOS High Clearance.	208.00
	AL79915	Work Light, (1) Rear Facing, LH or RH For 6215, 6415, 6615, 6715 OOS, and 6415, 6615, 6715 OOS High Clearance.	106.00
	AT173678	Operator Environment: 3 Inch Seat Belt For 6215, 6415, 6615, 6715 ComfortVantage Cab, 6615, 6715 ComfortVantage Cab High Clearance, and 6215, 6415, 6615, 6715 OOS, 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	See Parts
	AL160800	3-Terminal Power Outlet (Side Console) For 6215, 6415, 6615, 6715 OOS, and 6415, 6615, 6715 OOS High Clearance.	See Parts
	L113922	Antenna For 6403 and 6603.	See Parts
	AR201256	Canopy for Roll-Gard For 6403 and 6603 Open Station only. Requires RE195133 - Wiring Harness. Order through Parts. For 6215, 6415, 6615, 6715 OOS, and 6415, 6615, 6715 OOS High Clearance. Requires AL160408 Wiring Harness Adapter. Order through Parts.	1,289.00

Attachments for Non-Current 6 Family Tractors Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL82367	ATTACHMENTS FOR FIELD CONVERSIONContinued High Clearance Step (LH) For 6215, 6415, 6615 and 6715 OOS.	See Parts
	AL80126	Mirror, Telescopic, LH, Manually Adjustable For 6403 and 6603.	149.00
	AL80127	Mirror, Telescopic, RH, Manually Adjustable For 6403 and 6603.	149.00
	RE321102	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband For 6403 and 6603.	434.00
	RE321109	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband For 6403 and 6603.	849.00
	AL116924	Steps (2), RH with Handle For 6215 and 6415 OOS.	315.00
	AL115672	Steps (3), RH with Handle For 6615 and 6715 OOS.	403.00
		PTO/Front Auxiliary Drive: Front PTOs are no longer available as a field installed option through John Deere. Contact Laforge Hitch for your Front PTO and Front Hitch needs. Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com	
	AL160984	Front Auxillary Drive (Crankshaft pulley without Drive Shaft) For use with 6015 Series Tractors equipped with 4 Cyl. engines and 6020 Series Tractor engines produced after (s/n 354700-). For 6415 ComfortVantage Cab, 6415 ComfortVantage Cab High Clearance, and 6415 OOS. For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	614.00
	AL160985	Front Auxillary Drive (Crankshaft pulley without Drive Shaft) For 6615 & 6715 ComfortVantage Cab, 6615 & 6715 ComfortVantage High Clearance, and 6615 & 6715 OOS.	704.00
	AL158728	Transmission: Back-up Alarm for SyncroPlus, PowrQuad PLUS and AutoQuad Transmissions For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	496.00
	AL162433	Creeper Field Kit for 16F/16R PowrQuad Transmission (MPQT) with 2-lever design with or without Left Hand Reverser Additional Parts are required to complete installation. See Installation Instruction MHM 842 and the Parts Catalog. For 6215, 6415, 6615, 6715 ComfortVantage Cab, 6415, 6615, 6715 ComfortVantage Cab High Clearance, and 6215, 6415, 6615, 6715 OOS.	2,563.00

Attachments for Non-Current 6 Family Tractors Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	AL113087	Vandal Protection: Lockable Fuel Tank Cap For 6215, 6415, 6615, 6715 ComfortVantage Cab, 6415, 6615, 6715 ComfortVantage High Clearance, 6215, 6415, 6615, 6715 OOS, and 6415, 6615, 6715 OOS High Clearance. For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	See Parts
	AL175117	Vandal Protection Field Kit Kit contains Hood and Side shield locks. Lockable fuel tank Cap. Lockable transmission oil filler neck. For 6215, 6415 ComfortVantage Cab, 6415 ComfortVantage Cab High Clearance, 6215 & 6415 OOS, and 6415 OOS High Clearance. For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	562.00
		Weights: Please Refer to the Agricultural Sales Manual for Rear Wheel Weight Compatibility Information. Before ordering, verify Axle type (Flange or R&P). For Flange Axles, verify Bolt Circle Diameter (BCD). Weights and Supports do not include Installation Hardware.	
	RE196433	Front Weight Support Bracket 20-Inches Wide. Holds 14 Quik-Tatch Weights. Also order four 19M8639 Cap Screws and four 24M7242 Washers. For 6403 and 6603.	232.00
	RE300838	Front Weight Support, 132 Lb. (60 Kg) 21 In. (535 mm) Wide Holds up to 14 weights. For 6215, 6415, 6615, 6715 ComfortVantage Cab, 6415, 6615, 6715 ComfortVantage Cab High Clearance, 6215, 6415, 6615, 6715 OOS, and 6415, 6615, 6715 OOS High Clearance. For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	391.00
	RE300840	Front Weight Support, 243 Lb. (110 Kg) Holds up to 18 weights. For 6215, 6415, 6615, 6715 ComfortGard Cab, and 6215, 6415, 6615, 6715 OOS. For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	542.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One For 6403, 6603, 6215, 6415, 6615, 6715 ComfortVantage Cab, 6415, 6615, 6715 ComfortVantage Cab High Clearance, 6215, 6415, 6615, 6715 OOS, and 6415, 6615, 6715 OOS High Clearance. For 6120, 6220, 6320, 6420 OOS, 6120L, 6220, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764) For 6403, 6603, 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	2,504.00
	T19293	Weight, Rear Wheel 110 Lb. For 6215, 6415, 6615, 6715 ComfortVantage Cab, 6415, 6615, 6715 ComfortVantage Cab High Clearance, 6215, 6415, 6615, 6715 OOS, and 6415, 6615, 6715 OOS High Clearance. For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	205.00

Attachments for Non-Current 6 Family Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	T21689	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Rear Wheel, 107 Lb. For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	209.00
	R61524	Weight, Rear Wheel, 135 Lb. For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	287.00
	RFR61524	Weight, Rear Wheel, 1620 Lb. (12-R61524) For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	2,896.00
	RFT21689	Weight, Rear Wheel, 1760 Lb. (16-T21689) For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	3,000.00
	AR112536	Weight, Rear Wheel, 440 Lb. (4-R56920) For 6215, 6415, 6615, 6715 ComfortVantage Cab, 6415, 6615, 6715 ComfortVantage Cab High Clearance, 6215, 6415, 6615, 6715 OOS, and 6415, 6615, 6715 OOS High Clearance. For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	937.00
	APY10029	Weight, Rear Wheel, 480 Lb. (4-L28228) For 6403, 6603, 6215, 6415, 6615, 6715 ComfortVantage Cab, 6415, 6615, 6715 ComfortVantage Cab High Clearance, 6215, 6415, 6615, 6715 OOS, and 6415, 6615, 6715 OOS High Clearance. For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	1,090.00
	AL156778	Wheel Equipment: Wheel Spacers, MFWD, 2.36 In. (60 mm) with Hardware (Qty 2) 8 Bolt Patterns (275 mm diameter). For 6215, 6415, 6615, 6715 ComfortVantage Cab, 6415, 6615, 6715 ComfortVantage Cab High Clearance, 6215, 6415, 6615, 6715 OOS, and 6415, 6615, 6715 OOS High Clearance. For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	575.00
	AL156779	Wheel Spacers, Rear, 1.73 In. (44 mm) with Hardware (Qty 2) For 6215, 6415, 6615, 6715 ComfortVantage Cab, 6415, 6615, 6715 ComfortVantage Cab High Clearnace, 6215, 6415, 6615, 6715 OOS, and 6415, 6615, 6715 OOS High Clearance. For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	470.00
	AL156777	Wheel Spacers, Rear, 4.37 In. (111 mm) with Hardware (Qty 2) For 6215, 6415, 6615, 6715 ComfortVantage Cab, 6415, 6615, 6715 ComfortVantage Cab High Clearnace, 6215, 6415, 6615, 6715 OOS, and 6415, 6615, 6715 OOS High Clearance. For 6120, 6220, 6320, 6420 OOS, 6120L, 6220L, 6320L, 6420L Low Profile OOS, 6520L OOS Orchard, and 6220, 6320, 6420 OOS High Clearance.	597.00

Attachments for Non-Current 6 Family Tractors Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

Attachments for Non-Current 7020 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	RE21519	Electrical: Implement Switch with 10 Ft. Harness	168.00
	RE278980	Radar with Dual Beam Sensor For 7220, 7320, 7420, and 7520 ComfortGard Cab Mechanical Front Wheel Drive.	See Parts
	AL171547	Radar, Dual Beam Attaching Kit For 7220, 7320, 7420, and 7520 ComfortGard Cab Mechanical Front Wheel Drive.	317.00
	L165954	Engine: Air Baffle for 6-Cylinder Engine Air Filter For usage where snow may block the fresh air intake filter. For 7220, 7320, 7420, 7520 ComfortGard Cab, 7420 Hi-Crop, 7220, 7320, and 7520 OOS.	See Parts
	AL173201	Cold Weather Starting Package (IVT) Includes Coolant Heater, Charge Pump Heater and Mounting Parts. Compatible with IVT Transmission only. For 7220, 7320, 7420, and 7520 ComfortGard Cab.	372.00
	AL173200	Cold Weather Starting Package - 110 Volt Includes Coolant Heater, Transmission Heater, Charge Pump Heater and Mounting Parts. Compatible with all transmissions EXCEPT IVT. For 7220, 7320, 7420, 7520 ComfortGard Cab, 7420 Hi-Crop, 7220, 7320, and 7520 OOS.	469.00
	AL158520	Fuel Pre-Heater Kit NOT Compatible with Bosch VP44 Injection Pumps. For 7220, 7320, 7420, 7520 ComfortGard Cab, 7420 Hi-Crop, 7220, 7320, and 7520 OOS.	148.00
	AL165336	Fenders: Fender Stop Panel For 6 Cyl. Models with Turnable MFWD Fenders. Compatible with Loaders. For 7220, 7320, 7420, and 7520 ComfortGard Cab.	411.00
	AL159975	Rear Fender Flap for Fender Side Extensions For 7220, 7320, 7420, and 7520 ComfortGard Cab.	81.00
	AL118241	Guards: Guard, Fuel Tank Bottom, 54.6 US Gal. (207L) For 7220 and 7320 ComfortGard Cab.	203.00
	AL159939	Guard, Fuel Tank Bottom, 66 US Gal. (250L) For 7220, 7320, 7420, and 7520 ComfortGard Cab.	195.00
	RE63112	Hitch and Drawbar: Quik-Coupler, Category 2 For 7510 and 7220, 7320, 7420, and 7520 ComfortGard Cab.	1,008.00

Attachments for Non-Current 7020 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE60742	ATTACHMENTS FOR FIELD CONVERSIONContinued Quik-Coupler, Category 3N/2 For 7220, 7320, 7420, and 7520 ComfortGard Cab.	1,487.00
	AL117961	Stabilizer Bar, Mechanical (One) with Attaching Parts May be used with either RH or LH. For 7220 and 7320 ComfortGard Cab.	298.00
	AL168819	Hydraulics: 52 mm Spacer For Tractors After S/N 12451. Allows #3 SCV to be moved to the #4 Position for Increased Draw Bar Visibility. Not Compatible with a 4th SCV. For 7220, 7320, 7420, 7520 ComfortGard Cab, 7420 Hi-Crop, and 7220, 7320, 7520 OOS.	See Parts
	AL169971	E-SCV, Function Kit, (ComfortGard Deluxe Cabs with CommandArm only) Compatible with Mounting Position 3 or 4. Requires AL161388 Power Beyond Spacer with Load Sense (from S/N 398797) if valve is installed on Tractor in the #3 or #4 position for the first time. Requires AL169957 RH End Cover if valve is installed on Tractor in the #3 or #4 position for the first time. For 7220, 7320, 7420, and 7520 ComfortGard Cab.	1,480.00
	AL169957	End Cover, Right Hand For 7220, 7320, 7420, 7520 ComfortGard Cab, 7420 Hi-Crop, 7220, 7320, and 7520 OOS.	343.00
	RE228000	Hydraulic Motor Case Drain For 7220, 7320, 7420, and 7520 ComfortGard Cab.	174.00
	AL169965	Hydraulic Motor Return Oil Kit <i>For 7220, 7320, 7420, and 7520 ComfortGard Cab, 7420 Hi-Crop, and 7220, 7320, and 7520 OOS.</i>	114.00
	AL162459	Independent Control Valve (ICV) with Boosted Load Sense For Tractors AFTER S/N 12451. Mounts to the right of the "New Narrow Hitch Valve". For 7220, 7320, 7420, and 7520 ComfortGard Cab, 7420 Hi-Crop, and 7220, 7320, and 7520 OOS.	See Parts
	AL169791	Mechanical Deluxe Select Control Valve 300 Series (3-Detent), Function Kit Compatible with Mounting Position 3 or 4. Kit contains SCV, Quick Couplers, Dust Cover. Requires Position Kit AL169861 or AL169862. Requires AL169957 RH End Cover if valve is installed on Tractor in the #3 or #4 position for the first time. For 7220, 7320, 7420, and 7520 ComfortGard Cab, 7420 Hi-Crop, and 7220, 7320, and 7520 OOS.	1,259.00
	AL169861	Position Kit, Position #3 Mechanical - Contains SCV Control Lever, Mounting Parts and Power Beyond Spacer Housing For 7220, 7320, 7420, and 7520 ComfortGard Cab, 7420 Hi-Crop, and 7220, 7320, and 7520 OOS.	220.00
	AL169862	Position Kit, Position #4 Mechanical - Contains 2 Function Joystick, and Mounting Parts For 7220, 7320, 7420, and 7520 ComfortGard Cab, 7420 Hi-Crop, and 7220, 7320, and 7520 OOS.	627.00
	AL161388	Power Beyond Spacer For Tractors AFTER S/N 12451. Mounts to the right of the "New Narrow Hitch Valve". For 7220, 7320, 7420, and 7520 ComfortGard Cab, 7420 Hi-Crop, and 7220, 7320, and 7520 OOS.	See Parts

Attachments for Non-Current 7020 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL158831	ATTACHMENTS FOR FIELD CONVERSIONContinued RH Power Beyond Kit If Tractor is not equipped with a 3rd SCV, requires AL157636 380 mm length hydraulic hose. Order through Parts. For Tractors before S/N 12451. For 7220, 7320, 7420, and 7520 ComfortGard Cab, 7420 Hi-Crop, and 7220, 7320, and 7520 OOS.	272.00
	AL111705	Lighting: Beacon Light for Cab For 7220, 7320, 7420, and 7520 ComfortGard Cab.	219.00
	AL159509	Brake Light Kit For 7220, 7320, 7420, and 7520 ComfortGard Cab.	80.00
	AL160998	Extremity Light Preparation Kit See Parts Catalog for additional components. For 7220, 7320, 7420, and 7520 ComfortGard Cab.	209.00
	AL157100	Work Light, (2) H3 (55 Watt), Beltline Requires (2) AL159002 Wiring Harnesses for Tractors up to S/N 351305. Order through Parts. Not compatible with AL159536 Beltline Headlights. For 7220, 7320, 7420, and 7520 ComfortGard Cab.	271.00
	AL164391	Work Light, (2) Rear Facing, LH & RH, Fender Mounted For 7220, 7320, 7420, and 7520 ComfortGard Cab, and 7420 Hi-Crop.	213.00
	AL159298	Loader Prep: E-ICV Valve Kit, 2 Function (Midmount) For 7220, 7320, 7420, 7520 ComfortGard Cab, and 7220 and 7320 OOS.	1,668.00
	AL159299	E-ICV Valve Kit, 3 Function (MidMount) For 7220, 7320, 7420, and 7520 ComfortGard Cab.	2,069.00
	AL159344	Joystick for E-ICV Mounts on Right Hand Arm Rest. Compatible with PowrQuad Plus transmissions. Requires AL157519 Wiring Harness (Order as Attachment) or AL157528 (not with TLS Suspended Front Axle). Order through Parts. For 7220, 7320, 7420, and 7520 ComfortGard Cab.	1,690.00
	AL159345	Joystick for E-ICV with CommandArm Requires AL157518 Wiring Harness (Order through Parts). For 7220, 7320, 7420, and 7520 ComfortGard Cab.	1,367.00
	RE231757	Joystick, 2 Function Mechanical For Cab Tractors with PowrQuad or AutoQuad Transmissions and Narrow Hitch Valve (after S/N 398656). Not Compatible with IVT Transmissions. For 7220, 7320, 7420, and 7520 ComfortGard Cab.	556.00
	AL162449	Mechanical - ICV Valve Kit, 2 Function (Midmount) For 7220, 7320, 7420, and 7520 ComfortGard Cab (after S/N 12451). For 7220, and 7320 OOS (after S/N 1058). Compatible with Narrow Hitch Valve. Requires additional components. See Ag Sales Manual. Order through Parts.	See Parts

Attachments for Non-Current 7020 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AL164710	ATTACHMENTS FOR FIELD CONVERSIONContinued Midmount Independent Control Valve (Installation Kit) Compatible with Narrow Hitch Valve (after S/N 12451). Requires additional components. See Ag Sales Manual for Oil Lines, Valves, Joystick and Wiring Harness. For 7420 and 7520 ComfartGard Cab.	575.00
	AL157527	Wiring Harness (with AL159344 E-ICV Joystick) For usage with E-ICV without Command Arm (after S/N 12451). Not Compatible with TLS. For 7420 and 7520 ComfortGard Cab.	See Parts
	AL157528	Wiring Harness (with AL159344 E-ICV Joystick) For usage with E-ICV without Command Arm (after S/N 12451). Not Compatible with TLS. For 7220 and 7320 ComfortGard Cab.	See Parts
	L113922	Operator Environment: Antenna For 7220, 7320, 7420, and 7520 ComfortGard Cab.	See Parts
	AL156731	Bottle Holder, Floor Mounted, Left Side For 7220, 7320, 7420, and 7520 ComfortGard Cab and 7420 Hi-Crop.	35.00
	AR201256	Canopy for Roll-Gard Requires AL160408 Wiring Harness Adapter. Order through Parts. For 7220, 7320, and 7520 OOS.	1,289.00
	AL163826	Cup Holder, Right-Hand A-Post Mounted Mounts to Right Hand A-post. Standard equipment for Cab Tractors produced after 02 Feb 04. For 7220, 7320, 7420, 7520 ComfortGard Cab and 7420 Hi-Crop.	41.00
	AL157090	Field Office with Beverage Holder Not Compatible with Instructional Seat. For 7220, 7320, 7420, and 7520 ComfortGard Cab.	312.00
	AL157092	Field Office without Beverage Holder For 7220, 7320, 7420, and 7520 ComfrotGard Cab.	211.00
	AL119958	Instructional Seat with Seat Belt Not Compatible with Field Office with Cupholder. For 7220, 7320, 7420, and 7520 ComfortGard Cab and 7420 Hi-Crop.	See Parts
	AL80126	Mirror, Telescopic, LH, Manually Adjustable For 7220, 7320, 7420, and 7520 ComfortGard Cab.	149.00
	AL80127	Mirror, Telescopic, RH, Manually Adjustable For 7220, 7320, 7420, and 7520 ComfortGard Cab.	149.00
	RE321102	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband Includes audio input jack for MP3 compatible devices. For 7220, 7320, 7420, and 7520 ComfortGard Cab and 7420 Hi-Crop.	434.00

Attachments for Non-Current 7020 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE321109	ATTACHMENTS FOR FIELD CONVERSIONContinued Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband Includes audio input jack for MP3 compativle devices. Excludes speakers, mounting hardware and antenna. For 7220, 7320, 7420, 7520 ComfortGard Cab and 7420 Hi-Crop.	849.00
	AL115672	Steps (3), RH with Handle For 7220, 7320, and 7520 OOS.	403.00
	AL157620	Sun Visor For 7220, 7320, 7420, and 7520 ComfortGard Cab.	88.00
	AL157189	Windshield Washer, Front For Tractors without RH door, order AL158732 Assembly holder and mounting hardware through Parts. For 7220, 7320, 7420, and 7520 ComfortGard Cab.	175.00
	AL157190	Windshield Washer, Front and Rear Requires Right Hand door. For 7220, 7320, 7420, and 7520 ComfortGard Cab.	324.00
	AL157191	Wiper, Rear Window For 7220, 7320, 7420, and 7520 ComfortGard Cab and 7420 Hi-Crop.	238.00
		PTO/Front Auxiliary Drive: Front PTOs are no longer available as a field installed option through John Deere. Contact Laforge Hitch for your Front PTO and Front Hitch needs. Laforge Systems, Inc. Phone: (925) 827-2010 or 1-800-422-5636 Fax: (925) 689-7198 www.fronthitch.com	
	AL160985	Front Auxillary Drive (Crankshaft pulley without Drive Shaft) For 7220, 7320, 7420, and 7520 ComfortGard Cab.	704.00
	AL158728	Transmission: Back-up Alarm for SyncroPlus, PowrQuad PLUS and AutoQuad Transmissions For 7220, 7320, 7420, and 7520 ComfortGard Cab.	496.00
	AL162433	Creeper Field Kit for 16F/16R PowrQuad Transmission (MPQT) with 2-lever design with or without Left Hand Reverser Additional Parts are required to complete installation. See Installation Instruction MHM 624 and the Parts Catalog. For 7220 and 7320 OOS.	2,563.00
	AL113087	Vandal Protection: Lockable Fuel Tank Cap <i>For 7220, 7320, 7420, 7520 ComfortGard Cab, 7420 Hi-Crop, 7220, 7320, and 7520 OOS.</i>	See Parts
	RE300840	Weights: Front Weight Support, 243 Lb. (110 Kg) For 7220, 7320, 7420, and 7520 ComfortGard Cab, 7220, 7320, and 7520 OOS.	542.00

Attachments for Non-Current 7020 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	R127764	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Front Suitcase (104 Lb.) Quantity of One For 7220, 7320, 7420, 7520 ComfortGard Cab, 7220, 7320, and 7520 OOS.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764) For 7220, 7320, 7420, 7520 ComfortGard Cab, 7220, 7320, and 7520 OOS.	2,504.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg) For 7220, 7320, 7420, 7520 ComfortGard Cab and 8225R-8345R.	282.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights) For 7220, 7320, 7420, 7520 ComfortGard Cab and 8225R-8345R.	3,384.00
	R207782	Weight, Wheel, 450 Lb. For 7220, 7320, 7420, 7520 ComfortGard Cab and 8225R-8345R.	664.00
	AR182457	Wheel Equipment: Kit, Row Spacing (ZF Axles) 10 Bolt Pattern (335 mm diameter). Except for 24 In. and 26 In. wheel. For 7220, 7320, 7420, and 7520 ComfortGard Cab.	1,087.00
	AR190666	One 10 In. Dual Hub Extension For 7220, 7320, 7420, 7520 ComfortGard Cab and 8225R-8345R.	759.00
	AR190668	One 13 In. Dual Hub Extension For 7220, 7320, 7420, 7520 ComfortGard Cab and 8225R-8345R.	844.00
	AR190669	One 15 In. Dual Hub Extension For 7220, 7320, 7420, 7520 ComfortGard Cab and 8225R-8345R.	884.00
	AR194744	One 5 In. Dual Hub Extension For 7220, 7320, 7420, 7520 ComfortGard Cab and 8225R-8345R.	685.00
	R115277	Tread Spacers Order 16. For 34 In. (864mm) and small diameter, multi-position wheels (for MFWD and standard configuration). For 7220, 7320, 7420, and 7520 ComfortGard Cab.	See Parts
	R116540	Tread Spacers Order 24. For 46 In. (1168mm) and 50 In. (1270mm) multi-position wheels. For 7220, 7320, 7420, and 7520 ComfortGard Cab.	See Parts
	RE49119	Two Wheel Drive Axle Extension to 100 In. For 7220, 7320, 7420, and 7520 ComfortGard Cab.	687.00

Attachments for Non-Current 7720-7920 Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	RE265064	Axle - Front: Two Wheel Drive Front Axle Extension (100 In.)	714.00
	RE58827	Electrical: 9-Pin Connector Implement Feedback Required for Electrohydraulic Implement Depth Control (EHDC), only compatible with Code 0994 and 0995. Required for Touch-Set Depth Control.	132.00
	RE212216	Battery Disconnect Switch	319.00
	RE213115	Implement Connector and Implement Communications Gateway (TECU - Tractor Electronics Control Unit) Attachment specific software bundle is required for proper operation. Order R222077 through Service Parts. Machine model number and serial number is required. Download through Service Advisor's software delivery system as required.	456.00
	RE21519	Implement Switch with 10 Ft. Harness	168.00
	RE244445	Mounting Kit for Radar with Dual Beam Sensor Requires Dual Beam Radar RE249206.	299.00
	RE249206	Radar with Dual Beam Sensor Requires mounting kit RE244445.	See Parts
	RE237256	Radar with Single Beam Sensor Kit	567.00
	RE227949	Engine: Engine Block Heater (110V)	See Parts
	RE211530	Fenders: Fenders, Deluxe Pivoting Front for MFWD - 18.7 In. (480 mm) Wide Not compatible with Code 5006. Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths. Compatible with S/N 032779 or below for TLS Codes 5035 and 5037 and 032705 or below for MFWD Codes 5021 and 5025.	1,329.00
	RE238910	Fenders, Deluxe Pivoting Front for MFWD - 18.7 In. (480 mm) Wide Not compatible with Code 5006. Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths. Compatible with S/N 032780 and above for TLS Codes 5035 and 5037 and 032706 and above for MFWD Codes 5021 and 5025.	1,361.00
	RE211529	Fenders, Deluxe Pivoting Front for MFWD - 24.4 In. (620 mm) Wide Not compatible with Code 5006. Recommended use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Compatible with S/N 032779 or below for TLS Codes 5035 and 5037 and 032705 or below for MFWD Codes 5021 and 5025.	1,329.00

Attachments for Non-Current 7720-7920 Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE238909	ATTACHMENTS FOR FIELD CONVERSIONContinued Fenders, Deluxe Pivoting Front for MFWD - 24.4 ln. (620 mm) Wide Not compatible with Code 5006. Recommended use with 18.4 ln. (480 mm) to 23.6 ln. (600 mm) tire widths. Compatible with S/N 032780 and above for TLS Codes 5035 and 5037 and 032706 and above for MFWD Codes 5021 and 5025.	1,361.00
	RE210326	Fenders, Full Coverage Rear 2.55 meter (100 In. width)	772.00
	RE286759	Guards: Guards, Undercarriage Crop Shield Protects transmission and wiring harness.	432.00
	RE194407	Hitch and Drawbar: Drawbar Clevis, Cat 2 Low Profile with 1.25 In. (31.75 mm) Pin For 7720 and 7820 only.	See Parts
	RE159503	Drawbar Clevis, Cat. 3 Low Profile with 1.50 In. (38 mm) Pin <i>Requires Code 2709.</i>	See Parts
	RE211560	Drawbar Dropdown Kit, Cat. 3 Requires Group 48 Tires.	369.00
	RE211553	Drawbar Kit, Cat. 3 For 7720 and 7820 only.	614.00
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N)	1,529.00
	RE211613	Hydraulics: 3rd Mechanical Rear Remote Cylinder Control Valve with Breakaway Couplers and High Pressure Relief Lever For 7720 and 7820 only.	1,296.00
	RE211617	4th EH Rear Remote Cylinder Control Valve with Breakaway Couplers and High Pressure Relief Lever	1,445.00
	RE211615	4th Mechanical Rear Remote Cylinder Control Valve with Breakaway Couplers and High Pressure Relief Lever For 7720 and 7820 only.	1,708.00
	RE212333	Charge Pump Oil Heater Kit, 110V, 8.1 L (7820 or 7920) For 7820 and 7920 only.	289.00
	RE211441	Hydraulic Motor Return Kit with Case Drain For use with hydraulic motor returns or on hitch valve with lift assist wheels. For multiple motor return with case drain order one RE211440 and one RE211441.	327.00
	RE211440	Hydraulic Motor Return Kit without Case Drain For multiple motor return without case drain order two RE211440. For multiple motor return with case drain order one RE211440 and one RE211441.	157.00
	RE213100	Hydraulic Trailer Brake Kit	585.00
	RE211647	Implement Single Lever Control Lift Assist Kit	213.00

Attachments for Non-Current 7720-7920 Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE214363	ATTACHMENTS FOR FIELD CONVERSIONContinued Mid-Mount 2 or 3 Function EH Single Lever Joystick Control and Mounting Parts for Command Arm (IVT) Attachment specific software bundle is required for proper operation. Order R222079 through Service Parts. Machine model number and serial number is required. Download through Service Advisor's software delivery system as required.	1,690.00
	RE214368	Mid-Mount EH Control Valve Plumbing Kit - No TLS	439.00
	RE214364	Mid-Mount EH Control Valve, 2 Function	2,227.00
	RE214365	Mid-Mount EH Control Valve, 3 Function	2,820.00
	RE217197	Mid-Mount EH Conversion Kit, Adds 3rd EH On-Off Valve to 2 Function EH Mid-Mount Valve Stack	802.00
	RE224667	Mid-Mount Mechanical Control Valve Plumbing Kit - No TLS Requires PowrQuad or AutoQuad Transmission. For 7720 and 7820 only.	460.00
	RE224664	Mid-Mount Mechanical Control Valve, 2 Function (PowrQuad and AutoQuad) Requires PowrQuad or AutoQuad Transmission. For 7720 and 7820 only.	1,388.00
	RE224665	Mid-Mount Mechanical Control Valve, 3 Function (PowrQuad and AutoQuad) Requires PowrQuad or AutoQuad Transmission. For 7720 and 7820 only.	2,335.00
	RE224662	Mid-Mount Mechanical Single Lever Control (Joystick) and Mounting Parts (PowrQuad and AutoQuad) Requires PowrQuad or AutoQuad Transmission. For 7720 and 7820 only.	882.00
	RE218430	Power Beyond Coupler Kit for IVT	418.00
	RE211439	Power Beyond Coupler Kit for PowrQuad and AutoQuad For 7720 and 7820 only.	553.00
	AR219583	Lighting: Lights, Extremity	558.00
	RE306767	Lights, Field Vision XENON HID Rear Lighting Conversion Kit For 7020, 7030, 8020, 8030, 8230T-8430T Series Tractors. Includes two rear fender-mounted lights per kit. Provides factory configuration with remote ballast.	1,326.00
	RE203813	Lights, Field Vision XENON HID, Fender Mounted Includes one light per kit.	See Parts
	RE225343	Lights, Loader Light Package	214.00
	RE187746	Lights, Two Roof-Mounted Side Floods	235.00
	RE239930	Rotary Beacon Light Kit For 7210-7810, 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9300T, 9400T, 9120-9620, 9320T-9520T.	377.00

Attachments for Non-Current 7720-7920 Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE235448	ATTACHMENTS FOR FIELD CONVERSIONContinued Rotary Beacon Switch Kit For 7200-7800, 7210-7810, 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	108.00
	RE162262	Operator Environment: Accessories Mounting Bracket	See Parts
	RE162644	Accessories, Utility Tray and Beverage Holder	See Parts
	RE219922	Antenna Mount and Wiring for Business Band Radio For 7720-7920, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 9120-9520, 9320-9520 Scrapers, 9320T-9620T.	140.00
	RE276351	External Mirrors, Electrically Adjustable RH and LH For Tractors with no external mirrors. Kit includes: Mounting brackets, telescoping arms, power mirror heads, wire harness, switch, plus miscellaneous hardware and installation instructions. For 7720-7920, 8120-8520 with S/N 007223 and above, 8120T-8520T with S/N 902001 and above, 9120-9620, 9320-9520 Scrapers, and 9320T-9620T.	947.00
	RE244933	External Mirrors, Electrically Adjustable RH and LH Conversion Kit	752.00
	RE276349	External Mirrors, Manually Adjustable RH and LH For 8020 Series Wheel Tractors with S/N 007223 and above. For 7720-7920.	465.00
	RE242904	Field Cruise (PowrQuad-PLUS Tractors) For PowrQuad-Plus Tractors. Includes instruction and download only. Download through Service Advisor's software delivery system as required. For 7720 and 7820 only.	See Parts
	AR116863	Field Office For 7720-7920, 8100-8400, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9120-9620, 9320-9520 Scrapers, 9320T-9620T Not compatible with instructional seat.	610.00
	RE232550	Foot-Operated Speed Control	328.00
	RE192707	Instructional Seat Not compatible with AR116863 Field Office for 7720, 7820 or 7920 and 8130-8530.	See Parts
	RE321103	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, Weatherband, Four Speakers and Antenna For 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	736.00
	RE321102	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband For 5210-5510, 5310N, 5510N, 5320, 5320N, 5520N, 6200-6400, 6405, 6605, 6110-6410, 6310C-6510C, 6310S-6510S, 6215-6715, 6120, 6420, 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	434.00

Attachments for Non-Current 7720-7920 Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE321111	ATTACHMENTS FOR FIELD CONVERSIONContinued Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, Weatherband, Four Speakers and Antenna For 7720-7920, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	1,113.00
	RE321109	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband For 5210-5510, 5310N, 5510N, 5320, 5320N, 5520N, 6405, 6605, 6110-6410, 6310S-6510S, 7210-7810, 7220-7520, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	849.00
	RE196202	Radio, Deere/Delco AM/FM Stereo with Weatherband, Cassette and Clock For 5210-5510, 5310N, 5510N, 5320N, 520N, 6200-6400, 6405, 6605, 6110-6410, 6310C-6510C, 6310S-6510S, 6215-6715, 6120-6420, 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9300T, 9400T, 9120-9620, 9320T-9620T.	610.00
	RE197943	Sun Shade, Front Pull Down	See Parts
	RE197944	Sun Shade, Rear Pull Down	See Parts
	RE213935	Sun Visor	See Parts
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	RE213680	Video, English, CommandCenter Operational Tips (VHS Format)	See Parts
	RE213681	Video, French, CommandCenter Operational Tips (VHS Format)	See Parts
	RE213682	Video, Spanish, CommandCenter Operational Tips (VHS Format)	See Parts
	AR112601	Windshield Washer, Front and Rear For 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8130-8530, 8230T-8430T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	213.00
	RE337751	Windshield Wiper, Rear Single Speed For 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	268.00
	RE272736	PTO: Conversion Kit from 1-3/4 In. 1000 rpm to 1-3/8 In. 540/1000 rpm PTO For 7820, 7920, 8120-8520, 8130-8530 and 8225R-8270R. Conversion for Tractor equipped with Code 2418. 1-3/8 540 rpm PTO is NOT compatible with CAT 4 Drawbar.	476.00
	RE269172	Independent Front PTO with 44.5 mm (1-3/4 In.) 20-Spline, 1000 RPM Clockwise-rotating shaft as viewed from front (Type 3) Requires Code 9065. Attachment specific software bundle is required for proper operation. Order R222080 through Service Parts. Machine model number and serial number is required. Download through Service Advisor's software delivery system as required. For 7820 and 7920 only.	8,028.00

Attachments for Non-Current 7720-7920 Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE214457	ATTACHMENTS FOR FIELD CONVERSIONContinued Kit, Mounting Parts for Front PTO, with TLS For 7720 and 7820 only.	344.00
	RE269170	PTO Kit, Type 1 Front For 7720, 7820, and 7920.	8,028.00
	RE269171	PTO Kit, Type 2 Front Requires Code 9065. Not for Code 1150. Attachment specific software bundle is required for proper operation. Order R222080 through Service Parts. Machine model number and serial number are required. Download through Service Advisor's software delivery system as required. For 7720 and 7820 only.	8,028.00
	RE295434	Vandal Protection: Kit, Locking Fuel Cap Compatible with 7720, 7820, 7920 (Serial No. 020094), 8000 and 8000 TEN Wheel and Track, 8020 Wheel (serial No. 027621), 9000 Series Wheel and Track Tractors, 4920 and 4930 Sprayers.	See Parts
	R127764	Weights: Weight, Front Suitcase (104 Lb.) Quantity of One For 3055-3255, 3150, 4040-4840, 4050-4850, 4055-4955, 4560-4960, 5020 Series, 5720, 5820, 5730, 5830, 6200-6400, 6405, 6605, 6110-6410, 6310C-6510C, 6110L-6510L, 6310S-6510S, 6120L-6520L, 7405, 7210-7810, 7220-7920, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 875, 885, 9100-9400, 9300T, 9400T, 9120-9620, 9320T-9520T.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764) For 3055-3255, 3150, 4040-4840, 4050-4850, 4055-4955, 4560-4960, 5020 Series, 5720, 5820, 5730, 5830, 6200-6400, 6405, 6605, 6110-6410, 6310C-6510C, 6110L-6510L, 6310S-6510S, 6120L-6520L, 7405, 7210-7810, 7220-7920, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 875, 885, 9100-9400, 9300T, 9400T, 9120-9620, 9320T-9520T.	2,504.00
	R330291	Weight, Front Support, 153 Lb. For 4755-4955, 4560-4960, 7600-7800, 7610-7810, 7720-7920, 8100T-8400T, 8110-8410, 8120-8520, 8120T-8520T, 9100-9400.	287.00
	R167151	Weight, Inner Wheel, 1400 Lb. For 7720-7920,8100-8400, 8110-8410, 8120-8520, 9100-9400, 9120-9620, 9320-9520 Scrapers. Not available with triple tire options.	1,903.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg) For 4450CL, 4755, 4955, 4560-4960, 7200-7800, 7210-7810, 7220-7520, 7720-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8560-8960, 8570-8970 9100-9400, 9120,9220 and 9620.	282.00
	RFR207782	Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights) For 4755, 4955, 4560-4960, 7200-7800, 7210-7810, 7220-7520, 7720-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8560-8960, 8570-8970, 8225R-8345R, 9100-9400, 9120-9620.	2,658.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights) For 4450CL, 4755, 4955, 4560-4960, 7200-7800, 7210-7810, 7220-7520, 7720-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8560-8960, 8570-8970, 9100-9400, 9120-9420.	3,384.00

Attachments for Non-Current 7720-7920 Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	R207782	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Wheel, 450 Lb. For 4755, 4955, 4560-4960, 7200-7800, 7210-7810, 7220-7520, 7720-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8560-8960, 8570-8970, 9100-9400, 9120-9620.	664.00
	AR190666	Wheel Equipment: One 10 In. Dual Hub Extension For 4055-4955, 4255CL, 4455CL, 4560-4960, 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 9100-9400, 9120-9620.	759.00
	AR190668	One 13 In. Dual Hub Extension For 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 9100-9400, 9120-9620.	844.00
	AR190669	One 15 In. Dual Hub Extension For 4055-4955, 4455CL, 4560-4960, 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8570, 8770, 9100-9400, 9120-9620.	884.00
	AR194744	One 5 In. Dual Hub Extension For 4055-4955, 4455CL, 4560-4760, 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 9100-9400, 9120-9620.	685.00
	RE267658	Three Meter Front Wheel Spacer For 7720-7920, 8130-8530.	3,063.00

Attachments for Non-Current 7720-7920 Tractors Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

Attachments for Non-Current 8020/8020T Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	RE265064	Axle - Front: Two Wheel Drive Front Axle Extension (100 In.)	714.00
	RE58827	Electrical: 9-Pin Connector Implement Feedback Required for Electrohydraulic Implement Depth Control (EHDC), only compatible with Code 0994 and 0995.	132.00
	RE21519	Implement Switch with 10 Ft. Harness	168.00
	RE244407	Mounting Kit - Dual Beam Radar Sensor For 8120T-8420T. The Mounting Kit does not include Dual Beam Radar Sensor. If Dual Beam Radar Sensor is needed, order Dual Beam Radar Sensor (RE249206).	108.00
	RE237262	Radar Single Beam Sensor Kit	581.00
	RE237260	Radar with Single Beam Sensor Kit	581.00
	RE227949	Engine: Engine Block Heater (110V)	See Parts
	RE236667	Fenders: Fenders, Deluxe Pivoting Front for Independent Link Suspension - 18.7 In. (480 mm) Wide Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths.	1,368.00
	RE236670	Fenders, Deluxe Pivoting Front for Independent Link Suspension - 24.4 In. (620 mm) Wide Recommended for use with 18.4 In. (480mm) to 23.6 In. (600mm) tire widths. Not for use with front dual tire combinations.	1,603.00
	RE236666	Fenders, Deluxe Pivoting Front for MFWD - 18.7 In. (480 mm) Wide Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths.	1,329.00
	RE236669	Fenders, Deluxe Pivoting Front for MFWD - 24.4 In. (620 mm) Wide Recommended use with 18.4 In. (480 mm) to 23.6 In. (600mm) tire widths.	1,329.00
	RE210326	Fenders, Full Coverage Rear 2.55 meter (100 In. width)	772.00
	R177682	Hitch and Drawbar: Center Link Bracket Retains the center link when not in use. For 8020, 8020T, 8030, 8030T, 8130-8530, 8230T-8430T, 8225R-8345R and 8295RT-8345RT Tractors.	See Parts

Attachments for Non-Current 8020/8020T Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE190854	ATTACHMENTS FOR FIELD CONVERSIONContinued Drawbar, Cat. 4 with 2 In. Pin and Heavy Duty Support (10,000 Lb. Vertical Load Capacity) Retrofitable to 8000 and 8010 Series 8100-8400. With PTO Codes 2418 or 2420 CAT 4 drawbar is NOT compatible with 1-3/8 540 rpm PTO.	1,809.00
	RE190885	Drawbar, Heavy Duty Support for use with Cat. 4 Drawbar (10,000 Lb. Vertical Load Capacity)	679.00
	AH174982	Rear Hitch Lift Cylinder for Retrofit Includes one 90 mm cylinder. Order two for 11,800 Lb. lift capacity.	See Parts
	AH174938	Rear Hitch Lift Cylinders for Retrofit Includes one 100 mm cylinder. Order two for 15,180 Lb. lift capacity.	See Parts
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N)	1,529.00
	RE176717	Rear Hitch for Retrofit Without Lift Cylinders	7,808.00
	RE188662	Hydraulics: 4th Remote Cylinder Control Valves with Breakaway Couplers For use on tractors equipped with Independent Link Suspension.	1,814.00
	RE188661	4th Remote Cylinder Control Valves with Breakaway Couplers and Electronic Controller For use on tractors equipped with MFWD.	2,360.00
	RE188663	5th Remote Cylinder Control Valves with Breakaway Couplers For 8120-8520, 8120T-8520T, 9120-9620, 9320T-9520T. 9320-9520 Scrapers are not compatible with Code 2813.	1,879.00
	RE222721	Auxiliary Sump Coupler Kit (Flush Face Coupler Style) For use with hydraulic motor case drain applications. Seeding Kit BA30219 could also be used for this application.	129.00
	RE221808	High Flow Charge Pump Kit (Wagon Tilt Kit)	1,351.00
	RE151894	Hydraulic Motor Drain or Sump Kit For 8100T-8400T, 8110T-8410T, 8120T-8520T, 8230T-8430T, 8295RT-8345RT, 9300T, 9400T, 9120-9620, 9320T-9520T. (9320-9520 Scrapers are not compatible with Code 2813.)	198.00
	AR114664	Hydraulic Motor Return, Multiple/Auxiliary Hitch Coupler/ Sump Return Kit For 8130-8530, 8225R-8345R, 8295RT-8345RT. For use with Hydraulic Motor Returns, Hitch Valve with Lift Assist Wheels or Motor Drains/Sump Returns or grapple valve.	193.00
	RE221284	Low Stand-By Pressure Control Kit Prevents main pump activation during engine start up in certain hydraulic configurations using power beyond.	980.00
	RE67182	Multiple Motor Return Kit	296.00
	RE217697	Power Beyond Coupler Kit Without Trailer Brake For use on tractors without hydraulic trailer brake.	602.00
	RE234298	Power Beyond and Hydraulic Trailer Brake Return Kit Allows simultaneous use of Power Beyond Coupler Kit and Hydraulic Trailer Brake Kit.	122.00

Attachments for Non-Current 8020/8020T Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE306767	Lighting: Lights, Field Vision XENON HID Rear Lighting Conversion Kit For 7020, 7030, 8020, 8030, 8230T-8430T Series Tractors. Includes two rear fender-mounted lights per kit. Provides factory configuration with remote ballast.	1,326.00
	RE203813	Lights, Field Vision XENON HID, Fender Mounted Includes one light per kit.	See Parts
	RE187746	Lights, Two Roof-Mounted Side Floods	235.00
	RE239930	Rotary Beacon Light Kit For 7210-7810, 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9300T, 9400T, 9120-9620, 9320T-9520T.	377.00
	RE235448	Rotary Beacon Switch Kit For 7200-7800, 7210-7810, 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	108.00
	RE187344	Miscellaneous: English Video Operator's Guide (PAL Format) Must be ordered through DSC.	See Parts
	RE187345	English Video Operators Guide (PAL Format) For 8120-8520, 9120-9620. Must be ordered through DSC.	See Parts
	RE164261	Track Tension Hose Kit For 8020T's, 8230T-8430T, 8295RT-8345RT and 9320T-9620T.	See Parts
	RE173434	Track Tread Adjusting Kit	See Parts
	DE40000	Operator Environment:	0 5 1
	RE162262	Accessories Mounting Bracket	See Parts
	RE162644	Accessories, Utility Tray and Beverage Holder	See Parts
	RE219922	Antenna Mount and Wiring for Business Band Radio For 7720-7920, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 9120-9520, 9320-9520 Scrapers, 9320T-9620T.	140.00
	RE276351	External Mirrors, Electrically Adjustable RH and LH For Tractors with no external mirrors. Kit includes: Mounting brackets, telescoping arms, power mirror heads, wire harness, switch, plus miscellaneous hardware and installation instructions. For 7720-7920, 8120-8520 with S/N 007223 and above, 8120T-8520T with S/N 902001 and above, 9120-9620, 9320-9520 Scrapers, and 9320T-9620T.	947.00
	RE244933	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors (included in deluxe cab option) to dual electric mirrors. Kit includes: Power mirror heads, wire harness, switch, plus miscellaneous hardware and installation instructions (will use existing mounting brackets and telescoping arms). For 8020 Series Track Tractors with S/N 902001 and above.	752.00

Attachments for Non-Current 8020/8020T Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AR112841	ATTACHMENTS FOR FIELD CONVERSIONContinued External Mirrors, Manually Adjustable RH and LH For all 8000 and 8010 Models and on 8020 Series Wheel Models with S/N XXXXXX-007222. For all 8000T and 8010T Models and on 8020 Series Track Models with S/N XXXXXX-902000.	455.00
	RE276349	External Mirrors, Manually Adjustable RH and LH For 8020 Series Wheel Tractors with S/N 007223 and above. For 7720-7920.	465.00
	AR116863	Field Office For 7720-7920, 8100-8400, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9120-9620, 9320-9520 Scrapers, 9320T-9620T Not compatible with instructional seat.	610.00
	RE232550	Foot-Operated Speed Control	328.00
	R132235	In Cab Storage Tote	See Parts
	RE192707	Instructional Seat	See Parts
	AR112626	Performance Monitor Requires radar sensor to achieve accurate readouts.	855.00
	RE233634	Radio Mast Antenna Kit For 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9300T-9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	129.00
	RE321103	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, Weatherband, Four Speakers and Antenna For 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T. Radio is not Satellite ready.	736.00
	RE321102	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband For 5210-5510, 5310N, 5510N, 5320, 5320N, 5520N, 6200-6400, 6405, 6605, 6110-6410, 6310C-6510C, 6310S-6510S, 6215-6715, 6120, 6420, 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T. Excludes speakers, mounting hardware and antenna. Radio is not satellite ready.	434.00
	RE321111	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, Weatherband, Four Speakers and Antenna For 7720-7920, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T. Radio is Satellite ready.	1,113.00
	RE321109	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband For 5210-5510, 5310N, 5510N, 5320, 5320N, 5520N, 6405, 6605, 6110-6410, 6310S-6510S, 7210-7810, 7220-7520, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T. Excludes speakers, mounting hardware and antenna. Radio is not satellite ready.	849.00

Attachments for Non-Current 8020/8020T Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE196202	ATTACHMENTS FOR FIELD CONVERSIONContinued Radio, Deere/Delco AM/FM Stereo with Weatherband, Cassette and Clock For 5210-5510, 5310N, 5510N, 5320N, 5520N, 6200-6400, 6405, 6605, 6110-6410, 6310C-6510C, 6310S-6510S, 6215-6715, 6120-6420, 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9300T, 9400T, 9120-9620, 9320T-9620T. Excludes speakers, mounting hardware and antenna. Radio is Satellite Ready.	610.00
	RE162261	Step Kit, Left Hand Convenience Platform	See Parts
	RE197943	Sun Shade, Front Pull Down	See Parts
	RE197944	Sun Shade, Rear Pull Down	See Parts
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	AR112601	Windshield Washer, Front and Rear For 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8130-8530, 8230T-8430T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	213.00
	RE337751	Windshield Wiper, Rear Single Speed For 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	268.00
	RE272736	PTO: Conversion Kit from 1-3/4 In. 1000 rpm to 1-3/8 In. 540/1000 rpm PTO For 7820, 7920, 8120-8520, 8130-8530 and 8225R-8270R. Conversion for Tractor equipped with Code 2418. 1-3/8 540 rpm PTO is NOT compatible with CAT 4 Drawbar.	476.00
	RE61779	Transmission: Transmission Backup Alarm For 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8420, 8120T-8420T.	491.00
	RE198862	Transmission Hydraulic Oil Heater (110 Volts) For 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T.	444.00
	RE295434	Vandal Protection: Kit, Locking Fuel Cap Compatible with 7720, 7820, 7920 (Serial No. 020094), 8000 and 8000 TEN Wheel and Track, 8020 Wheel (serial No. 027621), 9000 Series Wheel and Track Tractors, 4920 and 4930 Sprayers.	See Parts
	R152091	Weights: Weight Bracket, Side Frame (150 Lb.) - Quantity of One For 8120T-8520T. Order Attaching Hardware through Parts (8 - 14M7277 Hex Nuts, 8 - 19M7645 Cap Screws, 8 - 19M8503 Cap Screws and 16 - 24M7242 Hardened Washers).	425.00

Attachments for Non-Current 8020/8020T Series Tractors Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	R160662	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Front Idler - 100 lbs. (45 kg) For 8120T-8520T. Order Attaching Hardware through Parts (8 - 14M7277 Hex Nuts, 8 - 19M7645 Cap Screws, 8 - 19M8503 Cap Screws and 16 - 24M7242 Hardened Washers).	207.00
	R160661	Weight, Front Idler Starter - 100 lbs (45 kg) Required to install R160662 Idler Weights. Order Attaching Hardware through Parts (4 - 19M8639 Cap Screws and 4 - 24M7242 Washers, one set per each weight).	216.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One For 3055-3255, 3150, 4040-4840, 4050-4850, 4055-4955, 4560-4960, 5020 Series, 5720, 5820, 5730, 5830, 6200-6400, 6405, 6605, 6110-6410, 6310C-6510C, 6110L-6510L, 6310S-6510S, 6120L-6520L, 7405, 7210-7810, 7220-7920, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 875, 885, 9100-9400, 9300T, 9400T, 9120-9620, 9320T-9520T.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764) For 3055-3255, 3150, 4040-4840, 4050-4850, 4055-4955, 4560-4960, 5020 Series, 5720, 5820, 5730, 5830, 6200-6400, 6405, 6605, 6110-6410, 6310C-6510C, 6110L-6510L, 6310S-6510S, 6120L-6520L, 7405, 7210-7810, 7220-7920, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 875, 885, 9100-9400, 9300T, 9400T, 9120-9620, 9320T-9520T.	2,504.00
	R193873	Weight, Front Support, 290 Lb.	597.00
	R167151	Weight, Inner Wheel, 1400 Lb. For 7720-7920,8100-8400, 8110-8410, 8120-8520, 9100-9400, 9120-9620, 9320-9520 Scrapers. Not available with triple tire options.	1,903.00
	R151721	Weight, Rear Wheel, 335 Lb. (148 kg) - Quantity of One Order attaching hardware through Parts (3 - 14M7277 Hex Nuts, 3 - 19M8503 Cap Screws, and 6 - 24M7242 Hardened Washers).	713.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg) For 4450CL, 4755, 4955, 4560-4960, 7200-7800, 7210-7810, 7220-7520, 7720-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8560-8960, 8570-8970 9100-9400, 9120,9220 and 9620.	282.00
	RFR207782	Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights) For 4755, 4955, 4560-4960, 7200-7800, 7210-7810, 7220-7520, 7720-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8560-8960, 8570-8970, 8225R-8345R, 9100-9400, 9120-9620.	2,658.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights) For 4450CL, 4755, 4955, 4560-4960, 7200-7800, 7210-7810, 7220-7520, 7720-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8560-8960, 8570-8970, 9100-9400, 9120-9420.	3,384.00
	R207782	Weight, Wheel, 450 Lb. For 4755, 4955, 4560-4960, 7200-7800, 7210-7810, 7220-7520, 7720-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8560-8960, 8570-8970, 9100-9400, 9120-9620.	664.00
	RE324389	Wheel Equipment: Front Wheel Dual Extensions Compatible with ILS or 1500 front axles.	2,538.00

Attachments for Non-Current 8020/8020T Series Tractors Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AR190666	ATTACHMENTS FOR FIELD CONVERSIONContinued One 10 In. Dual Hub Extension For 4055-4955, 4255CL, 4455CL, 4560-4960, 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 9100-9400, 9120-9620.	759.00
	AR190668	One 13 In. Dual Hub Extension For 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 9100-9400, 9120-9620.	844.00
	AR190669	One 15 In. Dual Hub Extension For 4055-4955, 4455CL, 4560-4960, 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8570, 8770, 9100-9400, 9120-9620.	884.00
	AR194744	One 5 In. Dual Hub Extension For 4055-4955, 4455CL, 4560-4760, 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 9100-9400, 9120-9620.	685.00
	RE267658	Three Meter Front Wheel Spacer For 8120-8520 Only.	3,063.00

Attachments for Non-Current 8020/8020T Series Tractors Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

Attachments for Non-Current 8030/8030T Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	RE58827	Electrical: 9-Pin Connector Implement Feedback For 8130-8530, 8230T-8430T, 8225R-8345R, 8295RT-8345RT. Required for Electrohydraulic Implement Depth Control (EHDC).	132.00
	RE21519	Implement Switch with 10 Ft. Harness	168.00
	AR245564	Mounting Kit for Radar with Dual Beam Sensor For 8130T-8530T, 8225R-8345R. Requires Dual Beam Radar (RE249206).	228.00
	AR245330	Mounting Kit for Radar with Dual Beam Sensor For 8130T-8530T, 8295RT-8345RT. Requires Dual Beam Radar (RE249206).	212.00
	RE278980	Radar with Dual Beam Sensor For 8130-8530, 8230T-8430T.	See Parts
	AR247328	Engine: Cold Weather Start Kit For 8130-8530. Tractor is pre-wired. Kit includes Switch and Ether Aid Canister.	79.00
	RE524692	Engine Block Heater (220V) For 8130-8530, 8230T-8430T, 8225R-8345R, 8295RT-8345RT.	See Parts
	RE251690	Fuel/Water Separator Kit, Severe Duty For 8130-8530. In addition to water separator in base equipment. Not compatible with Loaders.	592.00
	RE277253	Fuel/Water Separator Kit, Severe Duty For 8230T-8430T. In addition to water separator in base equipment.	610.00
	RE260608	Fenders: Fenders, Deluxe Pivoting Front for 1300 Series MFWD - 18.7 In. (480 mm) Wide For 8130-8530, 8225R-8345R. Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths. Compatible with 1300 Series MFWD front axle only. Compatible with 8030 Series Tractors (s/n 007242) and above.	1,368.00
	RE260609	Fenders, Deluxe Pivoting Front for 1300 Series MFWD - 24.4 In. (620 mm) Wide For 8130-8530, 8225R-8345R. Recommended use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Compatible with 1300 Series MFWD front axle only. Compatible with 8030 Series Tractors (s/n 007242) and above.	1,603.00

Attachments for Non-Current 8030/8030T Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE308214	ATTACHMENTS FOR FIELD CONVERSIONContinued Fenders, Deluxe Pivoting Front for 1500 Series MFWD - 18.7 In. (480 mm) Wide For 8130-8530, 825R-83455R. Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths. Compatible with 1500 Series MFWD front axle only.	1,368.00
	RE308215	Fenders, Deluxe Pivoting Front for 1500 Series MFWD - 24.4 In. (620 mm) Wide For 8130-8530, 8225R-8345R. Recommended use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Compatible with 1500 Series MFWD front axle only.	1,603.00
	RE236667	Fenders, Deluxe Pivoting Front for Independent Link Suspension - 18.7 In. (480 mm) Wide For 8130-8530, 8225R-8345R. Also order 2 pieces of R186578. Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths.	1,368.00
	RE236670	Fenders, Deluxe Pivoting Front for Independent Link Suspension - 24.4 In. (620 mm) Wide For 8130-8530, 8225R-8345R. Also order 2 pieces of R186578. Recommended for use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Not for use with front dual tire combinations.	1,603.00
	RE236666	Fenders, Deluxe Pivoting Front for MFWD - 18.7 In. (480 mm) Wide For 8130-8530. Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths. Compatible with 8030 Series Tractors between (s/n 000101 - 007241).	1,329.00
	RE236669	Fenders, Deluxe Pivoting Front for MFWD - 24.4 In. (620 mm) Wide For 8130-8530. Recommended use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Compatible with 8030 Series Tractors between (s/n 000101 - 007241).	1,329.00
	RE253154	Fenders, Extra Width Rear Fender Extensions - 108 In. (2.75 M) Width For 8130-8530. For use with 800 mm wide rear tires. Requires Full Coverage Rear Fenders (RE210326) for installation.	416.00
	RE210326	Fenders, Full Coverage Rear 2.55 meter (100 In. width) For 8120-8520, 8130-8530.	772.00
	R177682	Hitch and Drawbar: Center Link Bracket Retains the center link when not in use. For 8020, 8020T, 8030, 8030T, 8130-8530, 8230T-8430T, 8225R-8345R and 8295RT-8345RT Tractors.	See Parts
	AR211154	Drawbar Heavy Duty Support for use with Cat. 4 Drawbar (11,000 Lb. Vertical Load Capacity) For 8430, 8530 and 8430T. With PTO Codes 2418 or 2420 Cat. 4 Drawbar is NOT compatible with 1-3/8 540 rpm PTO.	809.00
	RE268625	Drawbar, Ball-type 80 mm Cat. 4 For 8130-8530, 8295R-8345R. Ball-type drawbar for use when using the DN 345 - Drawn Dry Box Spreader. No other implements are approved for this drawbar.	3,263.00

Attachments for Non-Current 8030/8030T Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
OODL	AR211153	ATTACHMENTS FOR FIELD CONVERSIONContinued Drawbar, Cat. 4 with 2 In. Pin and Heavy Duty Support (11,000 Lb. Vertical Load Capacity) For 8130, 8230, 8330, 8230T, 8330T, 8225R-8345R and 8295RT-8345RT. NOT compatible with 1-3/8 540 rpm PTO Codes 2418 or 2420.	1,873.00
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N) For 4560-4960, 7600-7800, 7610-7810, 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8420, 8120T-8420T, 8130-8430, 8230T, 8330T, 8228R-8295R and 8295RT.	1,529.00
	AR216079	Rear Hitch Quik-Coupler (Convertible Cat. 4N/3) For 8430, 8530, 8320 and 8345R.	2,429.00
	RE238579	Hydraulics: 4th Remote Cylinder Control Valves with Breakaway Couplers and Armrest Control Lever For 8130-8530, 8230T-8430T. Does not require additional control unit. Additional parts may be required - See installation instructions. Compatible with Wheel Tractors (s/n 039999) and below. Compatible with Track Tractors (s/n 904999) and below.	1,933.00
	RE281164	4th Remote Cylinder Control Valves with Breakaway Couplers and Armrest Control Lever For 8130-8530, 8230T-8430T. Does not require additional control unit. Additional parts may be required - See installation instructions. Requires Software download (R286331) from PDC to activate feature. Compatible with Wheel Tractors (s/n -040000) and above. Compatible with Track Tractors (s/n -905000) and above.	2,231.00
	AR221648	5th Remote Cylinder Control Valves with Breakaway Couplers, Electronic Control Unit and Armrest Control Lever For 8130-8530, 8230T-8430T. Requires Software download (R247857) from PDC to activate feature. Does not require additional control unit. For Tractors equipped with a 50k transmission. The SCO controller and wiring harness included in this kit will not be used. Compatible with Wheel Tractors (s/n 039999) and below. Compatible with Track Tractors (s/n 904999)and below.	2,136.00
	RE343864	5th Remote Cylinder Control Valves with Breakaway Couplers, Electronic Control Unit and Armrest Control Lever For 8130-8530, 8230T-8430T. Does not require additional control unit. Additional parts may be required - See installation instructions. Requires Software download from PDC to activate feature. Compatible with Wheel Tractors (S/N 040000) and above. Compatible with Track Tractors (S/N 905000) and above.	2,318.00
	RE309078	Auxiliary Hydraulic Oil Take-Out Pump and Reservoir For 8130-8530, 8225R-8345R. Provides an additional 11 gallon (42 liters) capacity for large, single acting cylinders used for applications where a large hydraulic oil flow in a short period of time is needed.	1,993.00
	RE222721	Auxiliary Sump Coupler Kit (Flush Face Coupler Style) For 8130-8530, 8320T-8420T, 8225R-8345R, 8295RT-8345RT. Required to connect Tractor sump to case drains on Seeding equipment.	129.00

Attachments for Non-Current 8030/8030T Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE241359	ATTACHMENTS FOR FIELD CONVERSIONContinued Grapple Auxiliary Valve Kit For 8130-8530. Kit includes Electronic Control Unit (Hydraulic Option Controller), Deluxe SCV End Cover, SCV stack mounted Hydraulic Control Valve, brackets and hardware. Single Lever Control Kit (AR243091) must be ordered separately. If Tractor does not have 5 SCV's, order SCO Control Unit (RE219046) and Wiring Harness (RE250961). Requires Software download (R247855) from PDC to activate feature. Compatible with Wheel Tractors (s/n 039999) and below.	1,467.00
	RE283389	Grapple Auxiliary Valve Kit For 8130-8530. Kit includes Electronic Control Unit (Hydraulic Option Controller), Deluxe SCV End Cover, SCV stack mounted Hydraulic Control Valve, brackets and hardware. Single Lever Control Kit (AR243091) must be ordered separately. If Tractor does not have 5 SCV's, order SCO Control Unit (RE219046) and Wiring Harness (RE250961). Requires Software download (R247855) from PDC to activate feature. Compatible with Wheel Tractors (s/n 040000) and above.	1,467.00
	RE281167	Hitch Auxiliary Raise Kit For 8130-8530, 8225R-8345R. Compatible with Wheel Tractors (s/n 040000) and above.	218.00
	RE290999	Hitch Auxiliary Raise Kit For 8230T-84230T, 8295RT-8345RT. Compatible with Track Tractors (s/n 905000) and above.	139.00
	RE151894	Hydraulic Motor Drain or Sump Kit For 8100T-8400T, 8110T-8410T, 8120T-8520T, 8230T-8430T, 8295RT-8345RT, 9300T, 9400T, 9120-9620, 9320T-9520T. (9320-9520 Scrapers are not compatible with Code 2813.)	198.00
	AR114664	Hydraulic Motor Return, Multiple/Auxiliary Hitch Coupler/ Sump Return Kit For 8130-8530, 8225R-8345R, 8295RT-8345RT. For use with Hydraulic Motor Returns, Hitch Valve with Lift Assist Wheels or Motor Drains/Sump Returns or grapple valve.	193.00
	RE330634	Hydraulic Trailer Brake Kit For 8130-8530, 8225R-8345R. Provides single line connection to hydraulic braking systems. Works with or without power beyond couplers.	898.00
	RE221284	Low Stand-By Pressure Control Kit For 8130-8530, 8230T-8430T, 8225R-8345R, 8295RT-8345RT. Prevents main pump activation during engine start up in certain hydraulic configurations using power beyond.	980.00
	RE67182	Multiple Motor Return Kit For 8230T-8430T, 8295RT-8345RT. Cannot be used with Hydraulic Motor Drain or Sump Kit (RE151894).	296.00
	RE231706	Power Beyond Coupler Kit For 8130-8530, 8230T-8430T. For use on Tractors with or without hydraulic trailer brake option. Kit includes load sense, pressure and return couplers. 8230T-8430T require (2) adapters (RE248257). Compatible with Wheel Tractors (s/n 039999) and below. Compatible with Track Tractors (s/n 904999) and below.	731.00

Attachments for Non-Current 8030/8030T Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE281166	ATTACHMENTS FOR FIELD CONVERSIONContinued Power Beyond Coupler Kit For 8130-8530, 8230T-8430T. For use on Tractors with or without hydraulic trailer brake option. Kit includes load sense, pressure and return couplers. Compatible with Wheel Tractors (s/n 040000) and above. Compatible with Track Tractors (s/n 905000) and above.	756.00
	AR243091	Rear EHSCV Single Lever Control (Joystick) and Mounting Parts for CommandArm For 8130-8530. Includes Single Lever Control and Bracket for CommandArm. Requires four rear EHSCVs. Requires Software download (R261121) from PDC to activate feature.	1,269.00
	AR219583	Lighting: Lights, Extremity For 8130-8530.	558.00
	RE306767	Lights, Field Vision XENON HID Rear Lighting Conversion Kit For 7020, 7030, 8020, 8030, 8230T-8430T Series Tractors. Includes two rear fender-mounted lights per kit. Provides factory configuration with remote ballast.	1,326.00
	RE258778	Lights, Loader Light Package For 8130-8530. Requires additional Wiring Harness for Auxiliary Driving / Loader Lights (RE296374).	243.00
	RE259973	Lights, Two Roof-Mounted 65W Halogen Front Flood Lights For 8130-8530, 8230T-8430T. Included in Code 9066.	209.00
	AR223359	Lights, Two Roof-Mounted 65W Halogen Side Flood Lights For 8130-8530. 8230T-8430T. Included in Code 9066.	188.00
	RE296374	Lights, Wiring Harness for Auxiliary Driving / Loader Lights For 8130-8530. Requires Loader Light Package (RE258778).	48.00
	RE239930	Rotary Beacon Light Kit For 8130-8530, 8230T-8430T. Requires Rotary Beacon Switch Kit (RE235448).	377.00
	RE235448	Rotary Beacon Switch Kit For 7200-7800, 7210-7810, 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	108.00
	AR223585	Miscellaneous: Single Line Coupler Parts for Air Trailer Brakes For 8130-8530.	600.00
	RE164261	Track Tension Hose Kit For 8020T's, 8230T-8430T, 8295RT-8345RT and 9320T-9620T.	See Parts

Attachments for Non-Current 8030/8030T Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	RE67015	Operator Environment: 3-Way Convenience Adapter for Power Strip For 8130-8530, 8230T-8430T, 8225R-8345R, 8295RT-8345RT.	See Parts
	RE162644	Accessories, Utility Tray and Beverage Holder For 8130-8530, 8230T-8430T. Attaches to Accessories Mounting Bracket (RE245374).	See Parts
	RE245374	Accessory Mounting Bracket For 8130-8530, 8230T-8430T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	See Parts
	RE219922	Antenna Mount and Wiring for Business Band Radio For 7720-7920, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 9120-9520, 9320-9520 Scrapers, 9320T-9620T.	140.00
	RE67014	Cigar-Style Adapter for Power Strip For 8130-8530, 8230T-8430T, 8225R-8345R, 8295RT-8345RT.	See Parts
	RE276351	External Mirrors, Electrically Adjustable RH and LH For 8130-8530, 8230T-8430T. For Tractors with no external mirrors. Provides complete mirror and arm assembly. Tracks vibration limits the effectiveness of external mirrors.	947.00
	RE244933	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For 8130-8530, 8230T-8430T. For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms. Tracks vibration limits the effectiveness of external mirrors.	752.00
	RE276350	External Mirrors, Manually Adjustable RH and LH For 8130-8530, 8230T-8430T. Tracks vibration limits the effectiveness of external mirrors.	470.00
	AR116863	Field Office For 8130-8530, 8230T-8430T.	610.00
	RE232550	Foot-Operated Speed Control For 8130-8530. For use with PST or IVT transmissions.	328.00
	RE192707	Instructional Seat Not compatible with AR116863 Field Office for 7720, 7820 or 7920 and 8130-8530.	See Parts
	RE68495	Power Strip with Six Outlets For 8130-8530, 8230T-8430T, 8225R-8345R, 8295RT-8345RT.	See Parts
	RE321103	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, Weatherband, Four Speakers and Antenna For 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	736.00
	RE321102	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband For 8130-8530, 8230T-8430T. Excludes speakers, mounting hardware and antenna.	434.00

Attachments for Non-Current 8030/8030T Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE321111	ATTACHMENTS FOR FIELD CONVERSIONContinued Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, Weatherband, Four Speakers and Antenna For 7720-7920, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	1,113.00
	RE321109	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband For 8130-8530, 8230T-8430T. Excludes speakers, mounting hardware and antenna.	849.00
	RE255767	Right Hand Step Kit For 8130-8530. Includes steps, handrail.	471.00
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip For 8130-8530, 8230T-8430T, 8225R-8345R, 8295RT-8345RT.	See Parts
	RE284180	Step Kit, Left Hand Convenience Platform For 8130-8530, 8225R-8345R.	See Parts
	RE197943	Sun Shade, Front Pull Down For 8130-8530, 8230T-8430T.	See Parts
	RE197944	Sun Shade, Rear Pull Down For 8130-8530, 8230T-8430T.	See Parts
	RE263352	Tire Pressure Monitor Kit For 8130-8530, 8225R-8345R. Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	AR112601	Windshield Washer, Front and Rear For 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8130-8530, 8230T-8430T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	213.00
	RE337751	Windshield Wiper, Rear Single Speed For 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	268.00
	RE272736	PTO: Conversion Kit from 1-3/4 In. 1000 rpm to 1-3/8 In. 540/1000 rpm PTO For 7820, 7920, 8120-8520, 8130-8530 and 8225R-8270R. Conversion for Tractor equipped with Code 2418. 1-3/8 540 rpm PTO is NOT compatible with CAT 4 Drawbar.	476.00
	RE265882	Software Downloads: Intelligent Power Management For 8130-8530. Download through Service Advisor's software delivery system. Includes instruction and download only. Compatible with 8030 Series Wheel Tractors (S/N -010001) and above. 8030 Series wheel tractors only.	See Parts

Attachments for Non-Current 8030/8030T Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE280503	ATTACHMENTS FOR FIELD CONVERSIONContinued Language Group for CommandCenter on IVT/AutoPowr Tractors - English, Croatian, Serbian, Slovenian, German For 8130-8530. Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE280501	Language Group for CommandCenter on IVT/AutoPowr Tractors - English, Danish, Swedish, Finish, Norwegian For 8130-8530. Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE280500	Language Group for CommandCenter on IVT/AutoPowr Tractors - English, Estonian, Latvian, Lithuanian, Polish, Russian For 8130-8530. Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE280499	Language Group for CommandCenter on IVT/AutoPowr Tractors - English, French, Dutch, Icelandic, German For 8130-8530. Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE280504	Language Group for CommandCenter on IVT/AutoPowr Tractors - English, Greek, Turkish For 8130-8530. Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE280502	Language Group for CommandCenter on IVT/AutoPowr Tractors - English, Hungarian, Czech, Slovak, Romanian, Bulgarian For 8130-8530. Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE280505	Language Group for CommandCenter on IVT/AutoPowr Tractors - English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish For 8130-8530. Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE280496	Language Group for CommandCenter on PST Tractors - English, Croatian, Serbian, Slovenian, German For 8130-8530. Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE280494	Language Group for CommandCenter on PST Tractors - English, Danish, Swedish, Finish, Norwegian For 8130-8530. Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE280493	Language Group for CommandCenter on PST Tractors - English, Estonian, Latvian, Lithuanian, Polish, Russian For 8130-8530. Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts

Attachments for Non-Current 8030/8030T Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE280490	ATTACHMENTS FOR FIELD CONVERSIONContinued Language Group for CommandCenter on PST Tractors - English, French, Dutch, Icelandic, German For 8130-8530. Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE280497	Language Group for CommandCenter on PST Tractors - English, Greek, Turkish For 8130-8530. Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE280495	Language Group for CommandCenter on PST Tractors - English, Hungarian, Czech, Slovak, Romanian, Bulgarian For 8130-8530. Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE280498	Language Group for CommandCenter on PST Tractors - English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish For 8130-8530. Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE224298	Transmission: Transmission Backup Alarm For 8130-8530, 8230T-8430T, 8225R-8345R, 8295RT-8345RT.	405.00
	RE198862	Transmission Hydraulic Oil Heater (110 Volts) For 8230T-8430T. Tractor must be equipped with Engine Block Heater.	444.00
	AL71345	Vandal Protection: Door Locks - Custom Key For 8130-8530, 8230T-8430T, 8225R-8345R, 8295RT-8345RT, 9120-9620, 9320-9520 Scraper Tractors and 9320T-9620T Track Tractors.	161.00
	R152091	Weights: Weight Bracket, Side Frame (150 Lb.) - Quantity of One For 8230T-8430T. Order Attaching Hardware through Parts (8 - 14M7277 Hex Nuts, 8 - 19M7645 Cap Screws, 8 - 19M8503 Cap Screws and 16 - 24M7242 Hardened Washers). With 22" Wide Mid-Rollers (Code 9134) maximum of 10 side frame weights can be installed.	425.00
	R160662	Weight, Front Idler - 100 lbs. (45 kg) For 8230T-8430T. Order Attaching Hardware through Parts (3 - 19M8639 Cap Screws and 3 - 24M7242 Washers, one set per each weight).	207.00
	R160661	Weight, Front Idler Starter - 100 lbs (45 kg) For 8230T-8430T. Required to install R160662 Idler Weights. Order Attaching Hardware through Parts (4 - 19M8639 Cap Screws and 4 - 24M7242 Washers, one set per each weight).	216.00

Attachments for Non-Current 8030/8030T Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	R127764	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Front Suitcase (104 Lb.) Quantity of One For 3055-3255, 3150, 4040-4840, 4050-4850, 4055-4955, 4560-4960, 5020 Series, 5720, 5820, 5730, 5830, 6200-6400, 6405, 6605, 6110-6410, 6310C-6510C, 6110L-6510L, 6310S-6510S, 6120L-6520L, 7405, 7210-7810, 7220-7920, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 875, 885, 9100-9400, 9300T, 9400T, 9120-9620, 9320T-9520T.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764) For 3055-3255, 3150, 4040-4840, 4050-4850, 4055-4955, 4560-4960, 5020 Series, 5720, 5820, 5730, 5830, 6200-6400, 6405, 6605, 6110-6410, 6310C-6510C, 6110L-6510L, 6310S-6510S, 6120L-6520L, 7405, 7210-7810, 7220-7920, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 875, 885, 9100-9400, 9300T, 9400T, 9120-9620, 9320T-9520T.	2,504.00
	R242154	Weight, Front Support, 390 Lb. (180 kg) For 8130-8530, 8230T-8430T, 8225R-8345R, 8295RT-8345RT. Requires (6) 19M9141 Cap Screws and (6) 24M7242 Washers for installation - See Parts. Holds up to 22 Quick-Tatch Weights.	844.00
	R167151	Weight, Inner Wheel, 1400 Lb. For 8130-8530, 8225R-8345R.	1,903.00
	R151721	Weight, Rear Wheel, 335 Lb. (148 kg) - Quantity of One For 8230T-8430T. Order attaching hardware through Parts (3 - 14M7277 Hex Nuts, 3 - 19M8503 Cap Screws, and 6 - 24M7242 Hardened Washers).	713.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg) For 4450CL, 4755, 4955, 4560-4960, 7200-7800, 7210-7810, 7220-7520, 7720-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8560-8960, 8570-8970 9100-9400, 9120,9220 and 9620.	282.00
	RFR207782	Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights) For 4755, 4955, 4560-4960, 7200-7800, 7210-7810, 7220-7520, 7720-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8560-8960, 8570-8970, 8225R-8345R, 9100-9400, 9120-9620.	2,658.00
	RFR167153	Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights) For 4450CL, 4755, 4955, 4560-4960, 7200-7800, 7210-7810, 7220-7520, 7720-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8560-8960, 8570-8970, 9100-9400, 9120-9420.	3,384.00
	R207782	Weight, Wheel, 450 Lb. For 4755, 4955, 4560-4960, 7200-7800, 7210-7810, 7220-7520, 7720-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8560-8960, 8570-8970, 9100-9400, 9120-9620.	664.00
	RE324389	Wheel Equipment: Front Wheel Dual Extensions Compatible with ILS or 1500 front axles.	2,538.00
	AR190666	One 10 In. Dual Hub Extension For 4055-4955, 4255CL, 4455CL, 4560-4960, 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 9100-9400, 9120-9620.	759.00
	AR190668	One 13 In. Dual Hub Extension For 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 9100-9400, 9120-9620.	844.00

Attachments for Non-Current 8030/8030T Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	AR190669	ATTACHMENTS FOR FIELD CONVERSIONContinued One 15 In. Dual Hub Extension For 4055-4955, 4455CL, 4560-4960, 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8570, 8770, 9100-9400, 9120-9620.	884.00
	AR194744	One 5 In. Dual Hub Extension For 4055-4955, 4455CL, 4560-4760, 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 9100-9400, 9120-9620.	685.00
	RE267658	Three Meter Front Wheel Spacer <i>For 7720-7920, 8130-8530</i> .	3,063.00

Attachments for Non-Current 8030/8030T Series Tractors Continued THIS PAGE IS INTENTIONALLY LEFT BLANK

Attachments for Non-Current 8R/8RT Tier 3 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	RE17282	Electrical: 7-Terminal Electrical Outlet Socket	80.00
	RE58827	9-Pin Connector Implement Feedback For 8130-8530, 8230T-8430T, 8225R-8345R, 8295RT-8345RT. Required for Electrohydraulic Implement Depth Control (EHDC).	132.00
	RE322780	ISO Cab Implement CAN Bus Adapter For 8225R-8345R, 8295RT-8345RT.	See Parts
	RE21519	Implement Switch with 10 Ft. Harness	168.00
	AR245564	Mounting Kit for Radar with Dual Beam Sensor For 8130T-8530T, 8225R-8345R. Requires Dual Beam Radar (RE249206).	228.00
	AR245330	Mounting Kit for Radar with Dual Beam Sensor For 8130T-8530T, 8295RT-8345RT. Requires Dual Beam Radar (RE249206).	212.00
	RE278980	Radar with Dual Beam Sensor Requires mounting kit AR245564 for 8225R-8345R. Requires mounting kit AR245330 for 8295RT-8345RT.	See Parts
	RE288668	Engine: Cold Weather Starting Package For 8225R-8345R. Includes Switch and Ether Aid Canister.	81.00
	RE227949	Engine Block Heater (110V) For 6403, 6603, 6215, 6415, 6615, 6715 ComfortVantage Cab, 6415, 6615, 6715 ComfortVantage Cab High Clearance, 6215, 6415, 6615, 6715 OOS, and 6415, 6615 and 6715 OOS High Clearance, 8130-8530, 8230T-8430T, 8225R-8345R, 8295RT-8345RT.	See Parts
	RE524692	Engine Block Heater (220V) For 8130-8530, 8230T-8430T, 8225R-8345R, 8295RT-8345RT.	See Parts
	RE288660	Fuel/Water Separator Kit, Severe Duty For 8225R-8345R.	646.00
	RE288659	Fuel/Water Separator Kit, Severe Duty For 8295RT-8345RT.	686.00
	RE260608	Fenders: Fenders, Deluxe Pivoting Front for 1300 Series MFWD - 18.7 In. (480 mm) Wide For 8130-8530, 8225R-8345R. Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths. Compatible with 1300 Series MFWD front axle only. Compatible with 8030 Series Tractors (s/n 007242) and above.	1,368.00

Attachments for Non-Current 8R/8RT Tier 3 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE260609	ATTACHMENTS FOR FIELD CONVERSIONContinued Fenders, Deluxe Pivoting Front for 1300 Series MFWD - 24.4 In. (620 mm) Wide For 8130-8530, 8225R-8345R. Recommended use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Compatible with 1300 Series MFWD front axle only. Compatible with 8030 Series Tractors (s/n 007242) and above.	1,603.00
	RE308214	Fenders, Deluxe Pivoting Front for 1500 Series MFWD - 18.7 In. (480 mm) Wide For 8130-8530, 825R-83455R. Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths. Compatible with 1500 Series MFWD front axle only.	1,368.00
	RE308215	Fenders, Deluxe Pivoting Front for 1500 Series MFWD - 24.4 In. (620 mm) Wide For 8130-8530, 8225R-8345R. Recommended use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Compatible with 1500 Series MFWD front axle only.	1,603.00
	RE236667	Fenders, Deluxe Pivoting Front for Independent Link Suspension - 18.7 In. (480 mm) Wide For 8130-8530, 8225R-8345R. Also order 2 pieces of R186578. Recommended use with 12.4 In. (290 mm) to 16.9 In. (420 mm) tire widths.	1,368.00
	RE236670	Fenders, Deluxe Pivoting Front for Independent Link Suspension - 24.4 In. (620 mm) Wide For 8130-8530, 8225R-8345R. Also order 2 pieces of R186578. Recommended for use with 18.4 In. (480 mm) to 23.6 In. (600 mm) tire widths. Not for use with front dual tire combinations.	1,603.00
	RE324406	Fenders, Extra Width Rear Fender Extensions For 8225R-8345R, use with 800 mm wide rear tires. Requires Full Coverage Rear Fenders (RE318606) for installation.	276.00
	RE318606	Fenders, Full Coverage Rear 2.55 meter (100 In. Width) For 8225R-8345R.	500.00
	R177682	Hitch and Drawbar: Center Link Bracket Retains the center link when not in use. For 8020, 8020T, 8030, 8030T, 8130-8530, 8230T-8430T, 8225R-8345R and 8295RT-8345RT Tractors.	See Parts
	AR211154	Drawbar Heavy Duty Support for use with Cat. 4 Drawbar (11,000 Lb. Vertical Load Capacity) For 8225R-8345R, 8295RT-8345RT. Requires Cat. 4 Drawbar. Increases vertical load capacity to 11,000 Lb. (4990 kg.). Cat. 4 Drawbar is not compatible with PTO Codes 2418 or 2420 or with field installed 1-3/8 540 rpm PTO.	809.00
	RE268625	Drawbar, Ball-type 80 mm Cat. 4 For 8130-8530, 8295R-8345R. Ball-type drawbar for use when using the DN 345 - Drawn Dry Box Spreader. No other implements are approved for this drawbar.	3,263.00
	AR211153	Drawbar, Cat. 4 with 2 In. Pin and Heavy Duty Support (11,000 Lb. Vertical Load Capacity) For 8130, 8230, 8330, 8230T, 8330T, 8225R-8345R and 8295RT-8345RT. NOT compatible with 1-3/8 540 rpm PTO Codes 2418 or 2420.	1,873.00

Attachments for Non-Current 8R/8RT Tier 3 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE301735	ATTACHMENTS FOR FIELD CONVERSIONContinued Hitch Kit, 3-in-1 Rails For 8225R-8345R. Compatible with Type 2 PTO.	817.00
	RE301736	Hitch Kit, 3-in-1 Rails For 8225R-8345R. Compatible with Type 3 PTO.	1,368.00
	RE180668	Rear Hitch Quik-Coupler (Convertible Cat. 3/3N) For 4560-4960, 7600-7800, 7610-7810, 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8420, 8120T-8420T, 8130-8430, 8230T, 8330T, 8228R-8295R and 8295RT.	1,529.00
	AR216079	Rear Hitch Quik-Coupler (Convertible Cat. 4N/3) For 8430, 8530, 8320 and 8345R.	2,429.00
	RE343865	Hydraulics: 4th Remote Cylinder Control Valves with Push/Pull Breakaway Couplers with High Pressure Relief Levers For 8R below SN 053101 and 8RT below SN 907101 Tractors equipped with a front hitch or without a rear hitch. See installation instructions for additional parts needed to complete installation. Requires (R301759) Software download to activate function - See Parts.	2,466.00
	RE309078	Auxiliary Hydraulic Oil Take-Out Pump and Reservoir For 8130-8530, 8225R-8345R. Provides an additional 11 gallon (42 liters) capacity for large, single acting cylinders used for applications where a large hydraulic oil flow in a short period of time is needed.	1,993.00
	RE222721	Auxiliary Sump Coupler Kit (Flush Face Coupler Style) For 8130-8530, 8320T-8420T, 8225R-8345R, 8295RT-8345RT. Required to connect Tractor sump to case drains on Seeding equipment.	129.00
	RE301591	Auxiliary Valve Kit For 8225R-8345R. Additional on/off valve for control of front functions such as a Grapple. See installation instructions for additional parts required for installation. Single Lever Control Kit (AR272536) must be ordered separately. Requires (R318389) Software download to activate function - See Parts.	1,571.00
	RE281167	Hitch Auxiliary Raise Kit For 8130-8530, 8225R-8345R. Compatible with Wheel Tractors (s/n 040000) and above.	218.00
	RE290999	Hitch Auxiliary Raise Kit For 8230T-84230T, 8295RT-8345RT. Compatible with Track Tractors (s/n 905000) and above.	139.00
	RE151894	Hydraulic Motor Drain or Sump Kit For 8100T-8400T, 8110T-8410T, 8120T-8520T, 8230T-8430T, 8295RT-8345RT, 9300T, 9400T, 9120-9620, 9320T-9520T. (9320-9520 Scrapers are not compatible with Code 2813.)	198.00
	AR114664	Hydraulic Motor Return, Multiple/Auxiliary Hitch Coupler/ Sump Return Kit For 8130-8530, 8225R-8345R, 8295RT-8345RT. For use with Hydraulic Motor Returns, Hitch Valve with Lift Assist Wheels or Motor Drains/Sump Returns or grapple valve.	193.00

Attachments for Non-Current 8R/8RT Tier 3 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE330634	ATTACHMENTS FOR FIELD CONVERSIONContinued Hydraulic Trailer Brake Kit For 8130-8530, 8225R-8345R. Provides single line connection to hydraulic braking systems. Works with or without power beyond couplers.	898.00
	RE221284	Low Stand-By Pressure Control Kit For 8130-8530, 8230T-8430T, 8225R-8345R, 8295RT-8345RT. Prevents main pump activation during engine start up in certain hydraulic configurations using power beyond.	980.00
	RE67182	Multiple Motor Return Kit For 8230T-8430T, 8295RT-8345RT. Cannot be used with Hydraulic Motor Drain or Sump Kit (RE151894).	296.00
	RE281166	Power Beyond Coupler Kit For use on 8225R-8345R Tractors with or without hydraulic trailer brake option. Kit includes load sense, pressure and return couplers.	756.00
	RE301658	Power Beyond Coupler Kit For 8295RT-8345RT.	756.00
	AR272536	Rear EHSCV Single Lever Control (Joystick) and Mounting Parts for CommandArm For 8225R-8345R. Attaches to CommandArm. Requires (R318390) Software download to activate function - See Parts. Requires 4 Tractor SCV's.	1,563.00
	RE308937	Lighting: Auxiliary Driving / Loader Light Kit For 8225R-8345R, 8295RT-8345RT. Includes headlights, wiring harness, brackets and mounting hardware.	236.00
	RE269641	Lights, Field Vision Xenon HID Rear Fender Light For 8225R-8345R, 8295RT-8345RT. Requires (2) for conversion.	See Parts
	RE298933	Lights, Two Roof-Mounted 65W Halogen Front Flood Lights For 8225R-8345R, 8295RT-8345RT.	140.00
	RE325694	Rotary Beacon Light Kit For 8225R-8345R, 8295RT-8345RT.	371.00
	AR320123	Miscellaneous: Single Line Coupler Parts for Air Trailer Brakes For 8225R-8345R.	581.00
	RE164261	Track Tension Hose Kit For 8020T's, 8230T-8430T, 8295RT-8345RT and 9320T-9620T.	See Parts
	AR273271	Wide Track Conversion Kit For 8295RT-8345RT. Allows 112 In. to 160 In. tread spacing.	13,948.00
	RE67015	Operator Environment: 3-Way Convenience Adapter for Power Strip For 8130-8530, 8230T-8430T, 8225R-8345R, 8295RT-8345RT.	See Parts

Attachments for Non-Current 8R/8RT Tier 3 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE317435	ATTACHMENTS FOR FIELD CONVERSIONContinued Accessory Mounting Bracket For 8225R-8345R, 8295RT-8345RT. Provides mounting location for additional monitors.	110.00
	RE269615	Antenna Mount and Wiring for Business Band Radio For 8225R-8345R, 8295RT-8345RT.	140.00
	RE275532	Ash Tray For 8225R-8345R, 8295RT-8345RT. Fits in existing cup holder.	See Parts
	RE67014	Cigar-Style Adapter for Power Strip For 8130-8530, 8230T-8430T, 8225R-8345R, 8295RT-8345RT.	See Parts
	RE323406	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For 8295RT-8345RT. For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	594.00
	RE323407	External Mirrors, Electrically Adjustable RH and LH Conversion Kit For 8225R-8345R. For converting dual manual external mirrors to dual electric mirrors. Will use existing mounting brackets and telescoping arms.	594.00
	RE293499	External Mirrors, Electrically Telescoping and Heated Mirror Heads For 8225R-8345R. For converting the heads on electric mirrors to telescoping and heated.	1,696.00
	RE323405	External Mirrors, Manually Adjustable RH and LH For 8225R-8345R.	265.00
	RE321017	Foot-Operated Speed Control For 8225R-8345R. For use with PST or IVT transmissions. Order Floor Mat separate through Parts.	125.00
	RE298456	Instructional Seat For 8225R-8345R, 8295RT-8345RT.	See Parts
	RE68495	Power Strip with Six Outlets For 8130-8530, 8230T-8430T, 8225R-8345R, 8295RT-8345RT.	See Parts
	RE328345	Radio, Deere/Delco AM/FM Stereo with Clock, Weatherband, Four Speakers and Antenna For 8225R-8345R, 8295RT-8345RT.	373.00
	RE298965	Radio, Sub Woofer Kit For 8225R-8345R, 8295RT-8345RT. Includes sub woofer, rear upholstery, and grille screen.	295.00
	RE67013	Standard Connector with 1m (3-Foot) Cable for Power Strip For 8130-8530, 8230T-8430T, 8225R-8345R, 8295RT-8345RT.	See Parts
	RE284180	Step Kit, Left Hand Convenience Platform For 8130-8530, 8225R-8345R.	See Parts
	RE267353	Step Kit, Right Hand Step Kit For 8225R-8345R. Includes steps and handrail.	474.00

Attachments for Non-Current 8R/8RT Tier 3 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE261504	ATTACHMENTS FOR FIELD CONVERSIONContinued Sun Shade, Front Pull Down For 8225R-8345R, 8295RT-8345RT.	See Parts
	RE263352	Tire Pressure Monitor Kit For 8130-8530, 8225R-8345R. Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	RE269618	Windshield Wiper with Washer, Rear For 8225R-8345R, 8295RT-8345RT.	193.00
	RE272736	PTO: Conversion Kit from 1-3/4 In. 1000 rpm to 1-3/8 In. 540/1000 rpm PTO For 7820, 7920, 8120-8520, 8130-8530 and 8225R-8270R. Conversion for Tractor equipped with Code 2418. 1-3/8 540 rpm PTO is NOT compatible with CAT 4 Drawbar.	476.00
	RE298885	Software Downloads: Intelligent Power Management For 8225R-8345R, 8295RT-8345RT. Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305729	Language Group for CommandCenter - English, Croatian, Serbian, Slovenian, German For 8225R-8345R, 8295RT-8345RT. Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305727	Language Group for CommandCenter - English, Danish, Swedish, Finish, Norwegian For 8225R-8345R, 8295RT-8345RT. Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305726	Language Group for CommandCenter - English, Estonian, Latvian, Lithuanian, Polish, Russian For 8225R-8345R, 8295RT-8345RT. Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305725	Language Group for CommandCenter - English, French, Dutch, Icelandic, German For 8225R-8345R, 8295RT-8345RT. Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305730	Language Group for CommandCenter - English, Greek, Turkish For 8225R-8345R, 8295RT-8345RT. Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts

Attachments for Non-Current 8R/8RT Tier 3 Series Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE308728	ATTACHMENTS FOR FIELD CONVERSIONContinued Language Group for CommandCenter - English, Hungarian, Czech, Slovak, Romanian, Bulgarian For 8225R-8345R, 8295RT-8345RT. Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE305731	Language Group for CommandCenter - English, Italian, Spanish, Portuguese, German, Dutch, French, Swedish, Hungarian, Danish, Polish For 8225R-8345R, 8295RT-8345RT. Download through Service Advisor's software delivery system. Includes instruction and download only.	See Parts
	RE224298	Transmission: Transmission Backup Alarm For 8130-8530, 8230T-8430T, 8225R-8345R, 8295RT-8345RT.	405.00
	RE198862	Transmission Hydraulic Oil Heater (110 Volts) For 8295RT-8345RT. For IVT and PST transmission.	444.00
	AL71345	Vandal Protection: Door Locks - Custom Key For 8130-8530, 8230T-8430T, 8225R-8345R, 8295RT-8345RT, 9120-9620, 9320-9520 Scraper Tractors and 9320T-9620T Track Tractors.	161.00
	R311921	Weights: Weight, Front Idler Starter - 79 lbs. (36 kg) For 8295RT-8345RT. Order attaching hardware through Parts (6) 19M8288 Cap Screws and (6) 24M7243 Washers, one set per each weight.	407.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One For 8225R-8345R, 8295RT-8345RT.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764) For 8225R-8345R, 8295RT-8345RT.	2,504.00
	R242154	Weight, Front Support, 390 Lb. (180 kg) For 8130-8530, 8230T-8430T, 8225R-8345R, 8295RT-8345RT. Requires (6) 19M9141 Cap Screws and (6) 24M7242 Washers for installation - See Parts. Holds up to 22 Quick-Tatch Weights.	844.00
	R167151	Weight, Inner Wheel, 1400 Lb. For 8130-8530, 8225R-8345R.	1,903.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg) For 7220, 7320, 7420, 7520 ComfortGard Cab and 8225R-8345R.	282.00
	RFR207782	Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights) For 4755, 4955, 4560-4960, 7200-7800, 7210-7810, 7220-7520, 7720-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8560-8960, 8570-8970, 8225R-8345R, 9100-9400, 9120-9620.	2,658.00

Attachments for Non-Current 8R/8RT Tier 3 Series Tractors Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RFR167153	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights) For 7220, 7320, 7420, 7520 ComfortGard Cab and 8225R-8345R.	3,384.00
	R207782	Weight, Wheel, 450 Lb. For 7220, 7320, 7420, 7520 ComfortGard Cab and 8225R-8345R.	664.00
	RE324389	Wheel Equipment: Front Wheel Dual Extensions For 8225R-8345R. Compatible with ILS or 1500 front axles.	2,538.00
	AR190666	One 10 In. Dual Hub Extension For 7220, 7320, 7420, 7520 ComfortGard Cab and 8225R-8345R.	759.00
	AR190668	One 13 In. Dual Hub Extension For 7220, 7320, 7420, 7520 ComfortGard Cab and 8225R-8345R.	844.00
	AR190669	One 15 In. Dual Hub Extension For 7220, 7320, 7420, 7520 ComfortGard Cab and 8225R-8345R.	884.00
	AR194744	One 5 In. Dual Hub Extension For 7220, 7320, 7420, 7520 ComfortGard Cab and 8225R-8345R.	685.00
	RE267658	Three Meter Front Wheel Spacer For 8225R-8345R. Not compatible with Tractors equipped with front brakes.	3,063.00

			••••
CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTA OUMENTO FOR FIELD CONVERGION	
		ATTACHMENTS FOR FIELD CONVERSION	
	RE21519	Electrical:	168.00
	RE21519	Implement Switch with 10 Ft. Harness	166.00
	RE261439	Mounting Kit - Dual Beam Radar Sensor For all 9020, 9020T, 9020 Scrapers. The Mounting Kit does not include Dual Beam Radar Sensor. If Dual Beam Radar Sensor is needed, order Dual Beam Radar Sensor RE249206.	299.00
	RE249206	Radar with Dual Beam Sensor For 9120-9620, 9320-9520 Scrapers, 9320T-9620T. The Dual Beam Radar Sensor does not include mounting kit. Requires mounting kit RE261439. Order specific Dual Beam Radar Sensor part number for your respective country.	See Parts
	RE218410	Guards: Track Undercarriage Trash Shields For 9320T-9620T. Contains both right and left hand-side shields and mounting hardware. Recommended for use with Wide Swing Drawbar.	1,844.00
	RE48544	Hitch and Drawbar: Cat. 3 Quik Coupler For 9320T-9620T.	See Parts
	RE275924	Cat. 4 Drawbar Reinforcement Kit for Tractors equipped with either 3-Point Hitch or Heavy Duty Drawbar Support Fits all 9000 and 9020 Series Tractors.	2,075.00
	RE314579	Cat. 4 Drawbar Reinforcement Kit for Tractors equipped without 3-Point Hitch or Heavy Duty Drawbar Support Kit includes Heavy Duty Drawbar Support. Ability to achieve 11,000 lbs Vertical Load Capacity. Requires SCV Bracket (RE228347) through PDC to complete installation. Fits all 9000 and 9020 Series Tractors.	4,189.00
	RE171754	Cat. 4/4N Quik Coupler For 9320T-9620T.	See Parts
	RE270268	Cat. 4/4N Quik Coupler Kit For 9320-9620 Tractors and 9320T-9620T Tractors.	2,741.00
	RE270270	Cat. 4N/3 Quik Coupler Kit For 9120-9420 and 9320T-9420T Tractors.	4,029.00
	RE266011	Drawbar Reinforcement Kit for Cat. 4 Drawbar for Track Tractors Factory Equipped with a Hitch or a Heavy Duty Drawbar Support Ability to achieve 11,000 lbs Vertical Load Capacity. For 9000T, 9020T, 9030T.	1,643.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE198278	ATTACHMENTS FOR FIELD CONVERSIONContinued Electro-Hydraulic 3 Point Hitch with Draft-Sensing, Dual Lift Cylinders, Cat. 4/4N Adjustable Quik-Coupler and Heavy Duty Drawbar Support (14,485 Lb. Lift Capacity) For 9320-9620. For Tractors Factory Equipped with a Standard Drawbar Support. Not Compatible with Group 48 Tires. Not compatible with Triples.	20,394.00
	RE198277	Electro-Hydraulic 3 Point Hitch with Draft-Sensing, Dual Lift Cylinders, Cat. 3 Non-Adjustable Quik-Coupler and Heavy Duty Drawbar Support (13,871 Lb. Lift Capacity) For 9120-9620. For Tractors Factory Equipped with a Standard Drawbar Support. Not Compatible with Group 48 Tires. Not compatible with Triples.	18,754.00
	RE274056	Heavy-Duty Drawbar Support Kit For 9120-9620 Tractors. Recommended for high drawbar load applications. Deletes Rear Storage Box. Fits all "9000" and "9030" Tractors.	3,172.00
	RE188663	Hydraulics: 5th Remote Cylinder Control Valves with Breakaway Couplers For 8120-8520, 8120T-8520T, 9120-9620, 9320T-9520T. 9320-9520 Scrapers are not compatible with Code 2813.	1,879.00
	RE151894	Hydraulic Motor Drain or Sump Kit For 8100T-8400T, 8110T-8410T, 8120T-8520T, 8230T-8430T, 8295RT-8345RT, 9300T, 9400T, 9120-9620, 9320T-9520T. (9320-9520 Scrapers are not compatible with Code 2813.)	198.00
	RE336252	Hydraulic Trailer Brake Kit For 9320-9620 without power beyond couplers.	852.00
	RE218665	Motor Seal Drain Kit with Filter For 9300T, 9400T, 9120-9620, 9320T-9620T. For 9320-9520 Scrapers which are not compatible with Code 2813.	485.00
	RE217697	Power Beyond Coupler Kit Without Trailer Brake	602.00
	RE220073	Power Beyond Coupler Kit for AG High Flow For 9220-9620. Compatible with the lower SCV stack section of the 78 gpm (4.9 Lps) Hydraulic System.	557.00
	RE220072	Power Beyond Coupler Kit for Standard Flow For 9100-9400, 9300T, 9400T. For 9120: Fits all 48 gpm (3.02 Lps) Hydraulic Systems. For 9220-9620: Fits all 48 gpm (3.02 Lps) Hydraulic Systems. Compatible with the upper SCV stack section of the 78 gpm (4.9 Lps) Hydraulic System. For 9320-9520 Scrapers: Not compatible with Code 2813.	679.00
	RE246250	Lighting: Lights, Field Vision Xenon HID Lighting Package - Rear For 9320T-9620T. Replaces two of the four rear base halogen lights, one on each side of rear fender, with two HID Lights, one on each fender. Not compatible with Code 0986.	1,650.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE239930	ATTACHMENTS FOR FIELD CONVERSIONContinued Rotary Beacon Light Kit For 7210-7810, 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9300T, 9400T, 9120-9620, 9320T-9520T.	377.00
	RE235448	Rotary Beacon Switch Kit For 7200-7800, 7210-7810, 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	108.00
	RE187747	Supplementary Light Kit (Four Roof-Mounted 65W Halogen Floodlights) For all 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	456.00
	RE187345	Miscellaneous: English Video Operators Guide (PAL Format) For 8120-8520, 9120-9620. Must be ordered through DSC.	See Parts
	JDG1277	Front Support Stands For 9320T-9620T.	See Parts
	RE277064	Gudgeon Kit with Tapered Roller Bearings Updates all 9000, 9020, and 9030 Series Tractors to Tapered Roller Bearing Gudgeon with 2 1/2 In. Articulation Pins. For 9100-9400, 9120-9520.	5,170.00
	JDG1276	Rear Support Stands For 9320T-9620T.	See Parts
	RE269431	Tow Cable Kit For all 9020 Series. If tractor is not equipped with front weight frame, R209892 reinforcement must be ordered through Service Parts.	2,145.00
	RE164261	Track Tension Hose Kit For 8020T's, 8230T-8430T, 8295RT-8345RT and 9320T-9620T.	See Parts
	RE67685	Operator Environment: 9-Pin Connector for Implement Feedback For 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T. Required for TouchSet Depth Control.	241.00
	RE245374	Accessory Mounting Bracket For 8130-8530, 8230T-8430T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	See Parts
	RE219922	Antenna Mount and Wiring for Business Band Radio For 7720-7920, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 9120-9520, 9320-9520 Scrapers, 9320T-9620T.	140.00
	RE276352	External Mirrors Manually Adjustable RH and LH For 9120-9620 and 9320-9520 Scraper Tractors (S/N 040000 and above).	501.00
	RE276351	External Mirrors, Electrically Adjustable RH and LH For Tractors with no external mirrors. Kit includes: Mounting brackets, telescoping arms, power mirror heads, wire harness, switch, plus miscellaneous hardware and installation instructions. For 7720-7920, 8120-8520 with S/N 007223 and above, 8120T-8520T with S/N 902001 and above, 9120-9620, 9320-9520 Scrapers, and 9320T-9620T.	947.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE244933	ATTACHMENTS FOR FIELD CONVERSIONContinued External Mirrors, Electrically Adjustable RH and LH Conversion Kit For converting dual manual external mirrors (included in deluxe cab option) to dual electric mirrors. Kit includes: Power mirror heads, wire harness, switch, plus miscellaneous hardware and installation instructions (will use existing mounting brackets and telescoping arms). For 7720-7920, 8120-8520 with S/N 007223 and above, 8120T-8520T with S/N 902001 and above.	752.00
	AR112841	External Mirrors, Manually Adjustable RH and LH	455.00
	RE276348	External Mirrors, Roof Mounted, Manually Adjustable RH and LH For all 9000 Series Wheel, 9020 Track, and 9020 Series Wheel (S/N 039999 and below).	258.00
	AR116863	Field Office For 7720-7920, 8100-8400, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9120-9620, 9320-9520 Scrapers, 9320T-9620T Not compatible with instructional seat.	610.00
	RE204353	Flexible Lower Step Kit For 9320T-9620T.	236.00
	RE192707	Instructional Seat For 9320T-9620T.	See Parts
	RE195932	Instructional Seat For 9120-9620, 9320-9520 Scrapers.	See Parts
	RE67738	Performance Monitor For 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T. Requires Radar Sensor to achieve accurate readout.	874.00
	RE233634	Radio Mast Antenna Kit For 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9300T-9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	129.00
	RE321103	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, Weatherband, Four Speakers and Antenna For 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	736.00
	RE321102	Radio, Deere/Delco AM/FM Stereo with Clock, Front Audio Input Jack for MP3 Players, and Weatherband For 5210-5510, 5310N, 5510N, 5320, 5320N, 5520N, 6200-6400, 6405, 6605, 6110-6410, 6310C-6510C, 6310S-6510S, 6215-6715, 6120, 6420, 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	434.00
	RE321111	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, Weatherband, Four Speakers and Antenna For 7720-7920, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	1,113.00
	RE321109	Radio, Deere/Delco AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband For 5210-5510, 5310N, 5510N, 5320, 5320N, 5520N, 6405, 6605, 6110-6410, 6310S-6510S, 7210-7810, 7220-7520, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	849.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE196202	ATTACHMENTS FOR FIELD CONVERSIONContinued Radio, Deere/Delco AM/FM Stereo with Weatherband, Cassette and Clock For 5210-5510, 5310N, 5510N, 5320N, 5520N, 6200-6400, 6405, 6605, 6110-6410, 6310C-6510C, 6310S-6510S, 6215-6715, 6120-6420, 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 9100-9400, 9300T, 9400T, 9120-9620, 9320T-9620T.	610.00
	RE197943	Sun Shade, Front Pull Down	See Parts
	RE197944	Sun Shade, Rear Pull Down	See Parts
	RE263352	Tire Pressure Monitor Kit Includes Monitor and four pressure sensors. For additional tire pressure sensors, order RE263359 through Service Parts.	See Parts
	AR112601	Windshield Washer, Front and Rear For 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8130-8530, 8230T-8430T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	213.00
	RE337751	Windshield Wiper, Rear Single Speed For 7720-7920, 8100-8400, 8100T-8400T, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 9100-9400, 9300T, 9400T, 9120-9620, 9320-9520 Scrapers, 9320T-9620T.	268.00
	RE211995	PTO: 1000 RPM PTO Shield Kit For 9120-9620 above S/N 10000.	1,006.00
	RE167081	1000 RPM PTO with 1-3/4 In. Shaft For 9300T, 9400T. For 9320T-9620T. MST only. Also requires RE321532, RE321533, or RE321534.	12,762.00
	RE198592	1000 RPM PTO with 1-3/4 In. Shaft (PST Only) For 9320T-9620T. Also requires RE321532, RE321533, or RE321534.	12,762.00
	RE211994	1000 RPM PTO, PST only, 1 3/4" For all "9020" Series above S/N 10000. Includes RE211995 kit.	14,423.00
	RE198591	1000 RPM PTO, PST only, 1 3/4" Shaft For All "9020" Series S/N 1001 to 9999.	14,196.00
	RE207016	Independent 1000 RPM PTO, MST only, 1 3/4" Shaft Fits all "00" series, 9120-9420 through S/N 9999.	13,657.00
	RE309358	Independent 1000 RPM PTO, MST only, 1 3/4" Shaft Fits all "9020" Series above S/N 10000. Includes RE211995 kit.	14,217.00
	RE321532	PTO Mounting Kit for Tractor less 3-Point Hitch For 9300T, 9400T, 9320T-9620T.	684.00
	RE321533	PTO Mounting Kit for Tractor with 3-Point Hitch For 9300T, 9400T, 9320T-9620T.	653.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RE321534	ATTACHMENTS FOR FIELD CONVERSIONContinued PTO Mounting Kit for Tractor with Wide Swing Drawbar For 9300T, 9400T, 9320T-9620T.	826.00
	AL71345	Vandal Protection: Door Locks - Custom Key For 8130-8530, 8230T-8430T, 8225R-8345R, 8295RT-8345RT, 9120-9620, 9320-9520 Scraper Tractors and 9320T-9620T Track Tractors.	161.00
	RE213187	Weights: Front Frame Reinforcement Kit Must order when equipping tractor with RE330996 Front Frame Weight Bracket Kit. Fits all "9000", 9120-9620, 9320-9520 Scrapers.	2,926.00
	RE330996	Front Frame Weight Bracket Kit For 9300, 9400, 9120-9620 and 9320-9520 Scrapers. Must order RE213187 Front Frame Reinforcement kit if tractor is not previously equipped. Includes R330291 weight support.	2,989.00
	RE166932	One Track Frame Weight Bracket (Order two. Holds 16-R127764 Weights each side.) For 9320T-9620T. Also order 8-19M8639 Cap Screws and 8-24M7242 Washers. Must order RE165548 Extremity Warning Lights if side frame weight supports are used.	See Parts
	RE286201	Two Track Frame Weight Supports and Extremity Lighting Kit For 9320T-9620T.	1,013.00
	R127764	Weight, Front Suitcase (104 Lb.) Quantity of One For 3055-3255, 3150, 4040-4840, 4050-4850, 4055-4955, 4560-4960, 5020 Series, 5720, 5820, 5730, 5830, 6200-6400, 6405, 6605, 6110-6410, 6310C-6510C, 6110L-6510L, 6310S-6510S, 6120L-6520L, 7405, 7210-7810, 7220-7920, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 875, 885, 9100-9400, 9300T, 9400T, 9120-9620, 9320T-9520T.	135.00
	RFR127764	Weight, Front Suitcase, Twenty (20-R127764) For 3055-3255, 3150, 4040-4840, 4050-4850, 4055-4955, 4560-4960, 5020 Series, 5720, 5820, 5730, 5830, 6200-6400, 6405, 6605, 6110-6410, 6310C-6510C, 6110L-6510L, 6310S-6510S, 6120L-6520L, 7405, 7210-7810, 7220-7920, 8110-8410, 8110T-8410T, 8120-8520, 8120T-8520T, 8130-8530, 8230T-8430T, 875, 885, 9100-9400, 9300T, 9400T, 9120-9620, 9320T-9520T.	2,504.00
	R167151	Weight, Inner Wheel, 1400 Lb. For 7720-7920,8100-8400, 8110-8410, 8120-8520, 9100-9400, 9120-9620, 9320-9520 Scrapers. Not available with triple tire options.	1,903.00
	RE330998	Weight, Rear Frame Support Kit For 9100-9400, 9120-9620.	611.00
	R167153	Weight, Wheel, 165 Lb. (72 Kg) For 4450CL, 4755, 4955, 4560-4960, 7200-7800, 7210-7810, 7220-7520, 7720-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8560-8960, 8570-8970 9100-9400, 9120,9220 and 9620.	282.00
	RFR207782	Weight, Wheel, 1800 Lb. (4 - 450 Lb., R207782 Weights) For 4755, 4955, 4560-4960, 7200-7800, 7210-7810, 7220-7520, 7720-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8560-8960, 8570-8970, 8225R-8345R, 9100-9400, 9120-9620.	2,658.00

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
	RFR167153	ATTACHMENTS FOR FIELD CONVERSIONContinued Weight, Wheel, 1980 Lb. (12 - 165 Lb., R167153 Weights) For 4450CL, 4755, 4955, 4560-4960, 7200-7800, 7210-7810, 7220-7520, 7720-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8560-8960, 8570-8970, 9100-9400, 9120-9420.	3,384.00
	R207782	Weight, Wheel, 450 Lb. For 4755, 4955, 4560-4960, 7200-7800, 7210-7810, 7220-7520, 7720-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8560-8960, 8570-8970, 9100-9400, 9120-9620.	664.00
	AR190666	Wheel Equipment: One 10 In. Dual Hub Extension For 4055-4955, 4255CL, 4455CL, 4560-4960, 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 9100-9400, 9120-9620.	759.00
	AR190668	One 13 In. Dual Hub Extension For 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 9100-9400, 9120-9620.	844.00
	AR190669	One 15 In. Dual Hub Extension For 4055-4955, 4455CL, 4560-4960, 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 8570, 8770, 9100-9400, 9120-9620.	884.00
	AR194744	One 5 In. Dual Hub Extension For 4055-4955, 4455CL, 4560-4760, 7200-7800, 7210-7810, 7220-7920, 8100-8400, 8110-8410, 8120-8520, 8130-8530, 9100-9400, 9120-9620.	685.00

Attachments for Non-Current 9020/9020T/9020 Scraper Series Tractors Continued THIS PAGE IS INTENTIONALLY LEFT BLANK