MT Task Creation Oracle FLEXCUBE Universal Banking Release 11.3.83.02.0 [April] [2014] Oracle Part Number E53607-01





Table of Contents

1.	MT	T TASK CREATION PROCESS	1-1
1	.1	INTRODUCTION	
1	.2	MT TASK CREATION	1-1
	1.2.	2.1 SWIFT Message – Task Creation	
	1.2.2	2.2 Gateway Message Task Creation	
1	.3	MT TASK PROCESS	1-3
	1.3.		
1	.4		
	1.4.		1-4
	1.4.2		1-8
	1.4.3	4.3 CABLE Room Operator	1-10
	1.4.4	1.4 Completed Stage	1-11
1	.5	STAGE TRANSITION RULE	1-11
1	.6	ROLE RESPONSIBILITY MATRIX	1-12
2.	SCF	CREEN GLOSSARY	
2	2.1	FUNCTION ID LIST	



1. MT Task Creation Process

1.1 Introduction

Oracle FLECUBE supports two types of message processing, namely Swift message (STP and Non- STP) and Gateway message.

During STP processing, a contract will be created when the incoming messages are subjected to STP rules and pass through the rules. If the incoming message fails to clear the defined STP rules or when the data could not be parsed or extracted then the message will be tanked and available for repair from the incoming browser window. All the non-STP messages will be in the unprocessed state and can be viewed in the incoming browser.

The gateway messages are processed and for a successful transaction, a response will be sent to the external system. If the transaction fails, then an error response will be sent to the external system along with the error details.

1.2 MT Task Creation

The list of SWIFT messages and Gateway messages for which a task is to be created are configured when:

- The incoming SWIFT message is failed or put on hold.
- The gateway message is moved to the dead letter queue or if the transaction fails.

1.2.1 SWIFT Message – Task Creation

The task creation for SWIFT message depends on the maintenance done in the 'STP Message Maintenance Details' screen. You can invoke this screen by typing 'MSDSTPSC' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Using the 'STP Message Maintenance Details' screen, MT Task/Business Task can be created, if:

- The STP process is not required
- The STP process fails
- The STP process is successful and contract is put on hold



Branch Details						
Branch Code	е *					
Branch Name	e					
SWIFT Message Details						
📢 🖣 10f1 🕨 🕅						+ - ==
SWIFT Message Type	Direct	STP Error Flag	STP Hold Flag	Unauthorized	Effective Date	Task Typ 🗠
						Business T:
						V
٤]			IIII			
< Maker		Da	te Time:		Mod No	

Refer the chapter 'Maintaining Advice Formats' in the Messaging System User Manual for more details on the screen.

1.2.2 Gateway Message Task Creation

The task creation for Gateway message depends on the maintenance done in the 'Gateway Maintenance' screen. You can invoke this screen by typing 'STDGWINT' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

🔷 Gateway Maintenance				_ ×
Gateway Maintenance				
Branch Code	*			
External System				
Module Code	*			
📢 🖣 10f1 🕨 🕅				
Service Name *	Operation Code *	Task Initiation Required	Effective Date	<u>^</u>
				~
Maker		Date Time:	Mod No	
Checker		Date Time:	Record Status	Exit
			Authorization Status	


Refer the chapter 'External System Maintenance' in the Gateway User Manual for more details on the screen.



1.3 MT Task Process

MT TASK process is a monitoring process for tracking the SWIFT messages/Gateway Transactions. It would be initiated based on the maintenance done for SWIFT messages and Gateway Transactions.

1.3.1 Flow Diagram



1.4 Stages in MT Task Creation

In Oracle FLEXCUBE, the process for MT task creation is governed by several user roles created to perform different tasks. At every stage, the users (with requisite rights) need to fetch the relevant transactions from their task lists and act upon them.

The MT task creation process comprises the following stages:

- Task Initiation Maker
- Checker
- CABLE Room Operator
- Completed Stage

Only users who have procured the relevant access rights can perform activities under a stage.



1.4.1 <u>Task Initiation – Maker</u>

When the incoming SWIFT message is received, the Maker views the message and performs any one of the following task:

- Edits the incoming message/create a new contract and submit the tracking task to the checker for authorization of the message amendment/contract.
- Moves the task to the completed stage, if any action is not required.
- Refers the task to CABLE room, if the message is not reconciled or intended for the Maker.

For Gateway messages, the Maker views the error details, external reference number, inform the error details to the external system and move the task to the completed stage. On receiving the details from the external system, the maker will do any of the following tasks:

- Create/modify the contract and then move the task to the Checker for authorizing the contract.
- Move the task to the completed stage, if the maker does not want to create/modify the contract
- Send the task to the CABLE room stage, if the message is not intended to them.

Validations:

When the task is sent to the Checker, the system will validate if the contract/message is in auth status, if yes then an error message will be shown.

When the task is sent to the Cable room, system will validate if the contract/message is in unauth status, if yes then an error message will be shown.

When the task is sent to the Completed Stage, system will validate if the contract/message is in un-auth status, if yes then an Configurable Override message will be shown.

For the maker the Authorize Message button will be disabled.



Receive And Verify			_ ×
Workflow Reference #			Priority Low 🗸
- Message Details			
Source Code			FLEXCUBE Reference
Source Reference *			Module Code
Document Reference *	k		
Message Type			
Message Version Number			
- Activity Details			
-	-		🔲 Error Code Error Message 🙆 🗏
Send To	Completed	v*	
Team		~	
			- Narrative
C • 16			Internal Remarks
<			
View Message Online Mes	sage Details	Edit Message	Authorize Message
Prev Remarks		Rema	arks
			Exit
A		Outco	
Audit		Ouico	ome

The system displays the following details:

- Workflow Reference No.
- Source Code
- Source Reference Number
- DCN
- Message Type
- Message Version Number
- Send To
- FCUBS Reference Number
- Module Code
- Error Code
- Error Message
- Internal Remarks



TP Message Maintenance Details			
DCN *			
Message			
ails			
ails			
	Checker Id		
1	 Checker Id Checker Date Stamp		
Remarks		Authorized	-

Click on the 'View Message' button to view the message.



Document Number *	Status	Branch	
Reference Number	Currency	Media Control System	
Sender	Amount	Node	
Media	Value Date	Test Word	
VIFT Message Type	External Reference	Repair Reason	
Queue	Multi Credit Reference	Required Execution	
Operation		Date	
Name			
Address			
Address2			
Address3			
Address4			
Location			
Process Status	- Suppress Details		
PDE Flag	Remarks		
	Suppress Options	~	
hecker Date Stamp	Entry By	Suppress Status	
Checker Id	Maker Stamp	Funding Exception	
Iodification Number	Cover Match Status	Status	Authorization Status

Click on the 'Message Details' button to view the message details.

The message details will be available only for STP messages.

Click on the 'Edit Message' button in the 'Receive and Verify' screen to edit the message. The 'Edit Message' screen will be displayed.

Edit Message		_ ×
Reference Number Sender SWIFT Message Type	Current Version Previous Version	Remove Trailer
New Message	Old Message	
	+ - = = +	
Field Tag Field Value	Desc Field Tag Field Name Fi	eid V
<		>
Message Trailer	Old Message Trailer	
Remarks	Remarks Reject Reason	_ @
Reject Reason	🦻 Reject Reason	
Repair Reason		
		+ - =
Status	Message Status Latest Version Number	Repair Parameters
Reject	Save	Authorize
		Exit

[™]You can edit the messages only MT103, MT200, and MT202.



Click on the 'Online Initiation' button in the 'Receive and Verify' screen. The system will launch the appropriate contract online screen based on the module code selected.

For Example,	if module	'FT' is s	selected,	system	will	launch	the	'Fund	Transfer	Contract	Input'
online screen				-							-

Funds Transfer Contract Input						_ ×
Product P	Instruction Code		Vers	ion Number 🔳	Of	•
Product Description	Source Code	FLEXCUBE				
Contract Reference *	Source Reference number					
Number	Message Reference					
Transaction Type Code	Number					
User Reference	Book Date		1			
Main Party Details Other Details Settlement Det	ails Settlement Route					
- Debit	Credit					
Debit Currency *	Credit Currency *	•				
Debit Amount *	Credit Amount *	•				
Debit Branch *	Credit Branch *	•				
Debit Account *	Credit Account *	•				
Debit account Description	Credit account					
Debit Value Date *	Description Credit Value Date *		Ē5			
Debit IBAN	Credit Valde Date		▶			
Debit Spread	Credit Spread		2			
Debit Spread Date	Credit Spread Date					
External Deal Linkage	Deal Reference Number		1			
Number		10				
- Exchange Rate Details						
Spread Code 1 Spread 🐱	Rate Type					
Spread Definition 🔍	Base Rate					
Customer Spread	Exchange Rate]			
		Enrich				
Events Charge Claim Settlements Advices Char	rges Tax MIS Fields Co	ustomer Cover Details	All Messag	es Change Log	Project Details	Duplication Details
Maker E	DateTime	Proces Status				
Checker E	DateTime	Status				Exit
Authorized						

1.4.2 Checker

When the incoming SWIFT messages and Gateway messages are received, the checker will perform the following task:

- View the message and error details
- Create/modify the contract/ message
- Authorize the contract/ message and move the task to the completed stage.

If any information or modification is required, the checker will send the task back to the maker who initiated the task.

Validations:

When the task is sent to the Completed Stage, system will validate if the contract/message is in un-auth status, if yes then a Configurable Override message will be shown.

Checker can view the contract details by clicking on the 'View Online' button.

For the Checker, the 'Edit Message' button will be disabled.



Receive And Verify			_ ×
Workflow Reference	#		Priority Low 🗸
Message Details			- Contract Details
Source Co	de		FLEXCUBE Reference
Source Referen	ce *		Module Code
Document Referen	ce *		
Message Ty	pe		
Message Version Numb	er		
Activity Details			
-			🔲 Error Code Error Message 🤷 🗐
Send			
Tea	m 🗸		
			- Narrative
			Internal Remarks
<			
View Message Online I	Message Details Ed	it Message	Authorize Message
Prev Remarks		Rema	rks
			Exit
Audi	+	Outcor	
Audi	<u>, </u>	Outcol	



Click on the 'Authorize Message' button to view the edited details and authorize message.

1.4.3 CABLE Room Operator

Cable room operator can view the message, error details and decide whether to send the task to the Maker of Trade Team or Remittance team. Cable room operator can also send the task directly to the completed stage.

Receive And Verify				_ ×
Workflow Reference #			Priority Low	^
- Message Details				_
Source Code			FLEXCUBE Reference	
Source Reference *			Module Code	
Document Reference *				
Message Type				
Message Version Number				
Activity Details			I∢ ∢ 10f1 ▶ ▶I	
 Activity Details 			Error Code Error Message	
Send To	Completed 😒			
Team	~			
			~	
			- Narrative	_
			Internal Remarks	~
<				>
View Message Online Mes	sage Details Edit	t Message	Authorize Message	
Prev Remarks		Rema	arks	
, internet in a second s				F 11
				Exit
Audit		Outcor	ome	

Specify the following details:

Send To

Select the stage to which the task has to be moved from the drop-down list. The list contains the following options:

- Completed
- Maker

Team Option

Select the team to which the task has to be moved from the drop-down list. The list contains the following options:

- Trade
- Remittance

You can select this option only when 'Send to Maker' is 'Team'.



1.4.4 Completed Stage

The user can view the completed stage in the screen.

Receive And Verify	_ ×
Workflow Reference #	Priority Low 🔽
- Message Details	- Contract Details
Source Code	FLEXCUBE Reference
Source Reference *	Module Code
Document Reference *	
Message Type	
Message Version Number	I 10f1 ▶ ▶
- Activity Details	
Send To Complete	Error Code Error Message
Team	
Team	
	- Narrative
	Internal Remarks
<	
View Message Online Message Deta	Is Edit Message Authorize Message
Prev Remarks	Remarks
	Exit
Audit	Outcome

1.5 Stage Transition Rule

Source Stage	Path	Destination Stage	Rule
Task Initiation/Maker	1 – 3	Completed	Direct filing and when the maker sends the task to the Completed Stage. If the contract is not authorized, then an override will be shown.
Task Initiation/Maker	1 – 2	Checker	If the Contract is created/modified or if the message is modified.



Checker	2-3	Completed	If the Contract/Message is authorized then the Checker can send the task to the competed stage. When the Checker sends the task to the completed stage if the contract/message is not authorized then an override will be shown.
Checker	2 – 1	Maker	If the Checker wants any information, he/she will send the task to the maker.
Task Initiation/Maker	1 – 4	CABLE	If the Maker decides that this task is for his team task then he/she will send the task to the CABLE.
CABLE	4 – 1	I Maker If the CABLE room operator decide send this task Maker of the Trade t then he/she will select the Trade To option and send task to the maker.	
			If the CABLE room operator decides to send this task to the Maker of the Remittance team, then he/she will select the Remittance Team option and send task to the maker.
CABLE	4 – 3	Completed	Direct filing

1.6 Role Responsibility Matrix

S. No	Stage	Role	Access rights	Comments
1	Task Initiation/Maker - Trade	Maker-Trade	Modify Task	
		Checker-Trade	View Task	
		Cable	View Task	
2	Checker-Trade	Checker-Trade	Modify Task View Task	
		Maker-Trade	View Task	
		Cable	View Task	
3	Maker-Remittance	Maker-Remittance	Modify Task	
		Checker-Remittance	View Task	
		Cable	View Task	



S. No	Stage	Role	Access rights	Comments
4	Checker-Remittance	Checker-Remittance	Modify Task View Task	
		Maker-Remittance	View Task	
		Cable	View Task	
5	Cable	Cable	Modify Task View Task	
		Maker-Remittance MakerTrade	View Task	
		Checker-Remittance Checker-Trade	View Task	
5	Completed Transactions	Checker-Remittance Checker-Trade	View Task	
		Cable	View Task	
		Maker—Remittance MakerTrade	View Task	



2. Screen Glossary

2.1 Function ID List

The following table lists the function id and the function description of the screens covered as part of this User Manual.

Function ID	Function Description	
MSDSTPSC	STP Message Maintenance Details	
STDGWINT	Gateway Maintenance	





MT Task Creation

[April] [2014] Version 11.3.83.02.0

Oracle Financial Services Software Limited

Oracle Park

Off Western Express Highway Goregaon (East) Mumbai, Maharashtra 400 063 India Worldwide Inquiries: Phone: +91 22 6718 3000 Fax:+91 22 6718 3001 www.oracle.com/financialservices/

Copyright © 2005, 2014, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are 'commercial computer software' pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.