



ecds

User Manual

Utfärdad av:
Jan Svensson
Fastställt datum:
2011-10-18

Dokumentnamn:
User Manual ECDS Data Portal 2.1
Fastställt av:
-

Dnr:
-

Avd:
B
Sekretess:
-

User Manual

ECDS Data Portal 2.1

<i>Version</i>	<i>Date</i>	<i>Author</i>	<i>Comments</i>
1.0	2011-05-27	Jan Svensson	
1.1	2011-10-18	Jan Svensson	Updated for "ECDS Data Portal 2.1" and some clarifications



Contents

1 INTRODUCTION 3

1.1 ECDS..... 3

1.2 The ECDS Data portal..... 3

1.3 The ECDS Metadata profile 3

1.4 References..... 4

1.5 Glossary..... 4

2 PUBLISHING 4

3 SEARCHING 13

4 FUTURE FUNCTIONALITY 14

1 Introduction

1.1 ECDS

Environment Climate Data Sweden, ECDS, is a Swedish service facilitating the search, publication and long-term accessibility of data for research in the fields of environment and climate. The ECDS-initiative was previously known under the name SND-KM, Swedish National Data Service for Climate and Environment. ECDS is hosted by the Swedish Meteorological and Hydrological Institute (SMHI).

1.2 The ECDS Data portal

The ECDS data portal gives environmental and climate researchers the possibilities to

- Describe the metadata of one or more datasets
- Search for datasets from other researchers.

The data portal is based on GeoNetwork opensource (Ref. 1). The GeoNetwork software includes a lot of functionality, but may not be so easy to use for those who are unfamiliar with geodata portals or metadata. Therefore the functionality has been reduced, but can be included later on, if there is a need from the research community (see chapter 4).

A dataset is an identifiable collection of data. A dataset may be a smaller grouping of data which is physically located within a larger dataset. Theoretically, a dataset may be as small as a single feature within a larger dataset. The purpose of this data portal is not to have such a small granularity.

To get an idea about a suitable granularity for your dataset, we recommend visiting some general purpose data portals, such as the IPY metadata portal (<http://gcmd.gsfc.nasa.gov/KeywordSearch/Home.do?Portal=ipy&MetadataType=0>).

The standard ISO 19115 and the GeoNetwork software give the possibility to describe subsets of datasets (or subsets of subsets of datasets) in a hierarchy. We have not exploited this possibility, but it can be included later on.

1.3 The ECDS Metadata profile

The ECDS metadata profile is based on the international standard ISO 19115. It is a rather new standard from 2003 and most of the newly developed geographical metadata profiles follow ISO 19115.

We have also been influenced by the Swedish national geographical metadata profile which follows the European INSPIRE metadata profile. INSPIRE also follows ISO 19115.

SMHI is the Swedish national repository for IPY data. IPY metadata will be migrated from the IPY data portal to ECDS data portal. This means that we are also influenced by the IPY metadata profile. The IPY metadata profile was built from the Global Change Master Directory (GCMD) Directory Interchange Format.

Metadata describe the dataset and geographical metadata includes information about What-Where-When-Who-How. Our metadata profile includes the following main groups

What:

- Dataset title
- Dataset description

- Graphic illustration
- Keywords from a wide-spread thesaurus – GCMD Science keywords
- Topic category code; an ISO-standard

Where:

- Geographic bounding box

When:

- Revision of the dataset
- Time period covered by the dataset

Who:

- Who to cite regarding the dataset
- Contact information regarding the dataset
- Contact information regarding the distribution of the dataset
- Contact information regarding the metadata

How:

- Limitations regarding the use and access of the dataset
- Data format
- Web address to access the dataset
- Quality report

1.4 References

1. Geonetwork opensource, the complete manual; v. 2.4.
2. ECDS profile of ISO 19115:2003 Version 2.0; 1.0/2011-10-13

1.5 Glossary

Metadata	Metadata is "data about data". The term commonly refers to the attributes of computer data, though it may by definition refer to any information which describes other information. Geographical metadata includes information about What-Where-When-Who-How.
ISO 19115	A standard for Geographic information - Metadata
IPY	International Polar Year 2008-2010
INSPIRE	Infrastructure for Spatial Information in Europe
Thesaurus	Another name for keywords list.

2 Publishing

In order to publish your metadata you need a userid and a password. We use the general software at SMHI for authentication. The mandatory information is name and e-mail, but we suggest you also include organisation and telephone number. There is a link to the registration on the first page. You can also use this link if you have forgotten your userid and/or your password.

When you have logged in successfully the first page asks for

- Template
- Group

We only have one template to start with. The template is the official name of our metadata profile – ISO19115:2003 ECDS 2.0. There is an official description of our metadata profile (see Ref 2).

You may also create your own personal templates (see below) and then you can select this personal template.

We only have one group – ECDS – to start with.

After selecting template and group (quite easy, not so many choices) click on Create to show the publishing page with all metadata elements. Before you fill in the metadata elements, read the following general information about buttons and other notifications.

Buttons:

Reset – resets all metadata elements in this metadata record.

Save – your metadata record is saved, but you can continue to work.

Save and close – your metadata record is saved and you leave the editing page and can view your saved metadata.

Save and send to reviewer – your metadata is saved and a mail is sent to the reviewer, who will review your metadata before it is made public. During the review the metadata record is not available to you.

Check – a formal check of your metadata record is done (a rather formal check result – don't bother)

Cancel – means that you leave the publishing page without saving your metadata record

Type (at the bottom of the page) – Type is either Metadata or Template, where Metadata is default. Select Template to create your personal template which will be available only for you. Useful information including in this template could be contact person information, which may be the same for most of your datasets.

Notifications:

When you move the cursor over the name of a metadata element a **?** is shown. Click the left mouse button to show help text. Click again and the help text disappears.

A red asterix means that the metadata element is mandatory.

A red frame means EITHER that the metadata element is Mandatory and you have not written anything yet OR you have written something which is syntactically wrong, e.g. a date is written in the wrong format.

A black frame means that the metadata element is correctly entered.

Text without a frame means that a value is fixed – you can't change it

The sign + means that you can add another metadata element, e.g. you can have several ISO topics. To cancel – if you don't want another metadata element – click on the **X** and it will disappear. Note: Right now there is a bug in GeoNetwork. If you add an element, then cancel and delete it you cannot add an element again.

Below is a list of the metadata elements. We have chosen to use other names than the official ISO19115-names. Ref. 2 shows a cross-reference table to the corresponding ISO19115-elements.

Note: The examples are fictitious. When we get a good example from a real dataset, we will – with permission from the author – include this.

Title

The title of the dataset, which is described by the metadata. A short text describing What-Where-When might give a good title. Example: “Automatic Weather Station Data from Vestfonna Ice Cap during 2009”.

Title is mandatory.

Example:

Title *

Revision

This is the latest date when there was a major change of the dataset. “Revision” consists of “Revision date” and “Revision type”.



Revision date is expressed as YYYY-MM-DD or YYYY-MM or YYYY. You can also use the calendar – except for Internet Explorer where the calendar does not work.

Revision type is the event used for revision date. That is what happened to the dataset at the revision date. Can be either Creation (when dataset was created), Publication (when dataset was public) or Revision (a major change in the dataset).

Revision is mandatory.

Example:

Revision

Revision date *	<input type="text" value="2010-02-01"/>	 Clear
Revision type *	<input type="text" value="Creation"/>	

Dataset version

It is good practice to have a version number of the dataset, if the dataset is changed now and then. This means that someone using your data knows what dataset (what version) has been used in their research.

You can use your own notation of the version number; e g 1, 2, 3... or A, B, C...

Dataset version is optional.

Example:

Dataset version

Dataset citation

This is the reference that is used if someone has used your dataset and it is cited in an article. References may be provided in styles used by professional scientific journals. The organisation DataCite deals with citation of datasets; see <http://www.datacite.org>

Dataset citation is optional.

Example:

Dataset citation

Karlsson, K., ~~Measurements at Vestfonna~~, Polar Observation Journal, 2010

Dataset description

Brief description of the dataset. You should use words that you think will be found by someone using the Free-text-search.

Dataset description is mandatory

Example:

Data set description *

Automatic weather station data from the ablation zone Vestfonna ice cap including Air temperature, Relative humidity, Ice temperature and Snow temperature. Observations are done each hour.

Contact information regarding the dataset.

This is the first one of three required contact information. The three contacts are

- regarding the dataset
- regarding distribution
- regarding metadata

It may seem overambitious to have three different kinds of contacts, but ISO19115 clearly separates this kind of contact information. However if you are the one and only contact person, regardless if it is about the dataset, distribution or metadata, then we suggest that you create a personal template with you as the contact person for every kind of contact.

“Contact information regarding the dataset” is who to contact regarding questions about the dataset. Each “Point of contact” consists of Individual name, Organisation, Electronic mail and Role. You may have several points of contact.

Name (surname and first name) of the person to contact.


Organisations are more permanent than individuals so please insert the organisation name.




E-mail to the organisation/person to contact.

Several roles are allowed. We suggest you use pointOfContact, but it might also be interesting to show the principle investigator, so you could add Principle investigator and thus have two points of contact regarding the dataset. If you use Principle investigator the Organisation should be the Project name. The reason to include the project name is that anyone can use the project name in the free text search to find the datasets from your project.

“Contact information regarding the dataset” is mandatory.

Example:

Contact information regarding the dataset		
Individual name *	Will Smith	E-mail * 
Organisation name	Uppsala University	
Role *	Point of contact	

Contact information regarding the dataset  		
Individual name *	Will Smith	E-mail * 
Organisation name	IPY-999>Variability of Arctic Systems	
Role *	Principal investigator	

Graphic illustration

Consists of

- Link to the graphic file
- Description of the graphic file
- Graphic format

Provides a graphic which illustrates the dataset. Could be a photo from the site or a graph showing a time series of the data or anything which you think illustrates the dataset

- Write the name of the file which contains the files. It should be a public URL.
- Include a text description of the graphic that illustrates the dataset
- Describe the format in which the illustration is encoded. Examples: JPG, TIFF

“Graphic illustration” is optional

Example:

Graphic illustration	
Link to the graphic file	http://vestfonna.site.se/picture
Description of the graphic file	The tower where the instruments are located
Graphic format	JPG

Descriptive keywords from thesaurus

Provides keywords. Right now we only have one thesaurus - “GCMD Science keywords” – see http://gcmd.nasa.gov/Resources/valids/archives/GCMD_Science_Keywords.pdf

Click in the frame to load the “GCMD Science Keywords”. It is a hierarchical keyword list which can be expanded by clicking on the +.

If you want to use several keywords, then click on the +-sign after “GCMD Science keywords”

Title is fixed = GCMD - Science keywords

Reference date is fixed = 2008-02-05 (which was the last time the GCMD Science keywords were revised)

Reference date type is fixed = Revised

“Descriptive keywords from thesaurus” is mandatory.

Example:

Descriptive keywords from thesauris	
GCMD Science Keywords*	Atmosphere > Atmospheric Temperature > Air Temperature
GCMD Science Keywords*	Atmosphere > Atmospheric Water Vapor > Dew Point Temperature


Thesaurus name	
Title	GCMD - Science keywords
Revision Date	2008-02-05
Revision type	Revision

Use limitation

Limitation affecting the fitness for use of the dataset, for example “The quality of the data is not good enough to be used as input observation data in climatological models”.
If there is nothing relevant to say, then write “No known limitations”.

“Use limitation” is mandatory.

Example:

Use limitation* 

No known limitations

Access constraints

Several choices e.g. Copyright or Patent. We suggest you use Other restrictions and use the next metadata element (that is “Other constraints”).

Access constraints is mandatory.

Example:

Access constraints* 


Other restrictions ▼

Other constraints

We suggest you use the Creative Commons License and write “Creative Commons AttributionsLicense (see <http://creativecommons.org/licenses>)”. This means (in short) that this license lets others distribute, remix, tweak and build upon your work, even commercially, as long as they credit you for the original creation. There are in total six Creative Commons Licenses to choose between. If neither fits then you may write something like “Constrained; please contact the contact person for the dataset for more information”.

“Other constraints” is mandatory.

Example:

Other constraints* 


Creative Commons Attribution

Language

Language used in the dataset.

Dataset language is mandatory. Default is English.

Example:

Language* 

English ▼

Topic category code

High-level geographic theme from http://gcmd.nasa.gov/User/difguide/iso_topics.html. This is central to the standard ISO 19115.

Topic category code is mandatory.

Example:

Topic category code * Climatology, meteorology, atmosphere ▼

Geographic bounding box


Geographic position for the dataset. The bounding box is expressed as

- North bound (-90, +90)
- East bound (-180, +180)
- South bound (-90, +90)
- West bound (-189, 180)

Use the map to create the box or write the bounding latitudes/longitudes (use decimals, not minutes and seconds). You can move around and zoom in the map or use the roll-bar to the right and select country/region. If a country/region is selected, a bounding box, covering the country/region, is drawn on the map.

Geographical extent is mandatory

Example:



Temporal extent

Time period of the content of the dataset.

The time reference system is fixed = Gregorian.

Begin date and end date is expressed as YYYY-MM-DD or YYYY-MM or YYYY. You may use the calendar or write it as it is.

Note 1: The calendar does not work in Internet Explorer (a bug)

Note 2: What End date should be used when the data is continuously updated? We suggest you write the present year at the start of each new year (e.g. 2011)

Temporal extent is mandatory.

Example:

Temporal Extent	
Reference system	Gregorian
Begin date *	<input type="text" value="2009-03-01"/> <input type="button" value="Clear"/>
End date *	<input type="text" value="2009-11-30"/> <input type="button" value="Clear"/>

Additional information regarding geographic, temporal and vertical extent

Above you find metadata elements describing

- Geographic extent
- Temporal extent

There is an element in ISO19115 describing vertical extent. We have not used this in our metadata profile, but information about vertical extent can be described here.

You may use “additional information” when the extents above is not enough to describe the dataset. For example:

- Geographical extent: Observations from the river of Donau
- Temporal extent: Data is covering the Cenozoic era.
- Vertical extent: The measurements are made from a 10 m tower

“Additional information regarding geographic, temporal and vertical extent” is optional.

Example:

Additional information regarding geographic, temporal and vertical extent	<input type="text" value="Observations from the river of Lule älv"/> <input type="text" value="The measurements are made from a 10 m tower"/>
--	--

Contact information regarding distribution

This is the second of three required contact information entries, and describes who to contact regarding distribution of the dataset. Each “Point of contact” consists of Individual name, Organisation, Electronic mail address and Role. You may have several point of contacts.

Name (surname and first name) of the person to contact.

Organisations are more permanent than individuals so please insert the organisation name.

E-mail to the organisation/person to contact.

Several roles are allowed. We suggest you only use Distributor.

“Contact information regarding distribution” is optional.

Example:

Individual name *	<input type="text" value="Helpdesk at World Data Centre Kiruna"/>
Organisation name	<input type="text" value="World Data Centre Kiruna"/>
E-mail * <input type="button" value="⊕"/>	<input type="text" value="helpdesk@wdc-kiruna.se"/>
Role *	<input type="text" value="Distributor"/>

Data format

Consists of

- Data format name; e.g. Excel, Shape, GRIB.
- Data format version; e.g. 2003

“Data format” is optional.

Example:

Data format name	Excel
Data format version	2010

On-line resource

Information about on-line resources from which the dataset or other information about the dataset can be obtained; e.g. <http://climatdata.se>. On-line resource consists of

- URL (web address)
- Description – a short description about the on line resource.

Note: For users “with small needs and limited resources” there is the possibility to store data at ECDS. This functionality will be added later.

“On-line resource” is optional.

Example:

OnLine resource	
URL *	https://wdc-kiruna.se/data/vestfonna
Description	The website includes a database, where your search criteria is parameter, time and location

Data quality information

Provides overall information about the quality of the content in the dataset. Quality report consists of

- Scope of the quality report
- Quality report

ISO 19115 offers several choices for the scope. We have used Dataset and it is fixed.

Quality report is a general text about the quality of the data, such as which instruments have been used, the process when the data are created, and the quality control of the data.

Data quality information is mandatory. If it is not possible to write a quality report then write something like “Not known” or “Not documented”.

Example:

Data quality information	
Scope of the quality report	Dataset
Quality report *	All instruments follows WMO-standard and were calibrated each year

Metadata information

The information about metadata is either fixed or created automatically. Metadata information consists of

- Metadata identifier – created automatically. A unique identifier (UUID) for this metadata set.
- Metadata language – fixed = English
- Scope of the metadata – fixed = Dataset.
- Date stamp – created automatically.
- Name of the metadata standard – fixed = ISO 19115:2003 ECDS
- Version of the metadata standard – fixed = 2.0

Example:

Metadata identifier	92b464c8-e957-4cd7-a28c-8beb4663dd84
Metadata language	English
Scope of the metadata information	Dataset
Date stamp	2011-05-27T05:41:08
Name of the metadata standard	ISO 19115:2003 ECDS
Version of the metadata standard	2.0

Contact information regarding metadata

This is the third of three required contact information entries, and describes who to contact regarding the metadata for this dataset. Each “Point of contact” consists of Individual name, Organisation, Electronic mail address and Role. You may have several points of contact.

Name (surname and first name) of the person to contact.


Organisations are more permanent than individuals so please insert the organisation name.

E-mail to the organisation/person to contact.

Several roles are allowed. We suggest you only use “Point of contact”.

“Contact information regarding metadata” is mandatory.

Example:

Contact information regarding metadata		
Individual name *	<input type="text" value="Will Smith"/>	E-mail * 
		<input type="text" value="will.smith@mail.com"/>
Organisation name	<input type="text" value="Uppsala University"/>	
Role *	<input type="text" value="Point of contact"/>	

3 Searching

Simple search

To make a simple search, start by clicking on **Search** in the menu.

Then enter text in the **Free text** input box to the left and click the **green search button** at the bottom.

Example:

Text Karin finds every dataset which contains the word Karin (which may be an author's name)

Text IPY finds every dataset which contains the word IPY (which mean every IPY-project)

Text IPY-026 finds every dataset which contains the word IPY-026 (which means every dataset from the project IPY-026)

You may use ? as a wild card.

Example: Text Creativ* finds (among others) every data set which use Creative Commons licence. However – GeoNetwork use a rather advanced algorithm for search with wild card, so the result are not always predictable!

The search result is show in a list to the left.

Advanced search

There are three ways of making a more advanced search. These search options will be added to the free text search.

By keywords:

Under the Free text field you will see a box containing a hierarchal list with all keywords that are connected to a public dataset.

To make a keyword search, click on the **plus button** to go down through the hierarchy.

Select any level in the hierarchy by **clicking on the text**. It will be marked with a light blue background. Then click the **green search button** to make a search for this keyword.

By geographical area:

Start by clicking on **Where?** under the keywords box, to display the map.

Not available yet. Presently there is an error in the search algorithm for geographical area. The only choice at present for region is Any

By date:

Start by clicking on **When?** under the keywords box, to display two input fields.

Not available yet. Presently there is an error in the search algorithm for time . The only choice at present for time is Anytime

Search results

The search results are displayed to the left on the search page. If there are many results they are split into pages. Click through the pages by the navigation at the bottom of the page.

To see the full metadata for a result in the list, click the metadata button. To hide the metadata again, click the metadata button again.

4 Future functionality

Additional functionality may be added in the future, depending on the response from the research community. Some changes we foresee are:

- The possibility for users “with small needs and limited resources” to store their data at ECDS
- Include “Inspire themes” and some more data-elements from the INSPIRE metadata profile into our metadata profile.
- Include other time reference systems besides the Gregorian calendar
- Vertical extent, described by official and well-known reference systems, may be interesting for several research areas

- The Search function is rather rudimentary now. When our data portal includes more metadata records we will develop the Search functionality, with input from the users.

More information (including templates and/or examples) may be useful regarding

- Dataset citation using practices from DataCite
- Creative Commons License
- Quality report