

### Getting started with STM32F334 Discovery kit


## Introduction

This document describes the software, firmware environment and development recommendations required to build an application around the STM32F334 Discovery kit.

The STM32F334 Discovery kit (32F3348DISCOVERY) is a low-cost and easy-to-use development kit to quickly evaluate and start a development with an STM32F3 series ARM<sup>®</sup> 32-bit Cortex<sup>®</sup>-M4 high-performance microcontroller. Before installing and using the product, please accept the Evaluation Product License Agreement available at [www.st.com/epl](http://www.st.com/epl).

For more information on the STM32F334 Discovery kit visit [www.st.com/stm32f3-discovery](http://www.st.com/stm32f3-discovery).

**Figure 1. STM32F334 Discovery board**



Contents

1       **References** ..... **5**

2       **Quick start** ..... **6**

          2.1    Hardware requirements ..... 6

          2.2    Running the pre-loaded demonstration software ..... 7

3       **Firmware package** ..... **8**

          3.1    Package description ..... 8

          3.2    Programming firmware application ..... 9

                3.2.1    IDE requirements ..... 9

                3.2.2    Programming application ..... 9

4       **Revision history** ..... **10**



List of tables

Table 1. User button B1 functions. . . . . 7

Table 2. Document revision history. . . . . 10

List of figures

Figure 1. STM32F334 Discovery board . . . . . 1

Figure 2. Hardware environment . . . . . 6

Figure 3. Firmware Package contents . . . . . 8



# 1      **References**

- STM32F333x4, STM32F333x6, STM32F333x8 Datasheet: ARM® Cortex®-M4 32-bit MCU with FPU, up to 64 KBytes of Flash, 16 KBytes of SRAM, 2 ADCs, 3 DAC channels, 3 comp., 1 PGA, 10-ch. high-resolution timer.
- RM0364 - Reference manual - STM32F334xx advanced ARM®-based 32-bit MCUs.
- Forum user question / discussion available at [my.st.com](http://my.st.com)
- UM1735 STM32F334 discovery board.
- UM1736 Getting Started with STM32F334 discovery software development tools.

## 2 Quick start

The STM32F334 Discovery kit demonstration software is already preloaded in the Flash memory on the board. The latest versions of the source code and associated documentation can be downloaded from [www.st.com/stm32f3-discovery](http://www.st.com/stm32f3-discovery).


The following sections include step-by-step how to start using the STM32F334 Discovery board demonstration software.

### 2.1 Hardware requirements

The requirements to configure the STM32F334 Discovery board and start with the demonstration software are as follows:

- One 'USB type A to Mini-B' cable to power up the STM32F334 Discovery board from the USB ST-LINK (USB connector CN1)
- Check jumper positions on the board
  - CN3 ON (Discovery mode).
  - JP3 (I<sub>dd</sub>) ON

Figure 2. Hardware environment



## 2.2 Running the pre-loaded demonstration software

Follow the sequence below to launch the pre-loaded demonstration application:

1. Connect the STM32F334 Discovery board (connector CN1) to a PC using the USB-type-A to Mini-B cable to power the board. The red LED LD1 (PWR) and LD3 (COM) light up, and four LEDs (LD3, LD4, LD5 and LD6) blink continuously until button B1 is pressed.
2. Each click on user button B1 changes the executed function, follow the sequence below (Function1 to Function4) to launch the demo application:

**Table 1. User button B1 functions**

Function	High brightness range	Signalling LED
1	Automatic dimmer (scans the entire brightness range)	LD3/LD6 indicates up/down variation
2	Flash mode ON	LD4/LD5 blinking
3	Mode OFF	LD3 to LD6 blinking
4	Manual dimmer (brightness adjusted by maintaining B1 pushed)	LD3/LD6 indicates up/down variation


## 3 Firmware package

To get started with the STM32F334 Discovery kit, a firmware package that contain a set of IPs examples and demonstration of some features are available at [www.st.com/stm32f3-discovery](http://www.st.com/stm32f3-discovery).

### 3.1 Package description

The STM32F334 Discovery firmware applications and related documentations are provided in one single package and supplied in one single zip file. The extraction of the zip file generates one folder, STM32F3348-Discovery\_FW\_VX.Y.Z, which contains the following subfolders:

Figure 3. Firmware Package contents



**Libraries** folder:

- **CMSIS** subfolder: Cortex-M4 CMSIS files
- **STM32F30x\_StdPeriph\_Driver** subfolder: standard peripherals drivers

**Project** folder:

- **Demonstration** subfolder: firmware of preloaded demo
- **Master\_Workspace** subfolder: common project for all examples
- **Peripheral\_Examples** subfolder: examples ready to run
- **Template** subfolder: pre-configured project templates

**Utilities** folder:

- **STM32F3348-Discovery** subfolder: for the abstraction layer of the supported board

## 3.2 Programming firmware application

### 3.2.1 IDE requirements

To start programming, user must:

- Install the preferred Integrated Development Environment (IDE).
- Install the ST-LINK/V2-1 driver from the ST web site.

*Note:* Required information to download and install desired IDE and ST-LINK/V2-1 are detailed in *Getting started with STM32F334 Discovery software development tools*.

### 3.2.2 Programming application

Several IP examples are provided with the firmware package (see Figure 3) under STM32F3348-Discovery\_FW\_VX.Y.Z /Projects/ and the user must use one of the three tool chains supported to program applications on the STM32F3348-DISCO board.

To program application the Template example, follow the sequence below:

1. Open application folder STM32F3348-Discovery\_FW\_VX.Y.Z /Projects/Template.
2. Select the desired IDE project (EWARM for IAR, MDK-ARM for Keil or TrueSTUDIO for Atmel)
3. Double click on the project file (for example: *Template.eww* for EWARM)
4. Rebuild all files: Project->Rebuild all
5. Load project image: Project->Debug
6. Run program: Debug->Go

The demo software, as well as other software examples that allow you to discover the STM32F3 series features are available at [www.st.com/stm32f3-discovery](http://www.st.com/stm32f3-discovery).

## 4 Revision history

**Table 2. Document revision history**

<b>Date</b>	<b>Revision</b>	<b>Changes</b>
15-May-2014	1	initial release

**Please Read Carefully:**

Information in this document is provided solely in connection with ST products. STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, modifications or improvements, to this document, and the products and services described herein at any time, without notice.

All ST products are sold pursuant to ST's terms and conditions of sale.

Purchasers are solely responsible for the choice, selection and use of the ST products and services described herein, and ST assumes no liability whatsoever relating to the choice, selection or use of the ST products and services described herein.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted under this document. If any part of this document refers to any third party products or services it shall not be deemed a license grant by ST for the use of such third party products or services, or any intellectual property contained therein or considered as a warranty covering the use in any manner whatsoever of such third party products or services or any intellectual property contained therein.

**UNLESS OTHERWISE SET FORTH IN ST'S TERMS AND CONDITIONS OF SALE ST DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY WITH RESPECT TO THE USE AND/OR SALE OF ST PRODUCTS INCLUDING WITHOUT LIMITATION IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE (AND THEIR EQUIVALENTS UNDER THE LAWS OF ANY JURISDICTION), OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT.**

**ST PRODUCTS ARE NOT DESIGNED OR AUTHORIZED FOR USE IN: (A) SAFETY CRITICAL APPLICATIONS SUCH AS LIFE SUPPORTING, ACTIVE IMPLANTED DEVICES OR SYSTEMS WITH PRODUCT FUNCTIONAL SAFETY REQUIREMENTS; (B) AERONAUTIC APPLICATIONS; (C) AUTOMOTIVE APPLICATIONS OR ENVIRONMENTS, AND/OR (D) AEROSPACE APPLICATIONS OR ENVIRONMENTS. WHERE ST PRODUCTS ARE NOT DESIGNED FOR SUCH USE, THE PURCHASER SHALL USE PRODUCTS AT PURCHASER'S SOLE RISK, EVEN IF ST HAS BEEN INFORMED IN WRITING OF SUCH USAGE, UNLESS A PRODUCT IS EXPRESSLY DESIGNATED BY ST AS BEING INTENDED FOR "AUTOMOTIVE, AUTOMOTIVE SAFETY OR MEDICAL" INDUSTRY DOMAINS ACCORDING TO ST PRODUCT DESIGN SPECIFICATIONS. PRODUCTS FORMALLY ESCC, QML OR JAN QUALIFIED ARE DEEMED SUITABLE FOR USE IN AEROSPACE BY THE CORRESPONDING GOVERNMENTAL AGENCY.**

Resale of ST products with provisions different from the statements and/or technical features set forth in this document shall immediately void any warranty granted by ST for the ST product or service described herein and shall not create or extend in any manner whatsoever, any liability of ST.

ST and the ST logo are trademarks or registered trademarks of ST in various countries.

Information in this document supersedes and replaces all information previously supplied.

The ST logo is a registered trademark of STMicroelectronics. All other names are the property of their respective owners.

© 2014 STMicroelectronics - All rights reserved

STMicroelectronics group of companies

Australia - Belgium - Brazil - Canada - China - Czech Republic - Finland - France - Germany - Hong Kong - India - Israel - Italy - Japan - Malaysia - Malta - Morocco - Philippines - Singapore - Spain - Sweden - Switzerland - United Kingdom - United States of America

[www.st.com](http://www.st.com)

